OOD detection metrics 0.8 -MSP_AUROC 0.5 network - B16 0.4 -R101x3 R50x1 detection method MSP 0.8 -UNC MSP_AUPRC 0.5 -0.4 -

coupling_method

pc

OOD detection metrics 0.9 -0.8 -WSP_AUROC 0.6 -0.5 network M_B16 R50x1 0.4 -0.9 detection method MSP 0.8 -UNC MSP_AUPRC 0.0-0.5 -0.4 -<u>.</u> coupling_method


OOD detection metrics 0.9 -0.8 -MSP_AUROC network 0.5 -- - M_B16 R50_B16 0.4 -R50x1 0.9 detection method MSP 0.8 -UNC MSP_AUPRC 0.5 -0.4 --pc coupling_method


OOD detection metrics 0.9 -0.8 -MSP_AUROC 0.5 detection method MSP 0.4 -UNC network 0.9 -M_B16 R101x3 0.8 -MSP_AUPRC 0.0-0.5 -0.4 -<u>.</u> coupling_method

OOD detection metrics 0.9 -0.8 -MSP_AUROC 0.5 network R101x3 0.4 -R50x1 detection method 0.9 -MSP UNC 0.8 -MSP_AUPRC 0.5 -0.4 pc coupling_method


OOD detection metrics 0.9 -0.8 -MSP_AUROC 0.5 network B16 0.4 -R50x1 detection method 0.9 -MSP UNC 0.8 -WSP_AUPRC 0.0-0.5 -0.4 -_ oq coupling_method


OOD detection metrics 0.9 0.8 -MSP_AUROC network 0.5 -B16 M_B16 0.4 detection method 0.9 -MSP UNC 0.8 -WSP_AUPRC 0.0.0 0.5 -0.4 coupling_method **-** 20







OOD detection metrics 0.9 -0.8 -network 0.5 -M_B16 R50_B16 0.4 detection method 0.9 MSP UNC 0.8 -MSP_AUPRC 0.0-0.5 -0.4 -**.** oq coupling_method







OOD detection metrics 0.9 -0.8 -MSP_AUROC network 0.5 -- - B16 M_B16 0.4 -R50_B16 0.9 detection method MSP 0.8 -UNC MSP_AUPRC 0.0-0.5 -0.4 -**-** 29 coupling_method




OOD detection metrics 0.8 -MSP_AUROC network R101x3 0.4 -R50_B16 detection method 0.9 -MSP UNC 0.8 -MSP_AUPRC 0.0 0.5 -0.4 -


coupling_method

. ၁q


OOD detection metrics 0.9 -0.8 -0.5 network B16 0.4 -R50_B16 detection method MSP UNC 0.8 -MSP_AUPRC 0.0-0.5 -0.4 --pc coupling_method



OOD detection metrics 0.8 -MSP_AUROC network B16 0.4 -R101x3 R50_B16 detection method MSP UNC 0.8 -MSP_AUPRC 0.4 --pc coupling_method




OOD detection metrics 0.8 -MSP_AUROC network 0.5 -M_B16 R101x3 0.4 -R50_B16 R50x1 0.9 detection method MSP 0.8 -UNC



OOD detection metrics 0.9 -0.8 network 0.5 -- B16 M_B16 0.4 -R50x1 0.9 detection method MSP 0.8 -UNC WSP_AUPRC 0.0-0.5 -0.4 coupling_method . 2q

OOD detection metrics 0.8 network B16 0.4 -R101x3



OOD detection metrics 0.9 -0.8 -MSP_AUROC 0.5 network B16 0.4 -R50_B16 R50x1 detection method MSP 0.8 -UNC MSP_AUPRC 0.5 -0.4 --pc coupling_method

OOD detection metrics 0.9 -0.8 -MSP_AUROC network 0.5 -M_B16 R101x3 0.4 -R50x1 0.9 detection method MSP 0.8 -UNC MSP_AUPRC 0.0-0.5 -0.4 --coupling_method

OOD detection metrics 0.9 -0.8 -MSP_AUROC 0.5 network R50_B16 0.4 -R50x1 detection method 0.9 MSP UNC 0.8 -MSP_AUPRC 0.5 -0.4 pc coupling_method