



ReproNim: A Center for Reproducible Neuroimaging Computation

<http://www.repronim.org>

Course Material

The screenshot shows a GitHub repository page. At the top, there's a navigation bar with links for Pull requests, Issues, Marketplace, and Explore. Below the navigation bar, the repository name 'ReproNim / ohbm2018-training' is displayed, along with a search bar and icons for Unwatch, Star (1), and Fork (7). A banner below the repository name indicates 'No description, website, or topics provided.' and includes an 'Edit' button and a 'Add topics' link. The main content area shows repository statistics: 60 commits, 3 branches, 1 release, and 7 contributors. It also features a dropdown for the 'Branch: master' and a 'New pull request' button. Below these, a list of recent commits is shown, each with a small icon, the author's name, the commit message, and the time it was made. The commits listed are:

- cmtgreenwood Small updates - Latest commit fafefac 2 days ago
- data Augmented file with MYSTERY 14 days ago
- section23 Update reprozip.sh 4 days ago
- section4 Small updates 2 days ago
- .gitignore Dump of dumb analysis script for 1st-level FSL GLM 2 months ago
- README.md adding start VM section, nd small edits 5 days ago

At the bottom of the list, there's another entry for 'README.md'.

Instructions

<https://github.com/ReproNim/ohbm2018-training>

Install VirtualBox

- Go to the VirtualBox Download page: <https://www.virtualbox.org/wiki/Downloads>
- Select the link from the "VirtualBox 5.2.12 platform packages" section that matches your system.
- For Windows 10 users:



FAIR Data

We will provide an introduction to the FAIR Data Principles and strategies for making research outputs that follow these principles - that data is Findable, Accessible, Interoperable and Re-Usable. This section will focus on making data FAIR via BIDS (Brain Imaging Data Structure) and NIDM (Neuroimaging Data Model) data structures, providing an overview of metadata, common data elements, terminologies/ontologies and semantic annotation of data. This section will also introduce pyNIDM, a Python library to manipulate the Neuro Imaging Data Model.

Section 1

Introduction to FAIR

What is open data?

“Open data is data that can be freely used, shared and built-on by anyone, anywhere, for any purpose.”

Open definition;
Open Knowledge Foundation

Push for open science-open data


“The Administration is committed to ensuring that, to *the greatest extent* and *with the fewest constraints possible* and consistent with law and the objectives set out below, the direct results of federally funded scientific research are made available to and useful for the public, industry, and the scientific community. Such results include peer-reviewed publications and digital data. “

US Office of Science and Technology Policy
Increasing access to the *results* of federally funded scientific research
Memo, February 22, 2013

Why (publish) data?

- Increase transparency and reproducibility of research
- Allow and encourage re-use of data sets, e.g., by informaticians, researchers, modelers
- Big data from small data: new insights from analysis across data

TOWARD 'DATAFICATION' OF BIOMEDICINE



Ferguson et al., 2014, *Nature Neuroscience*

Data as a Research Product

“Sound, reproducible scholarship rests upon a foundation of robust, accessible data. For this to be so in practice as well as theory, data must be accorded due importance in the practice of scholarship and in the enduring scholarly record...”

1. Data should be considered *legitimate, citable products of research*. Data citations should be accorded the same importance in the scholarly record as citations of other research objects, such as publications.
2. Data citations should facilitate giving scholarly credit and normative and legal attribution to all contributors to the data, recognizing that a single style or mechanism of attribution may not be applicable to all data.
3. In scholarly literature, whenever and wherever a claim relies upon data, the corresponding data should be cited.



Joint Declaration of Data Citation Principles

<https://www.force11.org/group/joint-declaration-data-citation-principles-final>

An Ecosystem for Data Citation

The screenshot shows a journal article from 'SCIENTIFIC DATA' with the following details:
Altmetric: 40 | More detail >
Editorial | OPEN | Published: 08 May 2018
On the road to robust data citation
Scientific Data 5, Article number: 180095 (2018) | Download Citation ↗

Scientific Data is changing the way we incorporate links into our data citations. We will now be taking advantage of the resolver services offered by identifiers.org and N2T.net to provide more standardized and predictable links for biomedical datasets that have accession identifiers when they are cited in our publications.

These two parallel services help address an important problem in data citation: many of the most important community-supported biomedical repositories use accession identifier systems that must be resolved according to repository-specific linking rules. Indeed, a single repository may offer multiple link structures that all point to the same dataset. An article published today in the journal describes how identifiers.org and N2T.net, provided by the EMBL-EBI and the California Digital Library respectively, are working together to provide machine-resolvable persistent identifiers for datasets across a wide range of biomedical data repositories¹.



FAIR Principles

SCIENTIFIC DATA

OPEN SUBJECT CATEGORIES
» Research data
» Publication characteristics

Comment: The FAIR Guiding Principles for scientific data management and stewardship

Zheng, Zhenan van der Lee, Eline van Dijken, Jan Venterop, Andra Waagmeester, Wittenburg, Katherine Wolstencroft, Jun Zhao, and Barend Mons

Open data is about MORE THAN DISCLOSURE it must be Fair

<http://www.nature.com/sdata/> nature publishing group npg



- **Findable:** A core aspect of an open data ecosystem - facilitate access to a collection of diverse research resources
- **Accessible:** Assist users by directing them to available resources for that researcher
- **Interoperable:** Provide unified views of certain data and information across resources
- **Reusable:** Supports community standards and develops standard representations for resources
- **Attribution and Recognition:** Initiatives to unambiguously cite resources and data

Assist researchers in ensuring that their resources (e.g. software tools, core facilities,...) and data are FAIR

Making data FAIR

- FAIR data starts with good laboratory management
- Easiest way to make data FAIR is to submit it to a data repository
 - Specialized community repository
 - General repository
 - Institutional repository
- Journals are starting to post lists of repositories that are acceptable (e.g.,
<http://journals.plos.org/plosone/s/data-availability>).
- Data repositories act in the role of publishers for data:
 - links are stable
 - metadata is consistent
 - community standards are adhered to
- Data journals may have more stringent requirements


The cover of the journal issue 'SCIENTIFIC DATA IN PRESS' features the title 'SCIENTIFIC DATA' in large blue letters, with 'IN PRESS' written diagonally across it. Below the title, the subtitle 'The FAIR Guiding Principles for scientific data management and stewardship' is displayed. A red stamp at the top right shows binary code: 1100 011111 1100 011111. The author list includes Mark D. Wilkinson, Michel Dumontier, IJsbrand Jan Aalbersberg, Gabrielle Appleton, Myles Axton, Arie Baak, Niklas Blomberg, Jan-Willem Boiten, Luiz Bonino da Silva Santos, Philip E Boume, Jildau Bouwman, Anthony J Brookes, Tim Clark, Mercé Crosas, Ingrid Dillo, Olivier Dumon, Scott Edmunds, Chris T Evelo, Richard Finkers, Alejandra Gonzalez-Beltran, Alasdair J G Gray, Paul Groth, Carole Goble, Jeffrey S. Grethe, Jaap Heringa, Peter A.C. 't Hoen, Rob Hooft, Tobias Kuhn, Ruben Kok, Joost Kok, Scott J. Lusher, Maryann E. Martone, Albert Mons, Abel L. Packer, Bengt Persson, Philippe Rocca-Serra, Marco Roos, Rene van Schaik, Susanna-Assunta Sansone, Erik Schultes, Thierry Sengstag, Ted Slater, George Strawn, Morris A. Swertz, Mark Thompson, Johan van der Lei, Erik van Mulligen, Jan Velterop, Andra Waagmeester, Peter Wittenburg, Katherine Wolstencroft, Jun Zhao, and Barend Mons.

**Open
data
is about
MORE
THAN
DISCLOSURE
it must be
Fair**

- Findable
- Accessible
- Interoperable
- Reusable

<http://www.nature.com/sdata/> nature publishing group npg

ReproNim Training



The screenshot shows a web browser window with the URL "reproducibleimaging.org" in the address bar. The page content is as follows:

Data and the FAIR Principles

FAIR is a collection of guiding principles to make data Findable, Accessible, Interoperable, and Re-usable. This module provides a number of lessons to ensure that a researcher's data is properly managed and published to ensure it enables reproducible research.

It is based on the lesson template used in [Neurohackweek](#), [Data Carpentry](#) and [Software Carpentry](#) workshops.

Schedule

09:00	Module Overview: Data and the FAIR Principles	Why is FAIR important? Who is this modulde for? How can I get some help if I get stuck on solving for an exercise or a question? When and where are the future ReproNim training workshops?
09:00	Lesson 1: Introduction to the Web of Data	What is a research object and how do I properly identify it? What is linked open data? What are the FAIR Data principles?
09:02	Lesson 2: Ethics	What ethics policies and issues surround privacy, data sharing, and the use of data?
09:02	Lesson 3: Data Publishing	Am I ready to publish my data? What resources are available for your research data needs?
09:03	Lesson 4: Your Labtory Datastore	What resources are available for me to be a good steward of my laboratory's data
09:03	Lesson 5: Semantic Data Representations	How do I represent my data as linked data?
09:03	Finish	http://www.reproducibleimaging.org/module-FAIR-data/

ReproNim Training

A screenshot of a web browser window displaying the ReproNim Training website at reproducibleimaging.org. The page title is "Data and the FAIR Principles". The main content header is "Lesson 1: Introduction to the Web of Data". A sidebar on the left contains sections for "Overview", "Teaching: Self Paced min", and "Exercises: 2 min". The "Overview" section includes a "Questions" list and an "Objectives" list. A "Lesson Episodes" section is also present.



Data and the FAIR Principles



Lesson 1: Introduction to the Web of Data

Overview

Teaching: Self Paced min

Exercises: 2 min

Questions

- What is a research object and how do I properly identify it?
- What is linked open data?
- What are the FAIR Data principles?

Objectives

- Understanding identifiers
- History of open and linked data
- Overview of the FAIR principles

Introduction

This lesson provides an overview of strategies for making research outputs available through the web, with an emphasis on data. It introduces concepts such as persistent identifiers, linked data, the semantic web and the FAIR principles. It is designed for those with little to no familiarity with these concepts. More technical discussions can be found in the reference materials.

Lesson Episodes

- Overview of the current ecosystem
- Research objects and identifier systems
- Short history of open & linked data technologies
- Benefits of linked open data with examples
- Towards the FAIR principles

Section 2

Interoperable Data and BIDS

Motivation

- Imaging experiments are complicated and can be organized in many different ways
- Many files/file types per subject
- Members of the same lab may use different ways to arrange data
- Difficulty sharing data within and across large scale projects



"Think this is bad? You should see the inside of my head."

Benefits of BIDS

- Standardized organization and format makes it easy to share data within/across labs
- More software tools are available that use this structure
- OpenNeuro and others can accept this format
- Validation tools are available to check data integrity
- Focus is on **raw data** (minimally processed), but source (e.g., DICOM) and derived data (e.g., a contrast map, post processed images) can be included as well

BIDS Resources

BIDS Specification

http://bids.neuroimaging.io/bids_spec.pdf

BIDS Starter Kit

<https://github.com/INCF/bids-starter-kit>

BIDS Validator

<https://github.com/INCF/bids-validator>



OpenNEURO

A free and open platform for analyzing
and sharing neuroimaging data

<https://openneuro.org>

Multi-echo fMRI replication sample of autobiographical memory, prospection and theory of mind reasoning tasks

uploaded on 03/26/2018 - 3 months ago

last modified 04/09/2018 - 2 months ago

authored by Elizabeth DuPre, Wen-Ming Luh and R. Nathan Spreng

★ 1 🐾 2 ⏱ 173 ⏪ 3

Files: 848, **Size:** 19.16GB, **Subjects:** 31, **Session:** 1

Available Tasks : cuedSGT, rest

Available Modalities : bold, T1w

👤 Published 📡 Uploader is Following

AUTHORS

Elizabeth DuPre

Wen-Ming Luh

<https://openneuro.org/datasets/ds000210/versions/00002>

BIDS Validation



Valid

2 WARNINGS

Dataset File Tree

– dataset_description.json
<a>⬇ DOWNLOAD <a>👀 VIEW
– participants.tsv
<a>⬇ DOWNLOAD <a>👀 VIEW
– README
<a>⬇ DOWNLOAD <a>👀 VIEW
– T1w.json
<a>⬇ DOWNLOAD <a>👀 VIEW
– task-cuedSGT_echo-1_bold.json
<a>⬇ DOWNLOAD <a>👀 VIEW
– task-cuedSGT_echo-2_bold.json
<a>⬇ DOWNLOAD <a>👀 VIEW
– task-cuedSGT_echo-3_bold.json
<a>⬇ DOWNLOAD <a>👀 VIEW
– task-rest_echo-1_bold.json
<a>⬇ DOWNLOAD <a>👀 VIEW
– task-rest_echo-2_bold.json
<a>⬇ DOWNLOAD <a>👀 VIEW
– task-rest_echo-3_bold.json
<a>⬇ DOWNLOAD <a>👀 VIEW
– sub-01
– sub-02
– sub-03
– sub-04

Dataset_Description.json

The screenshot shows the OpenNEURO interface for a dataset. The top navigation bar includes links for PUBLIC DASHBOARD, SUPPORT, FAQ, and SIGN IN. On the left, a sidebar titled 'Versions' lists two versions: v2 (Apr 9, 2018) and v1 (Mar 26, 2018). The main content area displays the 'DATASET_DESCRIPTION.JSON' file, which contains the following JSON code:

```
{  
    "Name": "Multi-echo fMRI replication sample of autobiographical memory, prospection and theory of mind reasoning tasks",  
    "BIDSVersion": "1.0.2",  
    "License": "PDDL",  
    "Authors": [  
        "Elizabeth DuPre",  
        "Wen-Ming Luh",  
        "R. Nathan Spreng"  
    ]  
}
```

BIDS Specifications

7 Directory structure

Overall directories hierarchy is

- `sub-<participant_label>[/ses-<session_label>]/<data_type>/`
- `[code/]`
- `[derivatives/]`
- `[stimuli/]`
- `[sourcedata/]`

where [] depicts OPTIONAL content (the same nomenclature is used throughout the spec). Session level is OPTIONAL, first we detail single session example. See below (section 9) for an example with multiple sessions.

7.1 Single session example

This is an example of the folder and file structure. Because there is only one session, the session level is not required by the format. For details on individual files see descriptions in the next section:

- **sub-control01**
 - **anat**
 - `sub-control01_T1w.nii.gz`
 - `sub-control01_T1w.json`
 - `sub-control01_T2w.nii.gz`
 - `sub-control01_T2w.json`

http://bids.neuroimaging.io/bids_spec.pdf

BIDS Specifications

8.1.1 dataset_description.json

The file `dataset_description.json` is a JSON file describing the dataset. Every dataset MUST include this file with the following fields:

Name	REQUIRED. Name of the dataset.
BIDSVersion	REQUIRED. The version of the BIDS standard that was used.
License	RECOMMENDED. What license is this dataset distributed under? The use of license name abbreviations is suggested for specifying a license. A list of common licenses with suggested abbreviations can be found in Appendix II.
Authors	OPTIONAL. List of individuals who contributed to the creation/curation of the dataset.
Acknowledgements	OPTIONAL. List of individuals who contributed to the creation/curation of the dataset.
HowToAcknowledge	OPTIONAL. Instructions how researchers using this dataset should acknowledge the original authors. This field can also be used to define a publication that should be cited in publications that use the dataset.

BIDS Specifications

Example:

```
{
```

```
  "Name": "The mother of all experiments",
```

```
  "BIDSVersion": "1.0.1",
```

```
  "License": "CC0",
```

```
  "Authors": ["Paul Broca", "Carl Wernicke"],
```

```
  "Acknowledgements": "Special thanks to Korbinian Brodmann for help in formatting this  
dataset in BIDS. We thank Alan Lloyd Hodgkin and Andrew Huxley for helpful comments and  
discussions about the experiment and manuscript; Hermann Ludwig Helmholtz for  
administrative support; and Claudius Galenus for providing data for the medial-to-lateral  
index analysis.",
```

```
  "HowToAcknowledge": "Please cite this paper:
```

```
https://www.ncbi.nlm.nih.gov/pubmed/001012092119281",
```

```
  "Funding": ["National Institute of Neuroscience Grant F378236MFH1", "National  
Institute of Neuroscience Grant 5RMZ0023106"],
```

```
  "ReferencesAndLinks": ["https://www.ncbi.nlm.nih.gov/pubmed/001012092119281",  
"Alzheimer A., & Kraepelin, E. (2015). Neural correlates of presenile dementia in humans.  
Journal of Neuroscientific Data, 2, 234001. http://doi.org/10.1007/s11336-015-0201-7"],
```

```
  "DatasetDOI": "10.0.2.3/dfjj.10"
```

```
}
```

http://bids.neuroimaging.io/bids_spec.pdf

Exercise #1

Basic BIDS



Basic BIDS Data

Step 1: Setup work folder

```
vagrant@nitricce:~$ mkdir section1  
vagrant@nitricce:~$ cd section1
```

Step 2: Copy anatomical images

```
vagrant@nitricce:~$ cp ~/workspace/Indiv_Diffs_ReadingSkill/sub-0?/anat/* .  
vagrant@nitricce:~$ mkdir Repro_BIDS
```

Step 3: Create a structured BIDS dataset




Section 3

FAIR Metadata and CDEs

General Neuroimaging Workflow

Data Flow and Stages of Data Publishing Opportunities



Metadata Descriptions

BIDS Specifications

8.9 Participant file

Template:

(single session case)

`participants.tsv`

`participants.json`

`phenotype/<measurement_tool_name>.tsv`

`phenotype/<measurement_tool_name>.json`

Optional: Yes

The purpose of this file is to describe properties of participants such as age, handedness, sex, etc. In case of single session studies this file has one compulsory column `participant_id` that consists of `sub-<participant_label>`, followed by a list of optional columns describing participants. Each participant needs to be described by one and only one row.

8.9.1 `participants.tsv` example:

<code>participant_id</code>	<code>age</code>	<code>sex</code>	<code>group</code>
<code>sub-control01</code>	34	M	<code>control</code>
<code>sub-control02</code>	12	F	<code>control</code>
<code>sub-patient01</code>	33	F	<code>patient</code>

http://bids.neuroimaging.io/bids_spec.pdf

Exercise #2

BIDS Participants.tsv



Basic BIDS Data

Step 1: Setup work folder

```
vagrant@nitricce:~$ cd ~/section1
```

Step 2: Create a participants.tsv file

Step 3: Validate your BIDS dataset

<https://github.com/INCF/bids-validator>



Participants.tsv

OpenNEURO

PUBLIC DASHBOARD SUPPORT FAQ SIGN IN

Versions < >

Multi-echo fMRI replication sample of autobiographical memory, prospection and theory of mind reasoning tasks - participants.tsv

PARTICIPANTS.TSV [DOWNLOAD](#)

participant_id	gender	age	physioSampling	restAcquisition
sub-01	M	26	50	after_cuedSGT
sub-02	M	21	50	after_cuedSGT
sub-03	M	22	50	after_cuedSGT
sub-04	M	23	50	after_cuedSGT
sub-05	M	21	50	before_cuedSGT
sub-06	M	19	50	before_cuedSGT
sub-07	F	18	50	before_cuedSGT
sub-08	F	21	50	before_cuedSGT
sub-09	M	20	50	before_cuedSGT
sub-10	F	21	50	before_cuedSGT
sub-11	F	20	50	before_cuedSGT
sub-12	M	21	50	before_cuedSGT
sub-13	F	31	50	before_cuedSGT
sub-14	M	22	50	before_cuedSGT
sub-15	M	22	50	before_cuedSGT
sub-16	M	25	50	before_cuedSGT

Terms versus Common Data Elements

The image displays three separate entity pages from a system, each featuring a red "BETA TESTING" stamp in the top right corner.

- Top Entity:** **Age** (http://url.interlex.org/base/ix_0100400)
PreferredId: PATO:0000011 Type: term OWL Equivalent: owl:Class
A time quality inhering in a bearer by virtue of how long it has existed.
Version: 2
General Children Relationships Annotations Referenced By
Superclasses: [Expand list](#) Age
Synonyms: Synonym
Type Existing Ids:
Preferred CURIE IRI
http://www.owl-ontologies.com/pato.owl#PATO_0000011
http://url.interlex.org/base/ix_0100400
- Middle Entity:** **interview_age (Age Differentiation Test)** (http://url.interlex.org/base/ix_0345073)
PreferredId: IIX:0345073 Type: cde OWL Equivalent: owl:Class
Age in months at the time of the interview/test/sampling/imaging.
Version: 2
General Children Relationships Annotations
Superclasses: [Expand list](#) interview_age (Age Differentiation Test) [+ Age Differentiation Test](#) [+ NMH Data Archive](#) [Common Data Element](#)
Synonyms: Synonym
Type Existing Ids:
Preferred CURIE IRI
http://url.interlex.org/base/ix_0345073
- Bottom Entity:** **Participant Age** (http://url.interlex.org/base/ix_0115067)
PreferredId: IIX:0115067 Type: cde OWL Equivalent: owl:Class
Age at the time of study enrollment, expressed in number of years completed at the last birthday.
Version: 1
General Children Relationships Annotations Referenced By
Superclasses: [Expand list](#) Participant Age [+ National Cancer Institute](#) [Common Data Element](#) [+ Common data element](#) [+ Standard specification](#) [+ Native resource](#)
Synonyms: Synonym
Type Existing Ids:
Preferred CURIE IRI
http://url.interlex.org/base/ix_0115067

Common Data Elements

Home / Term Dashboard / ILX:0115067

Term View

Participant Age 
http://uri.interlex.org/base/ilx_0115067



 Suggest term to community

 Back to search results

 Add new term

PreferredId: ILX:0115067 Type: cde OWL Equivalent: owl:Class
Age at the time of study enrollment, expressed in number of years completed at the last birthday.

Export:   


Version: 1

General	Children	Relationships	Annotations	Referenced By																				
<p>Superclasses:</p> <p> Expand list</p> <p>Participant Age </p> <p>National Cancer Institute Common Data Element </p> <p>Common data element </p> <p>Standard specification</p>	<p>Synonyms:</p> <table border="1"><thead><tr><th>Synonym</th><th>Type</th></tr></thead><tbody><tr><td>Age</td><td></td></tr><tr><td>Patient Age</td><td></td></tr><tr><td>Subject Age</td><td></td></tr></tbody></table>	Synonym	Type	Age		Patient Age		Subject Age		<p>Existing Ids:</p> <table border="1"><thead><tr><th>Preferred</th><th>CURIE</th><th>IRI</th></tr></thead><tbody><tr><td> ILX:0115067</td><td></td><td>http://uri.interlex.org/base/ilx_0115067</td></tr></tbody></table>	Preferred	CURIE	IRI	 ILX:0115067		http://uri.interlex.org/base/ilx_0115067	<p>OWL Equivalent: owl:ObjectProperty</p> <p> Show withdrawn relationships</p> <p>Edit Withdrawn Term 1</p>	<p> Add new relationship for this term</p> <table border="1"><thead><tr><th>Relationship type</th><th>Term 2</th><th>Votes</th></tr></thead><tbody><tr><td>Records Instance Of</td><td>Age</td><td>+0  -0 </td></tr></tbody></table>	Relationship type	Term 2	Votes	Records Instance Of	Age	+0  -0 
Synonym	Type																							
Age																								
Patient Age																								
Subject Age																								
Preferred	CURIE	IRI																						
 ILX:0115067		http://uri.interlex.org/base/ilx_0115067																						
Relationship type	Term 2	Votes																						
Records Instance Of	Age	+0  -0 																						

InterLex

Community Managed Terminologies

- Dynamic lexicon of biomedical terms
- Constructed to help improve the way scientists communicate about their data
- Provide more powerful means of integrating data across distributed resources.
- InterLex allows for the association of data values (i.e. the value of a field or text within a field) to terminologies enabling the crowdsourcing of data-terminology mappings within and across communities.



Built on the foundation of NeuroLex

<https://interlex.org>

Term Search



Center for Reproducible Neuroimaging Computation

ABOUT

COMMUNITY RESOURCES

MORE RESOURCES

LITERATURE

MY ACCOUNT

Home / Term Dashboard / Term Search

Term Search

echo time



Search Term: echo time Result 1 through 100 of 304.

Search community terms only

First Previous **1** 2 3 4 Next Last

Echo Time

Preferred Id: NLX:149938 Score: 6.374187 Type: term

Time in ms between the middle of the excitation pulse and the peak of the echo produced (kx

Matches: definition, label

Effective Echo Time

Preferred Id: NLX:149940 Score: 5.0728955 Type: term

The time in ms between the middle of the excitation pulse and the peak of the echo produced for kx

Matches: definition, label

TE

Preferred Id: BIRNLEX:2070 Score: 4.9995875 Type: term

Matches: synonyms, annotations

Duration

Preferred Id: PATO:0001309 Score: 2.1692846 Type: term

A process quality inhering in a bearer by virtue of the bearer's magnitude of the temporal extent be... [more]


Matches: synonyms, annotations

Echo Number

Preferred Id: NLX:149935 Score: 1.9904175 Type: term

The echo number used in generating this image. In the case of segmented k-space, it is the effective... [more]

Access to Services



The screenshot shows the SciCrunch API Docs interface. At the top, there's a navigation bar with links for Home, Account, and API Keys. The main content area has tabs for API Keys and API Moderation, with the API Keys tab selected. It displays a table of API keys:

Key	Project Name	Description	Permissions	Created On
Do0tefjq7od4poGP7pBhzz3yw4luYy	Testing	Key for testing services	user	2016-02-10 15:58:27
e/sI0rlldI0rHffXP6Gaa#8dcU81KfUV8	Repronim	Key for repronim terminal	user	2017-12-18 15:48:34


A note below the table says: "Please contact the help desk in the bottom right corner if you need extra permissions added to an API key."

On the left side, there's a sidebar with a "Data services" section containing several API endpoints:

- `GET /dataservices/literature/{pmid}` retrieve by PMID
- `GET /dataservices/federation/search` search all data views
- `GET /dataservices/literature/search` search the PubMed literature
- `GET /dataservices/federation/facets/{viewid}` get facets for a data view
- `GET /dataservices/federation/data/{viewid}` search a single data view

Below this, there are sections for "ILX and term" and "Elastic", each with its own set of API endpoints.

The NIF Ontologies and Semantic Framework



Github Management of Ontology

The screenshot shows the GitHub repository page for "NIF-Ontology". The repository has 818 commits, 54 branches, 4 releases, and 6 contributors. The latest commit was made on Dec 3, 2017. A specific commit for the file "nif.ttl" is highlighted, showing its content and a detailed commit message.

Commit Message:

```
tgbugs reserialized using ttlser 1.1.1
```

File Content (nif.ttl):

```
@prefix : <file:///ERROR/EMPTY/PREFIX/BANNED/> .  
@prefix bearerOf: <http://purl.oclc.org/obo/NO_0000001> .  
@prefix BFO: <http://purl.oclc.org/obo/BFO_> .  
@prefix BIRNLEX: <http://uri.neuinfo.org/nif/nifstd/birnlex_> .  
@prefix CHBII: <http://uri.neuinfo.org/obo/CHBII_> .  
@prefix COGAT: <http://www.cognitivatlas.org/ontology/cogat.owl#> .  
@prefix dcl: <http://purl.org/dc/elements/1.1/> .  
@prefix ILX: <http://uri.neuinfo.org/base/ilx_> .  
@prefix NPFRD: <http://uri.neuinfo.org/nif/nifstd/readable/> .  
@prefix NPSTO: <http://uri.neuinfo.org/nif/nifstd/npsto/> .  
@prefix NLX: <http://uri.neuinfo.org/nif/nifstd/nlx_> .  
@prefix NLXDM: <http://uri.neuinfo.org/nif/nifstd/nlx_dm_> .  
@prefix NLXRES: <http://uri.neuinfo.org/nif/nifstd/nlx_res_> .  
@prefix OBI: <http://purl.oclc.org/obo/OBI_> .  
@prefix owl: <http://www.w3.org/2002/07/owl#> .  
@prefix PATO: <http://purl.oclc.org/obo/PATO_> .  
@prefix rdfs: <http://www.w3.org/1999/02/22-rdf-syntax-ns#> .  
@prefix rdf: <http://www.w3.org/2000/10/rdf-schema#> .  
@prefix skos: <http://www.w3.org/2004/02/skos/core#> .  
@prefix xsd: <http://www.w3.org/2001/XMLSchema#> .  
  
@prefix ontology-neuinfo.org/NIF/ttl/NIF-Investigation.ttl: a owl:ontology ;  
    owl:imports <http://ontology.neuinfo.org/NIF/ttl/BIRNLEX-OBI-proxy.ttl> ,  
              <http://ontology.neuinfo.org/NIF/ttl/external/cogat_v0.3.owl> ,  
              <http://ontology.neuinfo.org/NIF/ttl/external/cogt.ttl> ,  
              <http://ontology.neuinfo.org/NIF/ttl/NIF-Government-Granting-Agency.ttl> ,  
              <http://ontology.neuinfo.org/NIF/ttl/NIF-Resource.ttl> ,  
              <http://ontology.neuinfo.org/NIF/ttl/NIF-Scientific-Discipline.ttl> ,  
              <http://ontology.neuinfo.org/NIF/ttl/nif_backend.ttl> ;
```

Repository Description:

Repository for the NIF Standard (NIFSTD) Ontologies.

Notice:

NIFSTD is undergoing significant changes. Please see the [issue tracker](#) for upcoming changes please see the [log](#) or run `git log` for a quick overview.

Documentation:

Please see [docs/](#) for documentation about how to develop NIFSTD using this repository.

Please see the [GitHub wiki](#) for documentation about the structure of the ontology and how to load and edit it.

BrainVerse

- An **electronic laboratory notebook** built as a cross platform desktop application
- Enables users to **plan experiments, collect, analyze and reuse data, and collaborate**
- Adds **semantic annotation to data** with relevant metadata based on NeuroImaging data Model (NIDM) making experimental neuroimaging study more **reproducible**, and making data **FAIR**
- Addresses the limitations of existing Electronic Data Capture systems, such as REDCap and OpenClinica
 - Lack of semantic annotation, do not use underlying graph model, limited query capabilities, do not integrate with other desktop applications, integration and management of specific data types.


The screenshot shows the BrainVerse application interface. At the top, there is a 'Subject ID' field containing 'S11'. Below it is a dropdown menu labeled 'Add a Plan' with 'StudyA.' selected. The main area features a table with four columns: 'Session Number', 'Session Name', 'Task Name', and 'Instrument Name / Status'. The table contains the following data:

Session Number	Session Name	Task Name	Instrument Name	Status
1	Phone Screen	Call Subjects	terms-bu_demographics01-m32-BUDemographics	Not completed
2	Scan	Scanning	terms-abcd_ra01-m76-scan-list	Not completed
2	Scan	Measure Mindfulness	terms-camm01-m43-camm-edited	Not completed
3	GritScale	Grit Scale Measurement	terms-grit01-m74-12-gritscale	Not completed

Section 4

Re-Usable Data and NIDM


Neuroimaging Data Model



<http://nidm.nidash.org/>

NIDM Experiment

- Representation of the experiment design, source data descriptions, and information on the participants and acquisition information.
- Metadata stored using simple Project->Session->Acquisition hierarchy
- Based on W3C Linked Data (www.w3.org/RDF/) and PROV (www.w3.org/TR/prov-overview/) models.
- Metadata described using subject-predicate-object tuples.
- Tuples composed of namespace:term where “namespace” is web-accessible ontology/terminology containing the precise, unambiguous definition of the “term”.



PyNIDM

[build](#) [passing](#)

A Python library to manipulate the [Neuro Imaging Data Model](#).

Dependencies

- [graphviz](#) (native package):
 - Fedora: `dnf install graphviz`
 - OS-X: `brew install graphviz`

creating a conda environment and installing the library (tested with OSX)

- `conda create -n pynidm_py3 python=3 pytest graphviz -y`
- `source activate pynidm_py3`
- `cd PyNIDM`
- `pip install -e .`
- you can try to run a test: `pytest`


NIDM Experiment Tools

BIDSMRI2NIDM.py

- **Location:** PyNIDM/nidm/experiment/tools/BIDSMRI2NIDM.py
- **Description:** This tool will convert a BIDS MRI directory tree to a NIDM-Experiment document. Currently does not properly handle arbitrary Phenotype files. Will encode in NIDM document but namespace set to BIDS (<http://bids.neuroimaging.io/>) and term to simply variable name from phenotype file which won't de-reference....work in progress....

PyNIDM – API + Terminology

- Python-based API (github.com/incf-nidash/PyNIDM) following the simple organizational structure of NIDM-Experiment documents.
 - Functions to create, query, export, import, and transform NIDM-Experiment documents.



- NIDM Terminology / Ontology
 - NIDM ontology reuses existing terms from several other where appropriate definitions exist.
 - NIDM-Experiment ontology: github.com/incf-nidash/nidm/tree/master/nidm/nidm-experiment/terms
 - DICOM-tag ontology: github.com/incf-nidash/dicom-ontology

PyNIDM Terminology Alignment

```
#BIDS Participants file -> NIDM constants
mappingsparticipants = { "participant_id" : Constants.NIDM SUBJECTID, "sex" : Constants.NIDM_GENDER, "age" : Constants.NIDM_AGE, "gender" : Constants.NIDM_GENDER, "diagnosis" : Constants.NIDM_DIAGNOSIS}
```

```
NIDM SUBJECTID =
QualifiedNamespace(provNamespace("ndar",NDAR),
"src_subject_id")

nidm: 88f65012-e44b-11e7-b9e2-6c4008b8f03e a
prov:Agent,
prov:Person ;
ndar:src_subject_id "sub-10159"^^xsd:string .
```

```
DICOM =
Namespace("http://neurolex.org/wiki
/Category:DICOM_term/")
```

```
nidm: 88f8dcec-e44b-11e7-8ba0-
6c4008b8f03e a sio:file,
prov:Entity ;
dicom:EchoTime 3.31e-03 ;
```

```
json_keys = { ##Image terms "run" :
Constants.NIDM_ACQUISITION_ENTITY, "ImageType" :
Constants.DICOM["ImageType"],
"ManufacturerModelName" :
Constants.DICOM["ScanningSequence"],
"SequenceVariant" : Constants.DICOM["SequenceVariant"],
"ScanOptions" : Constants.DICOM["ScanOptions"],
"MRAcquisitionType" :
Constants.DICOM["MRAcquisitionType"],
"SequenceName" : Constants.DICOM["SequenceName"],
"RepetitionTime" : Constants.DICOM["RepetitionTime"],
"EchoTime" : Constants.DICOM["EchoTime"],
```

What is Linked Data?

“The term Linked Data is used to describe a *method* of exposing, sharing, and connecting data via dereferenceable URIs on the Web.” – Wikipedia

Linked Data is a protocol component of the Semantic Web, using URIs, Real World Objects, Content Negotiation and RDF documents to share information on the web.



The Semantic Web

- “The semantic web is a vision of information that is understandable by computers, so computers can perform more of the tedious work involved in finding, combining, and acting upon information on the web.” – Wikipedia
- “I have a dream for the Web [in which computers] become capable of analyzing all the data on the Web – the content, links, and transactions between people and computers.”
 - Tim Berners-Lee

Linked Data Principles

1. Use URIs as names for things
2. Use HTTP URIs so that people can look up (dereference) those names.
3. When someone looks up a URI, provide useful information.
4. Include links to other URIs so that they can discover more things.


“The Semantic Web isn't just about putting data on the web. It is about making links, so that a person or machine can explore the web of data. With linked data, when you have some of it, you can find other, related, data. Like the web of hypertext, the web of data is constructed with documents on the web.

However, unlike the web of hypertext, where links are relationships anchors in hypertext documents written in HTML, for data they links between arbitrary things described by RDF,. The URIs identify any kind of object or concept. But for HTML or RDF, the same expectations apply to make the web grow.”

Resource Description Framework (RDF)

- A data model
 - A way to model data
 - i.e. Relational databases use relational data model
- RDF is a triple data model
- Labeled Graph
- Subject, Predicate, Object
- <Cerebellum> <is part of> <Hind Brain>

NIDM Graph Model



NIDM Resources

NIDM Overview

<http://nidm.nidash.org/specs/nidm-overview.html>


NIDM Primer

<http://nidm.nidash.org/specs/nidm-primer.html>

Getting Started with NIDM-Results

<http://nidm.nidash.org/getting-started/>

NIDM Results



SCIENTIFIC DATA

Altmetric: 51 Citations: 3 More detail >

Article | OPEN

Sharing brain mapping statistical results with the neuroimaging data model

Camille Maumet , Tibor Auer, Alexander Bowring, Gang Chen, Samir Das, Guillaume Flandin, Satrajit Ghosh, Tristan Glatard, Krzysztof J. Gorgolewski, Karl G. Helmer, Mark Jenkinson, David B. Keator, B. Nolan Nichols, Jean-Baptiste Poline, Richard Reynolds, Vanessa Sochat, Jessica Turner & Thomas E. Nichols

Scientific Data 3, Article number: 160102

(2016)

doi:10.1038/sdata.2016.102

[Download Citation](#)

[Medical research](#) [Research data](#)

Received: 21 June 2016

Accepted: 21 September 2016

Published online: 06 December 2016

[incf-nidash / nidmresults-fsl](#)

[Watch +](#) 14 [Star](#) 1 [Fork](#) 9

[Code](#)

[Issues 13](#)

[Pull requests 1](#)

[Projects 1](#)

[Wiki](#)

[Insights](#)

A python library to export FSL's feat results to NIDM-Results <http://nidm.nidash.org/specs/nidm-res...>

Exercise #3

BIDS to NIDM



Setup PyNIDM Environment

Step 1: Setup Conda environment

```
vagrant@nitricce:~$ cd ~  
vagrant@nitricce:~$ source activate section1
```

Step 2: Convert BIDS to NIDM

```
vagrant@nitricce:~$ cd ~/section1/Repro_BIDS/  
vagrant@nitricce:~$ mkdir Repro_BIDS
```

Step 3: Review nidm.ttl file



NIDM.TTL

```
vagrant@nitrccce: ~
  ncicb:Age "0.556"^^xsd:string ;
  prov:wasGeneratedBy nidm:_61ee85c6-717f-11e8-b46b-0800277be888 .

nidm:_61ee85cb-717f-11e8-b46b-0800277be888 a onli:assessment-instrument,
  nidm:AcquisitionObject,
  prov:Entity ;
  bids:ctopp.pa.comp "1.198531065"^^xsd:string ;
  bids:ctopp.rln.raw "-1.104109688"^^xsd:string ;
  bids:mcdecode "1.514966059"^^xsd:string ;
  bids:mcpassfluency "1.680192391"^^xsd:string ;
  bids:mrt "1.358940694"^^xsd:string ;
  bids:piat.l.raw "0.766663412"^^xsd:string ;
  bids:piat.r.raw "1.07060038"^^xsd:string ;
  bids:ppvt.raw "1.303491936"^^xsd:string ;
  bids:sspan2.raw "1.876107955"^^xsd:string ;
  bids:wasi.matr.raw "1.413554228"^^xsd:string ;
  ncicb:Age "1.416"^^xsd:string ;
  prov:wasGeneratedBy nidm:_61ee85ca-717f-11e8-b46b-0800277be888 .

nidm:_61ee85ce-717f-11e8-b46b-0800277be888 a nidm:AcquisitionObject,
  prov:Entity ;
  nidm:AcquisitionModality nidm:MagneticResonanceImaging ;
  nidm:hasImageContrastType nidm:T1Weighted ;
  nidm:hasImageUsageType nidm:Anatomical ;
  nfo:filename "/sub-01/anat/sub-01_T1w.nii.gz"^^xsd:string ;
  prov:wasGeneratedBy nidm:_61ee85cd-717f-11e8-b46b-0800277be888 .

nidm:_61ee85d0-717f-11e8-b46b-0800277be888 a nidm:AcquisitionObject,
  prov:Entity ;
  nidm:AcquisitionModality nidm:MagneticResonanceImaging ;
  nidm:hasImageContrastType nidm:T1Weighted ;
  nidm:hasImageUsageType nidm:Anatomical ;
```



Exercise #4

SPARQL Query



Basic BIDS Data

Step 1: Locate RDFLIB Qeury File

```
vagrant@nitricce:~$ cd ~/nidm-training  
vagrant@nitricce:~$ ls
```

Step 2: Review rdf-age-query.py

```
vagrant@nitricce:~$ more rdf-age-query.py
```



RDFLIB SPARQL Query

```
import rdflib


from argparse import ArgumentParser

parser = ArgumentParser()
# parse command line arguments
parser.add_argument('-nidm', dest='nidm_file', required=True, help="NIDM-Exp RDF File to import")
args = parser.parse_args()

g=rdflib.Graph()
g.parse(args.nidm_file, format='ttl')

qres = g.query(
    """SELECT DISTINCT ?id ?age ?assessment
    WHERE {
        ?assessment prov:wasGeneratedBy ?acq .
        ?acq prov:wasAssociatedWith ?person .
        ?assessment ncicb:Age ?age .
        ?person ndar:src_subject_id ?id
    }"""
)

for row in qres:
    print("%s - %s - %s" % row)
```



Run SPARQL Query

Step 1: Locate RDFLIB Qeury File

```
vagrant@nitricce:~$ cd ~/nidm-training  
vagrant@nitricce:~$ ls
```

Step 2: Run Query

```
vagrant@nitricce:~$ python rdf-age-query.py –nidm  
~/section1/Repro_BIDS/nidm.ttl
```



A large, colorful word cloud centered around the words "thank you" in various languages. The word "thank" is in red, "you" is in yellow, and "gracias" is in green. Other words include "danke" (blue), "tesekkür ederim" (purple), "merci" (orange), "gracias" (green), "mochchakkeram" (blue), "dakujem" (brown), "arigatō" (pink), "grazie" (light blue), "xièxie" (red), "terima kasih" (yellow), "sukriya" (purple), "kam sah hamnida" (green), "sagolun" (blue), "obrigado" (green), "dziekuje" (purple), "bedankt" (yellow), "thank" (red), "you" (yellow), and "gracias" (green). The background is white with a subtle grid pattern.