



SAARLAND UNIVERSITY
DEPARTMENT OF COMPUTATIONAL LINGUISTICS

MASTER'S THESIS PROPOSAL

**Open Source Code
and
Low Resource Languages**

Author:

Richard LITTAUER

Matriculation: 2539658

Supervisors:

Dr. Dietrich KLAOW

Dr. Alexis PALMER

March 28, 2018

Abstract

Of the roughly seven thousand languages currently spoken, less than fifty have a significant digital presence. In order for a language to be used digitally and to survive in the long term, it's speakers may need to develop computational resources: orthographies, dictionaries, grammars, spell checkers, parsers, and more. Instead of depending on closed source code from large providers, researchers and communities can leverage open source code as a means of bootstrapping digital language development. In this thesis, I discuss the state of the field for low resource languages, what open source code is and how this methodology can help languages. I provide two cases studies, looking in detail at Gaelic and Naskapi, and I describe a database I have developed for open source code serving these languages. Looking to the future, I suggest steps for helping save languages from being lost.

My specific contributions in this thesis include not only the first published analysis of open source code specifically regarding endangered languages, and an exposition of the only database of open source resources, but also the first independent fieldwork with Naskapi that pertains to its digital presence. I also outline how researchers and developers can change their processes to help make their work more effectual in the long term.

Eidesstattliche Erklärung

Hiermit erkläre ich, dass ich die vorliegende Arbeit selbstständig verfasst und keine anderen als die angegebenen Quellen und Hilfsmittel verwendet habe.

Declaration

I hereby confirm that the thesis presented here is my own work, with all assistance acknowledged.

Acknowledgements

Jonathan Poitz provided formatting files, but did not advise on the content. This thesis is based loosely on a paper presented at the LREC CCURL Workshop in July 2016 in Slovenia (Littauer and Paterson III, 2016). Hugh Paterson III was a coauthor on that paper.

Montréal, March 28, 2018

Richard Littauer

Contents

1	Introduction	1
2	Low Resource Languages: An Overview	4
2.1	Definitions	4
2.1.1	Endangered, revitalised, and extinct languages	4
2.1.2	Official, <i>de facto</i> , <i>de jure</i> , majority, and minority languages	8
2.1.3	Low resource, under resourced and incident languages	9
2.1.4	Computer languages	10
2.2	Metrics	11
2.2.1	GIDS	11
2.2.2	UNESCO	12
2.2.3	EGIDS	14
2.2.4	LEI	17
2.3	Digital presence	17
2.4	The current state of language diversity	17
2.5	Who makes resources for LRLs?	18
2.6	Language research funding	18
3	Open Source Code	19
3.1	Defining <i>Open Source</i>	19
3.2	Where is open source code?	21
3.3	Digital Permanence and Storage	22
3.4	Data and privacy	22
3.5	Legal rights and liability	22
3.6	Military and enterprise solutions	22
3.7	Funding	22
3.8	Ethical reasons for using open source	23
4	Open Source Code for Low Resource Languages	24
4.1	BLARK and beyond	24
4.2	NLTK and other open source libraries	24
4.3	Data permanence and interoperability	24
4.4	A Database for Open Source Code	24
4.5	Linked Data	25
5	Case Studies	26
5.1	Scottish Gaelic	26
5.2	Naskapi	26
5.2.1	Literacy Developments	27

5.2.2	Computational Tools	28
6	Methods	30
6.1	Choosing a license	30
6.2	Choosing repositories	30
6.3	Sharing code without a platform	30
7	Discussion	31
7.1	Why isn't more code open?	31
7.2	How does open source demonstrably help?	31
8	Future Work	32
8.1	Beyond Wikipedia and Ethnologue	32
9	Conclusion	33

1 Introduction

At least half of the world's 6000-odd languages will be extinct this century (Krauss, 1992; Grenoble, 2011). Just over half of these languages have writing systems.¹ It is estimated that less than 5% of the world's languages will be used online or have significant digital presence (Kornai, 2013).

The majority of the world's computational technology has been built by English, with English manuals, English interfaces, and by English speakers. The most prevalent language spoken by users of this technology is also English. There are a few languages - around thirty - with the combination of large populations with internet access, official governmental status, and industrial economies which affords them some native computational technology, in particular on the World Wide Web, the largest global network for sharing code and written material.

English is the undisputed heavyweight as far as global written resources are concerned.² Over half of the web's content is written in English. The next largest languages are Russian, German, Spanish, Japanese, and French - with a combined population of well over a billion speakers. Portuguese, Italian, and Chinese have the next largest amount of content - but each of them only covers between 2 and 3% of the web's content - followed by Polish, Turkish, Dutch, and Korean with over 1%. Suffice to say, the graph of global written content is not skewed towards language diversity as a norm. This is not surprising, as around 90% of the world's languages are spoken by less than 10% of its people (Bernard, 1992).

In part, these high-resource languages depend upon shared code. Put simply (and therefore ungracefully), a literacy system affords written corpora, and written corpora can be used by researchers to either build tools for that language or to adapt tools from other languages. These tools might be spell-checkers, parsers, input systems, or later on speech recognition and generation software, semantic analysers, or machine learning and translation systems, among others.

This culturally shared body of code is most often developed in closed environments with consumer endpoints, by the military or large businesses. For instance, the World Wide Web, the largest shared corpus of written language, started with support from the Massachusetts Institute of Technology (MIT) and the Defense Advanced Research Projects Agency (DARPA). (This helps to explain why most of the web is written in English.) Another example would be

¹<https://www.ethnologue.com/enterprise-faq/how-many-languages-world-are-unwritten-0>

²https://w3techs.com/technologies/history_overview/content_language

Google Translate, which uses massive bilingual corpora to provide automatic translation services for free online, but whose code is proprietary and owned by Google.

While the enterprise pathway works well for large languages where populations of speakers can be leveraged to provide funding, the majority of the world's languages are not able to develop their own computational resources - either grammars, corpora, or code. Instead, they must rely on small groups of researchers, limited funding, and a grab-bag of written resources when they have them. For instance, the most consistent translations cross-linguistically are of the Christian bible, which may not reflect the target language's culture.

Incidentally, there is something to be said for spoken language corpora, which may be more prevalent in some cases than written resources (especially in a region with a history of radio transmissions in the local language, for instance). However, the direct use of spoken language corpora for building language resources is limited and generally requires more processing and development time (not to mention storage), compared to cheap, written data.

In this thesis, I will examine methodology that can be used by linguists, researchers, and language developers to help their languages "digitally ascend" (as Kornai (2013) puts it) - to bootstrap their corpora creation, write grammars, transform other language's tools and research to their own languages, and to ultimately enable their communities to speak and share their knowledge computationally. This methodology goes under the broad label of *open source* software. Open source software is code which has been developed and made available for free, without concessions about how it is to be used or who uses it. This allows coders to use code which they personally haven't built without allocating funds for it, thus freeing up significant portions of research and development costs for making tools. At present, the majority of the world's code depends on some level on open source software - for instance, Linux, and much of the World Wide Web, depends on open source code.

In the field of computational linguistics, however, there are a deficit of resources which are licensed and available as open source. This largely stems from the need to financially recoup expenses for development, on licenses mandated by research groups or military funders, and on a lack of awareness of how open source code works by developers. Another consideration is that an open source label does not ensure that the code is worth using, maintained, relevant, or in scope for a given domain.

Below, I will go into further depth about the state of endangered languages and computational resources in Section 2, and what different languages need in order to have digital presence. In Section 3, I'll define what open source is, and talk about issues relevant to open source code for under-resourced languages;

specifically, data rights, liability, privacy, funding, military and industrial concerns, ethical reasons for using open source. I'll then in Section 4 talk about the state of open source code currently available online, in particular focusing on a database of open source code that I have built with the help of researchers around the world.

I'll touch on some specific examples of languages which could benefit from open source code in Section 5, focusing on Gaelic, an endangered language with tens of thousands of speakers but little online resources, and Naskapi, an endangered languages with only a thousand speakers which might be able to benefit from open source code. The Naskapi case study will be largely informed by original research, as I engaged in field research at the town where most Naskapi live and talk to linguists working on literacy efforts for this language. In Section 6, I'll discuss how open source can help low resource languages, and in Section 7 I'll expound further at a high level on what open source enables for linguists and language communities. Finally, in Section 8 and Section 9 I'll discuss future work, and offer some concluding remarks.

2 Low Resource Languages: An Overview

In this section, I will outline the state of low resource languages. First I will define contrasting and distinct terms which are often used to these languages, which inform how one can approach a language. Then, I will talk about language demographics and metrics used to categorise languages as having low resources, before moving on to discuss digital presence as a term for understanding language endangerment today. Finally, I'll go into depth further about the current state of language diversity (both in research and demographically), and mention the various different groups who work on and fund low resource development, and how considering their impact influences a language's digital presence.

2.1 Definitions

Before going further, it makes sense to define what the terms *endangered*, *minority*, *low* and *under-resourced*, and other terms like *threatened* mean when they refer to a language. Ultimately, they refer as a whole to languages which are in peril in some way. However, there have slightly different meanings in different contexts, and according to the scale and metric applied.

In this section, I will generally define these terms: *endangered*, *moribund*, *extinct*, *dormant*, *revitalised*, *historic* and *constructed* languages; *minority*, *low-resource*, *under-resourced*, *incident* and *surprise* languages; and finally *computer* or *computational* languages. This will help inform why I've chosen to focus on low resource languages, and specifically low resource natural languages with living populations.

2.1.1 Endangered, revitalised, and extinct languages

Endangered languages are human languages that are in danger of extinction. The term is borrowed from the scientific literature describing animals; just as there exists as very real possibility that one day there will be no more Australasian Bittern specimens in the wilds of Australia, it is also possible that one day there may be no living speakers of Guugu Yimithirr. The term is not complete analogous; we can still read Tocharian texts, but Tocharian is not considered to be a living language, but *extinct*, as there are no speakers who use it regularly (and who are not scholars of obscure languages).

Endangered languages are normally languages which have a high amount of speakers, and crucially are still teaching children the language. Children ensure that the language will live on to the next generation, and when this chain breaks, it is almost impossible to resurrect a language. A language would

be endangered when it can be assumed that children will stop learning the language in the next hundred years (according to Krauss (1992)). This can be difficult to judge, as the rate of deterioration can be high. For instance, Breton had over a million speakers in 1950, but today the numbers may be as low as 200,000. Its future is uncertain.

Moribund languages are languages which are critically endangered, in that there are no children currently learning the language and using it frequently, although there are speakers. Ainu is a good example, with roughly ten native speakers still living, all of whom are over 80 years old,³ although there are some struggling efforts to revive it (Hanks, 2017). On the other side of the northern Pacific, Haida has a similar amount of native speakers, but because of the amount of immersion programs, government-funded schools, and new venues for the language such as a motion picture filmed entirely in Haida with ethnically Haida actors who learned their lines from the elders,⁴ it is not considered moribund.

Dormant or *sleeping* languages are a stage beyond moribund languages. They have no living fluent speakers. This does not mean that the language is extinct. An example would be Mutsun, an Ohlone or Costanoan language formerly spoken near San Juan Bautista, California, whose last known fluent speaker Ascensión Solórsano passed away in 1930. However, in the late 90s, the Mutsun people (recognised formally as the Amah Mutsun Tribal Band) began a revitalisation project using the extensive documentation left behind by linguists, anthropologists, and a Catholic mission priest, and now there are several conversational (albeit no fluent) speakers (Warner et al., 2007). Ethnologue defines dormant as a language which has no speakers, but there is still a community that attaches its ethnic identity to the language (Lewis and Simons, 2010).

Often, dormant languages only come to attention when they are considered a *revitalised* language. As Warner et al. (2007) notes, "Daryl Baldwin did indeed teach himself his then-dormant ancestral language, Myaamia, and is now raising his children largely in the language (Hinton, 2001; Leonard, 2004)." Before Baldwin's work, Myaamia would have been considered a dormant language. Another example would be Manx, which lost all of its native speakers (the last being Ned Maddrell, who died in 1974 (Wilson, 2008)), but retained a score of second language speakers until today, when there are now immersion programs for children and over a thousand speakers of the language (Clague et al., 2009). Between 1974 and a vague point somewhere in the past cou-

³<https://www.ethnologue.com/language/ain>

⁴<https://www.nytimes.com/2017/06/11/world/americas/reviving-a-lost-language-of-canada-through-film.html>

ple of decades where a child could consider Manx as their first language, the language was dormant; now, however, it is revitalised.

The most famous example of a revitalised language is Hebrew, with a speaking population of over eight million,⁵ which was formerly a literary language until revitalisation efforts began as a result of the creation of the Israeli state in the early 20th century, where it is now an official language and not in a state of endangerment. Hebrew is a good example of why the often synonymous terms such as 'endangered' and 'revitalised' should be considered as differentiable.

While on the subject of Hebrew, it is worth mentioning that the initial efforts to revitalise it were often maligned by both Jewish communities and linguists, for a variety of reasons. First, the Jewish faith had traditionally viewed Hebrew as a holy tongue, and many religiously conservative Jews objected to the sacrilegious use of it for day-to-day matters, preferring Aramaic or Yiddish. Many also objected on the grounds that its use was connected to Zionism (why is well beyond the scope of this thesis). But most pertinently, linguists objected because they viewed revitalisation as an impossibility. If the language was dead, then it would be impossible to accurately bring it back, as literary texts are not sufficient at adequately capturing all of the intricacies of a language and how it is used. Clearly, with millions of first language speakers, this is no longer a valid point; these critics can now claim that modern Hebrew is an imperfect descendant of historical Hebrew, which remains extinct, and they are likely right to do so. Revitalisation is not always an ethically or logistically clear process.

This is especially true for *constructed* languages, which are *a priori* languages invented by a linguist or a community without a historical speaking community or lineage. These may be created to be logically resistant to ambiguity (such as Loglan or Lobjan (Okrent, 2009)), for a specific artistic purpose (such as Na'vi or Klingon, meant to be spoken by aliens in science fiction (Schreyer, 2015, 2011)), for scientific study (such as those used by evolutionary linguists for language games with participants to discern how language might have evolved (Scott-Phillips and Kirby, 2010), or such as used in the ubiquitous Wug test by scholars of language acquisition (Ratner and Menn, 2000)) or for political aims (such as Esperanto or Ido (Okrent, 2009)). Some of these may end up with thousands of speakers, including native speakers, and a huge surplus of computational resources. Na'vi has a dictionary that has been translated using computational tooling into over a dozen languages, for instance, and morphological parser, spell checkers, and a Facebook translator. These lan-

⁵<https://www.ethnologue.com/language/heb>

guages are not normally considered as revitalised or dormant, but are instead mostly ignored by the scientific community altogether.

Heading back to natural languages, Latin would largely not be considered a revitalised language either, although there are immersion schools and some daily usage by the Catholic liturgy. These domains are specific and do not extend into normal life, on the whole. This doesn't mean it doesn't have some computational resources, however - the ATMs in the Vatican use Latin as a user interface language.⁶ Old Swedish, likewise, has some computational resources (admittedly, from a single research group that is humorously aware of the lack of general global interest in the field).⁷ Latin would normally be considered a *historic* language, like Ancient Greek or Old English. All of these languages, while extinct themselves, have direct descendants (the Romance languages, modern Greek, and English, respectively), but this is not always the case.

Gothic is considered *extinct* today, as it has no direct descendants, although it is still studied, and although there is a small community of writers who continue to use the language, and at least one publishing company which publishes modern work in Gothic⁸ (incidentally run by, of all people, me). Not all languages have sufficient texts to be revitalised or used today: Etruscan, Minoan, and Pictish are good examples.

One could argue that some languages may be considered dormant even if there are native speakers alive, if they do not speak the language. For instance, there are a few cases where a couple of speakers are left of a language, but they don't speak it to each other due to interpersonal differences. Most famously, there is the apocryphal story of Ayapaneco, where a global *mème* ensued from an imagined feud between the last two speakers, to the point where Vodafone released a video claiming that they helped bring the men together to save the language (to the chagrin of actual linguists and anthropologists who had worked on the language for decades).⁹ This has actually happened elsewhere, such as with Nisenan (Snyder, 2004). Another example might be Ishi, the last Yahi and a speaker of Yana, who explained that he had no name, because there was no other Yahi man to formally introduce him. Ishi means 'man' in Yana (Kroeber and Robbins, 1973).

Such cases are extreme, and there will be exceptions to almost any of these categories. Even for living languages, questions of identification can be difficult. For instance, Gil (2009) points to at least a dozen different interpretations of what Riau Indonesian might technically be. Defining language is beyond the

⁶<https://gizmodo.com/5905595/the-atms-in-vatican-city-speak-latin>

⁷<https://spraakbanken.gu.se/swe/forskning/diabase>

⁸<https://wordhoardpress.com>

⁹http://stories.schwa-fire.com/who_save_ayapaneco#chapter-113060

scope of this thesis - however, I would be amiss not to mention this problem here.

2.1.2 Official, *de facto*, *de jure*, majority, and minority languages

All of the former definitions were seen through the lens of language communities and vitality. However, there are other lenses through which languages as a whole can be viewed - for instance, politically and computationally.

Political definitions of language include *official* and *working* languages. Official languages are languages which are given a definitive status by a state, normally on the national level. On the supranational level (such as is the case with the EU or the ICC), they are generally termed working languages (which is different, in turn, from a *lingua franca*, which is a trade, bridge or link language used informally between groups who speak different languages themselves). These languages can be broken down into *de facto* and *de jure* languages - the latter are given legal status in the law, while the former do not have official legal status but are considered culturally and for most intents and purposes as the legal language. An example would be in the United States, where there is no *de jure* legal language, but the *de facto* language is English. This means that most resources are provided in English, and other languages are often ignored or not allocated resources by the law.

These terms, as defined by Johnson (2013), distinguish policies from one another by virtue of their alignment between law and practice, respectively. Here, *de jure* policies are those disseminated in legal proclamations, typically being 'officially documented in writing' (p. 10). By contrast, *de facto* policy describes those policies that exist in *practice* [sic], crucially, without legal provenance or even *in spite of* existing *de jure* policies. (Hanks, 2017)

An example given by Hanks (2017) is the case of boarding schools in the United States and Canada for indigenous children, often forcibly removed from their home, where the *de jure* goal was to provide the children with a working knowledge of English, but the *de facto* result was that they were heavily discouraged (often through direct physical abuse to students who spoke in their language) from speaking their native tongues in the classroom or in the schools, with the result that many languages were directly endangered or lost. This has happened in many places, as well: for instance, Gaelic was forbidden in the classroom by English teachers, and children were beaten (for instance, slapped across the knuckles with a ruler) for using Gaelic.

Within a state, the proportion of population of speakers compared to the entire population generally determines whether a language is considered a *majority*

or a *minority* language. Not all minority languages are endangered languages; for instance, Catalan, spoken by around nine million people in Catalonia and southern France, is not endangered, although it is a minority language and is not an official language of any country. There are arguments that it is the majority language for a stateless state. The same could be said of Tibetan, which is officially the minority language in a region of China, but is considered the majority language of the region of Tibet itself, which many view as its own state currently under illegal occupation (as with Hebrew and Israel, further political discussion is beyond the scope of this thesis.)

Some minority languages have legal status as minority languages. A good example would be in Canada, where minority languages in each province are given legal protection - for instance, English in Québec, where a majority of the speakers are Francophone, or French in Ontario, where the majority of the speakers are French. Sometimes languages with very small populations - such as indigenous languages spoken by First Nations communities in Canada - are given legal status, too, as is the case with Nunavut, a territory in Canada where two Inuit languages - Inuktitut and Inuinnaqtun - are granted legal status, although they are nationally minority languages, and although one of them, Inuinnaqtun, has less than 300 speakers and comprises only around 1% of the population of Nunavut. Another example would be Hawai'ian, which is the state language of Hawai'i since 1978, although it only has around 2000 native speakers, and is a minority language in Hawai'i.

2.1.3 Low resource, under resourced and incident languages

Low resource languages are languages which have fewer computational resources than any of the bigger languages that dominate global discourse. There is no distinct cut-off for defining a low resource language versus a *high resource*, *resource-rich*, or just a *resourced* language. A *low resource* language can also be indiscriminately called a *under resourced*, *sparsely resourced*, or *sparse* language. The disparity in resolved definitions reflects the focus of research, as generally researchers work with specific languages on computational models, and not on large databases where a precise definition is useful. Qualifiers are often included - for instance, Agić et al. (2015)'s paper, "If all you have is a bit of the Bible: Learning POS taggers for truly low-resource languages." These qualifiers are generally not considered within a rigorous system of rank - for more on that, consider Section 2.2 on metrics below.

In the context of low resource languages, the majority of established work revolves around adapting existing systems from high resourced languages to low resource languages. In such a case, the *source* language is where the original system was originally trained or upon which it was built, while the *tar-*

get language is the language upon which the system is being used, tested, or adapted. These terms are largely context dependent. Similarly, *sparse* in particular is more often used to refer to a dataset, but can be used of a language when it is under resourced.

While hypothetically some languages could be defined as having no resources, there is no commonly used term such as 'resourceless'. In general, languages without writing systems fit in this category, and while it would potentially be interesting to train resources on audio-only vocabulary, this is generally not done computationally, but intensively by field linguists using specific tools such as dictionary applications or audio/video applications such as Praat (Boersma and Weenink, 2018), which allows you to view the waveforms for spoken corpora and annotate it. These resources - annotated (or not) corpora made by field linguists for a language - are, along with word lists and basic dictionaries, often the first resources for a given language, and are often not published but are accessible only through corresponding with the linguist or team doing the work. A comparison with multimillion dollar projects such as Google Translate makes it clear that these languages would be considered under resourced.

Another couple of terms often used in this general context are *incident* or *surprise* languages. The latter is generally used for challenges, and was first used to describe the US Defense Advanced Research Projects Agency (DARPA) "Surprise Language Challenge", run by their Translingual Information Detection Extraction and Summarization (TIDES) program in 2003. The challengee's goal was to see if a teams working on new languages they hadn't seen before (hence, 'surprise') could develop sufficiently useful resources and machine translation systems within a constrained period of time. (Oard, 2003) These sorts of challenges aren't limited to DARPA; for instance, there was a Workshop on statistical Machine Translation held at EMNLP 2011 (Callison-Burch et al., 2011). This workshop focused on a few tasks, one of which was based on the successful efforts by the Microsoft Translation team in 2010 to build a machine translation system for Haitian Creole that used SMS messages, after an earthquake there precipitated the need for a translation system between aid workers and spekaers of Haitian Creole, previously a low resource language (Lewis, 2010; Lewis et al., 2011). Haitian Creole, here, would be an *incident* language.

2.1.4 Computer languages

A *computer* or *computational* language is a formalised language used to communicate instructions to a machine. There are a large variety of names and variants, and the definition here may be construed as insufficient. For the pur-

poses of this thesis, a computer language is for talking to a machine, and is demonstrably different than a human language, which is generally used for communicating with humans. This definition is important only in so much as it helps clarify that we are talking about human languages when we mean low resource or endangered languages, not computer languages. The relevancy, usage, or status of computer languages is largely irrelevant here, unless it touches on resources used on human languages. For instance, any grammar written in COBOL, a sixty year old language, may be less accessible to open source coders who write primarily in Python or JavaScript, two popular languages used on the web and in the FLOSS ecosystem today. This type of situation will be covered in more depth in Section 3.3.

Other terms used in exploring the theory of language, semiotics, or formal language theory - such as context-free or recursively-enumerable languages - are likewise unimportant to this thesis unless they touch on human and low resource languages directly in some tangible way.

2.2 Metrics

Language health or vitality is a topic of increasing scholarship and interest. Superficially, it makes sense to use a similar system to classify languages as one would classify species, using the metrics defined by the International Union for Conservation of Nature (IUCN)¹⁰. They have nine levels of classification: Extinct, Extinct in the Wild, Critically Endangered, Endangered, Vulnerable, Near Threatened, Least Concern, Data Deficient and Not Evaluated. However, the system is not directly transferable - how would a dormant language be classified? One can see immediately that there is a need for a language-specific rating system.

It is perhaps unsurprising that there are various metrics which can be used to classify the health of a language and its community. In this section, I'll explain these metrics in detail, focusing on the GIDS, EGIDS, UNESCO, and LEI measurements, as suggested by Yang et al. (2017) as the main players in the field.

2.2.1 GIDS

The Graded Intergenerational Disruption Scale, developed by Fishman (1991), is the earliest and most well known of the scales. It rates languages based on their domains of use, and on the amount of passing on and education which continues to the next generation through the parents. Figure 1 summarizes

¹⁰<http://www.iucnredlist.org/>

Summary of Fishman's GIDS

GIDS	(adapted from Fishman 1991)
LEVEL	DESCRIPTION
1	The language is used in education, work, mass media, government at the nationwide level
2	The language is used for local and regional mass media and governmental services
3	The language is used for local and regional work by both insiders and outsiders
4	Literacy in the language is transmitted through education
5	The language is used orally by all generations and is effectively used in written form throughout the community
6	The language is used orally by all generations and is being learned by children as their first language
7	The child-bearing generation knows the language well enough to use it with their elders but is not transmitting it to their children
8	The only remaining speakers of the language are members of the grandparent generation

Figure 1: A summary of GIDS from (Lewis and Simons, 2010)

the different stages. Generally, as a language progresses and becomes more imperilled, it ends up further down the list. As a language ceases to be used in one domain, it becomes less likely that it will in the future, and more likely that parents will consider the language to be less useful than another. Over time, this causes the language to lose speakers (although the process is not inevitable; for examples, language policy in Quebec helped secure and revitalise the language over the past half century (Bourhis, 2001)).

2.2.2 UNESCO

The United Nations Educational, Scientific and Cultural Organization (UNESCO) is a specialised agency of the United Nations. In 2001, at the 31st Session of the UNESCO General Conference, they officially recognised that biodiversity, cultural diversity, and linguistic diversity are related. This viewpoint is relatively recent, and reflects increasing appreciation that culturally diverse regions tend to collocate with biodiverse regions, and that saving diversity implies saving both (Nettle and Romaine, 2000; Maffi, 2001; ?; Anderson and Harrison, 2006; Krauss, 2007; Gorenflo et al., 2012) (as discussed explicitly in Maffi et al. (2001), of which all of the authors were also members of the UNESCO Ad Hoc Expert Group on Endangered Languages). Encouragingly,

UNESCO clarified at this event that sustaining and encouraging linguistic diversity lies within their charter.

In their publication from that conference, (Brenzinger et al., 2003) lay out nine different metrics for measuring language vitality: six evaluate the vitality and state of endangerment, two language attitudes, and one related to urgency of documentation. The UNESCO system is rigorous in its refusal to apply a single score to a language, as that would smooth over the complexities of language usage. The six factors for vitality are: intergenerational language transmission (as with GIDS), absolute number of speakers, proportion of speakers within the total population, trends in existing language domains, response to new domains and media, and materials for language education and literacy.

For each of these, they further break rating down into categories. For instance, when regarding intergenerational language transmission, they specify six different possible ratings - safe, unsafe, definitively endangered, severely endangered, critically endangered, and extinct - and equate each rating with a score from 5 to 0. Here one of the primary issues with the UNESCO rating can be seen (as pointed out by Lewis and Simons (2010)) - namely, that 'safe' is an incredibly large category that needs more fine-grained categories, as it would account for any GIDS-rated language above Level 6.

The three other factors they consider are: governmental and institutional language attitudes and policies including official status and use; community members' attitudes toward their own language; and the amount and quality of documentation. Each of these is also rated on a null to five scale. For documentation, only a superlative rating of five would be considered to be more than low-resourced, as a four rating would be given to a language where "There are one good grammar and a number of adequate grammars, dictionaries, texts, literature, and occasionally updated everyday media; adequate annotated high-quality audio and video recordings." Although useful for linguists wishing to work in the language, this may not be enough for useful analysis and use by computational linguists.

In Figure 2, an example rating using this system, from the appendix of Brenzinger et al. (2003) itself, is included to get some grasp of how these grades work in parallel.

Importantly, UNESCO clarifies that it does not suggest using one metric over another, and that adding up the numbers in the scales - however easy that might seem, as all of the measurements except speaking population are scalar and hold the same number of levels - would be insufficient and not ideal. **"Languages cannot be assessed simply by adding the numbers ; we therefore suggest such simple addition *not be done* [sic]."**

**Estimated Degree of Endangerment and Urgency for Documentation:
the case of three Venezuelan Indigenous Languages**

Factors	Languages		
	Mapoyo	Kari'ña	Sanjma
Intergenerational Language Transmission	0	2	5
Absolute Number of Speakers	(7)	650	2500
Proportion of Speakers within the Total Population	1	2	5
Trends in Existing Language Domains	0	2	5
Response to New Domains and Media	0	1	---
Materials for Language Education and Literacy	1	3	0
Governmental & Institutional Language Attitudes and Policies including Official Status & Use	5	5	5
Community Members' Attitudes toward Their Own Language	2	3	5
Amount and Quality of Documentation	1	3	1

Figure 2: The UNESCO grading for three languages (Brenzinger et al., 2003)

The UNESCO rating is mostly used in the *UNESCO Atlas of the World's Languages in Danger* (UNESCO, 2014).

2.2.3 EGIDS

Lewis and Simons (2010), the authors of *Ethnologue* (Lewis et al., 2009)¹¹, pointed out some of the issues with GIDS which necessitate the creation of a new standard, and which could also eclipse or inform the UNESCO rating. First, the levels are static, and don't account for directionality on the part of a language community up or down the strata. Second, there are language types which aren't included - for instance, there isn't a supranational level for extremely well-off languages, nor is there a level for extinct or dormant languages. Thirdly, GIDS focuses on intergenerational disruption in Level 5 and down, but in Level 4 and higher it focuses more on institutions, and this isn't accounted for well enough in the framework, which primarily focuses on parents as being the primary agents of language transmissions. Finally, the lower levels are not granular enough to cover the many complexities needed for language revitalisation groups.

¹¹Also a website available at <https://www.ethnologue.com/>.

Revitalization EGIDS Levels

6a	Vigorous	The language is used orally by all generations and is being learned at home by all children as their first language.
6b	Re-established	Some members of a third generation of children are acquiring the language in the home with the result that an unbroken chain of intergenerational transmission has been re-established among all living generations.
7	Revitalized	A second generation of children are acquiring the language from their parents who also acquired the language in the home. Language transmission takes place in home and community.
8a	Reawakened	Children are acquiring the language in community and some home settings and are increasingly able to use the language orally for some day-to-day communicative needs.
8b	Reintroduced	Adults of the parent generation are reconstructing and reintroducing their language for everyday social interaction.
9	Rediscovered	Adults are rediscovering their language for symbolic and identificational purposes.

Figure 3: A summary of EGIDS ascending levels from (Lewis and Simons, 2010)

EGIDS - the Expanded GIDS - serves these needs by providing more granular definitions. It also draws on the extensive knowledge of languages and their usage provided not only by Ethnologue, but also by the UNESCO Atlas and the community of linguists working with the Summer Institute of Linguistics (SIL), who fund and published Ethnologue. Figure 1 shows the main categories, taken from the Ethnologue website¹². The table has been updated since Lewis and Simons (2010), in particular to also account for signed languages. The addition of a Level 0 and two levels beneath the scale are evident, as well as more granularity in the GIDS scale, such as can be seen with Level 6, which now has two levels, Level 6a Vigorous and Level 6b Threatened.

Lewis and Simons (2010) also add another set of EGID levels which can be used to rate a language which is ascending in domains due to revitalisation efforts, which Figure 3 shows. This is generally useful, although it does suggest that a language uniformly descends or ascends, which may not be the case. The authors also spend time describing how to identify a language and decide which level best describes it.

¹²<https://www.ethnologue.com/about/language-status>

Level	Label	Description
0	International	The language is widely used between nations in trade, knowledge exchange, and international policy.
1	National	The language is used in education, work, mass media, and government at the national level.
2	Provincial	The language is used in education, work, mass media, and government within major administrative subdivisions of a nation.
3	Wider	Communication The language is used in work and mass media without official status to transcend language differences across a region.
4	Educational	The language is in vigorous use, with standardization and literature being sustained through a widespread system of institutionally supported education.
5	Developing	The language is in vigorous use, with literature in a standardized form being used by some though this is not yet widespread or sustainable.
6a	Vigorous	The language is used for face-to-face communication by all generations and the situation is sustainable.
6b	Threatened	The language is used for face-to-face communication within all generations, but it is losing users.
7	Shifting	The child-bearing generation can use the language among themselves, but it is not being transmitted to children.
8a	Moribund	The only remaining active users of the language are members of the grandparent generation and older.
8b	Nearly	Extinct The only remaining users of the language are members of the grandparent generation or older who have little opportunity to use the language.
9	Dormant	The language serves as a reminder of heritage identity for an ethnic community, but no one has more than symbolic proficiency.
10	Extinct	The language is no longer used and no one retains a sense of ethnic identity associated with the language.

Table 1: Expanded Graded Intergenerational Disruption Scale

They end with a quote from Fishman (2001), which explains further the purpose of EGIDS:

Thus, any theory and practice of assistance to threatened languages-whether the threat be a threat to their very lives, on the one hand, or a much less serious functional threat, on the other hand-must begin with a model of the functional diversification of languages. If analysts can appropriately identify the functions that are endangered as a result of the impact of stronger languages and cultures on weaker ones, then it may become easier to recommend which therapeutic steps must be undertaken in order to counteract any injurious impact that occurs. The purpose of our analyses must be to understand, limit and rectify the societal loss of functionality in the weaker language when two languages interact and compete for the same functions within the same ethnocultural community and to differentiate between life-threatening and non-life-threatening losses.

2.2.4 LEI

The Language Endangerment Index

2.3 Digital presence

In this section, I am going to explain what digital presence is. This is more than just defining language endangerment - instead, this is about how do we quantify a language's existence digitally, either on the web or offline in archives.

Few of the metrics above take into account the level of digital literacy for a language. The possibility for a language to digitally ascend has been held up as a key component of judging a language's vitality by Kornai (2013).

I'll describe his assessment here, and explain why an alternative assessment would also be good. For instance, Wikipedia is, in my opinion, not a good judge of a language's health, as it is a closed ecosystem with diminishing returns for users who are bilingual.

2.4 The current state of language diversity

In this section, I am going to briefly go into detail about what diversity means for linguistics. This will be useful later for explaining how related languages

can be used to bootstrap work in similar languages. For instance, Irish spell-checkers and constitutional corpora from the EU can be used by Scottish Gaelic speakers with some tweaks in order to further improve their own systems.

2.5 Who makes resources for LRLs?

Here, I will explain briefly who makes language resources for these languages. I'll explain what I see as the main groups doing this work: professional translators, educators, missionaries (of multiple faiths, but mostly Christian), academics and native technologists. I'll explain each stakeholder and their canonical perspectives.

2.6 Language research funding

Here, I'll go into more depth about funding, as we've outlined who works on LRLs and who would fund research, and why. This will further inform the basis for the work of the previous section. I'll talk about DARPA MT funding in the 20th century, as well as other efforts such as CLARIN.

3 Open Source Code

Changing tack, here I will talk about what *open source* means. This is important - otherwise, this thesis is just a rehash of current existing computational work on LRLs.

3.1 Defining Open Source

Open Source is a complex term which refers to any code, not just code related to computational linguistics.

Here, I'll define what I mean by Open Source. This will largely inform the next section where I talk about its use for LRLs.

At its core, *open source* refers to code which has a license which allows it to be available to freely inspect, use, or modify by anyone. It was introduced in 1998 by some programmers, in response to the Netscape browser's code being openly licensed and made available. *Open source* is one of many terms which can be used to differentiate code which is either available or licensed permissively for re-use; other terms include *free software* and *libre software*, or the combination, *FLOSS* (free and and libre open source software). There is no standard definition of open source that is universally accepted.

Nor will universal acceptance be forthcoming. The issue regarding reconciliation between open source, free software, and the rest of the terms stems largely from a difference of opinion between what constitutes open software. For some adherents, software itself ought to be free, as it is a result of human labour and because it is maximally helpful for others to never have to code that again. This idea contains within it the seed of the digital commons: like the commons in philosophical and economic literature, code can be viewed as a resource that belongs to humanity as a whole, and not the creators who initially fashioned it. In this sense, open source is a more of a philosophical theme than a technical term.

Open source is a development methodology; free software is a social movement. For the free software movement, free software is an ethical imperative, essential respect for the users' freedom. By contrast, the philosophy of open source considers issues in terms of how to make software "better" - in a practical sense only. It says that nonfree software is an inferior solution to the practical problem at hand.¹³

Richard Stallman (Founder of GNU/Linux)

¹³<https://www.gnu.org/philosophy/open-source-misses-the-point.html>

Before continuing, a quick word on licenses. Licenses determine the legal rights to sharing code. A piece of code which is taken from a proprietary server and published on the internet is not necessarily open source. In this instance, the code may have been illegally copied and shared, but it is not licensed for free usage. Under no definitions is this considered open source. Indeed, this touches upon issues of digital copytheft and "piracy", which is a standard term used frequently in the media and in legal proceedings to attach a sense that copying code is the same as larceny or theft on the high seas. Avoiding the question of the validity of this viewpoint, it is important to focus on the license as the differentiating factor between code which has been released legally under an "open" definition or not.

There are many licenses which are considered to be open source, and there are several arbiters available which judge the validity of open source licensing. The Open Source Initiative maintains a list of approved licenses on their website: <https://opensource.org/licenses>.

Open source, on the other hand, under most definitions, does pertain to ethical concerns about the software's usage, but rather simply refers to whether or not it is permissively licensed and available for users.

The Open Source Institute, which originally coined the term *open source*, has several parameters by which open source software can be judge as being 'open' or 'closed' (that is, proprietary, non-permissively licensed, non-reusable, limited in usage to a set amount of people, and so on). It may be useful to list these terms directly below, as they are instructive about how open source can be a nuanced term. These terms are from the OSI's website ¹⁴.

1. Free Redistribution. The license shall not restrict any party from selling or giving away the software as a component of an aggregate software distribution containing programs from several different sources. The license shall not require a royalty or other fee for such sale.
2. Source Code. The program must include source code, and must allow distribution in source code as well as compiled form. Where some form of a product is not distributed with source code, there must be a well-publicized means of obtaining the source code for no more than a reasonable reproduction cost, preferably downloading via the Internet without charge. The source code must be the preferred form in which a programmer would modify the program. Deliberately obfuscated source code is not allowed. Intermediate forms such as the output of a preprocessor or translator are not allowed.

¹⁴<https://opensource.org/osd>

3. **Derived Works.** The license must allow modifications and derived works, and must allow them to be distributed under the same terms as the license of the original software.
4. **Integrity of The Author's Source Code.** The license may restrict source-code from being distributed in modified form only if the license allows the distribution of "patch files" with the source code for the purpose of modifying the program at build time. The license must explicitly permit distribution of software built from modified source code. The license may require derived works to carry a different name or version number from the original software.
5. **No Discrimination Against Persons or Groups.** The license must not discriminate against any person or group of persons.
6. **No Discrimination Against Fields of Endeavor.** The license must not restrict anyone from making use of the program in a specific field of endeavor. For example, it may not restrict the program from being used in a business, or from being used for genetic research.
7. **Distribution of License.** The rights attached to the program must apply to all to whom the program is redistributed without the need for execution of an additional license by those parties.
8. **License Must Not Be Specific to a Product.** The rights attached to the program must not depend on the program's being part of a particular software distribution. If the program is extracted from that distribution and used or distributed within the terms of the program's license, all parties to whom the program is redistributed should have the same rights as those that are granted in conjunction with the original software distribution.
9. **License Must Not Restrict Other Software.** The license must not place restrictions on other software that is distributed along with the licensed software. For example, the license must not insist that all other programs distributed on the same medium must be open-source software.
10. **License Must Be Technology-Neutral.** No provision of the license may be predicated on any individual technology or style of interface.

3.2 Where is open source code?

Here, I will include a short section on how the open source world works. In particular, I'll answer the question of where code lives. I'll include a short

overview and case study on GitHub, SourceForge, and some academic archival sites (UPenn, Max Planck, DFKI).

3.3 Digital Permanence and Storage

Universities and institutions have short timelines and are largely dependent on specific, allocated, and thus finite funding. Here, I'll answer the question: What other models are there for data storage? What concerns are there?

3.4 Data and privacy

Here, I'll talk specifically about data rights and privacy, in regards to whether it makes sense to decouple code from data, especially in cases of low resource languages, where sparse data may be naturally enriched with annotation schemas and hard to separate out from the tools being used. In such cases, how do we as a community, researchers as providers, and developers as consumers, deal with licensing, privacy, and proprietary data? Does it make sense to provide links to code that can be used institutionally or commercially without also allowing for things like royalties for usage, or proper licensing for data? Bound up in this are also ethical concerns - well studied in theoretical field linguistics - about the language users themselves not wishing for their data to be used in certain ways.

3.5 Legal rights and liability

Here, I'll talk about specific licenses used in Open Source, and how they apply to code. I'll try to keep this brief.

I'll also talk about liability waivers - a separate issue from licenses. I'll talk about the standard liability waivers used with the MIT license, and other issues that might arise for language code specifically.

3.6 Military and enterprise solutions

In this section, I will talk about how open source meshes with military and enterprise development.

3.7 Funding

Here, I'll talk about funding again - but in terms of open source code. This will be a short section.

3.8 Ethical reasons for using open source

Finally, I want to close with a discussion of the moral and ethical reasons for using open source, and whether or not these concerns are relevant to computational linguists.

4 Open Source Code for Low Resource Languages

In this section, I'll move on to the real meat of this thesis; how is open source code used for computational linguistics, and specifically for LRLs.

4.1 BLARK and beyond

First, I am going to talk about BLARK - the Basic LAnguage Resource Kit proposed by Krauwer (2003) - and what a language needs digitally as a base layer to digitally ascend. I haven't talked specifically about how computational linguistics addresses low resource languages yet - the preceding sections have largely been showing the state of the field and what open source is. We'll get to open source eventually, but here I want to cover the tools needed for a language.

I'll then mention tools here that can be used after a language has some digital presence - basically, what makes an LRL a resourced language.

4.2 NLTK and other open source libraries

Here, I'll explain some open source resources that can be used to bootstrap development; for instance, <http://nltk.org/>, a free and open source library which uses the Python language by Bird (2006), and enables users to interface with over fifty different corpora and lexical resources.

4.3 Data permanence and interoperability

Here I'll talk about the inextricable nature of linguistics data and code, and how they are linked.

4.4 A Database for Open Source Code

Here, I'll talk about a database of open source code. Specifically, I'll mention my own work building <https://github.com/RichardLitt/endangered-languages>, described first in Littauer and Paterson III (2016), and what it contains and who has worked on it with me. I'll cover the main tools, what kind of tools were included, and why I built the database on GitHub in this way.

I'll also include diagnostics on how it has been used and how the tools it mentions have been used - what percentage have been downloaded, and so on.

4.5 Linked Data

Here, I'll briefly talk about related efforts with the Open Linguistics Working Group's (Chiarcos et al., 2012) work on open source data reflected on the semantic web.(Chiarcos et al., 2013)

5 Case Studies

5.1 Scottish Gaelic

Scottish Gaelic is a Celtic language spoken mainly in the United Kingdom, which UNESCO defines as *definitely endangered* ¹⁵. Gaelic - sometimes called Scots Gaelic, simply Gaelic, or the Gaelic - is a Goidelic or Q-Celtic language, along with Manx and Irish (also sometimes called Irish Gaelic, but here always referred to as Irish). This means that, while related to the Brythonic languages of Welsh, Cornish and Breton, it is different enough to not be able to benefit from the many resources available in Welsh, which, while endangered, has a much stronger academic interest and presence in the United Kingdom, with roughly half a million speakers.

A large corpus compiled by the An Crubádán project is available online ¹⁶ (Scannell, 2007).

As it is similar to Irish, it is a good example of how code from related languages can be used to bootstrap efforts to build code for its own language. I'll talk in depth about the language, its structure and grammar as related to code, its users and their use cases, and efforts to use code to make Scottish Gaelic digitally ascend.

5.2 Naskapi

Naskapi is a Cree language in the Algonquin family spoken in central Quebec MacKenzie and Jancewicz (1994), which UNESCO defines as *vulnerable* ¹⁷. Virtually the entire population of around 800 Naskapi live within the reservation Kawawachikamach, around 10 miles from Schefferville, QC.

Schefferville is only accessible by train or plane, and contains another local tribe called the Innu (which has more than 17,000 members, scattered among Quebec and Labrador¹⁸), who live on their own reservation and who speak Montagnais or Innu-aimun, a related language. The two languages are similar, and the Naskapi youth are often diglossic in Montagnais (but the Innu are often not) MacKenzie (1980).

The Naskapi speak English as a first or second language, while the Innu speak French (and some speak three or all four languages). They moved to Kawawachikamach in the 1960s, after initially being resettled in Schefferville in the early 1950s. Some of the elders still remember being a nomadic people who

¹⁵<http://www.unesco.org/languages-atlas/en/atlasmap/language-iso-gla.html>

¹⁶<http://crubadan.org/languages/gd>

¹⁷<http://www.unesco.org/culture/languages-atlas/en/atlasmap/language-id-2354.html>

¹⁸<https://en.wikipedia.org/wiki/Innu>

followed caribou and were raised in the bush. However, half of the population is under the age of 16, as the First Nations population is the largest growing population in Canada.¹⁹

All of the Naskapi speak their own language regularly, in all contexts. In the schools, there are Naskapi-only classes held until Grade 8 Llewellyn and Ng-A-Fook (2017). While there are a few social workers, teachers, and nurses who speak solely English, most jobs in Kawawachikamach are held by Naskapi. There has been a long tradition of missionaries, and almost all of the Naskapi are Protestant. At church, they use Montagnais hymnals and an Montagnais bible.

5.2.1 Literacy Developments

In recent years, the Naskapi Development Council, which works with translators provided by the local tribal council (called the Band), has produced a Naskapi to English bilingual dictionary in three volumes MacKenzie and Jancewicz (1994). This was produced by linguists from the Summer Institute of Linguistics, funded by Wycliffe Bible Translators²⁰.

Today, the SIL linguists are a team of six: two long term linguists, and two pairs of husband and wife pairs who are training how to work as bible translators in this community before moving on to working with other Cree communities in Canada. Naskapi does not have a complete bible. A new testament, started in the 70's, was recently published Naskapi Development Corporation (2007). Genesis, Exodus, and Psalms, have also been translated, and several children stories and books of oral legends from a an elder have been produced. The full-time translators are two people: a young woman in her mid-twenties, and an older gentleman of around 50 years of age. At times, elders also contribute to the bible translation effort by marking up their pre-publication drafts, which they then go over with the translators.

When there is a need to come up with a new term, the elders are consulted, and they agree on an appropriate translation. For instance, "grill" is translated as "metal-net". A grill is not a pre-existing word in Naskapi, but net is, and it is easy to imagine the metaphor of a grill on which you braise meat as being a metal net. However, these decisions are not replicated outside of the bible. Likewise, when there is a term which needs to be invented at the school, the teachers there decide on an appropriate term - for instance, for situations like Halloween, where "Frankenstein" may need to be translated into a local

¹⁹<http://www12.statcan.gc.ca/census-recensement/2016/dp-pd/index-eng.cfm>

²⁰<https://www.wycliffe.org/>

alternative. These decisions are largely one-off, although they may be used year to year, and informally recorded in their respective domains.

The linguists use the Fieldworks Language Explorer (FLEX)²¹ to document new linguistic terms. FLEX was developed by SIL International, and provides linguists with an out-of-the-box solution for recording linguistics terms using interlinear glossed text. It is also open source, and available on GitHub²². Users can export as a PDF (among other file formats), or export words to an online interface known as Webonary²³. This allows language workers to automatically create a useable, free dictionary for members of the community.

Naskapi uses the Inuit syllabics spelling system Comrie (2013), as well as two other roman-based systems with only minor differences. For instance, a macron, such as *û* is used in place of a double *uu* to indicate vowel length. Computational writing using the syllabic system is possible by using Keyman²⁴, (free, open source software available on GitHub²⁵) which must be installed manually on a computer. It allows a user to type roman letters which are converted to the right syllabic phrase, and is forgiving for phonemic variants. For instance, "ju", "chu", "tchu" and so on might all be interpreted and replaced by the appropriate syllabic.

Currently, the school has a computer lab with over a dozen computers, but no in-house computer technician. One of the Wycliffe translators needed to visit the school to check on Keyman updates, and the students are not regularly trained in how to set up Keyman on their own, or how to set it up on their phones or other portable devices. While Facebook and other online platforms are increasingly popular, the majority of talking takes place in Naskapi written in local characters, or in English.

5.2.2 Computational Tools

There are no spell checkers, word lists, or large corpora available digitally except for the dictionary. As well as the SIL-sponsored Webonary, there is also work done by atlas-ling.ca, which is a Canadian government-backed venture, originally cofounded by MacKenzie, who also worked on the Naskapi dictionary²⁶. This website also has some options for looking at languages, but does not seem to be updated by local translators from the community. It is sourced from the previously published dictionary, which the SIL linguists have indi-

²¹<https://software.sil.org/fieldworks/>

²²<https://github.com/sillsdev/FieldWorks>

²³<https://www.webonary.org/configuring-the-dictionary-in-flex/>

²⁴<https://keyman.com/>

²⁵<https://github.com/keymanapp>

²⁶<http://atlas-ling.ca/>

cated is not up to date and has insufficient English to Naskapi translations. These are insufficient because of the nature of Naskapi; a root word is used with a slot system, and any word which mentions water is included under the English heading. This makes translating something as simple as "the mug is red" difficult, as you need to know to look for "red" as a root word, and then to find the appropriate example from which you can extrapolate the correct form for translation.

There is a potentially large corpus of spoken language in Naskapi from the local radio station, but this is not linguistically digested. There does not appear to be any adult-level secular written corpora which could be utilised to jump-start a corpus. The Band employs translators (who generally have other jobs - one this author interviewed was a band Councilman, one of four elected officials underneath the Chief) who may be able to provide bilingual texts in English, French, or Innu.

All told, computational work is exceedingly limited. There are some websites in Naskapi, which could be used to make a small corpus, but there are no currently active projects working on collecting corpora for the purpose of linguistic study, and neither is there an active academic community working on Naskapi outside of the SIL translators, who may occasionally publish a paper (or, of course, a dictionary or physical book).

While FLE_x is open source, none of the linguists edit the code for it or use the codebase, depending on SIL International to keep the product up to date. Keyman is likewise not edited, although it is installed on local computers. There have been at least one Naskapi speaker who found and used a syllabic keyboard, but there has been no effort to standardise the syllabics in the schools or with other speakers, and the relevant code has not been shared in any official capacity by any party in the language community.

6 Methods

6.1 Choosing a license

I'll give some recommendations on a license, both for individuals and for larger companies. I am not a lawyer, so this will be short and tempered.

6.2 Choosing repositories

I'll talk about my actual recommendations for storing code. I'll talk about how GitHub is a business, and its aims may not be aligned with researchers interested in long term archival, and similar concerns.

6.3 Sharing code without a platform

I'll outline a plan for peer-to-peer resource sharing, using IPFS (Benet, 2014) and other related tech. I'll mention a case study involving local indigenous communities in Guyana using peer-to-peer to track illegally logging on their land, and explain how this system could also be used for language development.²⁷

²⁷<https://www.digital-democracy.org/>

7 Discussion

Here, I want to drive home the point; how open source can help languages. Specifically, I will cover:

7.1 Why isn't more code open?

Finally, I'll go into a little detail on the question of why more hasn't been open sourced, and how to find open source resources.

7.2 How does open source demonstrably help?

I'll talk about use cases where open source has actually helped languages. This will include, for instance, NLTK case studies.

8 Future Work

Here, I'll talk about where to go next.

8.1 Beyond Wikipedia and Ethnologue

I'll talk about the shortcomings of both Wikipedia as a service, and Ethnologue as a provider of language data. Specifically, I want to draw attention to how Wikipedia treats its long-term contributors, and how Ethnologue charges exorbitant fees for using its data, and what we can do to improve this.

9 Conclusion

Here I will conclude with some closing remarks.

References

- Agić, Ž., Hovy, D., and Søgaard, A. (2015). If all you have is a bit of the bible: Learning pos taggers for truly low-resource languages. In *The 53rd Annual Meeting of the Association for Computational Linguistics and the 7th International Joint Conference of the Asian Federation of Natural Language Processing (ACL-IJCNLP 2015)*.
- Anderson, G. D. and Harrison, K. D. (2006). Language hotspots: linking language extinction, biodiversity, & human knowledge base. *Living Tongues Institute for Endangered Languages Occasional Papers*.
- Benet, J. (2014). IPFS-content addressed, versioned, p2p file system. *arXiv preprint arXiv:1407.3561*.
- Bernard, H. (1992). Preserving language diversity. *Human organization*, 51(1):82–89.
- Bird, S. (2006). NLTK: the natural language toolkit. In *Proceedings of the COLING/ACL on Interactive presentation sessions*, pages 69–72. Association for Computational Linguistics.
- Boersma, P. and Weenink, D. (2018). Praat: doing phonetics by computer [computer program].
- Bourhis, R. Y. (2001). Reversing language shift in quebec. *MULTILINGUAL MATTERS*, pages 101–141.
- Brenzinger, M., Yamamoto, A., Aikawa, N., Koundioubu, D., Minasyan, A., Dwyer, A., Grinevald, C., Krauss, M., Miyaoka, O., Sakiyama, O., et al. (2003). Language vitality and endangerment. *Paris: UNESCO Intangible Cultural Unit, Safeguarding Endangered Languages*. <http://www.unesco.org/culture/ich/doc/src/00120-en.pdf>. Last accessed July, 1:2010.
- Callison-Burch, C., Koehn, P., Monz, C., and Zaidan, O. F. (2011). Findings of the 2011 workshop on statistical machine translation. In *Proceedings of the Sixth Workshop on Statistical Machine Translation*, pages 22–64. Association for Computational Linguistics.
- Chiarcos, C., Hellmann, S., Nordhoff, S., Moran, S., Littauer, R., Eckle-Kohler, J., Gurevych, I., Hartmann, S., Matuschek, M., and Meyer, C. M. (2012). The open linguistics working group. In *LREC*, pages 3603–3610.

- Chiarcos, C., Moran, S., Mendes, P., Nordhoff, S., and Littauer, R. (2013). Building a linked open data cloud of linguistic resources: Motivations and developments. In *The People's Web Meets NLP*, pages 315–348. Springer.
- Clague, M. et al. (2009). Manx language revitalization and immersion education. *E-Keltoi: Journal of Interdisciplinary Celtic Studies*, 2:165–198.
- Comrie, B. (2013). *Writing Systems*. Max Planck Institute for Evolutionary Anthropology, Leipzig.
- Fishman, J. A. (1991). *Reversing language shift: Theoretical and empirical foundations of assistance to threatened languages*, volume 76. Multilingual matters.
- Fishman, J. A. (2001). *Can threatened languages be saved?: Reversing language shift, revisited: A 21st century perspective*, volume 116. Multilingual Matters.
- Gil, D. (2009). What is Riau Indonesian? *Studies in Malay and Indonesian Linguistics*.
- Gorenflo, L. J., Romaine, S., Mittermeier, R. A., and Walker-Painemilla, K. (2012). Co-occurrence of linguistic and biological diversity in biodiversity hotspots and high biodiversity wilderness areas. *Proceedings of the National Academy of Sciences*, 109(21):8032–8037.
- Grenoble, L. A. (2011). Language ecology and endangerment. In Austin, P. K. and Sallabank, J., editors, *The Cambridge Handbook of Endangered Languages*, pages 27–45. Cambridge University Press, Cambridge.
- Hanks, D. H. (2017). Policy barriers to ainu language revitalization in japan: When globalization means english. *Working Papers in Educational Linguistics (WPEL)*, 32(1):5.
- Hinton, L. (2001). Sleeping languages: Can they be awakened. *The green book of language revitalization in practice*, pages 413–417.
- Johnson, D. (2013). *Language Policy*. Springer.
- Kornai, A. (2013). Digital language death. *PloS one*, 8(10):e77056.
- Krauss, M. (1992). The world's languages in crisis. *Language*, 68(1):4–10.
- Krauss, M. E. (2007). Keynote-mass language extinction and documentation: The race against time. *The vanishing languages of the Pacific rim*, pages 3–24.

- Krauwer, S. (2003). The basic language resource kit (BLARK) as the first milestone for the language resources roadmap. *Proceedings of SPECOM 2003*, pages 8–15.
- Kroeber, T. and Robbins, R. (1973). *Ishi: Last of His Tribe*. Turtleback Books.
- Leonard, W. (2004). The acquisition of miami: Findings from a field study. In *36th Annual Algonquian Conference, Madison, WI*.
- Lewis, M. P. and Simons, G. F. (2010). Assessing endangerment: expanding fishman’s gids. *Revue roumaine de linguistique*, 55(2):103–120.
- Lewis, M. P., Simons, G. F., Fennig, C. D., et al. (2009). *Ethnologue: Languages of the world*, volume 16. SIL international Dallas, TX.
- Lewis, W. (2010). Haitian creole: How to build and ship an mt engine from scratch in 4 days, 17 hours, & 30 minutes. In *14th Annual conference of the European Association for machine translation*. Citeseer.
- Lewis, W. D., Munro, R., and Vogel, S. (2011). Crisis mt: Developing a cookbook for mt in crisis situations. In *Proceedings of the Sixth Workshop on Statistical Machine Translation*, pages 501–511. Association for Computational Linguistics.
- Littauer, R. and Paterson III, H. (2016). Open source code serving endangered languages. In Soria, C., Pretorius, L., Declerck, T., Mariani, J., Scannell, K., and Wandl-Vogt, E., editors, *Proceedings of LREC 2016 Collaboration and Computing for Under-Resourced Languages: Towards an Alliance for Digital Language Diversity (CCURL) Workshop*, Portorož, Slovenia.
- Llewellyn, K. and Ng-A-Fook, N. (2017). *Oral History and Education: Theories, Dilemmas, and Practices*. Palgrave Studies in Oral History. Palgrave Macmillan US.
- MacKenzie, M. (1980). *Towards a Dialectology of Cree-Montagnais-Naskapi*. University of Toronto.
- MacKenzie, M. and Jancewicz, B. (1994). *Naskapi Lexicon*. Naskapi Development Corporation, Kawawachikamach, Quebec.
- Maffi, L. (2001). *On biocultural diversity: Linking language, knowledge, and the environment*. Smithsonian Inst Pr.

- Maffi, L., Krauss, M., and Yamamoto, A. (2001). The world languages in crisis: Questions, challenges, and a call for action. In *Conference Handbook on Endangered languages of the Pacific Rim*, pages 75–78.
- Naskapi Development Corporation (2007). *Naskapi New Testament*. Naskapi Development Corporation and Wycliffe Bible Translators.
- Nettle, D. and Romaine, S. (2000). *Vanishing voices: The extinction of the world's languages*. Oxford University Press on Demand.
- Oard, D. W. (2003). The surprise language exercises. *ACM Transactions on Asian Language Information Processing (TALIP)*, 2(2):79–84.
- Okrent, A. (2009). *In the land of invented languages: Esperanto rock stars, Klingon poets, Loglan lovers, and the mad dreamers who tried to build a perfect language*. Spiegel & Grau.
- Ratner, N. B. and Menn, L. (2000). In the beginning was the wug: Forty years of language elicitation studies. *Methods for studying language production*, pages 11–26.
- Scannell, K. P. (2007). The crúbadán project: Corpus building for under-resourced languages.
- Schreyer, C. (2011). Media, information technology, and language planning: what can endangered language communities learn from created language communities? *Current Issues in Language Planning*, 12(3):403–425.
- Schreyer, C. (2015). The digital fandom of na'vi speakers. *Transformative Works & Cultures*, 18.
- Scott-Phillips, T. C. and Kirby, S. (2010). Language evolution in the laboratory. *Trends in cognitive sciences*, 14(9):411–417.
- Snyder, G. (2004). *The Practice of the Wild: Essays*. Shoemaker & Hoard.
- UNESCO, A. (2014). Unesco atlas of the world's languages in danger.
- Warner, N., Luna, Q., and Butler, L. (2007). Ethics and revitalization of dormant languages: The mutsun language. *Language Documentation & Conservation*, 1(1):1–1.
- Wilson, G. N. (2008). The revitalization of the manx language and culture in an era of global change. In *Proceedings of the Third International Small Island Cultures Conference*, pages 74–81. Small Islands Cultures Research Initiative Sydney.

Yang, C., O'Grady, W., and Yang, S. (2017). Toward a linguistically realistic assessment of language vitality: The case of Jejueo. *Language Documentation and Conservation*, pages 103–113.