

	X	Y	Z
separator			
' (transpose) / permute	rot90	system	full
for	repmat	repelem (run-length decoding)	blanks
# specify outputs	display stack (debug)		fopen, fwrite, fclose
\$ specify inputs		char(vpa(...))	fopen, fread, fclose
% comment	class	cast	typecast
& alternative default input/output spec	intersect	and	bitand
Not used. String delimiter		run-length encoding	now / clock
( ) assignment indexing / split	{ } assignment indexing	( ) assignment ind. with final : / split	( ) assignment ind. with initial : / split
( ) reference indexing	{ } reference indexing	( ) reference ind. with final :	( ) reference ind. with initial :
* Cartesian product	kron	matrix product	Cartesian product
+ conv2(..., 'same')		conv2	conv2(..., 'same')
- tan	cos	sin	
- deconv	setdiff	deconv	
break	continue	pause	bitget
/ unwrap	angle	matrix /	
Not used	predefined literals	predefined literals	
Not used	predefined literals	predefined literals	
Not used	predefined literals	predefined literals	
Not used	predefined literals	predefined literals	
Not used	predefined literals		
Not used	predefined literals		
Not used	predefined literals		
Not used	predefined literals		
Not used	predefined literals		
:	colon (function)	comma-separated list	bitset
> atan2	acos	asin	
< cummin	min	cummin	
= strcmp	isequal	strcmp	strcmp
> cummax	max	cummax	
? why	if	why	sparse
@ push "for" value / "while" index	push "for" index	perms	randperm
all	all(..., 1)	dec2base. Larger base, any symbols	base2dec. Larger base, any symbols
B logical(dec2bin(...)'0')	bin2dec(char(...'0'))	dec2bin	bin2dec
C histcounts		im2col	im2col(..., 'distinct')
D disp(num2str(..., ...))	disp(num2str(...))	sprintf / fprintf	disp
E multiply by 2	replace elements in array		
F Not used. False (literal)		exponents of prime factorization	
G Paste from clipboard G (user-input)	plot	imwrite / imagesc / image / imshow	appearance of graphics / format
H Paste from clipboard H	Copy to clipboard H		
I Paste from clipboard I	Copy to clipboard I	col2im	
J Paste from clipboard J	Copy to clipboard J		
K Paste from clipboard K	Copy to clipboard K		
L Paste from clipboard L (multi-level)	Copy to clipboard L (multi-level)	gallery	
M Paste from clipboard M (function-input)	mode		
N stack size	nchoosek (array)	NaN	isnan
O zeros	datestr	datetime	datevec
P flip	flipud	pi	pdist2
Q increment by 1	accumarray		polyval / roots / polyfit
R triu	triu(...,1) / build matrix	tril	tril(...,-1) / build matrix
S sort	sortrows	circshift	sign
T Not used. True (literal)		toeplitz	
U str2num / string to array	str2double		
V num2str			
W 2 raised to input			
X Not used	regexp	regexprep	
Y Not used		inf	isinf
Z Not used			
[ Not used. Array delimiter	ind2sub		
\ mod	mod(...-1)+1	matrix \	
] end (loops or conditional branches)	sub2ind		
^ matrix ^	sqrt		Cartesian power
- unary minus			
- do...while	while	tic	toc
a any	any(..., 1)	padarray	base2base
b bubble		strsplit	
c char (also for cell array)	cat	strcat	strjoin
d diff	diag / spdiags	blkdiag	gcd
e reshape / squeeze			exp
f find	strfind	factor	
g logical / cell2mat	ndgrid	gamma / gammaln / betainc	gammaln / betaln
h horzcat	{...; ...}	hankel	hypergeom
i input	urlread	imread	
j input(...,'s')	real	imag	conj
k lower / floor	upper / ceil	closest values	
l ones		log. With two inputs, specifies base	log2
m ismember	ismember(...,'rows')	mean	lcm
n numel	nchoosek (numbers) / multinomial c.	poly / interp1	
o double / cell array to numeric / parity	int64	round / change case	fix
p prod	prod(..., 1, ...)	cumprod	isprime / totient function
q decrement by 1	quantile	n-th prime / next prime	primes
r rand	randn	randi	randsample
s sum	sum(..., 1, ...)	cumsum	std
t duplicate elements			strrep
u unique	unique(...,'rows')		strjust
v vertcat		eig / svd / strtrim	deblank
w swap			
x delete from stack	clc		
y duplicate element	eye	hypot	size
z nnz	nonzeros / remove whitespace		
{ Not used. Cell array delimiter	num2cell	mat2cell	mat2cell(x,ones(size(x,1),1),size(x,2))
abs / norm / determinant	union	or	bitor
else / finally			split array
~ Not	setxor	xor	bitxor