		Х	Y	Z
	separator .' (transpose) / permute	rot90	system	full
"	for	repmat	repelem (run-length decoding)	blanks
	specify outputs	display stack (debug)		fopen, fwrite, fclose
\$ %	specify inputs comment	class	char(vpa())	fopen, fread, fclose typecast
	alternative default input/output spec	intersect	and	bitand
	Not used. String delimiter		run-length encoding	now / clock
(() assignment indexing / split	{ } assignment indexing	() assignment ind. with final : / split	() assignment ind. with initial : / split
<i>)</i>	() reference indexing	{ } reference indexing kron	() reference ind. with final : matrix product	() refererence ind. with initial : Cartesian product
+	+	MOII	conv2	conv2(, 'same')
, [cos	sin	tan
-	- break	setdiff continue	deconv pause	hitaet
,	./	angle	matrix /	bitget unwrap
0	Not used	predefined literals	predefined literals	
	Not used	predefined literals	predefined literals	
	Not used Not used	predefined literals predefined literals	predefined literals predefined literals	
	Not used	predefined literals	predefined interais	
5	Not used	predefined literals		
	Not used	predefined literals		
	Not used Not used	predefined literals predefined literals		
9	Not used	predefined literals		
	colon (function)	linearize array	comma-separated list	bitset
; [<	acos	asin	atan2
1	==	min isequal	cummin strcmp	strncmp
>	>	max	cummax	
?	if		why	sparse
	push "for" value / "while" index all	push "for" index	perms dec2base. Larger base, any symbols	randperm base2dec. Larger base, any symbols
	logical(dec2bin()-'0')	all(, 1) bin2dec(char(+'0'))	dec2base. Larger base, any symbols dec2bin	bin2dec
c _		histcounts	im2col	im2col(, 'distinct')
D	disp(num2str(,))	disp(num2str())	sprintf / fprintf	disp
	multiply by 2 Not used. False (literal)	replace elements in array		
G	Paste from clipboard G (user-input)	plot	imwrite / imagesc / image / imshow	appearance of graphics / format
н	Paste from clipboard H	Copy to clipboard H		
J J	Paste from clipboard J Paste from clipboard J	Copy to clipboard I	col2im	
K	Paste from clipboard K	Copy to clipboard J Copy to clipboard K		
ᆫ	Paste from clipboard L (multi-level)	Copy to clipboard L (multi-level)	gallery	
М		mode	Man	
N O	stack size zeros	nchoosek (array) datestr	NaN datenum	isnan datevec
	flip	flipud	pi	pdist2
Q	increment by 1	accumarray		polyval / roots / polyfit
	triu	triu(,1)	tril	tril(,-1)
	sort Not used. True (literal)	sortrows	circshift toeplitz	sign
U	str2num / string to array	str2double		
٧	num2str			
	2 raised to input Not used	regevo	regevoren	
	Not used	regexp	regexprep inf	isinf
z [Not used			
	Not used. Array delimiter	ind2sub	matrix \	
	end (loops or conditional branches)	mod(1)+1 sub2ind	matrix \	
^	^	sqrt	matrix ^	Cartesian product
	unary minus	•		·
	dowhile	while	tic padarray	toc base2base
a b	any bubble	any(, 1)	padarray strsplit	Dascendsc
С	char (also for cell array)	cat	strcat	strjoin
	diff	diag / spdiags	blkdiag	gcd
	reshape / squeeze find	strfind	factor	exp
g	logical / cell2mat	ndgrid	gamma / gammainc / betainc	gammaln / betaln
	horzcat	{,}	hankel	hypergeom
	input input(,'s')	urlread real	imread imag	conj
k	lower / floor	upper / ceil	closest values	55.,
ı	ones		log. With two inputs, specifies base	log2
	ismember	ismember(,'rows') nchoosek (numbers) / multinomial c.	mean	lcm
	numel double / cell array to numeric array	int64	poly / interp1 round / change case	fix
	. ,		cumprod	isprime / totient function
	prod	prod(, 1,)		
	decrement by 1	quantile	n-th prime / next prime	primes
q r	decrement by 1 rand	quantile randn	randi	randsample
q r	decrement by 1 rand sum	quantile		randsample std
q r s t	decrement by 1 rand sum duplicate elements unique	quantile randn	randi cumsum	randsample std strrep strjust
q r s t u	decrement by 1 rand sum duplicate elements unique vertcat	quantile randn sum(, 1,)	randi	randsample std strrep
q r s t u	decrement by 1 rand sum duplicate elements unique vertcat swap	quantile randn sum(, 1,) unique(,'rows')	randi cumsum	randsample std strrep strjust
q r s t u v w	decrement by 1 rand sum duplicate elements unique vertcat	quantile randn sum(, 1,)	randi cumsum	randsample std strrep strjust
q r s t u v w x y z	decrement by 1 rand sum duplicate elements unique vertcat swap delete from stack duplicate element nnz	quantile randn sum(, 1,) unique(,'rows') clc eye nonzeros / remove whitespace	randi cumsum strtrim	randsample std strep strriust deblank size
q r s t u v w x y z {	decrement by 1 rand sum duplicate elements unique vertcat swap delete from stack duplicate element nnz Not used. Cell array delimiter	quantile randn sum(, 1,) unique(,'rows') cic eye nonzeros / remove whitespace num2cell	randi cumsum strtrim hypot mat2cell	randsample std std strep strjust deblank size mat2cell(x,ones(size(x,1),1),size(x,2))
q r s t u v w x y z	decrement by 1 rand sum duplicate elements unique vertcat swap delete from stack duplicate element nnz	quantile randn sum(, 1,) unique(,'rows') clc eye nonzeros / remove whitespace	randi cumsum strtrim	randsample std strep strriust deblank size