

```
/* */

{
padding: 0px; /*Removes default margins from HTML and sets corners*/
margin: 0px; /*Removes default margins from HTML and sets corners*/
font-family: "Times New Roman", "Arial"; /*change font to a web safe font */
}

body { /* */

background-size: cover; /*sets the size of the background to cover the whole page.*/
background: url(' ../Images/toda_mongke_and_his__fzBtb.jpg') center; /* will allow for a responsive background to change
along with window resizing will also repeat if item overflow for any reason occurs to avoid white background*/
}

a { /*Hyperlinks manipulation */
color: whitesmoke; /* Color change */
text-decoration: none; /* Removes hyperlink underlining, bullets ext. */
}

/*----- Navigation Bar ----- */

.NavigationBar { /* sets properties inside the Navigation Bar */
background-color: black; /* Color for the whole Navigation Bar */
opacity: 0.9; /* Transparent effect to the whole navigation bar */
position: fixed; /* position will be fixed for the bar on top all the time */
width: 100%; /* stretches the navigation bar to the whole page width */
z-index: 3; /* if there is other content underneath menu it will slide over */
min-height: 60px; /* Sets the minimum size of the bar */
filter: drop-shadow(0px 15px 15px black); /*adds a white hue drop shadow effect below nav bar*/
}

.NavigationBar ul { /* Targets the ul list inside the Navigation Bar */
margin: 0; /* sets the margin and padding to 0 for a tight menu */
padding: 0; /* sets the margin and padding to 0 for a tight menu */
list-style:none; /* Clears the bullets from the hyperlinks */
overflow: hidden; /* Hides anything going out of bounds */
background-image:url(" ../Images/genghis_khan__jebe.jpg") ; /* Color for the UL */
background-size: cover; /* stretches the image to cover the container*/
border-radius: 10px; /* Curves drop down menu */
}

.NavigationBar li a { /* Targets th individual hyperlinks inside the list */
display: block; /* will change the hyperlinks to blocks */
padding: 20px 20px; /*change back to 10 overall */
text-decoration: none; /* remove underlining */
color: black; /* Set color of hyperlinks inside menu for individual pages */
font-style: oblique; /* Changes the font style of the menu individual pages */
font-size: 2em; /* changes the font-size relative to the element */
font-weight: bolder ;
}

.NavigationBar li a:hover , .NavigationBar .Button:hover { /* Targets th individual hyperlinks inside the list while hovering */
background-color:lightblue; /* color when hovering over */
border-radius: 10px; /*ads smooth edges to highlight*/
text-decoration: none; /* Removes decoration */
transition: background-color 0.5s; /* adds a transition animation */
}

.NavigationBar .Name {
float: left; /* Floats name to the left */
display: block; /* will display the hyperlinks in block format as a whole element */
font-size: 2em; /* Changes font size relative to other elements to X times size */
padding: 20px 0px 0px 0px; /* adds padding on top of name only */
text-decoration: none; /* remove underlining */
font-style: italic; /* Changes font to italic */
}
```

```

font-weight: bold; /* emphasises text */
}

.NavigationBar .menu{
    clear:both;/* Menu will be cleared below left floated element name, and my name will appear above */
    max-height:0; /* will collapse and expand the menu, starting by default as 0 the menu is collapses */
    transition: max-height 0.8s ease; /* will animate above property transition */
}

.NavigationBar .Bar{/* will target element to form the menu icon on right hand side */
    user-select: none;
    float: right; /* moves menu to the right */
    position: relative; /* parent for span (child) which will have absolute positioning */
    padding: 30px; /* padding for hamburger */
    cursor: pointer; /* will change cursor to pointer when hovering over menu */
    background-color:WindowFrame; /* adds a separate color to hamburger */
    border-radius: 20px 0px 0px 20px; /* smooth edges on left side */
    border: 1px solid white; /* adds a small border for styling purposes around hamburger */
}

.NavigationBar .Bar .Icon:before{/* Pseudo element to create the hamburger top icon */
    background-color: darkgoldenrod; /* set color of bars */
    content:''; /* Needed to add bars */
    display: block; /* set to display as a block element */
    height: 100%; /* Sets size same as parent */
    position: absolute;/* Will position the element in the same place as parent */
    width: 100%; /* Sets size same as parent */
    top: 7px; /* bar above parent*/
    transition:all .2s ease-out;/* Animation for the menu */
}

.NavigationBar .Bar .Icon{/* To create the hamburger middle icon */
    background-color: darkgoldenrod; /* set color of bars */
    display: block; /* set to display as a block element */
    height: 2px; /* height size */
    width: 20px; /* width size */
    position: relative; /* position of element relative to others */
    transition: background .2s ease-out; /* Animation for the menu */
}

.NavigationBar .Bar .Icon:after { /* Pseudo element to create the hamburger bottom icon */
    background-color: darkgoldenrod; /* set color of bars */
    content: ''; /* Needed to add bars */
    display: block; /* set to display as a block element */
    height: 100%; /* Sets size same as parent */
    position: absolute; /* Will position the element in the same place as parent */
    width: 100%; /* Sets size same as parent */
    top: -7px; /* bar above parent*/
    transition:all .2s ease-out;/* Animation for the menu */
}

.NavigationBar .Button {
    display: none; /* removes the checkbox needed for hamburger */
}

.NavigationBar .Button:checked ~ .menu { /* when the menu button is checked the ~ symbol will target all UL in the menu */
    max-height: 600px; /* menu will expand with above transition max height to fit all 7 pages or more if needed */
}

@media (min-width: 40em) { /* media query to size set to 40em mostly for mobile devices, the media query will run the statement in the curly
brackets only if condition inside brackets is true min-width*/
    .NavigationBar li { /* Make sure that the menu list is always floated to teh */
        float: left;
    }
    .NavigationBar li a { /* Add appropriate padding */
        padding: 20px 30px;
    }
    .NavigationBar .menu {
        clear: none; /*clears the menu so the elements do not overlap each other */
        float: right; /*floats them to the right */
    }
}

```

```
        max-height: none; /* sets the max height to none */
    }
    .NavigationBar .Bar {
        display: none; /* Removes the hamburger if menu is stretched and fully visible */
    }
}

.NavigationBar .CurrentPage a { /* targets current page links on the bar to give a sense of which page teh user is on*/
    font-weight: bold;
    background: greenyellow;
    border-radius: 10px;
}

/*----- Navigation Bar ----- */
/*----- Parchment Panels ----- */

.PaperPanel { /* Base control element, highly customisable no need to rewrite the same code over and over but can simply amend on each page
*/
    position: relative; /* sets positioning for the elements */
    display: block; /* will display items as a whole block rather than flex */
    justify-content: center; /* centers the content */
    align-items: center; /* centers the item */
    max-width: 600px; /* set max size */
    max-height: 600px; /* set max size */
}

.PaperPanel .Paper { /* offset element */
    position: relative; /* sets positioning for the elements */
    padding: 15px; /* Padding between the 2 elements */
    filter: drop-shadow(40px 40px 40px black); /* Gives a small sense of 3D perspective */
    overflow: hidden; /* Hides overflow */
    border-radius: 20px; /* curved corners styling */
    background: url("../Images/old_paper2.jpg"); /* paper texture */
    background-size: auto; /* size is auto */
}

.PaperPanel .Paper p { /* text element */
    position: relative; /* sets positioning for the elements */
    margin: 0px; /* 0 margins on text */
    padding: 0px; /* 0 padding on text */
    font-size: 2em; /* 1.5 relative to the font size of the element */
    line-height: 1.5; /* sets space between lines for better readability */
    overflow: hidden; /* Hides overflow */
    color: black; /* text color */
    font-family: "Times New Roman"; /* font used */
    font-style: italic; /* text style */
}

/*----- Parchment Panels ----- */

/*----- Cards ----- */
/* */
.Card { /* Main containing element for cards */
    position: relative; /* position will be relative to its normal position */
    min-height: 560px; /* Minimal height */
    min-width: 450px; /* Minimal weight allowed */
    border-radius: 3%; /* curve corners for better styling */
    padding-bottom: 10%; /* will set space for text below */
}
.CardBody { /* Holds the front and back elements */
    background-image: url("../Images/Old_paper7.jpg");
    position: absolute; /* will be positioned relative to the nearest positioned ancestor keeping the cards together */
    width: 100%; /* Width will be 100% of parent container */
    height: 100%; /* Height will be 100% of parent container */
}
```

```

transform-style: preserve-3d;/*will let the element preserve the transformation */
transition:all 1s ease; /* will determine the time it will take to flip card */
border-radius: 3%; /* curve corners for better styling */
}

.CardFront {
position: absolute; /* will be positioned relative to the nearest positioned ancestor keeping the cards together */
width: 100%; /* Width will be 100% of parent container */
height: 100%; /* Height will be 100% of parent container */
backface-visibility: hidden; /* hiding backface will eliminate flicker bugs */
background: url("../Images/Dzsingi.jpg") no-repeat; /* will avoid brick style repeat and braking of image */
display: flex; /* Will allow to use flexbox for below alignments */
background-size: contain; /* will contain element if a resize is necessary without overlapping on bottom card text */
align-items: flex-end; /* using flex puts text on the bottom */
justify-content: center; /* using flex centers text on the bottom */
border-radius: 3%; /* curve corners for better styling */
}

.CardFront p{
font-style: italic; /* Sets font to italic */
font-family: "Times New Roman"; /* Choose font */
font-size: 1.5em; /* Size of text in em */
padding: 3%; /* Adds padding */
color: black; /* Front font color */
text-transform: uppercase;/* Styling to bring attention */
}

.CardBack {
position: absolute; /* will be positioned relative to the nearest positioned ancestor keeping the cards together */
width: 100%; /* Width will be 100% of parent container */
height: 100%; /* Height will be 100% of parent container */
backface-visibility: hidden;/* hiding backface will eliminate flicker bugs */
transform: rotateY(180deg); /* rotate the card horizontally along the Y axis 180 degrees */
align-items: center; /* centres text */
justify-content: space-around; /* justify elements */
border-radius: 3%; /* curve corners for better styling */
display: flex; /* Will allow to use flexbox for below alignments */
background-image: url("../Images/Old_paper7.jpg"); /* Back of card image */
}

.CardBack p { /* formats paragraphs */
padding: 10%; /* padding around text */
font-style: italic; /* font style */
font-family: "Times New Roman"; /* font type */
font-size: 1.7em; /* font size in em */
color: black; /* font color */
line-height: 1.5; /* sets space between lines for better readability */
}

.CardBody:hover{ /* rotates body on hoover */
transform: rotateY(180deg);/* rotate the card horizontally along the Y axis 180 degrees */
}

/*----- Cards ----- */
/*----- Button ----- */

.ButtonBanner {/* Gives me the option of adding multiple buttons instead of 1 */
display: flex;/* Display as flex to allow formatting */
justify-content: center;/* Format center of button elements */
align-items: center;/* Format center of button elements */
}

.Button {/* */
display: inline-block;/* Display as an inline block container allowing for inline format but keeping structure as a block*/
background-color: limegreen;/* Default color */
cursor: pointer; /* Visual indication when over a hyperlink button */
border-radius: 10px; /* Smooth borders */
padding: 10px; /* Padding inside buttons inside banner */
filter: drop-shadow(0 5px 5px black); /* Shadow for effect */
transition: background-color 0.8s; /* adds a transition animation */
margin: 20px; /* margin outside buttons inside banner */
height: 25px; /* sizeheight purely added to keep buttons the same size and shape if adding different text */
width:100px; /* sizewide purely added to keep buttons the same size and shape if adding different text */
}

```

```
text-transform: uppercase;
}

.Button:hover{
    background-color: greenyellow; /* Hover colour */
}

.Button a { /* Button hyperlink format */
    color: black; /* text color */
    display: flex; /* format flex */
    justify-content: stretch; /* Format center of button elements */
    align-items: center; /* Format center of button elements */
}

/*----- Button ----- */
/*----- CSS Grid ----- */

.Grid {
    position: center;
    display: grid;
    grid-template-columns: 10% 80% 10%;
}

.GridSub1 {
    grid-column: 1/1;
    grid-row: 1/1;
    justify-self: left; /* Centers element horizontally left*/
    max-width: 180px;
    max-height: 5612px;
}

.GridSub2 {
    margin-top: 200px;
    grid-column: 2/2;
    grid-row: 1/1;
    justify-self: center; /* Centers element horizontally in the center */
    align-self: center; /* Centers element vertically in the center */
    overflow: hidden;
    padding: 5%;
    filter: drop-shadow(100px 100px 100px black); /*adds shadow to card*/
}

.GridSub3 {
    padding: 5% 0%;
    grid-column: 2/2;
    grid-row: 2/2;
    justify-self: center;
    align-self: center;
    font-family: italic;
}

.GridSub4 {
    grid-column: 3/3;
    grid-row: 1/1;
    justify-self: right; /* Centers element horizontally right*/
    max-width: 180px;
    max-height: 5612px;
}

.p1{
    font-weight: bold;
    font-size: 3em;
    text-align: center;
}

.p2{
    font-weight: bold;
    font-size: 4em;
    font-style: italic;
    text-align: center;
}
```