

Table

Table The `DataGridComponent` provides a comprehensive data table solution with advanced features including sorting, filtering, custom cell templates, and responsive design. It uses a flexible column definition system with content projection for maximum customization. How to use ■ Import the component and its directives, then define your table structure with custom templates. import {

```
AavaDataGridComponent , AavaColumnDefDirective , AavaHeaderCellDefDirective ,
AvaCellDefDirective , AavaTagComponent , } from "@aava/play-core" ; Basic Usage ■ Simple
table with basic data display and column definitions. Angular Preview Code < div class = "
demo-page " > <!-- Demo Content --> < div class = " demo-content " > < div class = " container " >
<!-- Employee Table Section --> < div class = " demo-section " > < div class = " table-container " >
< aava-data-grid [dataSource] = " basicData " [displayedColumns] = " displayedColumns " class =
" styled-data-grid " > < ng-container avaColumnDef = " name " > < ng-container
*avaHeaderCellDef > < div class = " header-cell " > < span class = " header-text " > Employee
Name </ span > </ div > </ ng-container > < ng-container *avaCellDef = " let row " > < div class = "
data-cell name-cell " > < span class = " employee-name " > {{ row.name }} </ span > </ div > </
ng-container > </ ng-container > < ng-container avaColumnDef = " email " > < ng-container
*avaHeaderCellDef > < div class = " header-cell " > < span class = " header-text " > Email Address
</ span > </ div > </ ng-container > < ng-container *avaCellDef = " let row " > < div class = "
data-cell email-cell " > < span class = " email-text " > {{ row.email }} </ span > </ div > </
ng-container > </ ng-container > < ng-container avaColumnDef = " department " > < ng-container
*avaHeaderCellDef > < div class = " header-cell " > < span class = " header-text " > Department </
span > </ div > </ ng-container > < ng-container *avaCellDef = " let row " > < div class = " data-cell
department-cell " > < span class = " department-badge " > {{ row.department }} </ span > </ div >
</ ng-container > </ ng-container > < ng-container avaColumnDef = " status " > < ng-container
*avaHeaderCellDef > < div class = " header-cell " > < span class = " header-text " > Status </ span
> </ div > </ ng-container > < ng-container *avaCellDef = " let row " > < div class = " data-cell
status-cell " > < aava-tag [label] = " row.status " [color] = " getStatusColor(row.status) " size = " sm
" > </ aava-tag > </ div > </ ng-container > </ ng-container > </ aava-data-grid > </ div > </ div > </
div > </ div > </ div > basicData = [ { id : 1 , name : 'Alice Johnson' , email :
'alice.johnson@example.com' , department : 'Engineering' , status : 'Active' , } , { id : 2 , name :
'Bob Smith' , email : 'bob.smith@example.com' , department : 'Marketing' , status : 'Active' , } , { id
: 3 , name : 'Carlos Martinez' , email : 'carlos.martinez@example.com' , department : 'Sales' ,
status : 'Pending' , } , { id : 4 , name : 'Diana Lee' , email : 'diana.lee@example.com' , department :
'Engineering' , status : 'Inactive' , } , { id : 5 , name : 'Ethan Brown' , email :
'ethan.brown@example.com' , department : 'HR' , status : 'Active' , } , ] ; displayedColumns = [
'name' , 'email' , 'department' , 'status' ] ; /** * Get the appropriate color for status tags */
getStatusColor ( status : string ) : 'success' | 'warning' | 'error' | 'info' | 'default' { switch ( status .
```

```

toLowerCase ( ) ) { case 'active' : return 'success' ; case 'pending' : return 'warning' ; case 'inactive'
: return 'error' ; default : return 'default' ; } } Sorting ■ Table with sortable columns and visual sort
indicators. Angular Preview Code < div class = " demo-content " > < div class = " demo-section " >
< div class = " demo-card " > < div class = " card-content " > < aava-data-grid [dataSource] = "
employeeData " [displayedColumns] = " displayedColumns " > < ng-container avaColumnDef = "
name " [sortable] = " true " > < ng-container *avaHeaderCellDef > Employee Name </
ng-container > < ng-container *avaCellDef = " let row " > {{ row.name }} </ ng-container > </
ng-container > < ng-container avaColumnDef = " position " [sortable] = " true " > < ng-container
*avaHeaderCellDef > Position </ ng-container > < ng-container *avaCellDef = " let row " > {{
row.position }} </ ng-container > </ ng-container > < ng-container avaColumnDef = " salary "
[sortable] = " true " > < ng-container *avaHeaderCellDef > Annual Salary </ ng-container > <
ng-container *avaCellDef = " let row " > ${{ row.salary | number }} </ ng-container > </
ng-container > < ng-container avaColumnDef = " experience " [sortable] = " true " > < ng-container
*avaHeaderCellDef > Experience (Years) </ ng-container > < ng-container *avaCellDef = " let row
" > {{ row.experience }} years </ ng-container > </ ng-container > < ng-container avaColumnDef =
" joinDate " [sortable] = " true " > < ng-container *avaHeaderCellDef > Join Date </ ng-container >
< ng-container *avaCellDef = " let row " > {{ row.joinDate | date }} </ ng-container > </ ng-container
> < ng-container avaColumnDef = " department " > < ng-container *avaHeaderCellDef >
Department </ ng-container > < ng-container *avaCellDef = " let row " > {{ row.department }} </
ng-container > </ ng-container > </ aava-data-grid > </ div > </ div > </ div > </ div >
employeeData = [ { id : 1 , name : "Alice Johnson" , position : "Senior Developer" , salary : 95000 ,
joinDate : "2020-03-15" , experience : 8 , department : "Engineering" , } , { id : 2 , name : "Bob
Smith" , position : "Marketing Manager" , salary : 75000 , joinDate : "2019-07-22" , experience : 6 ,
department : "Marketing" , } , { id : 3 , name : "Carlos Martinez" , position : "Sales Representative" ,
salary : 55000 , joinDate : "2021-11-08" , experience : 3 , department : "Sales" , } , { id : 4 , name :
"Diana Lee" , position : "UX Designer" , salary : 70000 , joinDate : "2020-09-12" , experience : 5 ,
department : "Design" , } , { id : 5 , name : "Ethan Brown" , position : "Data Analyst" , salary :
65000 , joinDate : "2022-01-30" , experience : 2 , department : "Analytics" , } , { id : 6 , name :
"Fiona Green" , position : "Project Manager" , salary : 85000 , joinDate : "2018-05-10" , experience
: 9 , department : "Operations" , } , { id : 7 , name : "George Wang" , position : "DevOps Engineer" ,
salary : 90000 , joinDate : "2019-12-03" , experience : 7 , department : "Engineering" , } , { id : 8 ,
name : "Hannah Kim" , position : "Content Writer" , salary : 45000 , joinDate : "2021-08-15" ,
experience : 1 , department : "Marketing" , } , ] ; displayedColumns = [ "name" , "position" , "salary"
, "experience" , "joinDate" ] ; salesData = [ { month : "January" , revenue : 125000 , orders : 340 ,
conversion : 3.2 } , { month : "February" , revenue : 135000 , orders : 385 , conversion : 3.8 } , {
month : "March" , revenue : 142000 , orders : 420 , conversion : 4.1 } , { month : "April" , revenue :
128000 , orders : 365 , conversion : 3.5 } , { month : "May" , revenue : 155000 , orders : 445 ,
conversion : 4.3 } , { month : "June" , revenue : 168000 , orders : 478 , conversion : 4.6 } , ] ;
salesColumns = [ "month" , "revenue" , "orders" , "conversion" ] ; Filtering ■ Advanced filtering
capabilities with multiple filter conditions and operators. Angular Preview Code Features ■

```

Flexible Column System ■ Content projection-based column definitions Custom header and cell templates Configurable sorting and filtering per column Dynamic column visibility Advanced Sorting ■ Multi-column sorting support Visual sort indicators (ascending/descending) Configurable sort behavior per column Sort state management Powerful Filtering ■ Multiple filter conditions and operators Real-time filtering with search Filter panel with advanced options Clear and apply filter actions Custom Templates ■ Flexible cell content templates Custom header templates Template context with row data and index Support for complex cell content Responsive Design ■ Horizontal scrolling for wide tables Mobile-friendly design Adaptive column sizing Touch-optimized interactions Performance Optimized ■ OnPush change detection strategy Efficient data handling Optimized rendering Memory management API Reference ■ Inputs ■ Property Type Description

`dataSource` `any[]` [] Array of data objects to display in the table `displayedColumns` `string[]` [] Array of column names to display `Outputs` ■ Property Type Description `dataSorted` `EventEmitter<any[]>` Emitted when data is sorted with sorted data `Directives` ■

`AvaColumnDefDirective` ■ Property Type Description `avaColumnDef` `string` - Column name/identifier (required) `sortable` `boolean` `false` Enable sorting for this column `filter` `boolean` `false` Enable filtering for this column `AvaHeaderCellDefDirective` ■ Property Type Description `TemplateRef<any>` Template for custom header cell content `AvaCellDefDirective` ■ Property Type Description `TemplateRef<any>` Template for custom cell content with context `Interfaces` ■

`interface FilterCondition` { `label` : `string` ; // Display label for filter condition `value` : `string` ; // Value for filter condition } `Methods` ■ `Method Parameters` Description `onSort()` `column`: `AvaColumnDefDirective` Handle column sorting `applySort()` `None` Apply current sort to data `applyFilter()` `columnName`: `string`, `event`: `Event` Apply filter to specific column `clearFilter()` `columnName`: `string`, `event`: `any` Clear filter for specific column `openPanel()` `columnName`: `string`, `event`: `any` Open filter panel for column `checkForOpen()` `columnName`: `string` Check if filter panel is open for column `Properties` ■ Property Type Description `sortColumn` `string` | `null` Currently sorted column `sortDirection` `'asc'` | `'desc'` | `"` Current sort direction `sortedData` `any[]` Currently sorted and filtered data `filterColumn` `Array<{column: string, type: string, value: any, open: boolean}>` Active filters `defaultFilterConditions` `FilterCondition[]` Available filter conditions `CSS` Custom `Properties` ■ The component uses CSS custom properties for dynamic styling: `Container Properties` ■ Property Description `--grid-font-family-body` Font family for table content `--grid-text-color` Text color for table content `--grid-background-color-odd` Background color for odd rows `--grid-background-color-even` Background color for even rows `--grid-border` Border color for grid elements `Table Properties` ■ Property Description `--table-border` Border color for table elements `CSS Classes` ■ The component uses CSS classes for styling and state management: `Container Classes` ■ Class Description `.ava-data-table-wrapper` Main table container `.data-table-wrapper` Inner table wrapper with scrolling `.ava-data-table` Main table element `Cell Classes` ■ Class Description `.cell-wrapper` Header cell content wrapper `.grid-column-container` Column header container `.filter` Filter icon container `.filter-wrapper` Filter panel container `.default-filter-actions` Filter action buttons container `.cell-link` Link styling within cells `State Classes` ■ Class Description `.sort-icon` Sort indicator icon Various pseudo-classes Hover and focus states

Best Practices ■ Data Structure ■ Use consistent data structure across all rows Ensure column names match displayedColumns array Provide meaningful default values for missing data Optimize data for sorting and filtering Column Definitions ■ Use descriptive column names Enable sorting only for relevant columns Enable filtering for searchable data Provide meaningful header labels Custom Templates ■ Keep cell templates simple and focused Use template context for row data access Implement proper error handling in templates Consider accessibility in custom content Performance ■ Limit data size for optimal performance Use OnPush change detection strategy Implement virtual scrolling for large datasets Optimize filter and sort operations Accessibility ■ Provide proper ARIA labels Ensure keyboard navigation support Use semantic HTML structure Maintain color contrast ratios Responsive Design ■ Test table on various screen sizes Implement horizontal scrolling for wide tables Consider mobile-specific interactions Optimize touch targets for mobile Accessibility ■ ARIA Support ■ Proper table semantics Sort and filter announcements Screen reader friendly navigation Status updates for dynamic content Keyboard Navigation ■ Tab navigation through table elements Arrow key navigation between cells Enter/Space activation for actions Escape key for closing panels Focus Management ■ Clear focus indicators Logical tab order Focus restoration after actions Focus trapping in modals/panels Screen Reader Support ■ Descriptive labels for actions Context information for data Status announcements Clear navigation structure Browser Support ■ Modern Browsers : Full support for all features CSS Grid/Flexbox : Required for layout ES6+ Features : Required for component functionality Template Ref : Required for content projection Change Detection : OnPush strategy support

```

<div class="demo-page">
  <!-- Demo Content -->
  <div class="demo-content">
    <div class="container">
      <!-- Employee Table Section -->
      <div class="demo-section">
        <div class="table-container">
          <aava-data-grid
            [dataSource]="basicData"
            [displayedColumns]="displayedColumns"
            class="styled-data-grid"
          >
            <ng-container avaColumnDef="name">
              <ng-container *avaHeaderCellDef>
                <div class="header-cell">
                  <span class="header-text">Employee Name</span>
                </div>
              </ng-container>
              <ng-container *avaCellDef="let row">
                <div class="data-cell name-cell">
                  <span class="employee-name">{{ row.name }}</span>
                </div>
              </ng-container>
            </ng-container>

            <ng-container avaColumnDef="email">
              <ng-container *avaHeaderCellDef>
                <div class="header-cell">
                  <span class="header-text">Email Address</span>
                </div>
              </ng-container>
              <ng-container *avaCellDef="let row">
                <div class="data-cell email-cell">
                  <span class="email-text">{{ row.email }}</span>
                </div>
              </ng-container>
            </ng-container>

            <ng-container avaColumnDef="department">
              <ng-container *avaHeaderCellDef>
                <div class="header-cell">
                  <span class="header-text">Department</span>
                </div>
              </ng-container>
              <ng-container *avaCellDef="let row">
                <div class="data-cell department-cell">
                  <span class="department-badge">{{ row.department }}</span>
                </div>
              </ng-container>
            </ng-container>

            <ng-container avaColumnDef="status">
              <ng-container *avaHeaderCellDef>
                <div class="header-cell">
                  <span class="header-text">Status</span>
                </div>
              </ng-container>
            </ng-container>
          </div>
        </div>
      </div>
    </div>
  </div>
</div>

```

```

    </ng-container>
    <ng-container *avaCellDef="let row">
      <div class="data-cell status-cell">
        <aava-tag
          [label]="row.status"
          [color]="getStatusColor(row.status)"
          size="sm"
        ></aava-tag>
      </div>
    </ng-container>
  </ng-container>
</aava-data-grid>
</div>
</div>
</div>
</div>
</div>

```

```

basicData = [
  {
    id: 1,
    name: 'Alice Johnson',
    email: 'alice.johnson@example.com',
    department: 'Engineering',
    status: 'Active',
  },
  {
    id: 2,
    name: 'Bob Smith',
    email: 'bob.smith@example.com',
    department: 'Marketing',
    status: 'Active',
  },
  {
    id: 3,
    name: 'Carlos Martinez',
    email: 'carlos.martinez@example.com',
    department: 'Sales',
    status: 'Pending',
  },
  {
    id: 4,
    name: 'Diana Lee',
    email: 'diana.lee@example.com',
    department: 'Engineering',
    status: 'Inactive',
  },
  {
    id: 5,
    name: 'Ethan Brown',
    email: 'ethan.brown@example.com',
    department: 'HR',
    status: 'Active',
  },
]

```

```
    },
  ];

  displayedColumns = ['name', 'email', 'department', 'status'];

  /**
   * Get the appropriate color for status tags
   */
  getStatusColor(
    status: string
  ): 'success' | 'warning' | 'error' | 'info' | 'default' {
    switch (status.toLowerCase()) {
      case 'active':
        return 'success';
      case 'pending':
        return 'warning';
      case 'inactive':
        return 'error';
      default:
        return 'default';
    }
  }
}
```

```

<div class="demo-content">
  <div class="demo-section">
    <div class="demo-card">
      <div class="card-content">
        <aava-data-grid
          [dataSource]="employeeData"
          [displayedColumns]="displayedColumns"
        >
          <ng-container avaColumnDef="name" [sortable]="true">
            <ng-container *avaHeaderCellDef>Employee Name</ng-container>
            <ng-container *avaCellDef="let row">{{ row.name }}</ng-container>
          </ng-container>

          <ng-container avaColumnDef="position" [sortable]="true">
            <ng-container *avaHeaderCellDef>Position</ng-container>
            <ng-container *avaCellDef="let row"
              >{{ row.position }}</ng-container>
            </ng-container>

          <ng-container avaColumnDef="salary" [sortable]="true">
            <ng-container *avaHeaderCellDef>Annual Salary</ng-container>
            <ng-container *avaCellDef="let row"
              >${{{ row.salary | number }}}</ng-container>
            </ng-container>

          <ng-container avaColumnDef="experience" [sortable]="true">
            <ng-container *avaHeaderCellDef>Experience (Years)</ng-container>
            <ng-container *avaCellDef="let row"
              >{{ row.experience }} years</ng-container>
            </ng-container>

          <ng-container avaColumnDef="joinDate" [sortable]="true">
            <ng-container *avaHeaderCellDef>Join Date</ng-container>
            <ng-container *avaCellDef="let row"
              >{{ row.joinDate | date }}</ng-container>
            </ng-container>

          <ng-container avaColumnDef="department">
            <ng-container *avaHeaderCellDef>Department</ng-container>
            <ng-container *avaCellDef="let row"
              >{{ row.department }}</ng-container>
            </ng-container>
        </aava-data-grid>
      </div>
    </div>
  </div>
</div>

```

```
employeeData = [  
  {  
    id: 1,  
    name: "Alice Johnson",  
    position: "Senior Developer",  
    salary: 95000,  
    joinDate: "2020-03-15",  
    experience: 8,  
    department: "Engineering",  
  },  
  {  
    id: 2,  
    name: "Bob Smith",  
    position: "Marketing Manager",  
    salary: 75000,  
    joinDate: "2019-07-22",  
    experience: 6,  
    department: "Marketing",  
  },  
  {  
    id: 3,  
    name: "Carlos Martinez",  
    position: "Sales Representative",  
    salary: 55000,  
    joinDate: "2021-11-08",  
    experience: 3,  
    department: "Sales",  
  },  
  {  
    id: 4,  
    name: "Diana Lee",  
    position: "UX Designer",  
    salary: 70000,  
    joinDate: "2020-09-12",  
    experience: 5,  
    department: "Design",  
  },  
  {  
    id: 5,  
    name: "Ethan Brown",  
    position: "Data Analyst",  
    salary: 65000,  
    joinDate: "2022-01-30",  
    experience: 2,  
    department: "Analytics",  
  },  
  {  
    id: 6,  
    name: "Fiona Green",  
    position: "Project Manager",  
    salary: 85000,  
    joinDate: "2018-05-10",  
    experience: 9,  
    department: "Operations",  
  },  
]
```

```

    id: 7,
    name: "George Wang",
    position: "DevOps Engineer",
    salary: 90000,
    joinDate: "2019-12-03",
    experience: 7,
    department: "Engineering",
  },
  {
    id: 8,
    name: "Hannah Kim",
    position: "Content Writer",
    salary: 45000,
    joinDate: "2021-08-15",
    experience: 1,
    department: "Marketing",
  },
];

displayedColumns = ["name", "position", "salary", "experience", "joinDate"];

salesData = [
  { month: "January", revenue: 125000, orders: 340, conversion: 3.2 },
  { month: "February", revenue: 135000, orders: 385, conversion: 3.8 },
  { month: "March", revenue: 142000, orders: 420, conversion: 4.1 },
  { month: "April", revenue: 128000, orders: 365, conversion: 3.5 },
  { month: "May", revenue: 155000, orders: 445, conversion: 4.3 },
  { month: "June", revenue: 168000, orders: 478, conversion: 4.6 },
];

salesColumns = ["month", "revenue", "orders", "conversion"];

```

■ No code found