Rajalakshmi Engineering College

Name: Rittvik S

Email: 240701616@rajalakshmi.edu.in

Roll no: 240701616

Phone: null Branch: REC

Department: I CSE FF

Batch: 2028

Degree: B.E - CSE



NeoColab_REC_CS23221_Python Programming

REC_Python_Week 7_MCQ

Attempt: 1 Total Mark: 20

Marks Obtained: 17

Section 1: MCO

1. Which NumPy function is used to create an identity matrix?

Answer

numpy.eye()

Status: Wrong Marks: 0/1

2. In the DataFrame created in the code, what is the index for the row containing the data for 'Jack'?

import pandas as pd

(IName': ['Tom', 'Jac 'marks': [99, 98, 95, 90]} data = {'Name': ['Tom', 'Jack', 'nick', 'juli'],

Status: Correct Marks: 1/1

3. What does NumPy stand for?

Answer

Numerical Python

Status: Correct Marks: 1/1

4. Which NumPy function is used to find the indices of the maximum and minimum values in an array?

Answer

argmax() and argmin()

Status: Correct Marks: 1/1

5. What will be the output of the following code?

import pandas as pnd
pnd.Series([1,2], index= ['a','b','c'])

Answer

Value Error

Status: Correct Marks: 1/1

6. In NumPy, how do you access the first element of a one-dimensional array arr?

Answer

arr[0]

Status: Correct

7. Which of the following is a valid way to import NumPy in Python?

Answer

import numpy as np

Status: Correct Marks: 1/1

What is the primary purpose of Pandas DataFrame?

Answer

To store data in tabular form for analysis and manipulation

Status: Correct Marks: 1/1

9. What is the primary data structure used in NumPy for numerical computations?

Answer

Array

Status: Correct Marks: 1/1

10. What will be the output of the following code snippet?

import numpy as np arr = np.array([1, 2, 3])result = np.concatenate((arr, arr)) print(result)

Answer

[123123]

Status: Correct Marks: 1/1

11. Minimum number of argument we require to pass in pandas series?

Answer

0

Status: Wrong Marks: 0/1

12. What is the purpose of the following NumPy code snippet?

import numpy as np arr = np.zeros((3, 4)) print(arr)

Answer

Displays a 3x4 matrix filled with zeros

Status: Correct Marks: 1/1

13. What does the np.arange(10) function in NumPy do?

Answer

Creates an array with values from 0 to 10

Status: Wrong Marks: 0/1

14. What is the output of the following code?

import numpy as np a = np.arange(10) print(a[2:5])

Answer

[2, 3, 4]

Status: Correct Marks: 1/1

```
15. What is the result of the following NumPy operation?
wimport numpy as np
   arr = np.array([1, 2, 3])
   r = arr + 5
   print(r)
   Answer
   [678]
   Status: Correct
                                                                     Marks: 1/1
   16. Which function is used to create a Pandas DataFrame?
Answer
   pd.DataFrame()
   Status: Correct
                                                                     Marks: 1/1
   17. What is the output of the following NumPy code snippet?
   import numpy as np
   arr = np.array([1, 2, 3, 4, 5])
   r = arr[arr > 2]
   print(r)
Answer
   [3 4 5]
                                                                     Marks: 1/1
   Status: Correct
   18. What is the output of the following NumPy code?
   import numpy as np
   arr = np.array([1, 2, 3, 4, 5])
   r = arr[2:4]
   print(r)
```

Answer

[3 4]

Status: Correct

Marks : 1/1

The important data structure of pandas is/are ____. 19.

Answer

Both Series and Data Frame

Status: Correct Marks: 1/1

20. Which NumPy function is used to calculate the standard deviation of an array?

Answer

numpy.std()

Marks: 1/1 Status: Correct