

# Overview

	Passed	Failed	Known	Undefined	Total	%Passed
Features	9	14	0	0	23	39%
Scenarios	85	37	0	0	122	70%
Steps	659	37	0	187	883	75%

Overall Duration: 1h 29m 27s

## Table of Contents

1. Verify login functionality on One pulse App
  1. Launch the app and select the country as per specified Ibu
  2. login to the app with correct credentials using "Continue with Email"
  3. Verify the Invalid Email id in login screen using "Continue with Email"
  4. Verify the User not registered email in login screen using "Continue with Email"
  5. User should be able to retrieve the reset password using forget password link
  6. Verify Account should be locked after entering more than 5 times incorrect passwords
  7. Verify the Login Functionality using "Continue with Google"
2. Verify registration functionality on one pulse App
  1. User should be able to register on app with correct credentials using "Continue with Email"
  2. verify the field label on registration screen
  3. verify the validation message for mandatory fields
  4. verify validation message when user enters Invalid password: Pulse@1 on registration page
  5. verify validation message when user enters Invalid password: Pulse123 on registration page
  6. Verify the validation message when user enter already registered email id on registration page
  7. Verify the mobile number screen validation using "Continue with Email"
  8. Verify the Gender screen validation using "Continue with Email"
  9. Verify the resend OTP functionality on Enter OTP Screen using "Continue with Email"
3. Verify Edit Profile functionality on Pulse Health & Wealth app
  1. Launch the app and select the country as per specified Ibu
  2. login to the app with correct credentials using "Continue with Email"
  3. Verify User should be able to navigate to Edit profile screen
  4. Verify User should be able to change the profile picture in edit profile screen
  5. Verify the email,country code and COR fields are non-editable in edit profile screen
  6. Verify user can able to change the details in edit profile screen
  7. Verify Details updated during pulse profile registration should be reflected in edit profile screen
  8. verify the user details should be correctly on babylon screen
  9. navigate back to health screen
  10. Verify User should not be able to edit email and country of residence fields on myDoc registration page once the user submitted their gender and DOB in edit profile
4. Verify the BabyLon Emergency call flow on Pulse Health & Wealth app
  1. User should be able to login on app with correct credentials and the BabyLon call 995 flow must be verified
5. Verify the BabyLon Perianal lump workflow is working as expected


1. User should be able to access Babylon from Pulse app and perform Perianal lump workflow
6. Verify the BabyLon Maligant Neoplasm Breast lump workflow is working as expected
  1. User should be able to access Babylon from Pulse app and perform Breast lump workflow
7. Verify the BabyLon Human Immune Virus workflow is working as expected
  1. User should be able to access Babylon from Pulse app and perform Human Immune Virus Rash workflow
8. Verify the BabyLon Groin Mass workflow is working as expected
  1. User should be able to access Babylon from Pulse app and perform Groin mass workflow
9. Verify the BabyLon Maligant Neoplasm postmenopause bleed workflow is working as expected
  1. User should be able to access Babylon from Pulse app and perform Postmenopausal Bleed workflow
10. Verify the BabyLon Prostatic HyperPlasia workflow is working as expected
  1. User should be able to access Babylon from Pulse app and perform Prostatic Hyperplasia workflow
11. Verify the BabyLon Rib Fracture workflow is working as expected and user can the chat history after consultation
  1. Launch the app and select the country as per specified lbu
  2. User should be able to access Babylon from Pulse app and perform Rib Fracture workflow
12. Verify MY Event channel functionality on one pulse App
  1. Launch the app and select the country as per specified lbu
  2. login to the app with correct credentials using "Continue with Email"
  3. Verify MyEvent Functionality in Home screen
  4. Verify Open Events tab
  5. Verify Events Archive tab
13. Verify My Health Content functionality on one pulse App
  1. Launch the app and select the country as per specified lbu
  2. User should be able to login on app with correct credentials using "Continue with Email"
  3. Verify User should be able to navigate to Health page
  4. Verify User should be able to view the full page article post
  5. Verify User should be able to see the Like, Share, Comment options on full page article post
  6. Verify User should be able to Like the post in full article view screen
  7. Verify User should be able to Share the post in full article view screen
  8. Verify User can navigate to Health homepage
14. Verify My Challenges on One Pluse App
  1. Launch the app and select the country as per specified lbu
  2. User should be able to login on app with correct credentials using "Continue with Email"
  3. Verify My Challenges texts
  4. Click on All challenges and and verify texts
15. Verify My Communities on One Pluse App
  1. Launch the app and select the country as per specified lbu
  2. User should be able to login on app with correct credentials using "Continue with Gmail"
  3. User should be able to login on app with correct credentials using "Continue with Email" and Verify the Mycommunities screen
  4. Leave the community if already joined
  5. Verify the All Communities Post screen
  6. Verify the Likes and comments counts in All communities tab
  7. Verify the Share with Friends Functionality in All communities tab
  8. Verify the Post Functionality in All communities
  9. Verify the Category list and search feature

10. Leave the community if already joined
16. Verify Private My Communities on One Pluse App
  1. Launch the app and select the country as per specified Ibu
  2. User should be able to login on app with correct credentials using "Continue with Gmail"
  3. User should be able to login on app with correct credentials using "Continue with Gmail" and Verify the Mycommunities screen
  4. Verify the Private Communities in communities screen
17. Verify legal and legacy on One pulse App
  1. Launch the app and select the country as per specified Ibu
  2. login to the app with correct credentials using "Continue with Email"
  3. Navigate to account screen
  4. Verify the Legacy and Privacy should be displayed
  5. Verify the Terms and condition screen should be displayed
  6. Verify the Privacy screen should be displayed
  7. Verify the Regulator screen should be displayed
18. Verify MySettings functionality in Account screen
  1. Launch the app and select the country as per specified Ibu
  2. login to the app with correct credentials using "Continue with Email"
  3. Navigate to account screen and verify all the options
  4. Verify wearable screen in Account tab
  5. navigate back to account screen from my wearable screen
  6. Navigate to account screen
  7. Verify reward screen in Account tab
  8. User access My Rewards FAQ
  9. Verify the FAQ on my rewards screen
  10. Verify the FAQ on my rewards screen
  11. Verify the FAQ on my rewards screen
  12. Verify the FAQ on my rewards screen
  13. Verify the FAQ on my rewards screen
  14. Verify the FAQ on my rewards screen
  15. Verify the FAQ on my rewards screen
  16. Verify the FAQ on my rewards screen
  17. Verify the FAQ on my rewards screen
  18. navigate back to account screen from my rewards screen
  19. Verify Notification screen in Account tab
  20. navigate back to account screen from Notification screen
  21. Verify my feedback screen in Account tab
  22. Verify the submit functionality in My feedback screen
  23. Verify the Pulse Personalised tab
  24. Save the consent with data privacy check
  25. Save the consent without data privacy check
  26. navigate back to account screen from pulse personalised screen
19. Verify Edit Profile functionality on Pulse Health & Wealth app
  1. Verify User should be able to navigate to My Wearables screen via Profile
  2. Verify the user can access My Wearables via Fitness
20. Verify that user can access calendar under health section
  1. Launch the app and select the country as per specified Ibu
  2. login to the app with correct credentials using "Continue with Email"
  3. User should be able to access Calendar screen
21. Verify Pru Safe Covid-19 Cover functionality on one pulse App

1. User should be able to register on app with correct credentials using "Continue with Email"
2. Verify User should be able to see the PRU Shoppe screen
3. Verify User should be able to see the PRUSafe COVIDCover screen options
4. Verify User should be able to see the PRUSafe COVIDCover screen options
22. Verify Pru Shoppe My Coverage functionality on one pulse App
  1. Launch the app and select the country as per specified lbu
  2. login to the app with correct credentials using "Continue with Email"
  3. Verify user can access his policies from Pru Shoppe My Policies screen
  4. Click on Link policy and verify screen to add policy number
  5. Verify the error message when the Policy Number is blank
  6. Verify the error message when the Policy Number is invalid or incorrect
  7. Verify the error message when the Cancel Button
23. Verify share with friends functionality in onepulse app
  1. Launch the app and select the country as per specified lbu
  2. login to the app with correct credentials using "Continue with Email"
  3. Verify User should be able to share the link with Whatsapp
  4. Verify User should be able to share the link with Contacts app
  5. Verify User should be able to share the link with Messenger app
  6. Verify User should be able to share the link with Viber app
  7. Verify User should be able to share the link with Line app

## Detailed Results Report

Feature: <u>Verify login functionality on One pulse App</u>			
Passed: 4	Failed: 3	Undefined: 0	Duration: 480.31s
<b>Scenario: Launch the app and select the country as per specified lbu</b>			
Passed: 8	Failed: 0	Undefined: 0	Duration: 58.47s
Before			0.40s
Given User has pulse app			10.46s
And I assign "\${login.email.id}" to variable "PULSE_EMAIL"			0.01s
And user click on "CONTINUE WITH EMAIL" with Email button			12.85s
Then I change the country as required on registration page			12.01s
Then I wait for 5 sec			5.01s
Then I change the language as required on registration page			10.74s
And I click the Sign in link			5.31s
Then I verify below language options on toggle bar as per specified lbu on login page			1.69s
After			0.00s
<a href="#">Back to Table of Contents</a>			
<b>Scenario: login to the app with correct credentials using "Continue with Email"</b>			
Passed: 5	Failed: 1	Undefined: 0	Duration: 45.52s
Before			0.00s
Given I select the language option on toggle bar as required on login page			0.29s
When user enters credentials			18.59s
	UserName	\${PULSE_EMAIL}	

Password \${login.password}		
And User clicks on signin button		0.30s
And I wait for 5 sec		5.00s
And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}"		8.32s
Then user should be landed to "Home" screen		13.02s
<pre> java.lang.AssertionError: expected [true] but found [false] at org.testng.Assert.fail(Assert.java:94) at org.testng.Assert.failNotEquals(Assert.java:513) at org.testng.Assert.assertTrue(Assert.java:42) at org.testng.Assert.assertTrue(Assert.java:52) at com.onepulse.app.stepdefinitions.mobilesteps.LoginSteps.landingPageValidation(LoginSteps.java:92) at .Then user should be landed to "Home" screen(features/PulseLoginTest.feature:23) </pre>		
		
After		0.00s
<a href="#">Back to Table of Contents</a>		
Scenario: Verify the Invalid Email id in login screen using "Continue with Email"		
Passed: 16	Failed: 0	Undefined: 0
Duration: 75.84s		
Before		0.00s
Given User has pulse app		9.71s
Then I wait for 2 sec		2.01s
And user click on "CONTINUE WITH EMAIL" with Email button		12.62s
Then I change the country as required on registration page		10.07s
Then I wait for 5 sec		5.01s
Then I change the language as required on registration page		0.42s
And I click the Sign in link		5.01s

And I select the language option on toggle bar as required on login page	1.53s				
When user enters credentials	18.46s				
<table> <tr> <td>UserName</td><td>t@gmai</td></tr> <tr> <td>Password</td><td>Pas\$1234</td></tr> </table>	UserName	t@gmai	Password	Pas\$1234	
UserName	t@gmai				
Password	Pas\$1234				
And I scroll down	4.54s				
And User clicks on signin button	0.33s				
Then verify invalid email message "Email is required"	0.74s				
Then User clicks on Forgot Password button	0.22s				
Then enter the email to request the new password	3.61s				
<table> <tr> <td>Email</td><td>t@gmai</td></tr> </table>	Email	t@gmai			
Email	t@gmai				
Then User clicks on Send button	0.74s				
Then verify invalid email message "\${email.invalid.text}"	0.83s				
After	0.00s				
<a href="#">Back to Table of Contents</a>					
<b>Scenario: Verify the User not registerd email in login screen using "Continue with Email"</b>					
Passed: 17	Failed: 0				
Undefined: 0	Duration: 73.58s				
Before	0.00s				
Given I generate random number and assign to variable "RANDOM_NUMBER"	0.03s				
And I assign value to following variables	0.00s				
<table> <tr> <td>USER_NAME</td><td>taf-\${RANDOM_NUMBER}@mailinator.com</td></tr> <tr> <td>USER_PASSWORD</td><td>Pas\$1234</td></tr> </table>	USER_NAME	taf-\${RANDOM_NUMBER}@mailinator.com	USER_PASSWORD	Pas\$1234	
USER_NAME	taf-\${RANDOM_NUMBER}@mailinator.com				
USER_PASSWORD	Pas\$1234				
Given User has pulse app	8.25s				
And user click on "CONTINUE WITH EMAIL" with Email button	12.81s				
Then I change the country as required on registration page	10.16s				
Then I wait for 5 sec	5.01s				
Then I change the language as required on registration page	0.36s				
And I click the Sign in link	4.90s				
And I select the language option on toggle bar as required on login page	1.53s				
When user enters credentials	18.66s				
<table> <tr> <td>UserName</td><td>\${USER_NAME}</td></tr> <tr> <td>Password</td><td>\${USER_PASSWORD}</td></tr> </table>	UserName	\${USER_NAME}	Password	\${USER_PASSWORD}	
UserName	\${USER_NAME}				
Password	\${USER_PASSWORD}				
And I scroll down	4.56s				
And User clicks on signin button	0.32s				
Then verify invalid email message "\${invalid.credential.message}"	0.94s				
Then User clicks on Forgot Password button	0.23s				
Then enter the email to request the new password	3.62s				
<table> <tr> <td>Email</td><td>\${USER_NAME}</td></tr> </table>	Email	\${USER_NAME}			
Email	\${USER_NAME}				
Then User clicks on Send button	1.10s				
Then verify invalid email message "\${invalid.credential.message}"	1.09s				
After	0.00s				
<a href="#">Back to Table of Contents</a>					
<b>Scenario: User should be able to retrieve the reset password using forget password link</b>					



Passed: 8	Failed: 0	Undefined: 0	Duration: 49.93s
Before			0.00s
And I assign "\${forgot.password.email.id}" to variable "PULSE_EMAIL"			0.00s
Then enter the email to request the new password			3.66s
Email \${PULSE_EMAIL}			
Then User clicks on Send button			0.84s
Then I wait for 10 sec			10.01s
And I read the otp for emailid "\${PULSE_EMAIL}" using mailsac api and store into a variable "EMAIL_OTP"			27.16s
Then I enter "\${EMAIL_OTP}" reset code			1.09s
Then I wait for 7 sec			7.01s
Then Verify message: "\${password.reset.success.text}" for Reset Password			0.18s
After			0.00s
<a href="#">Back to Table of Contents</a>			
Scenario: <b>Verify Account should be locked after entering more than 5 times incorrect passwords</b>			
Passed: 12	Failed: 1	Undefined: 5	Duration: 128.77s
Before			0.00s
Given I generate random number and assign to variable "RANDOM_NUMBER"			0.00s
And I assign "pulse\${RANDOM_NUMBER}@mailsac.com" to variable "PULSE_EMAIL"			0.00s
And User has pulse app			7.81s
Then I wait for 2 sec			2.01s
And user click on "CONTINUE WITH EMAIL" with Email button			12.75s
Then I change the country as required on registration page			9.87s
Then I wait for 5 sec			5.01s
Then I change the language as required on registration page			0.36s
When user enters registration details			7.87s
FirstName	testAutomation		
LastName	testAutomation		
Email	\${PULSE_EMAIL}		
Password	Pas\$1234		
And taps on continue "Sign_Up" button			0.30s
Then I enter OTP in one pulse app for user email "\${PULSE_EMAIL}"			30.83s
Then I wait for 10 sec			10.01s
Then I click skip button			41.96s
<p>org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.</p> <p>For documentation on this error, please visit: <a href="http://seleniumhq.org/exceptions/no_such_element.html">http://seleniumhq.org/exceptions/no_such_element.html</a></p> <p>Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'</p> <p>System info: host: 'Prudentials-MacBook-Pro.local', ip: '2401:7400:c802:b45:e5c3:40ae:fad7:80b8%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'</p>			


**Driver info:** io.appium.java\_client.android.AndroidDriver  
**Capabilities** {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0B101FDD4004BD, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0B101FDD4004BD, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}  
**Session ID:** 3bd2eb58-88f2-4a43-bb7e-8c4c467dbd91  
**\*\*\* Element info:** {Using=xpath, value=//android.widget.TextView[contains(@text,'Please start by entering your mobile phone number')]/following::android.widget.EditText[2]}  
 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)  
 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)  
 at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  
 at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)  
 at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)  
 at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)  
 at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)  
 at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)  
 at io.appium.java\_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:231)  
 at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)  
 at io.appium.java\_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:42)  
 at io.appium.java\_client.AppiumDriver.execute(AppiumDriver.java:1)  
 at io.appium.java\_client.android.AndroidDriver.execute(AndroidDriver.java:1)  
 at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)  
 at io.appium.java\_client.DefaultGenericMobileDriver.findElement(DefaultGenericMobileDriver.java:62)  
 at io.appium.java\_client.AppiumDriver.findElement(AppiumDriver.java:1)  
 at io.appium.java\_client.android.AndroidDriver.findElement(AndroidDriver.java:1)  
 at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:419)  
 at io.appium.java\_client.DefaultGenericMobileDriver.findElementByXPath(DefaultGenericMobileDriver.java:152)  
 at io.appium.java\_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)  
 at io.appium.java\_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)  
 at org.openqa.selenium.By\$ByXPath.findElement(By.java:353)  
 at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)  
 at io.appium.java\_client.DefaultGenericMobileDriver.findElement(DefaultGenericMobileDriver.java:58)



at io.appium.java\_client.AppiumDriver.findElement(AppiumDriver.java:1)  
 at io.appium.java\_client.android.AndroidDriver.findElement(AndroidDriver.java:1)  
 at com.prudential.tap.selenium.Commands\$16.executeCommand(Commands.java:148)  
 at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19)  
 at com.onepulse.app.screens.TestBasePage.setTextWithTab(TestBasePage.java:265)  
 at com.onepulse.app.screens.PulseRegistrationScreen.clickSkipButton  
 (PulseRegistrationScreen.java:1029)  
 at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.iClickSkipButton  
 (RegistrationSteps.java:374)  
 at .Then I click skip button(features/PulseLoginTest.feature:106)

Then user should be landed to "Home" screen	0.00s
And I click the Account icon in Home screen	0.00s
And I click the sign out from pulse app	0.00s
Then I wait for 2 sec	0.00s
Then I enter invalid password on login screen and verify the error message	0.00s


Pas\$123##\${invalid.credential.message}
Pas\$123##\${invalid.credential.message}
Pas\$123##\${invalid.credential.message}
Pas\$123##\${invalid.credential.message}
Pas\$123##\${invalid.credential.message}
Pas\$123##\${invalid.credential.message}
Pas\$123##\${invalid.credential.message}
Pas\$123##\${account.locked.message}



After	0.00s
-------	-------


[Back to Table of Contents](#)

Scenario: **Verify the Login Functionality using "Continue with Google"**

Passed: 3		Failed: 1		Undefined: 0		Duration: 48.2s	
Before				0.00s			
Given User has pulse app						8.04s	
And user click on "CONTINUE WITH GOOGLE" with Google button						11.26s	
And I click the "Email" in Continue with Gmail						15.43s	
Emailid		{facebook.text}					
Password		Pulse@123					
Then user should be landed to "Home" screen						13.47s	
<pre>java.lang.AssertionError: expected [true] but found [false] at org.testng.Assert.fail(Assert.java:94) at org.testng.Assert.failNotEquals(Assert.java:513) at org.testng.Assert.assertTrue(Assert.java:42) at org.testng.Assert.assertTrue(Assert.java:52) at com.onepulse.app.stepdefinitions.mobilesteps.LoginSteps.landingPageValidation(LoginSteps.java:92) at .Then user should be landed to "Home" screen(features/PulseLoginTest.feature:128)</pre>							
							
After				0.00s			
<a href="#">Back to Table of Contents</a>							

Feature: <b>Verify registration functionality on one pulse App</b>							
Passed: 4		Failed: 5		Undefined: 0		Duration: 543.78s	
<b>Scenario: User should be able to register on app with correct credentials using "Continue with Email"</b>							
Passed: 38		Failed: 1		Undefined: 8		Duration: 150.46s	
Before				0.00s			

Given I generate random number and assign to variable "RANDOM_NUMBER"	0.00s								
And I assign "pulse\${RANDOM_NUMBER}@mailsac.com" to variable "PULSE_EMAIL"	0.00s								
And User has pulse app	8.17s								
Then I wait for 2 sec	2.01s								
And user click on "CONTINUE WITH EMAIL" with Email button	12.63s								
Then I wait for 2 sec	2.01s								
Then I change the country as required on registration page	11.03s								
Then I wait for 5 sec	5.01s								
Then I change the language as required on registration page	0.28s								
When user enters registration details	8.01s								
<table border="1"> <tr> <td>FirstName</td><td>testAutomation</td></tr> <tr> <td>LastName</td><td>testAutomation</td></tr> <tr> <td>Email</td><td>\${PULSE_EMAIL}</td></tr> <tr> <td>Password</td><td>Pas\$1234</td></tr> </table>	FirstName	testAutomation	LastName	testAutomation	Email	\${PULSE_EMAIL}	Password	Pas\$1234	
FirstName	testAutomation								
LastName	testAutomation								
Email	\${PULSE_EMAIL}								
Password	Pas\$1234								
And taps on continue "Sign_Up" button	0.28s								
And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}"	30.44s								
Then I wait for 2 sec	2.01s								
And I enter the "mobile number" in welcome to pulse	9.51s								
<table border="1"> <tr> <td>mobileNumber</td><td>\${registration.mobile.number}</td></tr> </table>	mobileNumber	\${registration.mobile.number}							
mobileNumber	\${registration.mobile.number}								
And I click the continue button	0.21s								
And I choose my wellness goals under wellness plan screen	1.54s								
And I click the continue button	0.86s								
And I click the date in Date of Birth field	6.55s								
And I click the Done icon	3.20s								
And I click the continue button	1.21s								
And I select the Male icon	6.01s								
And I click the continue button	0.81s								
And I enter my height and weight details	2.04s								
And I click on Calculate BMI button	0.79s								
And I click the continue button	0.90s								
And I select the "How active are you?" in doing exercise	1.72s								
And I click the continue button	0.95s								
And I select my favorite food dietary	1.82s								
And I click the continue button	1.04s								
And I answer as "Yes" to "Any Food allergies?"	3.02s								
And I click the continue button	1.06s								
And I verify that "Tracking your activity is trending" is displayed	1.92s								
And I click on connect Later button	0.46s								
And I see that "Welcome to Pulse" text is displayed	2.28s								
And I click the continue button	0.45s								
And I see that fitness subscription exclusive offers screen is displayed	2.49s								
And I click on close icon	0.60s								

Then I click skip buttons		4.10s
Then user should be landed to "Home" screen		13.05s
<pre> java.lang.AssertionError: expected [true] but found [false] at org.testng.Assert.fail(Assert.java:94) at org.testng.Assert.failNotEquals(Assert.java:513) at org.testng.Assert.assertTrue(Assert.java:42) at org.testng.Assert.assertTrue(Assert.java:52) at com.onepulse.app.stepdefinitions.mobilesteps.LoginSteps.landingPageValidation(LoginSteps.java:92) at .Then user should be landed to "Home" screen(features/PulseRegistrationTest.feature:50) </pre>		
Then I wait for 4 sec		0.00s
And I click the Account icon in Home screen		0.00s
And I click the sign out from pulse app		0.00s
Then I wait for 4 sec		0.00s
When user enters password credentials in sign screen		0.00s
Password	Pas\$1234	
And User clicks on signin button		0.00s
Then I wait for 8 sec		0.00s
Then user should be landed to "Home" screen		0.00s
		
After		0.00s
<a href="#">Back to Table of Contents</a>		
Scenario: verify the field label on registration screen		
Passed: 8	Failed: 0	Undefined: 0
Before		0.00s
Given User has pulse app		7.81s



After		0.00s
<a href="#">Back to Table of Contents</a>		
Scenario Outline: verify validation message when user enters Invalid password: Pulse@1 on registration page		
Passed: 3	Failed: 0	Duration: 19.77s
Before		0.00s
When user enters registration details		18.69s
Password	Pulse@1	
And taps on continue "Sign_Up" button		0.30s
Then I verify the validation error message is displayed for following field on registration page		0.79s
Password	{password.validation.message}	
After		0.00s
<a href="#">Back to Table of Contents</a>		
Scenario Outline: verify validation message when user enters Invalid password: Pulse123 on registration page		
Passed: 3	Failed: 0	Duration: 2.65s
Before		0.00s
When user enters registration details		1.61s
Password	Pulse123	
And taps on continue "Sign_Up" button		0.27s
Then I verify the validation error message is displayed for following field on registration page		0.77s
Password	{password.validation.message}	
After		0.00s



[Back to Table of Contents](#)
**Scenario: Verify the validation message when user enter already registered email id on registration page**

Passed: 7	Failed: 1	Undefined: 2	Duration: 40.81s
<b>Before</b>			<b>0.00s</b>

<b>Given User has pulse app</b>	<b>7.77s</b>
<b>Then I wait for 2 sec</b>	<b>2.00s</b>
<b>And user click on "CONTINUE WITH EMAIL" with Email button</b>	<b>12.73s</b>
<b>Then I wait for 2 sec</b>	<b>2.00s</b>
<b>Then I change the country as required on registration page</b>	<b>9.67s</b>
<b>Then I wait for 2 sec</b>	<b>2.01s</b>
<b>Then I change the language as required on registration page</b>	<b>0.30s</b>
<b>When user enters registration details</b>	<b>4.33s</b>

<b>FirstName</b>	testAutomation
<b>LastName</b>	testAutomation
<b>Email</b>	\${login.email.id}
<b>Password</b>	Pas\$1234

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.

For documentation on this error, please visit: [http://seleniumhq.org/exceptions/no\\_such\\_element.html](http://seleniumhq.org/exceptions/no_such_element.html)

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'Prudentials-MacBook-Pro.local', ip: '2401:7400:c802:b45:e5c3:40ae:fad7:80b8%en0', os.name: 'Mac OS X', os.arch: 'x86\_64', os.version: '10.16', java.version: '11.0.10'

Driver info: io.appium.java\_client.android.AndroidDriver

Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0B101FDD4004BD, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0B101FDD4004BD, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}

Session ID: c73593a9-b580-419a-a69a-a19766456ef3

\*\*\* Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,'Last Name / Family Name')]/following::android.widget.EditText[1]}

at jdk.internal.reflect.GeneratedConstructorAccessor22.newInstance(Unknown Source)

at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)

at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode

```

(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$12.executeCommand(Commands.java:116)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.setTextWithTab(TestBasePage.java:266)
at com.onepulse.app.screens.PulseRegistrationScreen.enterRegistrationDetails
(PulseRegistrationScreen.java:207)
at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.enterRegistrationDetails
(RegistrationSteps.java:37)
at .When user enters registration details(features/PulseRegistrationTest.feature:109)

```

And taps on continue "Sign\_Up" button

0.00s

Then I verify the validation error message is displayed for following field on registration page

0.00s

Email \${user.exist.text}

After	0.00s
-------	-------

[Back to Table of Contents](#)

**Scenario: Verify the mobile number screen validation using "Continue with Email"**

Passed: 9	Failed: 1	Undefined: 8	Duration: 66.64s
-----------	-----------	--------------	------------------

Before	0.00s
--------	-------

Given I generate random number and assign to variable "RANDOM_NUMBER"	0.00s
---	-------

And I assign "pulse\${RANDOM_NUMBER}@mailsac.com" to variable "PULSE_EMAIL"	0.00s
---	-------

Given User has pulse app	7.83s
--------------------------	-------

Then I wait for 2 sec	2.01s
-----------------------	-------

And user click on "CONTINUE WITH EMAIL" with Email button	12.61s
---	--------

Then I wait for 2 sec	2.01s
-----------------------	-------

Then I change the country as required on registration page	10.05s
--	--------

Then I wait for 2 sec	2.01s
-----------------------	-------

Then I change the language as required on registration page	11.21s
---	--------

When user enters registration details	18.91s
---------------------------------------	--------

FirstName	NewAutomation
LastName	NewAutomation
Email	\${PULSE_EMAIL}
Password	Pas\$1234

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.

For documentation on this error, please visit: [http://seleniumhq.org/exceptions/no\\_such\\_element.html](http://seleniumhq.org/exceptions/no_such_element.html)

```

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'Prudentials-MacBook-Pro.local', ip: '2401:7400:c802:b45:e5c3:40ae:fad7:80b8%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0B101FDD4004BD,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0B101FDD4004BD,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: 69b6e957-9060-43d0-bda0-0eff4f615ac2
*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,'First Name
/ Given Name')]/following::android.widget.EditText[1]}
at jdk.internal.reflect.GeneratedConstructorAccessor22.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement

```

(DefaultGenericMobileDriver.java:58)

at io.appium.java\_client.AppiumDriver.findElement(AppiumDriver.java:1)

at io.appium.java\_client.android.AndroidDriver.findElement(AndroidDriver.java:1)

at com.prudential.tap.selenium.Commands\$16.executeCommand(Commands.java:148)

at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19)

at com.onepulse.app.screens.TestBasePage.setTextWithTab(TestBasePage.java:265)

at com.onepulse.app.screens.PulseRegistrationScreen.enterRegistrationDetails

(PulseRegistrationScreen.java:204)

at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.enterRegistrationDetails

(RegistrationSteps.java:37)

at .When user enters registration details(features/PulseRegistrationTest.feature:129)

And taps on continue "Sign_Up" button	0.00s
And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}"	0.00s
Then I wait for 10 sec	0.00s
Then I verify the country code should be displayed correctly on phone number screen	0.00s
And I enter the "mobile number" in welcome to pulse	0.00s
mobileNumber 917670	
And I click the continue button	0.00s
Then I wait for 10 sec	0.00s
Then verify Again invalid Mobile message "\${invalid.mobile.text}"	0.00s



After		0.00s
<a href="#">Back to Table of Contents</a>		
Scenario: <b>Verify the Gender screen validation using "Continue with Email"</b>		
Passed: 0	Failed: 1	Undefined: 30
Before		0.00s

Given I enter the "mobile number" in welcome to pulse	27.17s
<div>mobileNumber\${registration.mobile.number}</div>	
<p>org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.  For documentation on this error, please visit: <a href="http://seleniumhq.org/exceptions/no_such_element.html">http://seleniumhq.org/exceptions/no_such_element.html</a>  Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'  System info: host: 'Prudentials-MacBook-Pro.local', ip: '2401:7400:c802:b45:e5c3:40ae:fad7:80b8%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'  Driver info: io.appium.java_client.android.AndroidDriver  Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0B101FDD4004BD, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0B101FDD4004BD, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}  Session ID: 69b6e957-9060-43d0-bda0-0eff4f615ac2  *** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,'Please start by entering your mobile phone number')]/following::android.widget.EditText[2]}  at jdk.internal.reflect.GeneratedConstructorAccessor22.newInstance(Unknown Source)  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)  at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)  at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)  at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)  at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:231)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)  at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:42)  at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)  at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)  at io.appium.java_client.DefaultGenericMobileDriver.findElement(DefaultGenericMobileDriver.java:62)  at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)  at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)  at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.</p>	




```

java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$16.executeCommand(Commands.java:148)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.setTextWithTab(TestBasePage.java:265)
at com.onepulse.app.screens.PulseRegistrationScreen.enterMobileNumber
(PulseRegistrationScreen.java:474)
at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.enterMobileNumber
(RegistrationSteps.java:162)
at .Given I enter the "mobile number" in welcome to pulse(features/PulseRegistrationTest.
feature:145)

```

And I click the continue button	0.00s
Then I wait for 1 sec	0.00s
And I click the continue button	0.00s
Then verify validation message "\${wellness.goal.alert.text}" on registration workflow screen	0.00s
And I choose my wellness goals under wellness plan screen	0.00s
And I click the continue button	0.00s
Then I wait for 1 sec	0.00s
And I click the continue button	0.00s
Then verify validation message "\${dob.alert.text}" on registration workflow screen	0.00s
And I click the date in Date of Birth field	0.00s
And I click the Done icon	0.00s
And I click the continue button	0.00s
Then I wait for 1 sec	0.00s
And I click the continue button	0.00s
Then verify validation message "\${gender.alert.text}" on registration workflow screen	0.00s
And I select the Male icon	0.00s
And I click the continue button	0.00s
Then I wait for 1 sec	0.00s
And I click the continue button	0.00s
Then verify validation message "\${bmi.alert.text}" on registration workflow screen	0.00s
And I click on Calculate BMI button	0.00s
And I click the continue button	0.00s
Then I wait for 1 sec	0.00s

And I click the continue button	0.00s
Then verify validation message "\${activity.level.alert.text}" on registration workflow screen	0.00s
And I select the "How active are you?" in doing exercise	0.00s
And I click the continue button	0.00s
Then I wait for 1 sec	0.00s
And I click the continue button	0.00s
Then verify validation message "\${diet.preference.alert.text}" on registration workflow screen	0.00s
	
After	0.00s
<a href="#">Back to Table of Contents</a>	
<b>Scenario: Verify the resend OTP functionality on Enter OTP Screen using "Continue with Email"</b>	
Passed: 16	Failed: 0
Undefined: 0	Duration: 186.32s
Before	0.00s
Given I generate random number and assign to variable "RANDOM_NUMBER"	0.00s
And I assign "pulse\${RANDOM_NUMBER}@mailsac.com" to variable "PULSE_EMAIL"	0.00s
And User has pulse app	9.33s
Then I wait for 2 sec	2.01s
And user click on "CONTINUE WITH EMAIL" with Email button	12.56s
Then I wait for 2 sec	2.00s
Then I change the country as required on registration page	10.65s
Then I wait for 2 sec	2.01s
Then I change the language as required on registration page	0.31s

When user enters registration details			7.96s
FirstName	testAutomation		
LastName	testAutomation		
Email	\${PULSE_EMAIL}		
Password	Pas\$1234		
And taps on continue "Sign_Up" button			0.29s
Then I wait for 90 sec			90.01s
Then I click the Resend button in OTP screen			3.89s
And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}"			28.66s
And I wait for 8 sec			8.01s
And I verify enter otp screen is not displayed			8.64s
After			0.00s
<a href="#">Back to Table of Contents</a>			
<b>Feature: Verify Edit Profile functionality on Pulse Health &amp; Wealth app</b>			
Passed: 10	Failed: 0	Undefined: 0	Duration: 204.39s
<b>Scenario: Launch the app and select the country as per specified lbu</b>			
Passed: 6	Failed: 0	Undefined: 0	Duration: 41.89s
Before			0.00s
Given User has pulse app			7.90s
And I assign "\${onepulse.login.edit.profile}" to variable "PULSE_EMAIL"			0.00s
And user click on "CONTINUE WITH EMAIL" with Email button			12.67s
Then I change the country as required on registration page			11.48s
Then I wait for 5 sec			5.00s
And I click the Sign in link			4.84s
After			0.00s
<a href="#">Back to Table of Contents</a>			
<b>Scenario: login to the app with correct credentials using "Continue with Email"</b>			
Passed: 6	Failed: 0	Undefined: 0	Duration: 38.57s
Before			0.00s
Given I select the language option on toggle bar as required on login page			1.46s
When user enters credentials			18.25s
UserName	\${PULSE_EMAIL}		
Password	\${pulse.edit}		
And User clicks on signin button			0.26s
And I wait for 5 sec			5.01s
And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}"			7.60s
Then user should be landed to "Home" screen			6.00s
After			0.00s
<a href="#">Back to Table of Contents</a>			
<b>Scenario: Verify User should be able to navigate to Edit profile screen</b>			
Passed: 3	Failed: 0	Undefined: 0	Duration: 15.02s
Before			0.00s
Given user navigate to account page			4.56s

	And user click on Edit profile link	5.46s
	Then I wait for 5 sec	5.01s
After		0.00s
<a href="#">Back to Table of Contents</a>		
<b>Scenario: Verify User should be able to change the profile picture in edit profile screen</b>		
Passed: 2	Failed: 0	Undefined: 0
Duration: 30.39s		
Before		0.00s
	Then I give manage profile camera permission	20.88s
	Then I take picture from Camera	9.51s
After		0.00s
<a href="#">Back to Table of Contents</a>		
<b>Scenario: Verify the email,country code and COR fields are non-editable in edit profile screen</b>		
Passed: 3	Failed: 0	Undefined: 0
Duration: 3.0s		
Before		0.00s
	And verify email field is non-editable	1.60s
	And verify country code field is non-editable and country code is "\${country.code}"	0.82s
	And verify country of Residence is "\${country.name}" and non-editable	0.58s
After		0.00s
<a href="#">Back to Table of Contents</a>		
<b>Scenario: Verify user can able to change the details in edit profile screen</b>		
Passed: 4	Failed: 0	Undefined: 0
Duration: 16.65s		
Before		0.00s
	Given I generate random number and assign to variable "RANDOM_NUMBER"	0.00s
	And I assign value to following variables	0.00s
	First Name Automation-\${RANDOM_NUMBER}	
	Last Name Testing-\${RANDOM_NUMBER}	
	Then I update following profile details in edit profile screen	3.19s
	FirstName \${First Name}	
	LastName \${Last Name}	
	And I click on update button in edit profile screen	13.45s
After		0.00s
<a href="#">Back to Table of Contents</a>		
<b>Scenario: Verify Details updated during pulse profile registration should be reflected in edit profile screen</b>		
Passed: 2	Failed: 0	Undefined: 0
Duration: 15.73s		
Before		0.00s
	Given user click on Edit profile link	14.35s
	Then I verify following values in edit profile screen	1.38s
	FirstName \${First Name}	
	LastName \${Last Name}	
	Email \${onpulse.login.edit.profile}	

	Gender	{pulse.edit.gender}	
	PhoneNumber	{pulse.edit.number}	
After			0.00s
<a href="#">Back to Table of Contents</a>			
Scenario: <b>verify the user details should be correctly on babylon screen</b>			
Passed: 6		Failed: 0	Duration: 21.67s
Before			0.00s
Given I navigate to Home page from edit profile screen			3.47s
Then I navigate to Babylon health Assessment and Accept TermsAndCondition			13.30s
Then I wait for 2 sec			2.01s
Then I verify the default values in babylon registration page is updated as below			2.02s
	Gender	{pulse.edit.gender}	
	FirstName	{First Name}	
	LastName	{Last Name}	
	Email	{onpulse.login.edit.profile}	
And verify email field is non-editable			0.30s
And verify country of Residence is "{country.name}" and non-editable			0.57s
After			0.00s
<a href="#">Back to Table of Contents</a>			
Scenario: <b>navigate back to health screen</b>			
Passed: 2		Failed: 0	Duration: 7.9s
Before			0.00s
Given I navigate to health page from babylon registration screen			2.89s
And I wait for 5 sec			5.01s
After			0.00s
<a href="#">Back to Table of Contents</a>			
Scenario: <b>Verify User should not be able to edit email and country of residence fields on myDoc registration page once the user submitted their gender and DOB in edit profile</b>			
Passed: 4		Failed: 0	Duration: 13.58s
Before			0.00s
Given I navigate to MyDoc registration screen			10.76s
Then I verify the default values in myDoc registration page is updated as below			1.92s
	FirstName	{First Name}	
	LastName	{Last Name}	
	Email	{onpulse.login.edit.profile}	
And verify email field is non-editable			0.36s
And verify country of Residence is "{country.name}" and non-editable			0.54s
After			0.00s
<a href="#">Back to Table of Contents</a>			
Feature: <b>Verify the BabyLon Emergency call flow on Pulse Health &amp; Wealth app</b>			
Passed: 0		Failed: 1	Duration: 117.26s
Scenario: <b>User should be able to login on app with correct credentials and the BabyLon call 995 flow must be verified</b>			

Passed: 14		Failed: 1		Undefined: 4		Duration: 117.26s	
Before						0.00s	
Given User has pulse app						8.27s	
And I assign "\${Babylon.call}" to variable "PULSE_EMAIL"						0.00s	
And user click on "CONTINUE WITH EMAIL" with Email button						12.60s	
Then I change the country as required on registration page						11.31s	
Then I wait for 10 sec						10.01s	
Then I change the language as required on registration page						10.48s	
And I click the Sign in link						4.92s	
And I select the language option on toggle bar as required on login page						1.49s	
When user enters credentials						18.18s	
		UserName		\${PULSE_EMAIL}			
		Password		\${Password.text}			
And User clicks on signin button						0.34s	
And I wait for 5 sec						5.01s	
And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}"						8.57s	
Then user should be landed to "Home" screen						5.97s	
And I navigate to Babylon Symptoms Page						7.79s	
Then I enter "\${babylon.suicidal.thoughts.text}" symptoms on Babylon screen And select "\${babylon.suicidalThoughts.description}"						12.34s	
<p>org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.</p> <p>For documentation on this error, please visit: <a href="http://seleniumhq.org/exceptions/no_such_element.html">http://seleniumhq.org/exceptions/no_such_element.html</a></p> <p>Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'</p> <p>System info: host: 'Prudentials-MacBook-Pro.local', ip: '2401:7400:c802:b45:e5c3:40ae:fad7:80b8%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'</p> <p>Driver info: io.appium.java_client.android.AndroidDriver</p> <p>Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0B101FDD4004BD, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0B101FDD4004BD, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}</p> <p>Session ID: e5803e62-90fe-403d-b008-a48298f9b25f</p> <p>*** Element info: {Using=xpath, value=//android.widget.TextView[@text='Symptoms']/following::android.widget.EditText[1]}</p> <p>at jdk.internal.reflect.GeneratedConstructorAccessor22.newInstance(Unknown Source)</p> <p>at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)</p>							




```

at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$16.executeCommand(Commands.java:148)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.setTextWithTab(TestBasePage.java:265)
at com.onepulse.app.screens.babylon.BabylonSymptomsScreen.
enterAndSelectBabylonSymptoms(BabylonSymptomsScreen.java:104)
at com.onepulse.app.stepdefinitions.mobilesteps.BabylonSteps.
enterAndSelectBabylonSymptoms(BabylonSteps.java:131)
at .Then I enter "${(babylon.suicidal.thoughts.text)}" symptoms on Babylon screen And select
"${(babylon.suicidalThoughts.description)}"(features/health/BabyLonEmmergencyCall.feature:
23)

```

Then I wait for 2 sec	0.00s			
Then I verify following conditions are displayed	0.00s			
<table border="1"> <tr> <td><code>\${babylon.call.immediately}</code></td> <td rowspan="2"></td> </tr> <tr> <td><code>\${babylon.call.number}</code></td> </tr> </table>	<code>\${babylon.call.immediately}</code>		<code>\${babylon.call.number}</code>	
<code>\${babylon.call.immediately}</code>				
<code>\${babylon.call.number}</code>				
Then I close the babylon symptoms checker screen	0.00s			
Then user views chat history	0.00s			



After	0.00s
-------	-------

[Back to Table of Contents](#)

### Feature: Verify the BabyLon Perianal lump workflow is working as expected

Following condition should meet to run this script:

Age:48

Sex:Male

Country:Singapore/Malaysia

Passed: 0	Failed: 1	Undefined: 0	Duration: 133.08s
-----------	-----------	--------------	-------------------

### Scenario: User should be able to access Babylon from Pulse app and perform Perianal lump workflow

Passed: 14	Failed: 1	Undefined: 9	Duration: 133.08s
------------	-----------	--------------	-------------------

Before	0.00s
--------	-------

Given User has pulse app	7.73s				
And I assign "\${Babylon.AnalLump}" to variable "PULSE_EMAIL"	0.00s				
Then I wait for 5 sec	5.01s				
And user click on "CONTINUE WITH EMAIL" with Email button	12.68s				
Then I change the country as required on registration page	10.71s				
Then I wait for 5 sec	5.01s				
And I click the Sign in link	4.96s				
And I select the language option on toggle bar as required on login page	1.50s				
When user enters credentials	18.23s				
<table border="1"> <tr> <td>UserName</td><td>\${PULSE_EMAIL}</td></tr> <tr> <td>Password</td><td>\${Password.text}</td></tr> </table>	UserName	\${PULSE_EMAIL}	Password	\${Password.text}	
UserName	\${PULSE_EMAIL}				
Password	\${Password.text}				
And User clicks on signin button	0.35s				

Then I wait for 10 sec	10.01s
And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}"	8.57s
And I navigate to Babylon Symptoms Page	6.70s
Then I enter "\${babylon.symptom.anallump}" symptoms on Babylon screen And select "\${babylon.symptom.anallump.choose}"	25.29s
Then I click on Ok button after noting the caseid:	16.35s
<div> <div>text</div> <div>\${babylon.symptom.caseid.txt}</div> </div> <p>org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters. For documentation on this error, please visit: <a href="http://seleniumhq.org/exceptions/no_such_element.html">http://seleniumhq.org/exceptions/no_such_element.html</a> Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z' System info: host: 'Prudentials-MacBook-Pro.local', ip: '2401:7400:c802:b45:e5c3:40ae:fad7:80b8%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10' Driver info: io.appium.java_client.android.AndroidDriver Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0B101FDD4004BD, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0B101FDD4004BD, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false} Session ID: 4a3d5431-7a54-47d9-8a82-a7e8a52742f9 *** Element info: {Using=xpath, value=//android.widget.TextView[@text='OK']} at jdk.internal.reflect.GeneratedConstructorAccessor22.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:231) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:42) at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1) at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)</p>	

```

at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:168)
at com.onepulse.app.screens.babylon.BabylonSymptomsScreen.clickOkButton
(BabylonSymptomsScreen.java:153)
at com.onepulse.app.stepdefinitions.mobilesteps.BabylonSteps.
verifyCaseIdTextAndClickOkBtn(BabylonSteps.java:151)
at .Then I click on Ok button after noting the caseid:(features/health/BabylonAnalLump.
feature:28)

```

Then I handle Babylon "AnalLump" questions and answers	0.00s
Then I verify the closure summary and click on continue button	0.00s
text \${babylon.symptom.closureSummary}	
Then I click on view results to see the possible causes	0.00s
And Verify following possible causes are displayed	0.00s
<div> <div>\${babylon.symptom.anallump.possiblecause.piles}</div> <div>\${babylon.symptom.differential.potentiallyserious}</div> </div>	
When I select on "\${babylon.symptom.anallump.possiblecause.piles}" cause with offset 100 in report	0.00s
Then I verify following conditions are displayed	0.00s
<div> <div> <div>\${babylon.symptom.anallump.possiblecause.piles}</div> <div> <div>\${babylon.symptom.differential.why.title}</div> <div>\${babylon.symptom.differential.why.subtitle}</div> <div>\${babylon.symptom.differential.why.strainwithpoo}</div> <div>\${babylon.symptom.differential.why.bloodystool}</div> <div>\${babylon.symptom.differential.why.lumpyanus}</div> <div>\${babylon.symptom.differential.why.itchyanus}</div> </div> </div> </div>	
And I click on back button to move back to possible causes screen	0.00s
When I select on "\${babylon.symptom.differential.potentiallyserious}" cause with offset 500 in report	0.00s
Then I verify following conditions are displayed	0.00s
<div> <div>\${babylon.symptom.differential.potentiallyserious}</div> </div>	

	<div>\$({babylon.symptom.differential.gp})</div> <div>\$({babylon.symptom.differential.why.title})</div> <div>\$({babylon.symptom.differential.why.changedbowelhabits})</div> <div>\$({babylon.symptom.differential.why.strainwithpoo})</div> <div>\$({babylon.symptom.differential.why.bloodystool})</div> <div>\$({babylon.symptom.differential.why.lumpyanus})</div> <div>\$({babylon.symptom.differential.why.itchy anus})</div>	
	<div><div>Tuesday, May 25<span> </span> 32°C</div><div></div><div></div><div></div></div>	
After		0.00s
Back to Table of Contents		
Feature: Verify the BabyLon Maligant Neoplasm Breast lump workflow is working as expected		
Following condition should meet to run this script: Age:54 Sex:Female Country:Singapore/Malaysia		
Passed: 0	Failed: 1	Undefined: 0      Duration: 144.82s
Scenario: User should be able to access Babylon from Pulse app and perform Breast lump workflow		
Passed: 15	Failed: 1	Undefined: 9      Duration: 144.82 s
Before		0.00s
Given I assign "\$({pulse.babylon.breastlump.username})" to variable "PULSE_EMAIL"		0.00s
And User has pulse app		9.09s
Then I wait for 5 sec		5.01s
And user click on "CONTINUE WITH EMAIL" with Email button		12.73s

Then I change the country as required on registration page	11.53s				
Then I wait for 5 sec	5.01s				
Then I change the language as required on registration page	10.47s				
And I click the Sign in link	4.96s				
And I select the language option on toggle bar as required on login page	1.49s				
When user enters credentials	18.00s				
<table border="1"> <tr> <td>UserName</td><td>\${PULSE_EMAIL}</td></tr> <tr> <td>Password</td><td>\${Password.text}</td></tr> </table>	UserName	\${PULSE_EMAIL}	Password	\${Password.text}	
UserName	\${PULSE_EMAIL}				
Password	\${Password.text}				
And User clicks on signin button	0.30s				
Then I wait for 10 sec	10.00s				
And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}"	8.68s				
And I navigate to Babylon Symptoms Page	6.80s				
Then I enter "\${babylon.symptom.breastlump}" symptoms on Babylon screen And select "\${babylon.symptom.breastlump.choose}"	24.54s				
Then I click on Ok button after noting the caseid:	16.21s				
<table border="1"> <tr> <td>text</td><td>\${babylon.symptom.caseid.txt}</td></tr> </table>	text	\${babylon.symptom.caseid.txt}			
text	\${babylon.symptom.caseid.txt}				
<p>org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.  For documentation on this error, please visit: <a href="http://seleniumhq.org/exceptions/no_such_element.html">http://seleniumhq.org/exceptions/no_such_element.html</a>  Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'  System info: host: 'Prudentials-MacBook-Pro.local', ip: '2401:7400:c802:b45:e5c3:40ae:fad7:80b8%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'  Driver info: io.appium.java_client.android.AndroidDriver  Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0B101FDD4004BD, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0B101FDD4004BD, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}  Session ID: 1d5c6d70-0b49-4454-a7b2-08dddf005c6f  *** Element info: {Using=xpath, value=//android.widget.TextView[@text='OK']}  at jdk.internal.reflect.GeneratedConstructorAccessor22.newInstance(Unknown Source)  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)  at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)  at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)  at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)</p>					



```

at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:168)
at com.onepulse.app.screens.babylon.BabylonSymptomsScreen.clickOkButton
(BabylonSymptomsScreen.java:153)
at com.onepulse.app.stepdefinitions.mobilesteps.BabylonSteps.
verifyCaseIdTextAndClickOkBtn(BabylonSteps.java:151)
at .Then I click on Ok button after noting the caseid:(features/health/BabylonBreastLump.
feature:27)

```

Then I handle Babylon "BreastLump" questions and answers	0.00s
Then I verify the closure summary and click on continue button	0.00s
<div>[text \${babylon.symptom.closureSummary}]</div>	
Then I click on view results to see the possible causes	0.00s
And Verify following possible causes are displayed	0.00s
<div> <div>\${babylon.symptom.differential.potentiallyserious}</div> <div>\${babylon.symptom.possiblecauses.breasrabcess}</div> </div>	
When I select on "\${babylon.symptom.differential.potentiallyserious}" cause with offset 100 in report	0.00s
Then I verify following conditions are displayed	0.00s
<div> <div>\${babylon.symptom.differential.potentiallyserious}</div> <div>\${babylon.symptom.differential.gp}</div> <div>\${babylon.symptom.differential.why.title}</div> <div></div> </div>	

	<div> <div>\$\{babylon.symptom.differential.why.subtitle\}</div> <div>\$\{babylon.symptom.possiblecause.lumpormass.armpit\}</div> <div>\$\{babylon.symptom.possiblecause.invrtdnipple\}</div> <div>\$\{babylon.symptom.possiblecause.bloodynippledischarge\}</div> <div>\$\{babylon.symptom.possiblecause.breastcancer.famhistory\}</div> <div>\$\{babylon.symptom.possiblecause.breastlump\}</div> </div>	
And I click on back button to move back to possible causes screen		0.00s
When I select on "\$\$\{babylon.symptom.possiblecauses.breasrabcess\}\$\$" cause with offset 500 in report		0.00s
Then I verify following conditions are displayed		0.00s
	<div> <div>\$\{babylon.symptom.possiblecauses.breasrabcess\}</div> <div>\$\{babylon.symptom.differential.gp.urgent\}</div> <div>\$\{babylon.symptom.differential.why.title\}</div> <div>\$\{babylon.symptom.possiblecause.lumpormass.armpit\}</div> <div>\$\{babylon.symptom.possiblecause.invrtdnipple\}</div> <div>\$\{babylon.symptom.possiblecause.bloodynippledischarge\}</div> <div>\$\{babylon.symptom.possiblecause.breastlump\}</div> </div>	
After		0.00s
<a href="#">Back to Table of Contents</a>		
Feature: Verify the BabyLon Human Immune Virus workflow is working as expected		
Following condition should meet to run this script:		
Age:48		
Sex:Male		
Country:Singapore/Malaysia		
Passed: 1	Failed: 0	Duration: 585.04s

### Scenario: User should be able to access Babylon from Pulse app and perform Human Immune Virus Rash workflow

Passed: 25	Failed: 0	Undefined: 0	Duration: 585.04s
Before			0.00s
Given User has pulse app			9.21s
And I assign "\${Babylon.virusrash}" to variable "PULSE_EMAIL"			0.00s
Then I wait for 5 sec			5.01s
And user click on "CONTINUE WITH EMAIL" with Email button			12.69s
Then I change the country as required on registration page			9.92s
Then I wait for 5 sec			5.01s
Then I change the language as required on registration page			0.31s
And I click the Sign in link			4.93s
And I select the language option on toggle bar as required on login page			1.48s
When user enters credentials			17.93s
	UserName	\${PULSE_EMAIL}	
	Password	\${Password.text}	
And User clicks on signin button			0.30s
Then I wait for 10 sec			10.01s
And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}"			8.15s
And I navigate to Babylon Symptoms Page			8.64s
Then I enter "\${babylon.symptom.rash}" symptoms on Babylon screen And select "\${babylon.symptom.rash.choose}"			24.77s
Then I click on Ok button after noting the caseid:			7.81s
	text	\${babylon.symptom.caseid.txt}	
Then I handle Babylon "HumanImmVirusRash" questions and answers			419.37s
Then I verify the closure summary and click on continue button			7.07s
	text	\${babylon.symptom.closureSummary}	
Then I click on view results to see the possible causes			9.43s
And Verify following possible causes are displayed			13.15s
	\${babylon.symptom.rash.possiblecauses1}		
	{babylon.symptom.rash.possiblecauses2}		
When I select on "\${babylon.symptom.rash.possiblecauses1}" cause with offset 100 in report			0.62s
Then I verify following conditions are displayed			3.55s
	\${babylon.symptom.rash.possiblecauses1}		
	\${babylon.symptom.differential.gp}		
	\${babylon.symptom.differential.why.title}		
	\${babylon.symptom.differential.why.subtitle}		
	\${babylon.symptom.rash.differential.why.reason1}		
	\${babylon.symptom.rash.differential.why.reason2}		
	\${babylon.symptom.rash.differential.why.reason3}		
	\${babylon.symptom.rash.differential.why.reason4}		
	\${babylon.symptom.rash.differential.why.reason5}		

	<code>#{babylon.symptom.rash.differential.why.reason6}</code>											
	And I click on back button to move back to possible causes screen	0.33s										
	When I select on " <code>#{babylon.symptom.rash.possiblecauses2}</code> " cause with offset 500 in report	1.68s										
	Then I verify following conditions are displayed	3.68s										
	<table><tr><td><code>#{babylon.symptom.rash.possiblecauses2}</code></td></tr><tr><td><code>#{babylon.symptom.differential.er}</code></td></tr><tr><td><code>#{babylon.symptom.differential.why.title}</code></td></tr><tr><td><code>#{babylon.symptom.rash.differential.why.reason1}</code></td></tr><tr><td><code>#{babylon.symptom.rash.differential.why.reason2}</code></td></tr><tr><td><code>#{babylon.symptom.rash.differential.why.reason3}</code></td></tr><tr><td><code>#{babylon.symptom.rash.differential.why.reason4}</code></td></tr><tr><td><code>#{babylon.symptom.rash.differential.why.reason5}</code></td></tr><tr><td><code>#{babylon.symptom.rash.differential.why.fever}</code></td></tr><tr><td><code>#{babylon.symptom.rash.differential.why.reason6}</code></td></tr></table>		<code>#{babylon.symptom.rash.possiblecauses2}</code>	<code>#{babylon.symptom.differential.er}</code>	<code>#{babylon.symptom.differential.why.title}</code>	<code>#{babylon.symptom.rash.differential.why.reason1}</code>	<code>#{babylon.symptom.rash.differential.why.reason2}</code>	<code>#{babylon.symptom.rash.differential.why.reason3}</code>	<code>#{babylon.symptom.rash.differential.why.reason4}</code>	<code>#{babylon.symptom.rash.differential.why.reason5}</code>	<code>#{babylon.symptom.rash.differential.why.fever}</code>	<code>#{babylon.symptom.rash.differential.why.reason6}</code>
<code>#{babylon.symptom.rash.possiblecauses2}</code>												
<code>#{babylon.symptom.differential.er}</code>												
<code>#{babylon.symptom.differential.why.title}</code>												
<code>#{babylon.symptom.rash.differential.why.reason1}</code>												
<code>#{babylon.symptom.rash.differential.why.reason2}</code>												
<code>#{babylon.symptom.rash.differential.why.reason3}</code>												
<code>#{babylon.symptom.rash.differential.why.reason4}</code>												
<code>#{babylon.symptom.rash.differential.why.reason5}</code>												
<code>#{babylon.symptom.rash.differential.why.fever}</code>												
<code>#{babylon.symptom.rash.differential.why.reason6}</code>												
After		0.00s										

Back to Table of Contents

**Feature: Verify the BabyLon Groin Mass workflow is working as expected**

***Following condition should meet to run this script:***

**Age:55**

**Sex:** Male

**Country:** *Singapore/Malaysia*

Passed: 0	Failed: 1	Undefined: 0	Duration: 423.41s
-----------	-----------	--------------	-------------------

**Scenario: User should be able to access Babylon from Pulse app and perform Groin mass workflow**

Passed: 18	Failed: 1	Undefined: 8	Duration: 423.41s
------------	-----------	--------------	-------------------

## Before

Given User has pulse app	8.71s				
And I assign "\${Babylon.hernia}" to variable "PULSE_EMAIL"	0.00s				
Then I wait for 5 sec	5.01s				
And user click on "CONTINUE WITH EMAIL" with Email button	12.71s				
Then I change the country as required on registration page	9.14s				
Then I wait for 5 sec	5.01s				
Then I change the language as required on registration page	11.01s				
And I click the Sign in link	4.94s				
And I select the language option on toggle bar as required on login page	1.52s				
When user enters credentials	18.27s				
<table border="1"> <tr> <td>UserName</td> <td>\${PULSE_EMAIL}</td> </tr> <tr> <td>Password</td> <td>\${Password.text}</td> </tr> </table>	UserName	\${PULSE_EMAIL}	Password	\${Password.text}	
UserName	\${PULSE_EMAIL}				
Password	\${Password.text}				
And User clicks on signin button	0.24s				
Then I wait for 10 sec	10.01s				
And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}"	8.64s				


And I navigate to Babylon Symptoms Page	6.90s
Then I wait for 6 sec	6.01s
Then I enter "\${babylon.symptom.inguinalhernia}" symptoms on Babylon screen And select "\${babylon.symptom.inguinalhernia.choose}"	24.68s
Then I click on Ok button after noting the caseid:	7.86s
text\${babylon.symptom.caseid.txt}	
Then verify user is landed to inguinal hernia consultation screen	4.15s
When I handle Babylon "InguinalHernia" questions and answers	278.63s
<p>org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.  For documentation on this error, please visit: <a href="http://seleniumhq.org/exceptions/no_such_element.html">http://seleniumhq.org/exceptions/no_such_element.html</a>  Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'  System info: host: 'Prudentials-MacBook-Pro.local', ip: '2401:7400:c802:b45:e5c3:40ae:fad7:80b8%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'  Driver info: io.appium.java_client.android.AndroidDriver  Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0B101FDD4004BD, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0B101FDD4004BD, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}  Session ID: 2c47a97b-1c34-4cb8-8a5d-1aa67a4885e4  *** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,"One symptom that can be concerning is bleeding from the anus. Have you experienced this?")]/following::android.widget.TextView[@text="No"]}  at jdk.internal.reflect.GeneratedConstructorAccessor22.newInstance(Unknown Source)  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)  at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)  at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)  at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)  at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:231)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)  at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:42)</p>	

```

at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:168)
at com.onepulse.app.screens.babylon.BabylonSymptomsScreen.enterAnswerAndroid
(BabylonSymptomsScreen.java:324)
at com.onepulse.app.screens.babylon.BabylonSymptomsScreen.enterQuestionsAnswer
(BabylonSymptomsScreen.java:193)
at com.onepulse.app.stepdefinitions.mobilesteps.BabylonSteps.babylonQAndA(BabylonSteps.
java:562)
at .When I handle Babylon "InguinalHernia" questions and answers(features/health
/BabylonInguinalHernia.feature:32)

```

Then I verify the closure summary and click on continue button		0.00s
	<code>text \${babylon.symptom.closureSummary}</code>	
And I wait for 5 sec		0.00s
Then I click on view results to see the possible causes		0.00s
When I click on "inguinal hernia" cause		0.00s
Then I verify following conditions are displayed		0.00s
	<code>\${babylon.symptom.possiblecauses.inguinalhernia}</code>	
	<code>\${babylon.symptom.differential.gp}</code>	
	<code>\${babylon.symptom.possiblecauses.reduced.groinmass}</code>	
	<code>\${babylon.symptom.possiblecauses.groinmass.lump}</code>	
And I click on back button to move back to possible causes screen		0.00s
When I click on "femoral hernia" cause		0.00s
Then I verify following conditions are displayed		0.00s
	<code>\${babylon.symptom.possiblecauses.femoralhernia}</code>	
	<code>\${babylon.symptom.differential.gp}</code>	
	<code>\${babylon.symptom.possiblecauses.reduced.groinmass}</code>	
	<code>\${babylon.symptom.possiblecauses.groinmass.lump}</code>	



After

0.00s

[Back to Table of Contents](#)

**Feature: Verify the BabyLon Maligant Neoplasm postmenopause bleed workflow is working as expected**

*Following condition should meet to run this script:*

*Age:74*

*Sex:Female*

*Country:Singapore/Malaysia*

Passed: 0

Failed: 1

Undefined: 0

Duration: 238.21s

**Scenario: User should be able to access Babylon from Pulse app and perform Postmenopausal Bleed workflow**

Passed: 16

Failed: 1

Undefined: 8

Duration: 238.21s

Before

0.02s

Given I assign "\${pulse.babylon.postmenopause.username}" to variable "PULSE\_EMAIL"

0.00s

And I assign "\${parity.password}" to variable "USER\_PASSWORD"

0.00s

Given User has pulse app

8.25s

Then I wait for 5 sec

5.01s

And user click on "CONTINUE WITH EMAIL" with Email button

12.68s

Then I change the country as required on registration page

11.34s

Then I wait for 5 sec

5.01s

Then I change the language as required on registration page

10.27s

And I click the Sign in link

4.88s

And I select the language option on toggle bar as required on login page


1.50s



When I login into pulse app with below details		18.52s
User Name	{PULSE_EMAIL}	
Password	{USER_PASSWORD}	
Then I wait for 10 sec		10.01s
And I enter OTP in one pulse app for user email "{PULSE_EMAIL}"		8.78s
And I navigate to Babylon Symptoms Page		7.82s
Then I enter "{babylon.symptom.postmenopausalbleeding}" symptoms on Babylon screen And select "{babylon.symptom.postmenopausalbleeding.choose}"		25.87s
Then I click on Ok button after noting the caseid:		8.94s
text	{babylon.symptom.caseid.txt}	
Then I handle Babylon "PostmenopausalBleed" questions and answers		99.32s
<p>org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.  For documentation on this error, please visit: <a href="http://seleniumhq.org/exceptions/no_such_element.html">http://seleniumhq.org/exceptions/no_such_element.html</a>  Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'  System info: host: 'Prudentials-MacBook-Pro.local', ip: '2401:7400:c802:b45:e5c3:40ae:fad7:80b8%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'  Driver info: io.appium.java_client.android.AndroidDriver  Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0B101FDD4004BD, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0B101FDD4004BD, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}  Session ID: d7499f2f-ad0d-4d22-b644-9b3e9b5e3a5c  *** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,"Do you have lots of hair growth in places that would be unusual for women, such as the face, chest or back?")]/following::android.widget.TextView[@text="No"]}  at jdk.internal.reflect.GeneratedConstructorAccessor22.newInstance(Unknown Source)  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)  at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)  at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)  at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)  at io.appium.java_client.remote.AppiumCommandExecutor.execute</p>		

```
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:168)
at com.onepulse.app.screens.babylon.BabylonSymptomsScreen.enterAnswerAndroid
(BabylonSymptomsScreen.java:324)
at com.onepulse.app.screens.babylon.BabylonSymptomsScreen.enterQuestionsAnswer
(BabylonSymptomsScreen.java:193)
at com.onepulse.app.stepdefinitions.mobilesteps.BabylonSteps.babylonQAndA(BabylonSteps.java:551)
at .Then I handle Babylon "PostmenopausalBleed" questions and answers(features/health
/BabylonPostmenopausalBleed.feature:29)
```

Then I verify the closure summary and click on continue button		0.00s
	text <code>#{babylon.symptom.closureSummary}</code>	
Then I click on view results to see the possible causes		0.00s
And Verify following possible causes are displayed		0.00s
	<code>#{babylon.symptom.possiblecause.endopolyp}</code>	
	<code>#{babylon.symptom.differential.potentiallyserious}</code>	
	<code>#{babylon.symptom.possiblecause.thinning.vaginalwall}</code>	
When I select on " <code>#{babylon.symptom.possiblecause.endopolyp}</code> " cause with offset 500 in report		0.00s
Then I verify following conditions are displayed		0.00s
	<code>#{babylon.symptom.possiblecause.endopolyp}</code>	
	<code>#{babylon.symptom.differential.gp}</code>	
	<code>#{babylon.symptom.differential.why.title}</code>	
	<code>#{babylon.symptom.differential.why.subtitle}</code>	

		{babylon.symptom.possiblecause.vaginalbleeding}		
And I click on back button to move back to possible causes screen		0.00s		
When I select on "{babylon.symptom.differential.potentiallyserious}" cause with offset 500 in report		0.00s		
Then I verify following conditions are displayed		0.00s		
{babylon.symptom.differential.potentiallyserious}				
{babylon.symptom.differential.gp}				
{babylon.symptom.differential.why.title}				
{babylon.symptom.possiblecause.vaginalbleeding}				
				
After		0.00s		
<a href="#">Back to Table of Contents</a>				
Feature: Verify the BabyLon Prostatic HyperPlasia workflow is working as expected				
Following condition should meet to run this script: Age:58 Sex:Male Country:Singapore/Malaysia				
Passed: 0		Failed: 1	Undefined: 0	Duration: 114.4s
Scenario: User should be able to access Babylon from Pulse app and perform Prostatic Hyperplasia workflow				
Passed: 14		Failed: 1	Undefined: 11	Duration: 114.4s
Before		0.00s		
Given I assign "{pulse.babylon.prostatic.username}" to variable "PULSE_EMAIL"		0.01s		
And I assign "{parity.password}" to variable "USER_PASSWORD"		0.00s		
Given User has pulse app		8.03s		


Then I wait for 5 sec	5.01s				
And user click on "CONTINUE WITH EMAIL" with Email button	12.70s				
Then I change the country as required on registration page	9.70s				
Then I wait for 5 sec	5.00s				
Then I change the language as required on registration page	10.64s				
And I click the Sign in link	4.89s				
And I select the language option on toggle bar as required on login page	1.48s				
When user enters credentials	18.26s				
<table border="1"> <tr> <td>UserName</td><td>\${PULSE_EMAIL}</td></tr> <tr> <td>Password</td><td>\${Password.text}</td></tr> </table>	UserName	\${PULSE_EMAIL}	Password	\${Password.text}	
UserName	\${PULSE_EMAIL}				
Password	\${Password.text}				
And User clicks on signin button	0.23s				
Then I wait for 10 sec	10.01s				
And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}"	12.04s				
And I navigate to Babylon Symptoms Page	16.40s				
<p>org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.  For documentation on this error, please visit: <a href="http://seleniumhq.org/exceptions/no_such_element.html">http://seleniumhq.org/exceptions/no_such_element.html</a>  Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'  System info: host: 'Prudentials-MacBook-Pro.local', ip: '2401:7400:c802:b45:e5c3:40ae:fad7:80b8%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'  Driver info: io.appium.java_client.android.AndroidDriver  Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0B101FDD4004BD, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0B101FDD4004BD, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}  Session ID: 1a17cb10-08f5-4a61-9e7b-db4fa6f3c528  *** Element info: {Using=xpath, value=//android.widget.TextView[@text='Health']}  at jdk.internal.reflect.GeneratedConstructorAccessor22.newInstance(Unknown Source)  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)  at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)  at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)  at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)</p>					

```

at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:168)
at com.onepulse.app.screens.babylon.BabylonRegistrationScreen.navigatetoSymptomsscreen
(BabylonRegistrationScreen.java:98)
at com.onepulse.app.stepdefinitions.mobilesteps.BabylonSteps.
navigateToBabylonSymptomsPage(BabylonSteps.java:47)
at .And I navigate to Babylon Symptoms Page(features/health/BabylonProstaticHyperplasia.
feature:27)

```

Then I enter "\${babylon.ph.symptom}" symptoms on Babylon screen And select "\${babylon.ph.symptomDescription}"	0.00s
Then I click on Ok button after noting the caseid:	0.00s
<div>text</div> \${babylon.symptom.caseid.txt}	
Then I handle Babylon "ProstaticHyperplasia" questions and answers	0.00s
Then I verify the closure summary and click on continue button	0.00s
<div>text</div> \${babylon.symptom.closureSummary}	
Then I click on view results to see the possible causes	0.00s
And Verify following possible causes are displayed	0.00s
<div> <div>\${babylon.symptom.differential.potentiallyserious}</div> <div>\${babylon.ph.possiblecause.benign.hyperplasia}</div> </div>	
When I select on "\${babylon.ph.cause1}" cause with offset 100 in report	0.00s
Then I verify following conditions are displayed	0.00s
<div> <div>\${babylon.ph.possiblecause.benign.hyperplasia}</div> <div>\${babylon.symptom.differential.gp}</div> </div>	

	\$\{babylon.symptom.differential.why.title\}	
	\$\{babylon.symptom.differential.why.subtitle\}	
	\$\{babylon.ph.possiblecause.urination.dfclty\}	
	\$\{babylon.ph.possiblecause.increased.urination\}	
	\$\{babylon.ph.possiblecause.urgentneed.urination\}	
	\$\{babylon.ph.possiblecause.lowflow.urination\}	
	\$\{babylon.ph.possiblecause.dribbling.urine\}	
And I click on back button to move back to possible causes screen		0.00s
When I select on "\$\{babylon.symptom.differential.potentiallyserious\}" cause with offset 500 in report		0.00s
Then I verify following conditions are displayed		0.00s
	\$\{babylon.symptom.differential.potentiallyserious\}	
	\$\{babylon.symptom.differential.why.title\}	
	\$\{babylon.ph.possiblecause.weightloss\}	
	\$\{babylon.ph.possiblecause.urination.dfclty\}	
	\$\{babylon.ph.possiblecause.increased.urination\}	
	\$\{babylon.ph.possiblecause.urgentneed.urination\}	
	\$\{babylon.ph.possiblecause.lowflow.urination\}	
	\$\{babylon.ph.possiblecause.dribbling.urine\}	
		
After		0.00s
<a href="#">Back to Table of Contents</a>		

**Feature: Verify the BabyLon Rib Fracture workflow is working as expected and user can the chat history after consultation**

*Following condition should meet to run this script:*  
Age:39

**Sex:Male****Country:Singapore**

Passed: 2	Failed: 0	Undefined: 0	Duration: 403.68s
-----------	-----------	--------------	-------------------

**Scenario: Launch the app and select the country as per specified Ibu**

Passed: 13	Failed: 0	Undefined: 0	Duration: 93.31s
------------	-----------	--------------	------------------

Before	0.00s
--------	-------

Given User has pulse app	10.17s				
And I assign "\${Babylon.rib}" to variable "PULSE_EMAIL"	0.00s				
And user click on "CONTINUE WITH EMAIL" with Email button	12.62s				
Then I change the country as required on registration page	10.81s				
Then I wait for 5 sec	5.01s				
Then I change the language as required on registration page	10.34s				
And I click the Sign in link	4.86s				
And I select the language option on toggle bar as required on login page	1.48s				
Then I verify below language options on toggle bar as per specified Ibu on login page	1.26s				
When user enters credentials	18.20s				
<table border="1"> <tr><td>UserName</td><td>\${PULSE_EMAIL}</td></tr> <tr><td>Password</td><td>\${Password.text}</td></tr> </table>	UserName	\${PULSE_EMAIL}	Password	\${Password.text}	
UserName	\${PULSE_EMAIL}				
Password	\${Password.text}				
And User clicks on signin button	0.25s				
And I wait for 10 sec	10.01s				
And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}"	8.30s				

After	0.00s
-------	-------

[Back to Table of Contents](#)**Scenario: User should be able to access Babylon from Pulse app and perform Rib Fracture workflow**

Passed: 11	Failed: 0	Undefined: 0	Duration: 310.36s
------------	-----------	--------------	-------------------

Before	0.00s
--------	-------

And I navigate to Babylon Symptoms Page	7.54s			
Then I enter "\${babylon.rib.symptom}" symptoms on Babylon screen And select "\${babylon.rib.symptomDescription}"	24.87s			
Then I click on Ok button after noting the caseid:	7.74s			
<table border="1"> <tr><td>text</td><td>\${babylon.symptom.caseid.txt}</td></tr> </table>	text	\${babylon.symptom.caseid.txt}		
text	\${babylon.symptom.caseid.txt}			
Then I handle Babylon "RibFracture" questions and answers	247.28s			
Then I verify the closure summary and click on continue button	4.75s			
<table border="1"> <tr><td>text</td><td>\${babylon.symptom.closureSummary}</td></tr> </table>	text	\${babylon.symptom.closureSummary}		
text	\${babylon.symptom.closureSummary}			
Then I click on view results to see the possible causes	9.07s			
When I select on "\${babylon.rib.cause.chestStrain}" cause with offset 0 in report	1.37s			
Then I verify following conditions are displayed	2.59s			
<table border="1"> <tr><td>\${babylon.symptom.differential.why.title}</td></tr> <tr><td>\${babylon.symptom.differential.why.subtitle}</td></tr> <tr><td>\${babylon.rib.possiblecause.injuredchestwall}</td></tr> </table>	\${babylon.symptom.differential.why.title}	\${babylon.symptom.differential.why.subtitle}	\${babylon.rib.possiblecause.injuredchestwall}	
\${babylon.symptom.differential.why.title}				
\${babylon.symptom.differential.why.subtitle}				
\${babylon.rib.possiblecause.injuredchestwall}				



	{babylon.rib.possiblecause.painonribmovement}	
	{babylon.rib.possiblecause.rightside.chestpain}	
	{babylon.rib.possiblecause.dull.chestpain}	
	{babylon.rib.possiblecause.painonchestpress}	
	And I click on back button to move back to possible causes screen	0.31s
	When I select on "{babylon.rib.cause.costochondritis}" cause with offset 0 in report	3.04s
	Then I verify following conditions are displayed	1.81s
	{babylon.rib.costochondritis.conditionTitle}	
	{babylon.symptom.differential.why.title}	
	{babylon.rib.possiblecause.injuredchestwall}	
	{babylon.rib.possiblecause.rightside.chestpain}	
	{babylon.rib.possiblecause.painonribmovement}	
	{babylon.rib.possiblecause.dull.chestpain}	
	{babylon.rib.possiblecause.painonchestpress}	
	After	0.00s
	<a href="#">Back to Table of Contents</a>	

### Feature: Verify MY Event channel functionality on one pulse App

Passed: 3		Failed: 2		Undefined: 0		Duration: 165.01s	
Scenario: Launch the app and select the country as per specified Ibu							
Passed: 7		Failed: 0		Undefined: 0		Duration: 41.93s	
Before							0.00s
		Given User has pulse app					8.30s
		And I assign "\${onpulse.login.global.id}" to variable "PULSE_EMAIL"					0.00s
		And user click on "CONTINUE WITH EMAIL" with Email button					12.67s
		Then I change the country as required on registration page					10.82s
		Then I wait for 5 sec					5.01s
		Then I change the language as required on registration page					0.32s
		And I click the Sign in link					4.82s
After							0.00s
<a href="#">Back to Table of Contents</a>							
Scenario: login to the app with correct credentials using "Continue with Email"							
Passed: 6		Failed: 0		Undefined: 0		Duration: 39.72s	
Before							0.00s
		Given I select the language option on toggle bar as required on login page					1.49s
		When user enters credentials					18.19s
		UserName \${PULSE_EMAIL}					
		Password \${pulse.password}					
		And User clicks on signin button					0.26s
		And I wait for 5 sec					5.01s
		And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}"					8.46s
		Then user should be landed to "Home" screen					6.31s
After							0.00s

[Back to Table of Contents](#)
**Scenario: Verify MyEvent Functionality in Home screen**

Passed: 3		Failed: 0		Undefined: 0		Duration: 27.02s	
Before							0.00s
	And I click the MyEvent icons						21.57s
	And I wait for 5 sec						5.01s
	And I verify following texts are displayed						0.44s
	You do not have any events enrolled yet						
						Please choose from the open events and get started	
After							0.00s

[Back to Table of Contents](#)
**Scenario: Verify Open Events tab**

Passed: 1		Failed: 1		Undefined: 0		Duration: 24.56s	
Before							0.00s
	And I click the Open Events icon						8.99s
	And I verify following texts are displayed						15.58s
		There are no events available at the moment					
		Stay tuned for events on health and fitness					

java.lang.AssertionError: The following asserts failed:


There are no events available at the moment text is displayed on page expected [true] but found [false],

Stay tuned for events on health and fitness text is displayed on page expected [true] but found [false]

at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)

at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnScreen(MyDocSteps.java:717)

at .And I verify following texts are displayed(features/home/MyEvents.feature:33)



After	0.00s
-------	-------

[Back to Table of Contents](#)

Scenario: **Verify Events Archive tab**

Passed: 0	Failed: 1	Undefined: 1	Duration: 31.77s
-----------	-----------	--------------	------------------

Before	0.00s
--------	-------

And I click the Events Archive icon	31.77s
-------------------------------------	--------

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.

For documentation on this error, please visit: [http://seleniumhq.org/exceptions/no\\_such\\_element.html](http://seleniumhq.org/exceptions/no_such_element.html)

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'Prudentials-MacBook-Pro.local', ip: '2401:7400:c802:b45:e5c3:40ae:fad7:80b8%en0', os.name: 'Mac OS X', os.arch: 'x86\_64', os.version: '10.16', java.version: '11.0.10'

Driver info: io.appium.java\_client.android.AndroidDriver

Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0B101FDD4004BD, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0B101FDD4004BD, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}

Session ID: d3bc0633-216b-411f-840e-465bc81ac23b

```


*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,'Events
Archive')]}
at jdk.internal.reflect.GeneratedConstructorAccessor22.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:168)
at com.onepulse.app.screens.CustomerConnectScreen.ClickMyEventsArchive
(CustomerConnectScreen.java:1841)
at com.onepulse.app.stepdefinitions.mobilesteps.CustomerConnectSteps.clickMyEventsArchive
(CustomerConnectSteps.java:589)
at .And I click the Events Archive icon(features/home/MyEvents.feature:38)

```

And I verify following texts are displayed

0.00s

You do not have any events in your archive.



After	0.00s
-------	-------

[Back to Table of Contents](#)

### Feature: Verify My Health Content functionality on one pulse App

Passed: 8	Failed: 0	Undefined: 0	Duration: 193.14s
-----------	-----------	--------------	-------------------

#### Scenario: Launch the app and select the country as per specified Ibu

Passed: 8	Failed: 0	Undefined: 0	Duration: 40.62s
-----------	-----------	--------------	------------------

Before	0.00s
--------	-------

Given User has pulse app	8.03s
And Logout of pulse app if user is logged in	0.00s
And user click on "CONTINUE WITH EMAIL" with Email button	12.67s
Then I change the country as required on registration page	10.03s
Then I wait for 3 sec	3.01s
Then I change the language as required on registration page	0.32s
And I click the Sign in link	4.90s
Then I verify below language options on toggle bar as per specified Ibu on login page	1.68s

After	0.00s
-------	-------

[Back to Table of Contents](#)

#### Scenario: User should be able to login on app with correct credentials using "Continue with Email"

Passed: 7	Failed: 0	Undefined: 0	Duration: 43.45s
-----------	-----------	--------------	------------------

Before	0.00s
--------	-------

And I assign "\${login.email.id}" to variable "PULSE_EMAIL"	0.00s
Given I select the language option on toggle bar as required on login page	0.23s
When user enters credentials	18.11s

	UserName	{PULSE_EMAIL}	
	Password	{pulse.password}	
	And User clicks on signin button		0.23s
	Then I wait for 10 sec		10.01s
	And I enter OTP in one pulse app for user email "{PULSE_EMAIL}"		8.84s
	Then user should be landed to "Home" screen		6.04s
After			0.00s
<a href="#">Back to Table of Contents</a>			
<b>Scenario: Verify User should be able to navigate to Health page</b>			
Passed: 4		Failed: 0	Duration: 45.17s
Before			0.00s
	Then I navigate to Health Content screen		21.52s
	Then I wait for 5 sec		5.01s
	And I verify following texts are displayed		0.44s
	Health Channels		
	And I verify the following texts "My Health Content" in Screen		18.21s
	Category		
	Like		
	Share		
	Comment		
After			0.00s
<a href="#">Back to Table of Contents</a>			
<b>Scenario: Verify User should be able to view the full page article post</b>			
Passed: 2		Failed: 0	Duration: 16.99s
Before			0.00s
	Then I click on "Health Channels" topic for details full view		6.99s
	Then I wait for 10 sec		10.01s
After			0.00s
<a href="#">Back to Table of Contents</a>			
<b>Scenario: Verify User should be able to see the Like, Share, Comment options on full page article post</b>			
Passed: 1		Failed: 0	Duration: 14.07s
Before			0.00s
	And I verify the following texts "My Health Content" in Screen		14.07s
	Like		
	Share		
	Comment		
After			0.00s
<a href="#">Back to Table of Contents</a>			
<b>Scenario: Verify User should be able to Like the post in full article view screen</b>			
Passed: 2		Failed: 0	Duration: 10.79s
Before			0.00s

	And I Like the post	5.38s
	And I Like the post	5.41s
After		0.00s
<a href="#">Back to Table of Contents</a>		
<b>Scenario: Verify User should be able to Share the post in full article view screen</b>		
Passed: 2	Failed: 0	Undefined: 0
Duration: 16.86s		
Before		0.00s
	And I share the post	5.41s
	Then I navigate back to previous page	11.45s
After		0.00s
<a href="#">Back to Table of Contents</a>		
<b>Scenario: Verify User can navigate to Health homepage</b>		
Passed: 1	Failed: 0	Undefined: 0
Duration: 5.18s		
Before		0.00s
	Then I navigate to story post page	5.19s
After		0.00s
<a href="#">Back to Table of Contents</a>		
<b>Feature: Verify My Challenges on One Pluse App</b>		
Passed: 4	Failed: 0	Undefined: 0
Duration: 117.7s		
<b>Scenario: Launch the app and select the country as per specified Ibu</b>		
Passed: 7	Failed: 0	Undefined: 0
Duration: 50.31s		
Before		0.00s
	Given User has pulse app	7.98s
	And Logout of pulse app if user is logged in	0.00s
	And user click on "CONTINUE WITH EMAIL" with Email button	12.69s
	Then I change the country as required on registration page	11.26s
	Then I wait for 3 sec	3.01s
	Then I change the language as required on registration page	10.46s
	And I click the Sign in link	4.91s
After		0.00s
<a href="#">Back to Table of Contents</a>		
<b>Scenario: User should be able to login on app with correct credentials using "Continue with Email"</b>		
Passed: 7	Failed: 0	Undefined: 0
Duration: 42.33s		
Before		0.00s
	And I assign "\${login.email.id}" to variable "PULSE_EMAIL"	0.00s
	Given I select the language option on toggle bar as required on login page	1.48s
	When user enters credentials	17.12s
	UserName \${PULSE_EMAIL}	
	Password \${pulse.password}	
	And User clicks on signin button	0.26s
	Then I wait for 10 sec	10.01s



	And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}"	7.98s
	Then user should be landed to "Home" screen	5.49s
After		0.00s
<a href="#">Back to Table of Contents</a>		
<b>Scenario: Verify My Challenges texts</b>		
Passed: 3	Failed: 0	Undefined: 0
Duration: 14.41s		
Before		0.00s
	And I click on My Challenges tile on one pulse app	9.94s
	And I verify following texts are displayed	0.22s
	<code>#{do.not.have.challenges}</code>	
	And I verify the following texts "My challenges" in Screen	4.26s
	<code>#{all.challenges.text}</code>	
After		0.00s
<a href="#">Back to Table of Contents</a>		
<b>Scenario: Click on All challenges and and verify texts</b>		
Passed: 4	Failed: 0	Undefined: 0
Duration: 10.64s		
Before		0.00s
	And I clicks on "\${all.challenges.text}" in app screen	1.10s
	And I verify the following texts "My challenges" in Screen	8.61s
	<code>#{my.challenges.text}</code>	
	<code>#{all.challenges.text}</code>	
	And I verify following texts are displayed	0.67s
	<code>#{not.connected.wearable}</code>	
	<code>#{no.challenges.available}</code>	
	<code>#{notify.challenge}</code>	
	And I clicks on "\${back.home}" in app screen	0.27s
After		0.00s
<a href="#">Back to Table of Contents</a>		
<b>Feature: Verify My Communities on One Pluse App</b>		
Passed: 3	Failed: 7	Undefined: 0
Duration: 236.35s		
<b>Scenario: Launch the app and select the country as per specified Ibu</b>		
Passed: 7	Failed: 0	Undefined: 0
Duration: 50.57s		
Before		0.00s
	Given User has pulse app	8.57s
	And Logout of pulse app if user is logged in	0.00s
	And user click on "CONTINUE WITH EMAIL" with Email button	12.65s
	Then I change the country as required on registration page	10.58s
	Then I wait for 3 sec	3.01s
	Then I change the language as required on registration page	10.80s
	And I click the Sign in link	4.97s
After		0.00s
<a href="#">Back to Table of Contents</a>		

**Scenario: User should be able to login on app with correct credentials using "Continue with Gmail"**

Passed: 7		Failed: 0		Undefined: 0		Duration: 44.4s	
Before							0.00s
	And I assign "\${onepulse.login.global.id}" to variable "PULSE_EMAIL"						0.00s
	Given I select the language option on toggle bar as required on login page						1.46s
	When user enters credentials						17.66s
		UserName	\${PULSE_EMAIL}				
		Password	\${pulse.password}				
	And User clicks on signin button						0.27s
	Then I wait for 10 sec						10.01s
	And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}"						8.70s
	Then user should be landed to "Home" screen						6.31s
After							0.00s

[Back to Table of Contents](#)
**Scenario: User should be able to login on app with correct credentials using "Continue with Email" and Verify the Mycommunities screen**

Passed: 2	Failed: 1	Undefined: 4	Duration: 28.73s
Before			0.00s

Then I wait for 6 sec	6.00s
And User should be verify "\${my.communities.text}" tab in Home screen	6.50s
And I click the MyCommunities icon	16.24s

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.

For documentation on this error, please visit: [http://seleniumhq.org/exceptions/no\\_such\\_element.html](http://seleniumhq.org/exceptions/no_such_element.html)

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'Prudentials-MacBook-Pro.local', ip: '2401:7400:c802:b45:e5c3:40ae:fad7:80b8%en0', os.name: 'Mac OS X', os.arch: 'x86\_64', os.version: '10.16', java.version: '11.0.10'

Driver info: io.appium.java\_client.android.AndroidDriver

Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0B101FDD4004BD, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0B101FDD4004BD, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}

Session ID: 04a653bc-5c2d-4d4a-99ec-1cbf6d9262d5

\*\*\* Element info: {Using=xpath, value=(//android.widget.ImageView)[12]}


at jdk.internal.reflect.GeneratedConstructorAccessor22.newInstance(Unknown Source)

at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance

```
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:168)
at com.onepulse.app.screens.mydocui.MyCommunitiesScreen.ClickMyCommunities
(MyCommunitiesScreen.java:973)
at com.onepulse.app.stepdefinitions.mobilesteps.MyCommunitiesSteps.clickMyCommunities
(MyCommunitiesSteps.java:304)
at .And I click the MyCommunities icon(features/home/mycommunities/PulseMyCommunities.
feature:28)
```

And I click the community icon in MyCommunities Menu screen	0.00s
Then I wait for 6 sec	0.00s
And I verify following texts are displayed	0.00s
<div style="border: 1px solid black; padding: 2px;">\${icon.communities}</div>	
And I verify the following texts "All Communities" in Screen	0.00s
<div style="border: 1px solid black; padding: 2px;">\${my.communities.text}</div>	

`\${All.Communities.text}`



After		0.00s
<a href="#">Back to Table of Contents</a>		
Scenario: <b>Leave the community if already joined</b>		
Passed: 0	Failed: 1	Undefined: 3
Before		0.00s

And I clicks on "`\${my.communities.text}`" in app screen

7.53s

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.

For documentation on this error, please visit: [http://seleniumhq.org/exceptions/no\\_such\\_element.html](http://seleniumhq.org/exceptions/no_such_element.html)

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'Prudentials-MacBook-Pro.local', ip: '2401:7400:c802:b45:e5c3:40ae:fad7:80b8%en0', os.name: 'Mac OS X', os.arch: 'x86\_64', os.version: '10.16', java.version: '11.0.10'

Driver info: io.appium.java\_client.android.AndroidDriver

Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0B101FDD4004BD, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0B101FDD4004BD, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}

Session ID: 04a653bc-5c2d-4d4a-99ec-1cbf6d9262d5

\*\*\* Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,"myCommunities")]}  
 at jdk.internal.reflect.GeneratedConstructorAccessor22.newInstance(Unknown Source)  
 at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  
 at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)  
 at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)  
 at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)  
 at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)  
 at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)  
 at io.appium.java\_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:231)  
 at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)  
 at io.appium.java\_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:42)  
 at io.appium.java\_client.AppiumDriver.execute(AppiumDriver.java:1)  
 at io.appium.java\_client.android.AndroidDriver.execute(AndroidDriver.java:1)  
 at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)  
 at io.appium.java\_client.DefaultGenericMobileDriver.findElement(DefaultGenericMobileDriver.java:62)  
 at io.appium.java\_client.AppiumDriver.findElement(AppiumDriver.java:1)  
 at io.appium.java\_client.android.AndroidDriver.findElement(AndroidDriver.java:1)  
 at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:419)  
 at io.appium.java\_client.DefaultGenericMobileDriver.findElementByXPath(DefaultGenericMobileDriver.java:152)  
 at io.appium.java\_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)  
 at io.appium.java\_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)  
 at org.openqa.selenium.By\$ByXPath.findElement(By.java:353)  
 at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)  
 at io.appium.java\_client.DefaultGenericMobileDriver.findElement(DefaultGenericMobileDriver.java:58)  
 at io.appium.java\_client.AppiumDriver.findElement(AppiumDriver.java:1)  
 at io.appium.java\_client.android.AndroidDriver.findElement(AndroidDriver.java:1)  
 at com.prudential.tap.selenium.Commands\$15.executeCommand(Commands.java:141)  
 at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19)  
 at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:168)  
 at com.onepulse.app.screens.CustomerConnectScreen.clickButton(CustomerConnectScreen.java:1692)  
 at com.onepulse.app.stepdefinitions.mobilesteps.CustomerConnectSteps.clickUploadIcon(CustomerConnectSteps.java:533)  
 at .And I clicks on "{\$my.communities.text}" in app screen(features/home/mycommunities/PulseMyCommunities.feature:38)

And I scroll down


0.00s

When I click on joined community three dots menu icon

0.00s

And I click on leave button for joined community

0.00s



After

0.00s

[Back to Table of Contents](#)Scenario: **Verify the All Communities Post screen**

Passed: 1

Failed: 1

Undefined: 7

Duration: 12.65s

Before

0.00s

Then I wait for 5 sec

5.01s

And I clicks on "\$ {All.Communities.text}" in app screen

7.64s

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.

For documentation on this error, please visit: [http://seleniumhq.org/exceptions/no\\_such\\_element.html](http://seleniumhq.org/exceptions/no_such_element.html)

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'Prudentials-MacBook-Pro.local', ip: '2401:7400:c802:b45:e5c3:40ae:fad7:80b8%en0', os.name: 'Mac OS X', os.arch: 'x86\_64', os.version: '10.16', java.version: '11.0.10'

Driver info: io.appium.java\_client.android.AndroidDriver

Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0B101FDD4004BD, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0B101FDD4004BD, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:



```


false}
Session ID: 04a653bc-5c2d-4d4a-99ec-1cbf6d9262d5
*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,"
allCommunities")]}
at jdk.internal.reflect.GeneratedConstructorAccessor22.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:168)
at com.onepulse.app.screens.CustomerConnectScreen.clickButton(CustomerConnectScreen.
java:1692)
at com.onepulse.app.stepdefinitions.mobilesteps.CustomerConnectSteps.clickUploadIcon
(CustomerConnectSteps.java:533)
at .And I clicks on "${All.Communities.text}" in app screen(features/home/mycommunities
/PulseMyCommunities.feature:46)

```

And I click the Join button in Communties tab

0.00s



And I click the static Active icon in community screen	0.00s
And I click Edit icon in stay Active icon	0.00s
And Enter the post in community screen	0.00s
POST TEST1	
And Enter the post in community large text screen	0.00s
POST welcome	
And I click the Post icon in create post screen	0.00s
Then I verify the following text "TEST1" in Screen	0.00s
TEST1 welcome	
	
After	0.00s
<a href="#">Back to Table of Contents</a>	
Scenario: <b>Verify the Likes and comments counts in All communities tab</b>	
Passed: 0	Failed: 1
Undefined: 6	Duration: 22.94s
Before	0.00s
And I click the Post icon in My communities	22.94s
<p>org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.  For documentation on this error, please visit: <a href="http://seleniumhq.org/exceptions/no_such_element.html">http://seleniumhq.org/exceptions/no_such_element.html</a>  Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'  System info: host: 'Prudentials-MacBook-Pro.local', ip: '2401:7400:c802:b45:e5c3:40ae:fad7:80b8%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'  Driver info: io.appium.java_client.android.AndroidDriver  Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.</p>	

```

uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0B101FDD4004BD,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0B101FDD4004BD,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: 04a653bc-5c2d-4d4a-99ec-1cbf6d9262d5
*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,'Hi
Pulsemate!')]}
at jdk.internal.reflect.GeneratedConstructorAccessor22.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:

```

19)

at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:168)

at com.onepulse.app.screens.TestBasePage.popupstart(TestBasePage.java:495)

at com.onepulse.app.screens.mydocui.MyCommunitiesScreen.ClickFeeds

(MyCommunitiesScreen.java:297)

at com.onepulse.app.stepdefinitions.mobilesteps.MyCommunitiesSteps.clickIcons

(MyCommunitiesSteps.java:106)

at .And I click the Post icon in My communities(features/home/mycommunities

/PulseMyCommunities.feature:60)

And I click the like button in Post screen

0.00s

And Verify the like count in Post screen " 1 Likes" likes

0.00s

And I click the Comment icon in feed screen

0.00s

And Enter the comments in Feeds screen

0.00s


Comments TEST1

And I click the submit icon in feeds screen

0.00s

And Verify the comments count in Feeds screen " 0 Comments" comments

0.00s



After

0.00s

[Back to Table of Contents](#)**Scenario: Verify the Share with Friends Functionality in All communities tab**

Passed: 1

Failed: 1

Undefined: 2

Duration: 9.79s

Before

0.00s

And I click the share icon in Post screen

4.82s

And Verify the pop up in "Share with Friends"

4.97s

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.

For documentation on this error, please visit: <http://seleniumhq.org/exceptions>

/no\_such\_element.html

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'Prudentials-MacBook-Pro.local', ip: '2401:7400:c802:b45:e5c3:40ae:fad7:80b8%en0', os.name: 'Mac OS X', os.arch: 'x86\_64', os.version: '10.16', java.version: '11.0.10'

Driver info: io.appium.java\_client.android.AndroidDriver

Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0B101FDD4004BD, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0B101FDD4004BD, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}

Session ID: 04a653bc-5c2d-4d4a-99ec-1cbf6d9262d5

\*\*\* Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,'Share with Friends')]}  
 at jdk.internal.reflect.GeneratedConstructorAccessor22.newInstance(Unknown Source)

at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  
 at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)  
 at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)  
 at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)

at io.appium.java\_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:231)  
 at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)  
 at io.appium.java\_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:42)

at io.appium.java\_client.AppiumDriver.execute(AppiumDriver.java:1)  
 at io.appium.java\_client.android.AndroidDriver.execute(AndroidDriver.java:1)  
 at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)  
 at io.appium.java\_client.DefaultGenericMobileDriver.findElement(DefaultGenericMobileDriver.java:62)  
 at io.appium.java\_client.AppiumDriver.findElement(AppiumDriver.java:1)  
 at io.appium.java\_client.android.AndroidDriver.findElement(AndroidDriver.java:1)  
 at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:419)

at io.appium.java\_client.DefaultGenericMobileDriver.findElementByXPath(DefaultGenericMobileDriver.java:152)  
 at io.appium.java\_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)  
 at io.appium.java\_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)  
 at org.openqa.selenium.By\$ByXPath.findElement(By.java:353)  
 at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)

```

at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.onepulse.app.screens.TestBasePage.getText(TestBasePage.java:259)
at com.onepulse.app.screens.mydocui.MyCommunitiesScreen.VerifySharewithFriends
(MyCommunitiesScreen.java:565)
at com.onepulse.app.stepdefinitions.mobilesteps.MyCommunitiesSteps.VerifySharewithFriends
(MyCommunitiesSteps.java:178)
at .And Verify the pop up in "Share with Friends"(features/home/mycommunities
/PulseMyCommunities.feature:71)


```

And I click the phone icon in share with friends

0.00s

And I give camera permission

0.00s



After

0.00s

[Back to Table of Contents](#)
Scenario: **Verify the Post Functionality in All communities**

Passed: 0

Failed: 1

Undefined: 11

Duration: 16.85s

Before

0.00s

Then I click skip button in feeds screen

16.85s

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.

For documentation on this error, please visit: [http://seleniumhq.org/exceptions/no\\_such\\_element.html](http://seleniumhq.org/exceptions/no_such_element.html)

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'Prudentials-MacBook-Pro.local', ip: '2401:7400:c802:b45:e5c3:40ae:fad7:80b8%en0', os.name: 'Mac OS X', os.arch: 'x86\_64', os.version: '10.16', java.version: '11.0.10'

Driver info: io.appium.java\_client.android.AndroidDriver

Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0B101FDD4004BD, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0B101FDD4004BD, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}


Session ID: 04a653bc-5c2d-4d4a-99ec-1cbf6d9262d5

\*\*\* Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,'Hi Pulsemate!')]}  
 at jdk.internal.reflect.GeneratedConstructorAccessor22.newInstance(Unknown Source)  
 at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  
 at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)  
 at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)  
 at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)  
 at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)  
 at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)  
 at io.appium.java\_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:231)  
 at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)  
 at io.appium.java\_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:42)  
 at io.appium.java\_client.AppiumDriver.execute(AppiumDriver.java:1)  
 at io.appium.java\_client.android.AndroidDriver.execute(AndroidDriver.java:1)  
 at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)  
 at io.appium.java\_client.DefaultGenericMobileDriver.findElement(DefaultGenericMobileDriver.java:62)  
 at io.appium.java\_client.AppiumDriver.findElement(AppiumDriver.java:1)  
 at io.appium.java\_client.android.AndroidDriver.findElement(AndroidDriver.java:1)  
 at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:419)  
 at io.appium.java\_client.DefaultGenericMobileDriver.findElementByXPath(DefaultGenericMobileDriver.java:152)  
 at io.appium.java\_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)  
 at io.appium.java\_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)  
 at org.openqa.selenium.By\$ByXPath.findElement(By.java:353)  
 at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)  
 at io.appium.java\_client.DefaultGenericMobileDriver.findElement(DefaultGenericMobileDriver.java:58)  
 at io.appium.java\_client.AppiumDriver.findElement(AppiumDriver.java:1)  
 at io.appium.java\_client.android.AndroidDriver.findElement(AndroidDriver.java:1)  
 at com.prudential.tap.selenium.Commands\$15.executeCommand(Commands.java:141)



at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19)  
 at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:168)  
 at com.onepulse.app.screens.TestBasePage.popupstart(TestBasePage.java:495)  
 at com.onepulse.app.screens.mydocui.MyCommunitiesScreen.ClickSkipfeedbutton(MyCommunitiesScreen.java:633)  
 at com.onepulse.app.stepdefinitions.mobilesteps.MyCommunitiesSteps.clickSkipbutton(MyCommunitiesSteps.java:208)  
 at .Then I click skip button in feeds screen(features/home/mycommunities/PulseMyCommunities.feature:77)

Then I wait for 2 sec	0.00s
And I click the Back icon in Stay Active screen	0.00s
Then I wait for 3 sec	0.00s
And I click Edit icon in stay Active icon	0.00s
And I click the Camera icon in create post screen	0.00s
And I click the Upload Image icon	0.00s
And I give camera permission	0.00s
Then I take picture from Camera	0.00s
And Enter the post in community screen	0.00s
POST TEST1	
And Enter the post in community large text screen	0.00s
POST welcome	
And I click the Post icon in create post screen	0.00s



After		0.00s
<a href="#">Back to Table of Contents</a>		
<b>Scenario: Verify the Category list and search feature</b>		




Passed: 7	Failed: 0	Undefined: 0	Duration: 35.34s
Before			0.00s
Then I wait for 15 sec			15.01s
And I clicks on "\${category.text}" in app screen			0.55s
And I verify the following texts "Category" in Screen			16.93s
<div>COVID-19</div> <div>Fitness</div> <div>Global Awareness Days</div> <div>Mental Health</div>			
And I clicks on "Mental Health" in app screen			0.19s
And I clicks on "\${apply.button}" in app screen			0.78s
And I verify following texts are displayed			1.39s
{no.post.found.text}			
And I click the Back icon in Stay Active screen			0.50s
After			0.00s
<a href="#">Back to Table of Contents</a>			
Scenario: <b>Leave the community if already joined</b>			
Passed: 0	Failed: 1	Undefined: 3	Duration: 7.55s
Before			0.00s
And I clicks on "\${my.communities.text}" in app screen			7.55s
<p>org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.</p> <p>For documentation on this error, please visit: <a href="http://seleniumhq.org/exceptions/no_such_element.html">http://seleniumhq.org/exceptions/no_such_element.html</a></p> <p>Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'</p> <p>System info: host: 'Prudentials-MacBook-Pro.local', ip: '2401:7400:c802:b45:e5c3:40ae:fad7:80b8%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'</p> <p>Driver info: io.appium.java_client.android.AndroidDriver</p> <p>Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0B101FDD4004BD, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0B101FDD4004BD, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}</p> <p>Session ID: 04a653bc-5c2d-4d4a-99ec-1cbf6d9262d5</p> <p>*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,"myCommunities")]}  at jdk.internal.reflect.GeneratedConstructorAccessor22.newInstance(Unknown Source)  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)</p>			

```

at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:168)
at com.onepulse.app.screens.CustomerConnectScreen.clickButton(CustomerConnectScreen.
java:1692)
at com.onepulse.app.stepdefinitions.mobilesteps.CustomerConnectSteps.clickUploadIcon
(CustomerConnectSteps.java:533)
at .And I clicks on "${my.communities.text}" in app screen(features/home/mycommunities
/PulseMyCommunities.feature:108)

```

And I scroll down	0.00s
When I click on joined community three dots menu icon	0.00s
And I click on leave button for joined community	0.00s



After	0.00s
-------	-------

[Back to Table of Contents](#)

### Feature: Verify Private My Communities on One Pluse App

Passed: 2	Failed: 2	Undefined: 0	Duration: 137.0s
-----------	-----------	--------------	------------------

#### Scenario: Launch the app and select the country as per specified Ibu

Passed: 8	Failed: 0	Undefined: 0	Duration: 52.13s
-----------	-----------	--------------	------------------

Before	0.00s
--------	-------

Given User has pulse app	8.76s
And Logout of pulse app if user is logged in	0.00s
And user click on "CONTINUE WITH EMAIL" with Email button	12.63s
Then I change the country as required on registration page	10.61s
Then I wait for 3 sec	3.01s
Then I change the language as required on registration page	10.64s
And I click the Sign in link	4.89s
Then I verify below language options on toggle bar as per specified Ibu on login page	1.60s

After	0.00s
-------	-------

[Back to Table of Contents](#)

#### Scenario: User should be able to login on app with correct credentials using "Continue with Gmail"

Passed: 7	Failed: 0	Undefined: 0	Duration: 42.49s
-----------	-----------	--------------	------------------

Before	0.00s
--------	-------

And I assign "pulse123456@mailsac.com" to variable "PULSE_EMAIL"	0.00s
Given I select the language option on toggle bar as required on login page	0.19s
When user enters credentials	18.14s

UserName \${PULSE_EMAIL}			
Password \${pulse.password}			
And User clicks on signin button			0.19s
Then I wait for 10 sec			10.01s
And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}"			8.57s
Then user should be landed to "Home" screen			5.41s
After			0.00s
<a href="#">Back to Table of Contents</a>			
Scenario: User should be able to login on app with correct credentials using "Continue with Gmail" and Verify the Mycommunities screen			
Passed: 1	Failed: 1	Undefined: 1	Duration: 22.06s
Before			0.00s
And User should be verify "\${my.communities.text}" tab in Home screen			5.86s
And I click the MyCommunities icon			16.21s
<p>org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.</p> <p>For documentation on this error, please visit: <a href="http://seleniumhq.org/exceptions/no_such_element.html">http://seleniumhq.org/exceptions/no_such_element.html</a></p> <p>Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'</p> <p>System info: host: 'Prudentials-MacBook-Pro.local', ip: '2401:7400:c802:b45:e5c3:40ae:fad7:80b8%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'</p> <p>Driver info: io.appium.java_client.android.AndroidDriver</p> <p>Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0B101FDD4004BD, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0B101FDD4004BD, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}</p> <p>Session ID: 1fc4c513-8a64-4302-8a39-e6a477074945</p> <p>*** Element info: {Using=xpath, value=(//android.widget.ImageView)[12]}</p> <p>at jdk.internal.reflect.GeneratedConstructorAccessor22.newInstance(Unknown Source)</p> <p>at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)</p> <p>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)</p> <p>at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)</p> <p>at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)</p> <p>at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)</p>			


at io.appium.java\_client.remote.AppiumCommandExecutor.execute  
(AppiumCommandExecutor.java:231)  
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)  
at io.appium.java\_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.  
java:42)  
at io.appium.java\_client.AppiumDriver.execute(AppiumDriver.java:1)  
at io.appium.java\_client.android.AndroidDriver.execute(AndroidDriver.java:1)  
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)  
at io.appium.java\_client.DefaultGenericMobileDriver.findElement  
(DefaultGenericMobileDriver.java:62)  
at io.appium.java\_client.AppiumDriver.findElement(AppiumDriver.java:1)  
at io.appium.java\_client.android.AndroidDriver.findElement(AndroidDriver.java:1)  
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.  
java:419)  
at io.appium.java\_client.DefaultGenericMobileDriver.findElementByXPath  
(DefaultGenericMobileDriver.java:152)  
at io.appium.java\_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)  
at io.appium.java\_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)  
at org.openqa.selenium.By\$ByXPath.findElement(By.java:353)  
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)  
at io.appium.java\_client.DefaultGenericMobileDriver.findElement  
(DefaultGenericMobileDriver.java:58)  
at io.appium.java\_client.AppiumDriver.findElement(AppiumDriver.java:1)  
at io.appium.java\_client.android.AndroidDriver.findElement(AndroidDriver.java:1)  
at com.prudential.tap.selenium.Commands\$15.executeCommand(Commands.java:141)  
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:  
19)  
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:168)  
at com.onepulse.app.screens.mydocui.MyCommunitiesScreen.ClickMyCommunities  
(MyCommunitiesScreen.java:973)  
at com.onepulse.app.stepdefinitions.mobilesteps.MyCommunitiesSteps.clickMyCommunities  
(MyCommunitiesSteps.java:304)  
at .And I click the MyCommunities icon(features/home/mycommunities  
/PulseMyCommunities\_private.feature:27)

And I verify the following texts "Communities" in Screen

0.00s

#{my.communities.text}

#{All.Communities.text}



After	0.00s
-------	-------

[Back to Table of Contents](#)

**Scenario: Verify the Private Communities in communities screen**

Passed: 0	Failed: 1	Undefined: 11	Duration: 20.32s
-----------	-----------	---------------	------------------

Before	0.00s
--------	-------

And I click the Private "\${All.Communities.text}" in Communities screen	20.32s
--	--------

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.

For documentation on this error, please visit: [http://seleniumhq.org/exceptions/no\\_such\\_element.html](http://seleniumhq.org/exceptions/no_such_element.html)

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'Prudentials-MacBook-Pro.local', ip: '2401:7400:c802:b45:e5c3:40ae:fad7:80b8%en0', os.name: 'Mac OS X', os.arch: 'x86\_64', os.version: '10.16', java.version: '11.0.10'

Driver info: io.appium.java\_client.android.AndroidDriver

Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0B101FDD4004BD, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0B101FDD4004BD, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}

Session ID: 1fc4c513-8a64-4302-8a39-e6a477074945



```


*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,'Hi
Pulsemate!')]}
at jdk.internal.reflect.GeneratedConstructorAccessor22.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:168)
at com.onepulse.app.screens.TestBasePage.popupstart(TestBasePage.java:495)
at com.onepulse.app.screens.mydocui.MyCommunitiesScreen.ClickPrivateCommunities
(MyCommunitiesScreen.java:941)
at com.onepulse.app.stepdefinitions.mobilesteps.MyCommunitiesSteps.
Click_PrivateCommunities(MyCommunitiesSteps.java:288)
at .And I click the Private "${All.Communities.text}" in Communities screen(features/home
/mycommunities/PulseMyCommunities_private.feature:33)

```

And I Enter the "e.g. Be Healthy content, Challenges etc." in "Test" in home screen

0.00s



	And I Enter the "e.g. Healthy content, forum for celebrities etc." in "2020" in home screen	0.00s
	And I clicks on "Take a Picture" in app screen	0.00s
	And I click the Upload Image icon	0.00s
	And I give camera permission	0.00s
	Then I take picture from Camera	0.00s
	Then I wait for 3 sec	0.00s
	And I scroll down	0.00s
	And I click the continue button	0.00s
	Then I click skip button in feeds screen	0.00s
	And I clicks on "OK" in app screen	0.00s
		
After		0.00s
<a href="#">Back to Table of Contents</a>		
<b>Feature: Verify legal and legacy on One pulse App</b>		
Passed: 7		Failed: 0
Undefined: 0		Duration: 167.46s
<b>Scenario: Launch the app and select the country as per specified Ibu</b>		
Passed: 6		Failed: 0
Undefined: 0		Duration: 41.65s
Before		0.00s
Given User has pulse app		8.32s
And I assign "\${pulse.legal.privacy.login.id}" to variable "PULSE_EMAIL"		0.00s
And user click on "CONTINUE WITH EMAIL" with Email button		12.62s
Then I change the country as required on registration page		10.84s
Then I wait for 5 sec		5.01s
And I click the Sign in link		4.88s
After		0.00s

[Back to Table of Contents](#)**Scenario: login to the app with correct credentials using "Continue with Email"**

Passed: 6	Failed: 0	Undefined: 0	Duration: 39.65s
Before			0.00s

Given I select the language option on toggle bar as required on login page	1.50s				
When user enters credentials	17.72s				
<table> <tr> <td>UserName</td><td>\${PULSE_EMAIL}</td></tr> <tr> <td>Password</td><td>\${pulse.edit}</td></tr> </table>	UserName	\${PULSE_EMAIL}	Password	\${pulse.edit}	
UserName	\${PULSE_EMAIL}				
Password	\${pulse.edit}				
And User clicks on signin button	0.23s				
And I wait for 5 sec	5.01s				
And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}"	9.67s				
Then user should be landed to "Home" screen	5.52s				

After	0.00s
-------	-------

[Back to Table of Contents](#)**Scenario: Navigate to account screen**

Passed: 1	Failed: 0	Undefined: 0	Duration: 4.53s
Before			0.00s

Given user navigate to account page	4.53s
-------------------------------------	-------

After	0.00s
-------	-------

[Back to Table of Contents](#)**Scenario: Verify the Legacy and Privacy should be displayed**

Passed: 2	Failed: 0	Undefined: 0	Duration: 6.43s
Before			0.00s

And I click the Legacy and Privacy in Account screen	3.70s				
Then I verify following texts are displayed in terms and condition screen	2.73s				
<table><tr><td>  \${Terms.conditions.text}</td></tr><tr><td>  \${icon.privacyNotice}</td></tr><tr><td>  \${icon.regulatory}</td></tr><tr><td>  \${app.version.text}</td></tr></table>	\${Terms.conditions.text}	\${icon.privacyNotice}	\${icon.regulatory}	\${app.version.text}	
\${Terms.conditions.text}					
\${icon.privacyNotice}					
\${icon.regulatory}					
\${app.version.text}					

After	0.00s
-------	-------

[Back to Table of Contents](#)**Scenario: Verify the Terms and condition screen should be displayed**

Passed: 4	Failed: 0	Undefined: 0	Duration: 18.46s
Before			0.00s

And I click on "\${Terms.conditions.text}" link in Account screen	0.24s
And I click the pulse icon in Account screen	13.58s
And I click the Back icon in pulse screen	3.33s
And I click the Back icon in Terms and conditions screen	1.31s

After	0.00s
-------	-------

[Back to Table of Contents](#)**Scenario: Verify the Privacy screen should be displayed**


Passed: 4	Failed: 0	Undefined: 0	Duration: 20.71s
-----------	-----------	--------------	------------------

Before		0.00s	
	And I click the Privacy icon in legal screen		2.37s
	And I click the pulse icon in Account screen		13.60s
	And I click the Back icon in pulse screen		2.34s
	And I click the Back icon in Privacy Notice		2.40s
After		0.00s	
<a href="#">Back to Table of Contents</a>			
Scenario: <b>Verify the Regulator screen should be displayed</b>			
Passed: 3		Failed: 0	Undefined: 0
Duration: 36.03s			
Before		0.00s	
	And I click the Regulatory icon in legal screen		13.62s
	And I click the Babylons icon in Account screen		20.54s
	Then I verify following texts are displayed in terms and condition screen		1.87s
	\${clinicalSafety.text}		
	\${ai.healthcare.text}		
	\${localisation.text}		
\${privacy.date.protection.text}			
	\${concern.reporting.text}		
After		0.00s	
<a href="#">Back to Table of Contents</a>			
Feature: <b>Verify MySettings functionality in Account screen</b>			
Passed: 25		Failed: 1	Undefined: 0
Duration: 250.85s			
Scenario: <b>Launch the app and select the country as per specified Ibu</b>			
Passed: 6		Failed: 0	Undefined: 0
Duration: 40.42s			
Before		0.00s	
	Given User has pulse app		8.27s
	And I assign "\${onepulse.login.edit.profile}" to variable "PULSE_EMAIL"		0.00s
	And user click on "CONTINUE WITH EMAIL" with Email button		12.59s
	Then I change the country as required on registration page		9.70s
	Then I wait for 5 sec		5.00s
	And I click the Sign in link		4.86s
After		0.00s	
<a href="#">Back to Table of Contents</a>			
Scenario: <b>login to the app with correct credentials using "Continue with Email"</b>			
Passed: 6		Failed: 0	Undefined: 0
Duration: 39.05s			
Before		0.00s	
	Given I select the language option on toggle bar as required on login page		1.52s
	When user enters credentials		18.60s
	UserName  \${PULSE_EMAIL}		
	Password  \${pulse.edit}		
	And User clicks on signin button		0.29s
	And I wait for 5 sec		5.01s

And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}"		8.19s	
Then user should be landed to "Home" screen		5.46s	
After		0.00s	
<a href="#">Back to Table of Contents</a>			
Scenario: <a href="#">Navigate to account screen and verify all the options</a>			
Passed: 3	Failed: 0	Undefined: 0	Duration: 9.23s
Before			0.00s
	Given user navigate to account page		4.50s
	Then I wait for 2 sec		2.01s
	And user should verify following options on account screen		2.72s
			\${my.wearable.text}
			\${my.rewards.text}
			\${my.notification.text}
			\${icon.mySettings}
			\${my.feedback.text}
			\${icon.legal&Privacy}
			\${pulsePersonalised.text}
		\${sign.out.button.text}	
		\${logs.text}	
After		0.00s	
<a href="#">Back to Table of Contents</a>			
Scenario: <a href="#">Verify wearable screen in Account tab</a>			
Passed: 3	Failed: 0	Undefined: 0	Duration: 3.96s
Before			0.00s
	And I click on "\${my.wearable.text}" link in Account screen		0.34s
	Then I wait for 2 sec		2.01s
	Then I verify following text are displayed under My Wearables screen		1.61s
			\${wearables.title}
			\${wearables.subTitle}
			\${wearables.description}
			\${wearables.fitbit}
			\${wearables.garmin}
		\${wearables.googleFit}	
After		0.00s	
<a href="#">Back to Table of Contents</a>			
Scenario: <a href="#">navigate back to account screen from my wearable screen</a>			
Passed: 2	Failed: 0	Undefined: 0	Duration: 2.27s
Before			0.00s
	And user navigate back to the Home screen from My Wearables screen		0.26s
	And I wait for 2 sec		2.01s
After		0.00s	
<a href="#">Back to Table of Contents</a>			
Scenario: <a href="#">Navigate to account screen</a>			

Passed: 2		Failed: 0		Undefined: 0		Duration: 6.7s							
Before						0.00s							
	Given user navigate to account page					4.70s							
	Then I wait for 2 sec					2.01s							
After						0.00s							
<a href="#">Back to Table of Contents</a>													
Scenario: <a href="#">Verify reward screen in Account tab</a>													
Passed: 3		Failed: 0		Undefined: 0		Duration: 4.51s							
Before						0.00s							
	And I click on "\${my.rewards.text}" link in Account screen					0.38s							
	Then I wait for 2 sec					2.01s							
	Then User verify following texts are displayed in My Rewards screen					2.13s							
After						0.00s							
<a href="#">Back to Table of Contents</a>													
Scenario: <a href="#">User access My Rewards FAQ</a>													
Passed: 3		Failed: 0		Undefined: 0		Duration: 6.91s							
Before						0.00s							
	When I scroll down					4.46s							
	Then I wait for 2 sec					2.01s							
	Then User verify following texts are displayed in My Rewards screen					0.45s							
After						0.00s							
<a href="#">Back to Table of Contents</a>													
Scenario Outline: <a href="#">Verify the FAQ on my rewards screen</a>													
Passed: 4		Failed: 0		Undefined: 0		Duration: 2.59s							
Before						0.00s							
	Then User verify following faqs and answers "\${myRewards.faq.1}" are displayed in My Rewards screen					0.33s							
	And I expand faq "\${myRewards.faq.1}" in My Rewards screen					0.37s							
	Then User verify following faqs and answers "\${myRewards.faq.1.ans}" are displayed in My Rewards screen					1.51s							
	And I expand faq "\${myRewards.faq.1}" in My Rewards screen					0.38s							
After						0.00s							
<a href="#">Back to Table of Contents</a>													
Scenario Outline: <a href="#">Verify the FAQ on my rewards screen</a>													

Passed: 4	Failed: 0	Undefined: 0	Duration: 3.47s
Before			0.00s
Then User verify following faqs and answers "\${myRewards.faq.2}" are displayed in My Rewards screen			1.21s
<code>\${myRewards.faq.2}</code>			
And I expand faq "\${myRewards.faq.2}" in My Rewards screen			0.32s
Then User verify following faqs and answers "\${myRewards.faq.2.ans}" are displayed in My Rewards screen			1.55s
<code>\${myRewards.faq.2.ans}</code>			
And I expand faq "\${myRewards.faq.2}" in My Rewards screen			0.39s
After			0.00s
<a href="#">Back to Table of Contents</a>			
Scenario Outline: <a href="#">Verify the FAQ on my rewards screen</a>			
Passed: 4	Failed: 0	Undefined: 0	Duration: 3.65s
Before			0.00s
Then User verify following faqs and answers "\${myRewards.faq.3}" are displayed in My Rewards screen			1.02s
<code>\${myRewards.faq.3}</code>			
And I expand faq "\${myRewards.faq.3}" in My Rewards screen			1.08s
Then User verify following faqs and answers "\${myRewards.faq.3.ans.subtext}" are displayed in My Rewards screen			1.22s
<code>\${myRewards.faq.3.ans.1}###\${myRewards.faq.3.ans.2}###\${myRewards.faq.3.ans.3}###\${myRewards.faq.3.ans.4}###\${myRewards.faq.3.ans.5}###\${myRewards.faq.3.ans.6}###\${myRewards.faq.3.ans.7}</code>			
And I expand faq "\${myRewards.faq.3}" in My Rewards screen			0.34s
After			0.00s
<a href="#">Back to Table of Contents</a>			
Scenario Outline: <a href="#">Verify the FAQ on my rewards screen</a>			
Passed: 0	Failed: 1	Undefined: 3	Duration: 1.06s
Before			0.00s
Then User verify following faqs and answers "\${myRewards.faq.4.subtext}" are displayed in My Rewards screen			1.06s
<code>\${myRewards.faq.4.1}###\${myRewards.faq.4.2}###\${myRewards.faq.4.3}</code>			
<p>java.lang.AssertionError: The following asserts failed:</p> <p>Actual text is: 4. I have completed Healthcheck and used Symptom Checker previously, will I earn points for those activities?expected text is:I have completed Healthcheck expected [true] but found [false]</p> <p>at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)</p> <p>at com.onepulse.app.stepdefinitions.mobilesteps.ManageProfileSteps.verifyFAQOnRewardsScreen(ManageProfileSteps.java:291)</p> <p>at .Then User verify following faqs and answers "\${myRewards.faq.4.subtext}" are displayed in My Rewards screen(features/my/MyAccount/PulseMyAccount.feature:74)</p>			
And I expand faq "\${myRewards.faq.4.subtext}" in My Rewards screen			0.00s
Then User verify following faqs and answers "\${myRewards.faq.4.ans}" are			

displayed in My Rewards screen			0.00s
<b>Back to Table of Contents</b>			
And I expand faq "\${myRewards.faq.4.subtext}" in My Rewards screen			0.00s
			
After			0.00s
<b>Back to Table of Contents</b>			
Scenario Outline: Verify the FAQ on my rewards screen			
Passed: 4	Failed: 0	Undefined: 0	Duration: 2.68s
Before			0.00s
Then User verify following faqs and answers "\${myRewards.faq.5}" are displayed in My Rewards screen			0.38s
<b>Back to Table of Contents</b>			
And I expand faq "\${myRewards.faq.5}" in My Rewards screen			0.36s
Then User verify following faqs and answers "\${myRewards.faq.5.ans.subtext}" are displayed in My Rewards screen			1.60s
<b>Back to Table of Contents</b>			
<code>         \${myRewards.faq.5.ans.1}##\${myRewards.faq.5.ans.2}##\${myRewards.faq.5.ans.3}##\${myRewards.faq.5.ans.4}       </code>			
And I expand faq "\${myRewards.faq.5}" in My Rewards screen			0.35s
After			0.00s
<b>Back to Table of Contents</b>			
Scenario Outline: Verify the FAQ on my rewards screen			
Passed: 4	Failed: 0	Undefined: 0	Duration: 3.12s
Before			0.00s
Then User verify following faqs and answers "\${myRewards.faq.6}" are displayed in My Rewards screen			1.23s
<b>Back to Table of Contents</b>			



And I expand faq "\${myRewards.faq.6}" in My Rewards screen	0.36s
Then User verify following faqs and answers "\${myRewards.faq.6.ans}" are displayed in My Rewards screen	1.20s
<input data-bbox="233 218 573 260" type="text" value="\${myRewards.faq.6.ans}"/>	
And I expand faq "\${myRewards.faq.6}" in My Rewards screen	0.33s
After	0.00s
<a href="#">Back to Table of Contents</a>	
<b>Scenario Outline: Verify the FAQ on my rewards screen</b>	
Passed: 4	Failed: 0
Undefined: 0	Duration: 3.9s
Before	0.00s
Then User verify following faqs and answers "\${myRewards.faq.7}" are displayed in My Rewards screen	1.07s
<input data-bbox="233 617 519 659" type="text" value="\${myRewards.faq.7}"/>	
And I expand faq "\${myRewards.faq.7}" in My Rewards screen	1.26s
Then User verify following faqs and answers "\${myRewards.faq.7.ans}" are displayed in My Rewards screen	1.23s
<input data-bbox="233 785 573 827" type="text" value="\${myRewards.faq.7.ans}"/>	
And I expand faq "\${myRewards.faq.7}" in My Rewards screen	0.34s
After	0.00s
<a href="#">Back to Table of Contents</a>	
<b>Scenario Outline: Verify the FAQ on my rewards screen</b>	
Passed: 4	Failed: 0
Undefined: 0	Duration: 2.75s
Before	0.00s
Then User verify following faqs and answers "\${myRewards.faq.8}" are displayed in My Rewards screen	1.03s
<input data-bbox="233 1184 519 1226" type="text" value="\${myRewards.faq.8}"/>	
And I expand faq "\${myRewards.faq.8}" in My Rewards screen	0.34s
Then User verify following faqs and answers "\${myRewards.faq.8.ans.subtext}" are displayed in My Rewards screen	1.05s
<input data-bbox="233 1352 1375 1394" type="text" value="\${myRewards.faq.8.ans.1}###\${myRewards.faq.8.ans.2}###\${myRewards.faq.8.ans.3}"/>	
And I expand faq "\${myRewards.faq.8}" in My Rewards screen	0.34s
After	0.00s
<a href="#">Back to Table of Contents</a>	
<b>Scenario Outline: Verify the FAQ on my rewards screen</b>	
Passed: 4	Failed: 0
Undefined: 0	Duration: 3.53s
Before	0.00s
Then User verify following faqs and answers "\${myRewards.faq.9}" are displayed in My Rewards screen	1.81s
<input data-bbox="233 1751 519 1793" type="text" value="\${myRewards.faq.9}"/>	
And I expand faq "\${myRewards.faq.9}" in My Rewards screen	0.32s
Then User verify following faqs and answers "\${myRewards.faq.9.ans}" are displayed in My Rewards screen	1.05s
<input data-bbox="233 1919 573 1961" type="text" value="\${myRewards.faq.9.ans}"/>	

And I expand faq "\${myRewards.faq.9}" in My Rewards screen		0.36s
After		0.00s
<a href="#">Back to Table of Contents</a>		
Scenario: navigate back to account screen from my rewards screen		
Passed: 2	Failed: 0	Undefined: 0
Duration: 42.64s		
Before		0.00s
	Then I click on back button on my reward screen to navigate to account screen	40.63s
	And I wait for 2 sec	2.00s
After		0.00s
<a href="#">Back to Table of Contents</a>		
Scenario: Verify Notification screen in Account tab		
Passed: 2	Failed: 0	Undefined: 0
Duration: 2.14s		
Before		0.00s
	And I click on "\${my.notification.text}" link in Account screen	0.35s
	Then User verify following texts are displayed in My Notification screen	1.79s
After		0.00s
<a href="#">Back to Table of Contents</a>		
Scenario: navigate back to account screen from Notification screen		
Passed: 2	Failed: 0	Undefined: 0
Duration: 2.29s		
Before		0.00s
	Then I click on back button on notification screen to navigate to account screen	0.29s
	And I wait for 2 sec	2.00s
After		0.00s
<a href="#">Back to Table of Contents</a>		
Scenario: Verify my feedback screen in Account tab		
Passed: 3	Failed: 0	Undefined: 0
Duration: 5.3s		
Before		0.00s
	And I click on "\${my.feedback.text}" link in Account screen	0.37s
	Then User verify following texts are displayed in My feedback screen	4.64s
Then I verify following edit box sample text is displayed in account screen		0.29s
After		0.00s
<a href="#">Back to Table of Contents</a>		

**Scenario: Verify the submit functionality in My feedback screen**

Passed: 4	Failed: 0	Undefined: 0	Duration: 9.7s
Before			0.00s
Given I select "5" star in feedback screen			0.32s
Then I enter feedback			2.84s
	Feedback	Test_12345	
And I click the Submit icon in Feedback Screen			4.54s
And I wait for 2 sec			2.01s
After			0.00s

[Back to Table of Contents](#)**Scenario: Verify the Pulse Personalised tab**

Passed: 4	Failed: 0	Undefined: 0	Duration: 9.25s
Before			0.00s
	And I click the Pulse by Personalised icons		4.44s
	And I wait for 2 sec		2.01s
	Then User verify following texts are displayed in pulse personalised screen		0.49s
	<div><div>  \${pulsePersonalised.text}</div><div>  \${data.privacy.text}</div></div>		
	Then I verify data and privacy consent in pulse personalised screen		2.32s
	<div><div>  \${pulse.personalised.consent.text1}</div><div>  \${pulse.personalised.consent.text2}</div><div>  \${pulse.personalised.consent.text3}</div><div>  \${pulse.personalised.consent.text4}</div><div>  \${pulse.personalised.consent.text5}</div><div>  \${pulse.personalised.consent.text6}</div><div>  \${pulse.personalised.consent.text7}</div></div>		
After			0.00s

[Back to Table of Contents](#)**Scenario: Save the consent with data privacy check**

Passed: 4	Failed: 0	Undefined: 0	Duration: 14.39s
Before			0.00s
	Given I select the data privacy checkbox		0.24s
	And I click the save button in pulse personalised icons		3.55s
	Then User verify following texts are displayed in pulse personalised screen		2.27s
	{consent.success.msg.text}		
	And I click the Ok button in pulse personlised screen		8.33s
After			0.00s

[Back to Table of Contents](#)**Scenario: Save the consent without data privacy check**

Passed: 4	Failed: 0	Undefined: 0	Duration: 14.82s
Before			0.00s
Given I select the data privacy checkbox			1.16s


	And I click the save button in pulse personalised icons			3.55s	
	Then User verify following texts are displayed in pulse personalised screen			1.74s	
	{consent.success.msg.text}				
	And I click the Ok button in pulse personlised screen			8.36s	
After				0.00s	
Back to Table of Contents					
Scenario: navigate back to account screen from pulse personalised screen					
Passed: 2		Failed: 0		Undefined: 0	Duration: 10.49s
Before					0.00s
	And I click the Back icon in pulse personalised screen			8.49s	
	And I wait for 2 sec			2.01s	
After				0.00s	
Back to Table of Contents					
Feature: Verify Edit Profile functionality on Pulse Health & Wealth app					
Passed: 2		Failed: 0		Undefined: 0	Duration: 123.12s
Scenario: Verify User should be able to navigate to My Wearables screen via Profile					
Passed: 19		Failed: 0		Undefined: 0	Duration: 113.04s
Before					0.00s
	Given User has pulse app			8.31s	
	And I assign "{login.email.id}" to variable "PULSE_EMAIL"			0.00s	
	And user click on "CONTINUE WITH EMAIL" with Email button			12.62s	
	Then I change the country as required on registration page			11.00s	
	Then I wait for 5 sec			5.00s	
	Then I change the language as required on registration page			11.34s	
	And I click the Sign in link			4.89s	
	And I select the language option on toggle bar as required on login page			1.54s	
	Then I verify below language options on toggle bar as per specified Ibu on login page			1.25s	
	When user enters credentials			18.08s	
		UserName	{PULSE_EMAIL}		
		Password	{login.password}		
	And User clicks on signin button			0.30s	
	And I wait for 10 sec			10.00s	
	And I enter OTP in one pulse app for user email "{PULSE_EMAIL}"			8.42s	
	Then user should be landed to "Home" screen			6.30s	
	When user navigate to account page			4.54s	
	And I wait for 3 sec			3.01s	
	And user navigate to My Wearables screen			4.49s	
	Then I verify following text are displayed under My Wearables screen			1.67s	
		{wearables.title}			
		{wearables.subTitle}			
{wearables.description}					



	Password	{pulse.password}	
	And User clicks on signin button		0.27s
	And I wait for 5 sec		5.01s
	And I enter OTP in one pulse app for user email "{PULSE_EMAIL}"		8.28s
	Then user should be landed to "Home" screen		5.55s
After			0.00s
<a href="#">Back to Table of Contents</a>			
<b>Scenario: User should be able to access Calendar screen</b>			
Passed: 7	Failed: 0	Undefined: 0	Duration: 56.04s
Before			0.00s
	When I clicks on Health button		3.81s
	And I scroll down		4.56s
	And I click on Calendar tile		15.72s
	And I wait for 3 sec		3.01s
	Then I verify following texts are displayed		0.99s
	{calendar.text}		
	{no.events.text}		
	And I click on events dropdown button in calendar screen		0.51s
	Then I verify the following texts "Calendar events" in Screen		27.45s
	{medicine.reminders.text}		
	{appointments.text}		
	{vaccination.text}		
	{workout.text}		
	{pulse.tv.text}		
	{policy.remainder.text}		
After			0.00s
<a href="#">Back to Table of Contents</a>			
<b>Feature: Verify Pru Safe Covid-19 Cover functionality on one pulse App</b>			
Passed: 0	Failed: 4	Undefined: 0	Duration: 195.27s
<b>Scenario: User should be able to register on app with correct credentials using "Continue with Email"</b>			
Passed: 33	Failed: 1	Undefined: 13	Duration: 141.58s
Before			0.00s
	Given I generate random number and assign to variable "RANDOM_NUMBER"		0.01s
	And I assign "pulse{RANDOM_NUMBER}@mailsac.com" to variable "PULSE_EMAIL"		0.00s
	And User has pulse app		9.45s
	Then I wait for 2 sec		2.01s
	And user click on "CONTINUE WITH EMAIL" with Email button		12.64s
	Then I wait for 2 sec		2.01s
	Then I change the country as required on registration page		11.12s

Then I wait for 5 sec	5.01s								
Then I change the language as required on registration page	0.33s								
When user enters registration details	7.39s								
<table> <tr> <td>FirstName</td><td>testAutomation</td></tr> <tr> <td>LastName</td><td>testAutomation</td></tr> <tr> <td>Email</td><td>\${PULSE_EMAIL}</td></tr> <tr> <td>Password</td><td>Pas\$1234</td></tr> </table>	FirstName	testAutomation	LastName	testAutomation	Email	\${PULSE_EMAIL}	Password	Pas\$1234	
FirstName	testAutomation								
LastName	testAutomation								
Email	\${PULSE_EMAIL}								
Password	Pas\$1234								
And taps on continue "Sign_Up" button	0.28s								
And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}"	34.49s								
Then I wait for 2 sec	2.01s								
And I enter the "mobile number" in welcome to pulse	10.04s								
<table> <tr> <td>mobileNumber</td><td>\${registration.mobile.number}</td></tr> </table>	mobileNumber	\${registration.mobile.number}							
mobileNumber	\${registration.mobile.number}								
And I click the continue button	0.19s								
And I choose my wellness goals under wellness plan screen	1.45s								
And I click the continue button	0.85s								
And I click the date in Date of Birth field	6.59s								
And I click the Done icon	3.24s								
And I click the continue button	1.17s								
And I select the Male icon	5.87s								
And I click the continue button	0.84s								
And I enter my height and weight details	2.25s								
And I click on Calculate BMI button	0.56s								
And I click the continue button	0.96s								
And I select the "How active are you?" in doing exercise	1.67s								
And I click the continue button	1.00s								
And I select my favorite food dietary	1.73s								
And I click the continue button	0.83s								
And I answer as "Yes" to "Any Food allergies?"	2.87s								
And I click the continue button	1.50s								
And I verify that "Tracking your activity is trending" is displayed	2.54s								
And I click on connect Later button	0.48s								
And I see that "Welcome to Pulse" text is displayed	8.21s								
<pre> java.lang.AssertionError: Welcome to Pulse title is not displayed in the UI expected [true] but found [false] at org.testng.Assert.fail(Assert.java:94) at org.testng.Assert.failNotEquals(Assert.java:513) at org.testng.Assert.assertTrue(Assert.java:42) at com.onepulse.app.screens.PulseRegistrationScreen.verifyWelcomeToPulseScreen (PulseRegistrationScreen.java:908) at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.iSeeThatTextIsDisplayed (RegistrationSteps.java:236) at .And I see that "Welcome to Pulse" text is displayed(features/my/home/prushopee /PruCovid19Protection.feature:44) </pre>									
And I click the continue button	0.00s								
And I see that fitness subscription exclusive offers screen is displayed	0.00s								



And I click on close icon	0.00s
Then I click skip buttons	0.00s
Then user should be landed to "Home" screen	0.00s
Then I wait for 4 sec	0.00s
And I click the Account icon in Home screen	0.00s
And I click the sign out from pulse app	0.00s
Then I wait for 4 sec	0.00s
When user enters password credentials in sign screen	0.00s
<div> <div>Password</div> <div>Pas\$1234</div> </div>	
And User clicks on signin button	0.00s
Then I wait for 8 sec	0.00s
Then user should be landed to "Home" screen	0.00s
	
After	0.00s
<a href="#">Back to Table of Contents</a>	
<b>Scenario: Verify User should be able to see the PRU Shoppe screen</b>	
Passed: 0	Failed: 1
Undefined: 2	Duration: 8.81s
Before	0.00s
And I click on pru shoppe button on the home page	8.81s
<p>org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.</p> <p>For documentation on this error, please visit: <a href="http://seleniumhq.org/exceptions/no_such_element.html">http://seleniumhq.org/exceptions/no_such_element.html</a></p> <p>Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'</p> <p>System info: host: 'Prudentials-MacBook-Pro.local', ip: '2401:7400:c802:b45:e5c3:40ae:fad7:80b8%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'</p>	

Driver info: io.appium.java\_client.android.AndroidDriver  
 Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0B101FDD4004BD, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0B101FDD4004BD, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}

Session ID: ff0fe179-0020-42b6-87fa-f7eb6c226cdc

\*\*\* Element info: {Using=xpath, value=//android.widget.TextView[@text='Shoppe']/parent::android.view.ViewGroup}

at jdk.internal.reflect.GeneratedConstructorAccessor22.newInstance(Unknown Source)  
 at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  
 at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)  
 at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)  
 at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)  
 at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)  
 at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)  
 at io.appium.java\_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:231)  
 at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)  
 at io.appium.java\_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:42)  
 at io.appium.java\_client.AppiumDriver.execute(AppiumDriver.java:1)  
 at io.appium.java\_client.android.AndroidDriver.execute(AndroidDriver.java:1)  
 at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)  
 at io.appium.java\_client.DefaultGenericMobileDriver.findElement(DefaultGenericMobileDriver.java:62)  
 at io.appium.java\_client.AppiumDriver.findElement(AppiumDriver.java:1)  
 at io.appium.java\_client.android.AndroidDriver.findElement(AndroidDriver.java:1)  
 at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:419)  
 at io.appium.java\_client.DefaultGenericMobileDriver.findElementByXPath(DefaultGenericMobileDriver.java:152)  
 at io.appium.java\_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)  
 at io.appium.java\_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)  
 at org.openqa.selenium.By\$ByXPath.findElement(By.java:353)  
 at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)  
 at io.appium.java\_client.DefaultGenericMobileDriver.findElement(DefaultGenericMobileDriver.java:58)  
 at io.appium.java\_client.AppiumDriver.findElement(AppiumDriver.java:1)  
 at io.appium.java\_client.android.AndroidDriver.findElement(AndroidDriver.java:1)


at com.prudential.tap.selenium.Commands\$15.executeCommand(Commands.java:141)  
 at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19)  
 at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:168)  
 at com.onepulse.app.screens.PruShopeeScreen.clickOnPruShopeeIconOnHomePage(PruShopeeScreen.java:53)  
 at com.onepulse.app.stepdefinitions.mobilesteps.PruShopeeSteps.navigateToPruShopeeHomePage(PruShopeeSteps.java:40)  
 at .And I click on pru shopee button on the home page(features/my/home/prushopee/PruCovid19Protection.feature:61)

And I verify following texts are displayed 0.00s

\${pru.shopee.my.receiving.service.text}  
 \${pru.shopee.privacy.policy.text}  
 \${pru.shopee.term.conditions.text}

And I verify the following texts "Pru Shopee Screen" in Screen 0.00s

\${myCoverage.policyNumber.cancelButton}  
 \${prushopee.proceed.txt}



After 0.00s

[Back to Table of Contents](#)

Scenario: **Verify User should be able to see the PRUSafe COVIDCover screen options**

Passed: 0 Failed: 1 Undefined: 7 Duration: 8.42s

Before 0.00s

And user click on "\${prushopee.proceed.txt}" button 8.42s

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.

For documentation on this error, please visit: <http://seleniumhq.org/exceptions>

```

/no_such_element.html
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'Prudentials-MacBook-Pro.local', ip: '2401:7400:c802:b45:e5c3:40ae:fad7:80b8%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0B101FDD4004BD,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0B101FDD4004BD,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: ff0fe179-0020-42b6-87fa-f7eb6c226cdc
*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,"
Proceed")]}
at jdk.internal.reflect.GeneratedConstructorAccessor22.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)


```

```

at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:168)
at com.onepulse.app.screens.WealthScreen.clickScreenButtons(WealthScreen.java:327)
at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.userClickOnButton(WealthSteps.
java:162)
at .And user click on "${prushoppe.proceed.txt}" button(features/my/home/prushopee
/PruCovid19Protection.feature:71)

```

Then I wait for 5 sec		0.00s
Then I click on pru covid19 campaign tile on prushoppe screen for malaysia		0.00s
Then I wait for 5 sec		0.00s
And I verify following texts are displayed		0.00s
	`\${my.covid19.hospitalization.text}`	
	`\${my.covid19.for.pru.malaysia.customer}`	
	`\${my.covid.19.benefit.offered}`	
	`\${my.covid19.hospital.assistance}`	
And I verify the following texts "Covid 19" in Screen		0.00s
	`\${my.self.text}`	
	`\${family.text}`	
And I scroll down		0.00s
And I verify following texts are displayed		0.00s
	`\${my.covid19.disclosure.text}`	
	`\${my.name.as.nric.text}`	
	`\${gender.text}`	
	`\${dob.text}`	



After	0.00s
-------	-------

[Back to Table of Contents](#)

**Scenario: Verify User should be able to see the PRUSafe COVIDCover screen options**

Passed: 1	Failed: 1	Undefined: 3	Duration: 36.47s
-----------	-----------	--------------	------------------

Before	0.00s
--------	-------

And I scroll down	4.51s
-------------------	-------

And I verify following texts are displayed	31.96s
--	--------

<code>\${my.residential.text}</code>
<code>\${my.country.of.residence}</code>
<code>\${my.residential.status}</code>
<code>\${email.text}</code>

java.lang.AssertionError: The following asserts failed:  
 Residential address text is displayed on page expected [true] but found [false],  
 Country of Residence text is displayed on page expected [true] but found [false],  
 Residential status and Nationality text is displayed on page expected [true] but found [false],  
 Email text is displayed on page expected [true] but found [false]  
 at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)  
 at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnScreen  
 (MyDocSteps.java:717)  
 at .And I verify following texts are displayed(features/my/home/prushopee  
 /PruCovid19Protection.feature:92)

And I scroll down	0.00s
-------------------	-------

And I verify following texts are displayed	0.00s
--	-------

<code>\${my.country.code}</code>
<code>\${my.mobile.phone.number}</code>

Passed: 7	Failed: 0	Undefined: 0	Duration: 111.54s
<b>Scenario: Launch the app and select the country as per specified Ibu</b>			
Passed: 6	Failed: 0	Undefined: 0	Duration: 42.73s
Before			0.00s
	Given User has pulse app		10.17s
	And I assign "\${login.email.id}" to variable "PULSE_EMAIL"		0.00s
	And user click on "CONTINUE WITH EMAIL" with Email button		12.58s
	Then I change the country as required on registration page		10.06s
	Then I wait for 5 sec		5.01s
	And I click the Sign in link		4.91s
After			0.00s
<a href="#">Back to Table of Contents</a>			
<b>Scenario: login to the app with correct credentials using "Continue with Email"</b>			
Passed: 6	Failed: 0	Undefined: 0	Duration: 38.55s
Before			0.00s
	Given I select the language option on toggle bar as required on login page		1.51s
	When user enters credentials		18.10s



	UserName	{PULSE_EMAIL}		
	Password	{login.password}		
And User clicks on signin button			0.23s	
And I wait for 5 sec			5.01s	
And I enter OTP in one pulse app for user email "{PULSE_EMAIL}"			8.13s	
Then user should be landed to "Home" screen			5.57s	
After			0.00s	
<a href="#">Back to Table of Contents</a>				
Scenario: <a href="#">Verify user can access his policies from Pru Shoppe My Policies screen</a>				
Passed: 4		Failed: 0	Undefined: 0	Duration: 9.38s
Before				0.00s
	And I click on pru shoppe button on the home page			0.52s
	And I wait for 5 sec			5.01s
	And I click on my policies tile on prushoppe screen			0.39s
	And I verify following texts are displayed			3.47s
	{myCoverage.title}			
	{myCoverage.linkPolicyButton}			
	{myCoverage.information}			
	{myCoverage.InformationDescription}			
After				0.00s
<a href="#">Back to Table of Contents</a>				
Scenario: <a href="#">Click on Link policy and verify screen to add policy number</a>				
Passed: 4		Failed: 0	Undefined: 0	Duration: 4.93s
Before				0.00s
	And I clicks on "{myCoverage.linkPolicyButton}" in app screen			0.30s
	And I wait for 2 sec			2.01s
	And I hide one pulse app mobile keyboard			1.78s
	And I verify following texts are displayed			0.84s
	{myCoverage.policyNumber.title}			
	{myCoverage.policyNumber.description}			
	{myCoverage.policyNumber.description1}			
After				0.00s
<a href="#">Back to Table of Contents</a>				
Scenario: <a href="#">Verify the error message when the Policy Number is blank</a>				
Passed: 3		Failed: 0	Undefined: 0	Duration: 3.56s
Before				0.00s
	When I click on "{myCoverage.policyNumber.saveButton}" button on app			0.55s
	When I click on "{myCoverage.policyNumber.saveButton}" button on app			1.07s
	Then I verify following texts are displayed			1.93s
	{myCoverage.policyNumber.errorMessage}			
After				0.00s
<a href="#">Back to Table of Contents</a>				


<b>Scenario: Verify the error message when the Policy Number is invalid or incorrect</b>			
Passed: 3	Failed: 0	Undefined: 0	Duration: 6.36s
Before			0.00s
When I enter "1234" as the Policy number			1.52s
When I click on "\${myCoverage.policyNumber.saveButton}" button on app			1.16s
Then I verify following texts are displayed			3.67s
<code>\${myCoverage.policyNumber.errorMessage}</code>			
After			0.00s
<a href="#">Back to Table of Contents</a>			
<b>Scenario: Verify the error message when the Cancel Button</b>			
Passed: 2	Failed: 0	Undefined: 0	Duration: 6.05s
Before			0.00s
When I click on "\${myCoverage.policyNumber.cancelButton}" button on app			0.55s
Then user should be landed to "Home" screen			5.50s
After			0.00s
<a href="#">Back to Table of Contents</a>			
<b>Feature: Verify share with friends functionality in onepulse app</b>			
Passed: 0	Failed: 7	Undefined: 0	Duration: 149.15s
<b>Scenario: Launch the app and select the country as per specified Ibu</b>			
Passed: 4	Failed: 1	Undefined: 3	Duration: 44.81s
Before			0.00s
Given User has pulse app			8.37s
And Logout of pulse app if user is logged in			0.00s
And I assign "\${login.email.id}" to variable "PULSE_EMAIL"			0.00s
And user click on "CONTINUE WITH EMAIL" with Email button			20.06s
Then I change the country as required on registration page			16.38s
<p>org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.</p> <p>For documentation on this error, please visit: <a href="http://seleniumhq.org/exceptions/no_such_element.html">http://seleniumhq.org/exceptions/no_such_element.html</a></p> <p>Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'</p> <p>System info: host: 'Prudentials-MacBook-Pro.local', ip: '2401:7400:c802:b45:e5c3:40ae:fad7:80b8%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'</p> <p>Driver info: io.appium.java_client.android.AndroidDriver</p> <p>Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0B101FDD4004BD, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0B101FDD4004BD, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:</p>			

```

false}
Session ID: 3f890bde-b737-48c2-ac00-d14e98ae14e2
*** Element info: {Using=xpath, value=//android.widget.Spinner[1]}
at jdk.internal.reflect.GeneratedConstructorAccessor22.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:168)
at com.onepulse.app.screens.PulseRegistrationScreen.changeTheCountryName
(PulseRegistrationScreen.java:945)
at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.iSelectTheCountry
(RegistrationSteps.java:306)
at .Then I change the country as required on registration page(features/share
/ShareWithFriends.feature:10)

```

Then I wait for 10 sec	0.00s
Then I change the language as required on registration page	0.00s

And I click the Sign in link		0.00s
		
After		0.00s
<a href="#">Back to Table of Contents</a>		
Scenario: login to the app with correct credentials using "Continue with Email"		
Passed: 0	Failed: 1	Duration: 7.9s
Before		0.00s
And I select the language option on toggle bar as required on login page		7.90s
<p>org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.  For documentation on this error, please visit: <a href="http://seleniumhq.org/exceptions/no_such_element.html">http://seleniumhq.org/exceptions/no_such_element.html</a>  Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'  System info: host: 'Prudentials-MacBook-Pro.local', ip: '2401:7400:c802:b45:e5c3:40ae:fad7:80b8%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'  Driver info: io.appium.java_client.android.AndroidDriver  Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0B101FDD4004BD, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0B101FDD4004BD, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}</p>		

Session ID: 3f890bde-b737-48c2-ac00-d14e98ae14e2

```


*** Element info: {Using=xpath, value=//android.widget.TextView[@text="EN"]}
at jdk.internal.reflect.GeneratedConstructorAccessor22.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:168)
at com.onepulse.app.screens.PulseRegistrationScreen.selectTheLanguageToggle
(PulseRegistrationScreen.java:989)
at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.selectTheLangOption
(RegistrationSteps.java:335)
at .And I select the language option on toggle bar as required on login page(features/share
/ShareWithFriends.feature:17)

```

When user enters credentials

0.00s

User Name	\${PULSE_EMAIL}
Password	\${login.password}

And User clicks on signin button	0.00s
And I wait for 10 sec	0.00s
And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}"	0.00s
Then user should be landed to "Home" screen	0.00s
	
After	0.00s
<a href="#">Back to Table of Contents</a>	
Scenario: <b>Verify User should be able to share the link with Whatsapp</b>	
Passed: 0	Failed: 1
Undefined: 0	Duration: 9.36s
Before	0.00s
Then I verify the share with friends links	9.36s
<p>org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.  For documentation on this error, please visit: <a href="http://seleniumhq.org/exceptions/no_such_element.html">http://seleniumhq.org/exceptions/no_such_element.html</a>  Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'  System info: host: 'Prudentials-MacBook-Pro.local', ip: '2401:7400:c802:b45:e5c3:40ae:fad7:80b8%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'  Driver info: io.appium.java_client.android.AndroidDriver  Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0B101FDD4004BD, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0B101FDD4004BD, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,</p>	




```

platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: 3f890bde-b737-48c2-ac00-d14e98ae14e2
*** Element info: {Using=xpath, value=//android.widget.TextView[@text='Invite Your
Friends Via']/following::android.view.ViewGroup[3]}
at jdk.internal.reflect.GeneratedConstructorAccessor22.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:168)
at com.onepulse.app.screens.PulseLoginScreen.clickWhatsappIcon(PulseLoginScreen.java:638)
at com.onepulse.app.stepdefinitions.mobilesteps.LoginSteps.iVerifyTheShareWithFriendsLinks
(LoginSteps.java:296)
at .Then I verify the share with friends links(features/share/ShareWithFriends.feature:28)

```





After	0.00s
-------	-------

[Back to Table of Contents](#)

**Scenario: Verify User should be able to share the link with Contacts app**

Passed: 0	Failed: 1	Undefined: 0	Duration: 14.06s
-----------	-----------	--------------	------------------

Before	0.00s
--------	-------

Then I verify the contacts share icon 14.06s

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.

For documentation on this error, please visit: [http://seleniumhq.org/exceptions/no\\_such\\_element.html](http://seleniumhq.org/exceptions/no_such_element.html)

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'Prudentials-MacBook-Pro.local', ip: '2401:7400:c802:b45:e5c3:40ae:fad7:80b8%en0', os.name: 'Mac OS X', os.arch: 'x86\_64', os.version: '10.16', java.version: '11.0.10'

Driver info: io.appium.java\_client.android.AndroidDriver

Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0B101FDD4004BD, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0B101FDD4004BD, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}

Session ID: 3f890bde-b737-48c2-ac00-d14e98ae14e2

\*\*\* Element info: {Using=xpath, value=//android.widget.TextView[@text='Invite Your Friends Via']/following::android.view.ViewGroup[5]}

at jdk.internal.reflect.GeneratedConstructorAccessor22.newInstance(Unknown Source)

at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)

at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)

at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)

at io.appium.java\_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:231)

at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)

at io.appium.java\_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:42)

at io.appium.java\_client.AppiumDriver.execute(AppiumDriver.java:1)

at io.appium.java\_client.android.AndroidDriver.execute(AndroidDriver.java:1)

at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)

at io.appium.java\_client.DefaultGenericMobileDriver.findElement(DefaultGenericMobileDriver.java:62)

at io.appium.java\_client.AppiumDriver.findElement(AppiumDriver.java:1)

at io.appium.java\_client.android.AndroidDriver.findElement(AndroidDriver.java:1)

at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:419)

at io.appium.java\_client.DefaultGenericMobileDriver.findElementByXPath(DefaultGenericMobileDriver.java:152)

at io.appium.java\_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)

at io.appium.java\_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)

at org.openqa.selenium.By\$ByXPath.findElement(By.java:353)

at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)

at io.appium.java\_client.DefaultGenericMobileDriver.findElement(DefaultGenericMobileDriver.java:58)

at io.appium.java\_client.AppiumDriver.findElement(AppiumDriver.java:1)

at io.appium.java\_client.android.AndroidDriver.findElement(AndroidDriver.java:1)

at com.prudential.tap.selenium.Commands\$15.executeCommand(Commands.java:141)


at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19)

at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:168)

at com.onepulse.app.screens.PulseLoginScreen.clickContactsIcon(PulseLoginScreen.java:658)

at com.onepulse.app.stepdefinitions.mobilesteps.LoginSteps.iVerifyTheContactsShareIcon(LoginSteps.java:301)

at .Then I verify the contacts share icon(features/share/ShareWithFriends.feature:31)



After	0.00s
-------	-------

[Back to Table of Contents](#)

**Scenario: Verify User should be able to share the link with Messenger app**

Passed: 0	Failed: 1	Undefined: 0	Duration: 13.54s
-----------	-----------	--------------	------------------

Before	0.00s
--------	-------

Then I verify the fb messenger share icon	13.54s
---	--------

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.

For documentation on this error, please visit: [http://seleniumhq.org/exceptions/no\\_such\\_element.html](http://seleniumhq.org/exceptions/no_such_element.html)

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'Prudentials-MacBook-Pro.local', ip: '2401:7400:c802:b45:e5c3:40ae:fad7:80b8%en0', os.name: 'Mac OS X', os.arch: 'x86\_64', os.version: '10.16', java.version: '11.0.10'

Driver info: io.appium.java\_client.android.AndroidDriver


Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0B101FDD4004BD, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0B101FDD4004BD, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}

Session ID: 3f890bde-b737-48c2-ac00-d14e98ae14e2

```

*** Element info: {Using=xpath, value=//android.widget.TextView[@text='Invite Your
Friends Via']/following::android.view.ViewGroup[7]}
at jdk.internal.reflect.GeneratedConstructorAccessor22.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:168)
at com.onepulse.app.screens.PulseLoginScreen.clickMessengerIcon(PulseLoginScreen.java:
1090)
at com.onepulse.app.stepdefinitions.mobilesteps.LoginSteps.iVerifyTheFbMessengerShareIcon
(LoginSteps.java:412)
at .Then I verify the fb messenger share icon(features/share/ShareWithFriends.feature:34)

```



After		0.00s
<a href="#">Back to Table of Contents</a>		
Scenario: <b>Verify User should be able to share the link with Viber app</b>		
Passed: 0	Failed: 1	Undefined: 0
Duration: 30.55s		
Before		0.00s
Then I verify the Viber share icon		30.55s
<p>org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.</p> <p>For documentation on this error, please visit: <a href="http://seleniumhq.org/exceptions/no_such_element.html">http://seleniumhq.org/exceptions/no_such_element.html</a></p> <p>Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'</p> <p>System info: host: 'Prudentials-MacBook-Pro.local', ip: '2401:7400:c802:b45:e5c3:40ae:fad7:80b8%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'</p> <p>Driver info: io.appium.java_client.android.AndroidDriver</p> <p>Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0B101FDD4004BD, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0B101FDD4004BD, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}</p> <p>Session ID: 3f890bde-b737-48c2-ac00-d14e98ae14e2</p>		

\*\*\* Element info: {Using=xpath, value=//android.widget.TextView[@text='Invite Your Friends Via']/following::android.view.ViewGroup[9]}

at jdk.internal.reflect.GeneratedConstructorAccessor22.newInstance(Unknown Source)

at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)

at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)

at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)

at io.appium.java\_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:231)

at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)

at io.appium.java\_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:42)

at io.appium.java\_client.AppiumDriver.execute(AppiumDriver.java:1)

at io.appium.java\_client.android.AndroidDriver.execute(AndroidDriver.java:1)

at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)

at io.appium.java\_client.DefaultGenericMobileDriver.findElement(DefaultGenericMobileDriver.java:62)

at io.appium.java\_client.AppiumDriver.findElement(AppiumDriver.java:1)

at io.appium.java\_client.android.AndroidDriver.findElement(AndroidDriver.java:1)

at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:419)

at io.appium.java\_client.DefaultGenericMobileDriver.findElementByXPath(DefaultGenericMobileDriver.java:152)

at io.appium.java\_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)

at io.appium.java\_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)

at org.openqa.selenium.By\$ByXPath.findElement(By.java:353)

at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)

at io.appium.java\_client.DefaultGenericMobileDriver.findElement(DefaultGenericMobileDriver.java:58)

at io.appium.java\_client.AppiumDriver.findElement(AppiumDriver.java:1)

at io.appium.java\_client.android.AndroidDriver.findElement(AndroidDriver.java:1)

at com.prudential.tap.selenium.Commands\$15.executeCommand(Commands.java:141)


at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19)

at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:168)

at com.onepulse.app.screens.PulseLoginScreen.clickViberIcon(PulseLoginScreen.java:681)

at com.onepulse.app.stepdefinitions.mobilesteps.LoginSteps.iVerifyTheViberShareIcon(LoginSteps.java:318)

at .Then I verify the Viber share icon(features/share/ShareWithFriends.feature:37)



After	0.00s
-------	-------

[Back to Table of Contents](#)

**Scenario: Verify User should be able to share the link with Line app**

Passed: 0	Failed: 1	Undefined: 0	Duration: 28.94s
-----------	-----------	--------------	------------------

Before	0.00s
--------	-------

Then I verify the Line share icon	28.94s
-----------------------------------	--------

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.

For documentation on this error, please visit: [http://seleniumhq.org/exceptions/no\\_such\\_element.html](http://seleniumhq.org/exceptions/no_such_element.html)

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'Prudentials-MacBook-Pro.local', ip: '2401:7400:c802:b45:e5c3:40ae:fad7:80b8%en0', os.name: 'Mac OS X', os.arch: 'x86\_64', os.version: '10.16', java.version: '11.0.10'

Driver info: io.appium.java\_client.android.AndroidDriver

Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0B101FDD4004BD, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0B101FDD4004BD, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}

Session ID: 3f890bde-b737-48c2-ac00-d14e98ae14e2



\*\*\* Element info: {Using=xpath, value=//android.widget.TextView[@text='Invite Your Friends Via']/following::android.view.ViewGroup[11]}

at jdk.internal.reflect.GeneratedConstructorAccessor22.newInstance(Unknown Source)

at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)

at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)

at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)

at io.appium.java\_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:231)

at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)

at io.appium.java\_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:42)

at io.appium.java\_client.AppiumDriver.execute(AppiumDriver.java:1)

at io.appium.java\_client.android.AndroidDriver.execute(AndroidDriver.java:1)

at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)

at io.appium.java\_client.DefaultGenericMobileDriver.findElement(DefaultGenericMobileDriver.java:62)

at io.appium.java\_client.AppiumDriver.findElement(AppiumDriver.java:1)

at io.appium.java\_client.android.AndroidDriver.findElement(AndroidDriver.java:1)

at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:419)

at io.appium.java\_client.DefaultGenericMobileDriver.findElementByXPath(DefaultGenericMobileDriver.java:152)

at io.appium.java\_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)

at io.appium.java\_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)

at org.openqa.selenium.By\$ByXPath.findElement(By.java:353)

at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)

at io.appium.java\_client.DefaultGenericMobileDriver.findElement(DefaultGenericMobileDriver.java:58)

at io.appium.java\_client.AppiumDriver.findElement(AppiumDriver.java:1)

at io.appium.java\_client.android.AndroidDriver.findElement(AndroidDriver.java:1)

at com.prudential.tap.selenium.Commands\$15.executeCommand(Commands.java:141)


at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19)

at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:168)

at com.onepulse.app.screens.PulseLoginScreen.clickLineIcon(PulseLoginScreen.java:675)

at com.onepulse.app.stepdefinitions.mobilesteps.LoginSteps.iVerifyTheLineShareIcon(LoginSteps.java:313)

at .Then I verify the Line share icon(features/share/ShareWithFriends.feature:40)



After	0.00s
-------	-------

[Back to Table of Contents](#)