

Overview

	Passed	Failed	Known	Undefined	Total	%Passed
Features	16	11	0	0	27	59%
Scenarios	186	98	0	0	284	65%
Steps	1,025	98	0	59	1,182	87%

Overall Duration: 4h 06m 22s

Table of Contents

1. Verify login functionality on One pulse App
 1. Launch the app and select the country as per specified Ibu
 2. login to the app with correct credentials using "Continue with Email"
 3. Verify the Invalid Email id in login screen using "Continue with Email"
 4. Verify the User not registered email in login screen using "Continue with Email"
 5. User should be able to retrieve the reset password using forget password link
 6. Verify Account should be locked after entering more than 7 times incorrect passwords
 7. Verify the Login Functionality using "Continue with Facebook"
2. Verify registration functionality on one pulse App
 1. User should be able to register on app with correct credentials using "Continue with Email"
 2. verify the field label on registration screen
 3. verify the validation message for mandatory fields
 4. verify validation message when user enters Invalid password: Pulse@1 on registration page
 5. verify validation message when user enters Invalid password: Pulse123 on registration page
 6. Verify the validation message when user enter already registered email id on registration page
 7. Verify the mobile number screen validation using "Continue with Email"
 8. Verify the Registration screen validation using "Continue with Email"
 9. Verify the resend OTP functionality on Enter OTP Screen using "Continue with Email"
3. Verify Edit Profile functionality on Pulse Health & Wealth app
 1. Launch the app and select the country as per specified Ibu
 2. login to the app with correct credentials using "Continue with Email"
 3. Verify User should be able to navigate to Edit profile screen
 4. Verify User should be able to change the profile picture in edit profile screen
 5. Verify the email,country code and COR fields are non-editable in edit profile screen
 6. Verify user can able to change the details in edit profile screen
 7. Verify Details updated during pulse profile registration should be reflected in edit profile screen
 8. verify the user details should be correctly on babylon screen
 9. navigate back to health screen
4. Verify the Babylon Registration via HRA journey
 1. User should be able to Register for Babylon HRA
 2. User should be able to Register for Babylon HRA
5. Verify that user can locate near by Hospitals,clinics using PruShoppe Location feature
 1. Launch the app and select the country as per specified Ibu
 2. login to the app with correct credentials using "Continue with Email"

3. User should be able to locate Hospitals using PruShoppe location
4. User can see details of listed hospitals in detail
5. User can see the details in speciality tab
6. User can see the details in doctor's tab
7. User can see the details in rooms tab
8. User can navigate out of the hospital details screen
9. User should be able to locate cli using PruShoppe location
10. User can verify the clinic page
11. User can view listed clinic details
12. User can view listed clinic info
13. User can view listed clinic info details
14. User can navigate back to clinics screen
6. Verify Medicine Reminder Positive Flow functionality on one pulse App
 1. User should be able to register on app with correct credentials using "Continue with Email"
 2. Verify User should be able to navigate to medical reminder page
 3. verify the static text on medicine reminder screen
 4. click on add reminder button
 5. verify add medicine screen is launched and user can enter the required info on medical info screen
 6. verify user navigated to schedule screen and user can enter the required info
 7. Verify User should be able to navigate to More Setting page
 8. verify Add medicine screen is displayed when user click on add new reminder on success popup
 9. verify medicine reminder home screen is displayed when user click on not now button on success popup
 10. navigate to health screen
 11. Verify User should be able to navigate to calendar page
7. Verify MY Event channel functionality on one pulse App
 1. Launch the app and select the country as per specified Ibu
 2. login to the app with correct credentials using "Continue with Email"
 3. Verify MyEvent Functionality in Home screen
 4. Verify Events Archive tab
 5. Verify Open Events tab
8. Verify My Health Content functionality on One Pulse App
 1. Launch the app and select the country as per specified Ibu
 2. User should be able to login on app with correct credentials using "Continue with Email"
 3. Verify User should be able to navigate to Health page
 4. Verify User should be able to view the full page article post
 5. Verify User should be able to see the Like, Share, Comment options on full page article post
 6. Verify User should be able to Like the post in full article view screen
 7. Verify User should be able to Share the post in full article view screen
 8. Verify User can navigate to Health homepage
9. Verify Notification Center functionality on one pulse App
 1. User should be able to register on app with correct credentials using "Continue with Email"
 2. Navigate to notification screen via home screen
 3. Verify User should be able to see the Notification screen texts
10. Verify My Challenges on One Pulse App
 1. Launch the app and select the country as per specified Ibu

2. User should be able to login on app with correct credentials using "Continue with Email"
3. Verify My Challenges texts
4. Click on All challenges and and verify texts
11. Verify My Communities on One Pulse App
 1. Launch the app and select the country as per specified Ibu
 2. User should be able to login on app with correct credentials using "Continue with Gmail"
 3. User should be able to login on app with correct credentials using "Continue with Email" and Verify the Mycommunities screen
 4. Leave the community if already joined
 5. Verify the All Communities Post screen
 6. Verify the Likes and comments counts in All communities tab
 7. Verify the Share with Friends Functionality in All communities tab
 8. Verify the Post Functionality in All communities
 9. Verify the Category list and search feature
 10. User navigates back to the community screen
 11. Leave the community if already joined
12. Verify Private My Communities on One Pulse App
 1. Launch the app and select the country as per specified Ibu
 2. User should be able to login on app with correct credentials using "Continue with Email"
 3. Verify the My communities screen
 4. Verify the Private Communities in communities screen
13. Verify legal and legacy on One pulse App
 1. Launch the app and select the country as per specified Ibu
 2. login to the app with correct credentials using "Continue with Email"
 3. Navigate to account screen
 4. Verify the Legacy and Privacy should be displayed
 5. Verify the Terms and condition screen should be displayed
 6. Verify the Privacy screen should be displayed
 7. Verify the Regulator screen should be displayed
14. Verify My accounts options in Account screen
 1. Launch the app and select the country as per specified Ibu
 2. login to the app with correct credentials using "Continue with Email"
 3. Navigate to account screen and verify all the options
 4. Verify wearable screen in Account tab
 5. navigate back to account screen from my wearable screen
 6. Navigate to account screen
 7. Verify reward screen in Account tab
 8. User access My Rewards FAQ
 9. Verify the FAQ on my rewards screen
 10. Verify the FAQ on my rewards screen
 11. Verify the FAQ on my rewards screen
 12. Verify the FAQ on my rewards screen
 13. Verify the FAQ on my rewards screen
 14. Verify the FAQ on my rewards screen
 15. Verify the FAQ on my rewards screen
 16. Verify the FAQ on my rewards screen
 17. navigate back to account screen from my rewards screen
 18. Verify Notification screen in Account tab
 19. navigate back to account screen from Notification screen
 20. Verify my feedback screen in Account tab
 21. Verify the submit functionality in My feedback screen

22. Verify the Pulse Personalised tab
23. Save the consent with data privacy check
24. Save the consent without data privacy check
25. navigate back to account screen from pulse personalised screen
15. Verify MySettings functionality in Account screen
 1. Launch the app and select the country as per specified Ibu
 2. login to the app with correct credentials using "Continue with Email"
 3. Navigate to account screen
 4. Verify my setting screen in Account tab
 5. navigate back to account screen from my setting screen
16. Verify My wearable functionality via fitness tab on Pulse Health & Wealth app
 1. Launch the app and select the country as per specified Ibu
 2. login to the app with correct credentials using "Continue with Email"
 3. Verify the user can access My Wearables via Fitness
17. Verify the BabyLon HRA Report - Nutrition, Body, Activity
 1. Launch the app and select the country as per specified Ibu
 2. login to the app with correct credentials using "Continue with Email"
 3. User should be able to access Babylon Health Risk Assessment Report
 4. Verify the HRA Activity Report
 5. Verify the HRA Activity Report
 6. Verify the HRA Nutrition Report
 7. Verify the HRA Report - Keep It Up sub-section
 8. Verify the HRA Report - Make a Change sub-section
 9. User should be able to access Babylon HRA - Healthcheck - Body
 10. navigate back to digital twin screen
 11. User should be able to access Babylon HRA - Healthcheck - Nutrition
 12. Navigate back to nutrition screen and validate the static text
 13. navigate back to digital twin screen
 14. User should be able to access Babylon HRA - Healthcheck - Activity
 15. Navigate back to Activity screen and validate the static text
 16. navigate back to digital twin screen
 17. User should be able to access Babylon HRA - Healthcheck - Mood
 18. navigate back to digital twin screen
18. Verify that user can access calendar under health section
 1. Launch the app and select the country as per specified Ibu
 2. login to the app with correct credentials using "Continue with Email"
 3. User should be able to access Calendar screen
19. Verify that user can access Chinese Medicine feature
 1. User should be able to register on app with correct credentials using "Continue with Email"
 2. User should be able to access Chinese Medicine screen
 3. Verify the carousel on Chinese Medicine journey
 4. Verify the carousel on Chinese Medicine journey
 5. verify the text and button on final assessment carousel
 6. User should be able to complete Chinese Medicine profile
 7. Verify the Q&A on Chinese Medicine journey
 8. Verify the Q&A on Chinese Medicine journey
 9. Verify the Q&A on Chinese Medicine journey
 10. Verify the Q&A on Chinese Medicine journey
 11. Verify the Q&A on Chinese Medicine journey
 12. Verify the Q&A on Chinese Medicine journey

- [illegible]

64. [Verify the Q&A on Chinese Medicine journey](#)
65. [Verify the Q&A on Chinese Medicine journey](#)
66. [Verify the Q&A on Chinese Medicine journey](#)
67. [Verify the Q&A on Chinese Medicine journey](#)
68. [Verify the Q&A on Chinese Medicine journey](#)
69. [Verify the Q&A on Chinese Medicine journey](#)
70. [Verify the Assessment completion screen](#)
71. [Verify the user can view the Assessment Record](#)
72. [Verify the Assessment Summary](#)
73. [Verify the "Constitution" Details of the Assessment](#)
74. [Verify the "Change In Tongue" Details of the Assessment](#)
20. [Verify Dietician Positive Flow for Doctor functionality on one pulse App](#)
 1. [Verify the Home screen validation using "Continue with Email"](#)
 2. [Verify User should be able to navigate to Dietician page](#)
 3. [Select the expert type as doctor and navigate to next screen](#)
 4. [Verify User should be able to navigate to specialisation page](#)
 5. [Verify User should be able to navigate to Educational Details page](#)
 6. [Verify User should be able to navigate to Add experience page](#)
 7. [Verify User should be able to navigate to Services Offered page](#)
 8. [Verify User should be able to navigate to achievement and awards screen](#)
 9. [Verify User should be able to navigate to Seminar\(s\) Attended page](#)
 10. [Verify User should be able to navigate to linked clinic page](#)
 11. [Verify User should be able to navigate to Take a Picture page](#)
 12. [Verify User should be able to navigate to schedule Calendar page](#)
21. [Verify that user can manage events via the Family Vaccine Calendar feature](#)
 1. [User should be able to register on app with correct credentials using "Continue with Email"](#)
 2. [User should be able to access my family vaccination calendar](#)
 3. [Verify the user can Add Vaccine Information](#)
 4. [enter information on add vaccination popup](#)
 5. [Verify the added item displayed on the Vaccine Schedule screen](#)
 6. [Verify reminder options in vaccine schedule](#)
 7. [Verify change reminder functionality in vaccine schedule screen](#)
22. [Verify that user can access Dengue Alert feature](#)
 1. [Launch the app and select the country as per specified Ibu](#)
 2. [login to the app with correct credentials using "Continue with Email"](#)
 3. [Verify the map can be expanded](#)
 4. [User should be able to view the Dengue Outbreak - Malaysia](#)
 5. [User should be able to view the Dengue Cases - Malaysia](#)
23. [Verify Pru infectious disease cover functionality on one pulse App](#)
 1. [User should be able to register on app with correct credentials using "Continue with Email"](#)
 2. [Navigate to PRU Shoppe screen](#)
 3. [Verify User should be able to see the infectious disease cover screen options](#)
 4. [Verify User should be able to see the infectious disease cover Screen options](#)
 5. [Verify User should be able to see the infectious disease cover term and condition](#)
 6. [Verify User should be able to see the infectious disease cover term and condition](#)
 7. [Verify User should be able to see the infectious disease cover term and condition](#)
 8. [Verify User should be able to see the infectious disease cover term and condition](#)
 9. [verify that user can see agreement and proceed button](#)
24. [Verify Pru Shoppe My Coverage functionality on one pulse App](#)

1. Launch the app and select the country as per specified lbu
2. login to the app with correct credentials using "Continue with Email"
3. Verify user can access his policies from Pru Shoppe My Policies screen
4. Click on Link policy and verify screen to add policy number
5. Verify the error message when the Policy Number is blank
6. Verify the error message when the Policy Number is invalid or incorrect
7. Verify the error message when the Cancel Button
25. Verify wealth channel functionality on one pulse App
 1. Launch the app and select the country as per specified lbu
 2. login to the app with correct credentials using "Continue with Email"
 3. Verify User should be able to navigate to wealth page
 4. Verify User should be able to view the story post
 5. Verify User should be able to Like the post
 6. Verify User should be able to Share the post
 7. Verify User should be able to Comment the post
 8. Verify User should be able to view the full page article post
 9. Verify User should be able to see the Like, Share, Comment options on full page article post
 10. Verify User should be able to Like the post in full article view screen
 11. Verify User should be able to Share the post in full article view screen
 12. Verify User should be able to Comment the post in full article view screen
 13. Verify User can navigate to wealth homepage
26. Verify Notification Center functionality on one pulse App
 1. Navigate to notification screen via home screen
 2. Verify User should be able to see the Notification screen texts
27. Verify share with friends functionality in onepulse app
 1. Launch the app and select the country as per specified lbu
 2. login to the app with correct credentials using "Continue with Email"
 3. Verify User should be able to share the link with Whatsapp
 4. Verify User should be able to share the link with Contacts app
 5. Verify User should be able to share the link with Messenger app
 6. Verify User should be able to share the link with Viber app
 7. Verify User should be able to share the link with Line app

Detailed Results Report

Feature: Verify login functionality on One pulse App			
Passed: 7	Failed: 0	Undefined: 0	Duration: 1190.9s
Scenario: Launch the app and select the country as per specified lbu			
Passed: 8	Failed: 0	Undefined: 0	Duration: 138.82s
Before			0.35s
Given User has pulse app			75.35s
And I assign "\${login.email.id}" to variable "PULSE_EMAIL"			0.09s
And user click on "CONTINUE WITH EMAIL" with Email button			34.04s
Then I change the country as required on registration page			22.26s
Then I wait for 2 sec			2.01s
Then I change the language as required on registration page			0.00s

And I click the Sign in link		1.75s
Then I verify below language options on toggle bar as per specified Ibu on login page		2.98s
After		0.00s
Back to Table of Contents		
Scenario: login to the app with correct credentials using "Continue with Email"		
Passed: 6	Failed: 0	Duration: 105.53s
Before		0.00s
Given I select the language option on toggle bar as required on login page		3.77s
When user enters credentials		63.78s
UserName	\${PULSE_EMAIL}	
Password	\${login.password}	
And User clicks on signin button		1.70s
And I wait for 5 sec		5.01s
And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}"		13.53s
Then user should be landed to "Home" screen		17.75s
After		0.00s
Back to Table of Contents		
Scenario: Verify the Invalid Email id in login screen using "Continue with Email"		
Passed: 15	Failed: 0	Duration: 185.17s
Before		0.00s
Given User has pulse app		6.57s
Then I wait for 2 sec		2.00s
And user click on "CONTINUE WITH EMAIL" with Email button		49.30s
Then I change the country as required on registration page		21.53s
Then I wait for 2 sec		2.00s
And I click the Sign in link		1.97s
Then I wait for 2 sec		2.00s
And I select the language option on toggle bar as required on login page		3.31s
When user enters credentials		60.31s
UserName	t@gmai	
Password	Pas\$1234	
And User clicks on signin button		1.56s
Then verify invalid email message "Email is required"		1.39s
Then User clicks on Forgot Password button		1.52s
Then enter the email to request the new password		29.83s
Email	t@gmai	
Then User clicks on Send button		1.41s
Then verify invalid email message "\${email.invalid.text}"		0.47s
After		0.00s
Back to Table of Contents		

Scenario: Verify the User not registered email in login screen using "Continue with Email"

Passed: 17	Failed: 0	Undefined: 0	Duration: 181.57s
Before			0.00s

Given I generate random number and assign to variable "RANDOM_NUMBER"	0.05s				
And I assign value to following variables	0.00s				
<table> <tr> <td>USER_NAME</td><td>taf-\${RANDOM_NUMBER}@mailinator.com</td></tr> <tr> <td>USER_PASSWORD</td><td>Pas\$1234</td></tr> </table>	USER_NAME	taf-\${RANDOM_NUMBER}@mailinator.com	USER_PASSWORD	Pas\$1234	
USER_NAME	taf-\${RANDOM_NUMBER}@mailinator.com				
USER_PASSWORD	Pas\$1234				
Given User has pulse app	6.82s				
And user click on "CONTINUE WITH EMAIL" with Email button	29.85s				
Then I change the country as required on registration page	21.77s				
Then I wait for 2 sec	2.01s				
And I click the Sign in link	1.89s				
Then I wait for 2 sec	2.01s				
And I select the language option on toggle bar as required on login page	3.43s				
When user enters credentials	65.14s				
<table> <tr> <td>UserName</td><td>\${USER_NAME}</td></tr> <tr> <td>Password</td><td>\${USER_PASSWORD}</td></tr> </table>	UserName	\${USER_NAME}	Password	\${USER_PASSWORD}	
UserName	\${USER_NAME}				
Password	\${USER_PASSWORD}				
And I scroll down	6.88s				
And User clicks on signin button	1.43s				
Then verify invalid email message "\${invalid.credential.message}"	2.01s				
Then User clicks on Forgot Password button	1.46s				
Then enter the email to request the new password	33.70s				
<table> <tr> <td>Email</td><td>\${USER_NAME}</td></tr> </table>	Email	\${USER_NAME}			
Email	\${USER_NAME}				
Then User clicks on Send button	1.26s				
Then verify invalid email message "\${invalid.credential.message}"	1.87s				

After	0.00s
-------	-------

[Back to Table of Contents](#)

Scenario: User should be able to retrieve the reset password using forget password link

Passed: 8	Failed: 0	Undefined: 0	Duration: 125.78s
Before			0.00s

And I assign "\${forgot.password.email.id}" to variable "PULSE_EMAIL"	0.01s		
Then enter the email to request the new password	70.91s		
<table> <tr> <td>Email</td><td>\${PULSE_EMAIL}</td></tr> </table>	Email	\${PULSE_EMAIL}	
Email	\${PULSE_EMAIL}		
Then User clicks on Send button	1.26s		
And I read the otp for emailid "\${PULSE_EMAIL}" using mailsac api and store into a variable "EMAIL_OTP"	27.50s		
Then I wait for 5 sec	5.01s		
Then I enter "\${EMAIL_OTP}" reset code	2.34s		
Then I wait for 5 sec	5.01s		
Then Verify message: "\${password.reset.success.text}" for Reset Password	13.75s		

After	0.00s
-------	-------

[Back to Table of Contents](#)**Scenario: Verify Account should be locked after entering more than 7 times incorrect passwords**

Passed: 20	Failed: 0	Undefined: 0	Duration: 326.11s
Before			0.00s

Given I generate random number and assign to variable "RANDOM_NUMBER"		0.01s								
And I assign "pulse\${RANDOM_NUMBER}@mailsac.com" to variable "PULSE_EMAIL"		0.00s								
And User has pulse app		6.84s								
Then I wait for 2 sec		2.01s								
And user click on "CONTINUE WITH EMAIL" with Email button		28.80s								
Then I change the country as required on registration page		20.89s								
Then I wait for 5 sec		5.01s								
Then I navigate to pulse registration page and select the lang on toggle bar then click on continue with email button		7.03s								
Then I wait for 2 sec		2.00s								
When user enters registration details		19.88s								
<table><tr><td>FirstName</td><td>testAutomation</td></tr><tr><td>LastName</td><td>testAutomation</td></tr><tr><td>Email</td><td>\${PULSE_EMAIL}</td></tr><tr><td>Password</td><td>Pas\$1234</td></tr></table>		FirstName	testAutomation	LastName	testAutomation	Email	\${PULSE_EMAIL}	Password	Pas\$1234	
FirstName	testAutomation									
LastName	testAutomation									
Email	\${PULSE_EMAIL}									
Password	Pas\$1234									
And taps on continue "Sign_Up" button		1.94s								
Then I wait for otp screen after clicking on signup button		2.67s								
Then I enter OTP in one pulse app for user email "\${PULSE_EMAIL}"		34.34s								
Then I click skip button		106.93								
Then user should be landed to "Home" screen		15.47s								
Then I wait for 4 sec		4.01s								
And I click the Account icon in Home screen		2.00s								
And I click the sign out from pulse app		12.93s								
Then I wait for 2 sec		2.00s								
Then I enter invalid password on login screen and verify the error message		51.35s								
<table><tr><td>Pas\$123##\${invalid.credential.message}</td></tr><tr><td>Pas\$123##\${invalid.credential.message}</td></tr><tr><td>Pas\$123##\${invalid.credential.message}</td></tr><tr><td>Pas\$123##\${invalid.credential.message}</td></tr><tr><td>Pas\$123##\${invalid.credential.message}</td></tr><tr><td>Pas\$123##\${invalid.credential.message}</td></tr><tr><td>Pas\$123##\${invalid.credential.message}</td></tr><tr><td>Pas\$123##\${account.locked.message}</td></tr></table>		Pas\$123##\${invalid.credential.message}	Pas\$123##\${invalid.credential.message}	Pas\$123##\${invalid.credential.message}	Pas\$123##\${invalid.credential.message}	Pas\$123##\${invalid.credential.message}	Pas\$123##\${invalid.credential.message}	Pas\$123##\${invalid.credential.message}	Pas\$123##\${account.locked.message}	
Pas\$123##\${invalid.credential.message}										
Pas\$123##\${invalid.credential.message}										
Pas\$123##\${invalid.credential.message}										
Pas\$123##\${invalid.credential.message}										
Pas\$123##\${invalid.credential.message}										
Pas\$123##\${invalid.credential.message}										
Pas\$123##\${invalid.credential.message}										
Pas\$123##\${account.locked.message}										

After		0.00s
-------	--	-------

[Back to Table of Contents](#)**Scenario: Verify the Login Functionality using "Continue with Facebook"**

		Duration: 127.92
--	--	------------------

Passed: 13	Failed: 0	Undefined: 0	s
Before			0.00s
Given User has pulse app			7.59s
Then I wait for 2 sec			2.01s
And user click on "CONTINUE WITH EMAIL" with Email button			29.13s
Then I wait for 2 sec			2.02s
Then I change the country as required on registration page			18.90s
Then I wait for 2 sec			2.00s
Then I navigate to pulse registration page and select the lang on toggle bar			5.59s
Then I click on connect with facebook button			1.39s
Then I wait for 2 sec			2.01s
And I click the "Email" in Continue with Facebook			17.93s
Emailid	{emailid.text}		
Password	{password.texts}		
Then I wait for 10 sec			10.01s
Then user should be landed to "Home" screen			16.05s
And I logout from onepulse app			13.29s
After			0.00s
Back to Table of Contents			
Feature: Verify registration functionality on one pulse App			
Passed: 9	Failed: 0	Undefined: 0	Duration: 1061.91s
Scenario: User should be able to register on app with correct credentials using "Continue with Email"			
Passed: 47	Failed: 0	Undefined: 0	Duration: 293.24s
Before			0.00s
Given I generate random number and assign to variable "RANDOM_NUMBER"			0.01s
And I assign "pulse\${RANDOM_NUMBER}@mailsac.com" to variable "PULSE_EMAIL"			0.00s
And User has pulse app			7.25s
Then I wait for 2 sec			2.01s
And user click on "CONTINUE WITH EMAIL" with Email button			33.37s
Then I wait for 2 sec			2.01s
Then I change the country as required on registration page			20.95s
Then I wait for 2 sec			2.00s
Then I navigate to pulse registration page and select the lang on toggle bar then click on continue with email button			6.86s
Then I wait for 2 sec			2.01s
When user enters registration details			19.49s
FirstName	testAutomation		
LastName	testAutomation		
Email	{PULSE_EMAIL}		
Password	Pas\$1234		

And taps on continue "Sign_Up" button	1.87s
Then I wait for otp screen after clicking on signup button	2.34s
And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}"	35.21s
Then I wait for 2 sec	2.00s
And I enter the "mobile number" in welcome to pulse	7.72s
mobileNumber\${registration.mobile.number}	
And I choose my wellness goals under wellness plan screen	3.93s
And I click the date in Date of Birth field	2.11s
And I click the Done icon	1.53s
And I click the continue button	1.83s
And I select the Male icon	2.06s
And I click the continue button	1.73s
And I click on Calculate BMI button	2.90s
And I click the continue button	2.02s
And I select the "How active are you?" in doing exercise	2.14s
And I click the continue button	2.30s
And I select my favorite food dietary	2.23s
And I click the continue button	2.08s
And I answer as "\${option.yes.text}" to "Any Food allergies?"	4.62s
And I click the continue button	3.00s
And I verify that "Tracking your activity is trending" is displayed	2.18s
And I click on connect Later button	1.08s
And I enter the "mobile number" in welcome to pulse	8.24s
mobileNumber\${registration.mobile.number}	
And I see that "Welcome to Pulse" text is displayed	2.21s
And I see that fitness subscription exclusive offers screen is displayed	6.48s
And I click on close icon	5.44s
And I enter NRIC number last 4 digits "122F"	8.10s
Then I click skip buttons	5.25s
Then user should be landed to "Home" screen	21.75s
Then I wait for 4 sec	4.01s
And I click the Account icon in Home screen	1.89s
And I click the sign out from pulse app	12.34s
Then I wait for 4 sec	4.01s
When user enters password credentials in signin screen	5.24s
PasswordPas\$1234	
And User clicks on signin button	1.67s
Then I wait for 8 sec	8.00s
Then user should be landed to "Home" screen	15.78s
After	0.00s
Back to Table of Contents	
Scenario: verify the field label on registration screen	
Passed: 9	Failed: 0
Undefined: 0	Duration: 94.92s
Before	0.00s

Given User has pulse app			7.72s								
Then I wait for 2 sec			2.00s								
And user click on "CONTINUE WITH EMAIL" with Email button			45.76s								
Then I wait for 2 sec			2.01s								
Then I change the country as required on registration page			21.35s								
Then I wait for 2 sec			2.01s								
Then I navigate to pulse registration page and select the lang on toggle bar then click on continue with email button			7.02s								
Then I wait for 2 sec			2.00s								
Then I verify following field label should be displayed on registration screen			5.06s								
	<table><tr><td>{firstname.label.text}</td></tr><tr><td>{lastname.label.text}</td></tr><tr><td>{email.text}</td></tr><tr><td>{password.text}</td></tr></table>		{firstname.label.text}	{lastname.label.text}	{email.text}	{password.text}					
{firstname.label.text}											
{lastname.label.text}											
{email.text}											
{password.text}											
After			0.00s								
Back to Table of Contents											
Scenario: verify the validation message for mandatory fields											
Passed: 2	Failed: 0	Undefined: 0	Duration: 6.18s								
Before			0.00s								
	Given taps on continue "Sign_Up" button		1.74s								
	Then I verify the validation error message is displayed for following field on registration page		4.43s								
	<table><tr><td>FirstName</td><td>{firstname.mandatoryField.message}</td></tr><tr><td>LastName</td><td>{lastname.mandatoryField.message}</td></tr><tr><td>Email</td><td>{email.mandatoryField.message}</td></tr><tr><td>Password</td><td>{password.validation.message}</td></tr></table>	FirstName	{firstname.mandatoryField.message}	LastName	{lastname.mandatoryField.message}	Email	{email.mandatoryField.message}	Password	{password.validation.message}		
FirstName	{firstname.mandatoryField.message}										
LastName	{lastname.mandatoryField.message}										
Email	{email.mandatoryField.message}										
Password	{password.validation.message}										
After			0.00s								
Back to Table of Contents											
Scenario Outline: verify validation message when user enters Invalid password: Pulse@1 on registration page											
Passed: 3	Failed: 0	Undefined: 0	Duration: 7.76s								
Before			0.00s								
	When user enters registration details		4.94s								
	<table><tr><td>Password</td><td>Pulse@1</td></tr></table>	Password	Pulse@1								
Password	Pulse@1										
	And taps on continue "Sign_Up" button		1.85s								
	Then I verify the validation error message is displayed for following field on registration page		0.97s								
	<table><tr><td>Password</td><td>{password.validation.message}</td></tr></table>	Password	{password.validation.message}								
Password	{password.validation.message}										
After			0.00s								
Back to Table of Contents											
Scenario Outline: verify validation message when user enters Invalid password: Pulse123 on registration page											
Passed: 3	Failed: 0	Undefined: 0	Duration: 8.92s								

Before		0.00s
When user enters registration details		5.31s
Password	Pulse123	
And taps on continue "Sign_Up" button		2.11s
Then I verify the validation error message is displayed for following field on registration page		1.50s
Password	{password.validation.message}	
After		0.00s
Back to Table of Contents		
Scenario: Verify the validation message when user enter already registered email id on registration page		
Passed: 11	Failed: 0	Duration: 117.31s
Before		0.00s
Given User has pulse app		8.56s
Then I wait for 2 sec		2.01s
And user click on "CONTINUE WITH EMAIL" with Email button		34.25s
Then I wait for 2 sec		2.01s
Then I change the country as required on registration page		24.27s
Then I wait for 2 sec		2.01s
Then I navigate to pulse registration page and select the lang on toggle bar then click on continue with email button		7.34s
Then I wait for 2 sec		2.00s
When user enters registration details		29.86s
FirstName	testAutomation	
LastName	testAutomation	
Email	{login.email.id}	
Password	Pas\$1234	
And taps on continue "Sign_Up" button		2.41s
Then I verify the validation error message is displayed for following field on registration page		2.60s
Email	{user.exist.text}	
After		0.00s
Back to Table of Contents		
Scenario: Verify the mobile number screen validation using "Continue with Email"		
Passed: 20	Failed: 0	Duration: 168.64s
Before		0.01s
Given I generate random number and assign to variable "RANDOM_NUMBER"		0.03s
And I assign "pulse\${RANDOM_NUMBER}@mailsac.com" to variable "PULSE_EMAIL"		0.00s
Given User has pulse app		7.15s
Then I wait for 2 sec		2.00s

And user click on "CONTINUE WITH EMAIL" with Email button	30.45s								
Then I wait for 2 sec	2.00s								
Then I change the country as required on registration page	20.93s								
Then I wait for 2 sec	2.01s								
Then I navigate to pulse registration page and select the lang on toggle bar then click on continue with email button	7.30s								
Then I wait for 2 sec	2.01s								
When user enters registration details	27.34s								
<table> <tr> <td>FirstName</td><td>NewAutomation</td></tr> <tr> <td>LastName</td><td>NewAutomation</td></tr> <tr> <td>Email</td><td>\${PULSE_EMAIL}</td></tr> <tr> <td>Password</td><td>Pas\$1234</td></tr> </table>	FirstName	NewAutomation	LastName	NewAutomation	Email	\${PULSE_EMAIL}	Password	Pas\$1234	
FirstName	NewAutomation								
LastName	NewAutomation								
Email	\${PULSE_EMAIL}								
Password	Pas\$1234								
And taps on continue "Sign_Up" button	2.15s								
And I wait for otp screen after clicking on signup button	6.56s								
And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}"	36.21s								
Then I wait for 10 sec	10.01s								
Then I verify the country code should be displayed correctly on phone number screen	0.67s								
And I enter the "mobile number" in welcome to pulse	7.19s								
<table> <tr> <td>mobileNumber</td><td>917670</td></tr> </table>	mobileNumber	917670							
mobileNumber	917670								
And I click the continue button	1.81s								
Then I wait for 2 sec	2.01s								
Then verify Again invalid Mobile message "\${invalid.mobile.text}"	0.83s								
After	0.00s								
Back to Table of Contents									
Scenario: Verify the Registration screen validation using "Continue with Email"									
Passed: 29	Failed: 0								
Undefined: 0	Duration: 73.66s								
Before	0.00s								
Given I enter the "mobile number" in welcome to pulse	7.16s								
<table> <tr> <td>mobileNumber</td><td>\${registration.mobile.number}</td></tr> </table>	mobileNumber	\${registration.mobile.number}							
mobileNumber	\${registration.mobile.number}								
Then I wait for 1 sec	1.01s								
And I click the continue button	2.13s								
Then verify validation message "\${wellness.goal.alert.text}" on registration workflow screen	4.03s								
And I choose my wellness goals under wellness plan screen	4.23s								
Then I wait for 1 sec	1.00s								
And I click the continue button	2.87s								
Then verify validation message "\${dob.alert.text}" on registration workflow screen	3.85s								
And I click the date in Date of Birth field	1.41s								
And I click the Done icon	1.59s								
And I click the continue button	2.07s								
Then I wait for 1 sec	1.00s								
And I click the continue button	1.90s								

Then verify validation message "\${gender.alert.text}" on registration workflow screen	3.89s								
And I select the Male icon	1.02s								
And I click the continue button	2.07s								
Then I wait for 1 sec	1.00s								
And I click the continue button	2.35s								
Then verify BMI validation message "\${bmi.alert.text}" on registration workflow screen	4.16s								
And I click on Calculate BMI button	3.63s								
And I click the continue button	2.36s								
Then I wait for 1 sec	1.01s								
And I click the continue button	2.26s								
Then verify validation message "\${activity.level.alert.text}" on registration workflow screen	4.13s								
And I select the "How active are you?" in doing exercise	1.43s								
And I click the continue button	2.00s								
Then I wait for 1 sec	1.01s								
And I click the continue button	2.26s								
Then verify validation message "\${diet.preference.alert.text}" on registration workflow screen	4.85s								
After	0.00s								
Back to Table of Contents									
Scenario: Verify the resend OTP functionality on Enter OTP Screen using "Continue with Email"									
Passed: 18	Failed: 0								
Undefined: 0	Duration: 291.3s								
Before	0.00s								
Given I generate random number and assign to variable "RANDOM_NUMBER"	0.01s								
And I assign "pulse\${RANDOM_NUMBER}@mailsac.com" to variable "PULSE_EMAIL"	0.00s								
And User has pulse app	8.46s								
Then I wait for 2 sec	2.01s								
And user click on "CONTINUE WITH EMAIL" with Email button	54.35s								
Then I wait for 2 sec	2.03s								
Then I change the country as required on registration page	30.44s								
Then I wait for 2 sec	2.01s								
Then I navigate to pulse registration page and select the lang on toggle bar then click on continue with email button	9.42s								
Then I wait for 2 sec	2.01s								
When user enters registration details	33.13s								
<table> <tr> <td>FirstName</td><td>testAutomation</td></tr> <tr> <td>LastName</td><td>testAutomation</td></tr> <tr> <td>Email</td><td>\${PULSE_EMAIL}</td></tr> <tr> <td>Password</td><td>Pas\$1234</td></tr> </table>	FirstName	testAutomation	LastName	testAutomation	Email	\${PULSE_EMAIL}	Password	Pas\$1234	
FirstName	testAutomation								
LastName	testAutomation								
Email	\${PULSE_EMAIL}								
Password	Pas\$1234								
And taps on continue "Sign_Up" button	2.45s								
Then I wait for otp screen after clicking on signup button	5.38s								

Then I wait for 90 sec	90.00s
Then I click the Resend button in OTP screen	3.92s
And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}"	36.00s
And I wait for 2 sec	2.01s
And I verify enter otp screen is not displayed	7.69s
After	0.00s
Back to Table of Contents	

Feature: Verify Edit Profile functionality on Pulse Health & Wealth app

Passed: 7 Failed: 2 Undefined: 0 Duration: 437.53s

Scenario: Launch the app and select the country as per specified Ibu	
Passed: 6	Failed: 0 Undefined: 0 Duration: 88.26s
Before	0.00s
Given User has pulse app	8.81s
And I assign "\${onepulse.login.edit.profile}" to variable "PULSE_EMAIL"	0.00s
And user click on "CONTINUE WITH EMAIL" with Email button	48.98s
Then I change the country as required on registration page	23.77s
Then I wait for 5 sec	5.02s
And I click the Sign in link	1.69s
After	0.01s

[Back to Table of Contents](#)

Scenario: login to the app with correct credentials using "Continue with Email"					
Passed: 7	Failed: 0 Undefined: 0 Duration: 111.18s				
Before	0.00s				
Given I select the language option on toggle bar as required on login page	5.14s				
When user enters credentials	66.68s				
<table border="1"> <tr> <td>UserName</td><td>\${PULSE_EMAIL}</td></tr> <tr> <td>Password</td><td>\${pulse.edit}</td></tr> </table>	UserName	\${PULSE_EMAIL}	Password	\${pulse.edit}	
UserName	\${PULSE_EMAIL}				
Password	\${pulse.edit}				
And User clicks on signin button	1.28s				
And I wait for 5 sec	5.01s				
And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}"	11.75s				
Then user should be landed to "Home" screen	16.32s				
And I wait for 5 sec	5.00s				
After	0.00s				

[Back to Table of Contents](#)

Scenario: Verify User should be able to navigate to Edit profile screen	
Passed: 3	Failed: 0 Undefined: 0 Duration: 36.57s
Before	0.00s
Given user navigate to account page	16.88s
And user click on Edit profile link	14.65s
Then I wait for 5 sec	5.04s
After	0.00s

[Back to Table of Contents](#)

Scenario: Verify User should be able to change the profile picture in edit profile screen

Passed: 2	Failed: 0	Undefined: 0	Duration: 24.58s
Before			0.00s
Then I give manage profile camera permission			21.05s
Then I take picture from Camera			3.53s
After			0.00s

[Back to Table of Contents](#)**Scenario: Verify the email,country code and COR fields are non-editable in edit profile screen**

Passed: 3	Failed: 0	Undefined: 0	Duration: 7.79s
Before			0.00s
And verify email field is non-editable			1.86s
And verify country code field is non-editable and country code is "\${country.code}"			2.52s
And verify country of Residence is "\${country.name}" and non-editable			3.41s
After			0.00s

[Back to Table of Contents](#)**Scenario: Verify user can able to change the details in edit profile screen**

Passed: 4	Failed: 0	Undefined: 0	Duration: 13.32s
Before			0.00s
Given I generate random number and assign to variable "RANDOM_NUMBER"			0.04s
And I assign value to following variables			0.00s
First Name	Automation-\${RANDOM_NUMBER}		
Last Name	Testing-\${RANDOM_NUMBER}		
Then I update following profile details in edit profile screen			8.29s
FirstName	\${First Name}		
LastName	\${Last Name}		
And I click on update button in edit profile screen			4.99s
After			0.00s

[Back to Table of Contents](#)**Scenario: Verify Details updated during pulse profile registration should be reflected in edit profile screen**

Passed: 0	Failed: 1	Undefined: 1	Duration: 18.11s
Before			0.00s

Given user click on Edit profile link	10.38s
---------------------------------------	--------

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.

For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'Prudentials-MacBook-Pro.local', ip: '2401:7400:c802:5759:95b8:7a7:1d5b:d396%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'

Driver info: io.appium.java_client.ios.IOSDriver

```

Capabilities {autoDismissAlerts: false, automationName: XCUITest, browserName: ,
bundleId: com.prudential.pulse.uat, databaseEnabled: false, deviceName: iOS-Test,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: false,
newCommandTimeout: 10000, noReset: false, platform: MAC, platformName: iOS,
platformVersion: 14.4.1, takesScreenshot: true, udid: 00008101-001145000212001E,
webStorageEnabled: false}
Session ID: 7fcad16c-e173-4219-9bd5-29442cdff886
*** Element info: {Using=xpath, value=//XCUIElementTypeStaticText[contains(@name,"
+60")]//parent::XCUIElementTypeOther//following-sibling::XCUIElementTypeOther
/XCUIElementTypeOther}
at jdk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.execute(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElementByXPath(IOSDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:165)
at com.onepulse.app.screens.PulseManageProfileScreen.clickeditProfileLink
(PulseManageProfileScreen.java:180)

```

at com.onepulse.app.stepdefinitions.mobilesteps.EditProfileSteps.clickEditProfileLink
(EditProfileSteps.java:37)
at .Given user click on Edit profile link(features/editProfile/PulseEditProfileTest.feature:55)

Then I verify following values in edit profile screen

0.00s

FirstName	\${First Name}
LastName	\${Last Name}
Email	\${onepulse.login.edit.profile}
Gender	\${pulse.edit.gender}
PhoneNumber	\${pulse.edit.number}

After

7.73s

[Back to Table of Contents](#)

Scenario: **verify the user details should be correctly on babylon screen**

Passed: 3	Failed: 1	Undefined: 2	Duration: 128.11s
-----------	-----------	--------------	-------------------

Before

0.01s

Given I navigate to Home page from edit profile screen

7.11s

Then I navigate to Babylon health Assessment and Accept TermsAndCondition

114.89s

Then I wait for 2 sec

2.03s

Then I verify the default values in babylon registration page is updated as below

2.53s

Gender	\${pulse.edit.gender}
FirstName	\${First Name}
LastName	\${Last Name}
Email	\${onepulse.login.edit.profile}

java.lang.AssertionError: actual value is Automation-58030068638 expected [Automation-14915076745] but found [Automation-58030068638]


```

at org.testng.Assert.fail(Assert.java:94)
at org.testng.Assert.failNotEquals(Assert.java:513)
at org.testng.Assert.assertEqualsImpl(Assert.java:135)
at org.testng.Assert.assertEquals(Assert.java:116)
at org.testng.Assert.assertEquals(Assert.java:190)
at com.onepulse.app.screens.PulseManageProfileScreen.
verifyDefaultValuesOnBabylonRegPage(PulseManageProfileScreen.java:534)
at com.onepulse.app.stepdefinitions.mobilesteps.EditProfileSteps.
verifyDefaultValuesOnBabylonRegPage(EditProfileSteps.java:156)
at .Then I verify the default values in babylon registration page is updated as below(features
/editProfile/PulseEditProfileTest.feature:67)

```

And verify email field is non-editable	0.00s
--	-------

And verify country of Residence is "\${country.name}" and non-editable	0.00s
--	-------

After	1.53s
-------	-------

[Back to Table of Contents](#)

Scenario: navigate back to health screen

Passed: 2	Failed: 0	Undefined: 0	Duration: 9.62s
-----------	-----------	--------------	-----------------

Before	0.00s
--------	-------

Given I navigate to health page from babylon registration screen	4.61s
--	-------

And I wait for 5 sec	5.01s
----------------------	-------

After	0.00s
-------	-------

[Back to Table of Contents](#)

Feature: Verify the Babylon Registration via HRA journey

Passed: 2	Failed: 0	Undefined: 0	Duration: 433.5s
-----------	-----------	--------------	------------------

Scenario: User should be able to Register for Babylon HRA

Duration: 326.93

Passed: 18		Failed: 0	Undefined: 0	s
Before				0.00s
Given I generate random number and assign to variable "RANDOM_NUMBER"				0.01s
And I assign "pulse\${RANDOM_NUMBER}@mailsac.com" to variable "PULSE_EMAIL"				0.00s
And User has pulse app				8.19s
Then I wait for 2 sec				2.01s
And user click on "CONTINUE WITH EMAIL" with Email button				56.02s
Then I wait for 2 sec				2.01s
Then I change the country as required on registration page				22.18s
Then I wait for 2 sec				2.01s
Then I navigate to pulse registration page and select the lang on toggle bar then click on continue with email button				7.05s
Then I wait for 2 sec				2.01s
When user enters registration details				30.22s
	FirstName	testAutomation		
	LastName	testAutomation		
	Email	\${PULSE_EMAIL}		
	Password	Pas\$1234		
And taps on continue "Sign_Up" button				2.50s
And I wait for otp screen after clicking on signup button				5.50s
And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}"				34.99s
Then I wait for 2 sec				2.01s
Then I click skip button				127.85s
Then user should be landed to "Home" screen				18.38s
Then I wait for 4 sec				4.01s
After				0.00s
Back to Table of Contents				
Scenario: User should be able to Register for Babylon HRA				
Passed: 5		Failed: 0	Undefined: 0	Duration: 106.57s
Before				0.00s
When I clicks on Health button				23.31s
And I navigate to Babylon health Assessment and Accept TermsAndCondition				45.21s
And I confirm the registration				14.25s
And I click on Babylon Health Assessment Get Started button				15.18s
Then I verify following options are present for assessment				8.62s
	Full Assessment			
	Nutrition			
	Activity			
	Mood			
After				0.00s
Back to Table of Contents				

Feature: Verify that user can locate near by Hospitals,clinics using PruShoppe Location feature

Passed: 4		Failed: 10		Undefined: 0		Duration: 417.62s					
Scenario: Launch the app and select the country as per specified Ibu											
Passed: 6		Failed: 0		Undefined: 0		Duration: 99.2s					
Before							0.00s				
		Given User has pulse app					9.97s				
		And I assign "\${login.email.id}" to variable "PULSE_EMAIL"					0.01s				
		And user click on "CONTINUE WITH EMAIL" with Email button					62.64s				
		Then I change the country as required on registration page					22.54s				
		Then I wait for 2 sec					2.01s				
		And I click the Sign in link					2.03s				
After							0.00s				
Back to Table of Contents											
Scenario: login to the app with correct credentials using "Continue with Email"											
Passed: 6		Failed: 0		Undefined: 0		Duration: 94.91s					
Before							0.00s				
		Given I select the language option on toggle bar as required on login page					5.11s				
		When user enters credentials					49.99s				
		<table><tr><td>UserName</td><td>\${PULSE_EMAIL}</td></tr><tr><td>Password</td><td>\${login.password}</td></tr></table>					UserName	\${PULSE_EMAIL}	Password	\${login.password}	
UserName	\${PULSE_EMAIL}										
Password	\${login.password}										
		And User clicks on signin button					1.28s				
		And I wait for 5 sec					5.01s				
		And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}"					12.01s				
		Then user should be landed to "Home" screen					21.51s				
After							0.00s				
Back to Table of Contents											
Scenario: User should be able to locate Hospitals using PruShoppe location											
Passed: 5		Failed: 1		Undefined: 0		Duration: 85.63s					
Before							0.01s				
		When I clicks on Health button					36.06s				
		Then I clicks on Location button					19.47s				
		When I clicks on Search here text field					14.15s				
		And I clicks on "Hospitals" under Pulse Search					5.28s				
		Then User can see the list of "Hospitals" near by to user's current location					7.48s				
		And User can see that Call, Navigate and See Details links are displayed under "Hospitals" search results					2.09s				
<div>java.lang.AssertionError: The following asserts failed: Near you Hospitals are not displayed at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43) at com.onepulse.app.screens.LocationScreen.verifySearchResults(LocationScreen.java:102) at com.onepulse.app.stepdefinitions.mobilesteps.LocationSteps. userCanSeeThatCallNavigateAndSeeDetailsLinksAreDisplayedUnderSearchResults (LocationSteps.java:51)</div>											

at .And User can see that Call, Navigate and See Details links are displayed under "Hospitals" search results(features/health/Hospital_Clinic_Locator.feature:31)



After		1.10s
-------	--	-------

[Back to Table of Contents](#)

Scenario: User can see details of listed hospitals in detail


Passed: 1	Failed: 1	Undefined: 0	Duration: 26.81s
-----------	-----------	--------------	------------------

Before		0.00s
--------	--	-------

When I clicks on See Details button on First result	2.22s
---	-------

Then I can see the "Hospital" Information screen with Navigate and Call Now buttons	23.86s
---	--------

java.lang.AssertionError: The following asserts failed:
 Near you Hospitals are not displayed ,
 Near you search results are not displayed ,
 Call Now button is not displayed for the firstHospital tile See Details screen expected [true] but found [false],
 Navigate link is not displayed for the firstHospital tile See Details screen expected [true] but found [false],
 hospital address is not displayed for the first Hospital tile See Details screen expected [true] but found [false]
 at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)
 at com.onepulse.app.screens.LocationScreen.verifyHospitalInformationScreen(LocationScreen.java:151)
 at com.onepulse.app.stepdefinitions.mobilesteps.LocationSteps.
 iCanSeeTheInformationScreenWithNavigateAndCallNowButtons(LocationSteps.java:81)
 at .Then I can see the "Hospital" Information screen with Navigate and Call Now buttons (features/health/Hospital_Clinic_Locator.feature:35)



After	0.73s
-------	-------

[Back to Table of Contents](#)

Scenario: **User can see the details in speciality tab**

Passed: 0	Failed: 1	Undefined: 1	Duration: 8.67s
-----------	-----------	--------------	-----------------

Before	0.00s
--------	-------

When I clicks on "Speciality" tab	7.95s
-----------------------------------	-------

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.

For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'Prudentials-MacBook-Pro.local', ip: '2401:7400:c802:5759:95b8:7a7:1d5b:d396%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'

Driver info: io.appium.java_client.ios.IOSDriver

Capabilities {autoDismissAlerts: false, automationName: XCUITest, browserName: , bundleId: com.prudential.pulse.uat, databaseEnabled: false, deviceName: iOS-Test, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: false, newCommandTimeout: 10000, noReset: false, platform: MAC, platformName: iOS, platformVersion: 14.4.1, takesScreenshot: true, udid: 00008101-001145000212001E, webStorageEnabled: false}

Session ID: de4694e4-0ada-44dd-b124-fe5192464917

*** Element info: {Using=xpath, value=//XCUIElementTypeOther[@name="Speciality, tab, 2 of 4"]}

at jdk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source)


at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)

at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)

```
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.execute(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElementByXPath(IOSDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:165)
at com.onepulse.app.screens.LocationScreen.clickOnHospitalTab(LocationScreen.java:140)
at com.onepulse.app.stepdefinitions.mobilesteps.LocationSteps.iClicksOnTab(LocationSteps.
java:61)
at .When I clicks on "Speciality" tab(features/health/Hospital_Clinic_Locator.feature:38)
```

Then I verify the Speciality screen is displayed

0.00s



After	0.72s
-------	-------

[Back to Table of Contents](#)

Scenario: **User can see the details in doctor's tab**

Passed: 0	Failed: 1	Undefined: 1	Duration: 8.64s
-----------	-----------	--------------	-----------------

Before	0.00s
--------	-------

When I clicks on "Doctors" tab	8.10s
--------------------------------	-------

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.

For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'Prudentials-MacBook-Pro.local', ip: '2401:7400:c802:5759:95b8:7a7:1d5b:d396%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'

Driver info: io.appium.java_client.ios.IOSDriver

Capabilities {autoDismissAlerts: false, automationName: XCUITest, browserName: , bundleId: com.prudential.pulse.uat, databaseEnabled: false, deviceName: iOS-Test, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: false, newCommandTimeout: 10000, noReset: false, platform: MAC, platformName: iOS, platformVersion: 14.4.1, takesScreenshot: true, udid: 00008101-001145000212001E, webStorageEnabled: false}

Session ID: de4694e4-0ada-44dd-b124-fe5192464917

*** Element info: {Using=xpath, value=//XCUIElementTypeOther[@name="Doctors, tab, 3 of 4"]}

at jdk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source)


at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)

at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)

```
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.execute(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElementByXPath(IOSDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:165)
at com.onepulse.app.screens.LocationScreen.clickOnHospitalTab(LocationScreen.java:140)
at com.onepulse.app.stepdefinitions.mobilesteps.LocationSteps.iClicksOnTab(LocationSteps.
java:61)
at .When I clicks on "Doctors" tab(features/health/Hospital_Clinic_Locator.feature:42)
```

Then I verify the Doctors screen is displayed

0.00s



After	0.54s
-------	-------

[Back to Table of Contents](#)

Scenario: **User can see the details in rooms tab**

Passed: 0	Failed: 1	Undefined: 1	Duration: 9.09s
-----------	-----------	--------------	-----------------

Before	0.00s
--------	-------

When I clicks on "Rooms" tab	8.53s
------------------------------	-------

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.

For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'Prudentials-MacBook-Pro.local', ip: '2401:7400:c802:5759:95b8:7a7:1d5b:d396%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'

Driver info: io.appium.java_client.ios.IOSDriver

Capabilities {autoDismissAlerts: false, automationName: XCUITest, browserName: , bundleId: com.prudential.pulse.uat, databaseEnabled: false, deviceName: iOS-Test, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: false, newCommandTimeout: 10000, noReset: false, platform: MAC, platformName: iOS, platformVersion: 14.4.1, takesScreenshot: true, udid: 00008101-001145000212001E, webStorageEnabled: false}

Session ID: de4694e4-0ada-44dd-b124-fe5192464917

*** Element info: {Using=xpath, value=//XCUIElementTypeOther[@name="Rooms, tab, 4 of 4"]}

at jdk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source)


at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)

at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)

```
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.execute(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElementByXPath(IOSDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:165)
at com.onepulse.app.screens.LocationScreen.clickOnHospitalTab(LocationScreen.java:140)
at com.onepulse.app.stepdefinitions.mobilesteps.LocationSteps.iClicksOnTab(LocationSteps.
java:61)
at .When I clicks on "Rooms" tab(features/health/Hospital_Clinic_Locator.feature:46)
```


Then I verify the Rooms screen is displayed

0.00s




After		0.55s
Back to Table of Contents		
Scenario: User can navigate out of the hospital details screen		
Passed: 0	Failed: 1	Undefined: 0
Duration: 8.64s		
Before		0.00s
When I clicks on back button in See Details screen		7.95s
<p>org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters. For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z' System info: host: 'Prudentials-MacBook-Pro.local', ip: '2401:7400:c802:5759:95b8:7a7:1d5b:d396%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10' Driver info: io.appium.java_client.ios.IOSDriver Capabilities {autoDismissAlerts: false, automationName: XCUITest, browserName: , bundleId: com.prudential.pulse.uat, databaseEnabled: false, deviceName: iOS-Test, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: false, newCommandTimeout: 10000, noReset: false, platform: MAC, platformName: iOS, platformVersion: 14.4.1, takesScreenshot: true, udid: 00008101-001145000212001E, webStorageEnabled: false} Session ID: de4694e4-0ada-44dd-b124-fe5192464917 *** Element info: {Using=xpath, value=//XCUIElementTypeOther[@name="Navigate"]/../../preceding-sibling::XCUIElementTypeOther[1]/XCUIElementTypeOther} at jdk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)</p>		

```
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.execute(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElementByXPath(IOSDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:165)
at com.onepulse.app.screens.LocationScreen.navigateBackToListScreen(LocationScreen.java:
204)
at com.onepulse.app.stepdefinitions.mobilesteps.LocationSteps.
iClicksOnBackButtonInSeeDetailsScreen(LocationSteps.java:86)
at .When I clicks on back button in See Details screen(features/health/Hospital_Clinic_Locator.
feature:50)
```

After		0.69s
Back to Table of Contents		
Scenario: User should be able to locate cli using PruShoppe location		
Passed: 3	Failed: 1	Undefined: 0
Duration: 32.67s		
Before		0.00s
And I clicks on back button in "Hospitals" screen		4.13s
When I clicks on Search here text field		15.84s
And I clicks on "Clinics" under Pulse Search		4.21s
Then User can see the list of "Clinics" near by to user's current location		7.75s
<p>java.lang.AssertionError: The following asserts failed: Near you Hospitals are not displayed , Near you search results are not displayed , Call Now button is not displayed for the firstHospital tile See Details screen expected [true] but found [false], Navigate link is not displayed for the firstHospital tile See Details screen expected [true] but found [false], hospital address is not displayed for the first Hospital tile See Details screen expected [true] but found [false] at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43) at com.onepulse.app.screens.LocationScreen.verifyHospitalScreenLaunch(LocationScreen.java:85) at com.onepulse.app.stepdefinitions.mobilesteps.LocationSteps. userCanSeeTheListOfNearByToUserSCurrentLocation(LocationSteps.java:46) at .Then User can see the list of "Clinics" near by to user's current location(features/health/Hospital_Clinic_Locator.feature:57)</p>		



After	0.74s
-------	-------

[Back to Table of Contents](#)


Scenario: **User can verify the clinic page**

Passed: 0	Failed: 1	Undefined: 0	Duration: 2.64s
-----------	-----------	--------------	-----------------

Before	0.00s
--------	-------

And User can see that Call, Navigate and See Details links are displayed under "Clinics" search results	2.13s
---	-------

java.lang.AssertionError: The following asserts failed:
 Near you Hospitals are not displayed ,
 Near you search results are not displayed ,
 Call Now button is not displayed for the firstHospital tile See Details screen expected [true] but found [false],
 Navigate link is not displayed for the firstHospital tile See Details screen expected [true] but found [false],
 hospital address is not displayed for the first Hospital tile See Details screen expected [true] but found [false],
 Near you Clinics are not displayed
 at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)
 at com.onepulse.app.screens.LocationScreen.verifySearchResults(LocationScreen.java:102)
 at com.onepulse.app.stepdefinitions.mobilesteps.LocationSteps.
 userCanSeeThatCallNavigateAndSeeDetailsLinksAreDisplayedUnderSearchResults
 (LocationSteps.java:51)
 at .And User can see that Call, Navigate and See Details links are displayed under "Clinics" search results(features/health/Hospital_Clinic_Locator.feature:60)



After		0.51s
-------	--	-------

[Back to Table of Contents](#)

Scenario: User can view listed clinic details

Passed: 1	Failed: 0	Undefined: 0	Duration: 2.21s
-----------	-----------	--------------	-----------------

Before		0.00s
--------	--	-------

When I clicks on See Details button on First result		2.21s
---	--	-------

After		0.00s
-------	--	-------

[Back to Table of Contents](#)

Scenario: User can view listed clinic info

Passed: 0	Failed: 1	Undefined: 0	Duration: 25.61s
-----------	-----------	--------------	------------------

Before		0.00s
--------	--	-------

Then I can see the "Clinic" Information screen with Navigate and Call Now buttons	25.09s
---	--------

java.lang.AssertionError: The following asserts failed:
 Near you Hospitals are not displayed ,
 Near you search results are not displayed ,
 Call Now button is not displayed for the firstHospital tile See Details screen expected [true] but found [false],
 Navigate link is not displayed for the firstHospital tile See Details screen expected [true] but found [false],
 hospital address is not displayed for the first Hospital tile See Details screen expected [true] but found [false],
 Near you Clinics are not displayed ,
 Near you search results are not displayed ,
 Call Now button is not displayed for the firstClinic tile See Details screen expected [true] but found [false],

Navigate link is not displayed for the firstClinic tile See Details screen expected [true] but found [false],
 hospital address is not displayed for the first Clinic tile See Details screen expected [true] but found [false]
 at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)
 at com.onepulse.app.screens.LocationScreen.verifyHospitalInformationScreen(LocationScreen.java:151)
 at com.onepulse.app.stepdefinitions.mobilesteps.LocationSteps.
 iCanSeeTheInformationScreenWithNavigateAndCallNowButtons(LocationSteps.java:81)
 at .Then I can see the "Clinic" Information screen with Navigate and Call Now buttons
 (features/health/Hospital_Clinic_Locator.feature:66)



After	0.53s
-------	-------

[Back to Table of Contents](#)

Scenario: [User can view listed clinic info details](#)

Passed: 0	Failed: 1	Undefined: 0	Duration: 9.5s
-----------	-----------	--------------	----------------

Before	0.00s
--------	-------

When I clicks on back button in See Details screen	8.95s
--	-------

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.

For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'Prudentials-MacBook-Pro.local', ip: '2401:7400:c802:5759:95b8:7a7:1d5b:d396%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'

Driver info: io.appium.java_client.ios.IOSDriver

Capabilities {autoDismissAlerts: false, automationName: XCUITest, browserName: , bundleId: com.prudential.pulse.uat, databaseEnabled: false, deviceName: iOS-Test,

```

javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: false,
newCommandTimeout: 10000, noReset: false, platform: MAC, platformName: iOS,
platformVersion: 14.4.1, takesScreenshot: true, udid: 00008101-001145000212001E,
webStorageEnabled: false}
Session ID: de4694e4-0ada-44dd-b124-fe5192464917
*** Element info: {Using=xpath, value=//XCUIElementTypeOther[@name="Navigate"]/../../preceding-sibling::XCUIElementTypeOther[1]/XCUIElementTypeOther}
at jdk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.execute(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElementByXPath(IOSDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:165)
at com.onepulse.app.screens.LocationScreen.navigateBackToListScreen(LocationScreen.java:204)
at com.onepulse.app.stepdefinitions.mobilesteps.LocationSteps.iClicksOnBackButtonInSeeDetailsScreen(LocationSteps.java:86)

```

at .When I clicks on back button in See Details screen(features/health/Hospital_Clinic_Locator.feature:69)



After		0.55s
-------	--	-------

[Back to Table of Contents](#)

Scenario: User can navigate back to clinics screen

Passed: 1	Failed: 0	Undefined: 0	Duration: 3.4s
-----------	-----------	--------------	----------------

Before		0.00s
--------	--	-------

And I clicks on back button in "Clinic" screen	3.40s
--	-------

After		0.00s
-------	--	-------

[Back to Table of Contents](#)

Feature: Verify Medicine Reminder Positive Flow functionality on one pulse App

Passed: 11	Failed: 0	Undefined: 0	Duration: 655.95s
------------	-----------	--------------	-------------------

Scenario: User should be able to register on app with correct credentials using "Continue with Email"

Passed: 16	Failed: 0	Undefined: 0	Duration: 339.38s
------------	-----------	--------------	-------------------

Before		0.00s
--------	--	-------

Given I generate random number and assign to variable "RANDOM_NUMBER"	0.01s
And I assign "pulse\${RANDOM_NUMBER}@mailsac.com" to variable "PULSE_EMAIL"	0.00s
And User has pulse app	7.46s
And user click on "CONTINUE WITH EMAIL" with Email button	60.52s
Then I wait for 2 sec	2.01s
Then I change the country as required on registration page	24.07s

Then I wait for 2 sec			2.01s
Then I navigate to pulse registration page and select the lang on toggle bar then click on continue with email button			7.24s
When user enters registration details			37.01s
	FirstName	medicine	
	LastName	reminder	
	Email	\${PULSE_EMAIL}	
	Password	Pas\$1234	
And taps on continue "Sign_Up" button			2.53s
And I wait for otp screen after clicking on signup button			7.13s
And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}"			37.88s
Then I wait for 2 sec			2.01s
Then I click skip button			123.39s
Then user should be landed to "Home" screen			22.10s
Then I wait for 4 sec			4.01s
After			0.01s
Back to Table of Contents			
Scenario: Verify User should be able to navigate to medical reminder page			
Passed: 4		Failed: 0	Undefined: 0
Duration: 96.5s			
Before			0.00s
	Then I click the Health icon in Home screen		1.94s
	And I wait for 2 sec		2.01s
	And I clicks on click here icon in medical Reminder		90.55s
	Then I wait for 2 sec		2.01s
After			0.00s
Back to Table of Contents			
Scenario: verify the static text on medicine reminder screen			
Passed: 1		Failed: 0	Undefined: 0
Duration: 4.21s			
Before			0.00s
	And I verify following text displayed in Add medicine screen		4.21s
	\${no.medicine.text}		
	\${Medicalremainder.text}		
	\${track.medicine.text}		
	\${important.dose.text}		
After			0.00s
Back to Table of Contents			
Scenario: click on add reminder button			
Passed: 2		Failed: 0	Undefined: 0
Duration: 4.91s			
Before			0.00s
	And I clicks on "\${add.new.reminder}" in app screens		2.90s
	And I wait for 2 sec		2.01s
After			0.00s
Back to Table of Contents			

Scenario: verify add medicine screen is launched and user can enter the required info on medical info screen

Passed: 4	Failed: 0	Undefined: 0	Duration: 18.8s
Before			0.00s

And I verify following text displayed in Add medicine screen	2.86s
--	-------

{medicine.info.field}	
{schedule.field}	
{more.setting.field}	

And I assign "Paracetamol" to variable "Medicine_Info"	0.00s
--	-------

And I enter following details in add medicine screen	13.06s
--	--------

Medicine Info	{Medicine_Info}
Unit	Tablet (unit)
Quantity	2

And I clicks on Next icon in app screens	2.88s
--	-------

After	0.00s
-------	-------

[Back to Table of Contents](#)
Scenario: verify user navigated to schedule screen and user can enter the required info

Passed: 5	Failed: 0	Undefined: 0	Duration: 24.31s
Before			0.00s

And I verify following text displayed in Add medicine screen	7.63s
--	-------

{frequency.text}	
{dosage.timing.text}	
{start.date.text}	
{end.date.text}	
{dose.intake.text}	

And I enter following details in add medicine screen	4.23s
--	-------

Frequency	Once
-----------	------

And I clicks on Timing in Add medicine screen	3.40s
---	-------

And I clicks on "{before.meal.text}" in app screens	5.18s
---	-------

And I clicks on Next icon in app screens	3.87s
--	-------

After	0.00s
-------	-------

[Back to Table of Contents](#)
Scenario: Verify User should be able to navigate to More Setting page

Passed: 4	Failed: 0	Undefined: 0	Duration: 24.32s
Before			0.00s

Given I wait for 2 sec	2.01s
------------------------	-------

And I enter following details in add medicine screen	11.20s
--	--------

Medication For	fever
Medicine Stock	5

And I clicks the Done button in Add medicine screen	5.34s
---	-------

And I verify following texts are displayed	5.77s
--	-------

{Medicine_Info} added successfully!	
-------------------------------------	--

After	0.00s
-------	-------

[Back to Table of Contents](#)

Scenario: verify Add medicine screen is displayed when user click on add new reminder on success popup

Passed: 10	Failed: 0	Undefined: 0	Duration: 83.33s
Before			0.00s

And I clicks on "\${add.another.med}" in app screens	5.48s						
And I assign "cold" to variable "Medicine_Info"	0.00s						
And I enter following details in add medicine screen	26.50s						
<table> <tr> <td>Medicine Info</td><td>\${Medicine_Info}</td></tr> <tr> <td>Unit</td><td>Tablet (unit)</td></tr> <tr> <td>Quantity</td><td>5</td></tr> </table>	Medicine Info	\${Medicine_Info}	Unit	Tablet (unit)	Quantity	5	
Medicine Info	\${Medicine_Info}						
Unit	Tablet (unit)						
Quantity	5						
And I clicks on Next icon in app screens	5.04s						
And I enter following details in add medicine screen	10.80s						
<table> <tr> <td>Frequency</td><td>Daily</td></tr> </table>	Frequency	Daily					
Frequency	Daily						
And I clicks on Timing in Add medicine screen	5.61s						
And I clicks on "After meal" in app screens	6.23s						
And I clicks on Next icon in app screens	5.68s						
And I enter following details in add medicine screen	12.42s						
<table> <tr> <td>Medication For</td><td>Cold</td></tr> <tr> <td>Medicine Stock</td><td>5</td></tr> </table>	Medication For	Cold	Medicine Stock	5			
Medication For	Cold						
Medicine Stock	5						
And I clicks the Done button in Add medicine screen	5.57s						

After	0.00s
-------	-------

[Back to Table of Contents](#)

Scenario: verify medicine reminder home screen is displayed when user click on not now button on success popup

Passed: 2	Failed: 0	Undefined: 0	Duration: 13.43s
Before			0.00s

And I clicks on Not now icon in app screen	9.42s	
And I verify following text displayed in Add medicine screen	4.01s	
<table><tr><td><code>{Medicalremainder.text}</code></td></tr></table>	<code>{Medicalremainder.text}</code>	
<code>{Medicalremainder.text}</code>		

After	0.00s
-------	-------

[Back to Table of Contents](#)

Scenario: navigate to health screen

Passed: 1	Failed: 0	Undefined: 0	Duration: 3.48s
Before			0.00s

And I click the Back button in medical remainder	3.49s
--	-------

After	0.00s
-------	-------

[Back to Table of Contents](#)

Scenario: Verify User should be able to navigate to calendar page

Passed: 4	Failed: 0	Undefined: 0	Duration: 43.28s
Before			0.00s

Given I wait for 2 sec	2.01s
------------------------	-------

When I scroll down		7.08s		
Then I click on Calendar tile		21.40s		
And I verify following text displayed in Add medicine screen		12.79s		
<table><tr><td>Medicalremainder.text</td></tr><tr><td>Medicine_Info</td></tr></table>		Medicalremainder.text	Medicine_Info	
Medicalremainder.text				
Medicine_Info				
After		0.00s		
Back to Table of Contents				

Feature: Verify MY Event channel functionality on one pulse App							
Passed: 5	Failed: 0	Undefined: 0	Duration: 279.53s				
Scenario: Launch the app and select the country as per specified Ibu							
Passed: 6	Failed: 0	Undefined: 0	Duration: 97.38s				
Before			0.00s				
Given User has pulse app			7.63s				
And I assign "\${onepulse.events.user}" to variable "PULSE_EMAIL"			0.00s				
And user click on "CONTINUE WITH EMAIL" with Email button			61.46s				
Then I change the country as required on registration page			24.04s				
Then I wait for 2 sec			2.00s				
And I click the Sign in link			2.25s				
After			0.00s				
Back to Table of Contents							
Scenario: login to the app with correct credentials using "Continue with Email"							
Passed: 6	Failed: 0	Undefined: 0	Duration: 97.43s				
Before			0.00s				
Given I select the language option on toggle bar as required on login page			4.95s				
When user enters credentials			53.53s				
<table><tr><td>UserName</td><td>PULSE_EMAIL</td></tr><tr><td>Password</td><td>pulse.password</td></tr></table>			UserName	PULSE_EMAIL	Password	pulse.password	
UserName	PULSE_EMAIL						
Password	pulse.password						
And User clicks on signin button			1.46s				
And I wait for 5 sec			5.01s				
And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}"			11.56s				
Then user should be landed to "Home" screen			20.93s				
After			0.00s				
Back to Table of Contents							
Scenario: Verify MyEvent Functionality in Home screen							
Passed: 4	Failed: 0	Undefined: 0	Duration: 19.83s				
Before			0.00s				
Given I wait for 2 sec			2.01s				
And I click the MyEvent icons			9.48s				
And I wait for 5 sec			5.01s				
And I verify following texts are displayed			3.33s				
<table><tr><td>You do not have any events enrolled yet</td></tr><tr><td>Please choose from the open events and get started</td></tr></table>			You do not have any events enrolled yet	Please choose from the open events and get started			
You do not have any events enrolled yet							
Please choose from the open events and get started							

After		0.00s
Back to Table of Contents		
Scenario: Verify Events Archive tab		
Passed: 2	Failed: 0	Undefined: 0
Duration: 33.5s		
Before		0.00s
And I click the Events Archive icon		31.56s
And I verify following texts are displayed		1.95s
You do not have any events in your archive.		
After		0.00s
Back to Table of Contents		
Scenario: Verify Open Events tab		
Passed: 2	Failed: 0	Undefined: 0
Duration: 31.38s		
Before		0.00s
And I click the Open Events icon		31.38s
And I verify either static text or available open events are displayed on screen		0.00s
There are no events available at the moment		
Stay tuned for events on health and fitness		
After		0.00s
Back to Table of Contents		
Feature: Verify My Health Content functionality on One Pulse App		
Passed: 4	Failed: 4	Undefined: 0
Duration: 351.91s		
Scenario: Launch the app and select the country as per specified Ibu		
Passed: 5	Failed: 0	Undefined: 0
Duration: 85.75s		
Before		0.00s
Given User has pulse app		8.98s
And user click on "CONTINUE WITH EMAIL" with Email button		50.10s
Then I change the country as required on registration page		22.00s
Then I wait for 3 sec		3.01s
And I click the Sign in link		1.68s
After		0.00s
Back to Table of Contents		
Scenario: User should be able to login on app with correct credentials using "Continue with Email"		
Passed: 7	Failed: 0	Undefined: 0
Duration: 119.0s		
Before		0.00s
And I assign "\${login.email.id}" to variable "PULSE_EMAIL"		0.01s
Given I select the language option on toggle bar as required on login page		3.87s
When user enters credentials		65.17s
UserName \${PULSE_EMAIL}		
Password \${login.password}		
And User clicks on signin button		1.24s
Then I wait for 10 sec		10.01s

And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}"		11.01s
Then user should be landed to "Home" screen		27.70s
After		0.00s
Back to Table of Contents		
Scenario: Verify User should be able to navigate to Health page		
Passed: 5	Failed: 0	Undefined: 0
Duration: 49.77s		
Before		0.00s
Given I wait for 2 sec		2.01s
Then I navigate to Health Content screen		12.98s
Then I wait for 8 sec		8.00s
And I verify following texts are displayed		1.74s
Health Channels		
And I verify the following texts "My Health Content" in Screen		25.05s
Category		
Like		
Share		
Comment		
After		0.00s
Back to Table of Contents		
Scenario: Verify User should be able to view the full page article post		
Passed: 2	Failed: 0	Undefined: 0
Duration: 37.46s		
Before		0.00s
Then I click on "Health Channels" topic for details full view		27.45s
Then I wait for 10 sec		10.01s
After		0.00s
Back to Table of Contents		
Scenario: Verify User should be able to see the Like, Share, Comment options on full page article post		
Passed: 0	Failed: 1	Undefined: 0
Duration: 13.05s		
Before		0.00s
And I verify the following texts "My Health Content" in Screen		11.90s
Like		
Share		
Comment		
<p>org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up</p> <p>Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'</p> <p>System info: host: 'Prudentials-MacBook-Pro.local', ip: '2401:7400:c802:5759:95b8:7a7:1d5b:d396%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'</p> <p>Driver info: io.appium.java_client.ios.IOSDriver</p> <p>Capabilities {autoDismissAlerts: false, automationName: XCUITest, browserName: , bundleId: com.prudential.pulse.uat, databaseEnabled: false, deviceName: iOS-Test,</p>		

```

javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: false,
newCommandTimeout: 10000, noReset: false, platform: MAC, platformName: iOS,
platformVersion: 14.4.1, takesScreenshot: true, udid: 00008101-001145000212001E,
webStorageEnabled: false}
Session ID: fa70f858-ba8d-4a4f-af67-6c91b4c67145
at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance
(NativeConstructorAccessorImpl.java:62)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:46)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.execute(IOSDriver.java:1)
at org.openqa.selenium.remote.
RemoteWebDriver$RemoteWebDriverOptions$RemoteWindow.getSize(RemoteWebDriver.
java:804)
at com.prudential.tap.appium.AppiumCommands.swipe(AppiumCommands.java:432)
at com.onepulse.app.screens.TestBasePage.scrollPageDown(TestBasePage.java:206)
at com.onepulse.app.screens.CustomerConnectScreen.
isStaticTextDisplayedOncommunitiesScreen(CustomerConnectScreen.java:186)
at com.onepulse.app.stepdefinitions.mobilesteps.CustomerConnectSteps.
isStaticTextDisplayedOncommunitiesScreen(CustomerConnectSteps.java:88)
at .And I verify the following texts "My Health Content" in Screen(features/home
/MyHealthContent.feature:60)

```

After

1.15s

```

com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases
(CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)

```

```

at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:
63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:96)
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.
java:62)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

```

[Back to Table of Contents](#)

Scenario: **Verify User should be able to Like the post in full article view screen**

Passed: 0	Failed: 1	Undefined: 1	Duration: 29.22s
Before			0.00s

And I Like the post	28.17s
---------------------	--------

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.

For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'Prudentials-MacBook-Pro.local', ip: '2401:7400:c802:5759:95b8:7a7:1d5b:d396%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'

Driver info: io.appium.java_client.ios.IOSDriver

Capabilities {autoDismissAlerts: false, automationName: XCUITest, browserName: ,

bundleId: com.prudential.pulse.uat, databaseEnabled: false, deviceName: iOS-Test,

javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: false,


```

newCommandTimeout: 10000, noReset: false, platform: MAC, platformName: iOS,
platformVersion: 14.4.1, takesScreenshot: true, udid: 00008101-001145000212001E,
webStorageEnabled: false}
Session ID: fa70f858-ba8d-4a4f-af67-6c91b4c67145
*** Element info: {Using=xpath, value=(//XCUIElementTypeOther[@name="Like"])[1]}
at jdk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.execute(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElementByXPath(IOSDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:165)
at com.onepulse.app.screens.WealthScreen.clickLikeButton(WealthScreen.java:175)
at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.iLikeThePost(WealthSteps.
java:
75)
at .And I Like the post(features/home/MyHealthContent.feature:66)

```

And I Like the post

0.00s

After

1.05s

```

com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases
(CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utills$1.call(Utills.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utills.invoke(Utills.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:
63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:96)
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.
java:62)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

```

[Back to Table of Contents](#)

Scenario: **Verify User should be able to Share the post in full article view screen**

Passed: 0	Failed: 1	Undefined: 1	Duration: 13.44s
Before			0.00s

And I share the post

12.38s

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.

For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'Prudentials-MacBook-Pro.local', ip: '2401:7400:c802:5759:95b8:7a7:1d5b:d396%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'

Driver info: io.appium.java_client.ios.IOSDriver

Capabilities {autoDismissAlerts: false, automationName: XCUIElement, browserName: , bundleId: com.prudential.pulse.uat, databaseEnabled: false, deviceName: iOS-Test, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: false, newCommandTimeout: 10000, noReset: false, platform: MAC, platformName: iOS, platformVersion: 14.4.1, takesScreenshot: true, udid: 00008101-001145000212001E, webStorageEnabled: false}

Session ID: fa70f858-ba8d-4a4f-af67-6c91b4c67145

*** Element info: {Using=xpath, value=(//XCUIElementTypeOther[@name="Share"])[1]}

at jdk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source)

at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)

at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)

at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)

at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:231)

at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)

at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:42)

at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)

at io.appium.java_client.ios.IOSDriver.execute(IOSDriver.java:1)

at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)

at io.appium.java_client.DefaultGenericMobileDriver.findElement(DefaultGenericMobileDriver.java:62)

at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)

at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)

at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:419)

at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath(DefaultGenericMobileDriver.java:152)

at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)

at io.appium.java_client.ios.IOSDriver.findElementByXPath(IOSDriver.java:1)

at org.openqa.selenium.By\$ByXPath.findElement(By.java:353)

at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)

at io.appium.java_client.DefaultGenericMobileDriver.findElement

(DefaultGenericMobileDriver.java:58) at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1) at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1) at com.prudential.tap.selenium.Commands\$15.executeCommand(Commands.java:141) at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19) at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:165) at com.onepulse.app.screens.WealthScreen.clickShareButton(WealthScreen.java:215) at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.iShareThePost(WealthSteps.java:90) at .And I share the post(features/home/MyHealthContent.feature:71)		
Then I navigate back to previous page		0.00s
After		1.05s
com.prudential.tap.exception.TapException: Failed to take screenshot of at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases (CucumberHook.java:95) at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72) at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at cucumber.runtime.Utills\$1.call(Utills.java:40) at cucumber.runtime.Timeout.timeout(Timeout.java:16) at cucumber.runtime.Utills.invoke(Utills.java:34) at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60) at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224) at cucumber.runtime.Runtime.runHooks(Runtime.java:212) at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206) at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46) at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165) at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:63) at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:96) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86) at org.testng.internal.Invoker.invokeMethod(Invoker.java:643) at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820) at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112) at org.testng.TestRunner.privateRun(TestRunner.java:782) at org.testng.TestRunner.run(TestRunner.java:632) at org.testng.SuiteRunner.runTest(SuiteRunner.java:366) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)		

```

at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

```

[Back to Table of Contents](#)

Scenario: **Verify User can navigate to Health homepage**

Passed: 0	Failed: 1	Undefined: 0	Duration: 4.22s
Before			0.00s
Then I navigate to story post page			3.11s
<p>org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up</p> <p>Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'</p> <p>System info: host: 'Prudentials-MacBook-Pro.local', ip: '2401:7400:c802:5759:95b8:7a7:1d5b:d396%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'</p> <p>Driver info: io.appium.java_client.ios.IOSDriver</p> <p>Capabilities {autoDismissAlerts: false, automationName: XCUITest, browserName: , bundleId: com.prudential.pulse.uat, databaseEnabled: false, deviceName: iOS-Test, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: false, newCommandTimeout: 10000, noReset: false, platform: MAC, platformName: iOS, platformVersion: 14.4.1, takesScreenshot: true, udid: 00008101-001145000212001E, webStorageEnabled: false}</p> <p>Session ID: fa70f858-ba8d-4a4f-af67-6c91b4c67145</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)</p> <p>at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)</p> <p>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)</p> <p>at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)</p> <p>at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)</p> <p>at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)</p> <p>at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:231)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)</p> <p>at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:42)</p> <p>at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)</p> <p>at io.appium.java_client.ios.IOSDriver.execute(IOSDriver.java:1)</p> <p>at io.appium.java_client.PerformsTouchActions.performTouchAction(PerformsTouchActions.</p>			

<pre> java:41) at io.appium.java_client.TouchAction.perform(TouchAction.java:187) at com.onepulse.app.screens.TestBasePage.clickBasedOnElementLocation(TestBasePage.java: 449) at com.onepulse.app.screens.WealthScreen.clickFullViewBackButton(WealthScreen.java:169) at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.iNavigateToStoryPostPage (WealthSteps.java:70) at .Then I navigate to story post page(features/home/MyHealthContent.feature:75) </pre>		
After		1.11s
<pre> com.prudential.tap.exception.TapException: Failed to take screenshot of at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases (CucumberHook.java:95) at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72) at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at cucumber.runtime.Utills\$1.call(Utills.java:40) at cucumber.runtime.Timeout.timeout(Timeout.java:16) at cucumber.runtime.Utills.invoke(Utills.java:34) at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60) at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224) at cucumber.runtime.Runtime.runHooks(Runtime.java:212) at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206) at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46) at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165) at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java: 63) at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:96) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl. java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86) at org.testng.internal.Invoker.invokeMethod(Invoker.java:643) at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820) at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112) at org.testng.TestRunner.privateRun(TestRunner.java:782) at org.testng.TestRunner.run(TestRunner.java:632) at org.testng.SuiteRunner.runTest(SuiteRunner.java:366) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319) at org.testng.SuiteRunner.run(SuiteRunner.java:268) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244) </pre>		

```

at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

```


[Back to Table of Contents](#)

Feature: Verify Notification Center functionality on one pulse App

Passed: 3	Failed: 0	Undefined: 0	Duration: 364.02s
Scenario: User should be able to register on app with correct credentials using "Continue with Email"			
Passed: 18	Failed: 0	Undefined: 0	Duration: 359.98s
Before			0.00s
Given I generate random number and assign to variable "RANDOM_NUMBER"			0.01s
And I assign "pulse\${RANDOM_NUMBER}@mailsac.com" to variable "PULSE_EMAIL"			0.00s
And User has pulse app			73.81s
Then I wait for 2 sec			2.01s
And user click on "CONTINUE WITH EMAIL" with Email button			49.15s
Then I wait for 2 sec			2.01s
Then I change the country as required on registration page			23.06s
Then I wait for 2 sec			2.01s
Then I navigate to pulse registration page and select the lang on toggle bar then click on continue with email button			8.56s
Then I wait for 2 sec			2.01s
When user enters registration details			24.41s
FirstName	testAutomation		
LastName	testAutomation		
Email	\${PULSE_EMAIL}		
Password	Pas\$1234		
And taps on continue "Sign_Up" button			2.42s
And I wait for otp screen after clicking on signup button			2.53s
And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}"			34.90s
Then I wait for 2 sec			2.01s
Then I click skip button			109.26s
Then user should be landed to "Home" screen			17.84s
Then I wait for 4 sec			4.01s
After			0.00s
Back to Table of Contents			
Scenario: Navigate to notification screen via home screen			
Passed: 2	Failed: 0	Undefined: 0	Duration: 3.51s
Before			0.00s
Given I navigate to notification screen from home page			1.50s
Then I wait for 2 sec			2.01s

After		0.00s
Back to Table of Contents		
Scenario: Verify User should be able to see the Notification screen texts		
Passed: 1	Failed: 0	Undefined: 0
Before		0.00s
And I verify following texts are displayed		0.53s
{notification.msg}		
After		0.00s
Back to Table of Contents		
Feature: Verify My Challenges on One Pulse App		
Passed: 3	Failed: 1	Undefined: 0
Duration: 277.78s		
Scenario: Launch the app and select the country as per specified Ibu		
Passed: 5	Failed: 0	Undefined: 0
Before		0.00s
Given User has pulse app		7.27s
And user click on "CONTINUE WITH EMAIL" with Email button		48.15s
Then I change the country as required on registration page		23.12s
Then I wait for 3 sec		3.01s
And I click the Sign in link		1.97s
After		0.00s
Back to Table of Contents		
Scenario: User should be able to login on app with correct credentials using "Continue with Email"		
Passed: 7	Failed: 0	Undefined: 0
Before		0.00s
And I assign "\${login.email.id}" to variable "PULSE_EMAIL"		0.02s
Given I select the language option on toggle bar as required on login page		3.37s
When user enters credentials		62.20s
UserName {PULSE_EMAIL}		
Password {login.password}		
And User clicks on signin button		1.56s
Then I wait for 10 sec		10.01s
And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}"		12.53s
Then user should be landed to "Home" screen		17.58s
After		0.00s
Back to Table of Contents		
Scenario: Verify My Challenges texts		
Passed: 3	Failed: 0	Undefined: 0
Before		0.00s
And I click on My Challenges tile on one pulse app		6.37s
And I verify following texts are displayed		4.04s

	And I verify the following texts "My challenges" in Screen		10.48s
	After		0.00s
	Back to Table of Contents		
	Scenario: Click on All challenges and and verify texts		
	Passed: 2	Failed: 1	Undefined: 1
	Before		0.00s
	And I clicks on "\${all.challenges.text}" in app screen		33.63s
	And I verify the following texts "My challenges" in Screen		11.30s
	And I verify following texts are displayed		18.99s
	java.lang.AssertionError: The following asserts failed: No Challenges text is displayed on page expected [true] but found [false], We will notify you for next Challenge. Meanwhile maintain good health. text is displayed on page expected [true] but found [false] at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43) at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnScreen (MyDocSteps.java:717) at .And I verify following texts are displayed(features/home/mychallenges/PulseMyChallenges. feature:40)		
	And I clicks on "\${back.home}" in app screen		0.00s



After	2.20s
-------	-------

[Back to Table of Contents](#)

Feature: **Verify My Communities on One Pluse App**

Passed: 5	Failed: 6	Undefined: 0	Duration: 495.35s
-----------	-----------	--------------	-------------------

Scenario: **Launch the app and select the country as per specified Ibu**

Passed: 5	Failed: 0	Undefined: 0	Duration: 80.25s
-----------	-----------	--------------	------------------

Before	0.00s
--------	-------

Given User has pulse app	7.45s
And user click on "CONTINUE WITH EMAIL" with Email button	48.24s
Then I change the country as required on registration page	19.70s
Then I wait for 3 sec	3.02s
And I click the Sign in link	1.83s

After	0.00s
-------	-------

[Back to Table of Contents](#)

Scenario: **User should be able to login on app with correct credentials using "Continue with Gmail"**

Passed: 7	Failed: 0	Undefined: 0	Duration: 108.36s
-----------	-----------	--------------	-------------------

Before	0.00s
--------	-------

And I assign "\${onepulse.login.global.id}" to variable "PULSE_EMAIL"	0.01s				
Given I select the language option on toggle bar as required on login page	3.46s				
When user enters credentials	62.50s				
<table border="1"> <tr> <td>UserName</td> <td>\${PULSE_EMAIL}</td> </tr> <tr> <td>Password</td> <td>\${pulse.password}</td> </tr> </table>	UserName	\${PULSE_EMAIL}	Password	\${pulse.password}	
UserName	\${PULSE_EMAIL}				
Password	\${pulse.password}				
And User clicks on signin button	1.37s				

	Then I wait for 10 sec	10.01s
	And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}"	13.78s
	Then user should be landed to "Home" screen	17.23s
After		0.00s
Back to Table of Contents		
Scenario: User should be able to login on app with correct credentials using "Continue with Email" and Verify the Mycommunities screen		
Passed: 5	Failed: 0	Undefined: 0
Duration: 24.41s		
Before		0.00s
	Then I wait for 6 sec	6.01s
	And I click the MyCommunities icon	1.16s
	Then I wait for 6 sec	6.01s
	And I verify following texts are displayed	1.09s
	<code>\${icon.communities}</code>	
	And I verify the following texts "All Communities" in Screen	10.14s
	<code>\${my.communities.text}</code>	
	<code>\${All.Communities.text}</code>	
After		0.00s
Back to Table of Contents		
Scenario: Leave the community if already joined		
Passed: 3	Failed: 0	Undefined: 0
Duration: 34.4s		
Before		0.00s
	And I clicks on "\${my.communities.text}" in app screen	27.18s
	Then I wait for 5 sec	5.01s
	Then I leave all joined communities by clicking on three dots menu icon on my My communities screen	2.21s
After		0.00s
Back to Table of Contents		
Scenario: Verify the All Communities Post screen		
Passed: 4	Failed: 1	Undefined: 4
Duration: 73.45s		
Before		0.00s
	Then I wait for 5 sec	5.01s
	And I clicks on "\${All.Communities.text}" in app screen	27.49s
	And I click the Join button in Communties tab	4.31s
	And I click the static Active icon in community screen	13.57s
	And I click Edit icon in stay Active icon	21.37s
<p>org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.</p> <p>For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html</p> <p>Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'</p> <p>System info: host: 'Prudentials-MacBook-Pro.local', ip: '2401:7400:c802:5759:95b8:7a7:1d5b:d396%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'</p>		

```

Driver info: io.appium.java_client.ios.IOSDriver
Capabilities {autoDismissAlerts: false, automationName: XCUITest, browserName: ,
bundleId: com.prudential.pulse.uat, databaseEnabled: false, deviceName: iOS-Test,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: false,
newCommandTimeout: 10000, noReset: false, platform: MAC, platformName: iOS,
platformVersion: 14.4.1, takesScreenshot: true, udid: 00008101-001145000212001E,
webStorageEnabled: false}
Session ID: 42f44cc6-e879-45e2-9421-1c37d507a3f2
*** Element info: {Using=xpath, value=}
at jdk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.execute(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElementByXPath(IOSDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:165)
at com.onepulse.app.screens.mydocui.MyCommunitiesScreen.clickEditiconstayActive
(MyCommunitiesScreen.java:544)
at com.onepulse.app.stepdefinitions.mobilesteps.MyCommunitiesSteps.clickEditiconstayActive

```

(MyCommunitiesSteps.java:168)
at .And I click Edit icon in stay Active icon(features/home/mycommunities
/PulseMyCommunities.feature:46)

And Enter the post in community screen 0.00s

POST TEST1


And Enter the post in community large text screen 0.00s

POST welcome

And I click the Post icon in create post screen 0.00s

Then I verify the following text "TEST1" in post Screen 0.00s

TEST1
welcome



After 1.70s

[Back to Table of Contents](#)

Scenario: **Verify the Likes and comments counts in All communities tab**

Passed: 0 Failed: 1 Undefined: 7 Duration: 9.89s

Before 0.00s

And I click the Post icon in My communities 8.55s

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.

For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'Prudentials-MacBook-Pro.local', ip: '2401:7400:c802:5759:95b8:7a7:1d5b:d396%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'

Driver info: io.appium.java_client.ios.IOSDriver

```

Capabilities {autoDismissAlerts: false, automationName: XCUITest, browserName: ,
bundleId: com.prudential.pulse.uat, databaseEnabled: false, deviceName: iOS-Test,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: false,
newCommandTimeout: 10000, noReset: false, platform: MAC, platformName: iOS,
platformVersion: 14.4.1, takesScreenshot: true, udid: 00008101-001145000212001E,
webStorageEnabled: false}
Session ID: 42f44cc6-e879-45e2-9421-1c37d507a3f2
*** Element info: {Using=xpath, value=(//XCUIElementTypeOther[@name="TEST1
welcome"])[1]}
at jdk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.execute(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElementByXPath(IOSDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:165)
at com.onepulse.app.screens.mydocui.MyCommunitiesScreen.ClickFeeds
(MyCommunitiesScreen.java:320)
at com.onepulse.app.stepdefinitions.mobilesteps.MyCommunitiesSteps.clickIcons

```


(MyCommunitiesSteps.java:106)
at .And I click the Post icon in My communities(features/home/mycommunities/PulseMyCommunities.feature:57)

And I wait for 5 sec 0.00s

And I click the like button in Post screen 0.00s

And Verify the like count in Post screen " 1 Likes" likes 0.00s


And I click the Comment icon in feed screen 0.00s

And Enter the comments in Feeds screen 0.00s

Comments TEST1

And I click the submit icon in feeds screen 0.00s

And Verify the comments count in Feeds screen " 0 Comments" comments 0.00s



After 1.35s

[Back to Table of Contents](#)

Scenario: **Verify the Share with Friends Functionality in All communities tab**

Passed: 0 Failed: 1 Undefined: 3 Duration: 15.12s

Before 0.00s

And I click the share icon in Post screen 13.69s

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.

For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'Prudentials-MacBook-Pro.local', ip: '2401:7400:c802:5759:95b8:7a7:1d5b:d396%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'

Driver info: io.appium.java_client.ios.IOSDriver

Capabilities {autoDismissAlerts: false, automationName: XCUITest, browserName: ,

```

bundleId: com.prudential.pulse.uat, databaseEnabled: false, deviceName: iOS-Test,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: false,
newCommandTimeout: 10000, noReset: false, platform: MAC, platformName: iOS,
platformVersion: 14.4.1, takesScreenshot: true, udid: 00008101-001145000212001E,
webStorageEnabled: false}
Session ID: 42f44cc6-e879-45e2-9421-1c37d507a3f2
*** Element info: {Using=xpath, value=//XCUIElementTypeOther[@name="Share"]}
at jdk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.execute(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElementByXPath(IOSDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:165)
at com.onepulse.app.screens.mydocui.MyCommunitiesScreen.ClickShareIcon
(MyCommunitiesScreen.java:566)
at com.onepulse.app.stepdefinitions.mobilesteps.MyCommunitiesSteps.ClickShareIcon
(MyCommunitiesSteps.java:173)

```

at .And I click the share icon in Post screen(features/home/mycommunities /PulseMyCommunities.feature:68)

And Verify the pop up in "Share with Friends"


0.00s

And I click the phone icon in share with friends

0.00s

And I give camera permission

0.00s



After

1.43s

[Back to Table of Contents](#)

Scenario: Verify the Post Functionality in All communities

Passed: 2

Failed: 1

Undefined: 9

Duration: 37.57s

Before

0.00s

Then I click skip button in feeds screen

16.41s

Then I wait for 2 sec

2.02s

And I click the Back icon in Stay Active screen

17.58s

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.

For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'Prudentials-MacBook-Pro.local', ip: '2401:7400:c802:5759:95b8:7a7:1d5b:d396%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'

Driver info: io.appium.java_client.ios.IOSDriver

Capabilities {autoDismissAlerts: false, automationName: XCUITest, browserName: , bundleId: com.prudential.pulse.uat, databaseEnabled: false, deviceName: iOS-Test, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: false, newCommandTimeout: 10000, noReset: false, platform: MAC, platformName: iOS, platformVersion: 14.4.1, takesScreenshot: true, udid: 00008101-001145000212001E,


```

webStorageEnabled: false}
Session ID: 42f44cc6-e879-45e2-9421-1c37d507a3f2
*** Element info: {Using=xpath, value=(//XCUIElementTypeOther[@name="Dance for
Wellness"])[2]/XCUIElementTypeOther}
at jdk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.execute(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElementByXPath(IOSDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:165)
at com.onepulse.app.screens.mydocui.MyCommunitiesScreen.Clickstaricon
(MyCommunitiesScreen.java:479)
at com.onepulse.app.stepdefinitions.mobilesteps.MyCommunitiesSteps.Clickstarutton
(MyCommunitiesSteps.java:153)
at .And I click the Back icon in Stay Active screen(features/home/mycommunities
/PulseMyCommunities.feature:77)

```

Then I wait for 3 sec

0.00s

And I click Edit icon in stay Active icon	0.00s
And I click the Camera icon in create post screen	0.00s
And I click the Upload Image icon	0.00s
And I give camera permission	0.00s
Then I take picture from Camera	0.00s
And Enter the post in community screen	0.00s
POST TEST1	
And Enter the post in community large text screen	0.00s
POST welcome	
And I click the Post icon in create post screen	0.00s
	
After	1.57s
Back to Table of Contents	
Scenario: Verify the Category list and search feature	
Passed: 1	Failed: 1
Undefined: 4	Duration: 50.29s
Before	0.00s
Then I wait for 15 sec	15.01s
And I clicks on "\${category.text}" in app screen	33.83s
<p>org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters. For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_no_such_element.html Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z' System info: host: 'Prudentials-MacBook-Pro.local', ip: '2401:7400:c802:5759:95b8:7a7:1d5b:d396%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10' Driver info: io.appium.java_client.ios.IOSDriver</p>	

```

Capabilities {autoDismissAlerts: false, automationName: XCUITest, browserName: ,
bundleId: com.prudential.pulse.uat, databaseEnabled: false, deviceName: iOS-Test,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: false,
newCommandTimeout: 10000, noReset: false, platform: MAC, platformName: iOS,
platformVersion: 14.4.1, takesScreenshot: true, udid: 00008101-001145000212001E,
webStorageEnabled: false}
Session ID: 42f44cc6-e879-45e2-9421-1c37d507a3f2
*** Element info: {Using=xpath, value=//XCUIElementTypeOther[@name="Category"]}
at jdk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.execute(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElementByXPath(IOSDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:165)
at com.onepulse.app.screens.CustomerConnectScreen.clickButton(CustomerConnectScreen.
java:1730)
at com.onepulse.app.stepdefinitions.mobilesteps.CustomerConnectSteps.clickUploadIcon
(CustomerConnectSteps.java:534)

```


at .And I clicks on "\${category.text}" in app screen(features/home/mycommunities/PulseMyCommunities.feature:93)

And I verify the following texts "Category" in Screen

0.00s

COVID-19

Fitness

Global Awareness Days

Mental Health

And I clicks on "\${no.post.category}" in app screen

0.00s


And I clicks on "\${apply.button}" in app screen

0.00s

And I verify following texts are displayed

0.00s

\${no.post.found.text}



After

1.45s

[Back to Table of Contents](#)

Scenario: **User navigates back to the community screen**

Passed: 0

Failed: 1

Undefined: 0

Duration: 19.26s

Before

0.00s

And I click the Back icon in Stay Active screen

17.85s

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.

For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'Prudentials-MacBook-Pro.local', ip: '2401:7400:c802:5759:95b8:7a7:1d5b:d396%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'


Driver info: io.appium.java_client.ios.IOSDriver


```

Capabilities {autoDismissAlerts: false, automationName: XCUITest, browserName: ,
bundleId: com.prudential.pulse.uat, databaseEnabled: false, deviceName: iOS-Test,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: false,
newCommandTimeout: 10000, noReset: false, platform: MAC, platformName: iOS,
platformVersion: 14.4.1, takesScreenshot: true, udid: 00008101-001145000212001E,
webStorageEnabled: false}
Session ID: 42f44cc6-e879-45e2-9421-1c37d507a3f2
*** Element info: {Using=xpath, value=(//XCUIElementTypeOther[@name="Dance for
Wellness"])[2]/XCUIElementTypeOther}
at jdk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.execute(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElementByXPath(IOSDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:165)
at com.onepulse.app.screens.mydocui.MyCommunitiesScreen.Clickstaricon
(MyCommunitiesScreen.java:479)
at com.onepulse.app.stepdefinitions.mobilesteps.MyCommunitiesSteps.Clickstarutton

```

(MyCommunitiesSteps.java:153)
 at .And I click the Back icon in Stay Active screen(features/home/mycommunities
 /PulseMyCommunities.feature:105)



After		1.41s
-------	--	-------

[Back to Table of Contents](#)

Scenario: Leave the community if already joined

Passed: 4	Failed: 0	Undefined: 0	Duration: 42.35s
-----------	-----------	--------------	------------------

Before		0.00s
--------	--	-------

And I clicks on "\$ {my.communities.text}" in app screen	26.21s
And I scroll down	6.22s
When I click on joined community three dots menu icon	1.93s
And I click on leave button for joined community	8.00s

After		0.00s
-------	--	-------

[Back to Table of Contents](#)

Feature: Verify Private My Communities on One Pulse App

Passed: 4	Failed: 0	Undefined: 0	Duration: 274.99s
-----------	-----------	--------------	-------------------

Scenario: Launch the app and select the country as per specified Ibu

Passed: 5	Failed: 0	Undefined: 0	Duration: 78.04s
-----------	-----------	--------------	------------------

Before		0.00s
--------	--	-------

Given User has pulse app	7.79s
And user click on "CONTINUE WITH EMAIL" with Email button	46.41s
Then I change the country as required on registration page	18.99s
Then I wait for 3 sec	3.02s
And I click the Sign in link	1.84s

After		0.00s
-------	--	-------

[Back to Table of Contents](#)**Scenario: User should be able to login on app with correct credentials using "Continue with Email"**

Passed: 7		Failed: 0		Undefined: 0		Duration: 103.69s	
Before						0.00s	
	And I assign "\${mychannel.private.user}" to variable "PULSE_EMAIL"					0.00s	
	Given I select the language option on toggle bar as required on login page					5.08s	
	When user enters credentials					60.56s	
		UserName	\${PULSE_EMAIL}				
		Password	\${login.password}				
	And User clicks on signin button					1.24s	
	Then I wait for 10 sec					10.01s	
	And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}"					10.79s	
	Then user should be landed to "Home" screen					16.02s	
After						0.00s	

[Back to Table of Contents](#)**Scenario: Verify the My communities screen**

Passed: 5	Failed: 0	Undefined: 0	Duration: 18.76s
Before			0.00s
	And I click the MyCommunities icon		1.09s
	Then I wait for 3 sec		3.01s
	And I verify following texts are displayed		1.50s
	<div><div> </div><div><div><div></div></div></div></div> <div><div><div></div></div></div> <div><div><div></div></div></div> <div><div><div></div></div></div>		
	And I verify the following texts "All Communities" in Screen		10.17s
	<div><div> </div><div><div><div></div></div></div></div> <div><div><div></div></div></div> <div><div><div></div></div></div> <div><div><div></div></div></div>		
	<div><div> </div><div><div><div></div></div></div></div> <div><div><div></div></div></div> <div><div><div></div></div></div> <div><div><div></div></div></div>		
	Then I wait for 3 sec		3.01s
	After		

[Back to Table of Contents](#)**Scenario: Verify the Private Communities in communities screen**

Passed: 12	Failed: 0	Undefined: 0	Duration: 74.5s
Before			0.00s
And I click the Private "\${All.Communities.text}" in Communities screen			1.14s
And I Enter the "e.g. Be Healthy content, Challenges etc." in "Test" in home screen			5.10s
And I Enter the "e.g. Healthy content, forum for celebrities etc." in "2020" in home new screen			3.05s
And I clicks on "Take a Picture" in app screen			9.23s
And I click the Upload Image icon			0.90s
And I give camera permission			8.77s
Then I take picture from Camera			4.25s
Then I wait for 3 sec			3.01s

	And I scroll down	6.94s	
	And I click the continue button	1.50s	
	Then I click skip button in feeds screen	4.86s	
	And I clicks on "OK" in app screen	25.75s	
After		0.00s	
Back to Table of Contents			
Feature: Verify legal and legacy on One pulse App			
Passed: 7	Failed: 0	Undefined: 0	Duration: 292.52s
Scenario: Launch the app and select the country as per specified lbu			
Passed: 6	Failed: 0	Undefined: 0	Duration: 80.28s
Before			0.00s
	Given User has pulse app		7.95s
	And I assign "\${pulse.legal.privacy.login.id}" to variable "PULSE_EMAIL"		0.00s
	And user click on "CONTINUE WITH EMAIL" with Email button		45.79s
	Then I change the country as required on registration page		19.84s
	Then I wait for 5 sec		5.01s
	And I click the Sign in link		1.70s
After			0.00s
Back to Table of Contents			
Scenario: login to the app with correct credentials using "Continue with Email"			
Passed: 6	Failed: 0	Undefined: 0	Duration: 120.27s
Before			0.00s
	Given I select the language option on toggle bar as required on login page		3.97s
	When user enters credentials		63.80s
	UserName	\${PULSE_EMAIL}	
	Password	\${pulse.edit}	
	And User clicks on signin button		1.21s
	And I wait for 5 sec		5.02s
	And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}"		14.22s
	Then user should be landed to "Home" screen		32.04s
After			0.00s
Back to Table of Contents			
Scenario: Navigate to account screen			
Passed: 1	Failed: 0	Undefined: 0	Duration: 29.88s
Before			0.00s
	Given user navigate to account page		29.88s
After			0.00s
Back to Table of Contents			
Scenario: Verify the Legacy and Privacy should be displayed			
Passed: 2	Failed: 0	Undefined: 0	Duration: 20.14s
Before			0.00s

And I click the Legacy and Privacy in Account screen			6.44s
Then I verify following texts are displayed in terms and condition screen			13.70s
	<div><div></div><div></div><div></div><div></div></div>		
After			0.00s
Back to Table of Contents			
Scenario: Verify the Terms and condition screen should be displayed			
Passed: 4	Failed: 0	Undefined: 0	Duration: 12.02s
Before			0.00s
	And I click on "\${Terms.conditions.text}" link in Account screen		1.48s
	And I click the pulse icon in Account screen		2.49s
	And I click the Back icon in pulse screen		6.68s
	And I click the Back icon in Terms and conditions screen		1.38s
After			0.00s
Back to Table of Contents			
Scenario: Verify the Privacy screen should be displayed			
Passed: 4	Failed: 0	Undefined: 0	Duration: 14.66s
Before			0.00s
	And I click the Privacy icon in legal screen		2.85s
	And I click the pulse icon in Account screen		2.03s
	And I click the Back icon in pulse screen		6.97s
	And I click the Back icon in Privacy Notice		2.81s
After			0.00s
Back to Table of Contents			
Scenario: Verify the Regulator screen should be displayed			
Passed: 4	Failed: 0	Undefined: 0	Duration: 15.28s
Before			0.00s
	Given I wait for 2 sec		2.01s
	And I click the Regulatory icon in legal screen		1.49s
	And I click the Babylons icon in Account screen		1.65s
	Then I verify following texts are displayed in terms and condition screen		10.13s
		<div><div></div><div></div><div></div><div></div><div></div></div>	
After			0.00s
Back to Table of Contents			
Feature: Verify My accounts options in Account screen			
I)My wearable			

- 2)My Rewards
 3)My Notifications
 4)My Feedback
 5)Pulse Personalised

Passed: 25	Failed: 0	Undefined: 0	Duration: 521.93s
Scenario: Launch the app and select the country as per specified Ibu			
Passed: 6	Failed: 0	Undefined: 0	Duration: 87.47s
Before			0.00s
Given User has pulse app			7.32s
And I assign "\${onepulse.login.edit.profile}" to variable "PULSE_EMAIL"			0.00s
And user click on "CONTINUE WITH EMAIL" with Email button			51.68s
Then I change the country as required on registration page			21.26s
Then I wait for 5 sec			5.02s
And I click the Sign in link			2.20s
After			0.00s
Back to Table of Contents			
Scenario: login to the app with correct credentials using "Continue with Email"			
Passed: 6	Failed: 0	Undefined: 0	Duration: 105.57s
Before			0.00s
Given I select the language option on toggle bar as required on login page			4.03s
When user enters credentials			63.09s
UserName	\${PULSE_EMAIL}		
Password	\${pulse.edit}		
And User clicks on signin button			1.78s
And I wait for 5 sec			5.01s
And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}"			13.79s
Then user should be landed to "Home" screen			17.87s
After			0.01s
Back to Table of Contents			
Scenario: Navigate to account screen and verify all the options			
Passed: 3	Failed: 0	Undefined: 0	Duration: 39.89s
Before			0.00s
Given user navigate to account page			16.50s
Then I wait for 2 sec			2.01s
And user should verify following options on account screen			21.38s
\${my.wearable.text}			
\${my.rewards.text}			
\${my.notification.text}			
\${icon.mySettings}			
\${my.feedback.text}			
\${icon.legal&Privacy}			
\${pulsePersonalised.text}			
\${sign.out.button.text}			

		#{logs.text}		
After			0.00s	
Back to Table of Contents				
Scenario: Verify wearable screen in Account tab				
Passed: 4		Failed: 0	Undefined: 0	Duration: 14.07s
Before			0.00s	
	And I click on "#{my.wearable.text}" link in Account screen			2.34s
	Then I wait for 2 sec			2.01s
	Then I verify following text are displayed under My Wearables screen			8.33s
				#{wearables.title}
				#{wearables.subTitle}
				#{wearables.description}
				#{wearables.fitbitText}
	#{wearables.garminText}			
And I verify following wearables are displayed as per the device			1.40s	
#{apple.health.text}###{wearables.googleFit}				
After			0.00s	
Back to Table of Contents				
Scenario: navigate back to account screen from my wearable screen				
Passed: 2		Failed: 0	Undefined: 0	Duration: 3.7s
Before			0.00s	
	And user navigate back to the Home screen from My Wearables screen			1.70s
	And I wait for 2 sec			2.01s
After			0.00s	
Back to Table of Contents				
Scenario: Navigate to account screen				
Passed: 2		Failed: 0	Undefined: 0	Duration: 18.74s
Before			0.00s	
	Given user navigate to account page			16.73s
	Then I wait for 2 sec			2.01s
After			0.00s	
Back to Table of Contents				
Scenario: Verify reward screen in Account tab				
Passed: 3		Failed: 0	Undefined: 0	Duration: 17.34s
Before			0.00s	
	And I click on "#{my.rewards.text}" link in Account screen			1.40s
	Then I wait for 2 sec			2.01s
	Then User verify following texts are displayed in My Rewards screen			13.93s
				#{myRewards.title}
				#{myRewards.badges}
				#{myRewards.vouchers}
				#{myRewards.discover}

	Scenario: User access My Rewards FAQ		
Passed: 3	Failed: 0	Undefined: 0	Duration: 11.19s
Before	0.00s		
	When I scroll down	6.97s	
	Then I wait for 2 sec	2.01s	
	Then User verify following texts are displayed in My Rewards screen	2.21s	
	Scenario: User access My Rewards FAQ		
After	0.00s		
Back to Table of Contents			
Scenario Outline: Verify the FAQ on my rewards screen			
Passed: 4	Failed: 0	Undefined: 0	Duration: 8.49s
Before	0.00s		
	Then User verify following faqs and answers "\${myRewards.faq.1}" are displayed in My Rewards screen	1.51s	
	Scenario: User access My Rewards FAQ		
	And I expand faq "\${myRewards.faq.1}" in My Rewards screen	1.96s	
	Then User verify following faqs and answers "\${myRewards.faq.1.ans}" are displayed in My Rewards screen	2.70s	
	Scenario: User access My Rewards FAQ		
	And I expand faq "\${myRewards.faq.1}" in My Rewards screen	2.32s	
After	0.00s		
Back to Table of Contents			
Scenario Outline: Verify the FAQ on my rewards screen			
Passed: 4	Failed: 0	Undefined: 0	Duration: 11.22s
Before	0.00s		
	Then User verify following faqs and answers "\${myRewards.faq.2}" are displayed in My Rewards screen	2.42s	
	Scenario: User access My Rewards FAQ		
	And I expand faq "\${myRewards.faq.2}" in My Rewards screen	4.24s	
	Then User verify following faqs and answers "\${myRewards.faq.2.ans}" are displayed in My Rewards screen	1.73s	
	Scenario: User access My Rewards FAQ		
	And I expand faq "\${myRewards.faq.2}" in My Rewards screen	2.83s	
After	0.00s		
Back to Table of Contents			
Scenario Outline: Verify the FAQ on my rewards screen			
Passed: 4	Failed: 0	Undefined: 0	Duration: 11.22s
Before	0.00s		
	Then User verify following faqs and answers "\${myRewards.faq.3}" are displayed in My Rewards screen	2.92s	

\${myRewards.faq.3}			
And I expand faq "\${myRewards.faq.3}" in My Rewards screen			2.48s
Then User verify following faqs and answers "\${myRewards.faq.3.ans.subtext}" are displayed in My Rewards screen			2.69s
\${myRewards.faq.3.ans.1}###\${myRewards.faq.3.ans.2}###\${myRewards.faq.3.ans.3}###\${myRewards.faq.3.ans.4}###\${myRewards.faq.3.ans.5}###\${myRewards.faq.3.ans.6}###\${myRewards.faq.3.ans.7}			
And I expand faq "\${myRewards.faq.3}" in My Rewards screen			3.13s
After			0.00s
Back to Table of Contents			
Scenario Outline: Verify the FAQ on my rewards screen			
Passed: 4	Failed: 0	Undefined: 0	Duration: 10.7s
Before			0.00s
Then User verify following faqs and answers "\${myRewards.faq.5}" are displayed in My Rewards screen			2.36s
\${myRewards.faq.5}			
And I expand faq "\${myRewards.faq.5}" in My Rewards screen			2.95s
Then User verify following faqs and answers "\${myRewards.faq.5.ans.subtext}" are displayed in My Rewards screen			2.94s
\${myRewards.faq.5.ans.1}###\${myRewards.faq.5.ans.2}###\${myRewards.faq.5.ans.3}###\${myRewards.faq.5.ans.4}			
And I expand faq "\${myRewards.faq.5}" in My Rewards screen			2.45s
After			0.00s
Back to Table of Contents			
Scenario Outline: Verify the FAQ on my rewards screen			
Passed: 4	Failed: 0	Undefined: 0	Duration: 12.4s
Before			0.00s
Then User verify following faqs and answers "\${myRewards.faq.6}" are displayed in My Rewards screen			2.62s
\${myRewards.faq.6}			
And I expand faq "\${myRewards.faq.6}" in My Rewards screen			3.04s
Then User verify following faqs and answers "\${myRewards.faq.6.ans}" are displayed in My Rewards screen			2.55s
\${myRewards.faq.6.ans}			
And I expand faq "\${myRewards.faq.6}" in My Rewards screen			4.20s
After			0.00s
Back to Table of Contents			
Scenario Outline: Verify the FAQ on my rewards screen			
Passed: 4	Failed: 0	Undefined: 0	Duration: 10.74s
Before			0.00s
Then User verify following faqs and answers "\${myRewards.faq.7}" are displayed in My Rewards screen			2.46s
\${myRewards.faq.7}			

And I expand faq "\${myRewards.faq.7}" in My Rewards screen	2.24s
Then User verify following faqs and answers "\${myRewards.faq.7.ans}" are displayed in My Rewards screen	2.95s
\${myRewards.faq.7.ans}	
And I expand faq "\${myRewards.faq.7}" in My Rewards screen	3.08s
After	0.00s
Back to Table of Contents	
Scenario Outline: Verify the FAQ on my rewards screen	
Passed: 4	Failed: 0
Undefined: 0	Duration: 11.13s
Before	0.00s
Then User verify following faqs and answers "\${myRewards.faq.8}" are displayed in My Rewards screen	2.57s
\${myRewards.faq.8}	
And I expand faq "\${myRewards.faq.8}" in My Rewards screen	2.95s
Then User verify following faqs and answers "\${myRewards.faq.8.ans.subtext}" are displayed in My Rewards screen	2.82s
\${myRewards.faq.8.ans.1}##\${myRewards.faq.8.ans.2}##\${myRewards.faq.8.ans.3}	
And I expand faq "\${myRewards.faq.8}" in My Rewards screen	2.78s
After	0.00s
Back to Table of Contents	
Scenario Outline: Verify the FAQ on my rewards screen	
Passed: 4	Failed: 0
Undefined: 0	Duration: 11.64s
Before	0.00s
Then User verify following faqs and answers "\${myRewards.faq.9}" are displayed in My Rewards screen	2.71s
\${myRewards.faq.9}	
And I expand faq "\${myRewards.faq.9}" in My Rewards screen	3.08s
Then User verify following faqs and answers "\${myRewards.faq.9.ans}" are displayed in My Rewards screen	2.75s
\${myRewards.faq.9.ans}	
And I expand faq "\${myRewards.faq.9}" in My Rewards screen	3.11s
After	0.00s
Back to Table of Contents	
Scenario: navigate back to account screen from my rewards screen	
Passed: 2	Failed: 0
Undefined: 0	Duration: 47.38s
Before	0.00s
Then I click on back button on my reward screen to navigate to account screen	45.36s
And I wait for 2 sec	2.01s
After	0.01s
Back to Table of Contents	
Scenario: Verify Notification screen in Account tab	
Passed: 2	Failed: 0
Undefined: 0	Duration: 3.99s
Before	0.00s

And I click on "\${my.notification.text}" link in Account screen		1.30s
Then User verify following texts are displayed in My Notification screen		2.69s
{notification.msg}		
After		0.00s
Back to Table of Contents		
Scenario: navigate back to account screen from Notification screen		
Passed: 2	Failed: 0	Undefined: 0
Duration: 3.5s		
Before		0.00s
Then I click on back button on notification screen to navigate to account screen		1.49s
And I wait for 2 sec		2.01s
After		0.00s
Back to Table of Contents		
Scenario: Verify my feedback screen in Account tab		
Passed: 4	Failed: 0	Undefined: 0
Duration: 19.72s		
Before		0.00s
And I click on "\${my.feedback.text}" link in Account screen		3.06s
Then User verify following texts are displayed in My feedback screen		4.96s
{feedback.static.text}		
{feedback.improvement}		
Then User verify following feedback options are displayed in My feedback screen		10.02s
{aime.text}		
{health.article.text}		
{bmi.text.uppercase}		
{wrinkle.text}		
{health.assessment.text}		
{babylon.symptom.checker}		
Then I verify following edit box sample text is displayed in account screen		1.68s
{share.thought.text}		
After		0.00s
Back to Table of Contents		
Scenario: Verify the submit functionality in My feedback screen		
Passed: 4	Failed: 0	Undefined: 0
Duration: 20.88s		
Before		0.00s
Given I select "5" star in feedback screen		2.21s
Then I enter feedback		2.72s
Feedback Test_12345		
And I click the Submit icon in Feedback Screen		13.94s
And I wait for 2 sec		2.01s
After		0.00s
Back to Table of Contents		
Scenario: Verify the Pulse Personalised tab		

Passed: 4	Failed: 0	Undefined: 0	Duration: 12.73s
Before			0.00s
And I click on "\${pulsePersonalised.text}" link in Account screen			1.38s
And I wait for 2 sec			2.01s
Then User verify following texts are displayed in pulse personalised screen			1.67s
<div> <div>\${pulsePersonalised.text}</div> <div>\${data.privacy.text}</div> </div>			
Then I verify data and privacy consent in pulse personalised screen			7.67s
<div> <div>\${pulse.personalised.consent.text1}</div> <div>\${pulse.personalised.consent.text2}</div> <div>\${pulse.personalised.consent.text3}</div> <div>\${pulse.personalised.consent.text4}</div> <div>\${pulse.personalised.consent.text5}</div> <div>\${pulse.personalised.consent.text6}</div> <div>\${pulse.personalised.consent.text7}</div> </div>			
After			0.00s
Back to Table of Contents			
Scenario: Save the consent with data privacy check			
Passed: 5	Failed: 0	Undefined: 0	Duration: 10.58s
Before			0.00s
Given I select the data privacy checkbox			1.21s
And I click the save button in pulse personalised icons			1.24s
Then User verify following texts are displayed in pulse personalised screen			4.80s
<div> <div>\${consent.success.msg.text}</div> </div>			
And I click the Ok button in pulse personlised screen			1.32s
Then I wait for 2 sec			2.01s
After			0.00s
Back to Table of Contents			
Scenario: Save the consent without data privacy check			
Passed: 4	Failed: 0	Undefined: 0	Duration: 6.69s
Before			0.00s
Given I select the data privacy checkbox			0.83s
And I click the save button in pulse personalised icons			1.09s
Then User verify following texts are displayed in pulse personalised screen			2.86s
<div> <div>\${consent.success.msg.text}</div> </div>			
And I click the Ok button in pulse personlised screen			1.91s
After			0.00s
Back to Table of Contents			
Scenario: navigate back to account screen from pulse personalised screen			
Passed: 2	Failed: 0	Undefined: 0	Duration: 10.95s
Before			0.00s
And I click the Back icon in pulse personalised screen			8.95s

	And I wait for 2 sec	2.01s		
After		0.00s		
Back to Table of Contents				
Feature: Verify MySettings functionality in Account screen				
Passed: 5	Failed: 0	Undefined: 0	Duration: 215.49s	
Scenario: Launch the app and select the country as per specified Ibu				
Passed: 6	Failed: 0	Undefined: 0	Duration: 94.59s	
Before		0.00s		
	Given User has pulse app	10.29s		
	And I assign "\${onepulse.login.edit.profile}" to variable "PULSE_EMAIL"	0.00s		
	And user click on "CONTINUE WITH EMAIL" with Email button	55.39s		
	Then I change the country as required on registration page	22.14s		
	Then I wait for 5 sec	5.01s		
	And I click the Sign in link	1.76s		
After		0.00s		
Back to Table of Contents				
Scenario: login to the app with correct credentials using "Continue with Email"				
Passed: 6	Failed: 0	Undefined: 0	Duration: 94.85s	
Before		0.00s		
	Given I select the language option on toggle bar as required on login page	4.47s		
	When user enters credentials	49.55s		
	UserName	\${PULSE_EMAIL}		
	Password	\${pulse.edit}		
	And User clicks on signin button	1.42s		
	And I wait for 5 sec	5.00s		
	And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}"	14.52s		
	Then user should be landed to "Home" screen	19.89s		
After		0.00s		
Back to Table of Contents				
Scenario: Navigate to account screen				
Passed: 1	Failed: 0	Undefined: 0	Duration: 16.58s	
Before		0.00s		
	Given user navigate to account page	16.59s		
After		0.00s		
Back to Table of Contents				
Scenario: Verify my setting screen in Account tab				
Passed: 3	Failed: 0	Undefined: 0	Duration: 6.48s	
Before		0.00s		
	Given I wait for 2 sec	2.01s		
	And I click on "\${icon.mySettings}" link in Account screen	2.47s		
	Then I wait for 2 sec	2.01s		
After		0.00s		

Back to Table of Contents			
Scenario: navigate back to account screen from my setting screen			
Passed: 2	Failed: 0	Undefined: 0	Duration: 2.98s
Before			0.00s
	Then I click on back button on my settings screen to navigate to account screen		0.98s
	And I wait for 2 sec		2.01s
After			0.00s
Back to Table of Contents			

Feature: Verify My wearable functionality via fitness tab on Pulse Health & Wealth app			
Passed: 2	Failed: 1	Undefined: 0	Duration: 223.22s

Scenario: Launch the app and select the country as per specified Ibu			
Passed: 6	Failed: 0	Undefined: 0	Duration: 95.75s
Before			0.00s
	Given User has pulse app		9.36s
	And I assign "\${login.email.id}" to variable "PULSE_EMAIL"		0.04s
	And user click on "CONTINUE WITH EMAIL" with Email button		55.28s
	Then I change the country as required on registration page		23.09s
	Then I wait for 5 sec		5.01s
	And I click the Sign in link		2.98s
After			0.00s
Back to Table of Contents			

Scenario: login to the app with correct credentials using "Continue with Email"			
Passed: 6	Failed: 0	Undefined: 0	Duration: 95.38s
Before			0.00s
	Given I select the language option on toggle bar as required on login page		3.91s
	When user enters credentials		50.38s
	UserName	\${PULSE_EMAIL}	
	Password	\${login.password}	
	And User clicks on signin button		3.53s
	And I wait for 5 sec		5.02s
	And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}"		13.73s
	Then user should be landed to "Home" screen		18.81s
After			0.00s
Back to Table of Contents			


Scenario: Verify the user can access My Wearables via Fitness			
Passed: 1	Failed: 1	Undefined: 2	Duration: 32.09s
Before			0.00s
	When User clicks on Fitness tab		7.44s
	Then I verify My Wearables tile on Fitness screen		20.91s
	<div><div>\${fitness.myWearables}</div><div>\${fitness.myWearables.description}</div></div>		
	java.lang.AssertionError: The following asserts failed:		

the expected text is: My Wearables expected [true] but found [false],
 the expected text is: Track all your activities at the click of a button expected [true] but found [false]
 at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)
 at com.onepulse.app.stepdefinitions.OptionsInFooterSteps.verifyStaticTextOnFitnessScreen(OptionsInFooterSteps.java:40)
 at .Then I verify My Wearables tile on Fitness screen(features/my/fitness/MyWearable.feature:25)

When I click on Connect Now button on Fitness screen	0.00s
--	-------

Then I verify following text are displayed under My Wearables screen	0.00s
--	-------

<table border="1"> <tr><td>\${wearables.title}</td></tr> <tr><td>\${wearables.subTitle}</td></tr> <tr><td>\${wearables.description}</td></tr> <tr><td>\${wearables.fitbitText}</td></tr> <tr><td>\${wearables.garminText}</td></tr> <tr><td>\${wearables.googleFit}</td></tr> </table>	\${wearables.title}	\${wearables.subTitle}	\${wearables.description}	\${wearables.fitbitText}	\${wearables.garminText}	\${wearables.googleFit}	
\${wearables.title}							
\${wearables.subTitle}							
\${wearables.description}							
\${wearables.fitbitText}							
\${wearables.garminText}							
\${wearables.googleFit}							



After	3.74s
-------	-------

[Back to Table of Contents](#)

Feature: **Verify the BabyLon HRA Report - Nutrition, Body, Activity**

Passed: 14	Failed: 4	Undefined: 0	Duration: 1410.98s
------------	-----------	--------------	--------------------

Scenario: **Launch the app and select the country as per specified Ibu**

Passed: 6	Failed: 0	Undefined: 0	Duration: 101.16s
-----------	-----------	--------------	-------------------

Before	0.00s
--------	-------

Given User has pulse app	9.92s
--------------------------	-------


And I assign "\${hra.report.email.id}" to variable "PULSE_EMAIL"	0.02s
--	-------

And user click on "CONTINUE WITH EMAIL" with Email button		59.05s
Then I change the country as required on registration page		25.44s
Then I wait for 5 sec		5.09s
And I click the Sign in link		1.65s
After		0.00s
Back to Table of Contents		
Scenario: login to the app with correct credentials using "Continue with Email"		
Passed: 8	Failed: 0	Undefined: 0
		Duration: 214.62s
Before		0.00s
Given I select the language option on toggle bar as required on login page		5.99s
When user enters credentials		52.04s
UserName	{PULSE_EMAIL}	
Password	{hra.password}	
And User clicks on signin button		2.38s
And I wait for 5 sec		5.01s
And I enter OTP in one pulse app for user email "{PULSE_EMAIL}"		14.35s
Then user should be landed to "Home" screen		20.44s
When I clicks on Health button		36.22s
And I navigate to Babylon health Assessment and Accept TermsAndCondition		78.21s
After		0.00s
Back to Table of Contents		
Scenario: User should be able to access Babylon Health Risk Assessment Report		
Passed: 3	Failed: 0	Undefined: 0
		Duration: 112.28s
Before		0.00s
When I click on "Report" link on digital twin screen		9.86s
And I wait for 5 sec		5.01s
Then I verify the HRA Results are displayed		97.41s
{babylon.hraReport.report.title}		
{babylon.hraReport.report.subTitle}		
{babylon.hraReport.report.percentage}		
{babylon.hraReport.report.statement1}		
{babylon.hraReport.report.statement2}		
{babylon.hraReport.report.statement3}		
After		0.00s
Back to Table of Contents		
Scenario: Verify the HRA Activity Report		
Passed: 1	Failed: 0	Undefined: 0
		Duration: 190.09s
Before		0.00s
Then I verify the HRA Results are displayed		190.09s
{babylon.hraReport.summary.title}		

	{babylon.hraReport.summary.description}				
	{babylon.hraReport.summary.diseaseRisk}				
	{babylon.hraReport.summary.diseaseRiskDescription}				
	{babylon.hraReport.summary.diseaseRisk.statement1}				
	{babylon.hraReport.summary.diseaseRisk.statement2}				
	{babylon.hraReport.summary.diseaseRisk.statement3}				
	{babylon.hraReport.summary.diseaseRisk.statement4}				
	{babylon.hraReport.summary.organ.title}				
	{babylon.hraReport.summary.organDescription}				
	{babylon.hraReport.summary.organ.statement1}				
	{babylon.hraReport.summary.organ.statement2}				
After			0.00s		
Back to Table of Contents					
Scenario: Verify the HRA Activity Report					
Passed: 1		Failed: 0	Undefined: 0	Duration: 70.07s	
Before				0.00s	
	Then I verify the HRA Results are displayed			70.07s	
		{babylon.hraReport.activity.title}			
		{babylon.hraReport.activity.subTitle}			
		{babylon.hraReport.activity.statement1}			
		{babylon.hraReport.activity.statement2}			
After				0.00s	
Back to Table of Contents					
Scenario: Verify the HRA Nutrition Report					
Passed: 1		Failed: 0	Undefined: 0	Duration: 161.69s	
Before				0.00s	
	Then I verify the HRA Results are displayed			161.69s	
		{babylon.hraReport.nutrition.title}			
		{babylon.hraReport.nutrition.subTitle}			
		{babylon.hraReport.nutrition.statement1}			
		{babylon.hraReport.nutrition.statement2}			
		{babylon.hraReport.nutrition.statement3}			
		{babylon.hraReport.nutrition.statement4}			
		{babylon.hraReport.nutrition.statement5}			
		{babylon.hraReport.nutrition.statement6}			
		{babylon.hraReport.nutrition.statement7}			
		{babylon.hraReport.nutrition.statement8}			
		{babylon.hraReport.nutrition.statement9}			
After				0.00s	
Back to Table of Contents					
Scenario: Verify the HRA Report - Keep It Up sub-section					
				Duration: 121.14	

Passed: 1	Failed: 0	Undefined: 0	s	
Before			0.00s	
	Then I verify the HRA Results are displayed		121.14s	
	<code>\${babylon.hraReport.keepItUp}</code>			
	<code>\${babylon.hraReport.lowFat}</code>			
	<code>\${babylon.hraReport.lowFat.description}</code>			
	<code>\${babylon.hraReport.lowAlcohol}</code>			
	<code>\${babylon.hraReport.lowAlcohol.description}</code>			
	<code>\${babylon.hraReport.redMeat}</code>			
	<code>\${babylon.hraReport.redMeat.description}</code>			
After			0.00s	
Back to Table of Contents				
Scenario: Verify the HRA Report - Make a Change sub-section				
Passed: 1	Failed: 0	Undefined: 0	Duration: 108.31s	
Before			0.00s	
	Then I verify the HRA Results are displayed		108.30s	
	<code>\${babylon.hraReport.makeAChange}</code>			
	<code>\${babylon.hraReport.change1}</code>			
	<code>\${babylon.hraReport.change2}</code>			
	<code>\${babylon.hraReport.change3}</code>			
	<code>\${babylon.hraReport.change4}</code>			
	<code>\${babylon.hraReport.change5}</code>			
	<code>\${babylon.hraReport.change6}</code>			
After			0.01s	
Back to Table of Contents				
Scenario: User should be able to access Babylon HRA - Healthcheck - Body				
Passed: 3	Failed: 1	Undefined: 0	Duration: 85.85s	
Before			0.00s	
	When I click on "Healthcheck" link on digital twin screen		20.63s	
	When I click on "Body" link on digital twin screen		7.06s	
	Then I verify the HRA Results are displayed		11.45s	
	<code>\${babylon.hraReport.bodyButtton}</code>			
	Then I verify following text is displayed on HRA report			44.92s
	<code>\${babylon.hraReport.body.bones}</code>			
	<code>\${babylon.hraReport.body.heart}</code>			
	<code>\${babylon.hraReport.body.brain}</code>			
	<code>\${babylon.hraReport.body.liver}</code>			
	java.lang.AssertionError: The following asserts failed: the expected text is: Brain expected [true] but found [false] at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43) at com.onepulse.app.stepdefinitions.mobilesteps.BabylonSteps.verifyHRAStaticText (BabylonSteps.java:689)			

at .Then I verify following text is displayed on HRA report(features/my/health/BabylonHRA_Report.feature:100)



After		1.79s
-------	--	-------

[Back to Table of Contents](#)

Scenario: navigate back to digital twin screen

Passed: 1	Failed: 0	Undefined: 0	Duration: 6.05s
-----------	-----------	--------------	-----------------

Before		0.00s
--------	--	-------

And I click on "Back" link on digital twin screen	6.04s
---	-------

After		0.01s
-------	--	-------

[Back to Table of Contents](#)

Scenario: User should be able to access Babylon HRA - Healthcheck - Nutrition

Passed: 3	Failed: 1	Undefined: 0	Duration: 83.82s
-----------	-----------	--------------	------------------

Before		0.00s
--------	--	-------

When I click on "Nutrition" link on digital twin screen	9.19s
---	-------

Then I verify the HRA Results are displayed	22.25s
---	--------

<code>\${babylon.hraReport.nutrition}</code>	
<code>\${babylon.hraReport.nutrition.description}</code>	

When I click on "Retake Assessment" link on digital twin screen	40.68s
---	--------

Then I verify the HRA Results are displayed	10.73s
---	--------

<code>\${babylon.hraReport.nutrition.retake}</code>

java.lang.AssertionError: The following asserts failed:
the expected text is: Nutrition is key to your energy levels and can affect your risk of some
medical conditions expected [true] but found [false]
at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)

```
at com.onepulse.app.stepdefinitions.mobilesteps.BabylonSteps.verifyHRAResult(BabylonSteps.java:616)
at .Then I verify the HRA Results are displayed(features/my/health/BabylonHRA_Report.feature:115)
```



After		0.97s
-------	--	-------

[Back to Table of Contents](#)

Scenario: Navigate back to nutrition screen and validate the static text

Passed: 2	Failed: 0	Undefined: 0	Duration: 18.09s
-----------	-----------	--------------	------------------

Before		0.00s
--------	--	-------

And I click on "Back" link on digital twin screen	3.84s
---	-------

Then I verify the HRA Results are displayed	14.25s
---	--------

`#{babylon.hraReport.aboutDisease}`

```
#{babylon.hraReport.about.nutrition.description}
```

After		0.00s
-------	--	-------

[Back to Table of Contents](#)

Scenario: navigate back to digital twin screen

Passed: 1	Failed: 0	Undefined: 0	Duration: 9.76s
-----------	-----------	--------------	-----------------

Before	0.00s
--------	-------

And I click on "Back" link on digital twin screen	9.76s
---	-------

After		0.00s
-------	--	-------

[Back to Table of Contents](#)

Scenario: User should be able to access Babylon HRA - Healthcheck - Activity

Passed: 3	Failed: 1	Undefined: 0	Duration: 61.79s
-----------	-----------	--------------	------------------

Before		0.00s
--------	--	-------

When I click on "Activity" link on digital twin screen	9.42s
--	-------

After		0.00s
Back to Table of Contents		
Scenario: navigate back to digital twin screen		
Passed: 1	Failed: 0	Undefined: 0
Before		0.00s
And I click on "Back" link on digital twin screen		6.05s
After		0.00s
Back to Table of Contents		
Scenario: User should be able to access Babylon HRA - Healthcheck - Mood		
Passed: 3	Failed: 1	Undefined: 0
Before		0.00s
When I click on "Mood" link on digital twin screen		13.46s
Then I verify the HRA Results are displayed		12.44s
{babylon.hraReport.mood}		
{babylon.hraReport.mood.duration}		
And I start the assessment		3.26s
Then I verify the HRA Results are displayed		11.78s
{babylon.hraReport.mood.assessment}		
<p>java.lang.AssertionError: The following asserts failed: the expected text is: start by looking at your current mood, stress levels and things that can affect good mental health expected [true] but found [false] at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43) at com.onepulse.app.stepdefinitions.mobilesteps.BabylonSteps.verifyHRAResult(BabylonSteps.java:616) at .Then I verify the HRA Results are displayed(features/my/health/BabylonHRA_Report.feature:155)</p>		

4:17

After				0.88s
Back to Table of Contents				
Scenario: navigate back to digital twin screen				
Passed: 1	Failed: 0	Undefined: 0		Duration: 5.0s
Before				0.00s
	And I click on "Back" link on digital twin screen			5.00s
After				0.00s
Back to Table of Contents				
Feature: Verify that user can access calendar under health section				
Passed: 3	Failed: 0	Undefined: 0		Duration: 330.32s
Scenario: Launch the app and select the country as per specified Ibu				
Passed: 6	Failed: 0	Undefined: 0		Duration: 98.59s
Before				0.00s
	Given User has pulse app			8.48s
	And I assign "\${login.email.id}" to variable "PULSE_EMAIL"			0.01s
	And user click on "CONTINUE WITH EMAIL" with Email button			58.54s
	Then I change the country as required on registration page			27.56s
	Then I wait for 2 sec			2.02s
	And I click the Sign in link			1.98s
After				0.00s
Back to Table of Contents				
Scenario: login to the app with correct credentials using "Continue with Email"				
Passed: 6	Failed: 0	Undefined: 0		Duration: 100.64s

Before		0.00s	
Given I select the language option on toggle bar as required on login page		3.04s	
When user enters credentials		55.64s	
UserName	\${PULSE_EMAIL}		
Password	\${pulse.password}		
And User clicks on signin button		2.55s	
And I wait for 5 sec		5.03s	
And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}"		12.31s	
Then user should be landed to "Home" screen		22.06s	
After		0.00s	
Back to Table of Contents			
Scenario: User should be able to access Calendar screen			
Passed: 8	Failed: 0	Undefined: 0	Duration: 131.1s
Before		0.00s	
And I wait for 3 sec		3.01s	
When I clicks on Health button		34.28s	
And I scroll down		6.50s	
And I click on Calendar tile		22.13s	
And I wait for 3 sec		3.03s	
Then I verify following texts are displayed		7.30s	
	\${calendar.text}		
	\${no.events.text}		
And I click on events dropdown button in calendar screen		5.34s	
Then I verify the following texts "Calendar events" in Screen		49.51s	
	\${medicine.reminders.text}		
	\${appointments.text}		
	\${vaccination.text}		
	\${workout.text}		
	\${pulse.tv.text}		
	\${policy.remainder.text}		
After		0.00s	
Back to Table of Contents			
Feature: Verify that user can access Chinese Medicine feature			
Passed: 19	Failed: 55	Undefined: 0	Duration: 1606.93s
Scenario: User should be able to register on app with correct credentials using "Continue with Email"			
Passed: 18	Failed: 0	Undefined: 0	Duration: 352.2s
Before		0.00s	
Given I generate random number and assign to variable "RANDOM_NUMBER"		0.05s	
And I assign "pulse\${RANDOM_NUMBER}@mailsac.com" to variable "PULSE_EMAIL"		0.00s	
And User has pulse app		8.44s	

Then I wait for 2 sec		2.01s								
And user click on "CONTINUE WITH EMAIL" with Email button		57.10s								
Then I wait for 2 sec		2.01s								
Then I change the country as required on registration page		22.87s								
Then I wait for 2 sec		2.01s								
Then I navigate to pulse registration page and select the lang on toggle bar then click on continue with email button		8.61s								
Then I wait for 2 sec		2.00s								
When user enters registration details		37.90s								
	<table><tr><td>FirstName</td><td>testAutomation</td></tr><tr><td>LastName</td><td>testAutomation</td></tr><tr><td>Email</td><td>\${PULSE_EMAIL}</td></tr><tr><td>Password</td><td>Pas\$1234</td></tr></table>	FirstName	testAutomation	LastName	testAutomation	Email	\${PULSE_EMAIL}	Password	Pas\$1234	
FirstName	testAutomation									
LastName	testAutomation									
Email	\${PULSE_EMAIL}									
Password	Pas\$1234									
And taps on continue "Sign_Up" button		1.95s								
And I wait for otp screen after clicking on signup button		7.35s								
And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}"		37.08s								
Then I wait for 2 sec		2.01s								
Then I click skip button		135.73s								
Then user should be landed to "Home" screen		21.07s								
Then I wait for 4 sec		4.01s								
After		0.00s								
Back to Table of Contents										
Scenario: User should be able to access Chinese Medicine screen										
Passed: 4	Failed: 0	Undefined: 0								
Duration: 61.32s										
Before		0.00s								
	When I clicks on Health button	35.46s								
	And I click on Chinese Medicine button	10.21s								
	Then User verify following texts are displayed in Chinese Medicine screen	11.44s								
	<table><tr><td>\${chineseMedicine.welcomeMessage}</td></tr><tr><td>\${chineseMedicine.statement}</td></tr><tr><td>\${chineseMedicine.pruLife}</td></tr><tr><td>\${chineseMedicine.pruLife.research}</td></tr></table>	\${chineseMedicine.welcomeMessage}	\${chineseMedicine.statement}	\${chineseMedicine.pruLife}	\${chineseMedicine.pruLife.research}					
\${chineseMedicine.welcomeMessage}										
\${chineseMedicine.statement}										
\${chineseMedicine.pruLife}										
\${chineseMedicine.pruLife.research}										
	When I click on Continue button on Chinese Medicine screen	4.20s								
After		0.00s								
Back to Table of Contents										
Scenario Outline: Verify the carousel on Chinese Medicine journey										
Passed: 3	Failed: 0	Undefined: 0								
Duration: 14.71s										
Before		0.00s								
	Then User verify following texts are displayed in Chinese Medicine screen	2.36s								
	<table><tr><td>\${chineseMedicine.page1.text}</td></tr></table>	\${chineseMedicine.page1.text}								
\${chineseMedicine.page1.text}										
	Then I verify following button are displayed on chinese medicine carousal	3.18s								
	<table><tr><td>carousel1##\${chineseMedicine.skipButton}</td></tr></table>	carousel1##\${chineseMedicine.skipButton}								
carousel1##\${chineseMedicine.skipButton}										
	When I swipe to Right for chinese medicine on carousal "\${chineseMedicine.									

page1.partialText}"		9.18s
After		0.00s
Back to Table of Contents		
Scenario Outline: Verify the carousel on Chinese Medicine journey		
Passed: 3	Failed: 0	Undefined: 0
Duration: 13.41s		
Before		0.00s
Then User verify following texts are displayed in Chinese Medicine screen		1.14s
{chineseMedicine.page2.text}		
Then I verify following button are displayed on chinese medicine carousal		1.37s
carousel2##\${chineseMedicine.skipButton}		
When I swipe to Right for chinese medicine on carousal "\${chineseMedicine.page2.partialText}"		10.90s
After		0.00s
Back to Table of Contents		
Scenario: verify the text and button on final assessment carousel		
Passed: 2	Failed: 0	Undefined: 0
Duration: 4.1s		
Before		0.00s
Then User verify following texts are displayed in Chinese Medicine screen		1.03s
{chineseMedicine.page3.text}		
Then I verify following button are displayed on chinese medicine carousal		3.07s
carousel3##\${chineseMedicine.startAssessmentBtn}		
After		0.00s
Back to Table of Contents		
Scenario: User should be able to complete Chinese Medicine profile		
Passed: 7	Failed: 0	Undefined: 0
Duration: 94.42s		
Before		0.00s
When I click on Start Assessment button on Chinese Medicine screen		4.18s
And I wait for 5 sec		5.01s
Then User verify following texts are displayed in Chinese Medicine screen		5.05s
{chineseMedicine.profile.title}		
{chineseMedicine.profile.description}		
{chineseMedicine.profile.mandatoryFields}		
Then change Chinese Medicine user profile details		31.93s
City	{chineseMedicine.profile.cityValue}	
Smoking Habits	{chineseMedicine.profile.smokingHabitsValue}	
Drinking Habits	{chineseMedicine.profile.drinkingHabitsValue}	
Exercise Habits	{chineseMedicine.profile.exerciseHabitsValue}	
When I click on Next button on Chinese Medicine Profile screen		37.55s
When User verify following texts are displayed in Chinese Medicine screen		3.62s
{chineseMedicine.question.1}		
{chineseMedicine.statement.1}		
Then I verify following answer options are displayed on Chinese Medicine		

screen			7.07s	
	{chineseMedicine.answer.option1}			
	{chineseMedicine.answer.option2}			
	{chineseMedicine.answer.option3}			
	{chineseMedicine.answer.option4}			
	{chineseMedicine.answer.option5}			
After			0.00s	
Back to Table of Contents				
Scenario Outline: Verify the Q&A on Chinese Medicine journey				
Passed: 1		Failed: 0	Undefined: 0	Duration: 34.51s
Before				0.00s
	And user selects "{chineseMedicine.answer.1}" for the question "{chineseMedicine.question.1}"			34.51s
After				0.00s
Back to Table of Contents				
Scenario Outline: Verify the Q&A on Chinese Medicine journey				
Passed: 1		Failed: 0	Undefined: 0	Duration: 34.8s
Before				0.00s
	And user selects "{chineseMedicine.answer.2}" for the question "{chineseMedicine.question.2}"			34.80s
After				0.00s
Back to Table of Contents				
Scenario Outline: Verify the Q&A on Chinese Medicine journey				
Passed: 1		Failed: 0	Undefined: 0	Duration: 37.32s
Before				0.00s
	And user selects "{chineseMedicine.answer.3}" for the question "{chineseMedicine.question.3}"			37.32s
After				0.00s
Back to Table of Contents				
Scenario Outline: Verify the Q&A on Chinese Medicine journey				
Passed: 1		Failed: 0	Undefined: 0	Duration: 36.33s
Before				0.00s
	And user selects "{chineseMedicine.answer.4}" for the question "{chineseMedicine.question.4}"			36.33s
After				0.00s
Back to Table of Contents				
Scenario Outline: Verify the Q&A on Chinese Medicine journey				
Passed: 1		Failed: 0	Undefined: 0	Duration: 34.73s
Before				0.00s
	And user selects "{chineseMedicine.answer.5}" for the question "{chineseMedicine.question.5}"			34.73s
After				0.00s
Back to Table of Contents				

Scenario Outline: Verify the Q&A on Chinese Medicine journey

Passed: 1		Failed: 0	Undefined: 0	Duration: 36.68s
Before				0.00s
	And user selects "\${chineseMedicine.answer.6}" for the question "\${chineseMedicine.question.6}"			36.68s
After				0.00s

[Back to Table of Contents](#)**Scenario Outline: Verify the Q&A on Chinese Medicine journey**

Passed: 1		Failed: 0		Undefined: 0		Duration: 34.42s	
Before							0.00s
	And user selects "\${chineseMedicine.answer.7}" for the question "\${chineseMedicine.question.7}"						34.41s
After							0.00s

[Back to Table of Contents](#)**Scenario Outline: Verify the Q&A on Chinese Medicine journey**

Passed: 1		Failed: 0	Undefined: 0	Duration: 38.47s
Before				0.00s
	And user selects "\${chineseMedicine.answer.8}" for the question "\${chineseMedicine.question.8}"			38.47s
After				0.00s

[Back to Table of Contents](#)**Scenario Outline: Verify the Q&A on Chinese Medicine journey**

Passed: 1		Failed: 0	Undefined: 0	Duration: 36.54s
Before				0.00s
	And user selects "\${chineseMedicine.answer.9}" for the question "\${chineseMedicine.question.9}"			36.54s
After				0.00s

[Back to Table of Contents](#)**Scenario Outline: Verify the Q&A on Chinese Medicine journey**

Passed: 1		Failed: 0	Undefined: 0	Duration: 34.81s
Before				0.00s
	And user selects "\${chineseMedicine.answer.10}" for the question "\${chineseMedicine.question.10}"			34.81s
After				0.00s

[Back to Table of Contents](#)**Scenario Outline: Verify the Q&A on Chinese Medicine journey**

Passed: 1		Failed: 0	Undefined: 0	Duration: 36.59s
Before				0.00s
	And user selects "\${chineseMedicine.answer.11}" for the question "\${chineseMedicine.question.11}"			36.59s
After				0.00s

[Back to Table of Contents](#)**Scenario Outline: Verify the Q&A on Chinese Medicine journey**

Passed: 1	Failed: 0	Undefined: 0	Duration: 34.62s
Before			0.00s
And user selects "\${chineseMedicine.answer.12}" for the question "\${chineseMedicine.question.12}"			34.62s
After			0.00s
Back to Table of Contents			
Scenario Outline: Verify the Q&A on Chinese Medicine journey			
Passed: 1	Failed: 0	Undefined: 0	Duration: 37.5s
Before			0.01s
And user selects "\${chineseMedicine.answer.13}" for the question "\${chineseMedicine.question.13}"			37.49s
After			0.00s
Back to Table of Contents			
Scenario Outline: Verify the Q&A on Chinese Medicine journey			
Passed: 0	Failed: 1	Undefined: 0	Duration: 10.44s
Before			0.00s
And user selects "\${chineseMedicine.answer.14}" for the question "\${chineseMedicine.question.14}"			9.37s
<pre> java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains (@name,"I feel that I have a weak voice.")] and Answer //XCUIElementTypeOther[@name=" Occassionally"] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java: 168) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104) at .And user selects "\${chineseMedicine.answer.14}" for the question "\${chineseMedicine. question.14}" (features/my/health/ChineseMedicine.feature:88) </pre>			
After			1.07s
<pre> com.prudential.tap.exception.TapException: Failed to take screenshot of at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases (CucumberHook.java:95) at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72) at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at cucumber.runtime.Utills\$1.call(Utills.java:40) at cucumber.runtime.Timeout.timeout(Timeout.java:16) at cucumber.runtime.Utills.invoke(Utills.java:34) at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60) at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224) at cucumber.runtime.Runtime.runHooks(Runtime.java:212) at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206) at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46) </pre>			

```

at cucumber.runtime.model.CucumberScenarioOutline.run(CucumberScenarioOutline.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:
63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:96)
at jdk.internal.reflect.GeneratedMethodAccessor43.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

```

[Back to Table of Contents](#)

Scenario Outline: **Verify the Q&A on Chinese Medicine journey**

Passed: 0	Failed: 1	Undefined: 0	Duration: 10.2s
Before			0.00s
And user selects "\${chineseMedicine.answer.15}" for the question "\${chineseMedicine.question.15}"			9.16s
<pre> java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains (@name,"In general")] and Answer //XCUIElementTypeOther[@name="Occasionally"] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java: 168) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104) at .And user selects "\${chineseMedicine.answer.15}" for the question "\${chineseMedicine. question.15}" (features/my/health/ChineseMedicine.feature:88) </pre>			
After			1.04s
<pre> com.prudential.tap.exception.TapException: Failed to take screenshot of at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases (CucumberHook.java:95) at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72) </pre>			

```

atjdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source)
atjava.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
atjava.base/java.lang.reflect.Method.invoke(Method.java:566)
atcucumber.runtime.Utills$.call(Utills.java:40)
atcucumber.runtime.Timeout.timeout(Timeout.java:16)
atcucumber.runtime.Utills.invoke(Utills.java:34)
atcucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
atcucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
atcucumber.runtime.Runtime.runHooks(Runtime.java:212)
atcucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
atcucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
atcucumber.runtime.model.CucumberScenarioOutline.run(CucumberScenarioOutline.java:46)
atcucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
atcucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:
63)
atcom.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:96)
atjdk.internal.reflect.GeneratedMethodAccessor43.invoke(Unknown Source)
atjava.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
atjava.base/java.lang.reflect.Method.invoke(Method.java:566)
atorg.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
atorg.testng.internal.Invoker.invokeMethod(Invoker.java:643)
atorg.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
atorg.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
atorg.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
atorg.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
atorg.testng.TestRunner.privateRun(TestRunner.java:782)
atorg.testng.TestRunner.run(TestRunner.java:632)
atorg.testng.SuiteRunner.runTest(SuiteRunner.java:366)
atorg.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
atorg.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
atorg.testng.SuiteRunner.run(SuiteRunner.java:268)
atorg.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
atorg.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
atorg.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
atorg.testng.TestNG.runSuitesLocally(TestNG.java:1169)
atorg.testng.TestNG.run(TestNG.java:1064)
atcom.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
atcom.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

```

[Back to Table of Contents](#)

Scenario Outline: **Verify the Q&A on Chinese Medicine journey**

Passed: 0	Failed: 1	Undefined: 0	Duration: 10.18s
Before			0.00s

And user selects "\${chineseMedicine.answer.16}" for the question "\${chineseMedicine.question.16}"	9.16s
java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains (@name,"I feel that my skin and lips are dry.")] and Answer //XCUIElementTypeOther [@name="Occasionally"]	

at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:168) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA(ChineseMedicineSteps.java:104) at .And user selects "\${chineseMedicine.answer.16}" for the question "\${chineseMedicine.question.16}"(features/my/health/ChineseMedicine.feature:88)		
After		1.02s
com.prudential.tap.exception.TapException: Failed to take screenshot of at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases(CucumberHook.java:95) at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72) at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at cucumber.runtime.Utills\$1.call(Utills.java:40) at cucumber.runtime.Timeout.timeout(Timeout.java:16) at cucumber.runtime.Utills.invoke(Utills.java:34) at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60) at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224) at cucumber.runtime.Runtime.runHooks(Runtime.java:212) at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206) at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46) at cucumber.runtime.model.CucumberScenarioOutline.run(CucumberScenarioOutline.java:46) at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165) at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:63) at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:96) at jdk.internal.reflect.GeneratedMethodAccessor43.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86) at org.testng.internal.Invoker.invokeMethod(Invoker.java:643) at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820) at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112) at org.testng.TestRunner.privateRun(TestRunner.java:782) at org.testng.TestRunner.run(TestRunner.java:632) at org.testng.SuiteRunner.runTest(SuiteRunner.java:366) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319) at org.testng.SuiteRunner.run(SuiteRunner.java:268) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244) at org.testng.TestNG.runSuitesLocally(TestNG.java:1169) at org.testng.TestNG.run(TestNG.java:1064)		

at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)			
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)			
Back to Table of Contents			
Scenario Outline: Verify the Q&A on Chinese Medicine journey			
Passed: 0	Failed: 1	Undefined: 0	Duration: 10.17s
Before			0.00s
And user selects "\${chineseMedicine.answer.17}" for the question "\${chineseMedicine.question.17}"		9.16s	
<pre>java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains (@name,"I get bruises easily for no reason.") and Answer //XCUIElementTypeOther [@name="Occasionally"] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:168) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA(ChineseMedicineSteps.java:104) at .And user selects "\${chineseMedicine.answer.17}" for the question "\${chineseMedicine.question.17}"(features/my/health/ChineseMedicine.feature:88)</pre>			
After			1.02s
<pre>com.prudential.tap.exception.TapException: Failed to take screenshot of at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases(CucumberHook.java:95) at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72) at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at cucumber.runtime.Utills\$1.call(Utills.java:40) at cucumber.runtime.Timeout.timeout(Timeout.java:16) at cucumber.runtime.Utills.invoke(Utills.java:34) at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60) at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224) at cucumber.runtime.Runtime.runHooks(Runtime.java:212) at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206) at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46) at cucumber.runtime.model.CucumberScenarioOutline.run(CucumberScenarioOutline.java:46) at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165) at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:63) at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:96) at jdk.internal.reflect.GeneratedMethodAccessor43.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86) at org.testng.internal.Invoker.invokeMethod(Invoker.java:643) at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820) at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)</pre>			


```

at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

```

[Back to Table of Contents](#)

Scenario Outline: [Verify the Q&A on Chinese Medicine journey](#)

Passed: 0	Failed: 1	Undefined: 0	Duration: 10.14s
-----------	-----------	--------------	------------------

Before	0.00s
--------	-------

And user selects "\${chineseMedicine.answer.18}" for the question "\${chineseMedicine.question.18}"	9.13s
<pre> java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains (@name,"I have broken out in hives (outbreak of swollen)")] and Answer //XCUIElementTypeOther[@name="Occasionally"] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:168) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA(ChineseMedicineSteps.java:104) at .And user selects "\${chineseMedicine.answer.18}" for the question "\${chineseMedicine.question.18}"(features/my/health/ChineseMedicine.feature:88) </pre>	

After	1.02s
-------	-------

```

com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases(CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utills$1.call(Utills.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utills.invoke(Utills.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)

```

```

at cucumber.runtime.model.CucumberScenarioOutline.run(CucumberScenarioOutline.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:
63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:96)
at jdk.internal.reflect.GeneratedMethodAccessor43.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

```

[Back to Table of Contents](#)

Scenario Outline: [Verify the Q&A on Chinese Medicine journey](#)

Passed: 0	Failed: 1	Undefined: 0	Duration: 12.06s
Before			0.00s
And user selects "\${chineseMedicine.answer.19}" for the question "\${chineseMedicine.question.19}"			11.03s
<pre> java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains (@name,"I get purple rashes on my skin (purple blood spots)"] and Answer //XCUIElementTypeOther[@name="Occasionally"] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java: 168) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104) at .And user selects "\${chineseMedicine.answer.19}" for the question "\${chineseMedicine. question.19}"(features/my/health/ChineseMedicine.feature:88) </pre>			
After			1.03s
<pre> com.prudential.tap.exception.TapException: Failed to take screenshot of at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases (CucumberHook.java:95) </pre>			


```

at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utills$1.call(Utills.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utills.invoke(Utills.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberScenarioOutline.run(CucumberScenarioOutline.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:
63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:96)
at jdk.internal.reflect.GeneratedMethodAccessor43.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

```

[Back to Table of Contents](#)

Scenario Outline: **Verify the Q&A on Chinese Medicine journey**

Passed: 0	Failed: 1	Undefined: 0	Duration: 10.15s
Before			0.00s
And user selects "\${chineseMedicine.answer.20}" for the question "\${chineseMedicine.question.20}"			9.14s
java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains (@name,"I easily get scratch marks on my skin.")] and Answer //XCUIElementTypeOther			

<pre>[@name="Occasionally"] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:168) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA(ChineseMedicineSteps.java:104) at .And user selects "\${chineseMedicine.answer.20}" for the question "\${chineseMedicine.question.20}"(features/my/health/ChineseMedicine.feature:88)</pre>		
After		1.02s
<pre>com.prudential.tap.exception.TapException: Failed to take screenshot of at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases(CucumberHook.java:95) at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72) at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at cucumber.runtime.Utills\$1.call(Utills.java:40) at cucumber.runtime.Timeout.timeout(Timeout.java:16) at cucumber.runtime.Utills.invoke(Utills.java:34) at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60) at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224) at cucumber.runtime.Runtime.runHooks(Runtime.java:212) at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206) at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46) at cucumber.runtime.model.CucumberScenarioOutline.run(CucumberScenarioOutline.java:46) at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165) at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:63) at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:96) at jdk.internal.reflect.GeneratedMethodAccessor43.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86) at org.testng.internal.Invoker.invokeMethod(Invoker.java:643) at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820) at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112) at org.testng.TestRunner.privateRun(TestRunner.java:782) at org.testng.TestRunner.run(TestRunner.java:632) at org.testng.SuiteRunner.runTest(SuiteRunner.java:366) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319) at org.testng.SuiteRunner.run(SuiteRunner.java:268) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244) at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)</pre>		

at org.testng.TestNG.run(TestNG.java:1064)			
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)			
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)			
Back to Table of Contents			
Scenario Outline: Verify the Q&A on Chinese Medicine journey			
Passed: 0	Failed: 1	Undefined: 0	Duration: 10.13s
Before			0.00s
And user selects "\${chineseMedicine.answer.21}" for the question "\${chineseMedicine.question.21}"		9.11s	
<pre>java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains (@name,"I tend to feel depressed and moody.")] and Answer //XCUIElementTypeOther [@name="Occasionally"] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:168) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA(ChineseMedicineSteps.java:104) at .And user selects "\${chineseMedicine.answer.21}" for the question "\${chineseMedicine.question.21}"(features/my/health/ChineseMedicine.feature:88)</pre>			
After			1.02s
<pre>com.prudential.tap.exception.TapException: Failed to take screenshot of at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases(CucumberHook.java:95) at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72) at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at cucumber.runtime.Utills\$1.call(Utills.java:40) at cucumber.runtime.Timeout.timeout(Timeout.java:16) at cucumber.runtime.Utills.invoke(Utills.java:34) at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60) at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224) at cucumber.runtime.Runtime.runHooks(Runtime.java:212) at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206) at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46) at cucumber.runtime.model.CucumberScenarioOutline.run(CucumberScenarioOutline.java:46) at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165) at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:63) at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:96) at jdk.internal.reflect.GeneratedMethodAccessor43.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86) at org.testng.internal.Invoker.invokeMethod(Invoker.java:643) at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)</pre>			

```

at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

```

[Back to Table of Contents](#)

Scenario Outline: [Verify the Q&A on Chinese Medicine journey](#)

Passed: 0	Failed: 1	Undefined: 0	Duration: 10.35s
Before			0.00s

And user selects "\${chineseMedicine.answer.22}" for the question "\${chineseMedicine.question.22}"

9.33s

```

java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains
(@name,"I easily forget things.")] and Answer //XCUIElementTypeOther[@name="
Occasionally"]
at org.testng.Assert.fail(Assert.java:94)
at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:
168)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA
(ChineseMedicineSteps.java:104)
at .And user selects "${chineseMedicine.answer.22}" for the question "${chineseMedicine.
question.22}" (features/my/health/ChineseMedicine.feature:88)

```

After	1.02s
-------	-------

```

com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases
(CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)

```

```

at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberScenarioOutline.run(CucumberScenarioOutline.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:
63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:96)
at jdk.internal.reflect.GeneratedMethodAccessor43.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

```

[Back to Table of Contents](#)

Scenario Outline: [Verify the Q&A on Chinese Medicine journey](#)

Passed: 0	Failed: 1	Undefined: 0	Duration: 10.13s
Before			0.00s

And user selects "\${chineseMedicine.answer.23}" for the question "\${chineseMedicine.question.23}"	9.12s
<pre> java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains (@name,"I tend to feel tense and")] and Answer //XCUIElementTypeOther[@name=" Occasionally"] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java: 168) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104) at .And user selects "\${chineseMedicine.answer.23}" for the question "\${chineseMedicine. question.23}" (features/my/health/ChineseMedicine.feature:88) </pre>	

After	1.01s
--------------	--------------

```

com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases

```



```

(CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberScenarioOutline.run(CucumberScenarioOutline.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:
63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:96)
at jdk.internal.reflect.GeneratedMethodAccessor43.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

```

[Back to Table of Contents](#)

Scenario Outline: [Verify the Q&A on Chinese Medicine journey](#)

Passed: 0	Failed: 1	Undefined: 0	Duration: 10.12s
Before			0.00s

And user selects "\${chineseMedicine.answer.24}" for the question "\${chineseMedicine.question.24}"	9.10s
java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains	

<pre> (@name,"I am sentimental and my feelings get hurt easily.")]] and Answer //XCUIElementTypeOther[@name="Occasionally"] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:168) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA(ChineseMedicineSteps.java:104) at .And user selects "\${chineseMedicine.answer.24}" for the question "\${chineseMedicine.question.24}"(features/my/health/ChineseMedicine.feature:88) </pre>		
After		1.02s
<pre> com.prudential.tap.exception.TapException: Failed to take screenshot of at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases(CucumberHook.java:95) at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72) at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at cucumber.runtime.Utils\$1.call(Utils.java:40) at cucumber.runtime.Timeout.timeout(Timeout.java:16) at cucumber.runtime.Utils.invoke(Utils.java:34) at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60) at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224) at cucumber.runtime.Runtime.runHooks(Runtime.java:212) at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206) at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46) at cucumber.runtime.model.CucumberScenarioOutline.run(CucumberScenarioOutline.java:46) at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165) at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:63) at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:96) at jdk.internal.reflect.GeneratedMethodAccessor43.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86) at org.testng.internal.Invoker.invokeMethod(Invoker.java:643) at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820) at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112) at org.testng.TestRunner.privateRun(TestRunner.java:782) at org.testng.TestRunner.run(TestRunner.java:632) at org.testng.SuiteRunner.runTest(SuiteRunner.java:366) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319) at org.testng.SuiteRunner.run(SuiteRunner.java:268) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244) </pre>		

at org.testng.TestNG.runSuitesLocally(TestNG.java:1169) at org.testng.TestNG.run(TestNG.java:1064) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)			
Back to Table of Contents			
Scenario Outline: Verify the Q&A on Chinese Medicine journey			
Passed: 0	Failed: 1	Undefined: 0	Duration: 12.09s
Before			0.00s
	And user selects "\${chineseMedicine.answer.25}" for the question "\${chineseMedicine.question.25}"		11.06s
java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains (@name,"I feel fearful")] and Answer //XCUIElementTypeOther[@name="Occasionally"] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:168) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA(ChineseMedicineSteps.java:104) at .And user selects "\${chineseMedicine.answer.25}" for the question "\${chineseMedicine.question.25}" (features/my/health/ChineseMedicine.feature:88)			
After			1.02s
com.prudential.tap.exception.TapException: Failed to take screenshot of at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases(CucumberHook.java:95) at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72) at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at cucumber.runtime.Utills\$1.call(Utills.java:40) at cucumber.runtime.Timeout.timeout(Timeout.java:16) at cucumber.runtime.Utills.invoke(Utills.java:34) at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60) at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224) at cucumber.runtime.Runtime.runHooks(Runtime.java:212) at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206) at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46) at cucumber.runtime.model.CucumberScenarioOutline.run(CucumberScenarioOutline.java:46) at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165) at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:63) at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:96) at jdk.internal.reflect.GeneratedMethodAccessor43.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86) at org.testng.internal.Invoker.invokeMethod(Invoker.java:643) at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)			

```

at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

```

[Back to Table of Contents](#)

Scenario Outline: [Verify the Q&A on Chinese Medicine journey](#)

Passed: 0	Failed: 1	Undefined: 0	Duration: 10.14s
Before			0.00s

And user selects "\${chineseMedicine.answer.26}" for the question "\${chineseMedicine.question.26}"

9.12s

```

java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains
(@name,"I sigh often for no reason.") and Answer //XCUIElementTypeOther[@name="
Occasionally"]
at org.testng.Assert.fail(Assert.java:94)
at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:
168)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA
(ChineseMedicineSteps.java:104)
at .And user selects "${chineseMedicine.answer.26}" for the question "${chineseMedicine.
question.26}" (features/my/health/ChineseMedicine.feature:88)

```

After	1.02s
--------------	--------------

```

com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases
(CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)

```

```

at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberScenarioOutline.run(CucumberScenarioOutline.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:
63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:96)
at jdk.internal.reflect.GeneratedMethodAccessor43.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

```

[Back to Table of Contents](#)

Scenario Outline: [Verify the Q&A on Chinese Medicine journey](#)

Passed: 0	Failed: 1	Undefined: 0	Duration: 10.15s
Before			0.00s

And user selects "\${chineseMedicine.answer.27}" for the question "\${chineseMedicine.question.27}"	9.12s
<pre> java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains (@name,"I get dizzy when changing posture.") and Answer //XCUIElementTypeOther [@name="Occasionally"] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java: 168) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104) at .And user selects "\${chineseMedicine.answer.27}" for the question "\${chineseMedicine. question.27}" (features/my/health/ChineseMedicine.feature:88) </pre>	

After	1.02s
--------------	--------------

```

com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases

```

```

(CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberScenarioOutline.run(CucumberScenarioOutline.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:
63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:96)
at jdk.internal.reflect.GeneratedMethodAccessor43.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

```

[Back to Table of Contents](#)

Scenario Outline: [Verify the Q&A on Chinese Medicine journey](#)

Passed: 0	Failed: 1	Undefined: 0	Duration: 10.17s
Before			0.00s

And user selects "\${chineseMedicine.answer.28}" for the question "\${chineseMedicine.question.28}"	9.15s
java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains	

<pre> (@name,"I have a pale or anemic complexion.")) and Answer //XCUIElementTypeOther [@name="Occasionally"] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java: 168) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104) at .And user selects "\${chineseMedicine.answer.28}" for the question "\${chineseMedicine. question.28}"(features/my/health/ChineseMedicine.feature:88) </pre>		
After		1.02s
<pre> com.prudential.tap.exception.TapException: Failed to take screenshot of at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases (CucumberHook.java:95) at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72) at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at cucumber.runtime.Utils\$1.call(Utils.java:40) at cucumber.runtime.Timeout.timeout(Timeout.java:16) at cucumber.runtime.Utils.invoke(Utils.java:34) at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60) at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224) at cucumber.runtime.Runtime.runHooks(Runtime.java:212) at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206) at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46) at cucumber.runtime.model.CucumberScenarioOutline.run(CucumberScenarioOutline.java:46) at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165) at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java: 63) at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:96) at jdk.internal.reflect.GeneratedMethodAccessor43.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86) at org.testng.internal.Invoker.invokeMethod(Invoker.java:643) at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820) at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112) at org.testng.TestRunner.privateRun(TestRunner.java:782) at org.testng.TestRunner.run(TestRunner.java:632) at org.testng.SuiteRunner.runTest(SuiteRunner.java:366) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319) at org.testng.SuiteRunner.run(SuiteRunner.java:268) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244) </pre>		

at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)			
at org.testng.TestNG.run(TestNG.java:1064)			
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)			
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)			
Back to Table of Contents			
Scenario Outline: Verify the Q&A on Chinese Medicine journey			
Passed: 0		Failed: 1	Undefined: 0
Duration: 10.22s			
Before		0.00s	
And user selects "\${chineseMedicine.answer.29}" for the question "\${chineseMedicine.question.29}"		9.18s	
<div>java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains (@name,"I have rosy cheeks.")] and Answer //XCUIElementTypeOther[@name="Occasionally"] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:168) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA(ChineseMedicineSteps.java:104) at .And user selects "\${chineseMedicine.answer.29}" for the question "\${chineseMedicine.question.29}"(features/my/health/ChineseMedicine.feature:88)</div>			
After		1.04s	
<div>com.prudential.tap.exception.TapException: Failed to take screenshot of at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases(CucumberHook.java:95) at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72) at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at cucumber.runtime.Utills\$1.call(Utills.java:40) at cucumber.runtime.Timeout.timeout(Timeout.java:16) at cucumber.runtime.Utills.invoke(Utills.java:34) at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60) at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224) at cucumber.runtime.Runtime.runHooks(Runtime.java:212) at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206) at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46) at cucumber.runtime.model.CucumberScenarioOutline.run(CucumberScenarioOutline.java:46) at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165) at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:63) at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:96) at jdk.internal.reflect.GeneratedMethodAccessor43.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86) at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)</div>			

```

at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

```

[Back to Table of Contents](#)

Scenario Outline: [Verify the Q&A on Chinese Medicine journey](#)

Passed: 0	Failed: 1	Undefined: 0	Duration: 10.13s
-----------	-----------	--------------	------------------

Before	0.00s
--------	-------

And user selects "\${chineseMedicine.answer.30}" for the question "\${chineseMedicine.question.30}"	9.11s
<pre> java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains (@name,"I have visible blood veins on my cheeks")] and Answer //XCUIElementTypeOther [@name="Occasionally"] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:168) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA(ChineseMedicineSteps.java:104) at .And user selects "\${chineseMedicine.answer.30}" for the question "\${chineseMedicine.question.30}" (features/my/health/ChineseMedicine.feature:88) </pre>	

After	1.02s
-------	-------

```

com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases(CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utills$1.call(Utills.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utills.invoke(Utills.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)

```



```

at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberScenarioOutline.run(CucumberScenarioOutline.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:96)
at jdk.internal.reflect.GeneratedMethodAccessor43.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

```

[Back to Table of Contents](#)

Scenario Outline: **Verify the Q&A on Chinese Medicine journey**

Passed: 0	Failed: 1	Undefined: 0	Duration: 11.32s
-----------	-----------	--------------	------------------

Before	0.00s
---------------	--------------

And user selects "\${chineseMedicine.answer.31}" for the question "\${chineseMedicine.question.31}"	10.30s
<pre> java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains (@name,"I have a darker complexion and have pigmentation on my cheeks")] and Answer //XCUIElementTypeOther[@name="Occasionally"] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:168) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA(ChineseMedicineSteps.java:104) at .And user selects "\${chineseMedicine.answer.31}" for the question "\${chineseMedicine.question.31}" (features/my/health/ChineseMedicine.feature:88) </pre>	

After	1.02s
--------------	--------------

com.prudential.tap.exception.TapException: Failed to take screenshot of

```

at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases
(CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberScenarioOutline.run(CucumberScenarioOutline.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:
63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:96)
at jdk.internal.reflect.GeneratedMethodAccessor43.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

```

[Back to Table of Contents](#)

Scenario Outline: [Verify the Q&A on Chinese Medicine journey](#)

Passed: 0		Failed: 1		Undefined: 0		Duration: 11.76s	
Before							0.00s
	And user selects "\${chineseMedicine.answer.32}" for the question "\${chineseMedicine.question.32}"						9.21s

```

java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains
(@name,"My nose and forehead frequently get oily")] and Answer //XCUIElementTypeOther
[@name="Occasionally"]
at org.testng.Assert.fail(Assert.java:94)
at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:
168)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA
(ChineseMedicineSteps.java:104)
at .And user selects "${chineseMedicine.answer.32}" for the question "${chineseMedicine.
question.32}"(features/my/health/ChineseMedicine.feature:88)

```

After

2.55s

```

com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases
(CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utills$1.call(Utills.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utills.invoke(Utills.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberScenarioOutline.run(CucumberScenarioOutline.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:
63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:96)
at jdk.internal.reflect.GeneratedMethodAccessor43.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)

```

at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)			
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)			
at org.testng.TestNG.run(TestNG.java:1064)			
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)			
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)			
Back to Table of Contents			
Scenario Outline: Verify the Q&A on Chinese Medicine journey			
Passed: 0	Failed: 1	Undefined: 0	Duration: 10.39s
Before			0.00s
And user selects "\${chineseMedicine.answer.33}" for the question "\${chineseMedicine.question.33}"			9.35s
java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains (@name,"I get pimples easily")] and Answer //XCUIElementTypeOther[@name="Occasionally"] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:168) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA(ChineseMedicineSteps.java:104) at .And user selects "\${chineseMedicine.answer.33}" for the question "\${chineseMedicine.question.33}"(features/my/health/ChineseMedicine.feature:88)			
After			1.04s
com.prudential.tap.exception.TapException: Failed to take screenshot of at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases(CucumberHook.java:95) at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72) at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at cucumber.runtime.Utills\$1.call(Utills.java:40) at cucumber.runtime.Timeout.timeout(Timeout.java:16) at cucumber.runtime.Utills.invoke(Utills.java:34) at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60) at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224) at cucumber.runtime.Runtime.runHooks(Runtime.java:212) at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206) at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46) at cucumber.runtime.model.CucumberScenarioOutline.run(CucumberScenarioOutline.java:46) at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165) at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:63) at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:96) at jdk.internal.reflect.GeneratedMethodAccessor43.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)			

```

at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

```

[Back to Table of Contents](#)

Scenario Outline: [Verify the Q&A on Chinese Medicine journey](#)

Passed: 0	Failed: 1	Undefined: 0	Duration: 10.17s
Before			0.00s

And user selects "\${chineseMedicine.answer.34}" for the question "\${chineseMedicine.question.34}"

9.15s

```

java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains
(@name,"I get panda eyes (dark eye bags) easily")] and Answer //XCUIElementTypeOther
[@name="Occasionally"]
at org.testng.Assert.fail(Assert.java:94)
at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:
168)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA
(ChineseMedicineSteps.java:104)
at .And user selects "${chineseMedicine.answer.34}" for the question "${chineseMedicine.
question.34}"(features/my/health/ChineseMedicine.feature:88)

```

After		1.02s
--------------	--	--------------

```

com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases
(CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utills$1.call(Utills.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utills.invoke(Utills.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)

```



```

at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberScenarioOutline.run(CucumberScenarioOutline.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:96)
at jdk.internal.reflect.GeneratedMethodAccessor43.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

```

[Back to Table of Contents](#)

Scenario Outline: [Verify the Q&A on Chinese Medicine journey](#)

Passed: 0	Failed: 1	Undefined: 0	Duration: 10.15s
-----------	-----------	--------------	------------------

Before	0.00s
--------	-------

And user selects "\${chineseMedicine.answer.35}" for the question "\${chineseMedicine.question.35}"	9.14s
<pre> java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains (@name,"My lip color is generally gloomy / purplish / blueish")] and Answer //XCUIElementTypeOther[@name="Occassionally"] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:168) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA(ChineseMedicineSteps.java:104) at .And user selects "\${chineseMedicine.answer.35}" for the question "\${chineseMedicine.question.35}"(features/my/health/ChineseMedicine.feature:88) </pre>	

After	1.02s
-------	-------

```

com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases
(CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utills$1.call(Utills.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utills.invoke(Utills.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberScenarioOutline.run(CucumberScenarioOutline.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:
63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:96)
at jdk.internal.reflect.GeneratedMethodAccessor43.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

```

[Back to Table of Contents](#)

Scenario Outline: **Verify the Q&A on Chinese Medicine journey**

Passed: 0		Failed: 1		Undefined: 0		Duration: 11.37s	
Before							0.00s
	And user selects "\${chineseMedicine.answer.36}" for the question "\${chineseMedicine.question.36}"						10.34s


```

java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains
(@name,"My lip color is reddish")] and Answer //XCUIElementTypeOther[@name="
Occasionally"]
at org.testng.Assert.fail(Assert.java:94)
at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:
168)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA
(ChineseMedicineSteps.java:104)
at .And user selects "${chineseMedicine.answer.36}" for the question "${chineseMedicine.
question.36}" (features/my/health/ChineseMedicine.feature:88)

```

After

1.03s

```

com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases
(CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utills$1.call(Utills.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utills.invoke(Utills.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberScenarioOutline.run(CucumberScenarioOutline.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:
63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:96)
at jdk.internal.reflect.GeneratedMethodAccessor43.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)

```

```

at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

```

[Back to Table of Contents](#)

Scenario Outline: **Verify the Q&A on Chinese Medicine journey**

Passed: 0	Failed: 1	Undefined: 0	Duration: 10.18s
Before			0.00s

And user selects "\${chineseMedicine.answer.37}" for the question "\${chineseMedicine.question.37}"

9.16s

```

java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains
(@name,"My lip color is slightly pale or whiteish")] and Answer //XCUIElementTypeOther
[@name="Occasionally"]
at org.testng.Assert.fail(Assert.java:94)
at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:
168)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA
(ChineseMedicineSteps.java:104)
at .And user selects "${chineseMedicine.answer.37}" for the question "${chineseMedicine.
question.37}"(features/my/health/ChineseMedicine.feature:88)

```

After

1.03s

```

com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases
(CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberScenarioOutline.run(CucumberScenarioOutline.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:
63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:96)
at jdk.internal.reflect.GeneratedMethodAccessor43.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)

```

```

at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

```

[Back to Table of Contents](#)

Scenario Outline: [Verify the Q&A on Chinese Medicine journey](#)

Passed: 0	Failed: 1	Undefined: 0	Duration: 10.27s
Before			0.00s

And user selects "\${chineseMedicine.answer.38}" for the question "\${chineseMedicine.question.38}"

9.21s

```

java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains
(@name,"I have puffy eyelids")] and Answer //XCUIElementTypeOther[@name="
Occasionally"]
at org.testng.Assert.fail(Assert.java:94)
at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:
168)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA
(ChineseMedicineSteps.java:104)
at .And user selects "${chineseMedicine.answer.38}" for the question "${chineseMedicine.
question.38}"(features/my/health/ChineseMedicine.feature:88)

```

After	1.07s
--------------	--------------

```

com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases
(CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)

```

```

at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberScenarioOutline.run(CucumberScenarioOutline.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:
63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:96)
at jdk.internal.reflect.GeneratedMethodAccessor43.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

```

[Back to Table of Contents](#)

Scenario Outline: [Verify the Q&A on Chinese Medicine journey](#)

Passed: 0	Failed: 1	Undefined: 0	Duration: 10.12s
-----------	-----------	--------------	------------------

Before	0.00s
---------------	--------------

And user selects "\${chineseMedicine.answer.39}" for the question
"\${chineseMedicine.question.39}"

9.10s

java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains (@name,"I have dry eyes or blurry vision")] and Answer //XCUIElementTypeOther[@name="Occasionally"]

at org.testng.Assert.fail(Assert.java:94)

at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:168)

at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA(ChineseMedicineSteps.java:104)

at .And user selects "\${chineseMedicine.answer.39}" for the question "\${chineseMedicine.question.39}"(features/my/health/ChineseMedicine.feature:88)

After	1.02s
--------------	--------------

```

com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases
(CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
atjdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberScenarioOutline.run(CucumberScenarioOutline.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:
63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:96)
atjdk.internal.reflect.GeneratedMethodAccessor43.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

```

[Back to Table of Contents](#)

Scenario Outline: **Verify the Q&A on Chinese Medicine journey**

Passed: 0	Failed: 1	Undefined: 0	Duration: 10.15s
Before			0.00s
	And user selects "\${chineseMedicine.answer.40}" for the question		

"\${chineseMedicine.question.40}"	9.13s
<pre> java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains (@name,"I tend to sneeze even if I am not sick")] and Answer //XCUIElementTypeOther [@name="Occasionally"] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java: 168) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104) at .And user selects "\${chineseMedicine.answer.40}" for the question "\${chineseMedicine. question.40}"(features/my/health/ChineseMedicine.feature:88) </pre>	
After	1.03s
<pre> com.prudential.tap.exception.TapException: Failed to take screenshot of at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases (CucumberHook.java:95) at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72) at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at cucumber.runtime.Utils\$1.call(Utils.java:40) at cucumber.runtime.Timeout.timeout(Timeout.java:16) at cucumber.runtime.Utils.invoke(Utils.java:34) at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60) at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224) at cucumber.runtime.Runtime.runHooks(Runtime.java:212) at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206) at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46) at cucumber.runtime.model.CucumberScenarioOutline.run(CucumberScenarioOutline.java:46) at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165) at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java: 63) at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:96) at jdk.internal.reflect.GeneratedMethodAccessor43.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86) at org.testng.internal.Invoker.invokeMethod(Invoker.java:643) at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820) at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112) at org.testng.TestRunner.privateRun(TestRunner.java:782) at org.testng.TestRunner.run(TestRunner.java:632) at org.testng.SuiteRunner.runTest(SuiteRunner.java:366) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319) at org.testng.SuiteRunner.run(SuiteRunner.java:268) </pre>	

```

at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

```

[Back to Table of Contents](#)

Scenario Outline: **Verify the Q&A on Chinese Medicine journey**

Passed: 0	Failed: 1	Undefined: 0	Duration: 10.64s
Before			0.00s

And user selects "\${chineseMedicine.answer.41}" for the question "\${chineseMedicine.question.41}"

9.33s

```

java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains
(@name,"My nose gets clooged or runny even if I am not sick")] and Answer
//XCUIElementTypeOther[@name="Occassionally"]
at org.testng.Assert.fail(Assert.java:94)
at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:
168)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA
(ChineseMedicineSteps.java:104)
at .And user selects "${chineseMedicine.answer.41}" for the question "${chineseMedicine.
question.41}"(features/my/health/ChineseMedicine.feature:88)

```

After

1.30s

```

com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases
(CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberScenarioOutline.run(CucumberScenarioOutline.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:
63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:96)
at jdk.internal.reflect.GeneratedMethodAccessor43.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)

```



```

at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

```

[Back to Table of Contents](#)

Scenario Outline: **Verify the Q&A on Chinese Medicine journey**

Passed: 0	Failed: 1	Undefined: 0	Duration: 10.85s
-----------	-----------	--------------	------------------

Before	0.00s
---------------	--------------

And user selects "\${chineseMedicine.answer.42}" for the question "\${chineseMedicine.question.42}"	9.79s
<pre> java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains (@name,"I have a dry tongue")] and Answer //XCUIElementTypeOther[@name="Occasionally"] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:168) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA(ChineseMedicineSteps.java:104) at .And user selects "\${chineseMedicine.answer.42}" for the question "\${chineseMedicine.question.42}"(features/my/health/ChineseMedicine.feature:88) </pre>	

After	1.05s
--------------	--------------

```

com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases(CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)

```

```

at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberScenarioOutline.run(CucumberScenarioOutline.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:
63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:96)
at jdk.internal.reflect.GeneratedMethodAccessor43.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

```

[Back to Table of Contents](#)

Scenario Outline: [Verify the Q&A on Chinese Medicine journey](#)

Passed: 0	Failed: 1	Undefined: 0	Duration: 10.16s
Before			0.00s

And user selects "\${chineseMedicine.answer.43}" for the question
"\${chineseMedicine.question.43}"

9.14s

```

java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains
(@name,"I have sticky saliva")] and Answer //XCUIElementTypeOther[@name="
Occasionally"]
at org.testng.Assert.fail(Assert.java:94)
at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:
168)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA
(ChineseMedicineSteps.java:104)
at .And user selects "${chineseMedicine.answer.43}" for the question "${chineseMedicine.
question.43}"(features/my/health/ChineseMedicine.feature:88)

```

After	1.02s		
<div>com.prudential.tap.exception.TapException: Failed to take screenshot of at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases (CucumberHook.java:95) at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72) at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at cucumber.runtime.Utills\$1.call(Utills.java:40) at cucumber.runtime.Timeout.timeout(Timeout.java:16) at cucumber.runtime.Utills.invoke(Utills.java:34) at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60) at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224) at cucumber.runtime.Runtime.runHooks(Runtime.java:212) at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206) at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46) at cucumber.runtime.model.CucumberScenarioOutline.run(CucumberScenarioOutline.java:46) at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165) at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java: 63) at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:96) at jdk.internal.reflect.GeneratedMethodAccessor43.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86) at org.testng.internal.Invoker.invokeMethod(Invoker.java:643) at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820) at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112) at org.testng.TestRunner.privateRun(TestRunner.java:782) at org.testng.TestRunner.run(TestRunner.java:632) at org.testng.SuiteRunner.runTest(SuiteRunner.java:366) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319) at org.testng.SuiteRunner.run(SuiteRunner.java:268) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244) at org.testng.TestNG.runSuitesLocally(TestNG.java:1169) at org.testng.TestNG.run(TestNG.java:1064) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)</div>			
Back to Table of Contents			
Scenario Outline: Verify the Q&A on Chinese Medicine journey			
Passed: 0	Failed: 1	Undefined: 0	Duration: 10.14s
Before			0.00s

And user selects "\${chineseMedicine.answer.44}" for the question "\${chineseMedicine.question.44}"	9.13s
<pre> java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains (@name,"I tend to have a bitter taste in my mouth")] and Answer //XCUIElementTypeOther [@name="Occasionally"] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java: 168) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104) at .And user selects "\${chineseMedicine.answer.44}" for the question "\${chineseMedicine. question.44}"(features/my/health/ChineseMedicine.feature:88) </pre>	
After	1.01s
<pre> com.prudential.tap.exception.TapException: Failed to take screenshot of at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases (CucumberHook.java:95) at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72) at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at cucumber.runtime.Utills\$1.call(Utills.java:40) at cucumber.runtime.Timeout.timeout(Timeout.java:16) at cucumber.runtime.Utills.invoke(Utills.java:34) at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60) at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224) at cucumber.runtime.Runtime.runHooks(Runtime.java:212) at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206) at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46) at cucumber.runtime.model.CucumberScenarioOutline.run(CucumberScenarioOutline.java:46) at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165) at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java: 63) at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:96) at jdk.internal.reflect.GeneratedMethodAccessor43.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86) at org.testng.internal.Invoker.invokeMethod(Invoker.java:643) at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820) at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112) at org.testng.TestRunner.privateRun(TestRunner.java:782) at org.testng.TestRunner.run(TestRunner.java:632) at org.testng.SuiteRunner.runTest(SuiteRunner.java:366) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319) </pre>	

```

at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

```

[Back to Table of Contents](#)

Scenario Outline: **Verify the Q&A on Chinese Medicine journey**

Passed: 0	Failed: 1	Undefined: 0	Duration: 10.19s
-----------	-----------	--------------	------------------

Before	0.00s
---------------	--------------

And user selects "\${chineseMedicine.answer.45}" for the question "\${chineseMedicine.question.45}"	9.17s
<pre> java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains (@name,"The surface of my tongue feels sticky")] and Answer //XCUIElementTypeOther [@name="Occasionally"] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java: 168) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104) at .And user selects "\${chineseMedicine.answer.45}" for the question "\${chineseMedicine. question.45}"(features/my/health/ChineseMedicine.feature:88) </pre>	

After	1.02s
--------------	--------------

```

com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases
(CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utills$1.call(Utills.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utills.invoke(Utills.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberScenarioOutline.run(CucumberScenarioOutline.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:
63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:96)
at jdk.internal.reflect.GeneratedMethodAccessor43.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke

```



```

(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

```

[Back to Table of Contents](#)

Scenario Outline: **Verify the Q&A on Chinese Medicine journey**

Passed: 0	Failed: 1	Undefined: 0	Duration: 11.14s
-----------	-----------	--------------	------------------

Before	0.00s
---------------	--------------

And user selects "\${chineseMedicine.answer.46}" for the question "\${chineseMedicine.question.46}"	10.03s
<pre> java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains (@name,'I tend to have phlegm in my throat even if I am not sick')] and Answer //XCUIElementTypeOther[@name="Occassionally"] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:168) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA(ChineseMedicineSteps.java:104) at .And user selects "\${chineseMedicine.answer.46}" for the question "\${chineseMedicine.question.46}"(features/my/health/ChineseMedicine.feature:88) </pre>	

After	1.11s
--------------	--------------

```

com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases(CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utills$1.call(Utills.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)

```

```

at cucumber.runtime.Utills.invoke(Utills.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberScenarioOutline.run(CucumberScenarioOutline.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:
63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:96)
at jdk.internal.reflect.GeneratedMethodAccessor43.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

```

[Back to Table of Contents](#)

Scenario Outline: **Verify the Q&A on Chinese Medicine journey**

Passed: 0	Failed: 1	Undefined: 0	Duration: 10.24s
Before			0.00s

And user selects "\${chineseMedicine.answer.47}" for the question "\${chineseMedicine.question.47}"	9.19s
<pre> java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains (@name,"I tend to have throat irritating even if I am not sick")] and Answer //XCUIElementTypeOther[@name="Occassionally"] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java: 168) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104) </pre>	

at .And user selects "\${chineseMedicine.answer.47}" for the question "\${chineseMedicine.question.47}"(features/my/health/ChineseMedicine.feature:88)			
After			1.05s
<p>com.prudential.tap.exception.TapException: Failed to take screenshot of at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases (CucumberHook.java:95) at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72) at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at cucumber.runtime.Utils\$1.call(Utils.java:40) at cucumber.runtime.Timeout.timeout(Timeout.java:16) at cucumber.runtime.Utils.invoke(Utils.java:34) at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60) at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224) at cucumber.runtime.Runtime.runHooks(Runtime.java:212) at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206) at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46) at cucumber.runtime.model.CucumberScenarioOutline.run(CucumberScenarioOutline.java:46) at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165) at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:63) at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:96) at jdk.internal.reflect.GeneratedMethodAccessor43.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86) at org.testng.internal.Invoker.invokeMethod(Invoker.java:643) at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820) at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112) at org.testng.TestRunner.privateRun(TestRunner.java:782) at org.testng.TestRunner.run(TestRunner.java:632) at org.testng.SuiteRunner.runTest(SuiteRunner.java:366) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319) at org.testng.SuiteRunner.run(SuiteRunner.java:268) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244) at org.testng.TestNG.runSuitesLocally(TestNG.java:1169) at org.testng.TestNG.run(TestNG.java:1064) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)</p>			
Back to Table of Contents			
Scenario Outline: Verify the Q&A on Chinese Medicine journey			
Passed: 0	Failed: 1	Undefined: 0	Duration: 10.32s

Before		0.00s
And user selects "\${chineseMedicine.answer.48}" for the question "\${chineseMedicine.question.48}"		9.27s
<pre> java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains (@name,"I have tightness in my chest")] and Answer //XCUIElementTypeOther[@name=" Occasionally"] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java: 168) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104) at .And user selects "\${chineseMedicine.answer.48}" for the question "\${chineseMedicine. question.48}"(features/my/health/ChineseMedicine.feature:88) </pre>		
After		1.05s
<pre> com.prudential.tap.exception.TapException: Failed to take screenshot of at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases (CucumberHook.java:95) at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72) at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at cucumber.runtime.Utills\$1.call(Utills.java:40) at cucumber.runtime.Timeout.timeout(Timeout.java:16) at cucumber.runtime.Utills.invoke(Utills.java:34) at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60) at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224) at cucumber.runtime.Runtime.runHooks(Runtime.java:212) at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206) at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46) at cucumber.runtime.model.CucumberScenarioOutline.run(CucumberScenarioOutline.java:46) at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165) at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java: 63) at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:96) at jdk.internal.reflect.GeneratedMethodAccessor43.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86) at org.testng.internal.Invoker.invokeMethod(Invoker.java:643) at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820) at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112) at org.testng.TestRunner.privateRun(TestRunner.java:782) at org.testng.TestRunner.run(TestRunner.java:632) at org.testng.SuiteRunner.runTest(SuiteRunner.java:366) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361) </pre>		

```

at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

```

[Back to Table of Contents](#)

Scenario Outline: [Verify the Q&A on Chinese Medicine journey](#)

Passed: 0	Failed: 1	Undefined: 0	Duration: 10.15s
-----------	-----------	--------------	------------------

Before	0.00s
---------------	--------------

And user selects "\${chineseMedicine.answer.49}" for the question "\${chineseMedicine.question.49}"

9.14s

```

java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains
(@name,"I have asthma or feel the need to occasionally take deep breaths")] and Answer
//XCUIElementTypeOther[@name="Occasionally"]
at org.testng.Assert.fail(Assert.java:94)
at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:
168)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA
(ChineseMedicineSteps.java:104)
at .And user selects "${chineseMedicine.answer.49}" for the question "${chineseMedicine.
question.49}"(features/my/health/ChineseMedicine.feature:88)

```

After	1.02s
--------------	--------------

```

com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases
(CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberScenarioOutline.run(CucumberScenarioOutline.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:
63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:96)
at jdk.internal.reflect.GeneratedMethodAccessor43.invoke(Unknown Source)

```

```

at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

```

[Back to Table of Contents](#)

Scenario Outline: [Verify the Q&A on Chinese Medicine journey](#)

Passed: 0	Failed: 1	Undefined: 0	Duration: 10.19s
Before			0.00s

And user selects "\${chineseMedicine.answer.50}" for the question "\${chineseMedicine.question.50}"	9.14s
<pre> java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains (@name,'I feel conscious of sudden heart palpitations or increased heartbeat')] and Answer //XCUIElementTypeOther[@name="Occasionally"] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java: 168) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104) at .And user selects "\${chineseMedicine.answer.50}" for the question "\${chineseMedicine. question.50}"(features/my/health/ChineseMedicine.feature:88) </pre>	

After	1.04s
--------------	--------------

```

com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases
(CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utills$1.call(Utills.java:40)

```

```

at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberScenarioOutline.run(CucumberScenarioOutline.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:
63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:96)
at jdk.internal.reflect.GeneratedMethodAccessor43.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

```

[Back to Table of Contents](#)

Scenario Outline: **Verify the Q&A on Chinese Medicine journey**

Passed: 0	Failed: 1	Undefined: 0	Duration: 10.49s
Before			0.00s

And user selects "\${chineseMedicine.answer.51}" for the question "\${chineseMedicine.question.51}"	9.47s
<p>java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains (@name,"I feel pain at the side of my chest or breasts")] and Answer //XCUIElementTypeOther[@name="Occasionally"]</p> <p>at org.testng.Assert.fail(Assert.java:94)</p> <p>at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:168)</p> <p>at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA(ChineseMedicineSteps.java:104)</p>	

at .And user selects "\${chineseMedicine.answer.51}" for the question "\${chineseMedicine.question.51}"(features/my/health/ChineseMedicine.feature:88)			
After			1.02s
<p>com.prudential.tap.exception.TapException: Failed to take screenshot of at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases (CucumberHook.java:95) at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72) at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at cucumber.runtime.Utils\$1.call(Utils.java:40) at cucumber.runtime.Timeout.timeout(Timeout.java:16) at cucumber.runtime.Utils.invoke(Utils.java:34) at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60) at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224) at cucumber.runtime.Runtime.runHooks(Runtime.java:212) at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206) at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46) at cucumber.runtime.model.CucumberScenarioOutline.run(CucumberScenarioOutline.java:46) at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165) at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:63) at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:96) at jdk.internal.reflect.GeneratedMethodAccessor43.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86) at org.testng.internal.Invoker.invokeMethod(Invoker.java:643) at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820) at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112) at org.testng.TestRunner.privateRun(TestRunner.java:782) at org.testng.TestRunner.run(TestRunner.java:632) at org.testng.SuiteRunner.runTest(SuiteRunner.java:366) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319) at org.testng.SuiteRunner.run(SuiteRunner.java:268) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244) at org.testng.TestNG.runSuitesLocally(TestNG.java:1169) at org.testng.TestNG.run(TestNG.java:1064) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)</p>			
Back to Table of Contents			
Scenario Outline: Verify the Q&A on Chinese Medicine journey			
Passed: 0	Failed: 1	Undefined: 0	Duration: 10.17s

Before		0.00s
	And user selects "\${chineseMedicine.answer.52}" for the question "\${chineseMedicine.question.52}"	9.15s
	<pre> java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains (@name,"My stomach fat is tender")] and Answer //XCUIElementTypeOther[@name=" Occasionally"] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java: 168) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104) at .And user selects "\${chineseMedicine.answer.52}" for the question "\${chineseMedicine. question.52}"(features/my/health/ChineseMedicine.feature:88) </pre>	
After		1.02s
	<pre> com.prudential.tap.exception.TapException: Failed to take screenshot of at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases (CucumberHook.java:95) at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72) at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at cucumber.runtime.Utills\$1.call(Utills.java:40) at cucumber.runtime.Timeout.timeout(Timeout.java:16) at cucumber.runtime.Utills.invoke(Utills.java:34) at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60) at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224) at cucumber.runtime.Runtime.runHooks(Runtime.java:212) at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206) at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46) at cucumber.runtime.model.CucumberScenarioOutline.run(CucumberScenarioOutline.java:46) at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165) at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java: 63) at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:96) at jdk.internal.reflect.GeneratedMethodAccessor43.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86) at org.testng.internal.Invoker.invokeMethod(Invoker.java:643) at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820) at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112) at org.testng.TestRunner.privateRun(TestRunner.java:782) at org.testng.TestRunner.run(TestRunner.java:632) at org.testng.SuiteRunner.runTest(SuiteRunner.java:366) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361) </pre>	


```

at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

```

[Back to Table of Contents](#)

Scenario Outline: [Verify the Q&A on Chinese Medicine journey](#)

Passed: 0	Failed: 1	Undefined: 0	Duration: 11.4s
Before			0.00s

And user selects "\${chineseMedicine.answer.53}" for the question "\${chineseMedicine.question.53}"	10.37s
<pre> java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains (@name,"My abdomen")] and Answer //XCUIElementTypeOther[@name="Occassionally"] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java: 168) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104) at .And user selects "\${chineseMedicine.answer.53}" for the question "\${chineseMedicine. question.53}"(features/my/health/ChineseMedicine.feature:88) </pre>	

After	1.04s
-------	-------

```

com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases
(CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utills$1.call(Utills.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utills.invoke(Utills.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberScenarioOutline.run(CucumberScenarioOutline.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:
63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:96)
at jdk.internal.reflect.GeneratedMethodAccessor43.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke

```

```

(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

```

[Back to Table of Contents](#)

Scenario Outline: **Verify the Q&A on Chinese Medicine journey**

Passed: 0	Failed: 1	Undefined: 0	Duration: 10.2s
Before			0.00s
And user selects "\${chineseMedicine.answer.54}" for the question "\${chineseMedicine.question.54}"			9.18s
<pre> java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains (@name,"I frequently get diarrhea or stomach pains after consuming cold food or beverages")] and Answer //XCUIElementTypeOther[@name="Occasionally"] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java: 168) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104) at .And user selects "\${chineseMedicine.answer.54}" for the question "\${chineseMedicine. question.54}"(features/my/health/ChineseMedicine.feature:88) </pre>			
After			1.02s
<pre> com.prudential.tap.exception.TapException: Failed to take screenshot of at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases (CucumberHook.java:95) at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72) at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at cucumber.runtime.Utills\$1.call(Utills.java:40) at cucumber.runtime.Timeout.timeout(Timeout.java:16) </pre>			

```

at cucumber.runtime.Utills.invoke(Utills.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberScenarioOutline.run(CucumberScenarioOutline.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:
63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:96)
at jdk.internal.reflect.GeneratedMethodAccessor43.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

```

[Back to Table of Contents](#)

Scenario Outline: **Verify the Q&A on Chinese Medicine journey**

Passed: 0	Failed: 1	Undefined: 0	Duration: 10.85s
Before			0.00s

And user selects "\${chineseMedicine.answer.55}" for the question "\${chineseMedicine.question.55}"	9.44s
<p>java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains (@name,"I get constipations")] and Answer //XCUIElementTypeOther[@name="Occassionally"]</p> <p>at org.testng.Assert.fail(Assert.java:94)</p> <p>at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:168)</p> <p>at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA(ChineseMedicineSteps.java:104)</p>	

at .And user selects "\${chineseMedicine.answer.55}" for the question "\${chineseMedicine.question.55}"(features/my/health/ChineseMedicine.feature:88)			
After			1.41s
com.prudential.tap.exception.TapException: Failed to take screenshot of at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases (CucumberHook.java:95) at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72) at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at cucumber.runtime.Utills\$1.call(Utills.java:40) at cucumber.runtime.Timeout.timeout(Timeout.java:16) at cucumber.runtime.Utills.invoke(Utills.java:34) at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60) at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224) at cucumber.runtime.Runtime.runHooks(Runtime.java:212) at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206) at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46) at cucumber.runtime.model.CucumberScenarioOutline.run(CucumberScenarioOutline.java:46) at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165) at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java: 63) at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:96) at jdk.internal.reflect.GeneratedMethodAccessor43.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86) at org.testng.internal.Invoker.invokeMethod(Invoker.java:643) at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820) at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112) at org.testng.TestRunner.privateRun(TestRunner.java:782) at org.testng.TestRunner.run(TestRunner.java:632) at org.testng.SuiteRunner.runTest(SuiteRunner.java:366) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319) at org.testng.SuiteRunner.run(SuiteRunner.java:268) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244) at org.testng.TestNG.runSuitesLocally(TestNG.java:1169) at org.testng.TestNG.run(TestNG.java:1064) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)			
Back to Table of Contents			
Scenario Outline: Verify the Q&A on Chinese Medicine journey			
Passed: 0	Failed: 1	Undefined: 0	Duration: 10.4s

Before		0.00s
And user selects "\${chineseMedicine.answer.56}" for the question "\${chineseMedicine.question.56}"		9.39s
<pre> java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains (@name,"I feel that my feces are sticky and not clean")] and Answer //XCUIElementTypeOther[@name="Occassionally"] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java: 168) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104) at .And user selects "\${chineseMedicine.answer.56}" for the question "\${chineseMedicine. question.56}"(features/my/health/ChineseMedicine.feature:88) </pre>		
After		1.01s
<pre> com.prudential.tap.exception.TapException: Failed to take screenshot of at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases (CucumberHook.java:95) at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72) at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at cucumber.runtime.Utills\$1.call(Utills.java:40) at cucumber.runtime.Timeout.timeout(Timeout.java:16) at cucumber.runtime.Utills.invoke(Utills.java:34) at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60) at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224) at cucumber.runtime.Runtime.runHooks(Runtime.java:212) at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206) at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46) at cucumber.runtime.model.CucumberScenarioOutline.run(CucumberScenarioOutline.java:46) at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165) at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java: 63) at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:96) at jdk.internal.reflect.GeneratedMethodAccessor43.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86) at org.testng.internal.Invoker.invokeMethod(Invoker.java:643) at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820) at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112) at org.testng.TestRunner.privateRun(TestRunner.java:782) at org.testng.TestRunner.run(TestRunner.java:632) at org.testng.SuiteRunner.runTest(SuiteRunner.java:366) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361) </pre>		


```

at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

```

[Back to Table of Contents](#)

Scenario Outline: [Verify the Q&A on Chinese Medicine journey](#)

Passed: 0	Failed: 1	Undefined: 0	Duration: 10.15s
-----------	-----------	--------------	------------------

Before	0.00s
--------	-------

And user selects "\${chineseMedicine.answer.57}" for the question "\${chineseMedicine.question.57}"

9.13s

```

java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains
(@name,"Apart from the first urination in the morning")] and Answer
//XCUIElementTypeOther[@name="Occasionally"]
at org.testng.Assert.fail(Assert.java:94)
at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:
168)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA
(ChineseMedicineSteps.java:104)
at .And user selects "${chineseMedicine.answer.57}" for the question "${chineseMedicine.
question.57}"(features/my/health/ChineseMedicine.feature:88)

```

After	1.02s
-------	-------

```

com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases
(CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberScenarioOutline.run(CucumberScenarioOutline.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:
63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:96)
at jdk.internal.reflect.GeneratedMethodAccessor43.invoke(Unknown Source)

```

```

at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

```

[Back to Table of Contents](#)

Scenario Outline: [Verify the Q&A on Chinese Medicine journey](#)

Passed: 0	Failed: 1	Undefined: 0	Duration: 10.13s
Before			0.00s

And user selects "\${chineseMedicine.answer.58}" for the question "\${chineseMedicine.question.58}"	9.11s
<pre> java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains (@name,"I feel feverish on my hands")] and Answer //XCUIElementTypeOther[@name=" Occasionally"] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java: 168) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104) at .And user selects "\${chineseMedicine.answer.58}" for the question "\${chineseMedicine. question.58}"(features/my/health/ChineseMedicine.feature:88) </pre>	

After	1.02s
--------------	--------------

```

com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases
(CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utills$1.call(Utills.java:40)

```



```

at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberScenarioOutline.run(CucumberScenarioOutline.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:
63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:96)
at jdk.internal.reflect.GeneratedMethodAccessor43.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

```

[Back to Table of Contents](#)

Scenario Outline: **Verify the Q&A on Chinese Medicine journey**

Passed: 0	Failed: 1	Undefined: 0	Duration: 11.0s
Before			0.00s
And user selects "\${chineseMedicine.answer.59}" for the question "\${chineseMedicine.question.59}"			9.97s
<p>java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains (@name,'My feet and hands get cold easily')] and Answer //XCUIElementTypeOther [@name='Occassionally']</p> <p>at org.testng.Assert.fail(Assert.java:94)</p> <p>at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:168)</p> <p>at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA(ChineseMedicineSteps.java:104)</p>			

at .And user selects "\${chineseMedicine.answer.59}" for the question "\${chineseMedicine.question.59}"(features/my/health/ChineseMedicine.feature:88)			
After			1.03s
<p>com.prudential.tap.exception.TapException: Failed to take screenshot of at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases (CucumberHook.java:95) at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72) at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at cucumber.runtime.Utills\$1.call(Utills.java:40) at cucumber.runtime.Timeout.timeout(Timeout.java:16) at cucumber.runtime.Utills.invoke(Utills.java:34) at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60) at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224) at cucumber.runtime.Runtime.runHooks(Runtime.java:212) at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206) at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46) at cucumber.runtime.model.CucumberScenarioOutline.run(CucumberScenarioOutline.java:46) at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165) at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:63) at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:96) at jdk.internal.reflect.GeneratedMethodAccessor43.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86) at org.testng.internal.Invoker.invokeMethod(Invoker.java:643) at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820) at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112) at org.testng.TestRunner.privateRun(TestRunner.java:782) at org.testng.TestRunner.run(TestRunner.java:632) at org.testng.SuiteRunner.runTest(SuiteRunner.java:366) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319) at org.testng.SuiteRunner.run(SuiteRunner.java:268) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244) at org.testng.TestNG.runSuitesLocally(TestNG.java:1169) at org.testng.TestNG.run(TestNG.java:1064) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)</p>			
Back to Table of Contents			
Scenario Outline: Verify the Q&A on Chinese Medicine journey			
Passed: 0	Failed: 1	Undefined: 0	Duration: 10.18s

Before		0.00s
And user selects "\${chineseMedicine.answer.60}" for the question "\${chineseMedicine.question.60}"		9.16s
<pre> java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains (@name,"My body and limbs feel numb")] and Answer //XCUIElementTypeOther[@name=" Occasionally"] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java: 168) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104) at .And user selects "\${chineseMedicine.answer.60}" for the question "\${chineseMedicine. question.60}"(features/my/health/ChineseMedicine.feature:88) </pre>		
After		1.02s
<pre> com.prudential.tap.exception.TapException: Failed to take screenshot of at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases (CucumberHook.java:95) at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72) at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at cucumber.runtime.Utills\$1.call(Utills.java:40) at cucumber.runtime.Timeout.timeout(Timeout.java:16) at cucumber.runtime.Utills.invoke(Utills.java:34) at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60) at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224) at cucumber.runtime.Runtime.runHooks(Runtime.java:212) at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206) at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46) at cucumber.runtime.model.CucumberScenarioOutline.run(CucumberScenarioOutline.java:46) at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165) at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java: 63) at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:96) at jdk.internal.reflect.GeneratedMethodAccessor43.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86) at org.testng.internal.Invoker.invokeMethod(Invoker.java:643) at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820) at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112) at org.testng.TestRunner.privateRun(TestRunner.java:782) at org.testng.TestRunner.run(TestRunner.java:632) at org.testng.SuiteRunner.runTest(SuiteRunner.java:366) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361) </pre>		

```

at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

```

[Back to Table of Contents](#)

Scenario Outline: [Verify the Q&A on Chinese Medicine journey](#)

Passed: 0	Failed: 1	Undefined: 0	Duration: 10.18s
-----------	-----------	--------------	------------------

Before	0.00s
--------	-------

And user selects "\${chineseMedicine.answer.61}" for the question "\${chineseMedicine.question.61}"	9.13s
<pre> java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains (@name,"My face")] and Answer //XCUIElementTypeOther[@name="Occasionally"] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java: 168) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104) at .And user selects "\${chineseMedicine.answer.61}" for the question "\${chineseMedicine. question.61}"(features/my/health/ChineseMedicine.feature:88) </pre>	

After	1.05s
-------	-------

```

com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases
(CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utills$1.call(Utills.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utills.invoke(Utills.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberScenarioOutline.run(CucumberScenarioOutline.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:
63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:96)
at jdk.internal.reflect.GeneratedMethodAccessor43.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke

```

```

(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

```

[Back to Table of Contents](#)

Scenario Outline: **Verify the Q&A on Chinese Medicine journey**

Passed: 0	Failed: 1	Undefined: 0	Duration: 10.14s
-----------	-----------	--------------	------------------

Before	0.00s
---------------	--------------

And user selects "\${chineseMedicine.answer.62}" for the question "\${chineseMedicine.question.62}"	9.11s
<pre> java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains (@name,"My body feels pain easily")] and Answer //XCUIElementTypeOther[@name="Occassionally"] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:168) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA(ChineseMedicineSteps.java:104) at .And user selects "\${chineseMedicine.answer.62}" for the question "\${chineseMedicine.question.62}"(features/my/health/ChineseMedicine.feature:88) </pre>	

After	1.03s
--------------	--------------

```

com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases(CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utills$1.call(Utills.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)

```



```

at cucumber.runtime.Uutils.invoke(Uutils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberScenarioOutline.run(CucumberScenarioOutline.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:
63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:96)
atjdk.internal.reflect.GeneratedMethodAccessor43.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

```

[Back to Table of Contents](#)

Scenario Outline: **Verify the Q&A on Chinese Medicine journey**

Passed: 0	Failed: 1	Undefined: 0	Duration: 10.18s
Before			0.00s

And user selects "\${chineseMedicine.answer.63}" for the question "\${chineseMedicine.question.63}"	9.15s
<pre> java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains (@name,"My scrotum feels hot (Limited to men answer)")] and Answer //XCUIElementTypeOther[@name="Occassionally"] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java: 168) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104) </pre>	

at .And user selects "\${chineseMedicine.answer.63}" for the question "\${chineseMedicine.question.63}"(features/my/health/ChineseMedicine.feature:88)			
After			1.02s
<p>com.prudential.tap.exception.TapException: Failed to take screenshot of at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases (CucumberHook.java:95) at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72) at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at cucumber.runtime.Utills\$1.call(Utills.java:40) at cucumber.runtime.Timeout.timeout(Timeout.java:16) at cucumber.runtime.Utills.invoke(Utills.java:34) at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60) at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224) at cucumber.runtime.Runtime.runHooks(Runtime.java:212) at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206) at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46) at cucumber.runtime.model.CucumberScenarioOutline.run(CucumberScenarioOutline.java:46) at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165) at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:63) at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:96) at jdk.internal.reflect.GeneratedMethodAccessor43.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86) at org.testng.internal.Invoker.invokeMethod(Invoker.java:643) at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820) at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112) at org.testng.TestRunner.privateRun(TestRunner.java:782) at org.testng.TestRunner.run(TestRunner.java:632) at org.testng.SuiteRunner.runTest(SuiteRunner.java:366) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319) at org.testng.SuiteRunner.run(SuiteRunner.java:268) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244) at org.testng.TestNG.runSuitesLocally(TestNG.java:1169) at org.testng.TestNG.run(TestNG.java:1064) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)</p>			
Back to Table of Contents			
Scenario: Verify the Assessment completion screen			
Passed: 1	Failed: 1	Undefined: 0	Duration: 35.68s

Before		0.00s
Given I wait for 5 sec		5.02s
Then User verify following texts are displayed in Chinese Medicine screen		29.63s
\$ {chineseMedicine.viewAssessment.header}		
\$ {chineseMedicine.viewAssessment.subTitle}		
\$ {chineseMedicine.viewAssessment.description1}		
\$ {chineseMedicine.viewAssessment.description2}		
<p>java.lang.AssertionError: The following asserts failed:</p> <p>the expected text is: Great!! expected [true] but found [false], the expected text is: You've completed the assessment expected [true] but found [false], the expected text is: This assessment and health related advice are provided by 'Research Center of Big Data, College of Management, Taipei Medical University' in cooperation with medical doctors. It is only for personal health management reference and does not represent a medical diagnosis. If you feel unwell, please seek the medical doctor's advice for any health conditions! expected [true] but found [false], the expected text is: Your body constitution will change based on your diets, lifestyle, and environment. It is recommended to do the Chinese Constitution Assessment at least every three months to know whether your constitution has improved so as to master your own health! expected [true] but found [false]</p> <pre>at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.verifyFollowingTextsDisplayedInChineseMedScreen(ChineseMedicineSteps.java:49) at .Then User verify following texts are displayed in Chinese Medicine screen(features/my/health/ChineseMedicine.feature:158)</pre>		
After		1.04s
<pre>com.prudential.tap.exception.TapException: Failed to take screenshot of at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases(CucumberHook.java:95) at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72) at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at cucumber.runtime.Utills\$1.call(Utills.java:40) at cucumber.runtime.Timeout.timeout(Timeout.java:16) at cucumber.runtime.Utills.invoke(Utills.java:34) at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60) at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224) at cucumber.runtime.Runtime.runHooks(Runtime.java:212) at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206) at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46) at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165) at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:63) at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:96) at jdk.internal.reflect.GeneratedMethodAccessor43.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)</pre>		

```

at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

```

[Back to Table of Contents](#)

Scenario: **Verify the user can view the Assessment Record**

Passed: 0	Failed: 1	Undefined: 1	Duration: 8.2s
Before			0.00s

When user clicks on View Results button on Chinese Medicine Assessment screen

7.17s

```

org.openqa.selenium.NoSuchElementException: An element could not be located on the page
using the given search parameters.
For documentation on this error, please visit: http://seleniumhq.org/exceptions
/no_such_element.html
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'Prudentials-MacBook-Pro.local', ip: '2401:7400:c802:5759:95b8:7a7:1d5b:
d396%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'
Driver info: io.appium.java_client.ios.IOSDriver
Capabilities {autoDismissAlerts: false, automationName: XCUITest, browserName: ,
bundleId: com.prudential.pulse.uat, databaseEnabled: false, deviceName: iOS-Test,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: false,
newCommandTimeout: 10000, noReset: false, platform: MAC, platformName: iOS,
platformVersion: 14.4.1, takesScreenshot: true, udid: 00008101-001145000212001E,
webStorageEnabled: false}
Session ID: abbe9c4-d556-462e-ba3d-e3067ec49cc7
*** Element info: {Using=xpath, value=//XCUIElementTypeOther[@name="View Results"]}
at jdk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode

```

```

(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.execute(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElementByXPath(IOSDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:165)
at com.onepulse.app.screens.ChineseMedicineScreen.clickViewResultsButton
(ChineseMedicineScreen.java:71)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.clickOnViewResults
(ChineseMedicineSteps.java:122)
at .When user clicks on View Results button on Chinese Medicine Assessment screen(features
/my/health/ChineseMedicine.feature:166)

```

Then User verify following texts are displayed in Chinese Medicine screen		0.00s
<div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> </div>	<div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> </div>	

After		1.03s
-------	--	-------

Scenario: Verify the Assessment Summary

<pre> java.lang.AssertionError: The following asserts failed: the expected text is: Assessment Summary expected [true] but found [false], the expected text is: Your body has moderate deficiency of yang qi. You may easily feel weak and chills, and have cold limbs. This is a symptom of moderate yang deficiency.It is recommended that your eating habits be based on the principle of warmth, and you should eat more glutinous rice, black beans, yams, ginger and other foods, maintain the long-term regular habit of medium intensity exercise, and have daily care and acupoint care matching with four seasons, so that you can gradually improve your body constitution. expected [true] but found [false] at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps. verifyFollowingTextsDisplayedInChineseMedScreen(ChineseMedicineSteps.java:49) at .Then User verify following texts are displayed in Chinese Medicine screen(features/my /health/ChineseMedicine.feature:179) </pre>	
When user clicks on View More button on Assessment Record screen	0.00s
After	1.02s
<pre> com.prudential.tap.exception.TapException: Failed to take screenshot of at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases (CucumberHook.java:95) at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72) at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at cucumber.runtime.Utils\$1.call(Utils.java:40) at cucumber.runtime.Timeout.timeout(Timeout.java:16) at cucumber.runtime.Utils.invoke(Utils.java:34) at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60) at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224) at cucumber.runtime.Runtime.runHooks(Runtime.java:212) at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206) at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46) at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165) at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java: 63) at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:96) at jdk.internal.reflect.GeneratedMethodAccessor43.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86) at org.testng.internal.Invoker.invokeMethod(Invoker.java:643) at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820) at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112) at org.testng.TestRunner.privateRun(TestRunner.java:782) at org.testng.TestRunner.run(TestRunner.java:632) </pre>	


```

at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

```

[Back to Table of Contents](#)

Scenario Outline: [Verify the "Constitution" Details of the Assessment](#)

Passed: 0	Failed: 1	Undefined: 0	Duration: 8.12s
Before			0.00s

Then User verify Assessment Details for the "\${chineseMedicine.assessment.details.constitution}" and "\${chineseMedicine.assessment.details.constitutionDescription}"

7.10s

java.lang.AssertionError: Unable to find the Condition Meaning of Yang-deficiency constitution.

at org.testng.Assert.fail(Assert.java:94)

at com.onepulse.app.screens.ChineseMedicineScreen.verifyAssessmentDetails
(ChineseMedicineScreen.java:197)

at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.
verifyAssessmentDetails(ChineseMedicineSteps.java:133)

at .Then User verify Assessment Details for the "\${chineseMedicine.assessment.details.constitution}" and "\${chineseMedicine.assessment.details.constitutionDescription}"(features/my/health/ChineseMedicine.feature:186)

After			1.02s
--------------	--	--	--------------

com.prudential.tap.exception.TapException: Failed to take screenshot of

at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases
(CucumberHook.java:95)

at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)

at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source)

at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)

at java.base/java.lang.reflect.Method.invoke(Method.java:566)

at cucumber.runtime.Utills\$1.call(Utills.java:40)

at cucumber.runtime.Timeout.timeout(Timeout.java:16)

at cucumber.runtime.Utills.invoke(Utills.java:34)

at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)

at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)

at cucumber.runtime.Runtime.runHooks(Runtime.java:212)

at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)

at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)

at cucumber.runtime.model.CucumberScenarioOutline.run(CucumberScenarioOutline.java:46)

at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)

at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:

63)

```

at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:96)
at jdk.internal.reflect.GeneratedMethodAccessor43.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

```

[Back to Table of Contents](#)

Scenario Outline: [Verify the "Change In Tongue" Details of the Assessment](#)

Passed: 0	Failed: 1	Undefined: 0	Duration: 9.84s
Before			0.00s

Then User verify Assessment Details for the "\${chineseMedicine.assessment.details.changeInTongue}" and "\${chineseMedicine.assessment.details.changeInTongueDescription}"

8.80s

java.lang.AssertionError: Unable to find the Condition Change in the tongue of Yang-deficiency constitution.

```
at org.testng.Assert.fail(Assert.java:94)
```

```
at com.onepulse.app.screens.ChineseMedicineScreen.verifyAssessmentDetails
(ChineseMedicineScreen.java:197)
```

```
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.
verifyAssessmentDetails(ChineseMedicineSteps.java:133)
```

```
at .Then User verify Assessment Details for the "${chineseMedicine.assessment.details.
changeInTongue}" and "${chineseMedicine.assessment.details.changeInTongueDescription}"
(features/my/health/ChineseMedicine.feature:186)
```

After		1.04s
-------	--	-------

```

com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases
(CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source)

```

```

at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utills$1.call(Utills.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utills.invoke(Utills.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberScenarioOutline.run(CucumberScenarioOutline.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:
63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:96)
at jdk.internal.reflect.GeneratedMethodAccessor43.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

```

[Back to Table of Contents](#)

Feature: Verify Dietician Positive Flow for Doctor functionality on one pulse App

Passed: 12 Failed: 0 Undefined: 0 Duration: 825.15s

Scenario: Verify the Home screen validation using "Continue with Email"

Passed: 16	Failed: 0	Undefined: 0	Duration: 354.7s
Before			0.00s
Given I generate random number and assign to variable "RANDOM_NUMBER"			0.03s
And I assign "pulse\${RANDOM_NUMBER}@mailsac.com" to variable "PULSE_EMAIL"			0.00s

And User has pulse app		13.10s																								
And user click on "CONTINUE WITH EMAIL" with Email button		55.53s																								
Then I wait for 2 sec		2.02s																								
Then I change the country as required on registration page		23.58s																								
Then I wait for 2 sec		2.01s																								
Then I navigate to pulse registration page and select the lang on toggle bar then click on continue with email button		8.92s																								
When user enters registration details		36.36s																								
	<table><tr><td>FirstName</td><td>Diet</td></tr><tr><td>LastName</td><td>Test</td></tr><tr><td>Email</td><td>\${PULSE_EMAIL}</td></tr><tr><td>Password</td><td>Pas\$1234</td></tr></table>	FirstName	Diet	LastName	Test	Email	\${PULSE_EMAIL}	Password	Pas\$1234																	
FirstName	Diet																									
LastName	Test																									
Email	\${PULSE_EMAIL}																									
Password	Pas\$1234																									
And taps on continue "Sign_Up" button		5.50s																								
And I wait for otp screen after clicking on signup button		2.80s																								
And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}"		38.84s																								
Then I wait for 2 sec		2.01s																								
Then I click skip button		140.69s																								
Then user should be landed to "Home" screen		19.30s																								
Then I wait for 4 sec		4.01s																								
After		0.02s																								
Back to Table of Contents																										
Scenario: Verify User should be able to navigate to Dietician page																										
Passed: 2	Failed: 0	Undefined: 0																								
Duration: 22.83s																										
Before		0.00s																								
	<table><tr><td>Then I click the Health icon in Home screen</td><td>5.45s</td></tr><tr><td>Then I click the Dietician tab for my in Health Screen</td><td>17.38s</td></tr></table>	Then I click the Health icon in Home screen	5.45s	Then I click the Dietician tab for my in Health Screen	17.38s																					
Then I click the Health icon in Home screen	5.45s																									
Then I click the Dietician tab for my in Health Screen	17.38s																									
After		0.00s																								
Back to Table of Contents																										
Scenario: Select the expert type as doctor and navigate to next screen																										
Passed: 10	Failed: 0	Undefined: 0																								
Duration: 64.96s																										
Before		0.00s																								
	<table><tr><td>Then I verify following text is displayed in dietician screen</td><td>6.79s</td></tr><tr><td> </td><td><table><tr><td>\${choose.expertise.text}</td></tr><tr><td>\${select.expert.type}</td></tr><tr><td>\${what.expert.text}</td></tr></table></td></tr><tr><td>And I clicks on "\${doc.txt}" in app screen</td><td>27.77s</td></tr><tr><td>And I click the continue button</td><td>1.72s</td></tr><tr><td>Then I wait for 2 sec</td><td>2.01s</td></tr><tr><td>Then I verify following text is displayed in dietician screen</td><td>5.63s</td></tr><tr><td> </td><td><table><tr><td>\${what.isyour.service.num.text}</td></tr><tr><td>\${complete.details.text}</td></tr></table></td></tr><tr><td>Then I verify following edit field sample text in dietician screen</td><td>1.99s</td></tr><tr><td> </td><td><table><tr><td>\${enterservice.num.text}</td></tr><tr><td> </td></tr></table></td></tr></table>	Then I verify following text is displayed in dietician screen	6.79s		<table><tr><td>\${choose.expertise.text}</td></tr><tr><td>\${select.expert.type}</td></tr><tr><td>\${what.expert.text}</td></tr></table>	\${choose.expertise.text}	\${select.expert.type}	\${what.expert.text}	And I clicks on "\${doc.txt}" in app screen	27.77s	And I click the continue button	1.72s	Then I wait for 2 sec	2.01s	Then I verify following text is displayed in dietician screen	5.63s		<table><tr><td>\${what.isyour.service.num.text}</td></tr><tr><td>\${complete.details.text}</td></tr></table>	\${what.isyour.service.num.text}	\${complete.details.text}	Then I verify following edit field sample text in dietician screen	1.99s		<table><tr><td>\${enterservice.num.text}</td></tr><tr><td> </td></tr></table>	\${enterservice.num.text}	
Then I verify following text is displayed in dietician screen	6.79s																									
	<table><tr><td>\${choose.expertise.text}</td></tr><tr><td>\${select.expert.type}</td></tr><tr><td>\${what.expert.text}</td></tr></table>	\${choose.expertise.text}	\${select.expert.type}	\${what.expert.text}																						
\${choose.expertise.text}																										
\${select.expert.type}																										
\${what.expert.text}																										
And I clicks on "\${doc.txt}" in app screen	27.77s																									
And I click the continue button	1.72s																									
Then I wait for 2 sec	2.01s																									
Then I verify following text is displayed in dietician screen	5.63s																									
	<table><tr><td>\${what.isyour.service.num.text}</td></tr><tr><td>\${complete.details.text}</td></tr></table>	\${what.isyour.service.num.text}	\${complete.details.text}																							
\${what.isyour.service.num.text}																										
\${complete.details.text}																										
Then I verify following edit field sample text in dietician screen	1.99s																									
	<table><tr><td>\${enterservice.num.text}</td></tr><tr><td> </td></tr></table>	\${enterservice.num.text}																								
\${enterservice.num.text}																										

\${entername.of.institution.text}			
And I assign value to following variables			0.01s
service num	05		
issuing org	test org		
And I enter following details in dietician screen			13.20s
\${service.num.text}	\${service num}		
\${issuing.org.text}	\${issuing org}		
\${valid.till.text}	01-01-2030		
And I click on field label "\${valid.till.text}" to close keyboard on dietician screen			1.79s
And I click the continue button			4.06s
After			0.00s
Back to Table of Contents			
Scenario: Verify User should be able to navigate to specialisation page			
Passed: 9	Failed: 0	Undefined: 0	Duration: 38.95s
Before			0.00s
Then I verify following text is displayed in dietician screen			6.66s
\${what.isyour.specialisation}			
\${specility.to.provide}			
\${choose.list.text}			
Then I verify following specialisation options are displayed in dietician screen			6.60s
\${mental.health.text}			
\${psychologist.text}			
\${general.physician.text}			
Then I enter "\${physician.text}" speciality on specilisation screen And select "\${general.physician.text}"			7.92s
And I click the continue button			2.17s
And I verify following text is displayed in dietician screen			4.32s
\${enter.super.specialisation.text}			
\${other.specialisation.text}			
And I assign value to following variables			0.00s
specialisation	Hypertension		
And I enter following details in dietician screen			2.06s
\${enter.super.specialisation.text}	\${specialisation}		
And I click on field label "\${enter.super.specialisation.text}" to close keyboard on dietician screen			2.29s
And I click the continue button			6.92s
After			0.00s
Back to Table of Contents			
Scenario: Verify User should be able to navigate to Educational Details page			
Passed: 6	Failed: 0	Undefined: 0	Duration: 30.96s
Before			0.00s
And I verify following text is displayed in dietician screen			2.07s

Before		0.00s
And I verify following text is displayed in dietician screen		3.55s
<code>\${public.profile.tex}</code>		
And I assign value to following variables		0.00s
service offered MBBS DOCTOR		
And I enter following details in dietician screen		2.35s
<code>\${service.offered.text}</code> <code>\${service offered}</code>		
And I click on field label " <code>\${service.offered.text}</code> " to close keyboard on dietician screen		1.95s
And I click the continue button		3.67s
After		0.00s
Back to Table of Contents		
Scenario: Verify User should be able to navigate to achievement and awards screen		
Passed: 5	Failed: 0	Undefined: 0
Duration: 26.68s		
Before		0.00s
And I verify following text is displayed in dietician screen		2.18s
<code>\${achievement.award.text}</code>		
<code>\${add.seminar.details.text}</code>		
And I enter following details in edit text field in dietician screen		10.79s
<code>\${enter.title.award.text}</code> TEST award		
<code>\${enter.org.name.text}</code> Test		
And I enter following details in dietician screen		5.70s
<code>\${year.text}</code> 2020		
And I click on field label " <code>\${add.seminar.details.text}</code> " to close keyboard on dietician screen		2.88s
And I click the continue button		5.13s
After		0.00s
Back to Table of Contents		
Scenario: Verify User should be able to navigate to Seminar(s) Attended page		
Passed: 5	Failed: 0	Undefined: 0
Duration: 42.18s		
Before		0.00s
And I verify following text is displayed in dietician screen		6.32s
<code>\${seminar.attended.text}</code>		
<code>\${add.seminar.details}</code>		
And I enter following details in edit text field in dietician screen		16.08s
<code>\${enter.seminar.title}</code> TEST seminar		
<code>\${enterLocation.text}</code> SINGAPORE		
And I enter following details in dietician screen		8.61s
<code>\${year.text}</code> 2020		
And I click on field label " <code>\${seminar.attended.text}</code> " to close keyboard on dietician screen		6.12s
And I click the continue button		5.06s

After		0.00s
Back to Table of Contents		
Scenario: Verify User should be able to navigate to linked clinic page		
Passed: 4	Failed: 0	Undefined: 0
Duration: 26.39s		
Before		0.00s
Given I verify following text is displayed in dietician screen		6.05s
<div> <div> <div></div> <div></div> <div></div> </div> <div> <div></div> <div></div> <div></div> </div> </div>		
And I enter following details in edit text field in dietician screen		11.11s
<div> <div> <div></div> <div></div> <div></div> </div> <div> <div></div> <div></div> <div></div> </div> </div>		
And I click on field label "\${linked.clinic.text}" to close keyboard on dietician screen		4.37s
And I click the continue button		4.87s
After		0.00s
Back to Table of Contents		
Scenario: Verify User should be able to navigate to Take a Picture page		
Passed: 12	Failed: 0	Undefined: 0
Duration: 85.9s		
Before		0.00s
Given I verify following text is displayed in dietician screen		8.17s
<div> <div> <div></div> <div></div> <div></div> </div> <div> <div></div> <div></div> <div></div> </div> </div>		
Then I verify following profile photo options are displayed in Dietician Screen		5.20s
<div> <div> <div></div> <div></div> <div></div> </div> <div> <div></div> <div></div> <div></div> </div> </div>		
And I clicks on "\${takepicture.text}" in app screen		14.71s
And I give camera permission		9.40s
Then I take picture from Camera		3.66s
And I click the continue button		4.19s
Then I wait for 3 sec		3.01s
Then I verify following text is displayed in dietician screen		22.85s
<div> <div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> </div> <div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> </div> </div>		
And I scroll down		6.95s
Then I wait for 2 sec		2.01s
And I click Agree button "Terms and Conditions" confirm screen		2.25s
And I clicks on "Terms and Conditions" text in app screen		3.50s
After		0.01s

[Back to Table of Contents](#)
Scenario: Verify User should be able to navigate to schedule Calendar page

Passed: 8	Failed: 0	Undefined: 0	Duration: 87.43s
Before			0.00s

Then I wait for 5 sec	5.01s		
And I verify following text is displayed in dietician screen	5.17s		
<table><tr><td><div> \${conversation.history.text}</div></td></tr><tr><td><div> \${no.appointmnt.now.text}</div></td></tr></table>	<div> \${conversation.history.text}</div>	<div> \${no.appointmnt.now.text}</div>	
<div> \${conversation.history.text}</div>			
<div> \${no.appointmnt.now.text}</div>			
Then User verify following dynamic texts are displayed in Dietician screen	2.51s		
<table><tr><td><div> \${click.manage.your.availability.text}</div></td></tr></table>	<div> \${click.manage.your.availability.text}</div>		
<div> \${click.manage.your.availability.text}</div>			
And I clicks on "\${schedule.cal.text}" in app screen	25.98s		
And I verify following text is displayed in dietician screen	6.34s		
<table><tr><td><div> \${calendar.text}</div></td></tr></table>	<div> \${calendar.text}</div>		
<div> \${calendar.text}</div>			
And I Select the Date in calendar field	2.47s		
And I click the Select Your Availability icon in calendar screen	3.57s		
And I clicks on "10:00 AM" in app screen	36.38s		

After	0.00s
-------	-------

[Back to Table of Contents](#)
Feature: Verify that user can manage events via the Family Vaccine Calendar feature

Passed: 7	Failed: 0	Undefined: 0	Duration: 556.2s
-----------	-----------	--------------	------------------

Scenario: User should be able to register on app with correct credentials using "Continue with Email"

Passed: 18	Failed: 0	Undefined: 0	Duration: 368.07s
Before			0.00s

Given I generate random number and assign to variable "RANDOM_NUMBER"	0.10s								
And I assign "pulse\${RANDOM_NUMBER}@mailsac.com" to variable "PULSE_EMAIL"	0.00s								
And User has pulse app	10.45s								
Then I wait for 2 sec	2.01s								
And user click on "CONTINUE WITH EMAIL" with Email button	67.57s								
Then I wait for 2 sec	2.02s								
Then I change the country as required on registration page	24.28s								
Then I wait for 2 sec	2.01s								
Then I navigate to pulse registration page and select the lang on toggle bar then click on continue with email button	7.69s								
Then I wait for 2 sec	2.01s								
When user enters registration details	40.01s								
<table border="1"> <tr> <td>FirstName</td><td>testAutomation</td></tr> <tr> <td>LastName</td><td>testAutomation</td></tr> <tr> <td>Email</td><td>{PULSE_EMAIL}</td></tr> <tr> <td>Password</td><td>Pas\$1234</td></tr> </table>		FirstName	testAutomation	LastName	testAutomation	Email	{PULSE_EMAIL}	Password	Pas\$1234
FirstName	testAutomation								
LastName	testAutomation								
Email	{PULSE_EMAIL}								
Password	Pas\$1234								
And taps on continue "Sign_Up" button	1.77s								

And I wait for otp screen after clicking on signup button		6.57s								
And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}"		36.09s								
Then I wait for 2 sec		2.01s								
Then I click skip button		138.09s								
Then user should be landed to "Home" screen		21.39s								
Then I wait for 4 sec		4.01s								
After		0.00s								
Back to Table of Contents										
Scenario: User should be able to access my family vaccination calendar										
Passed: 5	Failed: 0	Undefined: 0								
Duration: 44.3s										
Before		0.00s								
	Given I clicks on Health button	38.20s								
	Then I wait for 2 sec	2.01s								
	Then I click on vaccine calendar tile	0.39s								
	Then I wait for 2 sec	2.01s								
	Then User verifies following texts are displayed in Vaccine Calendar screen	1.70s								
	<table><tr><td><div></div></td><td></td></tr><tr><td><div></div></td><td></td></tr></table>	<div></div>		<div></div>						
	<div></div>									
<div></div>										
<div></div>										
After		0.00s								
Back to Table of Contents										
Scenario: Verify the user can Add Vaccine Information										
Passed: 4	Failed: 0	Undefined: 0								
Duration: 14.75s										
Before		0.00s								
	When I click on Add more button in Vaccine Calendar screen	1.17s								
	And I wait for 2 sec	2.01s								
	Then User verifies following texts are displayed in Vaccine Calendar screen	6.86s								
	<table><tr><td><div></div></td><td></td></tr><tr><td><div></div></td><td></td></tr><tr><td><div></div></td><td></td></tr><tr><td><div></div></td><td></td></tr></table>	<div></div>		<div></div>		<div></div>		<div></div>		
	<div></div>									
	<div></div>									
	<div></div>									
	<div></div>									
	Then User verifies following buttons are displayed in Vaccine Calendar screen	4.71s								
	<table><tr><td><div></div></td><td></td></tr><tr><td><div></div></td><td></td></tr></table>	<div></div>		<div></div>						
<div></div>										
<div></div>										
<div></div>										
After		0.00s								
Back to Table of Contents										
Scenario: enter information on add vaccination popup										
Passed: 4	Failed: 0	Undefined: 0								
Duration: 14.06s										
Before		0.00s								
	And I assign value to following variables	0.00s								
	<table><tr><td>relation</td><td>Child</td></tr><tr><td>name</td><td>testing_one</td></tr></table>	relation	Child	name	testing_one					
	relation	Child								
	name	testing_one								
	Then I add following information in Vaccine Calendar add information screen	10.96s								
<table><tr><td><div></div></td><td></td><td></td></tr></table>	<div></div>									
<div></div>										
<div></div>										

	<table><tr><td>Name</td><td>\${name}</td></tr><tr><td>Relation</td><td>\${relation}</td></tr></table>	Name	\${name}	Relation	\${relation}	
Name	\${name}					
Relation	\${relation}					
Then I wait for 2 sec		2.00s				
And I click on "\${vaccineCalendar.addMore.saveButton}" button in Vaccine Calendar screen		1.09s				
After		0.00s				
Back to Table of Contents						
Scenario: Verify the added item displayed on the Vaccine Schedule screen						
Passed: 8	Failed: 0	Undefined: 0				
Duration: 59.44s						
Before		0.00s				
	Given I wait for 2 sec	2.01s				
	Then User verifies following dynamic texts are displayed in Vaccine Calendar screen	3.26s				
	<table><tr><td>\${relation}</td></tr><tr><td>\${name}</td></tr></table>	\${relation}	\${name}			
\${relation}						
\${name}						
	Then I click on "\${name} \${relation}" button in Vaccine Calendar screen	1.75s				
	And I click on "\${vaccineCalendar.continue.button}" button in Vaccine Calendar screen	2.05s				
	Then I wait for 2 sec	2.01s				
	Then User verifies following texts are displayed in Vaccine Calendar screen	19.04s				
	<table><tr><td>\${vaccineCalendar.select.child.text}</td></tr><tr><td>\${vaccine.text}</td></tr></table>	\${vaccineCalendar.select.child.text}	\${vaccine.text}			
\${vaccineCalendar.select.child.text}						
\${vaccine.text}						
	Then User verifies following dynamic texts are displayed in Vaccine Calendar screen	9.83s				
	<table><tr><td>\${name}</td></tr></table>	\${name}				
\${name}						
	And I verify following texts are displayed	19.50s				
	<table><tr><td>\${vaccine.bcg.text}</td></tr><tr><td>\${vaccine.hep.text}</td></tr></table>	\${vaccine.bcg.text}	\${vaccine.hep.text}			
\${vaccine.bcg.text}						
\${vaccine.hep.text}						
After		0.00s				
Back to Table of Contents						
Scenario: Verify reminder options in vaccine schedule						
Passed: 3	Failed: 0	Undefined: 0				
Duration: 31.44s						
Before		0.00s				
	Then I click reminder icon for BCG vaccine	10.99s				
	And I verify following texts are displayed	9.33s				
	<table><tr><td>\${reminder.popup.text}</td></tr></table>	\${reminder.popup.text}				
\${reminder.popup.text}						
	And I click NO option	11.13s				
After		0.00s				
Back to Table of Contents						
Scenario: Verify change reminder functionality in vaccine schedule screen						
Passed: 1	Failed: 0	Undefined: 0				
Duration: 24.14s						
Before		0.00s				
	And I click Yes option	24.14s				

After		0.00s
Back to Table of Contents		
Feature: Verify that user can access Dengue Alert feature		
Passed: 5	Failed: 0	Duration: 629.91s
Scenario: Launch the app and select the country as per specified lbu		
Passed: 6	Failed: 0	Duration: 113.85s
Before		0.00s
Given User has pulse app		12.24s
And I assign "\${login.email.id}" to variable "PULSE_EMAIL"		0.06s
And user click on "CONTINUE WITH EMAIL" with Email button		63.32s
Then I change the country as required on registration page		26.53s
Then I wait for 10 sec		10.02s
And I click the Sign in link		1.68s
After		0.00s
Back to Table of Contents		
Scenario: login to the app with correct credentials using "Continue with Email"		
Passed: 6	Failed: 0	Duration: 117.44s
Before		0.00s
Given I select the language option on toggle bar as required on login page		4.17s
When user enters credentials		72.58s
UserName	\${PULSE_EMAIL}	
Password	\${pulse.password}	
And User clicks on signin button		1.72s
And I wait for 5 sec		5.02s
And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}"		11.37s
Then user should be landed to "Home" screen		22.59s
After		0.00s
Back to Table of Contents		
Scenario: Verify the map can be expanded		
Passed: 5	Failed: 0	Duration: 72.1s
Before		0.00s
Given I wait for 2 sec		2.01s
And I clicks on Health button		40.07s
And I clicks on Dengue Alert tile		22.45s
And I click on the mapImage		7.58s
And I click on map back button		0.00s
After		0.00s
Back to Table of Contents		
Scenario: User should be able to vew the Dengue Outbreak - Malaysia		
Passed: 8	Failed: 0	Duration: 146.43s


Passed: 9	Failed: 0	Undefined: 0	Duration: 724.71s
-----------	-----------	--------------	-------------------

Page 177 of 213

Then I wait for 2 sec		2.01s								
And user click on "CONTINUE WITH EMAIL" with Email button		60.23s								
Then I wait for 2 sec		2.01s								
Then I change the country as required on registration page		27.28s								
Then I wait for 2 sec		2.01s								
Then I navigate to pulse registration page and select the lang on toggle bar then click on continue with email button		10.00s								
Then I wait for 2 sec		2.01s								
When user enters registration details		38.27s								
	<table><tr><td>FirstName</td><td>testAutomation</td></tr><tr><td>LastName</td><td>testAutomation</td></tr><tr><td>Email</td><td>\${PULSE_EMAIL}</td></tr><tr><td>Password</td><td>Pas\$1234</td></tr></table>	FirstName	testAutomation	LastName	testAutomation	Email	\${PULSE_EMAIL}	Password	Pas\$1234	
FirstName	testAutomation									
LastName	testAutomation									
Email	\${PULSE_EMAIL}									
Password	Pas\$1234									
And taps on continue "Sign_Up" button		1.85s								
And I wait for otp screen after clicking on signup button		5.22s								
And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}"		39.22s								
Then I wait for 2 sec		2.01s								
Then I click skip button		175.22s								
Then user should be landed to "Home" screen		19.55s								
Then I wait for 4 sec		4.01s								
After		0.00s								
Back to Table of Contents										
Scenario: Navigate to PRU Shoppe screen										
Passed: 1	Failed: 0	Undefined: 0								
Duration: 2.27s										
Before		0.00s								
	And I click on pru shoppe button on the home page	2.27s								
After		0.00s								
Back to Table of Contents										
Scenario: Verify User should be able to see the infectious disease cover screen options										
Passed: 12	Failed: 0	Undefined: 0								
Duration: 193.3s										
Before		0.00s								
	Then I click on Proceed button on prushoppe screen	2.63s								
	Then I wait for 5 sec	5.00s								
	Then I click on pru infectious disease cover tile on prushoppe screen	2.22s								
	Then I wait for 5 sec	5.01s								
	And I verify following texts are displayed	12.98s								
	<table><tr><td>\${infectious.disease.cover.text}</td></tr><tr><td>\${infectious.disease.cover.info.1}</td></tr><tr><td>\${infectious.disease.cover.info.2}</td></tr><tr><td>\${infectious.disease.cover.info.3}</td></tr><tr><td>\${infectious.disease.cover.info.4}</td></tr></table>	\${infectious.disease.cover.text}	\${infectious.disease.cover.info.1}	\${infectious.disease.cover.info.2}	\${infectious.disease.cover.info.3}	\${infectious.disease.cover.info.4}				
\${infectious.disease.cover.text}										
\${infectious.disease.cover.info.1}										
\${infectious.disease.cover.info.2}										
\${infectious.disease.cover.info.3}										
\${infectious.disease.cover.info.4}										
	And user click on following button "\${show.more.text}" on prushoppe screen	17.57s								
	And I verify following texts are displayed	6.66s								

Passed: 5		Failed: 2		Undefined: 0		Duration: 370.6s		
Scenario: Launch the app and select the country as per specified Ibu								
Passed: 6		Failed: 0		Undefined: 0		Duration: 105.86s		
Before							0.00s	
	Given User has pulse app						13.08s	
	And I assign "\${login.email.id}" to variable "PULSE_EMAIL"						0.01s	
	And user click on "CONTINUE WITH EMAIL" with Email button						57.97s	
	Then I change the country as required on registration page						28.18s	
	Then I wait for 5 sec						5.02s	
	And I click the Sign in link						1.60s	
After							0.00s	
Back to Table of Contents								
Scenario: login to the app with correct credentials using "Continue with Email"								
Passed: 6		Failed: 0		Undefined: 0		Duration: 103.11s		
Before							0.00s	
	Given I select the language option on toggle bar as required on login page						5.88s	
	When user enters credentials						53.85s	
		UserName	\${PULSE_EMAIL}					
		Password	\${login.password}					
	And User clicks on signin button						2.13s	
	And I wait for 5 sec						5.01s	
	And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}"						11.30s	
	Then user should be landed to "Home" screen						24.90s	
After							0.04s	
Back to Table of Contents								
Scenario: Verify user can access his policies from Pru Shoppe My Policies screen								
Passed: 5		Failed: 0		Undefined: 0		Duration: 43.56s		
Before							0.00s	
	And I click on pru shoppe button on the home page						2.53s	
	And I wait for 5 sec						5.01s	
	And I click on my policies tile on prushoppe screen						31.45s	
	And I wait for 2 sec						2.01s	
	And I verify following texts are displayed						2.56s	
		\${myCoverage.title}						
		\${myCoverage.information}						
		\${myCoverage.InformationDescription}						
After							0.01s	
Back to Table of Contents								
Scenario: Click on Link policy and verify screen to add policy number								
Passed: 4		Failed: 0		Undefined: 0		Duration: 36.92s		
Before							0.00s	

And I clicks on "\${myCoverage.linkPolicyButton}" in app screen		30.30s
And I wait for 2 sec		2.01s
And I hide one pulse app mobile keyboard		1.11s
And I verify following texts are displayed		3.50s
<div> <div>\${myCoverage.policyNumber.title}</div> <div>\${myCoverage.policyNumber.description}</div> <div>\${myCoverage.policyNumber.description1}</div> </div>		
After		0.00s
Back to Table of Contents		
Scenario: Verify the error message when the Policy Number is blank		
Passed: 3	Failed: 0	Undefined: 0
Duration: 5.26s		
Before		0.00s
Then I click on policy number save button on my policies screen		0.86s
Then I click on policy number save button on my policies screen		3.53s
Then I verify following texts are displayed		0.87s
<div> <div>\${myCoverage.policyNumber.errorMessage}</div> </div>		
After		0.00s
Back to Table of Contents		
Scenario: Verify the error message when the Policy Number is invalid or incorrect		
Passed: 4	Failed: 1	Undefined: 0
Duration: 23.0s		
Before		0.00s
When I enter "1234" as the Policy number		2.88s
And I hide one pulse app mobile keyboard		3.05s
Then I click on policy number save button on my policies screen		2.95s
And I wait for 2 sec		2.01s
Then I verify following texts are displayed		7.94s
<div> <div>\${myCoverage.policyNumber.errorMessage}</div> </div>		
<p>java.lang.AssertionError: The following asserts failed:</p> <p>Policy number not found text is displayed on page expected [true] but found [false]</p> <p>at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)</p> <p>at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnScreen(MyDocSteps.java:717)</p> <p>at .Then I verify following texts are displayed(features/my/home/prushopee/PruShoppeCoverage.feature:54)</p>		



After	4.17s
-------	-------

[Back to Table of Contents](#)

Scenario: Verify the error message when the Cancel Button

Passed: 1	Failed: 1	Undefined: 0	Duration: 52.91s
-----------	-----------	--------------	------------------

Before	0.00s
--------	-------


Then I click on policy number cancel button on my policies screen	3.46s
---	-------

Then user should be landed to "Home" screen	46.33s
---	--------

```

java.lang.AssertionError: expected [true] but found [false]
at org.testng.Assert.fail(Assert.java:94)
at org.testng.Assert.failNotEquals(Assert.java:513)
at org.testng.Assert.assertTrue(Assert.java:42)
at org.testng.Assert.assertTrue(Assert.java:52)
at com.onepulse.app.stepdefinitions.mobilesteps.LoginSteps.landingPageValidation
(LoginSteps.java:92)
at .Then user should be landed to "Home" screen(features/my/home/prushopee
/PruShoppeCoverage.feature:59)

```



After	3.12s
-------	-------

[Back to Table of Contents](#)

Feature: Verify wealth channel functionality on one pulse App

Passed: 2	Failed: 11	Undefined: 0	Duration: 485.94s
-----------	------------	--------------	-------------------

Scenario: Launch the app and select the country as per specified Ibu

Passed: 6	Failed: 0	Undefined: 0	Duration: 117.03s
-----------	-----------	--------------	-------------------

Before	0.00s
--------	-------

Given User has pulse app	12.10s
And I assign "\${login.email.id}" to variable "PULSE_EMAIL"	0.02s
And user click on "CONTINUE WITH EMAIL" with Email button	67.50s
Then I change the country as required on registration page	25.73s
Then I wait for 10 sec	10.02s
And I click the Sign in link	1.65s

After	0.01s
-------	-------

[Back to Table of Contents](#)

Scenario: login to the app with correct credentials using "Continue with Email"

Passed: 6	Failed: 0	Undefined: 0	Duration: 124.21s
-----------	-----------	--------------	-------------------

Before	0.00s
--------	-------

Given I select the language option on toggle bar as required on login page	6.90s				
When user enters credentials	73.97s				
<table border="1"> <tr> <td>UserName</td> <td>\${PULSE_EMAIL}</td> </tr> <tr> <td>Password</td> <td>\${pulse.password}</td> </tr> </table>	UserName	\${PULSE_EMAIL}	Password	\${pulse.password}	
UserName	\${PULSE_EMAIL}				
Password	\${pulse.password}				
And User clicks on signin button	1.34s				

And I wait for 5 sec		5.01s
And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}"		15.00s
Then user should be landed to "Home" screen		22.00s
After		0.00s
Back to Table of Contents		
Scenario: Verify User should be able to navigate to wealth page		
Passed: 0	Failed: 1	Undefined: 4
Before		0.00s
And I click the Wealth Channel tile for Malaysia		33.61s
<p>org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: connect ECONNREFUSED 127.0.0.1:8100 Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z' System info: host: 'Prudentials-MacBook-Pro.local', ip: '2401:7400:c802:5759:95b8:7a7:1d5b:d396%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10' Driver info: io.appium.java_client.ios.IOSDriver Capabilities {autoDismissAlerts: false, automationName: XCUITest, browserName: , bundleId: com.prudential.pulse.uat, databaseEnabled: false, deviceName: iOS-Test, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: false, newCommandTimeout: 10000, noReset: false, platform: MAC, platformName: iOS, platformVersion: 14.4.1, takesScreenshot: true, udid: 00008101-001145000212001E, webStorageEnabled: false} Session ID: ee1fa9d1-833b-4615-919d-92cae650c80c at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:231) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:46) at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1) at io.appium.java_client.ios.IOSDriver.execute(IOSDriver.java:1) at org.openqa.selenium.remote.RemoteWebDriver\$RemoteWebDriverOptions\$RemoteWindow.getSize(RemoteWebDriver.java:804) at com.prudential.tap.appium.AppiumCommands.swipe(AppiumCommands.java:432) at com.onepulse.app.screens.TestBasePage.scrollPageDown(TestBasePage.java:206)</p>		

at com.onepulse.app.screens.WealthScreen.clickWealthChannelTileForMalaysia (WealthScreen.java:573) at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.clickWealthChannelTileMalaysia (WealthSteps.java:338) at .And I click the Wealth Channel tile for Malaysia(features/my/wealth/WealthChannel. feature:23)		
Then I verify following texts are displayed	0.00s	
<div>Wealth Channels</div>		
Then I verify following tile texts are displayed on wealth channel screen	0.00s	
<div>Investing 123</div> <div>Equip yourself with the basic investment tools</div> <div>First Steps</div> <div>The importance of investor education</div>		
And I scroll down	0.00s	
Then I verify following tile texts are displayed on wealth channel screen	0.00s	
<div>Remove The Weeds</div> <div>Dispel investment myths to achieve desired investment outcomes</div> <div>Mutual Funds</div> <div>Make mutual funds your first investment stop</div>		
After	1.10s	
com.prudential.tap.exception.TapException: Failed to take screenshot of at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases (CucumberHook.java:95) at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72) at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at cucumber.runtime.Utills\$1.call(Utills.java:40) at cucumber.runtime.Timeout.timeout(Timeout.java:16) at cucumber.runtime.Utills.invoke(Utills.java:34) at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60) at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224) at cucumber.runtime.Runtime.runHooks(Runtime.java:212) at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206) at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46) at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165) at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java: 63) at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:96) at jdk.internal.reflect.GeneratedMethodAccessor43.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86) at org.testng.internal.Invoker.invokeMethod(Invoker.java:643) at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820) at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)		

```

at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

```

[Back to Table of Contents](#)

Scenario: **Verify User should be able to view the story post**

Passed: 0	Failed: 1	Undefined: 4	Duration: 13.18s
-----------	-----------	--------------	------------------

Before	0.00s
--------	-------

Then I click on "Mutual Funds" wealth channel topic	12.17s
---	--------

```

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while
processing the command. Original error: Could not proxy command to the remote server.
Original error: connect ECONNREFUSED 127.0.0.1:8100
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'Prudentials-MacBook-Pro.local', ip: '2401:7400:c802:5759:95b8:7a7:1d5b:
d396%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'
Driver info: io.appium.java_client.ios.IOSDriver
Capabilities {autoDismissAlerts: false, automationName: XCUITest, browserName: ,
bundleId: com.prudential.pulse.uat, databaseEnabled: false, deviceName: iOS-Test,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: false,
newCommandTimeout: 10000, noReset: false, platform: MAC, platformName: iOS,
platformVersion: 14.4.1, takesScreenshot: true, udid: 00008101-001145000212001E,
webStorageEnabled: false}
Session ID: ee1fa9d1-833b-4615-919d-92cae650c80c
at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance
(NativeConstructorAccessorImpl.java:62)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute

```

```
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:46)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.execute(IOSDriver.java:1)
at org.openqa.selenium.remote.
RemoteWebDriver$RemoteWebDriverOptions$RemoteWindow.getSize(RemoteWebDriver.java:804)
at com.onepulse.app.screens.TestBasePage.scrollPageUP(TestBasePage.java:379)
at com.onepulse.app.screens.WealthScreen.clickWealthChannelTopic(WealthScreen.java:127)
at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.iClickOnWealthChannelTopic(WealthSteps.java:59)
at .Then I click on "Mutual Funds" wealth channel topic(features/my/wealth/WealthChannel.feature:39)
```

Then I wait for 2 sec	0.00s
-----------------------	-------

Then I verify following texts are displayed	0.00s
---	-------

Mutual Funds

Then I verify following tile texts are displayed on wealth channel screen	0.00s
---	-------

Make mutual funds your first investment stop
--

And I verify following social cite options are displayed	0.00s
--	-------

Like

Share

Comment

After	1.02s
-------	-------

```
com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases(CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utills$1.call(Utills.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utills.invoke(Utills.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:96)
at jdk.internal.reflect.GeneratedMethodAccessor43.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
```



```

at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

```

[Back to Table of Contents](#)

Scenario: **Verify User should be able to Like the post**

Passed: 0	Failed: 1	Undefined: 3	Duration: 48.67s
Before			0.00s

And I read the "Mutual Funds" post like count	47.60s
---	--------

```

org.openqa.selenium.NoSuchElementException: An element could not be located on the page
using the given search parameters.
For documentation on this error, please visit: http://seleniumhq.org/exceptions
/no_such_element.html
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'Prudentials-MacBook-Pro.local', ip: '2401:7400:c802:5759:95b8:7a7:1d5b:
d396%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'
Driver info: io.appium.java_client.ios.IOSDriver
Capabilities {autoDismissAlerts: false, automationName: XCUIElement, browserName: ,
bundleId: com.prudential.pulse.uat, databaseEnabled: false, deviceName: iOS-Test,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: false,
newCommandTimeout: 10000, noReset: false, platform: MAC, platformName: iOS,
platformVersion: 14.4.1, takesScreenshot: true, udid: 00008101-001145000212001E,
webStorageEnabled: false}
Session ID: ee1fa9d1-833b-4615-919d-92cae650c80c
*** Element info: {Using=xpath, value=(//XCUIElementTypeOther[@name="Like"])[1]
/preceding::XCUIElementTypeOther[4]}
at jdk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode

```

```
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.execute(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElementByXPath(IOSDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at com.prudential.tap.selenium.Commands$22.executeCommand(Commands.java:201)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.getElementAttributeValue(TestBasePage.java:594)
at com.onepulse.app.screens.WealthScreen.readLikeCount(WealthScreen.java:186)
at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.iReadThePostLikeCount
(WealthSteps.java:85)
at .And I read the "Mutual Funds" post like count(features/my/wealth/WealthChannel.feature:
51)
```

And I Like the post	0.00s
Then I verify "Mutual Funds" post like count is increased	0.00s
And I Like the post	0.00s

After	1.07s
-------	-------

```
com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases
(CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
```

```

at cucumber.runtime.Utills$.call(Utills.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utills.invoke(Utills.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:
63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:96)
at jdk.internal.reflect.GeneratedMethodAccessor43.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

```

[Back to Table of Contents](#)

Scenario: **Verify User should be able to Share the post**

Passed: 0	Failed: 1	Undefined: 1	Duration: 13.68s
Before			0.00s

And I share the post	12.65s
----------------------	--------

```

org.openqa.selenium.NoSuchElementException: An element could not be located on the page
using the given search parameters.
For documentation on this error, please visit: http://seleniumhq.org/exceptions
/no_such_element.html
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'Prudentials-MacBook-Pro.local', ip: '2401:7400:c802:5759:95b8:7a7:1d5b:
d396%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'
Driver info: io.appium.java_client.ios.IOSDriver
Capabilities {autoDismissAlerts: false, automationName: XCUITest, browserName: ,

```

```

bundleId: com.prudential.pulse.uat, databaseEnabled: false, deviceName: iOS-Test,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: false,
newCommandTimeout: 10000, noReset: false, platform: MAC, platformName: iOS,
platformVersion: 14.4.1, takesScreenshot: true, udid: 00008101-001145000212001E,
webStorageEnabled: false}
Session ID: ee1fa9d1-833b-4615-919d-92cae650c80c
*** Element info: {Using=xpath, value=(//XCUIElementTypeOther[@name="Share"])[1]}
at jdk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.execute(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElementByXPath(IOSDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:165)
at com.onepulse.app.screens.WealthScreen.clickShareButton(WealthScreen.java:215)
at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.iShareThePost(WealthSteps.java:
90)
at .And I share the post(features/my/wealth/WealthChannel.feature:57)

```

Then I Verify the share with friends popup			0.00s
After			1.02s
<pre> com.prudential.tap.exception.TapException: Failed to take screenshot of at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases (CucumberHook.java:95) at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72) at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at cucumber.runtime.Utills.call(Utills.java:40) at cucumber.runtime.Timeout.timeout(Timeout.java:16) at cucumber.runtime.Utills.invoke(Utills.java:34) at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60) at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224) at cucumber.runtime.Runtime.runHooks(Runtime.java:212) at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206) at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46) at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165) at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java: 63) at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:96) at jdk.internal.reflect.GeneratedMethodAccessor43.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86) at org.testng.internal.Invoker.invokeMethod(Invoker.java:643) at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820) at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112) at org.testng.TestRunner.privateRun(TestRunner.java:782) at org.testng.TestRunner.run(TestRunner.java:632) at org.testng.SuiteRunner.runTest(SuiteRunner.java:366) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319) at org.testng.SuiteRunner.run(SuiteRunner.java:268) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244) at org.testng.TestNG.runSuitesLocally(TestNG.java:1169) at org.testng.TestNG.run(TestNG.java:1064) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109) </pre>			
Back to Table of Contents			
Scenario: Verify User should be able to Comment the post			
Passed: 0	Failed: 1	Undefined: 2	Duration: 19.2s
Before			0.00s

And I read the "Mutual Funds" post comment count

18.19s

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.

For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'Prudentials-MacBook-Pro.local', ip: '2401:7400:c802:5759:95b8:7a7:1d5b:d396%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'

Driver info: io.appium.java_client.ios.IOSDriver

Capabilities {autoDismissAlerts: false, automationName: XCUIElement, browserName: , bundleId: com.prudential.pulse.uat, databaseEnabled: false, deviceName: iOS-Test, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: false, newCommandTimeout: 10000, noReset: false, platform: MAC, platformName: iOS, platformVersion: 14.4.1, takesScreenshot: true, udid: 00008101-001145000212001E, webStorageEnabled: false}

Session ID: ee1fa9d1-833b-4615-919d-92cae650c80c

*** Element info: {Using=xpath, value=(//XCUIElementTypeOther[@name="Like"])[1]/preceding::XCUIElementTypeOther[1]}

at jdk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source)

at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)

at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)

at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)

at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:231)

at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)

at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:42)

at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)

at io.appium.java_client.ios.IOSDriver.execute(IOSDriver.java:1)

at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)

at io.appium.java_client.DefaultGenericMobileDriver.findElement(DefaultGenericMobileDriver.java:62)

at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)

at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)

at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:419)

at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath(DefaultGenericMobileDriver.java:152)

at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)

at io.appium.java_client.ios.IOSDriver.findElementByXPath(IOSDriver.java:1)

at org.openqa.selenium.By\$ByXPath.findElement(By.java:353)

at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)

at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:58) at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1) at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1) at com.prudential.tap.selenium.Commands\$22.executeCommand(Commands.java:201) at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19) at com.onepulse.app.screens.TestBasePage.getElementAttributeValue(TestBasePage.java:594) at com.onepulse.app.screens.WealthScreen.readCommentCount(WealthScreen.java:240) at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.iReadThePostCommentCount (WealthSteps.java:100) at .And I read the "Mutual Funds" post comment count(features/my/wealth/WealthChannel. feature:61)		
And I commented in the post "\${wealth.topic.comment}"		0.00s
Then I verify "Mutual Funds" post comment count is increased		0.00s
After		1.01s
com.prudential.tap.exception.TapException: Failed to take screenshot of at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases (CucumberHook.java:95) at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72) at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at cucumber.runtime.Utils\$1.call(Utils.java:40) at cucumber.runtime.Timeout.timeout(Timeout.java:16) at cucumber.runtime.Utils.invoke(Utils.java:34) at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60) at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224) at cucumber.runtime.Runtime.runHooks(Runtime.java:212) at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206) at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46) at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165) at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:63) at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:96) at jdk.internal.reflect.GeneratedMethodAccessor43.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86) at org.testng.internal.Invoker.invokeMethod(Invoker.java:643) at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820) at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112) at org.testng.TestRunner.privateRun(TestRunner.java:782) at org.testng.TestRunner.run(TestRunner.java:632) at org.testng.SuiteRunner.runTest(SuiteRunner.java:366) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)		

```

at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

```

[Back to Table of Contents](#)
Scenario: Verify User should be able to view the full page article post

Passed: 0	Failed: 1	Undefined: 0	Duration: 33.68s
Before			0.00s

Then I click on "Mutual Funds" topic for details full view	32.63s
--	--------

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.

For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'Prudentials-MacBook-Pro.local', ip: '2401:7400:c802:5759:95b8:7a7:1d5b:d396%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'

Driver info: io.appium.java_client.ios.IOSDriver

Capabilities {autoDismissAlerts: false, automationName: XCUITest, browserName: , bundleId: com.prudential.pulse.uat, databaseEnabled: false, deviceName: iOS-Test, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: false, newCommandTimeout: 10000, noReset: false, platform: MAC, platformName: iOS, platformVersion: 14.4.1, takesScreenshot: true, udid: 00008101-001145000212001E, webStorageEnabled: false}

Session ID: ee1fa9d1-833b-4615-919d-92cae650c80c

*** Element info: {Using=xpath, value=//XCUIElementTypeStaticText[@name="Mutual Funds"]/following::XCUIElementTypeScrollView[1]/XCUIElementTypeOther/XCUIElementTypeOther[2]}

at jdk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source)

at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)

at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)

at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)

at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:231)

at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)

at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:42)

```

at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.execute(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElementByXPath(IOSDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:165)
at com.onepulse.app.screens.WealthScreen.clickWealthChannelTopicDetailView
(WealthScreen.java:135)
at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.
iClickOnTopicForDetailsFullView(WealthSteps.java:64)
at .Then I click on "Mutual Funds" topic for details full view(features/my/wealth
/WealthChannel.feature:66)

```

After

1.05s

```

com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases
(CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:
63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:96)

```

```

atjdk.internal.reflect.GeneratedMethodAccessor43.invoke(Unknown Source)
atjava.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
atjava.base/java.lang.reflect.Method.invoke(Method.java:566)
atorg.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
atorg.testng.internal.Invoker.invokeMethod(Invoker.java:643)
atorg.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
atorg.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
atorg.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
atorg.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
atorg.testng.TestRunner.privateRun(TestRunner.java:782)
atorg.testng.TestRunner.run(TestRunner.java:632)
atorg.testng.SuiteRunner.runTest(SuiteRunner.java:366)
atorg.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
atorg.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
atorg.testng.SuiteRunner.run(SuiteRunner.java:268)
atorg.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
atorg.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
atorg.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
atorg.testng.TestNG.runSuitesLocally(TestNG.java:1169)
atorg.testng.TestNG.run(TestNG.java:1064)
atcom.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
atcom.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

```

[Back to Table of Contents](#)

Scenario: **Verify User should be able to see the Like, Share, Comment options on full page article post**

Passed: 1	Failed: 1	Undefined: 0	Duration: 21.25s
-----------	-----------	--------------	------------------

Before	0.00s
--------	-------

Then I wait for 3 sec	3.01s
-----------------------	-------

And I verify following social cite options are displayed	17.22s
--	--------

Like
Share
Comment

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: connect ECONNREFUSED 127.0.0.1:8100
 Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
 System info: host: 'Prudentials-MacBook-Pro.local', ip: '2401:7400:c802:5759:95b8:7a7:1d5b:d396%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'
 Driver info: io.appium.java_client.ios.IOSDriver
 Capabilities {autoDismissAlerts: false, automationName: XCUITest, browserName: , bundleId: com.prudential.pulse.uat, databaseEnabled: false, deviceName: iOS-Test, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: false, newCommandTimeout: 10000, noReset: false, platform: MAC, platformName: iOS, platformVersion: 14.4.1, takesScreenshot: true, udid: 00008101-001145000212001E, webStorageEnabled: false}
 Session ID: ee1fa9d1-833b-4615-919d-92cae650c80c
 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)

```

at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance
(NativeConstructorAccessorImpl.java:62)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:46)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.execute(IOSDriver.java:1)
at org.openqa.selenium.remote.
RemoteWebDriver$RemoteWebDriverOptions$RemoteWindow.getSize(RemoteWebDriver.
java:804)
at com.prudential.tap.appium.AppiumCommands.swipe(AppiumCommands.java:432)
at com.onepulse.app.screens.TestBasePage.scrollPageDown(TestBasePage.java:206)
at com.onepulse.app.screens.WealthScreen.isWealthStaticTextDisplayed(WealthScreen.java:
527)
at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.
iVerifyFollowingSocialCiteOptionsAreDisplayed(WealthSteps.java:317)
at .And I verify following social cite options are displayed(features/my/wealth/WealthChannel.
feature:70)

```

After

1.02s

```

com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases
(CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utills$1.call(Utills.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utills.invoke(Utills.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:

```


63)

```

at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:96)
at jdk.internal.reflect.GeneratedMethodAccessor43.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

```

[Back to Table of Contents](#)
Scenario: [Verify User should be able to Like the post in full article view screen](#)

Passed: 0	Failed: 1	Undefined: 1	Duration: 29.83s
-----------	-----------	--------------	------------------

Before	0.00s
---------------	--------------

And I Like the post	28.81s
----------------------------	---------------

```

org.openqa.selenium.NoSuchElementException: An element could not be located on the page
using the given search parameters.
For documentation on this error, please visit: http://seleniumhq.org/exceptions
/no_such_element.html
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'Prudentials-MacBook-Pro.local', ip: '2401:7400:c802:5759:95b8:7a7:1d5b:
d396%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'
Driver info: io.appium.java_client.ios.IOSDriver
Capabilities {autoDismissAlerts: false, automationName: XCUIElement, browserName: ,
bundleId: com.prudential.pulse.uat, databaseEnabled: false, deviceName: iOS-Test,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: false,
newCommandTimeout: 10000, noReset: false, platform: MAC, platformName: iOS,
platformVersion: 14.4.1, takesScreenshot: true, udid: 00008101-001145000212001E,
webStorageEnabled: false}
Session ID: ee1fa9d1-833b-4615-919d-92cae650c80c
*** Element info: {Using=xpath, value= (//XCUIElementTypeOther[@name="Like"])[1]}
at jdk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)

```



```

at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.execute(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElementByXPath(IOSDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:165)
at com.onepulse.app.screens.WealthScreen.clickLikeButton(WealthScreen.java:175)
at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.iLikeThePost(WealthSteps.java:
75)
at .And I Like the post(features/my/wealth/WealthChannel.feature:76)

```

And I Like the post	0.00s
---------------------	-------

After	1.02s
-------	-------

```

com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases
(CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)

```

```

at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utills$.call(Utills.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utills.invoke(Utills.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:
63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:96)
at jdk.internal.reflect.GeneratedMethodAccessor43.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

```

[Back to Table of Contents](#)

Scenario: **Verify User should be able to Share the post in full article view screen**

Passed: 0	Failed: 1	Undefined: 1	Duration: 13.2s
Before			0.00s

And I share the post	12.18s
----------------------	--------

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.

For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'Prudentials-MacBook-Pro.local', ip: '2401:7400:c802:5759:95b8:7a7:1d5b:d396%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'

Driver info: io.appium.java_client.ios.IOSDriver

```

Capabilities {autoDismissAlerts: false, automationName: XCUITest, browserName: ,
bundleId: com.prudential.pulse.uat, databaseEnabled: false, deviceName: iOS-Test,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: false,
newCommandTimeout: 10000, noReset: false, platform: MAC, platformName: iOS,
platformVersion: 14.4.1, takesScreenshot: true, udid: 00008101-001145000212001E,
webStorageEnabled: false}
Session ID: ee1fa9d1-833b-4615-919d-92cae650c80c
*** Element info: {Using=xpath, value=(//XCUIElementTypeOther[@name="Share"])[1]}
at jdk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.execute(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElementByXPath(IOSDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:165)
at com.onepulse.app.screens.WealthScreen.clickShareButton(WealthScreen.java:215)
at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.iShareThePost(WealthSteps.java:
90)
at .And I share the post(features/my/wealth/WealthChannel.feature:80)

```

Then I navigate back to previous page		0.00s
After		1.02s
<p>com.prudential.tap.exception.TapException: Failed to take screenshot of at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases (CucumberHook.java:95) at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72) at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at cucumber.runtime.Utils\$1.call(Utils.java:40) at cucumber.runtime.Timeout.timeout(Timeout.java:16) at cucumber.runtime.Utils.invoke(Utils.java:34) at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60) at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224) at cucumber.runtime.Runtime.runHooks(Runtime.java:212) at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206) at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46) at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165) at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java: 63) at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:96) at jdk.internal.reflect.GeneratedMethodAccessor43.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86) at org.testng.internal.Invoker.invokeMethod(Invoker.java:643) at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820) at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112) at org.testng.TestRunner.privateRun(TestRunner.java:782) at org.testng.TestRunner.run(TestRunner.java:632) at org.testng.SuiteRunner.runTest(SuiteRunner.java:366) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319) at org.testng.SuiteRunner.run(SuiteRunner.java:268) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244) at org.testng.TestNG.runSuitesLocally(TestNG.java:1169) at org.testng.TestNG.run(TestNG.java:1064) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)</p>		
Back to Table of Contents		
Scenario: Verify User should be able to Comment the post in full article view screen		
Passed: 0	Failed: 1	Undefined: 0
Duration: 13.16s		
Before		0.00s

And I comment in full view post article "\${wealth.topic.comment}"

12.15s

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.

For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'Prudentials-MacBook-Pro.local', ip: '2401:7400:c802:5759:95b8:7a7:1d5b:d396%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'

Driver info: io.appium.java_client.ios.IOSDriver

Capabilities {autoDismissAlerts: false, automationName: XCUIElement, browserName: , bundleId: com.prudential.pulse.uat, databaseEnabled: false, deviceName: iOS-Test, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: false, newCommandTimeout: 10000, noReset: false, platform: MAC, platformName: iOS, platformVersion: 14.4.1, takesScreenshot: true, udid: 00008101-001145000212001E, webStorageEnabled: false}

Session ID: ee1fa9d1-833b-4615-919d-92cae650c80c

```
*** Element info: {Using=xpath, value=(//XCUIElementTypeOther[@name="Comment"])[1]}
at jdk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.execute(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElementByXPath(IOSDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
```


(DefaultGenericMobileDriver.java:58) at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1) at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1) at com.prudential.tap.selenium.Commands\$15.executeCommand(Commands.java:141) at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19) at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:165) at com.onepulse.app.screens.WealthScreen.enterCommentOnFullViewPage(WealthScreen.java:280) at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.iCommentInFullViewPostArticle(WealthSteps.java:115) at .And I comment in full view post article "\${wealth.topic.comment}"(features/my/wealth/WealthChannel.feature:84)		
After		1.01s
com.prudential.tap.exception.TapException: Failed to take screenshot of at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases(CucumberHook.java:95) at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72) at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at cucumber.runtime.Utils\$1.call(Utils.java:40) at cucumber.runtime.Timeout.timeout(Timeout.java:16) at cucumber.runtime.Utils.invoke(Utils.java:34) at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60) at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224) at cucumber.runtime.Runtime.runHooks(Runtime.java:212) at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206) at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46) at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165) at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:63) at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:96) at jdk.internal.reflect.GeneratedMethodAccessor43.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86) at org.testng.internal.Invoker.invokeMethod(Invoker.java:643) at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820) at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112) at org.testng.TestRunner.privateRun(TestRunner.java:782) at org.testng.TestRunner.run(TestRunner.java:632) at org.testng.SuiteRunner.runTest(SuiteRunner.java:366) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319) at org.testng.SuiteRunner.run(SuiteRunner.java:268)		


```

at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

```

[Back to Table of Contents](#)
Scenario: [Verify User can navigate to wealth homepage](#)

Passed: 0	Failed: 1	Undefined: 2	Duration: 4.15s
Before			0.00s

Then I navigate to story post page
3.13s

```

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while
processing the command. Original error: Could not proxy command to the remote server.
Original error: connect ECONNREFUSED 127.0.0.1:8100
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'Prudentials-MacBook-Pro.local', ip: '2401:7400:c802:5759:95b8:7a7:1d5b:
d396%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'
Driver info: io.appium.java_client.ios.IOSDriver
Capabilities {autoDismissAlerts: false, automationName: XCUITest, browserName: ,
bundleId: com.prudential.pulse.uat, databaseEnabled: false, deviceName: iOS-Test,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: false,
newCommandTimeout: 10000, noReset: false, platform: MAC, platformName: iOS,
platformVersion: 14.4.1, takesScreenshot: true, udid: 00008101-001145000212001E,
webStorageEnabled: false}
Session ID: ee1fa9d1-833b-4615-919d-92cae650c80c
at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance
(NativeConstructorAccessorImpl.java:62)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.execute(IOSDriver.java:1)
at io.appium.java_client.PerformsTouchActions.performTouchAction(PerformsTouchActions.
java:41)

```

at io.appium.java_client.TouchAction.perform(TouchAction.java:187) at com.onepulse.app.screens.TestBasePage.clickBasedOnElementLocation(TestBasePage.java:449) at com.onepulse.app.screens.WealthScreen.clickFullViewBackButton(WealthScreen.java:169) at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.iNavigateToStoryPostPage(WealthSteps.java:70) at .Then I navigate to story post page(features/my/wealth/WealthChannel.feature:87)		
Then I click on "Mutual Funds" back button		0.00s
Then I click on "Wealth Channels" back button		0.00s
After		1.02s
com.prudential.tap.exception.TapException: Failed to take screenshot of at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases(CucumberHook.java:95) at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72) at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at cucumber.runtime.Utills\$1.call(Utills.java:40) at cucumber.runtime.Timeout.timeout(Timeout.java:16) at cucumber.runtime.Utills.invoke(Utills.java:34) at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60) at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224) at cucumber.runtime.Runtime.runHooks(Runtime.java:212) at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206) at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46) at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165) at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:63) at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:96) at jdk.internal.reflect.GeneratedMethodAccessor43.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86) at org.testng.internal.Invoker.invokeMethod(Invoker.java:643) at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820) at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112) at org.testng.TestRunner.privateRun(TestRunner.java:782) at org.testng.TestRunner.run(TestRunner.java:632) at org.testng.SuiteRunner.runTest(SuiteRunner.java:366) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319) at org.testng.SuiteRunner.run(SuiteRunner.java:268) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244) at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)		

at org.testng.TestNG.run(TestNG.java:1064) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109) Back to Table of Contents			
Feature: Verify Notification Center functionality on one pulse App			
Passed: 0	Failed: 2	Undefined: 0	Duration: 17.45s
Scenario: Navigate to notification screen via home screen			
Passed: 0	Failed: 1	Undefined: 1	Duration: 9.25s
Before			0.00s
	Given I navigate to notification screen from home page		7.15s
<pre>org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters. For documentation on this error, please visit: http://seleniumhq.org/exceptions /no_such_element.html Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z' System info: host: 'Prudentials-MacBook-Pro.local', ip: '2401:7400:c802:5759:95b8:7a7:1d5b: d396%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10' Driver info: io.appium.java_client.ios.IOSDriver Capabilities {autoDismissAlerts: false, automationName: XCUITest, browserName: , bundleId: com.prudential.pulse.uat, databaseEnabled: false, deviceName: iOS-Test, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: false, newCommandTimeout: 10000, noReset: false, platform: MAC, platformName: iOS, platformVersion: 14.4.1, takesScreenshot: true, udid: 00008101-001145000212001E, webStorageEnabled: false} Session ID: ee1fa9d1-833b-4615-919d-92cae650c80c *** Element info: {Using=xpath, value=//XCUIElementTypeImage/following:: XCUIElementTypeOther[5]} at jdk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java: 158) at io.appium.java_client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:231) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver. java:42) at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1) at io.appium.java_client.ios.IOSDriver.execute(IOSDriver.java:1) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317) at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:62)</pre>			

```

at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElementByXPath(IOSDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:165)
at com.onepulse.app.screens.PulseManageProfileScreen.
navigateToNotificationScreenFromHomePage(PulseManageProfileScreen.java:1049)
at com.onepulse.app.stepdefinitions.mobilesteps.ManageProfileSteps.
navigateToNotificationScreenFromHomePage(ManageProfileSteps.java:240)
at .Given I navigate to notification screen from home page(features/ph/NotificationCenter.
feature:66)

```

Then I wait for 2 sec

0.00s

After

2.10s

```

com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases
(CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utills$1.call(Utills.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utills.invoke(Utills.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:
63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:96)
at jdk.internal.reflect.GeneratedMethodAccessor43.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)

```

```

at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

```

[Back to Table of Contents](#)

Scenario: [Verify User should be able to see the Notification screen texts](#)

Passed: 0	Failed: 1	Undefined: 0	Duration: 8.2s
Before			0.00s

And I verify following texts are displayed 7.18s

`${notification.msg}`

```

java.lang.AssertionError: The following asserts failed:
Notification Center text is displayed on page expected [true] but found [false]
at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)
at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnScreen
(MyDocSteps.java:717)
at .And I verify following texts are displayed(features/ph/NotificationCenter.feature:71)

```

After 1.02s

```

com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases
(CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)

```



```

at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:
63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:96)
at jdk.internal.reflect.GeneratedMethodAccessor43.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

```

[Back to Table of Contents](#)

Feature: Verify share with friends functionality in onepulse app

Passed: 7 Failed: 0 Undefined: 0 Duration: 330.2s

Scenario: Launch the app and select the country as per specified Ibu

Passed: 6 Failed: 0 Undefined: 0 Duration: 92.91s

Before 0.00s

Given User has pulse app 9.56s

And I assign "\${login.email.id}" to variable "PULSE_EMAIL" 0.01s

And user click on "CONTINUE WITH EMAIL" with Email button 53.97s

Then I change the country as required on registration page 25.95s

Then I wait for 2 sec 2.01s

And I click the Sign in link 1.41s

After 0.00s

[Back to Table of Contents](#)

Scenario: login to the app with correct credentials using "Continue with Email"

Passed: 6 Failed: 0 Undefined: 0 Duration: 116.98s

Before 0.00s

And I select the language option on toggle bar as required on login page 6.00s

When user enters credentials 69.00s

	UserName	{PULSE_EMAIL}		
	Password	{login.password}		
And User clicks on signin button			2.35s	
And I wait for 10 sec			10.03s	
And I enter OTP in one pulse app for user email "{PULSE_EMAIL}"			11.59s	
Then user should be landed to "Home" screen			18.02s	
After			0.00s	
Back to Table of Contents				
Scenario: Verify User should be able to share the link with Whatsapp				
Passed: 1		Failed: 0	Undefined: 0	Duration: 20.89s
Before				0.00s
	Then I verify the share with friends links			20.89s
After				0.00s
Back to Table of Contents				
Scenario: Verify User should be able to share the link with Contacts app				
Passed: 1		Failed: 0	Undefined: 0	Duration: 37.26s
Before				0.00s
	Then I verify the contacts share icon			37.26s
After				0.00s
Back to Table of Contents				
Scenario: Verify User should be able to share the link with Messenger app				
Passed: 1		Failed: 0	Undefined: 0	Duration: 8.53s
Before				0.00s
	Then I verify the fb messenger share icon			8.53s
After				0.00s
Back to Table of Contents				
Scenario: Verify User should be able to share the link with Viber app				
Passed: 1		Failed: 0	Undefined: 0	Duration: 27.12s
Before				0.00s
	Then I verify the Viber share icon			27.12s
After				0.00s
Back to Table of Contents				
Scenario: Verify User should be able to share the link with Line app				
Passed: 1		Failed: 0	Undefined: 0	Duration: 26.51s
Before				0.00s
	Then I verify the Line share icon			26.51s
After				0.00s
Back to Table of Contents				