

Overview

	Passed	Failed	Known	Undefined	Total	%Passed
Features	0	1	0	0	1	0%
Scenarios	2	4	0	0	6	33%
Steps	71	4	0	21	96	74%

Overall Duration: 0h 10m 43s

Table of Contents

1. [Verify login functionality on One Pluse App](#)
 1. [User should be able to login on app with correct credentials using "Continue with Gmail"](#)
 2. [Verify the Invalid Email id in login screen using "Continue with Gmail"](#)
 3. [Verify the User not registered email in login screen using "Continue with Gmail"](#)
 4. [User should be able to retrieve the reset password using forget password link](#)
 5. [Verify Account should be locked after entering more than 5 times incorrect passwords](#)
 6. [Verify the Login Functionality using "Continue with Google"](#)

Detailed Results Report

Feature: Verify login functionality on One Pluse App			
Passed: 2	Failed: 4	Undefined: 0	Duration: 583.77s
Scenario: User should be able to login on app with correct credentials using "Continue with Gmail"			
Passed: 4	Failed: 1	Undefined: 8	Duration: 75.41s
Before			0.34s
Given User has pulse app			11.60s
And I assign "pulse35428104105@mailsac.com" to variable "PULSE_EMAIL"			0.01s
And user click on "CONTINUE WITH EMAIL" with Email button			12.92s
And I scroll down			4.56s
And I click the Sign in link			40.19s
<p>org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.</p> <p>For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html</p> <p>Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'</p> <p>System info: host: 'Prudentials-MacBook-Pro.local', ip: '2401:7400:c802:b45:61c9:b678:ab57:b5f7%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'</p> <p>Driver info: io.appium.java_client.android.AndroidDriver</p> <p>Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: false, platformName: android}, deviceApiLevel: 29, deviceManufacturer: OnePlus, deviceModel:</p>			

AC2001, deviceName: b107a0fb, deviceScreenDensity: 420, deviceScreenSize: 1080x2400, deviceUDID: b107a0fb, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: false, pixelRatio: 2.625, platform: LINUX, platformName: Android, platformVersion: 10, statBarHeight: 117, takesScreenshot: true, viewportRect: {height: 2112, left: 0, top: 117, width: 1080}, warnings: {}, webStorageEnabled: false}

Session ID: 4b2785be-40c0-403d-af10-bab57468a17b

*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,'Sign In')]}
 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)
 at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
 at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
 at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)
 at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)
 at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)
 at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)
 at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:231)
 at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
 at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:42)
 at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
 at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
 at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
 at io.appium.java_client.DefaultGenericMobileDriver.findElement(DefaultGenericMobileDriver.java:62)
 at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
 at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
 at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:419)
 at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath(DefaultGenericMobileDriver.java:152)
 at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
 at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
 at org.openqa.selenium.By\$ByXPath.findElement(By.java:353)
 at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
 at io.appium.java_client.DefaultGenericMobileDriver.findElement(DefaultGenericMobileDriver.java:58)
 at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
 at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
 at com.prudential.tap.selenium.Commands\$15.executeCommand(Commands.java:141)
 at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19)
 at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:162)
 at com.onepulse.app.screens.PulseLoginScreen.clickSignIns_InSignUp(PulseLoginScreen.java:830)

at com.onepulse.app.stepdefinitions.mobilesteps.LoginSteps.clickSignIns_InSignUp
(LoginSteps.java:353)

at .And I click the Sign in link(features/mobile/sg/PulseLoginTest.feature:12)

When user enters credentials	0.00s
------------------------------	-------

UserName	\${PULSE_EMAIL}
Password	\${pulse.password}

And User clicks on signin button	0.00s
----------------------------------	-------

Then I wait for 59 sec	0.00s
------------------------	-------

Given I create connection for api service	0.00s
---	-------

And I set endpoint url for reading email as "https://mailsac.com/api/addresses/\${PULSE_EMAIL}/messages/"	0.00s
---	-------

And I send request to "get" the otp with "https://mailsac.com/api/raw/\${PULSE_EMAIL}/" stored into variable "EMAIL_OTP"	0.00s
--	-------

And I enter "\${EMAIL_OTP}" OTP	0.00s
---------------------------------	-------

Then user should be landed home screen	0.00s
--	-------



After	5.80s
-------	-------

[Back to Table of Contents](#)

Scenario: Verify the Invalid Email id in login screen using "Continue with Gmail"

Passed: 12	Failed: 0	Undefined: 0	Duration: 62.94s
------------	-----------	--------------	------------------

Before	0.01s
--------	-------

Given I generate random number and assign to variable "RANDOM_NUMBER"	0.02s
---	-------

And I assign value to following variables	0.01s
---	-------

USER_NAME	taf-\${RANDOM_NUMBER}@mailinator.com
USER_PASSWORD	Pas\$1234

Given User has pulse app	10.66s
--------------------------	--------

Then I wait for 2 sec	2.01s				
And user click on "CONTINUE WITH EMAIL" with Email button	12.85s				
When user enters credentials	19.40s				
<table> <tr> <td>UserName</td><td>employee20@yopmail.com</td></tr> <tr> <td>Password</td><td>Pas\$1234</td></tr> </table>	UserName	employee20@yopmail.com	Password	Pas\$1234	
UserName	employee20@yopmail.com				
Password	Pas\$1234				
And I scroll down	4.60s				
And I click the Sign in link	5.90s				
Then User clicks on Forgot Password button	1.71s				
Then enter the email to request the new password	4.11s				
<table> <tr> <td>Email</td><td>t@gmail</td></tr> </table>	Email	t@gmail			
Email	t@gmail				
Then User clicks on Send button	0.80s				
Then verify invalid email message "E-mail is invalid"	0.86s				
After	0.00s				
Back to Table of Contents					
Scenario: Verify the User not registered email in login screen using "Continue with Gmail"					
Passed: 5	Failed: 1				
Undefined: 4	Duration: 70.43s				
Before	0.00s				
Given I generate random number and assign to variable "RANDOM_NUMBER"	0.01s				
And I assign value to following variables	0.00s				
<table> <tr> <td>USER_NAME</td><td>taf-\${RANDOM_NUMBER}@mailinator.com</td></tr> <tr> <td>USER_PASSWORD</td><td>Pas\$1234</td></tr> </table>	USER_NAME	taf-\${RANDOM_NUMBER}@mailinator.com	USER_PASSWORD	Pas\$1234	
USER_NAME	taf-\${RANDOM_NUMBER}@mailinator.com				
USER_PASSWORD	Pas\$1234				
Given User has pulse app	11.45s				
And user click on "CONTINUE WITH EMAIL" with Email button	12.63s				
And I scroll down	4.49s				
And I click the Sign in link	37.18s				
<p>org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters. For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z' System info: host: 'Prudentials-MacBook-Pro.local', ip: '2401:7400:c802:b45:61c9:b678:ab57:b5f7%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10' Driver info: io.appium.java_client.android.AndroidDriver Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: false, platformName: android}, deviceApiLevel: 29, deviceManufacturer: OnePlus, deviceModel: AC2001, deviceName: b107a0fb, deviceScreenDensity: 420, deviceScreenSize: 1080x2400, deviceUDID: b107a0fb, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: false, pixelRatio: 2.625, platform: LINUX, platformName: Android, platformVersion: 10, statBarHeight: 117, takesScreenshot: true, viewportRect: {height: 2112, left: 0, top: 117, width: 1080}, warnings: {}, webStorageEnabled: false}</p>					


Session ID: 45ebb399-0250-4738-9338-220b84049242


```

*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,'Sign In')]}
at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance
(NativeConstructorAccessorImpl.java:62)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:162)
at com.onepulse.app.screens.PulseLoginScreen.clickSignIns_InSignUp(PulseLoginScreen.java:
830)
at com.onepulse.app.stepdefinitions.mobilesteps.LoginSteps.clickSignIns_InSignUp
(LoginSteps.java:353)
at .And I click the Sign in link(features/mobile/sg/PulseLoginTest.feature:57)

```

Then User clicks on Forgot Password button	0.00s
Then enter the email to request the new password	0.00s

Email	Pulsesgga+001@gmail.com	
Then User clicks on Send button		0.00s
Then verify Again invalid email message "Your username or password is incorrect."		0.00s
		
After		4.67s
Back to Table of Contents		
Scenario: User should be able to retrieve the reset password using forget password link		
Passed: 2	Failed: 1	Undefined: 8
Duration: 45.08s		
Before		0.00s
Given I generate random number and assign to variable "RANDOM_NUMBER"		0.01s
And I assign "pulse596211071055@mailsac.com" to variable "PULSE_EMAIL"		0.00s
Then enter the email to request the new password		40.35s
Email \${PULSE_EMAIL}		
com.prudential.tap.exception.TapException: Not able to find element on screen [By.xpath: //android.widget.EditText[contains(@text,'Pulsesgga')]] at com.prudential.tap.appium.AppiumCommands.findElementNoWait(AppiumCommands.java:176) at com.prudential.tap.appium.AppiumCommands.clearText(AppiumCommands.java:406) at com.onepulse.app.screens.PulseLoginScreen.enterEmailForgotPassword(PulseLoginScreen.java:262) at com.onepulse.app.stepdefinitions.mobilesteps.LoginSteps.enterForgotPasswordEmail(LoginSteps.java:54) at .Then enter the email to request the new password(features/mobile/sg/PulseLoginTest.feature:67)		

Then User clicks on Send button		0.00s
Then I wait for 59 sec		0.00s
Given I create connection for api service		0.00s
And I set endpoint url for reading email as "https://mailsac.com/api/addresses/{PULSE_EMAIL}/messages/"		0.00s
And I send request to "get" the otp with "https://mailsac.com/api/raw/{PULSE_EMAIL}/" stored into variable "EMAIL_OTP"		0.00s
Then I enter "\${EMAIL_OTP}" reset code		0.00s
Then I wait for 7 sec		0.00s
Then Verify message: "Password Reset Successfully" for Reset Password		0.00s
		
After		4.71s
Back to Table of Contents		
Scenario Outline: Verify Account should be locked after entering more than 5 times incorrect passwords		
Passed: 42	Failed: 1	Undefined: 1
Duration: 235.25s		
Before		0.00s
Given I generate random number and assign to variable "RANDOM_NUMBER"		0.00s
And I assign "pulse\${RANDOM_NUMBER}@mailsac.com" to variable "PULSE_EMAIL"		0.00s
And User has pulse app		13.04s
Then I wait for 2 sec		2.01s
And user click on "CONTINUE WITH EMAIL" with Email button		12.75s
When user enters registration details		10.97s
	FirstName	testAutomation

LastName	testAutomation	
Email	\${PULSE_EMAIL}	
Password	Pas\$1234	
And taps on continue "Sign_Up" button		5.91s
Then I wait for 59 sec		59.01s
Given I create connection for api service		0.29s
And I set endpoint url for reading email as "https://mailsac.com/api/addresses/\${PULSE_EMAIL}/messages/"		0.00s
And I send request to "get" the otp with "https://mailsac.com/api/raw/\${PULSE_EMAIL}" stored into variable "EMAIL_OTP"		1.55s
And I enter "\${EMAIL_OTP}" OTP		2.38s
Then I wait for 10 sec		10.01s
And I enter the "mobile number" in welcome to pulse		7.45s
mobileNumber	98678419	
And I click the continue button		1.36s
And I choose my wellness goals under wellness plan screen		2.08s
And I click the continue button		1.50s
And I click the date in Date of Birth field		12.37s
And I click the Done icon		3.34s
And I click the continue button		1.54s
And I select the Male icon		1.93s
And I click the continue button		2.31s
And I enter my height and weight details		1.94s
And I click on Calculate BMI button		1.62s
And I click the continue button		1.37s
And I select the "How active are you?" in doing exercise		1.77s
And I click the continue button		1.30s
And I select my favorite food dietary		1.75s
And I click the continue button		1.40s
And I answer as "Yes" to "Food Allergies are common?"		1.69s
And I click the continue button		0.69s
And I verify that "Tracking your activity is trending" is displayed		2.34s
And I click the continue button		0.87s
And I see that "Welcome to Pulse" text is displayed		1.78s
And I click the continue button		1.45s
And I see that fitness subscription exclusive offers screen is displayed		2.51s
And I click on close icon		0.50s
Then I click skip buttons		4.42s
Then user should be landed home screen		3.30s
And I click the Account icon in Home screen		6.18s
And I click the sign out from pulse app		8.81s
Then I wait for 1 sec		1.01s
And User clicks on signin button		35.45s
org.openqa.selenium.NoSuchElementException: An element could not be located on the page		

using the given search parameters.

For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'Prudentials-MacBook-Pro.local', ip: '2401:7400:c802:b45:61c9:b678:ab57:b5f7%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'

Driver info: io.appium.java_client.android.AndroidDriver

Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: false, platformName: android}, deviceApiLevel: 29, deviceManufacturer: OnePlus, deviceModel: AC2001, deviceName: b107a0fb, deviceScreenDensity: 420, deviceScreenSize: 1080x2400, deviceUDID: b107a0fb, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: false, pixelRatio: 2.625, platform: LINUX, platformName: Android, platformVersion: 10, statBarHeight: 117, takesScreenshot: true, viewportRect: {height: 2112, left: 0, top: 117, width: 1080}, warnings: {}, webStorageEnabled: false}

Session ID: 41b0de86-1f90-4bb5-a07b-41d2e953f7ca

```
*** Element info: {Using=xpath, value=//android.widget.TextView[@text='Sign In']}
at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance
(NativeConstructorAccessorImpl.java:62)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
```

```

at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:162)
at com.onepulse.app.screens.PulseLoginScreen.clickSignIn(PulseLoginScreen.java:171)
at com.onepulse.app.stepdefinitions.mobilesteps.LoginSteps.clickSignInButton(LoginSteps.
java:127)
at .And User clicks on signin button(features/mobile/sg/PulseLoginTest.feature:139)


```

Then I enter invalid password on login screen and verify the error message 0.00s

```

Pas$123##Your username or password is incorrect.
Pas$123##Your username or password is incorrect.
Pas$123##Your username or password is incorrect.
Pas$123##Your username or password is incorrect.
Pas$123##Your username or password is incorrect.
Pas$123##Your username or password is incorrect.
Pas$123##Your username or password is incorrect.
Pas$123##Account is locked.

```



After 1.33s

[Back to Table of Contents](#)

Scenario: Verify the Login Functionality using "Continue with Google"

Passed: 6 Failed: 0 Undefined: 0 Duration: 94.67s

Before		0.00s
Given I generate random number and assign to variable "RANDOM_NUMBER"		0.01s
And I assign value to following variables		0.00s
USER_NAME	taf-\${RANDOM_NUMBER}@mailinator.com	
USER_PASSWORD	Pas\$1234	
Given User has pulse app		11.89s
And user click on "CONTINUE WITH GOOGLE" with Google button		5.93s
And I click the "Email" in Continue with Gmail		42.60s
Emailid	\${facebook.text}	
Password	pulsesgqa@123	
Then user should be landed home screen		34.25s
After		0.00s
Back to Table of Contents		