

# Overview

	Passed	Failed	Known	Undefined	Total	%Passed
Features	14	5	0	0	19	74%
Scenarios	363	33	0	0	396	92%
Steps	2,525	33	0	123	2,681	94%

Overall Duration: 2h 03m 38s

## Table of Contents

1. [Verify agent registration workflow](#)
  1. [verify default and sample text on agent registration page](#)
  2. [Invalid password check on agent registration page](#)
  3. [Invalid password check on agent registration page](#)
  4. [Invalid password check on agent registration page](#)
  5. [Invalid password check on agent registration page](#)
  6. [Invalid password check on agent registration page](#)
  7. [Create password and confirm password mismatch check on agent registration page](#)
  8. [Validate mask and unmask functionality for create and confirm password field](#)
  9. [verify that the next button is enabled only when agent entered the correct create and confirm password](#)
  10. [verify that the next button is enabled only when agent entered the correct create and confirm password](#)
  11. [verify that the next button is enabled only when agent entered the correct create and confirm password](#)
  12. [verify that the next button is enabled only when agent entered the correct create and confirm password](#)
  13. [verify Agent should be able to create the password for sales portal](#)
  14. [Verify Agent account is activated and can proceed with login](#)
  15. [verify the user should be prompted to login when already registered user is loaded in bulk upload and he opens the agent registration page](#)
  16. [Close from Sales Portal](#)
2. [Validate the forgot password with valid and invalid condition](#)
  1. [Agent Registration using api](#)
  2. [Verify agent registration flow - Setting up password](#)
  3. [Verify agent registration flow - Email Verification](#)
  4. [Verify static text and elements on Forgot Password page in Sales Portal](#)
  5. [Validate the return to the login link in Forgot your password page](#)
  6. [Verify the confirmation message on forgot password page when user enter valid email id](#)
  7. [Verify back button navigates user back to login page](#)
  8. [Close sales portal](#)
  9. [Verify reset password link is sent to user email account](#)
  10. [Validate mask and unmask functionality for create and confirm password field](#)
  11. [verify that the reset password button is enabled only when agent entered the correct create and confirm password](#)
  12. [verify that the reset password button is enabled only when agent entered the correct create and confirm password](#)

13. **verify that the reset password button is enabled only when agent entered the correct create and confirm password**
  14. **verify that the reset password button is enabled only when agent entered the correct create and confirm password**
  15. **verify Agent should be able to reset the password for sales portal**
  16. **verify Agent should be able to logout and Login back with the new/reset password**
  17. **Close from Sales Portal**
3. **Verify the homepage for Agent ID, Navigation bar & Toggle bar**
1. **Verify the agent ID is displayed on home page**
  2. **Verify the Toggle bar on the home page**
  3. **I verify the navigation to the New Quote page and verify that user is landed on New Quote page and verify the presence of toggle bar items when navigate to the New Quote page**
  4. **I verify the navigation to the Quotes page and verify that user is landed on Quotes page and verify the presence of toggle bar items when navigate to the Quotes page**
  5. **I verify the navigation to the Documents page and verify that user is landed on Documents page and verify the presence of toggle bar items when navigate to the Documents page**
  6. **I verify the navigation to the Get Help page and verify that user is landed on Get Help page and verify the presence of toggle bar items when navigate to the Get Help page**
  7. **I verify the navigation to the Agent Profile page and verify that user is landed on Agent Profile page and verify the presence of toggle bar items when navigate to the Agent Profile page**
  8. **I verify the navigation to the Information page and verify that user is landed on Information page and verify the presence of toggle bar items when navigate to the Information page**
  9. **Verify the Navigation bar on the New Quote page**
  10. **I verify the navigation to the Select Plan page and verify that user is landed on Select Plan page and all left toggle bar items are present**
  11. **I verify the navigation to the Employees page and verify that user is landed on Employees page and all left toggle bar items are present**
  12. **I verify the navigation to the Company page and verify that user is landed on Company page and all left toggle bar items are present**
  13. **I verify the navigation to the Submit page and verify that user is landed on Submit page and all left toggle bar items are present**
  14. **Create a Quote for Sticky bar validation**
  15. **I verify the sticky bar is present in all the Select Plan page in the new quote creation journey**
  16. **I verify the sticky bar is present in all the Employees page in the new quote creation journey**
  17. **I verify the sticky bar is present in all the Company page in the new quote creation journey**
  18. **I verify the sticky bar is present in all the Submit page in the new quote creation journey**
  19. **verify toggle bar items are minimised when user opts to collapse the sidebar option**
  20. **Close Sales Portal**
4. **Verify login functionality with OTP to landing in the welcome page**
1. **Verify static text and elements on Login page Sales Portal**
  2. **Sales Portal Login Page fields error message validation "Invalid email format and password"**
  3. **Sales Portal Login Page fields error message validation "Blank email and Password"**
  4. **Sales Portal Login Page fields error message validation "Registered email and blank password"**
  5. **Sales Portal Login Page fields error message validation "Registered email and invalid password"**

6. **Sales Portal Login Page fields error message validation "Registered email and password length more than 50"**
  7. **Verify Agent is not able to login with wrong credential**
  8. **Validate the eye icon functionality for password field**
  9. **Login to Sales portal and verify OTP page is displayed**
  10. **verify by validation message displays by providing Invalid OTP checks**
  11. **verify by validation message displays by providing Invalid OTP checks**
  12. **Enter invalid otp and click on Login button**
  13. **Validate the return to the login link in verify your account page**
  14. **Validate the "Didnt receive code " in verify your account page**
  15. **Verify contact support link is navigating to knowledgebase**
  16. **Close Sales Portal**
5. **Verify user is landed to Sales pitch page after login which is a Information page**
1. **Verify Sales pitch page is displayed after login**
  2. **Verify the first section on sales pitch page**
  3. **Verify the second section on sales pitch page**
  4. **Verify the third section on sales pitch page**
  5. **Verify the fourth section on sales pitch page**
  6. **Verify the fifth section on sales pitch page**
  7. **Verify the sixth section on sales pitch page**
  8. **Close Sales Portal**
6. **Verify agent can view his profile and reset the password**
1. **Log in to Sales portal with valid agent credentials**
  2. **Navigate to Agent profile page and verify the agent details**
  3. **Verify sample text in change password section**
  4. **Invalid password check on profile page**
  5. **Invalid password check on profile page**
  6. **Invalid password check on profile page**
  7. **Invalid password check on profile page**
  8. **Invalid password check on profile page**
  9. **New password and confirm your password mismatch check on profile page**
  10. **Validate mask and unmask functionality for current,new and confirm password field**
  11. **verify that the save button is enabled only when agent entered the correct current,new and confirm password**
  12. **verify that the save button is enabled only when agent entered the correct current,new and confirm password**
  13. **verify that the save button is enabled only when agent entered the correct current,new and confirm password**
  14. **verify that the save button is enabled only when agent entered the correct current,new and confirm password**
  15. **verify Agent should be able to change the password for sales portal**
  16. **Verify Agent should be able to reset the password back to Agent123 after 5 update**
  17. **Verify Agent should be able to reset the password back to Agent123 after 5 update**
  18. **Verify Agent should be able to reset the password back to Agent123 after 5 update**
  19. **Verify Agent should be able to reset the password back to Agent123 after 5 update**
  20. **Verify Agent should be able to reset the password back to Agent123 after 5 update**
  21. **Verify Agent should be able to reset the password back to Agent123 after 5 update**
  22. **verify Agent should be able to logout and Login back with the updated password**
  23. **Close from Sales Portal**
7. **Verify select plan page functionality**
1. **Launch Sales application for PAMB**

2. **verify static and sample text on company and category section on select plan page**
  3. **Verify optional plan GHS is not selected by default**
  4. **Verify the validation when user saves the quote without entering the Mandatory fields**
  5. **Verify Next button validation message without entering any values**
  6. **verify that the coverage date should be current date by default**
  7. **verify the coverage date should set to current date if Agent input past date in text field**
  8. **verify that the past date should be disabled on coverage date calendar**
  9. **verify coverage date calendar is functioning properly**
  10. **verify coverage date calendar is functioning properly**
  11. **Enter number of employees: 4 for single category**
  12. **Verify Agent should be able to enter company and category details**
  13. **verify employee screen is displayed when user click on next button at the bottom of the screen**
  14. **verify the company name should be displayed as entered on select plan page on subsequent Employees page**
  15. **verify the company name should be displayed as entered on select plan page on subsequent Company page**
  16. **verify the company name should be displayed as entered on select plan page on subsequent Submit page**
  17. **verify the estimated premium amount should be displayed as entered on select plan page on subsequent Employees page**
  18. **verify the estimated premium amount should be displayed as entered on select plan page on subsequent Company page**
  19. **verify the estimated premium amount should be displayed as entered on select plan page on subsequent Submit page**
  20. **Close Sales Portal**
8. **Verify Agent can add,edit or delete members manually**
1. **Log into sales portal as an agent and navigate to employee page**
  2. **Verify Sample text on employee view**
  3. **Verify PDPA Consent requirement title and text**
  4. **verify Upload file,Add employee and download template button is disabled when PDPA Consent requirement check box is unchecked**
  5. **verify Upload file,Add members and download template button is enabled when PDPA Consent requirement check box is checked**
  6. **verify Agent can download the excel template**
  7. **verify static,sample text,header and footer on Member profile page**
  8. **verify the values of Occupational Class field on Add member modal**
  9. **Verify nationality field is uneditable**
  10. **Verify the dropdown lists in State field**
  11. **verify country field should be un editable**
  12. **Validating the error message When user clicks on save button without entering field value on member view**
  13. **Validating the error message: "\${emp.error.min.max.validation.firstname}" When user enters invalid value  
"ABCDEFGHIJKLMNPQRSTUVWXYZyABCDEFGHIJKLMNPQRSTUVWXYZABC**
  14. **Validating the error message: "\${emp.error.min.max.validation.surname}" When user enters invalid value  
"ABCDEFGHIJKLMNPQRSTUVWXYZyABCDEFGHIJKLMNPQRSTUVWXYZABC**
  15. **Validating the error message: "\${emp.error.min.max.validation.zipcode}" When user enters invalid value "abcD" for field "Post Code" on member profile page**

16. **Validating the error message: "\${emp.error.min.max.validation.zipcode}" When user enters invalid value "103" for field "Post Code" on member profile page**
17. **Validating the error message: "\${emp.error.min.max.validation.zipcode}" When user enters invalid value "145607" for field "Post Code" on member profile page**
18. **Validating the error message: "\${emp.error.formatvalidation.email}" When user enters invalid value "testmailinator.com" for field "Email Address" on member profile page**
19. **Validating the error message: "\${emp.error.min.max.validation.email}" When user enters invalid value  
"ABCDEFGHIJKLMNPqrstuvwxyz1234567890123456789012345678901234567890AB"**
20. **Validating the error message: "\${error.numeric.validation.city}" When user enters invalid value "Test123" for field "City" on member profile page**
21. **Validating the error message: "\${emp.error.formatvalidation.nationalid}" When user enters invalid value "G1234567@H45" for field "NRIC no." on member profile page**
22. **Validating the error message: "\${emp.error.min.max.validation.address1}" When user enters invalid value  
"ABCDEFGHIJKLMNPQRSTUVWXYZ1234567890123456789012345678901234567890A"**
23. **Validating the error message: "\${emp.error.min.max.validation.city}" When user enters invalid value "ABCDEFgIJKLNMNO#\$%  
^&@PQRSTUVWXYZyABCDEFGHIJKLMNPQRSTUVWXYZABCDEFGHIJKLMNO"**
24. **Validating the error message: "\${bulk.upload.error.minmax.validation.ID}" When user enters invalid value "1234567891" for field "NRIC no." on member profile page**
25. **Validating the error message: "\${emp.error.min.max.validation.address2}" When user enters invalid value  
"ABCDEFGHIJKLMNPQRSTUVWXYZ1234567890123456789012345678901234567890A"**
26. **Validating the error message: "\${emp.error.min.max.validation.address3}" When user enters invalid value  
"ABCDEFGHIJKLMNPQRSTUVWXYZ1234567890123456789012345678901234567890A"**
27. **Validating the error message: "\${emp.error.min.max.validation.address4}" When user enters invalid value  
"ABCDEFGHIJKLMNPQRSTUVWXYZ1234567890123456789012345678901234567890A"**
28. **Prerequisite for ANB validtaions between 16 & 30 (inclusive) - Effective date is pastdate**
29. **validate the ANB calculation is done based on member DOB - \${ANB 31} when effective date of coverage is past date**
30. **validate the ANB calculation is done based on member DOB - \${ANB 30} when effective date of coverage is past date**
31. **validate the ANB calculation is done based on member DOB - \${ANB 15} when effective date of coverage is past date**
32. **validate the ANB calculation is done based on member DOB - \${ANB 16} when effective date of coverage is past date**
33. **Prerequisite for ANB validtaions between 16 & 30 (inclusive) - Effective date is future date**
34. **validate the ANB calculation is done based on member DOB - \${ANB 31} when effective date of coverage is a future date**
35. **validate the ANB calculation is done based on member DOB - \${ANB 30} when effective date of coverage is a future date**
36. **validate the ANB calculation is done based on member DOB - \${ANB 15} when effective date of coverage is a future date**
37. **validate the ANB calculation is done based on member DOB - \${ANB 16} when effective date of coverage is a future date**
38. **Prerequisite for ANB validtaions between 16 & 30 (inclusive) - Effective date is current date**

39. validate the ANB calculation is done based on member DOB - \${ANB 31} when effective date of coverage is a future date
40. validate the ANB calculation is done based on member DOB - \${ANB 30} when effective date of coverage is a future date
41. validate the ANB calculation is done based on member DOB - \${ANB 15} when effective date of coverage is a future date
42. validate the ANB calculation is done based on member DOB - \${ANB 16} when effective date of coverage is a future date
43. verify calendar functionality is working for date of birth
44. verify calendar functionality is working for coverage start date
45. Verify agent can perform following functions
46. Verify the email duplicate check is present while adding same email for employees manually
47. Verify the presence of the Search field
48. Verify the agent can search member details by entering "First Name"
49. Verify the agent can search member details by entering "NRIC no."
50. Verify the agent can search member details by entering "Email Address"
51. Verify the agent can edit the employee information on employee page
52. Verify the agent can delete single member profile
53. Verify that the quote can be saved by clicking on Save Quote button after entering member details
54. Verify workflow of adding multiple member profiles manually
55. Verify that the quote can be saved by clicking on Save Quote button in the Members page before entering member details
56. Close Sales Portal
9. Verify upload,re upload, download member excel functionality on members page
1. Prerequisite to upload members xslm using \${employee.upload.file.btn} button
  2. Set up the member view for uploading member data file
  3. verify error message when wrong file type is uploaded
  4. Sales Portal upload member error message validation "XLSM file with no details"
  5. Sales Portal upload member error message validation "XLSM file with no headers"
  6. Sales Portal upload member error message validation "XLSM file with missing header"
  7. Sales Portal upload member error message validation "XLSM file with diff headers"
  8. Sales Portal upload member error message validation "XLSM file with no data"
  9. Sales Portal upload member error message validation "XLSM file with wrong header name"
  10. Verify the validation message when Agent upload wrong data file with multiple errors
  11. Verify agent should be landed back to members screen after clicking on download member data file link
  12. verify the member Screen when member file is uploaded successfully
  13. Re-upload prep
  14. verify Re upload popup window
  15. Re upload Member excel and verify the modified and new data have inserted and searched field text is cleared out
  16. Upload Member xls file with duplicate data and check upload is not allowed
  17. Closing the error modal view
  18. Verify Company Name in the bulk upload file validation against the Company Name of the quote isn't case sensitive
  19. Close Sales Portal
10. Verify Agent can update the required details on company page and verify validations
1. verify default,sample text,header and footer on company page

2. Verify Sample text on Company page
3. Validate State data in dropdown
4. verify the default value of country field on company page
5. verify Agent details should be pre populated based on registration details
6. Validating the error message When user clicks on next button without entering mandatory fields value on company page
7. Validating the error message: "\${company.error.min.max.validation.firstname}" When user enters invalid value  
"ABCDEFGH324LMNOPQRSTUVWXYZyABCDEFGHIJKLMNOPQRSTUVWXYZABC
8. Validating the error message: "\${company.error.min.max.validation.surname}" When user enters invalid value  
"ABCDEFGH324LMNOPQRSTUVWXYZyABCDEFGHIJKLMNOPQRSTUVWXYZABC
9. Validating the error message: "\${company.error.formatvalidation.email}" When user enters invalid value "testmailinator.com" for field "Email Address" on company page
10. Validating the error message: "Please ensure Contact Fax Number is 10 digits" When user enters invalid value "123456789" for field "Contact Fax Number" on company page
11. Validating the error message: "Please ensure Telephone Number is 10 digits" When user enters invalid value "78456" for field "Telephone Number" on company page
12. Validating the error message: "\${company.error.min.max.validation.email}" When user enters invalid value  
"ABCDEFGHJK5LMNOPqrstuvwxyz123456789012345678901234567890AB
13. Validating the error message: "\${error.numeric.validation.city}" When user enters invalid value "City123456" for field "City" on company page
14. Validating the error message: "\${emp.error.min.max.validation.zipcode}" When user enters invalid value "123" for field "Postcode" on company page
15. Validating the error message: "\${emp.error.min.max.validation.zipcode}" When user enters invalid value "123" for field "Postcode" on company page
16. Validating the error message: "\${emp.error.min.max.validation.zipcode}" When user enters invalid value "123456" for field "Postcode" on company page
17. Validating the error message: "\${company.error.signatoryDesignation.format.validation}" When user enters invalid value "test2Title" for field "Authorised Signatory Title" on company page
18. Validating the error message: "\${company.error.signatoryName.min.max.validation}" When user enters invalid value "abCD" for field "Authorised Signatory Name" on company page
19. Validating the error message: "\${company.error.signatoryName.min.max.validation}" When user enters invalid value  
"ABCDEFGH324LMNOPQRSTUVWXYZyABCDEFGHIJKLMNOPQRSTUVWXYZABC
20. Validating the error message: "\${company.error.signatoryDesignation.min.max.validation}" When user enters invalid value "ABCDEfgIJKLMNO#\$%&@PQRSTUVWXYZyABCDEFGHIJKLMNO
21. Validating the error message: "\${company.error.min.max.validation.address1}" When user enters invalid value  
"ABCDEFGHJKLMNOPQRSTUVWXYZ123456789012345678901234567890A
22. Validating the error message: "\${company.error.min.max.validation.address2}" When user enters invalid value  
"ABCDEFGHJKLMNOPQRSTUVWXYZ123456789012345678901234567890A
23. Validating the error message: "\${company.error.min.max.validation.address3}" When user enters invalid value  
"ABCDEFGHJKLMNOPQRSTUVWXYZ123456789012345678901234567890A

24. **Validating the error message: "\${company.error.min.max.validation.address4}" When user enters invalid value**  
**"ABCDEF~~GHIJKL~~MNOPQRSTUVWXYZ1234567890123456789012345678901234567890A**
25. **Validating the error message: "\${company.error.min.max.validation.city}" When user enters invalid value "ABCDEFgIJKL~~MNO~~#\$%"**  
**^&@PQRSTUVWXYZyABCDEF~~GHIJKL~~MNOPQRSTUVWXYZABCDEF~~GHIJKL~~MNO**
26. **validating the toast error message for scenario Primary Email Address already exists user clicks on next button**
27. **verify Agent should be able to fill Company Name**
28. **verify Agent should be able to fill Primary Contact details**
29. **verify Agent should be able to fill company details**
30. **verify Agent should be able to fill company address details**
31. **verify Agent should be able to fill Authorised signatory details**
32. **Verify all the information should persist when user return to company screen after clicking on back button**
33. **Verify Agent can add additional Signatory information on company page to maximum 3 signatory**
34. **Verify Agent can add additional Signatory information on company page to maximum 3 signatory**
35. **Verify Agent should be able to fill multiple authorised signatories and Title titles in company page**
36. **Verify Agent can save and export the quote on company page**
37. **Verify pop up message is displayed when we delete added signatory**
38. **Confirm delete of added signatory**
39. **Verify Signatory added are displayed in Submit page to add documents**
40. **Close Sales Portal**
11. **Verify the Submit page for page verification and various document uploads**
1. **Login to Sales portal and go to New Quote page**
  2. **Verify the text and buttons on Submit page**
  3. **Verify the upload for signed proposal document section**
  4. **verify delete popup window on submit page**
  5. **Verify agent can upload pdf,png,jpg,jpeg file types**
  6. **Verify agent can upload pdf,png,jpg,jpeg file types**
  7. **Verify agent can upload pdf,png,jpg,jpeg file types**
  8. **Verify agent can upload pdf,png,jpg,jpeg file types**
  9. **Verify agent can upload pdf,png,jpg,jpeg file types**
  10. **Verify agent can upload pdf,png,jpg,jpeg file types**
  11. **Verify agent can upload pdf,png,jpg,jpeg file types**
  12. **Verify agent can upload pdf,png,jpg,jpeg file types**
  13. **Verify uploading invalid file format is throwing error on UI**
  14. **Verify the upload for Form 8 document**
  15. **Verify the upload for Form 24 document**
  16. **Verify the upload for Form 49 document**
  17. **Verify the upload for Direct Credit document**
  18. **Verify the upload for Schedule of assurance document**
  19. **Verify the upload for GHS schedule of benefits document**
  20. **Verify the upload for Authorized Signatory document 1 document**
  21. **Verify the upload for Copy of NRIC document**
  22. **Verify the upload for Copy of Memos document**
  23. **Verify the select payment method Bank transfer section**
  24. **Verify the select payment method Bank transfer section**

25. **Add quote for Group term life for all 5 categories**
26. **Verify Summary of benefit table display data selected in select plan page and getting updated based on payment frequency**
27. **Verify Summary of benefit table display data selected in select plan page and getting updated based on payment frequency**
28. **Validating the error message When user clicks on Confirm and Submit button without entering mandatory fields value on submit page**
29. **Verify Agent can save and export the quote on submit page**
30. **Close Sales Portal**
12. **Verify agent can see all the PLUK documents and can download them**
1. **Verify default and documents on Documents Page**
  2. **Verify documents table on document page**
  3. **Verify "PRUED Protect Leaflet" document download button is enabled**
  4. **Verify "Claim Form" document download button is enabled**
  5. **Verify "Medical Claim - Doctor's Statement" document download button is enabled**
  6. **Verify "Personal Accident Claim - Doctor's Statement" document download button is enabled**
  7. **Verify "Personal Accident Claim - Healing Progress Form" document download button is enabled**
  8. **Verify "Total and Permanent Disability Claim - Doctor's Statement" document download button is enabled**
  9. **Verify "Total and Permanent Disability Instalment Benefit - Doctor's Statement" document download button is enabled**
  10. **Verify "Death Claim - Doctor's Statement" document download button is enabled**
  11. **Verify "Consent To Release Information" document download button is enabled**
  12. **Verify "Master Application Form" document download button is enabled**
  13. **Verify "Application For Direct Credit Form" document download button is enabled**
  14. **Verify "Authorised Company Representative Declaration Form" document download button is enabled**
  15. **Download PDF documents by click on down arrow button and verify "PRUED Protect Leaflet" document is downloaded**
  16. **Download PDF documents by click on down arrow button and verify "Claim Form" document is downloaded**
  17. **Download PDF documents by click on down arrow button and verify "Medical Claim - Doctor's Statement" document is downloaded**
  18. **Download PDF documents by click on down arrow button and verify "Personal Accident Claim - Doctor's Statement" document is downloaded**
  19. **Download PDF documents by click on down arrow button and verify "Personal Accident Claim - Healing Progress Form" document is downloaded**
  20. **Download PDF documents by click on down arrow button and verify "Total and Permanent Disability Claim - Doctor's Statement" document is downloaded**
  21. **Download PDF documents by click on down arrow button and verify "Total and Permanent Disability Instalment Benefit - Doctor's Statement" document is downloaded**
  22. **Download PDF documents by click on down arrow button and verify "Death Claim - Doctor's Statement" document is downloaded**
  23. **Download PDF documents by click on down arrow button and verify "Consent To Release Information" document is downloaded**
  24. **Download PDF documents by click on down arrow button and verify "Master Application Form" document is downloaded**
  25. **Download PDF documents by click on down arrow button and verify "Application For Direct Credit Form" document is downloaded**

26. **Download PDF documents by click on down arrow button and verify "Authorised Company Representative Declaration Form" document is downloaded**
27. **Close Sales Portal**
13. **Verify agent can search for saved quotes based on search criteria, filter options and take required action**
1. **Create Draft quote and verify default and sample text of Quotes page**
  2. **Verify Table headers and fields on Quotes page**
  3. **Verify the filter option**
  4. **Create Draft Quote**
  5. **Create Archived Quote**
  6. **Create Submitted Quote**
  7. **Create In Force Quote**
  8. **Create Denied Quote**
  9. **Verify Archive quotes are not displayed when no filters are selected on quote page**
  10. **Verify search can be performed with "The exact company name"**
  11. **Verify search can be performed with "Company name by regex pattern"**
  12. **Verify search can be performed with "Reference Number"**
  13. **Verify Search Quote functionality is working for Company Name**
  14. **Verify search with invalid search value**
  15. **Verify Quote Filter functionality for "Filter quotes for status Draft"**
  16. **Verify Quote Filter functionality for "Filter quotes for status Archived"**
  17. **Verify Quote Filter functionality for "Filter quotes for status Submitted"**
  18. **Verify Quote Filter functionality for "Filter quotes for status In Force"**
  19. **Verify Quote Filter functionality for "Filter quotes for status Denied"**
  20. **Verify Quote Filter functionality for "Filter quotes for status Draft,In Force"**
  21. **Verify Quote Filter functionality for "Filter quotes for status Draft,Denied"**
  22. **Verify Quote Filter functionality for "Filter quotes for status Draft,Archived,Denied"**
  23. **Verify Quote Filter functionality for "Filter quotes for status Draft,Archived,In Force"**
  24. **Verify Quote Filter functionality for "Filter quotes for status Draft,Submitted"**
  25. **Verify Quote Filter functionality for "Filter quotes for status Draft,Submitted,Archived"**
  26. **Verify Quote Filter functionality for "Filter quotes for status Draft,Submitted,Archived,In Force,Denied"**
  27. **Verify Action options for "Action option for status Draft" quotes**
  28. **Verify Action options for "Action option for status Submitted" quotes**
  29. **Verify Action options for "Action option for status Archived" quotes**
  30. **Verify Action options for "Action option for status InForce" quotes**
  31. **Verify Action options for "Action option for status Denied" quotes**
  32. **Verify Quote Action item Edit for Draft quote**
  33. **Quote Action item Export PDF : "Verify quote is exported to PDF for Draft quote"**
  34. **Quote Action item Export PDF : "Verify quote is exported to PDF for Submitted quote"**
  35. **Quote Action item Export PDF : "Verify quote is exported to PDF for Archived quote"**
  36. **Quote Action item Export PDF : "Verify quote is exported to PDF for Inforce quote"**
  37. **Quote Action item Export PDF : "Verify quote is exported to PDF for Denied quote"**
  38. **1.Verify "Draft" quotes should return irrespective of isArchived flag for filter option "\${quote.filter.option.draft}"**
  39. **1.Verify "Denied" quotes should return irrespective of isArchived flag for filter option "\${quote.filter.option.denied}"**
  40. **1.Verify "Inforce" quotes should return irrespective of isArchived flag for filter option "\${quote.filter.option.in.force}"**
  41. **Verify Action Duplicate for "\${quote.filter.option.draft}"**
  42. **Verify Action Duplicate for "\${quote.filter.option.denied}"**

43. [verify Delete popup window](#)
  44. [Verify Draft Quote is deleted](#)
  45. [Verify Quote Action item Edit for Archived quote](#)
  46. [Verify Quote Action item Unarchive text and cancel function](#)
  47. [Verify Archived Quote is deleted](#)
  48. [Verify Quote Action item View for Submitted quote](#)
  49. [Verify Quote Action item View for Inforce quote](#)
  50. [Close Sales Portal](#)
14. [Verify the Get Help page functionality](#)
1. [Verify agent should be navigated to Get Help page](#)
  2. [Verify static text on Get Help page](#)
  3. [Submit a ticket on sales portal app](#)
  4. [View Knowledge base](#)
  5. [Close from Sales Portal](#)
15. [Verify HR onboarding workflow for GTL product](#)
1. [Login to sales portal](#)
  2. [Agent creates GTL submitted quote](#)
  3. [Get quote reference Number](#)
  4. [Verify Quote Action item View for Submitted quote](#)
  5. [PAS Inforce the submitted quote for create quote number and company](#)
  6. [Verify Quote file generated fields](#)
  7. [Check quote is inforced](#)
  8. [Verify Quote Action item View for Inforced quote](#)
  9. [Close Sales Portal](#)
  10. [Verify HR Admin received the on-boarding email for Pru, Stash and HR Easily](#)
  11. [Close Sales Portal](#)
  12. [Verify Employee received the activation email for employee sdk](#)
  13. [Verify content of activation email for employee](#)
  14. [Close Sales Portal](#)
16. [Verify product plan by benefit table data is as per requirement](#)
1. [Login to Sales Portal](#)
  2. [Verify default state of Premium and Benefit page](#)
  3. [Compare plan by Annual benefit data for "\\${select.plan.group.coverage.gtl.text}" product on screen with the Required value in CSV "GTL ANNUAL"](#)
  4. [Close premium and benefit screen and logout](#)
  5. [Close from Sales Portal](#)
17. [Verify Quote is getting multiplied by number of employees and based on premium for selected plan for GTL product](#)
1. [Launch Sales portal and navigate to New Quote page](#)
  2. [Load Premium and modal factor csv file](#)
  3. [Estimated Annual Premium for Plan "GTL" for number of members "1"](#)
  4. [Estimated Annual Premium for Plan "GTL" for number of members "4"](#)
  5. [Estimated Annual Premium for Plan "GTL" for number of members "5"](#)
  6. [Estimated Annual Premium for Plan "GTL" for number of members "50"](#)
  7. [Estimated Annual Premium for Plan "GTL" for number of members "100"](#)
  8. [Estimated Annual Premium for Plan "GTL" for number of members "200"](#)
  9. [Estimated Annual Premium for Plan "GTL" for number of members "1000"](#)
  10. [Estimated Annual Premium for Plan "GTL" for number of members "5000"](#)
  11. [Estimated Annual Premium for Plan "GTL" for number of members "10000"](#)
  12. [Close Sales Portal](#)
18. [Verify agent can download the quotes in pdf format and check all information is correct for GTL](#)

1. [Login to sales portal](#)
  2. [Assign value to variables and enter details on select plan page](#)
  3. [Select plan and category](#)
  4. [Save Quote and get reference number from Quotes screen](#)
  5. [Verify Export Quote is working in "Select Plan" page in sales Journey](#)
  6. [Verify Export Quote is working in "Employees" page in sales Journey](#)
  7. [Verify Export Quote is working in "Company" page in sales Journey](#)
  8. [Verify Export Quote is working in "Submit" page in sales Journey](#)
  9. [Close Sales Portal](#)
19. [Verify agent can download the quotes in pdf format and check all information is correct for GTL](#)
1. [Login to sales portal](#)
  2. [Assign value to variables and enter details on select plan page](#)
  3. [Select plan and category](#)
  4. [Save Quote and get reference number from Quotes screen](#)
  5. [Verify Export Quote is working in "Select Plan" page in sales Journey](#)
  6. [Verify Export Quote is working in "Employees" page in sales Journey](#)
  7. [Verify Export Quote is working in "Company" page in sales Journey](#)
  8. [Verify Export Quote is working in "Submit" page in sales Journey](#)
  9. [Close Sales Portal](#)

## Detailed Results Report

**Feature: Verify agent registration workflow**

Passed: 1

**Scenario: verify default and sample text on agent registration page**

Passed: 7

**Before**

**Given I assign "/testdata/\${sales.fe.lbu}/bulk\_user\_upload" to variable "testdata.path"**

Output

```
Assigning value /testdata/my/bulk_user_upload to variable testdata.path
```

**And I assign "\${testdata.path}/input/AgentReg\_Template.csv" to variable "INPUT\_PATH"**

Output

```
Assigning value /testdata/my/bulk_user_upload/input/AgentReg_Template.csv to variable INPUT_PATH
```

**And I assign "\${testdata.path}/output/Users.csv" to variable "OUTPUT\_PATH"**

Output

```
Assigning value /testdata/my/bulk_user_upload/output/Users.csv to variable OUTPUT_PATH
```

**And I generate random number and assign to variable "RANDOM\_NUMBER"****Output**

```
Random number generated is :173
```

**And I copy the csv template "\${INPUT\_PATH}" and replace following variables in output path "\${OUTPUT\_PATH}"**

agent.Email	taf-\${RANDOM_NUMBER}@mailinator.com
-------------	--------------------------------------

**And I assign value to following variables**

GROUP_ID	\${group.id}
----------	--------------

**And I upload the csv file "\${OUTPUT\_PATH}" received from agent group "\${GROUP\_ID}" using \${agent.Email}****Then I verify File is uploaded successfully**

```
com.prudential.tap.exception.TapException: Not able to convert Json string to jsonObject [<html>
<head><title>503 Service Temporarily Unavailable</title></head>
<body>
<center><h1>503 Service Temporarily Unavailable</h1></center>
<hr><center>nginx/1.17.10</center>
</body>
</html>
]
```

```
at com.prudential.tap.filehandling.JsonReader.convertJsonStringToJsonObject(JsonReader.java:16)
at com.pru.sales.api.stepdef.GraphQLSteps.verifyFileUploadSuccess(GraphQLSteps.java:67)
at .Then I verify File is uploaded successfully(features/AgentRegistration.feature:16)
```

**Then I verify for below email content is matching with "/testdata/\${sales.fe.lbu}/email\_template/agent\_email.html"**

EMAIL SUBJECT	\${register.email.subject}
EMAIL FROM	\${register.email.from}
EMAIL TO	\${agent.Email}

**And I close sales portal****And I launch the agent registration URL****Then I verify following text is displayed on "Agent Registration" page**

\${agent.registration.text}
\${agent.password.rule.text}

**Then verify Welcome text "Welcome \${agent.Email}" on agent registration page****And I verify field label text on "Agent Registration" page**

\${agent.create.password.text}
\${agent.confirm.password.text}

**Then I verify next button text****And I verify next button is disabled****After**[Back to Table of Contents](#)**Scenario Outline: Invalid password check on agent registration page****Passed: 0****Before**

	<b>When I enter "Agent" password in create password field</b>
	<pre>java.lang.NullPointerException at com.prudential.tap.selenium.Commands\$12.executeCommand(Commands.java:116) at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19) at com.pru.sales.portal.pages.TestBasePage.setTextWithoutTab(TestBasePage.java:386) at com.pru.sales.portal.pages.AgentRegistrationPage.enterCreatePassword(AgentRegistrationPage.java:127) at com.pru.sales.portal.stepdef.AgentRegistrationSteps.enterCreatePassword(AgentRegistrationSteps.java:27) at .When I enter "Agent" password in create password field(features/AgentRegistration.feature:35)</pre>
	Then I verify "\${agent.password.rule.text}" validation error message is highlighted
	<b>After</b>
	<a href="#">Back to Table of Contents</a>
	<b>Scenario Outline: Invalid password check on agent registration page</b>
	Passed: 0
	<b>Before</b>
	<b>When I enter "1234567#" password in create password field</b>
	<pre>java.lang.NullPointerException at com.prudential.tap.selenium.Commands\$12.executeCommand(Commands.java:116) at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19) at com.pru.sales.portal.pages.TestBasePage.setTextWithoutTab(TestBasePage.java:386) at com.pru.sales.portal.pages.AgentRegistrationPage.enterCreatePassword(AgentRegistrationPage.java:127) at com.pru.sales.portal.stepdef.AgentRegistrationSteps.enterCreatePassword(AgentRegistrationSteps.java:27) at .When I enter "1234567#" password in create password field(features/AgentRegistration.feature:35)</pre>
	Then I verify "\${agent.password.rule.text}" validation error message is highlighted
	<b>After</b>
	<a href="#">Back to Table of Contents</a>
	<b>Scenario Outline: Invalid password check on agent registration page</b>
	Passed: 0
	<b>Before</b>
	<b>When I enter "AGENT@1234" password in create password field</b>
	<pre>java.lang.NullPointerException at com.prudential.tap.selenium.Commands\$12.executeCommand(Commands.java:116) at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19) at com.pru.sales.portal.pages.TestBasePage.setTextWithoutTab(TestBasePage.java:386) at com.pru.sales.portal.pages.AgentRegistrationPage.enterCreatePassword(AgentRegistrationPage.java:127) at com.pru.sales.portal.stepdef.AgentRegistrationSteps.enterCreatePassword(AgentRegistrationSteps.java:27) at .When I enter "AGENT@1234" password in create password field(features/AgentRegistration.feature:35)</pre>
	Then I verify "\${agent.password.rule.text}" validation error message is highlighted
	<b>After</b>
	<a href="#">Back to Table of Contents</a>
	<b>Scenario Outline: Invalid password check on agent registration page</b>
	Passed: 0
	<b>Before</b>
	<b>When I enter "agent@12334" password in create password field</b>

java.lang.NullPointerException  
at com.prudential.tap.selenium.Commands\$12.executeCommand(Commands.java:116)  
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19)  
at com.pru.sales.portal.pages.TestBasePage.setTextWithoutTab(TestBasePage.java:386)  
at com.pru.sales.portal.pages.AgentRegistrationPage.enterCreatePassword(AgentRegistrationPage.java:116)  
at com.pru.sales.portal.stepdef.AgentRegistrationSteps.enterCreatePassword(AgentRegistrationSteps.java:116)  
at .When I enter "agent@12334" password in create password field(features/AgentRegistration.feature:11)

Then I verify "\${agent.password.rule.text}" validation error message is highlighted

**After**

[Back to Table of Contents](#)

### Scenario Outline: Invalid password check on agent registration page

Passed: 0

**Before**

When I enter "Agent1236666667777777777Agent12344444444444444442" password in create password field

java.lang.NullPointerException  
at com.prudential.tap.selenium.Commands\$12.executeCommand(Commands.java:116)  
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19)  
at com.pru.sales.portal.pages.TestBasePage.setTextWithoutTab(TestBasePage.java:386)  
at com.pru.sales.portal.pages.AgentRegistrationPage.enterCreatePassword(AgentRegistrationPage.java:116)  
at com.pru.sales.portal.stepdef.AgentRegistrationSteps.enterCreatePassword(AgentRegistrationSteps.java:116)  
at .When I enter "Agent1236666667777777777Agent123444444444444442" password in create password field(features/AgentRegistration.feature:11)

Then I verify "\${password.field.length.validation}" validation error message is highlighted

**After**

[Back to Table of Contents](#)

### Scenario: Create password and confirm password mismatch check on agent registration page

Passed: 0

**Before**

When I enter "Agent1234" password in create password field

java.lang.NullPointerException  
at com.prudential.tap.selenium.Commands\$12.executeCommand(Commands.java:116)  
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19)  
at com.pru.sales.portal.pages.TestBasePage.setTextWithoutTab(TestBasePage.java:386)  
at com.pru.sales.portal.pages.AgentRegistrationPage.enterCreatePassword(AgentRegistrationPage.java:116)  
at com.pru.sales.portal.stepdef.AgentRegistrationSteps.enterCreatePassword(AgentRegistrationSteps.java:116)  
at .When I enter "Agent1234" password in create password field(features/AgentRegistration.feature:11)

And I enter "Agent3456" password in confirm password field

Then I verify "The passwords entered do not match, please try again" validation error message is highlighted

**After**

[Back to Table of Contents](#)

### Scenario: Validate mask and unmask functionality for create and confirm password field

Passed: 0

**Before**

And I verify the Password entered is masked

java.lang.NullPointerException  
at com.prudential.tap.selenium.Commands\$22.executeCommand(Commands.java:201)  
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19)  
at com.pru.sales.portal.pages.TestBasePage.getAttributeValue(TestBasePage.java:306)  
at com.pru.sales.portal.pages.LoginPage.getPasswordFieldAttribute(LoginPage.java:99)  
at com.pru.sales.portal.stepdef.LoginSteps.verifyPasswordIsMasked(LoginSteps.java:118)  
at .And I verify the Password entered is masked(features/AgentRegistration.feature:52)

When I click on the eye icon for Create Password field

Then I validate the password should display without encrypted

When I click on the eye icon for Confirm Password field

Then I validate the confirm password should display without encrypted

## After

[Back to Table of Contents](#)

**Scenario Outline: verify that the next button is enabled only when agent entered the correct create an**

Passed: 0

## Before

When I enter "Agent" password in create password field

java.lang.NullPointerException  
at com.prudential.tap.selenium.Commands\$12.executeCommand(Commands.java:116)  
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19)  
at com.pru.sales.portal.pages.TestBasePage.setTextWithoutTab(TestBasePage.java:386)  
at com.pru.sales.portal.pages.AgentRegistrationPage.enterCreatePassword(AgentRegistrationPage.java:118)  
at com.pru.sales.portal.stepdef.AgentRegistrationSteps.enterCreatePassword(AgentRegistrationSteps.java:118)  
at .When I enter "Agent" password in create password field(features/AgentRegistration.feature:59)

And I enter "Agent" password in confirm password field

Then I verify next button is disabled

## After

[Back to Table of Contents](#)

**Scenario Outline: verify that the next button is enabled only when agent entered the correct create an**

Passed: 0

## Before

When I enter "Agent123" password in create password field

java.lang.NullPointerException  
at com.prudential.tap.selenium.Commands\$12.executeCommand(Commands.java:116)  
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19)  
at com.pru.sales.portal.pages.TestBasePage.setTextWithoutTab(TestBasePage.java:386)  
at com.pru.sales.portal.pages.AgentRegistrationPage.enterCreatePassword(AgentRegistrationPage.java:118)  
at com.pru.sales.portal.stepdef.AgentRegistrationSteps.enterCreatePassword(AgentRegistrationSteps.java:118)  
at .When I enter "Agent123" password in create password field(features/AgentRegistration.feature:59)

And I enter "" password in confirm password field

Then I verify next button is disabled

## After

[Back to Table of Contents](#)

<b>Scenario Outline: verify that the next button is enabled only when agent entered the correct create an</b>	
Passed: 0	
<b>Before</b>	
<p>When I enter "Agent123" password in create password field</p> <pre>java.lang.NullPointerException at com.prudential.tap.selenium.Commands\$12.executeCommand(Commands.java:116) at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19) at com.pru.sales.portal.pages.TestBasePage.setTextWithoutTab(TestBasePage.java:386) at com.pru.sales.portal.pages.AgentRegistrationPage.enterCreatePassword(AgentRegistrationPage.java:127) at com.pru.sales.portal.stepdef.AgentRegistrationSteps.enterCreatePassword(AgentRegistrationSteps.java:27) at .When I enter "Agent123" password in create password field(features/AgentRegistration.feature:59)</pre> <p>And I enter "Agent" password in confirm password field</p> <p>Then I verify next button is disabled</p>	
<b>After</b>	
<a href="#">Back to Table of Contents</a>	
<b>Scenario Outline: verify that the next button is enabled only when agent entered the correct create an</b>	
Passed: 0	
<b>Before</b>	
<p>When I enter "" password in create password field</p> <pre>java.lang.NullPointerException at com.prudential.tap.selenium.Commands\$12.executeCommand(Commands.java:116) at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19) at com.pru.sales.portal.pages.TestBasePage.setTextWithoutTab(TestBasePage.java:386) at com.pru.sales.portal.pages.AgentRegistrationPage.enterCreatePassword(AgentRegistrationPage.java:127) at com.pru.sales.portal.stepdef.AgentRegistrationSteps.enterCreatePassword(AgentRegistrationSteps.java:27) at .When I enter "" password in create password field(features/AgentRegistration.feature:59)</pre> <p>And I enter "Agent123" password in confirm password field</p> <p>Then I verify next button is disabled</p>	
<b>After</b>	
<a href="#">Back to Table of Contents</a>	
<b>Scenario: verify Agent should be able to create the password for sales portal</b>	
Passed: 1	
<b>Before</b>	
<p>Given I assign "Agent123" to variable "AGENT_PASSWORD"</p> <p>Output</p> <pre>Assigning value Agent123 to variable AGENT_PASSWORD</pre>	
<p>When I enter "\${AGENT_PASSWORD}" password in create password field</p> <pre>java.lang.NullPointerException at com.prudential.tap.selenium.Commands\$12.executeCommand(Commands.java:116)</pre>	

at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19)  
 at com.pru.sales.portal.pages.TestBasePage.setTextWithoutTab(TestBasePage.java:386)  
 at com.pru.sales.portal.pages.AgentRegistrationPage.enterCreatePassword(AgentRegistrationPage.java:171)  
 at com.pru.sales.portal.stepdef.AgentRegistrationSteps.enterCreatePassword(AgentRegistrationSteps.java:111)  
 at .When I enter "\${AGENT\_PASSWORD}" password in create password field(features/AgentRegistration.feature:11)

And I enter "\${AGENT\_PASSWORD}" password in confirm password field

And I verify next button is enabled

And I click on next button

Then I verify following text is displayed on "Email Confirmation" page

`${agent.registration.text}`

And I verify following paragraph is displayed on "Email Confirmation" page

An email has been sent to

Please click on the link sent to your email address to verify your account and proceed to the login page

And I verify email confirmation contains the agent email address as "\${agent.Email}"

And I close sales portal

## After

[Back to Table of Contents](#)

### Scenario: Verify Agent account is activated and can proceed with login

Passed: 3

## Before

And I wait for 10 sec

Given I assign "\${verify.email.from}" to variable "EMAIL\_FROM"

Output

```
Assigning value rits.ciampru@prudential.com.sg to variable EMAIL_FROM
```

Given I assign "\${verify.email.subject}" to variable "EMAIL SUBJECT"

Output

```
Assigning value Prudential Enterprise Business Account E-mail Verification to variable EMAIL SUBJECT
```

Given I read Agent registration email from "\${agent.Email}" in Mailinator and get "\${verify.email.from}"

```
org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method": "xpath", "selector": "(//td[contains(text(),'rits.ciampru@prudential.com.sg')])[1]"}  

(Session info: headless chrome=83.0.4103.116)
```

```
For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html  

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'  

System info: host: 'eb-sme-backend-jenkinslave-v12-48t23-rqw35', ip: '10.153.105.0', os.name: 'Linux', os.version: '4.15.0-102-generic', java.version: '11.0.11+9-Ubuntu-1ubuntu2', jre.version: '11.0.11+9-Ubuntu-1ubuntu2', vendor: 'Ubuntu', vendor.version: '18.04.4 LTS', arch: 'amd64', os.arch: 'amd64', os.uname: 'Linux eb-sme-backend-jenkinslave-v12-48t23-rqw35 4.15.0-102-generic #102-Ubuntu SMP Tue May 1 14:04:26 UTC 2018 x86_64 x86_64 x86_64 GNU/Linux', java.home: '/usr/lib/jvm/java-11-amazon-corretto-11.0.11-2020-05-08T14:04:26.12Z-0700/jre'
```

```
Driver info: org.openqa.selenium.chrome.ChromeDriver
```

```
Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 83.0.4103.116, chrome: 83.0.4103.116, chromeOptions: {"args": ["--no-sandbox"], "binPath": "/usr/bin/google-chrome"}, javascriptEnabled: true, platform: 'LINUX', platformName: 'LINUX'}
```

```
Session ID: b860b929007ef43f5e7127f49d3398b4
```

```
*** Element info: {Using=xpath, value=//td[contains(text(),'rits.ciampru@prudential.com.sg')]/following-sibling::td[1]}
```

```
at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
```

```

at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorA
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingCons
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponse
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.ja
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.ja
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158
at org.openqa.selenium.remote.DriverCommandExecutor.execute(DriverCommandExecut
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19)
at com.pru.sales.portal.pages.TestBasePage.clickButton(TestBasePage.java:184)
at com.pru.sales.portal.utils.SalesMalinatorApi.clickEmailWithFromAndSubject(SalesMalinatorA
at com.pru.sales.portal.utils.SalesMalinatorApi.redJWTTokenFromEmail(SalesMalinatorApi.java
at com.pru.sales.portal.stepdef.EmailReadingSteps.redJWTTokenFromEmail(EmailReadingSteps
at .Given I read Agent registration email from "${agent.Email}" in Mailinator and get "${verify.e

```

**Output**

Mailinator url is https://www.mailinator.com/v3/index.jsp?zone=public&query=taf-173070322313

Then I verify email content is matching with "/testdata/\${sales.fe.lbu}/email\_template/agent\_registeration\_email.html"

When I navigate to the email verification link sent to agent

Then I verify following text is displayed on "Confirmation" page

Confirmation

And I verify following paragraph is displayed on "Confirmation" page

Your account has now been activated, please proceed to login page.

And I verify Proceed to login button is enabled

When I click on Proceed to login button

Then I verify following text is displayed on "Login" page

Welcome

And I close sales portal

When I launch to mailinator email "\${agent.Email}" on UI

And I wait for 10 sec

When I click on email with from "\${verify.email.from}" and subject "\${login.email.success}" on mailinator

Then I verify email content is matching with "/testdata/\${sales.fe.lbu}/email\_template/agent\_registeration\_email.html"

And I close sales portal



# Mailinator

✉️ Public Inboxes

📞 Public SMS

↑ Pricing

;leftarrow; Request Trial

☰ API Documentation

Did you Know?

Try our new (beta)  
Mailinator UI !

[Click Here](#)

Monetized by Skimlinks

[Terms & Conditions](#)

[Privacy Policy](#)

[Accessibility](#)

[FAQ](#)

[Security](#)

● ■ □

**public** inbox: taf-173070322313

X	From	Subject

**Security**

Copyright 2021 Manybrain, LLC.  
All Rights Reserved  
support@manybrain.com

**After**[Back to Table of Contents](#)**Scenario: verify the user should be prompted to login when already registered user is loaded in bulk upload**

Passed: 1

**Before****When I launch the agent registration URL****Output**

```
https://uat-sales.eb.prudential.com.my/identity/register/
```

**Then verify user is landed to agent registration page**

```
java.lang.AssertionError: User successfully landed to Agent Registration page. expected [true] but
at org.testng.Assert.fail(Assert.java:94)
at org.testng.Assert.failNotEquals(Assert.java:513)
at org.testng.Assert.assertTrue(Assert.java:42)
at com.pru.sales.portal.stepdef.AgentRegistrationSteps.verifyAgentRegistrationPage(AgentRegistrationSteps.java:11)
at .Then verify user is landed to agent registration page(features/AgentRegistration.feature:11)
```

```
And I assign "Agent123" to variable "AGENT_PASSWORD"
```

```
And I enter "${AGENT_PASSWORD}" password in create password field
```

```
And I enter "${AGENT_PASSWORD}" password in confirm password field
```

```
And I click on next button
```

```
Then I verify "Error: This account already exists" form validation error message is displayed
```



## Welcome

Enter your email address\*

Enter a password for your login\*




Login

[Forgot your password?](#)

---

[Contact Support](#)





After

[Back to Table of Contents](#)

### Scenario: Close from Sales Portal

Passed: 1

Before

And I close sales portal

After

[Back to Table of Contents](#)

## Feature: Validate the forgot password with valid and invalid condition

Passed: 2

### Scenario: Agent Registration using api

Passed: 7

Before

Given I assign "/testdata/\${sales.fe.lbu}/bulk\_user\_upload" to variable "testdata.path"

Output

Assigning value /testdata/my/bulk\_user\_upload to variable testdata.path

And I assign "\${testdata.path}/input/AgentReg\_Template.csv" to variable "INPUT\_PATH"

Output

Assigning value /testdata/my/bulk\_user\_upload/input/AgentReg\_Template.csv to variable INPUT\_PATH

And I assign "\${testdata.path}/output/Users.csv" to variable "OUTPUT\_PATH"

Output

Assigning value /testdata/my/bulk\_user\_upload/output/Users.csv to variable OUTPUT\_PATH

And I generate random number and assign to variable "RANDOM\_NUMBER"

Output

	Random number generated is :198										
<b>When I copy the csv template "\${INPUT_PATH}" and replace following variables in output path</b>											
	agent.Email taf-\${RANDOM_NUMBER}@mailinator.com										
<b>And I assign value to following variables</b>											
	GROUP_ID \${group.id}										
<b>And I upload the csv file "\${OUTPUT_PATH}" received from agent group "\${GROUP_ID}" using</b>											
<b>Then I verify File is uploaded successfully</b>											
<pre>com.prudential.tap.exception.TapException: Not able to convert Json string to jsonObject [&lt;html&gt; &lt;head&gt;&lt;title&gt;503 Service Temporarily Unavailable&lt;/title&gt;&lt;/head&gt; &lt;body&gt; &lt;center&gt;&lt;h1&gt;503 Service Temporarily Unavailable&lt;/h1&gt;&lt;/center&gt; &lt;hr&gt;&lt;center&gt;nginx/1.17.10&lt;/center&gt; &lt;/body&gt; &lt;/html&gt; ] at com.prudential.tap.filehandling.JsonReader.convertJsonStringToJsonObject(JsonReader.java:11) at com.pru.sales.api.stepdef.GraphQLSteps.verifyFileUploadSuccess(GraphQLSteps.java:67) at .Then I verify File is uploaded successfully(features/SalesForgotPassword.feature:16)</pre>											
<b>And I assign value to following variables</b>											
	<table border="1"> <tr> <td>JWT_TOKEN</td> <td> \${JWT_BLK_UPL} </td> </tr> <tr> <td>USER_EMAIL</td> <td> \${agent.Email} </td> </tr> <tr> <td>USER_PWD</td> <td> Agent123 </td> </tr> <tr> <td>CONSENT</td> <td> true </td> </tr> <tr> <td>ACCEPT</td> <td> true </td> </tr> </table>	JWT_TOKEN	\${JWT_BLK_UPL}	USER_EMAIL	\${agent.Email}	USER_PWD	Agent123	CONSENT	true	ACCEPT	true
JWT_TOKEN	\${JWT_BLK_UPL}										
USER_EMAIL	\${agent.Email}										
USER_PWD	Agent123										
CONSENT	true										
ACCEPT	true										
<b>And I launch the agent registration URL</b>											
<b>Then I verify following text is displayed on "Agent Registration" page</b>											
	\${agent.registration.text}										
<b>After</b>											
<a href="#">Back to Table of Contents</a>											
<b>Scenario: Verify agent registration flow - Setting up password</b>											
<b>Passed: 1</b>											
<b>Before</b>											
<b>Given I assign "Agent123" to variable "AGENT_PASSWORD"</b>											
Output											
	Assigning value Agent123 to variable AGENT_PASSWORD										
<b>When I enter "\${AGENT_PASSWORD}" password in create password field</b>											
<pre>org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit() Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'</pre>											

System info: host: 'eb-sme-backend-jenkinslave-v12-48t23-rqw35', ip: '10.153.105.0', os.name: 'Linux', os.arch: 'amd64', os.version: '5.4.0-72-generic', java.version: '11.0.11+9-Ubuntu-1ubuntu2', jre.version: '11.0.11+9-Ubuntu-1ubuntu2', vendor: 'Ubuntu', vendor.version: '20.04.2 LTS', file.encoding: 'UTF-8'  
 Driver info: driver.version: RemoteWebDriver  
 at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:125)  
 at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83)  
 at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)  
 at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)  
 at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:352)  
 at org.openqa.selenium.By\$ByXPath.findElement(By.java:353)  
 at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)  
 at com.prudential.tap.selenium.Commands\$12.executeCommand(Commands.java:116)  
 at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19)  
 at com.pru.sales.portal.pages.TestBasePage.setTextWithoutTab(TestBasePage.java:386)  
 at com.pru.sales.portal.pages.AgentRegistrationPage.enterCreatePassword(AgentRegistrationPage.java:110)  
 at com.pru.sales.portal.stepdef.AgentRegistrationSteps.enterCreatePassword(AgentRegistrationSteps.java:11)  
 at .When I enter "\${AGENT\_PASSWORD}" password in create password field(features/SalesForNewAgents.feature:11)

And I enter "\${AGENT\_PASSWORD}" password in confirm password field

And I click on next button

Then I verify following text is displayed on "Email Confirmation" page

`${agent.registration.text}`

And I verify following paragraph is displayed on "Email Confirmation" page

An email has been sent to

Please click on the link sent to your email address to verify your account and proceed to the login page.

And I wait for 10 sec

And I close sales portal

## After

[Back to Table of Contents](#)

### Scenario: Verify agent registration flow - Email Verification

Passed: 2

## Before

Given I assign "\${verify.email.from}" to variable "EMAIL\_FROM"

Output

Assigning value rits.ciampru@prudential.com.sg to variable EMAIL\_FROM

Given I assign "\${verify.email.subject}" to variable "EMAIL SUBJECT"

Output

Assigning value Prudential Enterprise Business Account E-mail Verification to variable EMAIL SUBJECT

Given I read Agent registration email from "\${agent.Email}" in Mailinator and get "\${verify.email.subject}"

org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method": "xpath", "selector": "(Session info: headless chrome=83.0.4103.116)"}

For documentation on this error, please visit: [http://seleniumhq.org/exceptions/no\\_such\\_element.html](http://seleniumhq.org/exceptions/no_such_element.html)  
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'  
System info: host: 'eb-sme-backend-jenkinslave-v12-48t23-rqw35', ip: '10.153.105.0', os.name: 'Linux', os.arch: 'amd64', os.version: '4.15.0-102-generic', java.version: '1.8.0\_191-b12', jre.version: '1.8.0\_191-b12', vendor: 'Oracle Corporation', vendor.version: 'Ubuntu 18.04.1 LTS', file.encoding: 'UTF-8'  
Driver info: org.openqa.selenium.chrome.ChromeDriver  
Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 83.0.4103.116, c...  
Session ID: 2129850f5e0954c0196cbfa9af39fcc9  
\*\*\* Element info: {Using=xpath, value=//td[contains(text(),'rits.ciampuru@prudential.com.sg')]/fol...  
at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)  
at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorA...  
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingCons...  
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)  
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCode...  
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:48)  
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:36)  
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)  
at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecut...  
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)  
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)  
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:350)  
at org.openqa.selenium.By\$ByXPath.findElement(By.java:353)  
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)  
at com.prudential.tap.selenium.Commands\$15.executeCommand(Commands.java:141)  
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19)  
at com.pru.sales.portal.pages.TestBasePage.clickButton(TestBasePage.java:184)  
at com.pru.sales.portal.utils.SalesMalinatorApi.clickEmailWithFromAndSubject(SalesMalinatorA...  
at com.pru.sales.portal.utils.SalesMalinatorApi.redJWTTokenFromEmail(SalesMalinatorApi.java:111)  
at com.pru.sales.portal.stepdef.EmailReadingSteps.redJWTTokenFromEmail(EmailReadingSteps.java:11...  
at .Given I read Agent registration email from "\${agent.Email}" in Mailinator and get "\${verify.e...



# Mailinator

✉️ Public Inboxes

📞 Public SMS

↑ Pricing

;leftarrow; Request Trial

☰ API Documentation

Did you Know?

Try our new (beta)  
Mailinator UI !

[Click Here](#)

Monetized by Skimlinks

[Terms & Conditions](#)

[Privacy Policy](#)

[Accessibility](#)

[FAQ](#)

[Security](#)

● II ⌂

**public** inbox: taf-198070322310

X	From	Subject

**Security**

Copyright 2021 Manybrain, LLC.  
All Rights Reserved  
support@manybrain.com

**Output**

Mailinator url is https://www.mailinator.com/v3/index.jsp?zone=public&query=taf-198070322310

**After**

[Back to Table of Contents](#)

**Scenario: Verify static text and elements on Forgot Password page in Sales Portal**

Passed: 1

**Before****When I navigate to the email verification link sent to agent****Output****Then I verify following text is displayed on "Confirmation" page**

**Confirmation**

**java.lang.AssertionError: The following asserts failed:**

Confirmation text is displayed on page Confirmation expected [true] but found [false]

at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)

at com.pru.sales.portal.stepdef.AgentRegistrationSteps.verifyMessageOnPage(AgentRegistrationS

at .Then I verify following text is displayed on "Confirmation" page(features/SalesForgotPassword

When I click on Proceed to login button

Then I verify following text is displayed on "Login" page

**\${agent.login.welcome.text}**

Given I click on the forgot password link from the login page

Then I verify following text is displayed on "Forgot your password" page

**\${agent.login.forgot.password.text}**

And I verify field label text on "Forgot your password" page

**\${agent.forgot.password.field.label.text}**

And I verify sample text in email field on "Forgot your password" page

**\${reset.password.email.id.field.sample.text}**

And I verify Return to login link text on Forgot your password page

And I verify following buttons are displayed on "Forgot your password"

**\${agent.contact.support.text}**

And I verify "\${submit.button.text}" button is "disabled"

---



# Mailinator

✉️ Public Inboxes

📞 Public SMS

↑ Pricing

;leftarrow; Request Trial

☰ API Documentation

**Did you Know?**

Try our new (beta)  
Mailinator UI !

[Click Here](#)

Monetized by Skimlinks

[Terms & Conditions](#)

[Privacy Policy](#)

[Accessibility](#)

[FAQ](#)

[Security](#)

● II ⌂

**public** inbox: taf-198070322310

X	From	Subject

Copyright 2021 Manybrain, LLC.  
All Rights Reserved  
[support@manybrain.com](mailto:support@manybrain.com)

## After

[Back to Table of Contents](#)

### **Scenario: Validate the return to the login link in Forgot your password page**

**Passed: 0**

## Before

**When I click on the Return to Login link in Forgot your password page**

```
org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method": "xpath", "selector": "//a[@href='/login'][text()='Return to login']"}
(Session info: headless chrome=83.0.4103.116)
For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'eb-sme-backend-jenkinslave-v12-48t23-rqw35', ip: '10.153.105.0', os.name: 'Linux', os.version: '4.15.0-102-generic', java.version: '11.0.11+9-Ubuntu-1ubuntu2'
Driver info: org.openqa.selenium.chrome.ChromeDriver
Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 83.0.4103.116, chrome: 83.0.4103.116, chromeOptions: {"args": ["--headless"], "binPath": "/usr/bin/google-chrome"}, javascriptEnabled: true, platform: 'ANY', platformName: 'ANY', platformVersion: 'ANY', proxy: null, setWindowRect: true, timeouts: {}, unhandledPromptBehavior: 'dismiss', unhandledAlertBehavior: 'dismiss'}
Session ID: 2129850f5e0954c0196cbfa9af39fcc9
*** Element info: {Using=xpath, value=//a[@href='/login'][text()='Return to login']}
at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:44)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:62)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:45)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)
at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:410)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19)
at com.pru.sales.portal.pages.TestBasePage.clickButton(TestBasePage.java:184)
at com.pru.sales.portal.pages.LoginPage.clickOnReturnToLoginLinkPresentOnForgotPasswordPage(LoginPage.java:110)
at com.pru.sales.portal.stepdef.LoginSteps.clickOnReturnToLoginLink(LoginSteps.java:255)
at .When I click on the Return to Login link in Forgot your password page(features/SalesForgotPassword.feature:11)
```

Then I verify following text is displayed on "Login" page

**agent.login.welcome.text**

When I click on the forgot password link from the login page

Then I verify the forgot password email text box is empty.



# Mailinator

✉️ Public Inboxes

📞 Public SMS

↑ Pricing

;leftarrow; Request Trial

☰ API Documentation

Did you Know?

Try our new (beta)  
Mailinator UI !

[Click Here](#)

Monetized by Skimlinks

[Terms & Conditions](#)

[Privacy Policy](#)

[Accessibility](#)

[FAQ](#)

[Security](#)

● II ⌂

**public** inbox: taf-198070322310

X	From	Subject

Copyright 2021 Manybrain, LLC.  
All Rights Reserved  
[support@manybrain.com](mailto:support@manybrain.com)

## After

[Back to Table of Contents](#)

**Scenario:** Verify the confirmation message on forgot password page when user enter valid email id

**Passed: 0**

## Before

When I enter email address "\${USER\_EMAIL}" in Forgot your password page

```
org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method": "xpath", "selector": "//input[@id='email']"}
(Session info: headless chrome=83.0.4103.116)
For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'eb-sme-backend-jenkinslave-v12-48t23-rqw35', ip: '10.153.105.0', os.name: 'Linux', os.version: '4.15.0-102-generic', java.version: '11.0.11+9-Ubuntu-1ubuntu2'
Driver info: org.openqa.selenium.chrome.ChromeDriver
Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 83.0.4103.116, chrome: 83.0.4103.116, chromeOptions: {"args": ["--start-maximized"], "extensions": []}, javascriptEnabled: true, platform: 'ANY', platformName: 'ANY', platformVersion: 'ANY', proxy: null, setWindowRect: true, timeouts: {}, unhandledPromptBehavior: 'dismiss', unhandledAlertBehavior: 'dismiss'}
Session ID: 2129850f5e0954c0196cbfa9af39fcc9
*** Element info: {Using=xpath, value=/input[@id='email']}
at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:40)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:60)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:46)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)
at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:404)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at com.prudential.tap.selenium.Commands$16.executeCommand(Commands.java:148)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19)
at com.pru.sales.portal.pages.TestBasePage.setText(TestBasePage.java:174)
at com.pru.sales.portal.pages.LoginPage.enterEmailAddressOnForgotPasswordPage(LoginPage.java:112)
at com.pru.sales.portal.stepdef.LoginSteps.enterEmailAdressInForgotPassword(LoginSteps.java:22)
at .When I enter email address "${USER_EMAIL}" in Forgot your password page(features/SalesPortal.feature:11)
```

## Output

And I verify "\${submit.button.text}" button is "enabled"

When I click on "\${submit.button.text}" button

Then I verify following text is displayed on "Forgot your password?" page

    \${agent.login.forgot.password.text}

And I verify email confirmation contains the agent email address as "\${USER\_EMAIL}"

And I verify following paragraph is displayed on "Email Confirmation" page

    \${reset.password.instruction.message.text}

And I verify link label text on "Forgot your password" page

    \${back.button.text}



# Mailinator

✉️ Public Inboxes

📞 Public SMS

↑ Pricing

;leftarrow; Request Trial

☰ API Documentation

**Did you Know?**

Try our new (beta)  
Mailinator UI !

[Click Here](#)

Monetized by Skimlinks

[Terms & Conditions](#)

[Privacy Policy](#)

[Accessibility](#)

[FAQ](#)

[Security](#)

● ■ □

**public** inbox: taf-198070322310

X	From	Subject

Copyright 2021 Manybrain, LLC.  
All Rights Reserved  
[support@manybrain.com](mailto:support@manybrain.com)

## After

[Back to Table of Contents](#)

## Scenario: Verify back button navigates user back to login page

**Passed: 0**

## Before

**And I click on "\${back.button.text}" link label**

```
org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method": "xpath", "selector": "//a[text()='Back']"}
(Session info: headless chrome=83.0.4103.116)
For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'eb-sme-backend-jenkinslave-v12-48t23-rqw35', ip: '10.153.105.0', os.name: 'Linux', os.version: '4.15.0-102-generic', java.version: '11.0.10+9-Ubuntu-0ubuntu1', jre.version: '11.0.10+9-Ubuntu-0ubuntu1', vendor: 'Ubuntu', vendor.version: '18.04.4 LTS', xpid: 'com.google.Chrome/83.0.4103.116'
Driver info: org.openqa.selenium.chrome.ChromeDriver
Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 83.0.4103.116, chrome: 83.0.4103.116, chromeOptions: {"args": ["--start-maximized"], "extensions": []}, javascriptEnabled: true, platform: 'ANY', platformName: 'ANY', platformVersion: 'ANY', proxy: null, setWindowRect: true, timeouts: {}, unhandledPromptBehavior: 'dismiss', unhandledAlertBehavior: 'dismiss'}
Session ID: 2129850f5e0954c0196cbfa9af39fcc9
*** Element info: {Using=xpath, value=//a[text()='Back']}
at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:39)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:62)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:42)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)
at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:410)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19)
at com.pru.sales.portal.pages.TestBasePage.clickButton(TestBasePage.java:184)
at com.pru.sales.portal.pages.AgentRegistrationPage.clickOnLinkLabel(AgentRegistrationPage.java:100)
at com.pru.sales.portal.stepdef.AgentRegistrationSteps.clickOnLinkLabel(AgentRegistrationSteps.java:10)
at And I click on "${back.button.text}" link label(features/SalesForgotPassword.feature:93)
```

And I verify following text is displayed on "Login" page

**agent.login.welcome.text**



# Mailinator

✉️ Public Inboxes

📞 Public SMS

↑ Pricing

;leftarrow; Request Trial

☰ API Documentation

Did you Know?

Try our new (beta)  
Mailinator UI !

[Click Here](#)

Monetized by Skimlinks

[Terms & Conditions](#)

[Privacy Policy](#)

[Accessibility](#)

[FAQ](#)

[Security](#)

● ■ □

**public** inbox: taf-198070322310

X	From	Subject

**Security**

Copyright 2021 Manybrain, LLC.  
All Rights Reserved  
support@manybrain.com

**After**[Back to Table of Contents](#)**Scenario: Close sales portal**

Passed: 1

**Before****And I close sales portal****After**[Back to Table of Contents](#)**Scenario: Verify reset password link is sent to user email account**

Passed: 3

**Before****Given I assign "\${reset.email.from}" to variable "EMAIL\_FROM"****Output**

Assigning value rits.ciampru@prudential.com.sg to variable EMAIL\_FROM

**Given I assign "\${reset.email.subject}" to variable "EMAIL SUBJECT"****Output**

Assigning value Prudential Enterprise Business Account Password Reset Request to variable EMAIL\_SUBJECT

**And I wait for 10 sec****Given I read Agent registration email from "\${agent.Email}" in Mailinator and get "\${reset.email}**

```
org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method": "xpath", "selector": "(//td[contains(text(),'rits.ciampru@prudential.com.sg')])[1]"}
(Session info: headless chrome=83.0.4103.116)
For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'eb-sme-backend-jenkinslave-v12-48t23-rqw35', ip: '10.153.105.0', os.name: 'Linux', os.version: '4.15.0-102-generic', java.version: '11.0.10+9-Ubuntu-0ubuntu1', jre.version: '11.0.10+9-Ubuntu-0ubuntu1', vendor: 'Ubuntu', vendor.version: '18.04.3 LTS', arch: 'amd64', os.arch: 'amd64', os.page大小: '4096', processor: 'Intel(R) Xeon(R) CPU E5-2620 v4 @ 2.10GHz', os.uname: 'Linux eb-sme-backend-jenkinslave-v12-48t23-rqw35 4.15.0-102-generic #102-Ubuntu SMP Tue May 1 14:04:26 UTC 2018 x86_64 x86_64 x86_64 GNU/Linux', java.home: '/usr/lib/jvm/java-11-openjdk-amd64', sun.java2d.renderer: 'Software'}
```

```
Driver info: org.openqa.selenium.chrome.ChromeDriver
Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 83.0.4103.116, chrome: {"version": "83.0.4103.116"}, chromeOptions: {"args": ["--no-sandbox"], "extensions": [], "prefs": {}}, javascriptEnabled: true, platform: "linux", platformName: "linux", platformVersion: "", setWindowRect: true, timeouts: {}, unhandledPromptBehavior: "accept", unhandledAlertBehavior: "accept"}, session ID: 7fcf9cff61879bb3bb3e0e1a402c85ce
*** Element info: {Using=xpath, value=//td[contains(text(),'rits.ciampru@prudential.com.sg')]/following-sibling::td[1]}
```

```
at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
```

```
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:97)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)
at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:352)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19)
at com.pru.sales.portal.pages.TestBasePage.clickButton(TestBasePage.java:184)
at com.pru.sales.portal.utils.SalesMalinatorApi.clickEmailWithFromAndSubject(SalesMalinatorApi.java:160)
at com.pru.sales.portal.utils.SalesMalinatorApi.redJWTTokenFromEmail(SalesMalinatorApi.java:140)
at com.pru.sales.portal.stepdef.EmailReadingSteps.redJWTTokenFromEmail(EmailReadingSteps.java:25)
at .Given I read Agent registration email from "${agent.Email}" in Mailinator and get "${reset.email}"
```

**Output**

Mailinator url is https://www.mailinator.com/v3/index.jsp?zone=public&query=taf-198070322310

Then I verify email content is matching with "/testdata/\${sales.fe.lbu}/email\_template/agent\_registration\_email\_content.html"

When I navigate to the reset password link sent to agent

Then I verify following text is displayed on "Password Reset" page

\${reset.password.label.text}
\${agent.password.rule.text}

And I verify field label text on "Password Reset" page

\${agent.create.password.text}
--------------------------------

And I verify "\${reset.password.button.text}" button is "disabled"

And I verify following buttons are displayed on "Forgot your password"

\${agent.contact.support.text}
--------------------------------



# Mailinator

✉️ Public Inboxes

📞 Public SMS

↑ Pricing

;leftarrow; Request Trial

☰ API Documentation

**Did you Know?**

Try our new (beta)  
Mailinator UI !

[Click Here](#)

Monetized by Skimlinks

[Terms & Conditions](#)

[Privacy Policy](#)

[Accessibility](#)

[FAQ](#)

[Security](#)

● II ⌂

**public** inbox: taf-198070322310

X	From	Subject

**Security**

Copyright 2021 Manybrain, LLC.  
All Rights Reserved  
support@manybrain.com

**After**[Back to Table of Contents](#)**Scenario: Validate mask and unmask functionality for create and confirm password field**

Passed: 0

**Before**

**And I verify the Password entered is masked**

```
org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method": "xpath", "selector": "(Session info: headless chrome=83.0.4103.116)"}
For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'eb-sme-backend-jenkinslave-v12-48t23-rqw35', ip: '10.153.105.0', os.name: 'Linux', os.version: '4.15.0-102-generic', java.version: '11.0.11+9-Ubuntu-1ubuntu2', jre.version: '11.0.11+9-Ubuntu-1ubuntu2', vendor: 'Ubuntu', vendor.version: '18.04.4 LTS (Bionic Beaver)', arch: 'amd64', totalMemory: 83886080, freeMemory: 78352000
Driver info: org.openqa.selenium.chrome.ChromeDriver
Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 83.0.4103.116, chrome: {"version": "83.0.4103.116", "platform": "L..."}, goog:chromeOptions: {"args": ["--start-maximized"], "extensions": []}, javascriptEnabled: true, platform: "L..."}, session ID: 7fcb9cff61879bb3bb3e0e1a402c85ce
*** Element info: {Using=xpath, value=//input[@id="password"]}
at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:40)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:60)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:45)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)
at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:400)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at com.prudential.tap.selenium.Commands$22.executeCommand(Commands.java:201)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19)
at com.pru.sales.portal.pages.TestBasePage.getAttributeValue(TestBasePage.java:306)
at com.pru.sales.portal.pages.LoginPage.getPasswordFieldAttribute(LoginPage.java:99)
at com.pru.sales.portal.stepdef.LoginSteps.verifyPasswordIsMasked(LoginSteps.java:118)
at .And I verify the Password entered is masked(features/SalesForgotPassword.feature:148)
```

**When I click on the eye icon for Create Password field**

**Then I validate the password should display without encrypted**

**When I click on the eye icon for Confirm Password field**

**Then I validate the confirm password should display without encrypted**



# Mailinator

✉️ Public Inboxes

📞 Public SMS

↑ Pricing

;leftarrow; Request Trial

☰ API Documentation

---

Did you Know?

Try our new (beta)  
Mailinator UI !

[Click Here](#)

Monetized by Skimlinks

[Terms & Conditions](#)

[Privacy Policy](#)

[Accessibility](#)

[FAQ](#)

[Security](#)

● ■ □

**public** inbox: taf-198070322310

X	From	Subject

**Security**

Copyright 2021 Manybrain, LLC.  
All Rights Reserved  
support@manybrain.com

**After**[Back to Table of Contents](#)**Scenario Outline: verify that the reset password button is enabled only when agent entered the correct password**

Passed: 0

**Before****When I enter "Agent" password in create password field**

```
org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method": "xpath", "selector": "(Session info: headless chrome=83.0.4103.116)"}  
For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html  
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'  
System info: host: 'eb-sme-backend-jenkinslave-v12-48t23-rqw35', ip: '10.153.105.0', os.name: 'Linux', os.arch: 'amd64', os.version: '4.15.0-102-generic', java.version: '11.0.11+9-Ubuntu-1ubuntu2', jre.version: '11.0.11+9-Ubuntu-1ubuntu2', vendor: 'Ubuntu', vendor.version: '18.04.4 LTS (Bionic Beaver)', https://www.ubuntu.com', file.encoding: 'UTF-8'  
Driver info: org.openqa.selenium.chrome.ChromeDriver  
Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 83.0.4103.116, chrome: {version: 83.0.4103.116, platform: LINUX}, javascriptEnabled: true, moz:profile: /tmp/rust_mozprofile1q...}, pageLoadStrategy: normal, platform: LINUX, platformName: LINUX, platformVersion: 4.15.0-102-generic, proxy: {}, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss, unhandledAlertBehavior: dismiss, webauthn: {allowInsecureTransport: false, requireHmac: false}, webkit: {}  
Session ID: 7fcb9cff61879bb3bb3e0e1a402c85ce  
*** Element info: {Using=xpath, value=//input[@id='password']}  
at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)  
at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:49)  
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)  
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:62)  
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)  
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:45)  
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)  
at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83)  
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)  
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)  
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:800)  
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)  
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)  
at com.prudential.tap.selenium.Commands$12.executeCommand(Commands.java:116)  
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19)  
at com.pru.sales.portal.pages.TestBasePage.setTextWithoutTab(TestBasePage.java:386)  
at com.pru.sales.portal.pages.AgentRegistrationPage.enterCreatePassword(AgentRegistrationPage.java:110)  
at com.pru.sales.portal.stepdef.AgentRegistrationSteps.enterCreatePassword(AgentRegistrationSteps.java:11)  
at .When I enter "Agent" password in create password field(features/SalesForgotPassword.feature:11)
```

**And I enter "Agent" password in confirm password field****And I verify "\${reset.password.button.text}" button is "disabled"**



# Mailinator

✉️ Public Inboxes

📞 Public SMS

↑ Pricing

;leftarrow; Request Trial

☰ API Documentation

**Did you Know?**

Try our new (beta)  
Mailinator UI !

[Click Here](#)

Monetized by Skimlinks

[Terms & Conditions](#)

[Privacy Policy](#)

[Accessibility](#)

[FAQ](#)

[Security](#)

● II ⌂

**public** inbox: taf-198070322310

X	From	Subject

**Security**

Copyright 2021 Manybrain, LLC.  
All Rights Reserved  
support@manybrain.com

**After**[Back to Table of Contents](#)**Scenario Outline: verify that the reset password button is enabled only when agent entered the correct password**

Passed: 0

**Before**

**When I enter "Agent123" password in create password field**

```
org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method": "xpath", "selector": "//input[@id='password']"}
(Session info: headless chrome=83.0.4103.116)
For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'eb-sme-backend-jenkinslave-v12-48t23-rqw35', ip: '10.153.105.0', os.name: 'Linux', os.version: '4.15.0-102-generic', java.version: '11.0.10+9-Ubuntu-0ubuntu1', jre.version: '11.0.10+9-Ubuntu-0ubuntu1', vendor: 'Ubuntu', vendor.version: '18.04.4 LTS (Bionic Beaver)', arch: 'amd64', totalMemory: 8192000000, freeMemory: 780000000
Driver info: org.openqa.selenium.chrome.ChromeDriver
Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 83.0.4103.116, chrome: {"version": "83.0.4103.116", "platform": "LINUX"}, chromeOptions: {"args": ["--start-maximized"], "extensions": []}, javascriptEnabled: true, platform: "LINUX", platformName: "Linux", platformVersion: "", setWindowRect: true, timeouts: {}, unhandledPromptBehavior: "dismiss", webauthn: {}, webkit: {}, webkitMouseEvents: {}}
Session ID: 7fcb9cff61879bb3bb3e0e1a402c85ce
*** Element info: {Using=xpath, value=//input[@id='password']}
at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:40)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:62)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:45)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)
at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:800)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at com.prudential.tap.selenium.Commands$12.executeCommand(Commands.java:116)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19)
at com.pru.sales.portal.pages.TestBasePage.setTextWithoutTab(TestBasePage.java:386)
at com.pru.sales.portal.pages.AgentRegistrationPage.enterCreatePassword(AgentRegistrationPage.java:100)
at com.pru.sales.portal.stepdef.AgentRegistrationSteps.enterCreatePassword(AgentRegistrationSteps.java:14)
at .When I enter "Agent123" password in create password field(features/SalesForgotPassword.feature:11)
```

**And I enter "" password in confirm password field**

**And I verify "{\$reset.password.button.text}" button is "disabled"**



# Mailinator

✉️ Public Inboxes

📞 Public SMS

↑ Pricing

;leftarrow; Request Trial

☰ API Documentation

**Did you Know?**

Try our new (beta)  
Mailinator UI !

[Click Here](#)

Monetized by Skimlinks

[Terms & Conditions](#)

[Privacy Policy](#)

[Accessibility](#)

[FAQ](#)

[Security](#)

● II ⌂

**public** inbox: taf-198070322310

X	From	Subject

**Security**

Copyright 2021 Manybrain, LLC.  
All Rights Reserved  
support@manybrain.com

**After**[Back to Table of Contents](#)**Scenario Outline: verify that the reset password button is enabled only when agent entered the correct password**

Passed: 0

**Before**

**When I enter "Agent123" password in create password field**

```
org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method": "xpath", "selector": "(Session info: headless chrome=83.0.4103.116)"}  
For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html  
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'  
System info: host: 'eb-sme-backend-jenkinslave-v12-48t23-rqw35', ip: '10.153.105.0', os.name: 'Linux', os.arch: 'amd64', os.version: '4.15.0-102-generic', java.version: '11.0.11+9-Ubuntu-1ubuntu2', jre.version: '11.0.11+9-Ubuntu-1ubuntu2', vendor: 'Ubuntu', vendor.version: '18.04.4 LTS (Bionic Beaver)', https://www.ubuntu.com', file.encoding: 'UTF-8'  
Driver info: org.openqa.selenium.chrome.ChromeDriver  
Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 83.0.4103.116, chrome: {version: 83.0.4103.116, platform: LINUX}, javascriptEnabled: true, moz:profile: /tmp/rust_mozprofile1JLqf, pageLoadStrategy: normal, platform: LINUX, platformName: Linux, platformVersion: 4.15.0-102-generic, proxy: {}, se:chromeOptions: {args: [], prefs: {}}, se:webdriver: {args: [], prefs: {}}, strictFileInteractions: false}  
Session ID: 7fcf9cff61879bb3bb3e0e1a402c85ce  
*** Element info: {Using=xpath, value=//input[@id='password']}  
at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)  
at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:49)  
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)  
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:62)  
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)  
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:45)  
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)  
at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83)  
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)  
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)  
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:800)  
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)  
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)  
at com.prudential.tap.selenium.Commands$12.executeCommand(Commands.java:116)  
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19)  
at com.pru.sales.portal.pages.TestBasePage.setTextWithoutTab(TestBasePage.java:386)  
at com.pru.sales.portal.pages.AgentRegistrationPage.enterCreatePassword(AgentRegistrationPage.java:110)  
at com.pru.sales.portal.stepdef.AgentRegistrationSteps.enterCreatePassword(AgentRegistrationSteps.java:11)  
at .When I enter "Agent123" password in create password field(features/SalesForgotPassword.feature:11)
```

**And I enter "Agent" password in confirm password field**

**And I verify "\${reset.password.button.text}" button is "disabled"**



# Mailinator

✉️ Public Inboxes

📞 Public SMS

↑ Pricing

;leftarrow; Request Trial

☰ API Documentation

Did you Know?

Try our new (beta)  
Mailinator UI !

[Click Here](#)

Monetized by Skimlinks

[Terms & Conditions](#)

[Privacy Policy](#)

[Accessibility](#)

[FAQ](#)

[Security](#)

public inbox: taf-198070322310

X	From	Subject

**Security**

Copyright 2021 Manybrain, LLC.  
All Rights Reserved  
support@manybrain.com

**After**[Back to Table of Contents](#)**Scenario Outline: verify that the reset password button is enabled only when agent entered the correct password**

Passed: 0

**Before**

**When I enter "" password in create password field**

```
org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method": "xpath", "selector": "//input[@id='password']"}
(Session info: headless chrome=83.0.4103.116)
For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'eb-sme-backend-jenkinslave-v12-48t23-rqw35', ip: '10.153.105.0', os.name: 'Linux', os.version: '4.15.0-102-generic', java.version: '11.0.10+9-Ubuntu-0ubuntu1', jre.version: '11.0.10+9-Ubuntu-0ubuntu1', vendor: 'Ubuntu', vendor.version: '18.04.4 LTS (Bionic Beaver)', arch: 'amd64', totalMemory: 8192000000, freeMemory: 780000000
Driver info: org.openqa.selenium.chrome.ChromeDriver
Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 83.0.4103.116, chrome: {"version": "83.0.4103.116", "platform": "L..."}, javascriptEnabled: true, moz:profile: /tmp/rust_mozprofile...}, pageLoadStrategy: normal, platform: 'L...inux', platformVersion: '4.15.0-102-generic', proxy: null, setWindowRect: true, strictFileInteractability: false, timeouts: {}, unhandledPromptBehavior: '...', webauthn: {allowInsecureTransport: false, requireHmac: false}, webgl: {contextAttributes: {}, contextType: '...'}, webSocketDebuggerAvailable: true}
Session ID: 7fcb9cff61879bb3bb3e0e1a402c85ce
*** Element info: {Using=xpath, value=//input[@id='password']}
at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorA...
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingCons...
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCode...
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:46)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)
at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecut...
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:800)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at com.prudential.tap.selenium.Commands$12.executeCommand(Commands.java:116)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19)
at com.pru.sales.portal.pages.TestBasePage.setTextWithoutTab(TestBasePage.java:386)
at com.pru.sales.portal.pages.AgentRegistrationPage.enterCreatePassword(AgentRegistrationPage.java:115)
at com.pru.sales.portal.stepdef.AgentRegistrationSteps.enterCreatePassword(AgentRegistrationSteps.java:155)
at .When I enter "" password in create password field(features/SalesForgotPassword.feature:155)
```

**And I enter "Agent123" password in confirm password field**

**And I verify "\${reset.password.button.text}" button is "disabled"**



# Mailinator

✉️ Public Inboxes

📞 Public SMS

↑ Pricing

;leftarrow; Request Trial

☰ API Documentation

**Did you Know?**

Try our new (beta)  
Mailinator UI !

[Click Here](#)

Monetized by Skimlinks

[Terms & Conditions](#)

[Privacy Policy](#)

[Accessibility](#)

[FAQ](#)

[Security](#)

● II ⌂

**public** inbox: taf-198070322310

X	From	Subject

**Security**

Copyright 2021 Manybrain, LLC.  
All Rights Reserved  
support@manybrain.com

**After**[Back to Table of Contents](#)**Scenario: verify Agent should be able to reset the password for sales portal**

Passed: 1

**Before****Given I assign "Agent124" to variable "AGENT\_NEW\_PASSWORD"****Output**

Assigning value Agent124 to variable AGENT\_NEW\_PASSWORD

**When I enter "\${AGENT\_NEW\_PASSWORD}" password in create password field**

```
org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method": "xpath", "selector": "//input[@id='password']"}
(Session info: headless chrome=83.0.4103.116)
For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'eb-sme-backend-jenkinslave-v12-48t23-rqw35', ip: '10.153.105.0', os.name: 'Linux', os.version: '4.15.0-102-generic', java.version: '11.0.11+9-Ubuntu-1ubuntu2', jre.version: '11.0.11+9-Ubuntu-1ubuntu2', vendor: 'Ubuntu', vendor.version: '18.04.4 LTS', xpid: 'com.google.Chrome/83.0.4103.116'}
```

```
Driver info: org.openqa.selenium.chrome.ChromeDriver
Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 83.0.4103.116, chrome: {"version": "83.0.4103.116", "platform": "Linux"}, javascriptEnabled: true, platform: "linux", platformName: "linux", proxy: null, se: {"host": "eb-sme-backend-jenkinslave-v12-48t23-rqw35", "port": 4444}, setWindowRect: true, timeouts: {}, unhandledPromptBehavior: "dismiss", unexpectedAlertBehaviour: "dismiss", webauthn: {allowInsecure: false, requireHmac: false}, webgl: false}
Session ID: 7fcb9cff61879bb3bb3e0e1a402c85ce
```

```
*** Element info: {Using=xpath, value=//input[@id='password']}
at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:40)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:99)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)
at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:404)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at com.prudential.tap.selenium.Commands$12.executeCommand(Commands.java:116)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19)
at com.pru.sales.portal.pages.TestBasePage.setTextWithoutTab(TestBasePage.java:386)
at com.pru.sales.portal.pages.AgentRegistrationPage.enterCreatePassword(AgentRegistrationPage.java:104)
at com.pru.sales.portal.stepdef.AgentRegistrationSteps.enterCreatePassword(AgentRegistrationSteps.java:25)
at .When I enter "${AGENT_NEW_PASSWORD}" password in create password field(features/SalesPortal.feature:11)
```

And I enter "\${AGENT_NEW_PASSWORD}" password in confirm password field				
And I verify "\${reset.password.button.text}" button is "enabled"				
And I click on "\${reset.password.button.text}" button				
And I verify following text is displayed on "Password Reset" page				
<table border="1"><tr><td>    \${reset.password.label.text}</td></tr><tr><td>    \${reset.password.confirmation.message.text}</td></tr></table>	\${reset.password.label.text}	\${reset.password.confirmation.message.text}		
\${reset.password.label.text}				
\${reset.password.confirmation.message.text}				
Then I verify "\${agent.proceed.login.text}" button is "enabled"				
And I verify following buttons are displayed on "Forgot your password"				
<table border="1"><tr><td>    \${agent.contact.support.text}</td></tr></table>	\${agent.contact.support.text}			
\${agent.contact.support.text}				
Then I click on Proceed to login button				
Then I verify following text is displayed on "Welcome" page				
<table border="1"><tr><td>    \${agent.login.welcome.text}</td></tr></table>	\${agent.login.welcome.text}			
\${agent.login.welcome.text}				
When I enter username and password in Sales portal Login page				
<table border="1"><tr><td>UserName</td><td>    \${USER_EMAIL}</td></tr><tr><td>Password</td><td>    \${AGENT_NEW_PASSWORD}</td></tr></table>	UserName	\${USER_EMAIL}	Password	\${AGENT_NEW_PASSWORD}
UserName	\${USER_EMAIL}			
Password	\${AGENT_NEW_PASSWORD}			
And I click on Login button				
And I enter the verification code if page appears for agent "\${USER_EMAIL}"				
Then I verify "\${welcome.to.prudential}" screen is displayed				



# Mailinator

✉️ Public Inboxes

📞 Public SMS

↑ Pricing

;leftarrow; Request Trial

☰ API Documentation

Did you Know?

Try our new (beta)  
Mailinator UI !

[Click Here](#)

Monetized by Skimlinks

[Terms & Conditions](#)

[Privacy Policy](#)

[Accessibility](#)

[FAQ](#)

[Security](#)

● II ⌂

**public** inbox: taf-198070322310

X	From	Subject

**Security**

Copyright 2021 Manybrain, LLC.  
All Rights Reserved  
support@manybrain.com

**After**[Back to Table of Contents](#)**Scenario: verify Agent should be able to logout and Login back with the new/reset password**

Passed: 0

**Before****When I Logout of the sales portal**

```
org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method": "xpath", "selector": "(Session info: headless chrome=83.0.4103.116)"}
For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'eb-sme-backend-jenkinslave-v12-48t23-rqw35', ip: '10.153.105.0', os.name: 'Linux', os.version: '4.15.0-102-generic', java.version: '11.0.11+9-Ubuntu-1ubuntu2', jre.version: '11.0.11+9-Ubuntu-1ubuntu2', vendor: 'Ubuntu', vendor.version: '18.04.4 LTS (Bionic Beaver)', arch: 'amd64', totalMemory: 1073741824, freeMemory: 805294400
Driver info: org.openqa.selenium.chrome.ChromeDriver
Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 83.0.4103.116, chrome: {"version": "83.0.4103.116", "platform": "L..."}, javascriptEnabled: true, pageLoadStrategy: normal, platform: "L..."}, session ID: 7fcb9cff61879bb3bb3e0e1a402c85ce
*** Element info: {Using=xpath, value=//a/span[text()="Logout"]}
at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:40)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:60)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:45)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)
at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:400)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19)
at com.pru.sales.portal.pages.TestBasePage.clickButton(TestBasePage.java:184)
at com.pru.sales.portal.pages.TestBasePage.clickButtonBasedOnBrowser(TestBasePage.java:927)
at com.pru.sales.portal.pages.HomePage.clickLogoutButton(HomePage.java:230)
at com.pru.sales.portal.stepdef.HomeSteps.clickLogoutButton(HomeSteps.java:32)
at .When I Logout of the sales portal(features/SalesForgotPassword.feature:189)
```

**When I enter username and password in Sales portal Login page**

UserName	\${USER_EMAIL}
Password	\${AGENT_NEW_PASSWORD}

**And I click on Login button****And I enter the verification code if page appears for agent "\${USER\_EMAIL}"**

Then I verify "\${welcome.to.prudential}" screen is displayed



# Mailinator

✉️ Public Inboxes

📞 Public SMS

↑ Pricing

;leftarrow; Request Trial

☰ API Documentation

Did you Know?

Try our new (beta)  
Mailinator UI !

[Click Here](#)

Monetized by Skimlinks

[Terms & Conditions](#)

[Privacy Policy](#)

[Accessibility](#)

[FAQ](#)

[Security](#)

● II ⌂

**public** inbox: taf-198070322310

X	From	Subject

Security	Copyright 2021 Manybrain, LLC. All Rights Reserved support@manybrain.com				
<b>After</b>					
<a href="#">Back to Table of Contents</a>					
<b>Scenario: Close from Sales Portal</b>					
Passed: 1					
<b>Before</b>					
And I close sales portal					
<b>After</b>					
<a href="#">Back to Table of Contents</a>					
<b>Feature: Verify the homepage for Agent ID, Navigation bar &amp; Toggle bar</b>					
Passed: 20					
<b>Scenario: Verify the agent ID is displayed on home page</b>					
Passed: 7					
<b>Before</b>					
Given Launch sales portal					
Output					
<pre>https://uat-sales.eb.prudential.com.my/</pre>					
<b>And I assign value to following variables</b>					
<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="padding: 2px;">Agent_Email</td><td style="padding: 2px;">\${agent.email.id.global}</td></tr> <tr> <td style="padding: 2px;">Agent_Password</td><td style="padding: 2px;">\${agent.password}</td></tr> </table>		Agent_Email	\${agent.email.id.global}	Agent_Password	\${agent.password}
Agent_Email	\${agent.email.id.global}				
Agent_Password	\${agent.password}				
<b>When I Login to Sales Portal with below details</b>					
<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="padding: 2px;">UserName</td><td style="padding: 2px;">\${Agent_Email}</td></tr> <tr> <td style="padding: 2px;">Password</td><td style="padding: 2px;">\${Agent_Password}</td></tr> </table>		UserName	\${Agent_Email}	Password	\${Agent_Password}
UserName	\${Agent_Email}				
Password	\${Agent_Password}				
And I enter the verification code if page appears for agent "\${Agent_Email}"					
And I verify "English" language is selected by default based on LBU					
Then I toggle the language button as required					
Then I verify "\${welcome.to.prudential}" screen is displayed					
<b>After</b>					
<a href="#">Back to Table of Contents</a>					
<b>Scenario: Verify the Toggle bar on the home page</b>					
Passed: 3					
<b>Before</b>					
Given The toggle bar is present at left side of the page					
Then I verify the presence of following toggle bar items					
<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 25%;"></td> <td style="width: 25%;"></td> <td style="width: 25%;"></td> <td style="width: 25%;"></td> </tr> </table>					

New Quote	\${toggleBarItem.newQuote.label}
Information	\${toggleBarItem.information.label}
Quotes	\${toggleBarItem.quotes.label}
Documents	\${toggleBarItem.documents.label}
Support	\${toggleBarItem.support.label}
Logout	\${toggleBarItem.logOut.label}
Profile	\${toggleBarItem.profile.label}
Toggle SideBar	\${toggleBarItem.toggleSidebar.label}

Then I verify following language options are available on toggle bar based on the LBU

    \${language.selection.options}

After

[Back to Table of Contents](#)

Scenario Outline: I verify the navigation to the New Quote page and verify that user is landed on New Quote page

Passed: 4

Before

Given I click on "New Quote" Link

And verify the user is landed on "New Quote" page

Then I verify the presence of following toggle bar items

Toggle SideBar	\${toggleBarItem.toggleSidebar.label}
New Quote	\${toggleBarItem.newQuote.label}
Information	\${toggleBarItem.information.label}
Quotes	\${toggleBarItem.quotes.label}
Documents	\${toggleBarItem.documents.label}
Support	\${toggleBarItem.support.label}
Logout	\${toggleBarItem.logOut.label}
Profile	\${toggleBarItem.profile.label}

Then I verify following language options are available on toggle bar based on the LBU

    \${language.selection.options}

After

[Back to Table of Contents](#)

Scenario Outline: I verify the navigation to the Quotes page and verify that user is landed on Quotes page

Passed: 4

Before

Given I click on "Quotes" Link

And verify the user is landed on "Quotes" page

Then I verify the presence of following toggle bar items

Toggle SideBar	\${toggleBarItem.toggleSidebar.label}
New Quote	\${toggleBarItem.newQuote.label}
Information	\${toggleBarItem.information.label}
Quotes	\${toggleBarItem.quotes.label}
Documents	\${toggleBarItem.documents.label}
Support	\${toggleBarItem.support.label}
Logout	\${toggleBarItem.logOut.label}

	<b>Profile</b>	<code> \${toggleBarItem.profile.label}</code>
<b>Then I verify following language options are available on toggle bar based on the LBU</b>		
		<code> \${language.selection.options}</code>

**After**[Back to Table of Contents](#)**Scenario Outline: I verify the navigation to the Documents page and verify that user is landed on Doc**

Passed: 4

**Before****Given I click on "Documents" Link****And verify the user is landed on "Documents" page****Then I verify the presence of following toggle bar items**

<b>Toggle SideBar</b>	<code> \${toggleBarItem.toggleSidebar.label}</code>
<b>New Quote</b>	<code> \${toggleBarItem.newQuote.label}</code>
<b>Information</b>	<code> \${toggleBarItem.information.label}</code>
<b>Quotes</b>	<code> \${toggleBarItem.quotes.label}</code>
<b>Documents</b>	<code> \${toggleBarItem.documents.label}</code>
<b>Support</b>	<code> \${toggleBarItem.support.label}</code>
<b>Logout</b>	<code> \${toggleBarItem.logOut.label}</code>
<b>Profile</b>	<code> \${toggleBarItem.profile.label}</code>

**Then I verify following language options are available on toggle bar based on the LBU** `${language.selection.options}`**After**[Back to Table of Contents](#)**Scenario Outline: I verify the navigation to the Get Help page and verify that user is landed on Get H**

Passed: 4

**Before****Given I click on "Get Help" Link****And verify the user is landed on "Get Help" page****Then I verify the presence of following toggle bar items**

<b>Toggle SideBar</b>	<code> \${toggleBarItem.toggleSidebar.label}</code>
<b>New Quote</b>	<code> \${toggleBarItem.newQuote.label}</code>
<b>Information</b>	<code> \${toggleBarItem.information.label}</code>
<b>Quotes</b>	<code> \${toggleBarItem.quotes.label}</code>
<b>Documents</b>	<code> \${toggleBarItem.documents.label}</code>
<b>Support</b>	<code> \${toggleBarItem.support.label}</code>
<b>Logout</b>	<code> \${toggleBarItem.logOut.label}</code>
<b>Profile</b>	<code> \${toggleBarItem.profile.label}</code>

**Then I verify following language options are available on toggle bar based on the LBU** `${language.selection.options}`**After**[Back to Table of Contents](#)**Scenario Outline: I verify the navigation to the Agent Profile page and verify that user is landed on A**

Passed: 4

<b>Before</b>																		
<p><b>Given I click on "Agent Profile" Link</b></p> <p><b>And verify the user is landed on "Agent Profile" page</b></p> <p><b>Then I verify the presence of following toggle bar items</b></p> <table border="1"> <tr><td>Toggle SideBar</td><td> \${toggleBarItem.toggleSidebar.label}</td></tr> <tr><td>New Quote</td><td> \${toggleBarItem.newQuote.label}</td></tr> <tr><td>Information</td><td> \${toggleBarItem.information.label}</td></tr> <tr><td>Quotes</td><td> \${toggleBarItem.quotes.label}</td></tr> <tr><td>Documents</td><td> \${toggleBarItem.documents.label}</td></tr> <tr><td>Support</td><td> \${toggleBarItem.support.label}</td></tr> <tr><td>Logout</td><td> \${toggleBarItem.logOut.label}</td></tr> <tr><td>Profile</td><td> \${toggleBarItem.profile.label}</td></tr> </table> <p><b>Then I verify following language options are available on toggle bar based on the LBU</b></p> <table border="1"> <tr><td> \${language.selection.options}</td></tr> </table>		Toggle SideBar	\${toggleBarItem.toggleSidebar.label}	New Quote	\${toggleBarItem.newQuote.label}	Information	\${toggleBarItem.information.label}	Quotes	\${toggleBarItem.quotes.label}	Documents	\${toggleBarItem.documents.label}	Support	\${toggleBarItem.support.label}	Logout	\${toggleBarItem.logOut.label}	Profile	\${toggleBarItem.profile.label}	\${language.selection.options}
Toggle SideBar	\${toggleBarItem.toggleSidebar.label}																	
New Quote	\${toggleBarItem.newQuote.label}																	
Information	\${toggleBarItem.information.label}																	
Quotes	\${toggleBarItem.quotes.label}																	
Documents	\${toggleBarItem.documents.label}																	
Support	\${toggleBarItem.support.label}																	
Logout	\${toggleBarItem.logOut.label}																	
Profile	\${toggleBarItem.profile.label}																	
\${language.selection.options}																		
<b>After</b>																		
<p><a href="#">Back to Table of Contents</a></p> <p><b>Scenario Outline: I verify the navigation to the Information page and verify that user is landed on Inf</b></p> <p>Passed: 4</p>																		
<b>Before</b>																		
<p><b>Given I click on "Information" Link</b></p> <p><b>And verify the user is landed on "Information" page</b></p> <p><b>Then I verify the presence of following toggle bar items</b></p> <table border="1"> <tr><td>Toggle SideBar</td><td> \${toggleBarItem.toggleSidebar.label}</td></tr> <tr><td>New Quote</td><td> \${toggleBarItem.newQuote.label}</td></tr> <tr><td>Information</td><td> \${toggleBarItem.information.label}</td></tr> <tr><td>Quotes</td><td> \${toggleBarItem.quotes.label}</td></tr> <tr><td>Documents</td><td> \${toggleBarItem.documents.label}</td></tr> <tr><td>Support</td><td> \${toggleBarItem.support.label}</td></tr> <tr><td>Logout</td><td> \${toggleBarItem.logOut.label}</td></tr> <tr><td>Profile</td><td> \${toggleBarItem.profile.label}</td></tr> </table> <p><b>Then I verify following language options are available on toggle bar based on the LBU</b></p> <table border="1"> <tr><td> \${language.selection.options}</td></tr> </table>		Toggle SideBar	\${toggleBarItem.toggleSidebar.label}	New Quote	\${toggleBarItem.newQuote.label}	Information	\${toggleBarItem.information.label}	Quotes	\${toggleBarItem.quotes.label}	Documents	\${toggleBarItem.documents.label}	Support	\${toggleBarItem.support.label}	Logout	\${toggleBarItem.logOut.label}	Profile	\${toggleBarItem.profile.label}	\${language.selection.options}
Toggle SideBar	\${toggleBarItem.toggleSidebar.label}																	
New Quote	\${toggleBarItem.newQuote.label}																	
Information	\${toggleBarItem.information.label}																	
Quotes	\${toggleBarItem.quotes.label}																	
Documents	\${toggleBarItem.documents.label}																	
Support	\${toggleBarItem.support.label}																	
Logout	\${toggleBarItem.logOut.label}																	
Profile	\${toggleBarItem.profile.label}																	
\${language.selection.options}																		
<b>After</b>																		
<p><a href="#">Back to Table of Contents</a></p> <p><b>Scenario: Verify the Navigation bar on the New Quote page</b></p> <p>Passed: 3</p>																		
<b>Before</b>																		
<p><b>Given I click on Create Quote Link</b></p> <p><b>Then I accept disclaimer if present for new quote</b></p> <p><b>Then I verify the presence of following navigation bar items</b></p> <table border="1"> <tr><td> \${selectPlan.tab.text}</td></tr> <tr><td> \${employee.tab.text}</td></tr> <tr><td> \${company.tab.text}</td></tr> </table>		\${selectPlan.tab.text}	\${employee.tab.text}	\${company.tab.text}														
\${selectPlan.tab.text}																		
\${employee.tab.text}																		
\${company.tab.text}																		

	<code>    \${submit.tab.text}</code>																		
<b>After</b>																			
<a href="#">Back to Table of Contents</a>																			
<b>Scenario Outline: I verify the navigation to the Select Plan page and verify that user is landed on Select Plan screen</b>																			
Passed: 7																			
<b>Before</b>																			
<p>Given I navigate to "Select Plan" screen</p> <p>And verify the user is landed on "Select Plan" page</p> <p>Then I wait for 2 sec</p> <p>Then I verify the presence of following toggle bar items</p> <table border="1"> <tr><td>Toggle SideBar</td><td><code>    \${toggleBarItem.toggleSidebar.label}</code></td></tr> <tr><td>New Quote</td><td><code>    \${toggleBarItem.newQuote.label}</code></td></tr> <tr><td>Information</td><td><code>    \${toggleBarItem.information.label}</code></td></tr> <tr><td>Quotes</td><td><code>    \${toggleBarItem.quotes.label}</code></td></tr> <tr><td>Documents</td><td><code>    \${toggleBarItem.documents.label}</code></td></tr> <tr><td>Support</td><td><code>    \${toggleBarItem.support.label}</code></td></tr> <tr><td>Logout</td><td><code>    \${toggleBarItem.logOut.label}</code></td></tr> <tr><td>Profile</td><td><code>    \${toggleBarItem.profile.label}</code></td></tr> </table> <p>Then I verify following language options are available on toggle bar based on the LBU</p> <table border="1"> <tr><td><code>    \${language.selection.options}</code></td></tr> </table> <p>When I click on Estimated Premium info icon</p> <p>Then I verify following text is displayed on "Info Section" page</p> <table border="1"> <tr><td><code>    \${info.text}</code></td></tr> </table>		Toggle SideBar	<code>    \${toggleBarItem.toggleSidebar.label}</code>	New Quote	<code>    \${toggleBarItem.newQuote.label}</code>	Information	<code>    \${toggleBarItem.information.label}</code>	Quotes	<code>    \${toggleBarItem.quotes.label}</code>	Documents	<code>    \${toggleBarItem.documents.label}</code>	Support	<code>    \${toggleBarItem.support.label}</code>	Logout	<code>    \${toggleBarItem.logOut.label}</code>	Profile	<code>    \${toggleBarItem.profile.label}</code>	<code>    \${language.selection.options}</code>	<code>    \${info.text}</code>
Toggle SideBar	<code>    \${toggleBarItem.toggleSidebar.label}</code>																		
New Quote	<code>    \${toggleBarItem.newQuote.label}</code>																		
Information	<code>    \${toggleBarItem.information.label}</code>																		
Quotes	<code>    \${toggleBarItem.quotes.label}</code>																		
Documents	<code>    \${toggleBarItem.documents.label}</code>																		
Support	<code>    \${toggleBarItem.support.label}</code>																		
Logout	<code>    \${toggleBarItem.logOut.label}</code>																		
Profile	<code>    \${toggleBarItem.profile.label}</code>																		
<code>    \${language.selection.options}</code>																			
<code>    \${info.text}</code>																			
<b>After</b>																			
<a href="#">Back to Table of Contents</a>																			
<b>Scenario Outline: I verify the navigation to the Employees page and verify that user is landed on Employees screen</b>																			
Passed: 7																			
<b>Before</b>																			
<p>Given I navigate to "Employees" screen</p> <p>And verify the user is landed on "Employees" page</p> <p>Then I wait for 2 sec</p> <p>Then I verify the presence of following toggle bar items</p> <table border="1"> <tr><td>Toggle SideBar</td><td><code>    \${toggleBarItem.toggleSidebar.label}</code></td></tr> <tr><td>New Quote</td><td><code>    \${toggleBarItem.newQuote.label}</code></td></tr> <tr><td>Information</td><td><code>    \${toggleBarItem.information.label}</code></td></tr> <tr><td>Quotes</td><td><code>    \${toggleBarItem.quotes.label}</code></td></tr> <tr><td>Documents</td><td><code>    \${toggleBarItem.documents.label}</code></td></tr> <tr><td>Support</td><td><code>    \${toggleBarItem.support.label}</code></td></tr> <tr><td>Logout</td><td><code>    \${toggleBarItem.logOut.label}</code></td></tr> <tr><td>Profile</td><td><code>    \${toggleBarItem.profile.label}</code></td></tr> </table> <p>Then I verify following language options are available on toggle bar based on the LBU</p> <table border="1"> <tr><td><code>    \${language.selection.options}</code></td></tr> </table> <p>When I click on Estimated Premium info icon</p>		Toggle SideBar	<code>    \${toggleBarItem.toggleSidebar.label}</code>	New Quote	<code>    \${toggleBarItem.newQuote.label}</code>	Information	<code>    \${toggleBarItem.information.label}</code>	Quotes	<code>    \${toggleBarItem.quotes.label}</code>	Documents	<code>    \${toggleBarItem.documents.label}</code>	Support	<code>    \${toggleBarItem.support.label}</code>	Logout	<code>    \${toggleBarItem.logOut.label}</code>	Profile	<code>    \${toggleBarItem.profile.label}</code>	<code>    \${language.selection.options}</code>	
Toggle SideBar	<code>    \${toggleBarItem.toggleSidebar.label}</code>																		
New Quote	<code>    \${toggleBarItem.newQuote.label}</code>																		
Information	<code>    \${toggleBarItem.information.label}</code>																		
Quotes	<code>    \${toggleBarItem.quotes.label}</code>																		
Documents	<code>    \${toggleBarItem.documents.label}</code>																		
Support	<code>    \${toggleBarItem.support.label}</code>																		
Logout	<code>    \${toggleBarItem.logOut.label}</code>																		
Profile	<code>    \${toggleBarItem.profile.label}</code>																		
<code>    \${language.selection.options}</code>																			

	<b>Then I verify following text is displayed on "Info Section" page</b>																
	<code>    \${info.text}</code>																
<b>After</b>																	
<a href="#">Back to Table of Contents</a>																	
<b>Scenario Outline: I verify the navigation to the Company page and verify that user is landed on Company screen</b>																	
Passed: 7																	
<b>Before</b>																	
	<b>Given I navigate to "Company" screen</b>																
	<b>And verify the user is landed on "Company" page</b>																
	<b>Then I wait for 2 sec</b>																
	<b>Then I verify the presence of following toggle bar items</b>																
	<table border="1"> <tr><td>Toggle SideBar</td><td><code>    \${toggleBarItem.toggleSidebar.label}</code></td></tr> <tr><td>New Quote</td><td><code>    \${toggleBarItem.newQuote.label}</code></td></tr> <tr><td>Information</td><td><code>    \${toggleBarItem.information.label}</code></td></tr> <tr><td>Quotes</td><td><code>    \${toggleBarItem.quotes.label}</code></td></tr> <tr><td>Documents</td><td><code>    \${toggleBarItem.documents.label}</code></td></tr> <tr><td>Support</td><td><code>    \${toggleBarItem.support.label}</code></td></tr> <tr><td>Logout</td><td><code>    \${toggleBarItem.logOut.label}</code></td></tr> <tr><td>Profile</td><td><code>    \${toggleBarItem.profile.label}</code></td></tr> </table>	Toggle SideBar	<code>    \${toggleBarItem.toggleSidebar.label}</code>	New Quote	<code>    \${toggleBarItem.newQuote.label}</code>	Information	<code>    \${toggleBarItem.information.label}</code>	Quotes	<code>    \${toggleBarItem.quotes.label}</code>	Documents	<code>    \${toggleBarItem.documents.label}</code>	Support	<code>    \${toggleBarItem.support.label}</code>	Logout	<code>    \${toggleBarItem.logOut.label}</code>	Profile	<code>    \${toggleBarItem.profile.label}</code>
Toggle SideBar	<code>    \${toggleBarItem.toggleSidebar.label}</code>																
New Quote	<code>    \${toggleBarItem.newQuote.label}</code>																
Information	<code>    \${toggleBarItem.information.label}</code>																
Quotes	<code>    \${toggleBarItem.quotes.label}</code>																
Documents	<code>    \${toggleBarItem.documents.label}</code>																
Support	<code>    \${toggleBarItem.support.label}</code>																
Logout	<code>    \${toggleBarItem.logOut.label}</code>																
Profile	<code>    \${toggleBarItem.profile.label}</code>																
	<b>Then I verify following language options are available on toggle bar based on the LBU</b>																
	<code>    \${language.selection.options}</code>																
	<b>When I click on Estimated Premium info icon</b>																
	<b>Then I verify following text is displayed on "Info Section" page</b>																
	<code>    \${info.text}</code>																
<b>After</b>																	
<a href="#">Back to Table of Contents</a>																	
<b>Scenario Outline: I verify the navigation to the Submit page and verify that user is landed on Submit screen</b>																	
Passed: 7																	
<b>Before</b>																	
	<b>Given I navigate to "Submit" screen</b>																
	<b>And verify the user is landed on "Submit" page</b>																
	<b>Then I wait for 2 sec</b>																
	<b>Then I verify the presence of following toggle bar items</b>																
	<table border="1"> <tr><td>Toggle SideBar</td><td><code>    \${toggleBarItem.toggleSidebar.label}</code></td></tr> <tr><td>New Quote</td><td><code>    \${toggleBarItem.newQuote.label}</code></td></tr> <tr><td>Information</td><td><code>    \${toggleBarItem.information.label}</code></td></tr> <tr><td>Quotes</td><td><code>    \${toggleBarItem.quotes.label}</code></td></tr> <tr><td>Documents</td><td><code>    \${toggleBarItem.documents.label}</code></td></tr> <tr><td>Support</td><td><code>    \${toggleBarItem.support.label}</code></td></tr> <tr><td>Logout</td><td><code>    \${toggleBarItem.logOut.label}</code></td></tr> <tr><td>Profile</td><td><code>    \${toggleBarItem.profile.label}</code></td></tr> </table>	Toggle SideBar	<code>    \${toggleBarItem.toggleSidebar.label}</code>	New Quote	<code>    \${toggleBarItem.newQuote.label}</code>	Information	<code>    \${toggleBarItem.information.label}</code>	Quotes	<code>    \${toggleBarItem.quotes.label}</code>	Documents	<code>    \${toggleBarItem.documents.label}</code>	Support	<code>    \${toggleBarItem.support.label}</code>	Logout	<code>    \${toggleBarItem.logOut.label}</code>	Profile	<code>    \${toggleBarItem.profile.label}</code>
Toggle SideBar	<code>    \${toggleBarItem.toggleSidebar.label}</code>																
New Quote	<code>    \${toggleBarItem.newQuote.label}</code>																
Information	<code>    \${toggleBarItem.information.label}</code>																
Quotes	<code>    \${toggleBarItem.quotes.label}</code>																
Documents	<code>    \${toggleBarItem.documents.label}</code>																
Support	<code>    \${toggleBarItem.support.label}</code>																
Logout	<code>    \${toggleBarItem.logOut.label}</code>																
Profile	<code>    \${toggleBarItem.profile.label}</code>																
	<b>Then I verify following language options are available on toggle bar based on the LBU</b>																
	<code>    \${language.selection.options}</code>																

**When I click on Estimated Premium info icon**

**Then I verify following text is displayed on "Info Section" page**

**\${info.text}**

**After**

[Back to Table of Contents](#)

**Scenario: Create a Quote for Sticky bar validation**

Passed: 7

**Before**

**Given I generate random number and assign to variable "RANDOM\_NUMBER"**

**Output**

Random number generated is :101

**And I assign "TestDraft\_\${RANDOM\_NUMBER}" to variable "COMP\_NAME"**

**Output**

Assigning value TestDraft\_10107032238 to variable COMP\_NAME

**Then I navigate to "\${selectPlan.tab.text}" screen**

**And I enter following details on select plan page**

Company Name	\${COMP_NAME}
Industry Type	\${selectplan.industry.type.value1}
Position Name	Position
No. of Employees	10

**And I click on export quote button**

**Then I verify following validation message on "Select plan page"**

**\${validationMessage.export.pdf}**

**And I click on "\${saveQuote.button.text}" button**

**After**

[Back to Table of Contents](#)

**Scenario Outline: I verify the sticky bar is present in all the Select Plan page in the new quote creation**

Passed: 14

**Before**

**Given I navigate to "Select Plan" screen**

**Then I wait for 2 sec**

**When I scroll to the end of page**

**And I verify company text field is displayed on the top of the "Select Plan" page**

**Then I verify Payment frequency dropdown is displayed for PH with following values**

**\${payment.frequency.annual}**

**\${payment.frequency.semi.annual}**

	<table border="1"><tr><td>    \${payment.frequency.quarterly}</td></tr><tr><td>    \${payment.frequency.monthly}</td></tr></table>	\${payment.frequency.quarterly}	\${payment.frequency.monthly}			
\${payment.frequency.quarterly}						
\${payment.frequency.monthly}						
<b>And I verify following text is displayed on "Select Plan" page</b>						
<table border="1"><tr><td>    \${estimatedAnnualPremium.button.text}</td></tr></table>			\${estimatedAnnualPremium.button.text}			
\${estimatedAnnualPremium.button.text}						
<b>Then I verify following buttons are displayed on top right corner of the screen</b>						
<table border="1"><tr><td>    Save Quote \${saveQuote.button.text}</td></tr></table>			Save Quote \${saveQuote.button.text}			
Save Quote \${saveQuote.button.text}						
<b>Then I verify the presence of export quote button</b>						
<b>Then I verify the presence of following items on page footer</b>						
<table border="1"><tr><td>    \${next.button.text}</td></tr></table>			\${next.button.text}			
\${next.button.text}						
<b>And I scroll the page up</b>						
<b>And I verify company text field is displayed on the top of the "Select Plan" page</b>						
<b>And I verify following text is displayed on "Select Plan" page</b>						
<table border="1"><tr><td>    \${estimatedAnnualPremium.button.text}</td></tr></table>			\${estimatedAnnualPremium.button.text}			
\${estimatedAnnualPremium.button.text}						
<b>Then I verify following buttons are displayed on top right corner of the screen</b>						
<table border="1"><tr><td>    Save Quote \${saveQuote.button.text}</td></tr></table>			Save Quote \${saveQuote.button.text}			
Save Quote \${saveQuote.button.text}						
<b>Then I verify the presence of following items on page footer</b>						
<table border="1"><tr><td>    \${next.button.text}</td></tr></table>			\${next.button.text}			
\${next.button.text}						
<b>After</b>						
<a href="#">Back to Table of Contents</a>						
<b>Scenario Outline: I verify the sticky bar is present in all the Employees page in the new quote creation</b>						
Passed: 14						
<b>Before</b>						
<b>Given I navigate to "Employees" screen</b>						
<b>Then I wait for 2 sec</b>						
<b>When I scroll to the end of page</b>						
<b>And I verify company text field is displayed on the top of the "Employees" page</b>						
<b>Then I verify Payment frequency dropdown is displayed for PH with following values</b>						
<table border="1"><tr><td>    \${payment.frequency.annual}</td></tr><tr><td>    \${payment.frequency.semi.annual}</td></tr><tr><td>    \${payment.frequency.quarterly}</td></tr><tr><td>    \${payment.frequency.monthly}</td></tr></table>			\${payment.frequency.annual}	\${payment.frequency.semi.annual}	\${payment.frequency.quarterly}	\${payment.frequency.monthly}
\${payment.frequency.annual}						
\${payment.frequency.semi.annual}						
\${payment.frequency.quarterly}						
\${payment.frequency.monthly}						
<b>And I verify following text is displayed on "Employees" page</b>						
<table border="1"><tr><td>    \${estimatedAnnualPremium.button.text}</td></tr></table>			\${estimatedAnnualPremium.button.text}			
\${estimatedAnnualPremium.button.text}						
<b>Then I verify following buttons are displayed on top right corner of the screen</b>						
<table border="1"><tr><td>    Save Quote \${saveQuote.button.text}</td></tr></table>			Save Quote \${saveQuote.button.text}			
Save Quote \${saveQuote.button.text}						
<b>Then I verify the presence of export quote button</b>						
<b>Then I verify the presence of following items on page footer</b>						
<table border="1"><tr><td>    \${previous.button.text}##\${next.button.text}</td></tr></table>			\${previous.button.text}##\${next.button.text}			
\${previous.button.text}##\${next.button.text}						
<b>And I scroll the page up</b>						
<b>And I verify company text field is displayed on the top of the "Employees" page</b>						
<b>And I verify following text is displayed on "Employees" page</b>						
<table border="1"><tr><td>    \${estimatedAnnualPremium.button.text}</td></tr></table>			\${estimatedAnnualPremium.button.text}			
\${estimatedAnnualPremium.button.text}						

	<b>Then I verify following buttons are displayed on top right corner of the screen</b>
	Save Quote \${saveQuote.button.text}
	<b>Then I verify the presence of following items on page footer</b>
	\${previous.button.text}##\${next.button.text}
<b>After</b>	
	<a href="#">Back to Table of Contents</a>
	<b>Scenario Outline: I verify the sticky bar is present in all the Company page in the new quote creation</b>
Passed: 14	
<b>Before</b>	
	Given I navigate to "Company" screen
	Then I wait for 2 sec
	When I scroll to the end of page
	And I verify company text field is displayed on the top of the "Company" page
	Then I verify Payment frequency dropdown is displayed for PH with following values
	\${payment.frequency.annual}
	\${payment.frequency.semi.annual}
	\${payment.frequency.quarterly}
	\${payment.frequency.monthly}
	And I verify following text is displayed on "Company" page
	\${estimatedAnnualPremium.button.text}
	Then I verify following buttons are displayed on top right corner of the screen
	Save Quote \${saveQuote.button.text}
	Then I verify the presence of export quote button
	Then I verify the presence of following items on page footer
	\${previous.button.text}##\${next.button.text}
	And I scroll the page up
	And I verify company text field is displayed on the top of the "Company" page
	And I verify following text is displayed on "Company" page
	\${estimatedAnnualPremium.button.text}
	Then I verify following buttons are displayed on top right corner of the screen
	Save Quote \${saveQuote.button.text}
	Then I verify the presence of following items on page footer
	\${previous.button.text}##\${next.button.text}
<b>After</b>	
	<a href="#">Back to Table of Contents</a>
	<b>Scenario Outline: I verify the sticky bar is present in all the Submit page in the new quote creation</b>
Passed: 14	
<b>Before</b>	
	Given I navigate to "Submit" screen
	Then I wait for 2 sec
	When I scroll to the end of page
	And I verify company text field is displayed on the top of the "Submit" page

	<b>Then I verify Payment frequency dropdown is displayed for PH with following values</b>
	\${payment.frequency.annual}
	\${payment.frequency.semi.annual}
	\${payment.frequency.quarterly}
	\${payment.frequency.monthly}
	<b>And I verify following text is displayed on "Submit" page</b>
	\${estimatedAnnualPremium.button.text}
	<b>Then I verify following buttons are displayed on top right corner of the screen</b>
	Save Quote \${saveQuote.button.text}
	<b>Then I verify the presence of export quote button</b>
	<b>Then I verify the presence of following items on page footer</b>
	\${previous.button.text}##\${confirm.submit.button}
	<b>And I scroll the page up</b>
	<b>And I verify company text field is displayed on the top of the "Submit" page</b>
	<b>And I verify following text is displayed on "Submit" page</b>
	\${estimatedAnnualPremium.button.text}
	<b>Then I verify following buttons are displayed on top right corner of the screen</b>
	Save Quote \${saveQuote.button.text}
	<b>Then I verify the presence of following items on page footer</b>
	\${previous.button.text}##\${confirm.submit.button}
<b>After</b>	
	<a href="#">Back to Table of Contents</a>
	<b>Scenario: verify toggle bar items are minimised when user opts to collapse the sidebar option</b>
Passed: 4	
<b>Before</b>	
	<b>Given I verify following static text on "Navigation Bar" page</b>
	New Quote
	<b>Then I click on "Toggle Sidebar" Link</b>
	<b>Then I wait for 2 sec</b>
	<b>And I verify following span text is not displayed "Navigation Bar" page</b>
	New Quote
<b>After</b>	
	<a href="#">Back to Table of Contents</a>
	<b>Scenario: Close Sales Portal</b>
Passed: 1	
<b>Before</b>	
	And I close sales portal
<b>After</b>	
	<a href="#">Back to Table of Contents</a>
	<b>Feature: Verify login functionality with OTP to landing in the welcome page</b>
Passed: 15	
	<b>Scenario: Verify static text and elements on Login page Sales Portal</b>

Passed: 7

**Before****Given I decode the password "\${agent.login.password}" to variable "AGENT\_PASSWORD"****Given Launch sales portal****Output**

```
https://uat-sales.eb.prudential.com.my/
```

**Then I verify following text is displayed on "Welcome" page****\${agent.login.welcome.text}****And I verify field label text on "Login" page****\${agent.login.id.text}****\${agent.login.password.text}****And I verify the login button is disabled****And I verify Forgot your password link is enabled****And I verify following buttons are displayed on "Login"****\${agent.login.contact.support.text}****After**[Back to Table of Contents](#)**Scenario Outline: Sales Portal Login Page fields error message validation "Invalid email format and blank password"**

Passed: 2

**Before****When I enter username and password in Sales portal Login page**

UserName	test@gmail
Password	Test@123

**Then I verify "\${login.email.format.error.message}" validation error message is displayed****After**[Back to Table of Contents](#)**Scenario Outline: Sales Portal Login Page fields error message validation "Blank email and Password"**

Passed: 2

**Before****When I enter username and password in Sales portal Login page**

UserName	
Password	Test@123

**Then I verify "Email is mandatory, please provide the relevant details" validation error message is displayed****After**[Back to Table of Contents](#)**Scenario Outline: Sales Portal Login Page fields error message validation "Registered email and blank password"**

Passed: 2

**Before****When I enter username and password in Sales portal Login page**

UserName	test@gmail.com
Password	

Then I verify "Password is mandatory, please provide the relevant details" validation error message

After

[Back to Table of Contents](#)

Scenario Outline: Sales Portal Login Page fields error message validation "Registered email and invalid password"

Passed: 2

Before

When I enter username and password in Sales portal Login page

UserName	test@gmail.com
Password	Test

Then I verify "\${agent.password.rule.text}" validation error message is displayed

After

[Back to Table of Contents](#)

Scenario Outline: Sales Portal Login Page fields error message validation "Registered email and password length validation"

Passed: 2

Before

When I enter username and password in Sales portal Login page

UserName	test@gmail.com
Password	Agent1236666667777777777Agent123444444444444444444442

Then I verify "\${password.field.length.validation}" validation error message is displayed

After

[Back to Table of Contents](#)

Scenario: Verify Agent is not able to login with wrong credential

Passed: 3

Before

When I enter username and password in Sales portal Login page

UserName	\${agent.email.id.login}
Password	Test@123

And I click on Login button

Then I verify otp validation error message "Error: Your email and/or password do not match, please try again"

After

[Back to Table of Contents](#)

Scenario: Validate the eye icon functionality for password field

Passed: 4

Before

When I enter username and password in Sales portal Login page

UserName	test@gmail.com
Password	Test@123

Then I verify the Password entered is masked

Then I click on the eye icon

And I validate the password should display without encrypted

**After**[Back to Table of Contents](#)**Scenario: Login to Sales portal and verify OTP page is displayed**

Passed: 12

**Before****Given I assign "\${agent.email.id.login}" to variable "agent.Email"****Output**

Assigning value testpambuat\_1001@mailinator.com to variable agent.Email

**When I enter username and password in Sales portal Login page**

UserName	\${agent.Email}
Password	\${AGENT_PASSWORD}

**And I validate the Login button is enabled in Sales portal****When I click on Login button****Then I wait for 5 sec****Then I verify following text is displayed on "Verify your account" page****Verify your account****And I verify following paragraph is displayed on "Verify your account" page**

A code has just been sent to the following
The code expires after 10 minutes.

**And I verify email confirmation contains the agent email address as "\${agent.Email}"****And I verify field label text on "Verify your account" page****Verification Code****And I verify button label text on "Verify your account" page**

Return to login
Didn't receive code?

**And I verify following buttons are displayed on "Login"** **\${agent.login.contact.support.text}****And I verify the login button is disabled****After**[Back to Table of Contents](#)**Scenario Outline: verify by validation message displays by providing Invalid OTP checks**

Passed: 3

**Before****When I enter the verification Code as "test"****And I verify the login button is disabled****Then I verify "Invalid Verification Code format" validation error message is displayed****After**[Back to Table of Contents](#)**Scenario Outline: verify by validation message displays by providing Invalid OTP checks**

Passed: 3				
<b>Before</b>				
<p>When I enter the verification Code as ""</p> <p>And I verify the login button is disabled</p> <p>Then I verify "Verification Code is mandatory, please provide the relevant details" validation error message is displayed</p>				
<b>After</b>				
<a href="#">Back to Table of Contents</a>				
<b>Scenario: Enter invalid otp and click on Login button</b>				
Passed: 4				
<b>Before</b>				
<p>When I enter the verification Code as "12345"</p> <p>And I validate the Login button is enabled in Sales portal</p> <p>When I click on Login button</p> <p>Then I verify otp validation error message "\${login.otp.format.error.message}" is displayed</p>				
<b>After</b>				
<a href="#">Back to Table of Contents</a>				
<b>Scenario: Validate the return to the login link in verify your account page</b>				
Passed: 2				
<b>Before</b>				
<p>When I click on the Return to Login</p> <p>Then I verify following text is displayed on "Login" page</p> <p style="border: 1px solid black; padding: 2px;">\${agent.login.welcome.text}</p>				
<b>After</b>				
<a href="#">Back to Table of Contents</a>				
<b>Scenario: Validate the "Didnt receive code" in verify your account page</b>				
Passed: 7				
<b>Before</b>				
<p>When I enter username and password in Sales portal Login page</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 10%;">UserName</td> <td style="width: 90%;">\${agent.Email}</td> </tr> <tr> <td>Password</td> <td style="background-color: #e0e0e0;">\${AGENT_PASSWORD}</td> </tr> </table> <p>And I validate the Login button is enabled in Sales portal</p> <p>When I click on Login button</p> <p>Then I wait for 5 sec</p> <p>Then I verify following text is displayed on "Verify your account" page</p> <p style="border: 1px solid black; padding: 2px;">Verify your account</p> <p>When I click on Didn't receive code? link</p> <p>Then I verify following text is displayed on "Welcome" page</p> <p style="border: 1px solid black; padding: 2px;">\${agent.login.welcome.text}</p>	UserName	\${agent.Email}	Password	\${AGENT_PASSWORD}
UserName	\${agent.Email}			
Password	\${AGENT_PASSWORD}			
<b>After</b>				
<a href="#">Back to Table of Contents</a>				
<b>Scenario: Verify contact support link is navigating to knowledgebase</b>				
Passed: 2				

Before
<b>When I click on "\${agent.login.contact.support}" button</b>
<b>And I wait for 15 sec</b>
<b>Then I verify "\${support.application.page.title}" link is opened in new browser tab</b>
<pre>java.lang.AssertionError: Malaysia   Enterprise Business Sales Application   Knowledge Base - Ma at org.testng.Assert.fail(Assert.java:94) at org.testng.Assert.failNotEquals(Assert.java:513) at org.testng.Assert.assertEqualsImpl(Assert.java:135) at org.testng.Assert.assertEquals(Assert.java:116) at org.testng.Assert.assertEquals(Assert.java:190) at com.pru.sales.portal.stepdef.BaseSteps.verifySupportLinkOpenedInNewTab(BaseSteps.java:63) at .Then I verify "\${support.application.page.title}" link is opened in new browser tab(features/Sa</pre>



<b>After</b>					
<a href="#">Back to Table of Contents</a>					
<b>Scenario: Close Sales Portal</b>					
Passed: 1					
<b>Before</b>					
<b>And I close sales portal</b>					
<b>After</b>					
<a href="#">Back to Table of Contents</a>					
<b>Feature: Verify user is landed to Sales pitch page after login which is a Information page</b>					
Passed: 8					
<b>Scenario: Verify Sales pitch page is displayed after login</b>					
Passed: 6					
<b>Before</b>					
<b>Given Launch sales portal</b>					
<b>Output</b>					
https://uat-sales.eb.prudential.com.my/					
<b>And I assign value to following variables</b>					
<table border="1"><tr><td>Agent_Email</td><td> \${agent.email.id.global}</td></tr><tr><td>Agent_Password</td><td> \${agent.password}</td></tr></table>	Agent_Email	\${agent.email.id.global}	Agent_Password	\${agent.password}	
Agent_Email	\${agent.email.id.global}				
Agent_Password	\${agent.password}				
<b>When I Login to Sales Portal with below details</b>					
<table border="1"><tr><td>UserName</td><td> \${Agent_Email}</td></tr><tr><td>Password</td><td> \${Agent_Password}</td></tr></table>	UserName	\${Agent_Email}	Password	\${Agent_Password}	
UserName	\${Agent_Email}				
Password	\${Agent_Password}				
<b>And I enter the verification code if page appears for agent "\${Agent_Email}"</b>					
<b>Then I toggle the language button as required</b>					
<b>Then I verify "\${welcome.to.prudential}" screen is displayed</b>					
<b>After</b>					
<a href="#">Back to Table of Contents</a>					
<b>Scenario: Verify the first section on sales pitch page</b>					
Passed: 1					
<b>Before</b>					
<b>Given I verify following paragraph is displayed on "Welcome to Prudential section" on Sales Pitch</b>					
<table border="1"><tr><td>    \${welcome.prudential.informational.text.1}</td></tr><tr><td>    \${welcome.prudential.informational.text.2}</td></tr></table>	\${welcome.prudential.informational.text.1}	\${welcome.prudential.informational.text.2}			
\${welcome.prudential.informational.text.1}					
\${welcome.prudential.informational.text.2}					

<b>After</b>
<a href="#">Back to Table of Contents</a>
<b>Scenario: Verify the second section on sales pitch page</b>
Passed: 3
<b>Before</b>
Given I scroll to the "\${whatMakeUsDifferent.static.text}" of the sales pitch page
Then I verify following header texts are displayed on "Sales Pitch" page
\${whatMakeUsDifferent.static.text}
Then I verify following paragraph is displayed on "What make us different section" on Sales Pitch
\${whatMakeUsDifferent.informational.text}
<b>After</b>
<a href="#">Back to Table of Contents</a>
<b>Scenario: Verify the third section on sales pitch page</b>
Passed: 3
<b>Before</b>
Given I scroll to the "\${howCanWeHelp.static.text}" of the sales pitch page
Then I verify following header texts are displayed on "Sales Pitch" page
\${howCanWeHelp.static.text}
And I verify following paragraph is displayed on "How can we help section" on Sales Pitch page
\${howCanWeHelp.informational.text.1}
\${howCanWeHelp.informational.text.2}
<b>After</b>
<a href="#">Back to Table of Contents</a>
<b>Scenario: Verify the fourth section on sales pitch page</b>
Passed: 3
<b>Before</b>
Given I scroll to the "\${ourOffering.static.text}" of the sales pitch page
Then I verify following header texts are displayed on "Sales Pitch" page
\${ourOffering.static.text}
And I verify following paragraph is displayed on "Our offering section" on Sales Pitch page
\${ourOffering.informational.text}
<b>After</b>
<a href="#">Back to Table of Contents</a>
<b>Scenario: Verify the fifth section on sales pitch page</b>
Passed: 3
<b>Before</b>
Given I scroll to the "\${valueAddedService.static.text}" of the sales pitch page
Then I verify following header texts are displayed on "Understanding your value added section" on Sales Pitch
\${valueAddedService.static.text}
And I verify following paragraph is displayed on "Understanding your value added section" on Sales Pitch
\${valueAddedService.informational.text.1}
\${valueAddedService.informational.text.2}

**After**[Back to Table of Contents](#)**Scenario: Verify the sixth section on sales pitch page**

Passed: 6

**Before**

Given I scroll to the "\${createPolicy.static.text}" of the sales pitch page

Then I verify following header texts are displayed on "Sales Pitch" page

    \${createPolicy.static.text}

Then I verify following paragraph is displayed on "Creating your policy section" on Sales Pitch pa

    \${createPolicy.informational.text}

And I verify following buttons are displayed on pitch page

    \${startNewQuote.button.label}

Then I click on following button on sales pitch page

    \${startNewQuote.button.label}

Then verify the user is landed on "New Quote" page

**After**[Back to Table of Contents](#)**Scenario: Close Sales Portal**

Passed: 1

**Before**

And I close sales portal

**After**[Back to Table of Contents](#)**Feature: Verify agent can view his profile and reset the password**

Passed: 23

**Scenario: Log in to Sales portal with valid agent credentials**

Passed: 6

**Before**

Given I assign value to following variables

AGENT_EMAIL_ID	\${agent.email.id.profile}
AGENT_PROFILE_NAME	\${agent.email.id.profilename}
AGENT_ID	\${agent.code.profile}

Given Launch sales portal

Output

https://uat-sales.eb.prudential.com.my/

When I Login to Sales Portal with below details

UserName	\${AGENT_EMAIL_ID}
Password	\${agent.password}

And I enter the verification code if page appears for agent "\${AGENT\_EMAIL\_ID}"

**And I toggle the language button as required**  
**Then I verify "\${welcome.to.prudential}" screen is displayed**

**After**[Back to Table of Contents](#)**Scenario: Navigate to Agent profile page and verify the agent details**

Passed: 6

**Before**

**Given I decode the password "\${agent.password}" to variable "AGENT\_PASSWORD"**

**Then I click on "Agent Profile" Link**

**And verify the user is landed on "Agent Profile" page**

**And I verify following h3 header texts are displayed on "Profile" page**

\${AGENT_PROFILE_NAME}
\${AGENT_EMAIL_ID}
\${AGENT_ID}

**And I verify h1 header text is displayed on "Profile" page**

\${profile.text}
------------------

**Then I verify following text is displayed on "Profile" page**

\${profile.text.sub.header}
-----------------------------

**After**[Back to Table of Contents](#)**Scenario: Verify sample text in change password section**

Passed: 4

**Before**

**And I verify following h3 header texts are displayed on "Profile" page**

\${profile.update.password.text}
----------------------------------

**Then I verify "\${save.button.text}" button is "disabled"**

**Then I verify the field label text on "profile page"**

\${profile.current.password.label}
\${profile.new.password.label}
\${profile.confirm.password.label}

**Then I verify following text is displayed on "Profile" page**

\${agent.password.rule.text}
------------------------------

**After**[Back to Table of Contents](#)**Scenario Outline: Invalid password check on profile page**

Passed: 3

**Before**

**When I enter "Agent" password in new password field**

**Then I verify "\${agent.password.rule.text}" validation error message is highlighted**

**Then I verify "\${save.button.text}" button is "disabled"**

**After**[Back to Table of Contents](#)

<b>Scenario Outline: Invalid password check on profile page</b>
Passed: 3
<b>Before</b>
<ul style="list-style-type: none"> <li>When I enter "1234567#" password in new password field</li> <li>Then I verify "\${agent.password.rule.text}" validation error message is highlighted</li> <li>Then I verify "\${save.button.text}" button is "disabled"</li> </ul>
<b>After</b>
<a href="#">Back to Table of Contents</a>
<b>Scenario Outline: Invalid password check on profile page</b>
Passed: 3
<b>Before</b>
<ul style="list-style-type: none"> <li>When I enter "AGENT@1234" password in new password field</li> <li>Then I verify "\${agent.password.rule.text}" validation error message is highlighted</li> <li>Then I verify "\${save.button.text}" button is "disabled"</li> </ul>
<b>After</b>
<a href="#">Back to Table of Contents</a>
<b>Scenario Outline: Invalid password check on profile page</b>
Passed: 3
<b>Before</b>
<ul style="list-style-type: none"> <li>When I enter "agent@12334" password in new password field</li> <li>Then I verify "\${agent.password.rule.text}" validation error message is highlighted</li> <li>Then I verify "\${save.button.text}" button is "disabled"</li> </ul>
<b>After</b>
<a href="#">Back to Table of Contents</a>
<b>Scenario Outline: Invalid password check on profile page</b>
Passed: 3
<b>Before</b>
<ul style="list-style-type: none"> <li>When I enter "Agent123666667777777777Agent12344444444444444442" password in new password field</li> <li>Then I verify "\${new.password.field.length.validation}" validation error message is highlighted</li> <li>Then I verify "\${save.button.text}" button is "disabled"</li> </ul>
<b>After</b>
<a href="#">Back to Table of Contents</a>
<b>Scenario: New password and confirm your password mismatch check on profile page</b>
Passed: 4
<b>Before</b>
<ul style="list-style-type: none"> <li>When I enter "Agent1234" password in new password field</li> <li>And I enter "Agent3456" password in confirm your password field</li> <li>Then I verify "The passwords entered do not match, please try again" validation error message is displayed</li> <li>Then I verify "\${save.button.text}" button is "disabled"</li> </ul>
<b>After</b>
<a href="#">Back to Table of Contents</a>
<b>Scenario: Validate mask and unmask functionality for current,new and confirm password field</b>

Passed: 9
<b>Before</b>
<p>And I verify the Current Password entered is masked      When I click on the eye icon for current Password field      Then I validate the current password should display without encrypted      And I verify the New Password entered is masked      When I click on the eye icon for new Password field      Then I validate the new password should display without encrypted      And I verify the Confirm Password entered is masked      When I click on the eye icon for confirm your Password field      Then I validate the confirm your password should display without encrypted</p>
<b>After</b>
<a href="#">Back to Table of Contents</a>
<b>Scenario Outline: verify that the save button is enabled only when agent entered the correct current, new and confirm your password</b>
Passed: 4
<b>Before</b>
<p>Given I enter "\${AGENT_PASSWORD}" password in current password field      When I enter "Agent" password in new password field      And I enter "Agent" password in confirm your password field      Then I verify "\${save.button.text}" button is "disabled"</p>
<b>After</b>
<a href="#">Back to Table of Contents</a>
<b>Scenario Outline: verify that the save button is enabled only when agent entered the correct current, new and confirm your password</b>
Passed: 4
<b>Before</b>
<p>Given I enter "" password in current password field      When I enter "Agent123" password in new password field      And I enter "" password in confirm your password field      Then I verify "\${save.button.text}" button is "disabled"</p>
<b>After</b>
<a href="#">Back to Table of Contents</a>
<b>Scenario Outline: verify that the save button is enabled only when agent entered the correct current, new and confirm your password</b>
Passed: 4
<b>Before</b>
<p>Given I enter "wrong@Password1" password in current password field      When I enter "Agent123" password in new password field      And I enter "Agent" password in confirm your password field      Then I verify "\${save.button.text}" button is "disabled"</p>
<b>After</b>
<a href="#">Back to Table of Contents</a>
<b>Scenario Outline: verify that the save button is enabled only when agent entered the correct current, new and confirm your password</b>
Passed: 4
<b>Before</b>

Given I enter "testing" password in current password field  
 When I enter "" password in new password field  
 And I enter "Agent123" password in confirm your password field  
 Then I verify "\${save.button.text}" button is "disabled"

After

[Back to Table of Contents](#)

**Scenario: verify Agent should be able to change the password for sales portal**

Passed: 10

Before

Given I assign "Agent124" to variable "AGENT\_NEW\_PASSWORD"

Output

Assigning value Agent124 to variable AGENT\_NEW\_PASSWORD

Then I enter "\${AGENT\_PASSWORD}" password in current password field

When I enter "\${AGENT\_NEW\_PASSWORD}" password in new password field

And I enter "\${AGENT\_NEW\_PASSWORD}" password in confirm your password field

Then I verify "\${save.button.text}" button is "enabled"

And I click on "\${save.button.text}" button

And I wait for 5 sec

Then I verify following text is displayed on "popup window on profile" page

    \${agent.change.password.confirmation.text}

Then I verify following buttons are displayed on "change password confirmation popup"

    \${close.button}

Then I click on "\${close.button}" button

After

[Back to Table of Contents](#)

**Scenario Outline: Verify Agent should be able to reset the password back to Agent123 after 5 update**

Passed: 6

Before

Given I assign "Agent125" to variable "AGENT\_NEW\_PASSWORD"

Output

Assigning value Agent125 to variable AGENT\_NEW\_PASSWORD

Then I enter "Agent124" password in current password field

When I enter "\${AGENT\_NEW\_PASSWORD}" password in new password field

And I enter "\${AGENT\_NEW\_PASSWORD}" password in confirm your password field

And I click on "\${save.button.text}" button

Then I click on "\${close.button}" button

**After**[Back to Table of Contents](#)**Scenario Outline: Verify Agent should be able to reset the password back to Agent123 after 5 update**

Passed: 6

**Before****Given I assign "Agent126" to variable "AGENT\_NEW\_PASSWORD"****Output**

Assigning value Agent126 to variable AGENT\_NEW\_PASSWORD

**Then I enter "Agent125" password in current password field****When I enter "\${AGENT\_NEW\_PASSWORD}" password in new password field****And I enter "\${AGENT\_NEW\_PASSWORD}" password in confirm your password field****And I click on "\${save.button.text}" button****Then I click on "\${close.button}" button****After**[Back to Table of Contents](#)**Scenario Outline: Verify Agent should be able to reset the password back to Agent123 after 5 update**

Passed: 6

**Before****Given I assign "Agent127" to variable "AGENT\_NEW\_PASSWORD"****Output**

Assigning value Agent127 to variable AGENT\_NEW\_PASSWORD

**Then I enter "Agent126" password in current password field****When I enter "\${AGENT\_NEW\_PASSWORD}" password in new password field****And I enter "\${AGENT\_NEW\_PASSWORD}" password in confirm your password field****And I click on "\${save.button.text}" button****Then I click on "\${close.button}" button****After**[Back to Table of Contents](#)**Scenario Outline: Verify Agent should be able to reset the password back to Agent123 after 5 update**

Passed: 6

**Before****Given I assign "Agent128" to variable "AGENT\_NEW\_PASSWORD"****Output**

Assigning value Agent128 to variable AGENT\_NEW\_PASSWORD

**Then I enter "Agent127" password in current password field**

**When I enter "\${AGENT\_NEW\_PASSWORD}" password in new password field**

**And I enter "\${AGENT\_NEW\_PASSWORD}" password in confirm your password field**

**And I click on "\${save.button.text}" button**

**Then I click on "\${close.button}" button**

**After**

[Back to Table of Contents](#)

**Scenario Outline: Verify Agent should be able to reset the password back to Agent123 after 5 update**

Passed: 6

**Before**

**Given I assign "Agent129" to variable "AGENT\_NEW\_PASSWORD"**

Output

Assigning value Agent129 to variable AGENT\_NEW\_PASSWORD

**Then I enter "Agent128" password in current password field**

**When I enter "\${AGENT\_NEW\_PASSWORD}" password in new password field**

**And I enter "\${AGENT\_NEW\_PASSWORD}" password in confirm your password field**

**And I click on "\${save.button.text}" button**

**Then I click on "\${close.button}" button**

**After**

[Back to Table of Contents](#)

**Scenario Outline: Verify Agent should be able to reset the password back to Agent123 after 5 update**

Passed: 6

**Before**

**Given I assign "Agent123" to variable "AGENT\_NEW\_PASSWORD"**

Output

Assigning value Agent123 to variable AGENT\_NEW\_PASSWORD

**Then I enter "Agent129" password in current password field**

**When I enter "\${AGENT\_NEW\_PASSWORD}" password in new password field**

**And I enter "\${AGENT\_NEW\_PASSWORD}" password in confirm your password field**

**And I click on "\${save.button.text}" button**

**Then I click on "\${close.button}" button**

**After**

[Back to Table of Contents](#)

<b>Scenario: verify Agent should be able to logout and Login back with the updated password</b>				
Passed: 6				
<b>Before</b>				
<p>When I Logout of the sales portal</p> <p>When I Login to Sales Portal with below details</p> <table border="1"> <tr> <td>UserName</td> <td> \${AGENT_EMAIL_ID}</td> </tr> <tr> <td>Password</td> <td> \${agent.password}</td> </tr> </table> <p>And I enter the verification code if page appears for agent "\${AGENT_EMAIL_ID}"</p> <p>Then I verify "\${welcome.to.prudential}" screen is displayed</p> <p>Then I click on "Agent Profile" Link</p> <p>And verify the user is landed on "Agent Profile" page</p>	UserName	\${AGENT_EMAIL_ID}	Password	\${agent.password}
UserName	\${AGENT_EMAIL_ID}			
Password	\${agent.password}			
<b>After</b>				
<a href="#">Back to Table of Contents</a>				
<b>Scenario: Close from Sales Portal</b>				
Passed: 1				
<b>Before</b>				
<p>And I close sales portal</p>				
<b>After</b>				
<a href="#">Back to Table of Contents</a>				
<b>Feature: Verify select plan page functionality</b>				
Passed: 19				
<b>Scenario: Launch Sales application for PAMB</b>				
Passed: 5				
<b>Before</b>				
<p>Given Launch sales portal</p> <p>Output</p> <pre>https://uat-sales.eb.prudential.com.my/</pre>				
<p>And I assign value to following variables</p> <table border="1"> <tr> <td>Agent_Email</td> <td> \${agent.email.id.global}</td> </tr> <tr> <td>Agent_Password</td> <td> \${agent.password}</td> </tr> </table>	Agent_Email	\${agent.email.id.global}	Agent_Password	\${agent.password}
Agent_Email	\${agent.email.id.global}			
Agent_Password	\${agent.password}			
<p>When I Login to Sales Portal with below details</p> <table border="1"> <tr> <td>UserName</td> <td> \${Agent_Email}</td> </tr> <tr> <td>Password</td> <td> \${Agent_Password}</td> </tr> </table>	UserName	\${Agent_Email}	Password	\${Agent_Password}
UserName	\${Agent_Email}			
Password	\${Agent_Password}			
<p>And I enter the verification code if page appears for agent "\${Agent_Email}"</p> <p>Then I verify "\${welcome.to.prudential}" screen is displayed</p>				
<b>After</b>				
<a href="#">Back to Table of Contents</a>				
<b>Scenario: verify static and sample text on company and category section on select plan page</b>				
Passed: 11				

**Before**

Given I click on Create Quote Link

Then verify the user is landed on "Select Plan" page

And I verify following text is displayed on "Select plan Page" page

\${estimatedAnnualPremium.button.text}
\${newQuote.static.text}

And I verify the h2 header text is displayed on "Select plan" page

\${select.plan.group.coverage.ghs.text}
\${select.group.plan.static.text}

And I verify following static text on "Select plan" page

\${select.plan.group.coverage.gtl.text}
\${select.plan.group.coverage.gtl.death.text}
\${select.plan.group.coverage.gtl.tpd.text}
\${select.plan.gtl.gadd.text}

And I verify following paragraph is displayed on "Select Plan" page

\${select.plan.group.ghs.confirm.text}
--

Then I verify following buttons are displayed on "Select Plan page"

\${saveQuote.button.text}
\${premiumandbenefit.button.text}
\${selectplan.ghs.yes.button}
\${selectplan.ghs.no.button}

Then I verify field label text on "Select Plan" page

\${numOfEmp.field.label.text}
\${selectCoverageStartDate.field.label.text}

Then I verify the presence of following items on page footer

\${next.button.text}
----------------------

Then I verify "\${previous.button.text}" button should not be visible on "select plan page footer"

Then I verify the sample text of following fields on select plan page

Select coverage date	\${coverageDate.default.value}
Number of Members	

**After**

[Back to Table of Contents](#)

**Scenario: Verify optional plan GHS is not selected by default**

Passed: 2

**Before**

Then I verify following buttons are displayed and enabled

\${selectplan.ghs.yes.button}
\${selectplan.ghs.no.button}

And I verify selection status of following buttons are "not selected"

\${selectplan.ghs.yes.button}
\${selectplan.ghs.no.button}

**After**

<a href="#">Back to Table of Contents</a>			
<b>Scenario: Verify the validation when user saves the quote without entering the Mandatory fields</b>			
Passed: 2			
<b>Before</b>			
<p>Given I click on "\${saveQuote.button.text}" button</p> <p>Then I verify following validation message on "Select plan page"</p> <table border="1"> <tr><td>    \${validationMessage.company.name}</td></tr> <tr><td>    \${emp.bulk.upload.error.empcount.message}</td></tr> <tr><td>    \${validationMessage.ghs.button}</td></tr> </table>	\${validationMessage.company.name}	\${emp.bulk.upload.error.empcount.message}	\${validationMessage.ghs.button}
\${validationMessage.company.name}			
\${emp.bulk.upload.error.empcount.message}			
\${validationMessage.ghs.button}			
<b>After</b>			
<a href="#">Back to Table of Contents</a>			
<b>Scenario: Verify Next button validation message without entering any values</b>			
Passed: 5			
<b>Before</b>			
<p>Given I click on "\${next.button.text}" button</p> <p>Then I verify following validation message on "Select plan page"</p> <table border="1"> <tr><td>    \${validationMessage.ghs.button}</td></tr> </table> <p>And I click on PAMB GHS "\${selectplan.ghs.yes.button}" button</p> <p>Given I click on "\${next.button.text}" button</p> <p>Then I verify following text is displayed on "Select Plan" page</p> <table border="1"> <tr><td>    \${selectplan.error.num.employee}</td></tr> </table>	\${validationMessage.ghs.button}	\${selectplan.error.num.employee}	
\${validationMessage.ghs.button}			
\${selectplan.error.num.employee}			
<b>After</b>			
<a href="#">Back to Table of Contents</a>			
<b>Scenario: verify that the coverage date should be current date by default</b>			
Passed: 2			
<b>Before</b>			
<p>Given I generate "current date" and assign to variable "current date" in "dd/MM/yyyy" format</p> <p>Then I verify the sample text of following fields on select plan page</p> <table border="1"> <tr><td>    Select Coverage Date \${current date}</td></tr> </table>	Select Coverage Date \${current date}		
Select Coverage Date \${current date}			
<b>After</b>			
<a href="#">Back to Table of Contents</a>			
<b>Scenario: verify the coverage date should set to current date if Agent input past date in text field</b>			
Passed: 4			
<b>Before</b>			
<p>And I scroll the page up</p> <p>Then I generate "current date" and assign to variable "current date" in "dd/MM/yyyy" format</p> <p>And I calculate "-31d" from current date in "dd/MM/yyyy" format and assign to variable "past date"</p> <p>Then I enter following details on select plan page</p> <table border="1"> <tr><td>    Select Coverage Date \${past date}</td></tr> </table> <p>Then I verify the sample text of following fields on select plan page</p> <table border="1"> <tr><td>    Select Coverage Date \${current date}</td></tr> </table>	Select Coverage Date \${past date}	Select Coverage Date \${current date}	
Select Coverage Date \${past date}			
Select Coverage Date \${current date}			

```
java.lang.AssertionError: expected [07/03/2021] but found [04/03/2021]
at org.testng.Assert.fail(Assert.java:94)
at org.testng.Assert.failNotEquals(Assert.java:513)
at org.testng.Assert.assertEqualsImpl(Assert.java:135)
at org.testng.Assert.assertEquals(Assert.java:116)
at org.testng.Assert.assertEquals(Assert.java:190)
at org.testng.Assert.assertEquals(Assert.java:200)
at com.pru.sales.portal.pages.SelectPlanPage.verifySampleTextOnSelectPlanPage(SelectPlanPage.
at com.pru.sales.portal.stepdef.SelectPlanSteps.verifySampleTextOnSelectPlanPage(SelectPlanSte
at .Then I verify the sample text of following fields on select plan page(features/my/01.SelectPlanP:
```



+ New Quote

Information

Quotes

Documents

Powered by

PA Profile

Get Help

Select Plan

! Member

New Quote

Company Name

Effective Date of Coverage

04/03/2021

## Group Plan

Group Term Life (GTL)

Death Benefit (due to ALL causes)

Total and Permanent Disability Benefit (TPD)

Group Accidental Death and Disablement Be

[Logout](#)[Collapse Sidebar](#)**After**[Back to Table of Contents](#)**Scenario: verify that the past date should be disabled on coverage date calendar**

Passed: 5

**Before**

And I calculate "-32d" from current date in "MMM/dd/yyyy" format and assign to variable "past"

Then I open the coverage date calendar

Then I select the coverage date "past date" using calendar

And I verify past date is disabled

Then I verify month field dropdown value matches with "/testdata/my/month\_dropdown/month.txt"

Output

```
expected data: [Apr, Aug, Dec, Feb, Jan, Jul, Jun, Mar, May, Nov, Oct, Sep]
actual data: [Apr, Aug, Dec, Feb, Jan, Jul, Jun, Mar, May, Nov, Oct, Sep]
```

**After**[Back to Table of Contents](#)**Scenario Outline: verify coverage date calendar is functioning properly**

Passed: 6

**Before**

Then I open the coverage date calendar

Then I generate "current date" and assign to variable "current date" in "MMM/dd/yyyy" format

Then I generate "current date" and assign to variable "DATE\_SELECTED" in "MM/dd/yyyy" format

Then I generate "current date" and assign to variable "EXPECTED\_DATE\_SELECTED" in "dd/MM/yyyy" format

Then I select the coverage date "current date" using calendar

Then I verify the sample text of following fields on select plan page

Select Coverage Date	\${EXPECTED_DATE_SELECTED}
----------------------	----------------------------

**After**[Back to Table of Contents](#)**Scenario Outline: verify coverage date calendar is functioning properly**

Passed: 6

**Before**

Then I open the coverage date calendar

Then I generate "future date" and assign to variable "future date" in "MMM/dd/yyyy" format

Then I generate "future date" and assign to variable "DATE\_SELECTED" in "MM/dd/yyyy" format

Then I generate "future date" and assign to variable "EXPECTED\_DATE\_SELECTED" in "dd/MM/yyyy" format

Then I select the coverage date "future date" using calendar
Then I verify the sample text of following fields on select plan page
Select Coverage Date \${EXPECTED_DATE_SELECTED}

**After**[Back to Table of Contents](#)**Scenario Outline: Enter number of employees: 4 for single category**

- 1) verify Agent should not be allowed to enter less than 5 employees for single category  
 2) verify Agent should not be allowed to enter more than 200 employees for single category

Passed: 6

**Before**

Then I enter following details on select plan page
No. of Employees 4
And I click on PAMB GHS "\${selectplan.ghs.yes.button}" button
Then I click on "\${saveQuote.button.text}" button
Then I verify following validation message on "Select plan page"
\${emp.bulk.upload.error.empcount.message}
Given I click on "\${next.button.text}" button
Then I verify following text is displayed on "Select Plan" page
\${emp.bulk.upload.error.empcount.message}

**After**[Back to Table of Contents](#)**Scenario: Verify Agent should be able to enter company and category details**

- 1) all the information should be same as entered by agent on select plan page after saving the quote  
 2) last saved message should be displayed correctly

Passed: 14

**Before**

Given I click on Quotes link
Then I click on Create Quote Link
Then I navigate to "Select Plan" screen
Then I generate "future date" and assign to variable "future date" in "dd/MM/yyyy" format
Then I generate random number and assign to variable "RANDOM_NUMBER"

Output

Random number generated is :342

**Then I assign value to following variables**

Company_Name	Automation_\${RANDOM_NUMBER}
No._of_Employees	200

**And I enter following details on select plan page**

Company Name	\${Company_Name}
--------------	------------------

	Select Coverage Date \${future date}
	No. of Employees \${No._of_Employees}
<b>And I click on PAMB GHS "\${selectplan.ghs.yes.button}" button</b>	
<b>Then I click on "\${saveQuote.button.text}" button</b>	
<b>Then I verify following validation message on "Select plan page"</b>	
	\${success.quote.message.text}
<b>Then I verify following information is displayed on page footer</b>	
	\${lastSavedMessage.static.text}
<b>Given I verify company name is displayed as entered on select plan page</b>	
	Company Name \${Company_Name}
<b>Then I verify the sample text of following fields on select plan page</b>	
	Select Coverage Date \${future date}
	Number of Members \${No._of_Employees}
<b>Then I verify the presence of export quote button</b>	
After	
<a href="#">Back to Table of Contents</a>	
<b>Scenario: verify employee screen is displayed when user click on next button at the bottom of the screen</b>	
Passed: 3	
Before	
	Given I verify "\${next.button.text}" button is "enabled"
	Then I click on next button present on page footer
	And verify the user is landed on "Employees" page
After	
<a href="#">Back to Table of Contents</a>	
<b>Scenario Outline: verify the company name should be displayed as entered on select plan page on sub</b>	
Passed: 4	
Before	
	Given I navigate to "Employees" screen
	Then I verify company name is displayed as entered on select plan page
	Company Name \${Company_Name}
	Then I click on "\${saveQuote.button.text}" button
	Then I verify following validation message on "Select plan page"
	\${success.quote.message.text}
After	
<a href="#">Back to Table of Contents</a>	
<b>Scenario Outline: verify the company name should be displayed as entered on select plan page on sub</b>	
Passed: 4	
Before	
	Given I navigate to "Company" screen
	Then I verify company name is displayed as entered on select plan page
	Company Name \${Company_Name}
	Then I click on "\${saveQuote.button.text}" button

**Then I verify following validation message on "Select plan page"**

\${success.quote.message.text}
--------------------------------

**After**

[Back to Table of Contents](#)

**Scenario Outline: verify the company name should be displayed as entered on select plan page on sub**

Passed: 4

**Before**

**Given I navigate to "Submit" screen**

**Then I verify company name is displayed as entered on select plan page**

Company Name \${Company_Name}
-------------------------------

**Then I click on "\${saveQuote.button.text}" button**

**Then I verify following validation message on "Select plan page"**

\${success.quote.message.text}
--------------------------------

**After**

[Back to Table of Contents](#)

**Scenario Outline: verify the estimated premium amount should be displayed as entered on select plan**

Passed: 3

**Before**

**Given I navigate to "Employees" screen**

**Then I get the estimated premium value displayed on select plan page and assign to variable "PRE**

**Then I verify estimated premium amount is displayed same as select plan page**

Estimated Annual Premium \${PREMIUM_AMOUNT}
---

**After**

[Back to Table of Contents](#)

**Scenario Outline: verify the estimated premium amount should be displayed as entered on select plan**

Passed: 3

**Before**

**Given I navigate to "Company" screen**

**Then I get the estimated premium value displayed on select plan page and assign to variable "PRE**

**Then I verify estimated premium amount is displayed same as select plan page**

Estimated Annual Premium \${PREMIUM_AMOUNT}
---

**After**

[Back to Table of Contents](#)

**Scenario Outline: verify the estimated premium amount should be displayed as entered on select plan**

Passed: 3

**Before**

**Given I navigate to "Submit" screen**

**Then I get the estimated premium value displayed on select plan page and assign to variable "PRE**

**Then I verify estimated premium amount is displayed same as select plan page**

Estimated Annual Premium \${PREMIUM_AMOUNT}
---

**After**

[Back to Table of Contents](#)

**Scenario: Close Sales Portal**

Passed: 1

**Before****And I close sales portal****After**[Back to Table of Contents](#)**Feature: Verify Agent can add,edit or delete members manually**

Passed: 55

**Scenario: Log into sales portal as an agent and navigate to employee page**

Passed: 5

**Before****Given Launch sales portal****Output**

https://uat-sales.eb.prudential.com.my/

**And I assign value to following variables**

<b>Agent_Email</b>	#{agent.email.id.global}
<b>Agent_Password</b>	#{agent.password}
<b>Occupational Class</b>	#{emp.occupationalclass.dropdown.value1}
<b>Nationality</b>	#{nationality.dropDown.list}

**When I Login to Sales Portal with below details**

<b>UserName</b>	#{Agent_Email}
<b>Password</b>	#{Agent_Password}

**And I enter the verification code if page appears for agent "#{Agent\_Email}"****Then I verify "#{welcome.to.prudential}" screen is displayed****After**[Back to Table of Contents](#)**Scenario: Verify Sample text on employee view**

Passed: 20

**Before****When I click on Create Quote Link****Then I navigate to "Select Plan" screen****And I generate "current date" and assign to variable "#{COVERAGE\_DATE}" in "dd/MM/yyyy"****And I assign value to following variables****No.\_of\_Members** 10**And I enter following details on select plan page**

<b>Effective Date of Coverage</b>	#{COVERAGE_DATE}
<b>No. of Employees</b>	#{No._of_Members}

**And I click on PAMB GHS "#{selectplan.ghs.yes.button}" button****Then I navigate to "Members" screen**

And verify the user is landed on "Members" page
And I verify following text is displayed on "Employee Page" page
<div style="border: 1px solid black; padding: 5px;"><code>    \${estimatedAnnualPremium.button.text}</code> <code>    \${newQuote.static.text}</code></div>
Then I verify following buttons are displayed on top right corner of the screen
<div style="border: 1px solid black; padding: 5px;"><code>Save Quote \${saveQuote.button.text}</code></div>
Then I verify the presence of following button on "members page"
<div style="border: 1px solid black; padding: 5px;"><code>    \${employee.upload.file.btn}</code> <code>    \${addEmployeeManually.button.text}</code></div>
Then I verify the presence of "\${employee.download.template.btn}" on employee page
Then I verify the presence of three dots dropdown for ph on employee page
Then I verify the following information text on the screen
<div style="border: 1px solid black; padding: 5px;"><code>Info \${employee.drop.data.file}</code></div>
Then I assign value to following variables
<div style="border: 1px solid black; padding: 5px;"><code>EMP_COUNT 0</code></div>
Then I verify the presence of following member table headers on "member page"
<div style="border: 1px solid black; padding: 5px;"><code>    \${employee.detail.name}</code> <code>    \${employee.detail.startdate}</code></div>
Then I verify following counts are displayed for employee and dependant on employee page
<div style="border: 1px solid black; padding: 5px;"><code>Member Count \${employee.uploaded.count}</code></div>
Then I verify the presence of following items on page footer
<div style="border: 1px solid black; padding: 5px;"><code>    \${previous.button.text}</code> <code>    \${next.button.text}</code></div>
And I verify "\${previous.button.text}" button is "enabled"
And I verify "\${next.button.text}" button is "enabled"
After
<a href="#">Back to Table of Contents</a>
<b>Scenario: Verify PDPA Consent requirement title and text</b>
Passed: 2
Before
Then I verify following text is displayed on "Member" page
<div style="border: 1px solid black; padding: 5px;"><code>    \${employee.PDPA.title.txt}</code></div>
Then I verify below pdpa consent text is displayed on Employee page
<div style="border: 1px solid black; padding: 5px;"><code>    \${employee.PDPA.consent.text}</code></div>
After
<a href="#">Back to Table of Contents</a>
<b>Scenario: verify Upload file,Add employee and download template button is disabled when PDPA Co</b>
Passed: 3
Before
Given I verify PDPA Consent requirement checkbox is "unchecked"
Then I verify following buttons are "disabled" on employee page
<div style="border: 1px solid black; padding: 5px;"><code>    \${addEmployeeManually.button.text}</code></div>

**Then I verify following span type link are "disabled" on employee page**

`${employee.download.template.btn}`

**After**

[Back to Table of Contents](#)

**Scenario: verify Upload file,Add members and download template button is enabled when PDPA Consent requirement check box is selected**

Passed: 6

**Before**

**Given I select the PDPA Consent requirement check box**

**And I verify PDPA consent information is collapsed**

**Then I click on three dots at the top right corner of employee table**

**Then I verify the presence of following button on "top right corner of member table"**

`${employee.reupload.btn}`

**And I verify button label text on "Employee Page on click on 3 dots" page**

`${employee.reupload.btn}`

**Then I verify "\${employee.reupload.btn}" button is "enabled"**

**After**

[Back to Table of Contents](#)

**Scenario: verify Agent can download the excel template**

*1)verify template format should be excel*

*2)the file should contain expected headers*

Passed: 14

**Before**

**Given I assign "/testdata/\${sales.fe.lbu}/bulk\_upload\_employee" to variable "testdata.path"**

**Output**

Assigning value /testdata/my/bulk\_upload\_employee to variable testdata.path

**Then I assign "Employee\_Temp\_To\_Compare\_With.xls" to variable "FILE\_NAME"**

**Output**

Assigning value Employee\_Temp\_To\_Compare\_With.xls to variable FILE\_NAME

**Then I assign "employees\_template.xls" to variable "DOWNLOADED\_FILE\_NAME"**

**Output**

Assigning value employees\_template.xls to variable DOWNLOADED\_FILE\_NAME

**And I assign "\${testdata.path}/downloadEmployeeTemplate" to variable "employee.template.com"**

**Output**

```
Assigning value /testdata/my/bulk_upload_employee/downloadEmployeeTemplate to variable employee.template.compareWith
```

**Then I assign the downloaded file "\${DOWNLOADED\_FILE\_NAME}" to variable "employee.template.compareWith"**

**Then I delete the downloaded file "\${employee.template.CompareTo.path}" if it already exists**

**Then I scroll to the end of page**

**When I click on Download employee template button**

**Then I verify following text is displayed on "Download Member Data File" page**

<code> \${employee.download.popup.Header.text}</code>
---

<code> \${employee.download.popup.message}</code>
---

**Then I verify following buttons are displayed on "Download Member Data File"**

<code> \${employee.download.popup.english.button}</code>
--

**Then I click on "\${employee.download.popup.english.button}" button**

**Then I verify downloaded file name is "\${employee.template.CompareTo.path}"**

**Output**

```
Downloaded file name=/tmp/workspace/me-sales-portal-ui-tests_develop/employees_template.xlsm
```

**And I verify employee csv file "\${employee.template.CompareTo.path}" is matching with "\${employee.template.compareWith}"**

**And I close download employee data file popup**

**After**

[Back to Table of Contents](#)

**Scenario: verify static,sample text,header and footer on Member profile page**

Passed: 10

**Before**

**Given I close download employee data file popup if it is opened**

**Given I select the PDPA Consent requirement check box**

**And I scroll the page up**

**Then I click on "\${addEmployeeManually.button.text}" button**

**Then I verify "\${employee.addemp.modal.title}" modal comes up**

**Then I verify the h3 header text is displayed on "Add Employee modal" page**

<code> \${employee.addemp.empdetails}</code>
<code> \${employee.addemp.nationalitydetails}</code>
<code> \${employee.addemp.addressdetails}</code>

**Then I verify the field label text on "Add Employee modal"**

<code> \${employee.addemp.field.firstname}</code>
<code> \${employee.addemp.field.surname}</code>
<code> \${employee.addemp.field.dob}</code>
<code> \${employee.addemp.field.gender}</code>

	<p>    \${employee.adtemp.field.cmpnyemail}</p> <p>    \${employee.adtemp.field.occupationclass}</p> <p>    \${employee.adtemp.field.nationality}</p> <p>    \${employee.adtemp.field.nric}</p> <p>    \${employee.adtemp.field.mandatory.address}</p> <p>    \${employee.adtemp.field.optional.address2}</p> <p>    \${employee.adtemp.field.optional.address3}</p> <p>    \${employee.adtemp.field.optional.address4}</p> <p>    \${employee.adtemp.field.state}</p> <p>    \${employee.adtemp.field.city}</p> <p>    \${employee.adtemp.field.zipcode}</p> <p>    \${employee.adtemp.field.country}</p>	
<b>Then I verify the informational text on "Add Employee Modal"</b>		
	\${employee.adtemp.field.optional.address2} \${employee.infotext}	
	\${employee.adtemp.field.optional.address3} \${employee.infotext}	
	\${employee.adtemp.field.optional.address4} \${employee.infotext}	
<b>Then I verify the default value in following fields on add employee screen</b>		
State	\${state.default.value}	
MY Occupational Class	\${emp.occupationalclass.dropdown.value1}	
static Nationality	\${nationality.dropDown.list}	
Country	\${country.dropDown.value}	
Date of Birth default	\${emp.date.format}	
Coverage Start Date default	\${emp.date.format}	
<b>And I verify the presence of following button on "Add employee modal"</b>		
	\${employee.adtemp.saveandnew}	
	\${employee.adtemp.close}	
<b>After</b>		
<a href="#">Back to Table of Contents</a>		
<b>Scenario: verify the values of Occupational Class field on Add member modal</b>		
Passed: 1		
<b>Before</b>		
<b>Then I verify Occupational Class field is non editable on Add member screen</b>		
<b>After</b>		
<a href="#">Back to Table of Contents</a>		
<b>Scenario: Verify nationality field is uneditable</b>		
Passed: 1		
<b>Before</b>		
<b>Then I verify Nationality field is non editable on Add employee screen</b>		
<b>After</b>		
<a href="#">Back to Table of Contents</a>		
<b>Scenario: Verify the dropdown lists in State field</b>		
Passed: 1		
<b>Before</b>		

**Then I verify State field dropdown values matches with "/testdata/my/state/state.txt" file****Output**

```
StateField data: [Johor, Kedah, Kelantan, Melaka, Negeri Sembilan, Pahang, Perak, Perlis, Pulau Pinang, Sabah, Sarawak, Selangor, Terengganu]
FileData: [Johor, Kedah, Kelantan, Melaka, Negeri Sembilan, Pahang, Perak, Perlis, Pulau Pinang, Sabah, Sarawak, Selangor, Terengganu]
```

**After**[Back to Table of Contents](#)**Scenario: verify country field should be un editable****Passed: 1****Before****Given I verify Country field is non editable on Add employee screen****After**[Back to Table of Contents](#)**Scenario: Validating the error message When user clicks on save button without entering field value****Passed: 4****Before****Given I close the Add employee Modal if it is already opened****Then I click on "Add Member" button****Then I click on "\${employee.adtemp.saveandnew}" button****Then I verify the error message on "Add Member modal"**

`\${employee.adtemp.field.firstname}`	`\${emp.error.mandatoryfield1}`
`\${employee.adtemp.field.surname}`	`\${emp.error.mandatoryfield3}`
`\${employee.adtemp.field.dob}`	`\${emp.error.mandatoryfield5}`
`\${employee.adtemp.field.cmpnyemail}`	`\${emp.error.mandatoryfield6}`
PAMB Gender	`\${emp.error.mandatoryfield9}`
`\${employee.adtemp.field.nric}`	`\${emp.error.mandatoryfield10}`
PAMB State	`\${emp.error.mandatoryfield12}`
`\${employee.adtemp.field.city}`	`\${emp.error.mandatoryfield13}`
`\${employee.adtemp.field.zipcode}`	`\${emp.error.mandatoryfield14}`
`\${employee.adtemp.field.mandatory.address}`	`\${emp.error.mandatoryfield11}`

**Output**

```
Checking validation message for First Name
Checking validation message for Surname
Checking validation message for Date of Birth
Checking validation message for Email Address
Checking validation message for PAMB Gender
Checking validation message for NRIC no.
Checking validation message for PAMB State
Checking validation message for City
Checking validation message for Post Code
Checking validation message for Address 1
```



Checking validation message for Post Code

## After

[Back to Table of Contents](#)

**Scenario Outline: Validating the error message: "\${emp.error.min.max.validation.zipcode}" When user enters invalid post code**

Passed: 3

## Before

Then I enter following details on "add member" screen

Post Code	103
-----------	-----

Then I click on "\${employee.addemp.saveandnew}" button

Then I verify the error message on "Add Member modal"

\${employee.addemp.field.zipcode}	\${emp.error.min.max.validation.zipcode}
-----------------------------------	--

Output

Checking validation message for Post Code

## After

[Back to Table of Contents](#)

**Scenario Outline: Validating the error message: "\${emp.error.min.max.validation.zipcode}" When user enters invalid post code**

Passed: 3

## Before

Then I enter following details on "add member" screen

Post Code	145607
-----------	--------

Then I click on "\${employee.addemp.saveandnew}" button

Then I verify the error message on "Add Member modal"

\${employee.addemp.field.zipcode}	\${emp.error.min.max.validation.zipcode}
-----------------------------------	--

Output

Checking validation message for Post Code

## After

[Back to Table of Contents](#)

**Scenario Outline: Validating the error message: "\${emp.error.formatvalidation.email}" When user enters invalid email address**

Passed: 3

## Before

Then I enter following details on "add member" screen

Email Address	testmailinator.com
---------------	--------------------

| Then I click on "\${employee.addemp.saveandnew}" button

**Then I verify the error message on "Add Member modal"**

**Employee Add Form - Validation**

## Output

Checking validation message for Email Address

## After

[Back to Table of Contents](#)

**Scenario Outline: Validating the error message: "\${emp.error.min.max.validation.email}" When user enters invalid email**

**Passed: 3**

## Before

**Then I enter following details on "add member" screen**

**Then I click on "\${employee.addemp.saveandnew}" button**

## When I verify the error message on "Add Member modal"

**\${e}**

Checking validation message for Email Address

## After

[Back to Table of Contents](#)

**Scenario Outline: Validating the error message: "\${error.numeric.validation.city}" When user enters**

**Passed: 3**

## Before

**Then I enter following details on "add member" screen**

City Test123

**Then I click on "\${employee.adtemp.saveandnew}" button**

**Then I verify the error message on "Add Member modal"**

**Employee Address Validation**

The following table shows validation errors for address fields:

Field	Error Message
City	City must be a numeric value.

## Output

Checking validation message for City

## After

[Back to Table of Contents](#)

**Scenario Outline: Validating the error message: "\${emp.error.formatvalidation.nationalid}" When user enters invalid national id**

**Passed: 3**

## Before

**Then I enter following details on "add member" screen**

**NRIC no.** G1234567@H45

**Then I click on "\${employee.addemp.saveandnew}" button**

**Then I verify the error message on "Add Member modal"**

**Employee Add Form**

## Output

Checking validation message for NRIC no.

## After

[\*\*Back to Table of Contents\*\*](#)

**Scenario Outline: Validating the error message: "\${emp.error.min.max.validation.address1}" When**

**Passed: 3**

## Before

**Then I enter following details on "add member" screen**

**Then I click on "\${employee.addemp.saveandnew}" button**

When I verify the error message on "Add Member modal"

1

Checking validation message for Address 1

After

---

[Back to Table of Contents](#)

### **Scenario Outline: Validating the error message: "\${emp.error.min.max.validation.city}" When user enters invalid city**

**Passed: 3**

## Before

**Then I enter following details on "add member" screen**

City ABCDEfgIJJKLMNO#%\$^&@PORSTUVWXYZyABCDEFHGIJKLMNOPPORSTUVWX

**Then I click on "\${employee.addemp.saveandnew}" button**

**Then I verify the error message on "Add Member modal"**

**Employee Address Validation**

## Output

## Checking validation message for City





	\${employee.adtemp.field.dob} \${ANB 31}
--	--

Then I click on "\${employee.adtemp.saveandnew}" button

And I wait for 2 sec

Then I verify the error message on "Add Employee modal"

	\${employee.adtemp.field.dob} \${emp.adtemp.future.DOB.error.message}
--	---

Output

Checking validation message for Date of Birth
---

**After**

[Back to Table of Contents](#)

**Scenario Outline: validate the ANB calculation is done based on member DOB - \${ANB 30} when effective date is \${past\_coverage\_date}**

Passed: 6

**Before**

Given I calculate "-30d" from current date in "dd/MM/yyyy HH:mm" format and assign to variable \${ANB 30}

And I calculate "-30y" from "\${past\_coverage\_date}" in "dd/MM/yyyy" format and assign to variable \${ANB 30}

And I enter following details on "add member" screen

	\${employee.adtemp.field.dob} \${ANB 30}
--	--

Then I click on "\${employee.adtemp.saveandnew}" button

And I wait for 2 sec

Then I verify the error message on "Add Employee modal"

	\${employee.adtemp.field.dob}
--	-------------------------------

Output

Checking validation message for Date of Birth
---

**After**

[Back to Table of Contents](#)

**Scenario Outline: validate the ANB calculation is done based on member DOB - \${ANB 15} when effective date is \${past\_coverage\_date}**

Passed: 6

**Before**

Given I calculate "-30d" from current date in "dd/MM/yyyy HH:mm" format and assign to variable \${ANB 15}

And I calculate "-15y" from "\${past\_coverage\_date}" in "dd/MM/yyyy" format and assign to variable \${ANB 15}

And I enter following details on "add member" screen

	\${employee.adtemp.field.dob} \${ANB 15}
--	--

Then I click on "\${employee.adtemp.saveandnew}" button

And I wait for 2 sec

Then I verify the error message on "Add Employee modal"

	\${employee.adtemp.field.dob} \${emp.adtemp.future.DOB.error.message}
--	---

Output

Checking validation message for Date of Birth

## After

[Back to Table of Contents](#)

**Scenario Outline: validate the ANB calculation is done based on member DOB - \${ANB 16} when effective date is future date**

Passed: 6

## Before

Given I calculate "-30d" from current date in "dd/MM/yyyy HH:mm" format and assign to variable "future\_coverage\_date"

And I calculate "-16y" from "\${past\_coverage\_date}" in "dd/MM/yyyy" format and assign to variable "past\_coverage\_date"

And I enter following details on "add member" screen

\${employee.addemp.field.dob} \${ANB 16}

Then I click on "\${employee.addemp.saveandnew}" button

And I wait for 2 sec

Then I verify the error message on "Add Employee modal"

\${employee.addemp.field.dob}

Output

Checking validation message for Date of Birth

## After

[Back to Table of Contents](#)

**Scenario: Prerequisite for ANB validtaions between 16 & 30 (inclusive) - Effective date is future date**

Passed: 9

## Before

Given I close the Add employee Modal if it is already opened

Then I navigate to "Select Plan" screen

And I calculate "+30d" from current date in "dd/MM/yyyy" format and assign to variable "future\_coverage\_date"

And I enter following details on select plan page

Effective Date of Coverage \${future\_coverage\_date}

And I navigate to "Members" screen

Given I select the PDPA Consent requirement check box

And I scroll the page up

Then I click on "\${addEmployeeManually.button.text}" button

Then I verify "\${employee.addemp.modal.title}" modal comes up

## After

[Back to Table of Contents](#)

**Scenario Outline: validate the ANB calculation is done based on member DOB - \${ANB 31} when effective date is future date**

Passed: 6

## Before

Given I calculate "+30d" from current date in "dd/MM/yyyy HH:mm" format and assign to variable  
 And I calculate "-31y" from "\${future\_coverage\_date}" in "dd/MM/yyyy" format and assign to variable  
 And I enter following details on "add member" screen

\${employee.adtemp.field.dob} \${ANB 31}
--

Then I click on "\${employee.adtemp.saveandnew}" button

And I wait for 2 sec

Then I verify the error message on "Add Employee modal"

\${employee.adtemp.field.dob} \${emp.adtemp.future.DOB.error.message}
---

Output

Checking validation message for Date of Birth

After

[Back to Table of Contents](#)

Scenario Outline: validate the ANB calculation is done based on member DOB - \${ANB 30} when effective date is \${future\_coverage\_date}

Passed: 6

Before

Given I calculate "+30d" from current date in "dd/MM/yyyy HH:mm" format and assign to variable  
 And I calculate "-30y" from "\${future\_coverage\_date}" in "dd/MM/yyyy" format and assign to variable  
 And I enter following details on "add member" screen

\${employee.adtemp.field.dob} \${ANB 30}
--

Then I click on "\${employee.adtemp.saveandnew}" button

And I wait for 2 sec

Then I verify the error message on "Add Employee modal"

\${employee.adtemp.field.dob}
-------------------------------

Output

Checking validation message for Date of Birth

After

[Back to Table of Contents](#)

Scenario Outline: validate the ANB calculation is done based on member DOB - \${ANB 15} when effective date is \${future\_coverage\_date}

Passed: 6

Before

Given I calculate "+30d" from current date in "dd/MM/yyyy HH:mm" format and assign to variable  
 And I calculate "-15y" from "\${future\_coverage\_date}" in "dd/MM/yyyy" format and assign to variable  
 And I enter following details on "add member" screen

\${employee.adtemp.field.dob} \${ANB 15}
--

Then I click on "\${employee.adtemp.saveandnew}" button

And I wait for 2 sec

**Then I verify the error message on "Add Employee modal"**

<code>    \${employee.adtemp.field.dob}</code>	<code>    \${emp.adtemp.future.DOB.error.message}</code>
--	--

Output

```
-----  
Checking validation message for Date of Birth  
-----
```

**After**[Back to Table of Contents](#)**Scenario Outline: validate the ANB calculation is done based on member DOB - \${ANB 16} when effective date is current date**

Passed: 6

**Before****Given I calculate "+30d" from current date in "dd/MM/yyyy HH:mm" format and assign to variable****And I calculate "-16y" from "\${future\_coverage\_date}" in "dd/MM/yyyy" format and assign to variable****And I enter following details on "add member" screen**

<code>    \${employee.adtemp.field.dob}</code>	<code>    \${ANB 16}</code>
--	-----------------------------

**Then I click on "\${employee.adtemp.saveandnew}" button****And I wait for 2 sec****Then I verify the error message on "Add Employee modal"**

<code>    \${employee.adtemp.field.dob}</code>
--

Output

```
-----  
Checking validation message for Date of Birth  
-----
```

**After**[Back to Table of Contents](#)**Scenario: Prerequisite for ANB validations between 16 & 30 (inclusive) - Effective date is current date**

Passed: 9

**Before****Given I close the Add employee Modal if it is already opened****Then I navigate to "Select Plan" screen****And I generate "current date" and assign to variable "current\_coverage\_date" in "dd/MM/yyyy"****And I enter following details on select plan page**

<b>Effective Date of Coverage</b>	<code>    \${current_coverage_date}</code>
-----------------------------------	--

**And I navigate to "Members" screen****Given I select the PDPA Consent requirement check box****And I scroll the page up****Then I click on "\${addEmployeeManually.button.text}" button****Then I verify "\${employee.adtemp.modal.title}" modal comes up****After**[Back to Table of Contents](#)

**Scenario Outline: validate the ANB calculation is done based on member DOB - \${ANB 31} when effective date is +30 days**

Passed: 6

**Before**

Given I calculate "+30d" from current date in "dd/MM/yyyy HH:mm" format and assign to variable

And I calculate "-31y" from "\${current\_coverage\_date}" in "dd/MM/yyyy" format and assign to variable

And I enter following details on "add member" screen

<code>    \${employee.adtemp.field.dob}</code>	<code>    \${ANB 31}</code>
--	-----------------------------

Then I click on "\${employee.adtemp.saveandnew}" button

And I wait for 2 sec

Then I verify the error message on "Add Employee modal"

<code>    \${employee.adtemp.field.dob}</code>	<code>    \${emp.adtemp.future.DOB.error.message}</code>
--	--

Output

```
-----  
Checking validation message for Date of Birth  
-----
```

**After**[Back to Table of Contents](#)**Scenario Outline: validate the ANB calculation is done based on member DOB - \${ANB 30} when effective date is +30 days**

Passed: 6

**Before**

Given I calculate "+30d" from current date in "dd/MM/yyyy HH:mm" format and assign to variable

And I calculate "-30y" from "\${current\_coverage\_date}" in "dd/MM/yyyy" format and assign to variable

And I enter following details on "add member" screen

<code>    \${employee.adtemp.field.dob}</code>	<code>    \${ANB 30}</code>
--	-----------------------------

Then I click on "\${employee.adtemp.saveandnew}" button

And I wait for 2 sec

Then I verify the error message on "Add Employee modal"

<code>    \${employee.adtemp.field.dob}</code>
--

Output

```
-----  
Checking validation message for Date of Birth  
-----
```

**After**[Back to Table of Contents](#)**Scenario Outline: validate the ANB calculation is done based on member DOB - \${ANB 15} when effective date is +30 days**

Passed: 6

**Before**

Given I calculate "+30d" from current date in "dd/MM/yyyy HH:mm" format and assign to variable

And I calculate "-15y" from "\${current\_coverage\_date}" in "dd/MM/yyyy" format and assign to variable

And I enter following details on "add member" screen

\${employee.adtemp.field.dob} \${ANB 15}
--

Then I click on "\${employee.adtemp.saveandnew}" button
---

And I wait for 2 sec
----------------------

Then I verify the error message on "Add Employee modal"
---

\${employee.adtemp.field.dob} \${emp.adtemp.future.DOB.error.message}
---

Output
--------

Checking validation message for Date of Birth
---

After
-------

<a href="#">Back to Table of Contents</a>
---

Scenario Outline: validate the ANB calculation is done based on member DOB - \${ANB 16} when effec
--

Passed: 6
-----------

Before
--------

Given I calculate "+30d" from current date in "dd/MM/yyyy HH:mm" format and assign to varia
---

And I calculate "-16y" from "\${current_coverage_date}" in "dd/MM/yyyy" format and assign to
--

And I enter following details on "add member" screen
--

\${employee.adtemp.field.dob} \${ANB 16}
--

Then I click on "\${employee.adtemp.saveandnew}" button
---

And I wait for 2 sec
----------------------

Then I verify the error message on "Add Employee modal"
---

\${employee.adtemp.field.dob}
-------------------------------

Output
--------

Checking validation message for Date of Birth
---

After
-------

<a href="#">Back to Table of Contents</a>
---

Scenario: verify calendar functionality is working for date of birth
--

Passed: 11
------------

Before
--------

Given I close the Add employee Modal if it is already opened
--

And I scroll the page up
--------------------------

Then I click on "\${addEmployeeManually.button.text}" button
--

And I generate "current date" and assign to variable "current date" in "dd/MMM/yyyy" format
---

And I generate "future date" and assign to variable "future date_1" in "dd/MMM/yyyy" format
---

And I generate "future date" and assign to variable "future date_2" in "dd/MM/yyyy" format
--

Then I click on date of birth calendar button on Add employee modal on Sales
--

Then I verify the value "\${current date}" is selected by default for date of birth calendar on Add e
---

Then I verify month field dropdown value matches with "/testdata/\${sales.fe.lbu}/month_dropdown
--

**Output**

expected data: [Apr, Aug, Dec, Feb, Jan, Jul, Jun, Mar, May, Nov, Oct, Sep]  
actual data: [Apr, Aug, Dec, Feb, Jan, Jul, Jun, Mar, May, Nov, Oct, Sep]

**Then I select date "\${future date\_1}" using calendar****Then I verify Add Employee page is displayed with all data pre-populated from employee table**

Date of Birth	\${future date_2}
---------------	-------------------

**After**[Back to Table of Contents](#)**Scenario: verify calendar functionality is working for coverage start date**

Passed: 5

**Before****Then I click on employee start date calendar button on Add employee modal on Sales****Then I verify the value "\${current date}" is selected by default for employee start date calendar or not****Then I verify month field dropdown value matches with "/testdata/\${sales.fe.lbu}/month\_dropdown"****Output**

expected data: [Apr, Aug, Dec, Feb, Jan, Jul, Jun, Mar, May, Nov, Oct, Sep]  
actual data: [Apr, Aug, Dec, Feb, Jan, Jul, Jun, Mar, May, Nov, Oct, Sep]

**Then I select date "\${future date\_1}" using calendar****Then I verify Add Employee page is displayed with all data pre-populated from employee table**

Date of Birth	\${future date_2}
---------------	-------------------

**After**[Back to Table of Contents](#)**Scenario: Verify agent can perform following functions***1)manually add the single member after uploading a bulk emp file**2)Save using Save and New button**3)The member count per category and total no of members is updated after employee is manually added*

Passed: 35

**Before****Given I close the Add employee Modal if it is already opened****Then I click on Create Quote Link****And I generate "current date" and assign to variable "COVERAGE\_DATE" in "dd/MM/yyyy" format****And I enter Company Name as "MY Member Bulk Upload Tests"****Output**

company name is: MY Member Bulk Upload Tests

**And I assign value to following variables**

No._of_Members	10
----------------	----

**And I enter following details on select plan page**

Effective Date of Coverage	#{COVERAGE_DATE}
No. of Members	#{No._of_Members}

**And I click on PAMB GHS "\${selectplan.ghs.yes.button}" button**

**Then I navigate to "Members" screen**

**Then I select the PDPA Consent requirement check box**

**And I assign "/testdata/\${sales.fe.lbu}/bulk\_upload\_employee" to variable "testdata.path"**

**Output**

Assigning value /testdata/my/bulk\_upload\_employee to variable testdata.path

**Then I assign "employee\_CorrectData.xls" to variable "FILE\_NAME"**

**Output**

Assigning value employee\_CorrectData.xls to variable FILE\_NAME

**Then I upload the employee csv file "\${testdata.path}/003/\${FILE\_NAME}"**

**And I wait for 10 sec**

**And I verify the "\${employee.upload.success.msg}" validation message on employee screen**

**And I scroll the page up**

**Then I click on "\${addEmployeeManually.button.text}" button**

**Then I verify "\${employee.addemp.modal.title}" modal comes up**

**And I generate random number and assign to variable "RANDOM\_NUMBER"**

**Output**

Random number generated is :313

**And I assign value to following variables**

Employee First Name	Employee One
Employee Surname	Sur.name
Date of Birth	01/01/1995
Gender	#{gender.female.text}
Email Address	testuser_\${RANDOM_NUMBER}@test.com
Coverage Start Date	#{COVERAGE_DATE}
NRIC no.	123456789102

Address 1	Test Address1
Address 2	Test Address2
Address 3	Test Address3
Address 4	Test Address4
State	\${state.dropdown.value.2}
City	Test City
Post Code	54787

Given I enter following details on "Add Employee" screen

First Name	\${Employee First Name}
Surname	\${Employee Surname}
Date of Birth	\${Date of Birth}
Gender	\${Gender}
Email Address	\${Email Address}
Coverage Start Date	\${Coverage Start Date}
NRIC no.	\${NRIC no.}
Address 1	\${Address 1}
Address 2	\${Address 2}
Address 3	\${Address 3}
Address 4	\${Address 4}
State	\${State}
City	\${City}
Post Code	\${Post Code}

And I assign "\${Employee First Name} \${Employee Surname}" to variable "Employee Full Name"

Output

Assigning value Employee One Sur.name to variable Employee Full Name

Then I scroll the page up

And I click on "\${employee.addemp.saveandnew}" button

Then I click on "\${employee.addemp.close}" button

Then verify the user is landed on "Members" page

Then I assign value to following variables

EMP_COUNT	11
-----------	----

And I scroll the page up

Then I verify following counts are displayed for employee and dependant on employee page

Employee Count	\${employee.uploaded.count}
----------------	-----------------------------

Then I enter "\${Employee Full Name}" in search text field in Members page

Then I scroll to the end of page

Then I verify following information is displayed for member "\${Employee Full Name}" in members page

\${employee.detail.name}	\${Employee Full Name}
\${employee.detail.startdate}	\${COVERAGE_DATE}

When I expand the member "\${Employee Full Name}" using > button

**And I verify following details for the added/updated members**

<code> \${employee.adtemp.field.dob}</code>	<code> \${Date of Birth}</code>
<code> \${employee.adtemp.field.gender}</code>	<code> \${Gender}</code>
<code> \${employee.adtemp.field.nationality}</code>	<code> \${Nationality}</code>
<code> \${employee.detailsview.field.empid}</code>	<code> \${NRIC no.}</code>
<code> \${employee.adtemp.field.occupationclass}</code>	<code> \${Occupational Class}</code>
<code> \${employee.adtemp.field.cmpnyemail}</code>	<code> \${Email Address}</code>

**Then I navigate to "Select Plan" screen**

**Then I verify the sample text of following fields on select plan page**

<code> Number of Members</code>	11
---------------------------------	----

**After**

[Back to Table of Contents](#)

**Scenario: Verify the email duplicate check is present while adding same email for employees manually**

Passed: 13

**Before**

**Given I navigate to "Members" screen**

**And I scroll the page up**

**And I click on " `${addEmployeeManually.button.text}`" button**

**And I verify " `${employee.adtemp.modal.title}`" modal comes up**

**Then I enter following details on "Add Employee" screen**

<code> Email Address</code>	<code> \${hr.admin.id}</code>
-----------------------------	-------------------------------

**And I click on " `${employee.adtemp.saveandnew}`" button**

**When I verify the error message on "Add Employee modal"**

<code> \${employee.adtemp.field.cmpnyemail}</code>	<code> \${emp.bulk.upload.error.email.exist}</code>
--	---

**Output**

Checking validation message for Email Address

**Then I enter following details on "Add Employee" screen**

<code> Email Address</code>	<code> \${Email Address}</code>
-----------------------------	---------------------------------

**And I click on " `${employee.adtemp.saveandnew}`" button**

**And I wait for 2 sec**

**When I verify the error message on "Add Employee modal"**

<code> \${employee.adtemp.field.cmpnyemail}</code>	<code> \${emp.bulk.upload.error.email.exist}</code>
--	---

**Output**

Checking validation message for Email Address

**And I click on " `${employee.adtemp.close}`" button**

**And verify the user is landed on "Members" page**

<b>After</b>
<a href="#">Back to Table of Contents</a>
<b>Scenario: Verify the presence of the Search field</b>
Passed: 3
<b>Before</b>
<p>Given I close the Add employee Modal if it is already opened      And I verify Search text field is displayed and enabled with magnifying class and default text as Se      And I verify sample text of search text field on "member page" page on Sales Portal      \${member.search.text}</p>
<b>After</b>
<a href="#">Back to Table of Contents</a>
<b>Scenario Outline: Verify the agent can search member details by entering "First Name"</b>
Passed: 3
<b>Before</b>
<p>Given I enter "\${Employee First Name}" in search text field in Members page      And I verify searched member count is 1      Then I remove search text on manage members page in Sales Portal</p>
<b>After</b>
<a href="#">Back to Table of Contents</a>
<b>Scenario Outline: Verify the agent can search member details by entering "NRIC no."</b>
Passed: 3
<b>Before</b>
<p>Given I enter "\${NRIC no.}" in search text field in Members page      And I verify searched member count is 1      Then I remove search text on manage members page in Sales Portal</p>
<b>After</b>
<a href="#">Back to Table of Contents</a>
<b>Scenario Outline: Verify the agent can search member details by entering "Email Address"</b>
Passed: 3
<b>Before</b>
<p>Given I enter "\${Email Address}" in search text field in Members page      And I verify searched member count is 1      Then I remove search text on manage members page in Sales Portal</p>
<b>After</b>
<a href="#">Back to Table of Contents</a>
<b>Scenario: Verify the agent can edit the employee information on employee page</b>
Passed: 23
<b>Before</b>
<p>Given I close the Add employee Modal if it is already opened      And I navigate to "Select Plan" screen      And I navigate to "Members" screen</p>

Then I enter "\${Email Address}" in search text field in Members page

And I click on edit button next to the employee "\${Employee Full Name}"

Then I click on profile button "\${employee.editprofile.button.text}" on Add employee page

Then I verify "\${employee.editemp.modal.title}" modal comes up

Then I verify Add Employee page is displayed with all data pre-populated from employee table

First Name	\${Employee First Name}
Surname	\${Employee Surname}
Date of Birth	\${Date of Birth}
Gender	\${Gender}
Email Address	\${Email Address}
MY Occupational Class	\${Occupational Class}
Coverage Start Date	\${Coverage Start Date}
static Nationality	\${Nationality}
NRIC no.	\${NRIC no.}
Address 1	\${Address 1}
Address 2	\${Address 2}
Address 3	\${Address 3}
Address 4	\${Address 4}
State	\${state.dropdown.value.2}
City	\${City}
Post Code	\${Post Code}

Then I scroll the page up

Then I generate random number and assign to variable "RANDOM\_NUMBER"

Output

Random number generated is :750

And I assign value to following variables

updated_Employee First Name	Test FN updated
updated_Employee Sur Name	Test SN updated
updated_Date of Birth	23/09/1992
updated_Gender	\${gender.male.text}
updated_Email Address	testuser_\${RANDOM_NUMBER}@test.com
updated_CoverageStart Date	\${COVERAGE_DATE}
updated_NRIC no.	456789012345
updated_Address 1	Test Address1
updated_Address 2	Test Address2
updated_Address 3	Test Address3
updated_Address 4	Test Address4
updated_State	\${state.dropdown.value.3}
updated_City	Test City
updated_Post Code	53783

Then I enter following details on "add employee" screen

First Name	\${updated_Employee First Name}
Surname	\${updated_Employee Sur Name}
Date of Birth	\${updated_Date of Birth}
Gender	\${updated_Gender}
Email Address	\${updated_Email Address}
Coverage Start Date	\${updated_CoverageStart Date}
NRIC no.	\${updated_NRIC no.}
Address 1	\${updated_Address 1}
Address 2	\${updated_Address 2}
Address 3	\${updated_Address 3}
Address 4	\${updated_Address 4}
State	\${updated_State}
City	\${updated_City}
Post Code	\${updated_Post Code}

And I assign "\${updated\_Employee First Name} \${updated\_Employee Sur Name}" to variable "u

Output

Assigning value Test FN updated Test SN updated to variable updated\_Employee Full Name

Then I scroll the page up

Then I click on "\${employee.addemp.save}" button

Then verify the user is landed on "Members" page

Then I wait for 5 sec

Then I remove search text on manage members page in Sales Portal

Then I assign value to following variables

EMP\_COUNT|11

Then I verify following counts are displayed for employee and dependant on employee page

Employee Count|\${employee.uploaded.count}

Then I enter "\${updated\_Employee Full Name}" in search text field in Members page

When I expand the member "\${updated\_Employee Full Name}" using > button

And I verify following details for the added/updated members

\${employee.addemp.field.dob}	\${updated_Date of Birth}
\${employee.addemp.field.gender}	\${updated_Gender}
\${employee.addemp.field.nationality}	\${Nationality}
\${employee.detailsview.field.empid}	\${updated_NRIC no.}
\${employee.addemp.field.occupationclass}	\${Occupational Class}
\${employee.addemp.field.cmpnyemail}	\${updated_Email Address}

After

[Back to Table of Contents](#)

Scenario: Verify the agent can delete single member profile

Passed: 5

Before		
Given I close the Add employee Modal if it is already opened		
Given I enter "\${updated_Employee Full Name}" in search text field in Members page		
And I click on edit button next to the employee "\${updated_Employee Full Name}"		
Then I assign "\${updated_Employee Full Name}" to variable "Employee Full Name"		
Output		
Assigning value Test FN updated Test SN updated to variable Employee Full Name		
Then I click on delete profile button "\${employee.deleteprofile.button.text}" on Add employee page		
Then I verify following text is displayed on "delete profile popup window on employee" page		
<table border="1"> <tr> <td>    \${employee.delete.popup.Header.text}</td> </tr> <tr> <td>    \${employee.delete.popup.message}</td> </tr> </table>	\${employee.delete.popup.Header.text}	\${employee.delete.popup.message}
\${employee.delete.popup.Header.text}		
\${employee.delete.popup.message}		
java.lang.AssertionError: The following asserts failed: Are you sure you would like to delete Test FN updated Test SN updated? text is displayed on page at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43) at com.pru.sales.portal.stepdef.AgentRegistrationSteps.verifyMessageOnPage(AgentRegistrationS at .Then I verify following text is displayed on "delete profile popup window on employee" page(f Then I verify following buttons are displayed on "delete profile popup window on employee"		
<table border="1"> <tr> <td>    \${employee.delete.popup.cancel.button}</td> </tr> <tr> <td>    \${employee.delete.popup.delete.button}</td> </tr> </table>	\${employee.delete.popup.cancel.button}	\${employee.delete.popup.delete.button}
\${employee.delete.popup.cancel.button}		
\${employee.delete.popup.delete.button}		
Then I click on "\${employee.delete.popup.cancel.button}" button		
Given I click on edit button next to the employee "\${updated_Employee Full Name}"		
Then I click on delete profile button "\${employee.deleteprofile.button.text}" on Add employee page		
Then I click on "\${employee.delete.popup.delete.button}" button		
Then I remove search text on manage members page in Sales Portal		
Then I assign value to following variables		
<table border="1"> <tr> <td>    EMP_COUNT 10</td> </tr> </table>	EMP_COUNT 10	
EMP_COUNT 10		
Then I verify following counts are displayed for employee and dependant on employee page		
<table border="1"> <tr> <td>    Employee Count \${employee.uploaded.count}</td> </tr> </table>	Employee Count \${employee.uploaded.count}	
Employee Count \${employee.uploaded.count}		
Then I verify following employees should not present on employee page		
<table border="1"> <tr> <td>    \${Employee Full Name}</td> </tr> </table>	\${Employee Full Name}	
\${Employee Full Name}		

**PRUDENTIAL**

Select Plan Member

+ New Quote

Information

Quotes

Documents

New Quote

## MY Member Bulk Upload Tests

PDPA Consent Requirement

Test FN updated Test SN updated X

**Members (1)**

Test FN updated Test SN updated

Date of Birth      Gen  
23/09/1992      Male

Occupational Class  
Class 2 - Job type that is a moderate risk of accident

Powered by  
**PRUDENTIAL**

**PA** Profile

Get Help

[Logout](#)[Collapse Sidebar](#)[Previous](#)

## After

[Back to Table of Contents](#)

### Scenario: Verify that the quote can be saved by clicking on Save Quote button after entering member

Passed: 12

## Before

Given I close delete profile modal if already opened

Then I navigate to "Members" screen

And I verify following buttons are displayed on top right corner of the screen

**Save Quote** \${saveQuote.button.text}

And I generate random number and assign to variable "RANDOM\_NUMBER"

Output

Random number generated is :550

And I assign "Test\_Quote\_\${RANDOM\_NUMBER}" to variable "Company\_Name"

Output

Assigning value Test\_Quote\_550070322327 to variable Company\_Name

And I enter Company Name as "\${Company\_Name}"

Output

company name is: Test\_Quote\_550070322327

And I click on "\${saveQuote.button.text}" button

Then I verify following information is displayed on page footer

    \${lastSavedMessage.static.text}

Then I verify the presence of export quote button

And I click on "Quotes" Link

When I enter "\${Company\_Name}" in search text field in Quotes page

Then I verify Quote is present only for "\${Company\_Name}" search criteria in "Company Name"

## After

[Back to Table of Contents](#)

## Scenario: Verify workflow of adding multiple member profiles manually

- 1) Verify the agent can add multiple member profiles manually
- 2) Verify the functionality of save and new button to add multiple members

Passed: 48

### Before

Given I close the Add employee Modal if it is already opened

Then I click on Create Quote Link

And I generate "current date" and assign to variable "COVERAGE\_DATE" in "dd/MM/yyyy" format

And I assign value to following variables

No._of_Members	10
----------------	----

And I enter Company Name as "MY Member Bulk Upload Tests"

Output

company name is: MY Member Bulk Upload Tests

And I enter following details on select plan page

Effective Date of Coverage	\${COVERAGE_DATE}
No. of Members	\${No._of_Members}

And I click on PAMB GHS "\${selectplan.ghs.no.button}" button

And I navigate to "Members" screen

And verify the user is landed on "Members" page

Then I select the PDPA Consent requirement check box

And I scroll the page up

Then I click on "\${addEmployeeManually.button.text}" button

Then I verify "\${employee.ademp.modal.title}" modal comes up

And I generate random number and assign to variable "RANDOM\_NUMBER"

Output

Random number generated is :358

And I assign value to following variables

Employee First Name_emp1	First User
Employee Surname_emp1	Sur'name
Date of Birth_emp1	27/08/1996
Gender_emp1	\${gender.male.text}
Email Address_emp1	testuser_\${RANDOM_NUMBER}@test.com
CoverageStart Date_emp1	\${COVERAGE_DATE}
NRIC no._emp1	896789012345
Address 1_emp1	Test Address1

Address 2_emp1	Test Address2
Address 3_emp1	Test Address3
Address 4_emp1	Test Address24
State_emp1	\${state.dropdown.value.1}
City_emp1	Test City
Post Code_emp1	60258

Given I enter following details on "Add Employee" screen

First Name	\${Employee First Name_emp1}
Surname	\${Employee Surname_emp1}
Date of Birth	\${Date of Birth_emp1}
Gender	\${Gender_emp1}
Email Address	\${Email Address_emp1}
Coverage Start Date	\${CoverageStart Date_emp1}
NRIC no.	\${NRIC no._emp1}
Address 1	\${Address 1_emp1}
Address 2	\${Address 2_emp1}
Address 3	\${Address 3_emp1}
Address 4	\${Address 4_emp1}
State	\${State_emp1}
City	\${City_emp1}
Post Code	\${Post Code_emp1}

And I assign "\${Employee First Name\_emp1} \${Employee Surname\_emp1}" to variable "Employee Full Name\_emp1"

Assigning value First User Sur'Name to variable Employee Full Name\_emp1

Then I scroll the page up

And I click on "\${employee.addemp.saveandnew}" button

Then I verify "\${employee.addemp.modal.title}" modal comes up

And I scroll the page up

And I generate random number and assign to variable "RANDOM\_NUMBER"

Output

Random number generated is :804

And I assign value to following variables

Employee First Name_emp2	Second User
Employee Surname_emp2	SN
Date of Birth_emp2	18/12/1994
Gender_emp2	\${gender.male.text}
Email Address_emp2	testuser_\${RANDOM_NUMBER}@test.com

CoverageStart Date_emp2	\${COVERAGE_DATE}
NRIC no._emp2	545767689022
Address 1_emp2	Second Address1
Address 2_emp2	Second Address2
Address 3_emp2	Second Address3
Address 4_emp2	Second Address4
State_emp2	\${state.dropdown.value.2}
City_emp2	Second City
Post Code_emp2	04988

Given I enter following details on "Add Employee" screen

First Name	\${Employee First Name_emp2}
Surname	\${Employee Surname_emp2}
Date of Birth	\${Date of Birth_emp2}
Gender	\${Gender_emp2}
Email Address	\${Email Address_emp2}
Coverage Start Date	\${CoverageStart Date_emp2}
NRIC no.	\${NRIC no._emp2}
Address 1	\${Address 1_emp2}
Address 2	\${Address 2_emp2}
Address 3	\${Address 3_emp2}
Address 4	\${Address 4_emp2}
State	\${State_emp2}
City	\${City_emp2}
Post Code	\${Post Code_emp2}

And I assign "\${Employee First Name\_emp2} \${Employee Surname\_emp2}" to variable "Employee Full Name" Output

Assigning value Second User SN to variable Employee Full Name\_emp2

And I click on "\${employee.addemp.saveandnew}" button

Then I verify "\${employee.addemp.modal.title}" modal comes up

And I scroll the page up

And I generate random number and assign to variable "RANDOM\_NUMBER"

Output

Random number generated is :779

And I assign value to following variables

Employee First Name_emp3	Third User
Employee Surname_emp3	S-N
Date of Birth_emp3	19/09/1996

Email Address_emp3	testuser_\${RANDOM_NUMBER}@test.com
NRIC no._emp3	854545454545
Address 1_emp3	Test Address@3
State_emp3	\${state.dropdown.value.3}
City_emp3	Test-City
Post Code_emp3	76548

Given I enter following details on "Add Employee" screen

First Name	\${Employee First Name_emp3}
Surname	\${Employee Surname_emp3}
Date of Birth	\${Date of Birth_emp3}
Gender	\${Gender_emp2}
Coverage Start Date	\${COVERAGE_DATE}
Email Address	\${Email Address_emp3}
NRIC no.	\${NRIC no._emp3}
Address 1	\${Address 1_emp3}
State	\${State_emp3}
City	\${City_emp3}
Post Code	\${Post Code_emp3}

And I assign "\${Employee First Name\_emp3} \${Employee Surname\_emp3}" to variable "Employee Full Name.emp3"

Assigning value Third User S-N to variable Employee Full Name.emp3

And I click on "\${employee.adtemp.saveandnew}" button

Then I click on "\${employee.adtemp.close}" button

Then verify the user is landed on "Members" page

Then I assign value to following variables

EMP\_COUNT|3

Then I verify following counts are displayed for employee and dependant on employee page

Employee Count|\${employee.uploaded.count}

Then I verify following information is displayed for member "\${Employee Full Name\_emp1}" in Members page

\${employee.detail.name}	\${Employee Full Name_emp1}
\${employee.detail.startdate}	\${COVERAGE_DATE}

Given I enter "\${Employee Full Name\_emp1}" in search text field in Members page

When I expand the member "\${Employee Full Name\_emp1}" using > button

And I verify following details for the added/updated members

\${employee.adtemp.field.dob}	\${Date of Birth_emp1}
\${employee.adtemp.field.gender}	\${Gender_emp1}
\${employee.adtemp.field.nationality}	\${Nationality}
\${employee.detailsview.field.empid}	\${NRIC no._emp1}
\${employee.adtemp.field.occupationclass}	\${Occupational Class}
\${employee.adtemp.field.cmpnyemail}	\${Email Address_emp1}

**When I expand the member "\${Employee Full Name\_emp1}" using > button**

**Then I remove search text on manage members page in Sales Portal**

**Given I enter "\${Employee Full Name\_emp2}" in search text field in Members page**

**Then I verify following information is displayed for member "\${Employee Full Name\_emp2}" in Members page**

\${employee.detail.name}	\${Employee Full Name_emp2}
\${employee.detail.startdate}	\${COVERAGE_DATE}

**And I remove search text on manage members page in Sales Portal**

**Given I enter "\${Employee Full Name\_emp3}" in search text field in Members page**

**Then I verify following information is displayed for member "\${Employee Full Name\_emp3}" in Members page**

\${employee.detail.name}	\${Employee Full Name_emp3}
\${employee.detail.startdate}	\${COVERAGE_DATE}

**After**

[Back to Table of Contents](#)

**Scenario: Verify that the quote can be saved by clicking on Save Quote button in the Members page by using PAMB GHS**

**Passed: 16**

**Before**

**Given I click on Create Quote Link**

**Then I navigate to "Select Plan" screen**

**Then I generate random number and assign to variable "RANDOM\_NUMBER"**

**Output**

Random number generated is :668

**Then I assign "Dummy\_Quote\_\${RANDOM\_NUMBER}" to variable "Company\_Name"**

**Output**

Assigning value Dummy\_Quote\_668070322345 to variable Company\_Name

**Then I enter Company Name as "\${Company\_Name}"**

**Output**

company name is: Dummy\_Quote\_668070322345

**Then I enter following details on select plan page**

No. of Employees	10
------------------	----

**And I click on PAMB GHS "\${selectplan.ghs.yes.button}" button**

**And I navigate to "Members" screen**

**Then I verify following buttons are displayed on top right corner of the screen**

Save Quote	\${saveQuote.button.text}
------------	---------------------------

	<p>Then I click on "\${saveQuote.button.text}" button</p>						
	<p>Then I verify following information is displayed on page footer     \${lastSavedMessage.static.text}</p>						
	<p>Then I verify the presence of export quote button</p>						
	<p>Then I click on Quotes link</p>						
	<p>And I wait for 2 sec</p>						
	<p>When I enter "\${Company_Name}" in search text field in Quotes page</p>						
	<p>Then I verify Quote is present only for "\${Company_Name}" search criteria in "Company Name"</p>						
	<p>After</p>						
	<p><a href="#">Back to Table of Contents</a></p>						
	<p><b>Scenario: Close Sales Portal</b></p>						
	<p>Passed: 1</p>						
	<p>Before</p>						
	<p>    And I close sales portal</p>						
	<p>After</p>						
	<p><a href="#">Back to Table of Contents</a></p>						
	<p><b>Feature: Verify upload,re upload, download member excel functionality on members page</b></p>						
	<p>1) Verify upload members using xlsm file 2) Verify Re upload Member xlsm file 3) Verify the Member Table data downloadable into xlsm</p>						
	<p>Passed: 19</p>						
	<p><b>Scenario: Prerequisite to upload members xlsm using \${employee.upload.file.btn} button</b></p>						
	<p>Passed: 7</p>						
	<p>Before</p>						
	<p>    Given I assign "/testdata/\${sales.fe.lbu}/bulk_upload_employee" to variable "testdata.path"</p>						
	<p>    Output</p>						
	<p>        Assigning value /testdata/my/bulk_upload_employee to variable testdata.path</p>						
	<p>    Given I generate "current date" and assign to variable "current date" in "dd/MM/yyyy" format</p>						
	<p>    When Launch sales portal</p>						
	<p>    Output</p>						
	<p>        https://uat-sales.eb.prudential.com.my/</p>						
	<p>    And I assign value to following variables</p>						
	<table border="1"><tr><td>Agent_Email</td><td>\${agent.email.id.global}</td></tr><tr><td>Agent_Password</td><td>\${agent.password}</td></tr><tr><td>COVERAGE_DATE</td><td>\${current date}</td></tr></table>	Agent_Email	\${agent.email.id.global}	Agent_Password	\${agent.password}	COVERAGE_DATE	\${current date}
Agent_Email	\${agent.email.id.global}						
Agent_Password	\${agent.password}						
COVERAGE_DATE	\${current date}						

	<b>When I Login to Sales Portal with below details</b>				
	<table border="1"> <tr> <td>UserName</td><td> \${Agent_Email}</td></tr> <tr> <td>Password</td><td> \${Agent_Password}</td></tr> </table>	UserName	\${Agent_Email}	Password	\${Agent_Password}
UserName	\${Agent_Email}				
Password	\${Agent_Password}				
	<b>And I enter the verification code if page appears for agent "\${Agent_Email}"</b>				
	<b>Then I verify "\${welcome.to.prudential}" screen is displayed</b>				
<b>After</b>					
	<a href="#">Back to Table of Contents</a>				
	<b>Scenario: Set up the member view for uploading member data file</b>				
Passed: 6					
<b>Before</b>					
	<b>When I click on Create Quote Link</b>				
	<b>And I assign value to following variables</b>				
	<table border="1"> <tr> <td>No._of_Employees</td><td>10</td></tr> </table>	No._of_Employees	10		
No._of_Employees	10				
	<b>And I enter Company Name as "MY Member Bulk Upload Tests"</b>				
Output					
	company name is: MY Member Bulk Upload Tests				
	<b>And I enter following details on select plan page</b>				
	<table border="1"> <tr> <td>No. of Employees</td><td> \${No._of_Employees}</td></tr> </table>	No. of Employees	\${No._of_Employees}		
No. of Employees	\${No._of_Employees}				
	<b>And I navigate to "Members" screen</b>				
	<b>And I select the PDPA Consent requirement check box</b>				
<b>After</b>					
	<a href="#">Back to Table of Contents</a>				
	<b>Scenario: verify error message when wrong file type is uploaded</b>				
Passed: 3					
<b>Before</b>					
	<b>Given I assign "Wrong_file_type.txt" to variable "FILE_NAME"</b>				
Output					
	Assigning value Wrong_file_type.txt to variable FILE_NAME				
	<b>When I upload the employee csv file "\${testdata.path}/001/\${FILE_NAME}"</b>				
	<b>Then I verify "\${employee.wrong.filetype.upload.error}" validation error message is displayed</b>				
<b>After</b>					
	<a href="#">Back to Table of Contents</a>				
	<b>Scenario Outline: Sales Portal upload member error message validation "XLSM file with no details"</b>				
Passed: 7					
<b>Before</b>					
	<b>Given I assign "employee_EmptyFile.xlsm" to variable "FILE_NAME"</b>				

<b>Output</b>
Assigning value employee_EmptyFile.xlsxm to variable FILE_NAME
<b>And I navigate to "Select Plan" screen</b>
<b>And I navigate to "Members" screen</b>
<b>When I upload the employee csv file "\${testdata.path}/001/\${FILE_NAME}"</b>
<b>When I click on View button to see errors</b>
<b>Then I verify following text is displayed on "emp bulk upload error modal" page</b>
<b>    \${employee.empty.file.upload.error}</b>
<b>Given I close "\${employee.error.view.close}" the error modal if it is opened</b>
<b>After</b>
<a href="#">Back to Table of Contents</a>
<b>Scenario Outline: Sales Portal upload member error message validation "XLSM file with no headers"</b>
Passed: 7
<b>Before</b>
<b>Given I assign "employee_No_Header.xlsxm" to variable "FILE_NAME"</b>
<b>Output</b>
Assigning value employee_No_Header.xlsxm to variable FILE_NAME
<b>And I navigate to "Select Plan" screen</b>
<b>And I navigate to "Members" screen</b>
<b>When I upload the employee csv file "\${testdata.path}/001/\${FILE_NAME}"</b>
<b>When I click on View button to see errors</b>
<b>Then I verify following text is displayed on "emp bulk upload error modal" page</b>
<b>    \${employee.no.headers.upload.error}</b>
<b>Given I close "\${employee.error.view.close}" the error modal if it is opened</b>
<b>After</b>
<a href="#">Back to Table of Contents</a>
<b>Scenario Outline: Sales Portal upload member error message validation "XLSM file with missing header"</b>
Passed: 7
<b>Before</b>
<b>Given I assign "employee_MissingColumn.xlsxm" to variable "FILE_NAME"</b>
<b>Output</b>
Assigning value employee_MissingColumn.xlsxm to variable FILE_NAME
<b>And I navigate to "Select Plan" screen</b>

**And I navigate to "Members" screen**

**When I upload the employee csv file "\${testdata.path}/001/\${FILE\_NAME}"**

**When I click on View button to see errors**

**Then I verify following text is displayed on "emp bulk upload error modal" page**

**\${employee.missing.column.upload.error}**

**Given I close "\${employee.error.view.close}" the error modal if it is opened**

**After**[Back to Table of Contents](#)**Scenario Outline: Sales Portal upload member error message validation "XLSM file with diff header"**

Passed: 7

**Before**

**Given I assign "employee\_diff\_language.xls" to variable "FILE\_NAME"**

**Output**

```
Assigning value employee_diff_language.xls to variable FILE_NAME
```

**And I navigate to "Select Plan" screen**

**And I navigate to "Members" screen**

**When I upload the employee csv file "\${testdata.path}/001/\${FILE\_NAME}"**

**When I click on View button to see errors**

**Then I verify following text is displayed on "emp bulk upload error modal" page**

**\${employee.diff.language.upload.error}**

**Given I close "\${employee.error.view.close}" the error modal if it is opened**

**After**[Back to Table of Contents](#)**Scenario Outline: Sales Portal upload member error message validation "XLSM file with no data"**

Passed: 7

**Before**

**Given I assign "employee\_nodata.xls" to variable "FILE\_NAME"**

**Output**

```
Assigning value employee_nodata.xls to variable FILE_NAME
```

**And I navigate to "Select Plan" screen**

**And I navigate to "Members" screen**

**When I upload the employee csv file "\${testdata.path}/001/\${FILE\_NAME}"**

**When I click on View button to see errors**

**Then I verify following text is displayed on "emp bulk upload error modal" page**

**\${employee.no.data.upload.error}**

**Given I close "\${employee.error.view.close}" the error modal if it is opened**

**After**[Back to Table of Contents](#)**Scenario Outline: Sales Portal upload member error message validation "XLSM file with wrong head**

Passed: 7

**Before****Given I assign "employee\_IncorrectColumnName.xls" to variable "FILE\_NAME"****Output**

Assigning value employee\_IncorrectColumnName.xls to variable FILE\_NAME

**And I navigate to "Select Plan" screen****And I navigate to "Members" screen****When I upload the employee csv file "\${testdata.path}/001/\${FILE\_NAME}"****When I click on View button to see errors****Then I verify following text is displayed on "emp bulk upload error modal" page****\${employee.missing.column.upload.error}****Given I close "\${employee.error.view.close}" the error modal if it is opened****After**[Back to Table of Contents](#)**Scenario: Verify the validation message when Agent upload wrong data file with multiple errors****1) Verify All error related to given records should display under relevant row number****2) Verify All validation messages are displayed correctly**

Passed: 19

**Before****Given I close "\${employee.error.view.close}" the error modal if it is opened****And I navigate to "Select Plan" screen****And I navigate to "Members" screen****Given I assign "employees\_wrongdata.xls" to variable "FILE\_NAME"****Output**

Assigning value employees\_wrongdata.xls to variable FILE\_NAME

**Then I upload the employee csv file "\${testdata.path}/002/\${FILE\_NAME}"****Then I scroll the page up****And I assign "33" to variable "ERROR\_COUNT"****Output**

Assigning value 33 to variable ERROR\_COUNT

And I verify the "\${employee.upload.error.message}" validation message on employee screen
And I verify View button is displayed to see error messages
When I click on View button to see errors
Then I verify employee data file upload error modal is displayed
Then I verify the error message "\${ERROR_COUNT}" is displayed in employee bulk upload erro
And I verify the "\${employee.error.view.close}" button is enabled
And I verify following paragraph is displayed on "emp bulk upload error modal" page
<pre> \${employee.error.resolution.text}</pre>
And I verify following sub header text "emp bulk upload error modal"
<pre> \${employee.error.view.text}</pre>
Then I verify following text is displayed on "emp bulk upload error modal" page
<pre> \${emp.bulk.upload.error.emp.firstname.mandatory}</pre>
<pre> \${emp.bulk.upload.error.emp.surname.mandatory}</pre>
<pre> \${emp.bulk.upload.error.startdate.format}</pre>
<pre> \${emp.bulk.upload.error.dob.mandatory}</pre>
<pre> \${emp.bulk.upload.error.emp.email.mandatory}</pre>
<pre> \${emp.bulk.upload.error.startdate.mandatory}</pre>
<pre> \${emp.bulk.upload.error.companyname.match}</pre>
<pre> \${emp.bulk.upload.error.emp.email.format}</pre>
<pre> \${bulk.upload.error.numeric.validation.city}</pre>
<pre> \${emp.error.min.max.validation.zipcode}</pre>
<pre> \${emp.bulk.upload.error.country.mandatory}</pre>
<pre> \${emp.bulk.upload.error.nric.mandatory}</pre>
<pre> \${emp.bulk.upload.error.emp.occupationclass.mandatory}</pre>
<pre> \${emp.bulk.upload.error.age.range.message}</pre>
<pre> \${bulk.upload.error.minmax.validation.ID}</pre>
<pre> \${bulk.upload.error.numeric.validation.city}</pre>
<pre> \${bulk.upload.error.minmax.validation.email}</pre>
<pre> \${bulk.upload.error.minmax.validation.firstname}</pre>
<pre> \${bulk.upload.error.minmax.validation.lastname}</pre>
<pre> \${bulk.upload.error.minmax.validation.address1}</pre>
<pre> \${bulk.upload.error.minmax.validation.address2}</pre>
<pre> \${bulk.upload.error.minmax.validation.address3}</pre>
<pre> \${bulk.upload.error.minmax.validation.address4}</pre>
<pre> \${bulk.upload.error.minmax.validation.city}</pre>
And I verify button label text on "emp bulk upload error modal" page
<pre> \${employee.error.view.downloadlabel.text}</pre>
Then I verify "\${employee.error.view.downloadlabel.text}" button is enabled
Then I click on "\${employee.error.view.close}" button

After

[Back to Table of Contents](#)

Scenario: Verify agent should be landed back to members screen after clicking on download member

**I) Verify Agent should be able to upload the member data using upload functionality**

Passed: 23

**Before****Given I close "\${employee.error.view.close}" the error modal if it is opened****Then I assign "employees\_wrongdata.xlsm" to variable "FILE\_NAME"****Output**

Assigning value employees\_wrongdata.xlsm to variable FILE\_NAME

**Then I upload the employee csv file "\${testdata.path}/002/\${FILE\_NAME}"****Then I scroll the page up****When I click on View button to see errors****Then I verify employee data file upload error modal is displayed****Then I click on "\${employee.error.view.downloadlabel.text}" button****Then I verify following text is displayed on "Download Employee Data File" page**

<b>    \${employee.download.popup.Header.text}</b>
<b>    \${employee.download.popup.message}</b>

**Then I verify following buttons are displayed on "Download Member Data File"**

<b>    \${employee.download.popup.english.button}</b>
---

**Given I assign "/testdata/\${sales.fe.lbu}/bulk\_upload\_employee" to variable "testdata.path"****Output**

Assigning value /testdata/my/bulk\_upload\_employee to variable testdata.path

**Then I assign "Employee\_Temp\_To\_Compare\_With.xlsm" to variable "FILE\_NAME"****Output**

Assigning value Employee\_Temp\_To\_Compare\_With.xlsm to variable FILE\_NAME

**Then I assign "employees\_template.xlsm" to variable "DOWNLOADED\_FILE\_NAME"****Output**

Assigning value employees\_template.xlsm to variable DOWNLOADED\_FILE\_NAME

**And I assign "\${testdata.path}/downloadEmployeeTemplate" to variable "employee.template.com"****Output**

Assigning value /testdata/my/bulk\_upload\_employee/downloadEmployeeTemplate to variable employee.template.compareWith

**Then I assign the downloaded file "\${DOWNLOADED\_FILE\_NAME}" to variable "employee.template.download.popup.english.button"**  
**Then I delete the downloaded file "\${employee.template.CompareTo.path}" if it already exists**  
**Then I click on "\${employee.download.popup.english.button}" button**  
**Then I verify downloaded file name is "\${employee.template.CompareTo.path}"**

Output

Downloaded file name=/tmp/workspace/me-sales-portal-ui-tests\_develop/employees\_template.xlsx

**And I verify employee csv file "\${employee.template.CompareTo.path}" is matching with "\${employee.download.popup.english.button}"**  
**And I close download employee data file popup**  
**And I click on "\${employee.addemp.close}" button**  
**And verify the user is landed on "Members" page**  
**Then I verify the presence of following button on "member page"**  

\${employee.upload.file.btn}
\${addEmployeeManually.button.text}

  
**And I verify the presence of "\${employee.download.template.btn}" on employee page**

After

[Back to Table of Contents](#)

**Scenario: verify the member Screen when member file is uploaded successfully**

Passed: 21

Before

**Given I close download employee data file popup if it is opened**  
**Given I close "\${employee.error.view.close}" the error modal if it is opened**  
**When I click on Create Quote Link**  
**And I assign value to following variables**  

No._of_Employees	10
------------------	----

  
**And I enter Company Name as "MY Member Bulk Upload Tests"**

Output

company name is: MY Member Bulk Upload Tests

**And I enter following details on select plan page**  

No. of Employees	\${No._of_Employees}
------------------	----------------------

  
**And I navigate to "Members" screen**  
**And I select the PDPA Consent requirement check box**  
**Then I assign "employee\_CorrectData.xlsx" to variable "FILE\_NAME"**

Output

Assigning value employee\_CorrectData.xlsm to variable FILE\_NAME

**Then I upload the employee csv file "\${testdata.path}/003/\${FILE\_NAME}"**

**Then I assign value to following variables**

EMP_COUNT	10
-----------	----

**And I assign "First Name.01 Surname 1" to variable "EMP\_NAME"**

Output

Assigning value First Name.01 Surname 1 to variable EMP\_NAME

**And I wait for 10 sec**

**And I verify the "\${employee.upload.success.msg}" validation message on employee screen**

**Then I verify following counts are displayed for employee and dependant on employee page**

Employee Count	\${employee.uploaded.count}
----------------	-----------------------------

**Then I verify "\${employee.upload.file.btn}" button should not be visible on "Members Page"**

**Then I verify "\${employee.download.template.btn}" button should not be visible on "Members Pa**

**Then I scroll the page up**

**When I expand the member "\${EMP\_NAME}" using > button**

**And I verify following details for the added/updated members**

\${employee.adtemp.field.dob}	11/12/1995
\${employee.adtemp.field.gender}	\${gender.male.text}
\${employee.adtemp.field.nationality}	Malaysian
\${employee.detailsview.field.empid}	755454343430
\${employee.adtemp.field.occupationclass}	\${emp.occupationalclass.dropdown.value1}
\${employee.adtemp.field.cmpnyemail}	testMemberUpload1.0567890@mailinator.com

**Then I scroll the page up**

**After**

[Back to Table of Contents](#)

**Scenario: Re-upload prep**

Passed: 5

**Before**

**Given I expand the member "\${EMP\_NAME}" using > button**

**Then I verify Add Employee button is displayed at the top right corner of employee table**

**When I click on three dots at the top right corner of employee table**

**And I verify button label text on "Member Page on click on 3 dots" page**

\${employee.reupload.btn}
---------------------------

**When I click on three dots at the top right corner of employee table**

**After**

[Back to Table of Contents](#)

<b>Scenario: verify Re upload popup window</b>					
Passed: 8					
<b>Before</b>					
<p>And I scroll the page up</p> <p>When I click on three dots at the top right corner of employee table</p> <p>Then I click on "\${employee.reupload.btn}" button</p> <p>Then I verify following text is displayed on "reupload popup window on employee" page</p> <table border="1"> <tr><td>    \${employee.reupload.pagename}</td></tr> <tr><td>    \${employee.reupload.pagetext}</td></tr> </table> <p>Then I verify following buttons are displayed on "reupload popup"</p> <table border="1"> <tr><td>    \${employee.reupload.cncl.btn}</td></tr> <tr><td>    \${employee.reupload.upload.btn}</td></tr> </table> <p>Then I click on "\${employee.reupload.cncl.btn}" button</p> <p>Then I verify reupload popup window is closed and following text "\${employee.reupload.pagenam</p> <p>Then I verify the the presence of following button on "member page"</p> <table border="1"> <tr><td>    \${addEmployeeManually.button.text}</td></tr> </table>	\${employee.reupload.pagename}	\${employee.reupload.pagetext}	\${employee.reupload.cncl.btn}	\${employee.reupload.upload.btn}	\${addEmployeeManually.button.text}
\${employee.reupload.pagename}					
\${employee.reupload.pagetext}					
\${employee.reupload.cncl.btn}					
\${employee.reupload.upload.btn}					
\${addEmployeeManually.button.text}					
<b>After</b>					
<a href="#">Back to Table of Contents</a>					
<b>Scenario: Re upload Member excel and verify the modified and new data have inserted and searched</b>					
Passed: 20					
<b>Before</b>					
<p>Then I enter "testMemberUpload1.0567890@mailinator.com" in search text field in Members pag</p> <p>Then I assign value to following variables</p> <table border="1"> <tr><td>    EMP_COUNT 1</td></tr> </table> <p>Then I verify following counts are displayed for employee and dependant on employee page</p> <table border="1"> <tr><td>    Employee Count \${employee.uploaded.count}</td></tr> </table> <p>And I scroll the page up</p> <p>When I click on three dots at the top right corner of employee table</p> <p>Then I click on "\${employee.reupload.btn}" button</p> <p>Then I click on "\${employee.reupload.upload.btn}" button</p> <p>Then I verify reupload popup window is closed and following text "\${employee.reupload.pagenam</p> <p>Then I verify the the presence of following button on "employee page"</p> <table border="1"> <tr><td>    \${employee.upload.file.btn}</td></tr> <tr><td>    \${addEmployeeManually.button.text}</td></tr> </table> <p>Given I assign "employee_ReuploadData.xlsx" to variable "FILE_NAME"</p> <p>Output</p> <pre>Assigning value employee_ReuploadData.xlsx to variable FILE_NAME</pre>	EMP_COUNT 1	Employee Count \${employee.uploaded.count}	\${employee.upload.file.btn}	\${addEmployeeManually.button.text}	
EMP_COUNT 1					
Employee Count \${employee.uploaded.count}					
\${employee.upload.file.btn}					
\${addEmployeeManually.button.text}					
<b>And I assign "First Name Changed Surname Upd" to variable "EMP_NAME"</b>					
<b>Output</b>					

Assigning value First Name Changed Surname Upd to variable EMP\_NAME

**Then I assign value to following variables**

EMP_COUNT	10
-----------	----

**Then I upload the employee csv file "\${testdata.path}/004/\${FILE\_NAME}"**

**Then I scroll the page up**

**And I wait for 10 sec**

**And I verify the "\${employee.upload.success.msg}" validation message on employee screen**

**Then I verify following counts are displayed for employee and dependant on employee page**

Employee Count	\${employee.uploaded.count}
----------------	-----------------------------

**Given I enter "\${EMP\_NAME}" in search text field in Members page**

**When I expand the member "\${EMP\_NAME}" using > button**

**And I verify following details for the added/updated members**

\${employee.ademp.field.dob}	28/01/1995
\${employee.ademp.field.gender}	\${gender.female.text}
\${employee.ademp.field.nationality}	Malaysian
\${employee.detailsview.field.empid}	755454343430
\${employee.ademp.field.occupationclass}	\${emp.occupationalclass.dropdown.value1}
\${employee.ademp.field.cmpnyemail}	testMemberUpload1.0567890@mailinator.com

**After**

[Back to Table of Contents](#)

**Scenario: Upload Member xls file with duplicate data and check upload is not allowed**

**Passed: 16**

**Before**

**Given I click on Quotes link**

**When I click on Create Quote Link**

**And I assign value to following variables**

No._of_Employees	10
------------------	----

**And I enter Company Name as "MY Member Bulk Upload Tests"**

**Output**

company name is: MY Member Bulk Upload Tests

**And I enter following details on select plan page**

No. of Employees	\${No._of_Employees}
------------------	----------------------

**And I navigate to "Members" screen**

**And I select the PDPA Consent requirement check box**

**Then I assign "employee\_DuplicateData.xls" to variable "FILE\_NAME"**

**Output**

Assigning value employee\_DuplicateData.xlsxm to variable FILE\_NAME

**Then I upload the employee csv file "\${testdata.path}/004/\${FILE\_NAME}"**

**Then I scroll the page up**

**And I assign "2" to variable "ERROR\_COUNT"**

Output

Assigning value 2 to variable ERROR\_COUNT

**And I verify View button is displayed to see error messages**

**When I click on View button to see errors**

**Then I verify employee data file upload error modal is displayed**

**Then I verify the error message "\${ERROR\_COUNT}" is displayed in employee bulk upload erro**

**Then I verify following text is displayed on "member bulk upload error modal" page**

**\${emp.bulk.upload.error.email.exist}**

After

[Back to Table of Contents](#)

**Scenario: Closing the error modal view**

Passed: 1

Before

**Then I click on "\${employee.error.view.close}" button**

After

[Back to Table of Contents](#)

**Scenario: Verify Company Name in the bulk upload file validation against the Company Name of the**

Passed: 9

Before

**Given I click on Create Quote Link**

**And I enter Company Name as "my member BULK UPLOAD TESTS"**

Output

company name is: my member BULK UPLOAD TESTS

**And I enter following details on select plan page**

**No. of Employees 10**

**And I navigate to "Members" screen**

**And I select the PDPA Consent requirement check box**

**Then I assign "employee\_CorrectData.xlsxm" to variable "FILE\_NAME"**

Output

Assigning value employee\_CorrectData.xlsxm to variable FILE\_NAME

**When I upload the employee csv file "\${testdata.path}/003/\${FILE\_NAME}"**

**Then I assign value to following variables**

EMP_COUNT	10
-----------	----

**And I verify the "\${employee.upload.success.msg}" validation message on employee screen**

**After**

[Back to Table of Contents](#)

**Scenario: Close Sales Portal**

Passed: 1

**Before**

And I close sales portal
--------------------------

**After**

[Back to Table of Contents](#)

**Feature: Verify Agent can update the required details on company page and verify validations**

Passed: 40

**Scenario: verify default,sample text,header and footer on company page**

Passed: 5

**Before**

**Given Launch sales portal**

Output

https://uat-sales.eb.prudential.com.my/

**And I assign value to following variables**

Agent_Email	\${agent.email.id.global}
Agent_Password	\${agent.password}
Agent_First_Name	\${agent.email.id.firstname}
Agent_Middle_Name	\${agent.email.id.middlename}
Agent_Surname	\${agent.email.id.lastname}
Agent_Code	\${agent.email.id.agentcode}
Agent_Phone	\${agent.phone}

**When I Login to Sales Portal with below details**

UserName	\${Agent_Email}
Password	\${Agent_Password}

**And I enter the verification code if page appears for agent "\${Agent\_Email}"**

**Then I verify "\${welcome.to.prudential}" screen is displayed**

**After**

[Back to Table of Contents](#)

<b>Scenario: Verify Sample text on Company page</b>																																							
Passed: 17																																							
<b>Before</b>																																							
<p>When I click on Create Quote Link</p> <p>Then I navigate to "Company" screen</p> <p>And verify the user is landed on "Company" page</p> <p>Then I verify the sample text of New Quote fields on Company page</p> <table border="1"> <tr> <td>Company name \${company.name.text.field}</td> </tr> </table> <p>And I verify following text is displayed on "Company Page" page</p> <table border="1"> <tr> <td> \${estimatedAnnualPremium.button.text}</td> </tr> <tr> <td> \${newQuote.static.text}</td> </tr> </table> <p>Then I verify following buttons are displayed on top right corner of the screen</p> <table border="1"> <tr> <td> Save Quote \${saveQuote.button.text}</td> </tr> </table> <p>And I verify the heading of all sections on company page</p> <table border="1"> <tr> <td> \${company.hrContactDetails.text}</td> </tr> <tr> <td> \${company.companyDetails.text}</td> </tr> <tr> <td> \${company.companyAddress.header.text}</td> </tr> <tr> <td> \${company.authorised.signatory.header}</td> </tr> <tr> <td> \${company.agentDetails.text}</td> </tr> </table> <p>And I verify following paragraph is displayed on "Primary Contact details section on Company" page</p> <table border="1"> <tr> <td> \${company.hr.primarycontact.info.text}</td> </tr> </table> <p>Then I verify the informational text under "agent details" section on Company page</p> <table border="1"> <tr> <td> Email \${company.agentEmailInformation.text}</td> </tr> </table> <p>Then I verify following buttons are displayed on "Company page"</p> <table border="1"> <tr> <td> \${company.add.signatory.link}</td> </tr> </table> <p>And I verify 1 "\${company.add.signatory.link}" buttons are displayed on "Company page"</p> <p>And I verify following text is not displayed on "Company Page" page</p> <table border="1"> <tr> <td> \${company.signatory.delete.button}</td> </tr> </table> <p>And I scroll the page up</p> <p>Then I verify the field label text on company page</p> <table border="1"> <tr> <td> HR First Name</td> <td> \${company.hrFirstName.text}</td> </tr> <tr> <td> Surname</td> <td> \${company.hrSurname.text}</td> </tr> <tr> <td> HR Email</td> <td> \${company.hrEmail.text}</td> </tr> <tr> <td> Contact Mobile Number</td> <td> \${company.hrContactMobile.text}</td> </tr> <tr> <td> Company Registration Number</td> <td> \${company.registration.num.text}</td> </tr> <tr> <td> Telephone Number</td> <td> \${company.hrTelephone.text}</td> </tr> <tr> <td> Contact Fax Number</td> <td> \${company.fax.num.text}</td> </tr> <tr> <td> Address 1</td> <td> \${company.companyAddress1.text}</td> </tr> <tr> <td> Address 2</td> <td> \${company.companyAddress2.text}</td> </tr> <tr> <td> Address 3</td> <td> \${company.companyAddress3.text}</td> </tr> <tr> <td> Address 4</td> <td> \${company.companyAddress4.text}</td> </tr> <tr> <td> City</td> <td> \${company.companyCity.text}</td> </tr> <tr> <td> State</td> <td> \${company.companyState.text}</td> </tr> </table>	Company name \${company.name.text.field}	\${estimatedAnnualPremium.button.text}	\${newQuote.static.text}	Save Quote \${saveQuote.button.text}	\${company.hrContactDetails.text}	\${company.companyDetails.text}	\${company.companyAddress.header.text}	\${company.authorised.signatory.header}	\${company.agentDetails.text}	\${company.hr.primarycontact.info.text}	Email \${company.agentEmailInformation.text}	\${company.add.signatory.link}	\${company.signatory.delete.button}	HR First Name	\${company.hrFirstName.text}	Surname	\${company.hrSurname.text}	HR Email	\${company.hrEmail.text}	Contact Mobile Number	\${company.hrContactMobile.text}	Company Registration Number	\${company.registration.num.text}	Telephone Number	\${company.hrTelephone.text}	Contact Fax Number	\${company.fax.num.text}	Address 1	\${company.companyAddress1.text}	Address 2	\${company.companyAddress2.text}	Address 3	\${company.companyAddress3.text}	Address 4	\${company.companyAddress4.text}	City	\${company.companyCity.text}	State	\${company.companyState.text}
Company name \${company.name.text.field}																																							
\${estimatedAnnualPremium.button.text}																																							
\${newQuote.static.text}																																							
Save Quote \${saveQuote.button.text}																																							
\${company.hrContactDetails.text}																																							
\${company.companyDetails.text}																																							
\${company.companyAddress.header.text}																																							
\${company.authorised.signatory.header}																																							
\${company.agentDetails.text}																																							
\${company.hr.primarycontact.info.text}																																							
Email \${company.agentEmailInformation.text}																																							
\${company.add.signatory.link}																																							
\${company.signatory.delete.button}																																							
HR First Name	\${company.hrFirstName.text}																																						
Surname	\${company.hrSurname.text}																																						
HR Email	\${company.hrEmail.text}																																						
Contact Mobile Number	\${company.hrContactMobile.text}																																						
Company Registration Number	\${company.registration.num.text}																																						
Telephone Number	\${company.hrTelephone.text}																																						
Contact Fax Number	\${company.fax.num.text}																																						
Address 1	\${company.companyAddress1.text}																																						
Address 2	\${company.companyAddress2.text}																																						
Address 3	\${company.companyAddress3.text}																																						
Address 4	\${company.companyAddress4.text}																																						
City	\${company.companyCity.text}																																						
State	\${company.companyState.text}																																						

Post Code	\${company.companyZipCode.text}
Country	\${company.companyCountry.text}
Authorised Signatory Name	\${company.companyAuthorisedSignatoryName.text}
Authorised Signatory Title	\${company.companyAuthorisedSignatoryTitle.text}
Agent First Name	\${company.agentFirstName.text}
Agent Surname	\${company.agentSurname.text}
Agent Code	\${company.agentCode.text}
Agent Phone Number	\${company.agent.phone.text}
Agent Email	\${company.agentEmail.text}

Then I verify the presence of following items on page footer

\${previous.button.text}
\${next.button.text}

And I verify "\${previous.button.text}" button is "enabled"

And I verify "\${next.button.text}" button is "enabled"

After

[Back to Table of Contents](#)

**Scenario: Validate State data in dropdown**

Passed: 1

Before

Then I verify State dropdown values matches with "/testdata/my/state/state.txt" file

Output

```
State data: [Johor, Kedah, Kelantan, Melaka, Negeri Sembilan, Pahang, Perak, Perlis, Pulau Pinang, Sabah, Sarawak, Selangor, Terengganu]
FileData: [Johor, Kedah, Kelantan, Melaka, Negeri Sembilan, Pahang, Perak, Perlis, Pulau Pinang, Sabah, Sarawak, Selangor, Terengganu]
```

After

[Back to Table of Contents](#)

**Scenario: verify the default value of country field on company page**

Passed: 3

Before

Given I scroll the page till country field is displayed on company page

Then Verify all the previously entered details/default values are persistent/present on company page

Ph Country	\${country.dropDown.value}
------------	----------------------------

Then I verify country field is non editable on company page

After

[Back to Table of Contents](#)

**Scenario: verify Agent details should be pre populated based on registration details**

Passed: 2

Before

Then I verify following fields are "Non editable" on company page

Agent First Name
Agent Middle Name

		<table border="1"> <tr><td>Agent Surname</td></tr> <tr><td>Agent Code</td></tr> <tr><td>Agent Email</td></tr> <tr><td>Agent Phone</td></tr> </table>	Agent Surname	Agent Code	Agent Email	Agent Phone
Agent Surname						
Agent Code						
Agent Email						
Agent Phone						
<b>Given Verify all the previously entered details/default values are persistent/present on company page</b>						
Agent First Name	\${Agent_First_Name}					
Agent Surname	\${Agent_Surname}					
Agent Code	\${Agent_Code}					
Agent Email	\${Agent_Email}					
MY TelephoneNumber	0299999999					
Ph MobileNumber	0199999999					
Agent Phone	\${Agent_Phone}					
<b>After</b>						
<a href="#">Back to Table of Contents</a>						
<b>Scenario: Validating the error message When user clicks on next button without entering mandatory fields</b>						
Passed: 19						
<b>Before</b>						
<b>Given I generate random number and assign to variable "RANDOM_NUMBER"</b>						
Output						
Random number generated is :898						
<b>And I assign "TestQuote_\${RANDOM_NUMBER}" to variable "COMP_NAME_QUOTE"</b>						
Output						
Assigning value TestQuote_89807032231 to variable COMP_NAME_QUOTE						
<b>And I assign "/src/test/resources/testdata/\${sales.fe.lbu}/bulk_upload_employee/quotes" to variable "TESTDATA_PATH"</b>						
Output						
Assigning value /src/test/resources/testdata/my/bulk_upload_employee/quotes to variable testdata.path						
<b>And I assign "\${testdata.path}/uploadEmployees.xlsm" to variable "INPUT_PATH"</b>						
Output						
Assigning value /src/test/resources/testdata/my/bulk_upload_employee/quotes/uploadEmployees.xlsm to variable INPUT_PATH						
<b>And I assign "\${testdata.path}/output" to variable "OUTPUT_PATH"</b>						
Output						
Assigning value /src/test/resources/testdata/my/bulk_upload_employee/quotes/output to variable OUTPUT_PATH						

**Output**

Assigning value /src/test/resources/testdata/my/bulk\_upload\_employee/quotes/output to variable OUTPUT\_PATH

**And I assign "/testdata/\${sales.fe.lbu}/bulk\_upload\_employee/quotes/output/uploadEmployees.xls"****Output**

Assigning value /testdata/my/bulk\_upload\_employee/quotes/output/uploadEmployees.xls to variable EMPLOYEE\_FILE

**When I copy the xls template "\${INPUT\_PATH}" and replace following variables in output path '**

<b>email.id</b>	<b> \${RANDOM_NUMBER}</b>
<b>COMP_NAME</b>	<b> \${COMP_NAME_QUOTE}</b>

**When I click on Create Quote Link****Then I navigate to "Select Plan" screen****And I enter following details on select plan page**

<b>Company Name</b>	<b> \${COMP_NAME_QUOTE}</b>
<b>No. of Employees</b>	<b>10</b>

**And I click on PAMB GHS "\${selectplan.ghs.yes.button}" button****And I click on "\${next.button.text}" button****And I select the PDPA Consent requirement check box****And I upload the employee csv file "\${EMPLOYEE\_FILE}"****And I wait for 6 sec****And I click on "\${next.button.text}" button****And I click on "\${next.button.text}" button****Then I verify following validation message on "company page"**

**\${company.error.popup.text}**

**Then I verify following field level error message on company page**

<b>HR Given Name</b>	<b> \${company.error.HR.firstname.mandatory}</b>
<b>HR Family Name</b>	<b> \${company.error.HR.surname.mandatory}</b>
<b>Company Email</b>	<b> \${company.error.HR.email.mandatory}</b>
<b>Telephone Number</b>	<b> \${company.error.HR.telephone.number.mandatory}</b>
<b>Company Registration Number</b>	<b> \${company.error.registration.num.mandatory}</b>
<b>Address1</b>	<b> \${company.error.address.mandatory}</b>
<b>State</b>	<b> \${company.error.state.mandatory}</b>
<b>City</b>	<b> \${company.error.city.mandatory}</b>
<b>Postcode</b>	<b> \${company.error.postcode.mandatory}</b>
<b>Authorised Signatory Name</b>	<b> \${company.error.signatoryName.mandatory}</b>
<b>Authorised Signatory Title</b>	<b> \${company.error.signatoryDesignation.mandatory}</b>

**After****[Back to Table of Contents](#)****Scenario Outline: Validating the error message: "\${company.error.min.max.validation.firstname}"**

Passed: 3				
<b>Before</b>				
<p>Given I enter following details on company page</p> <table border="1"> <tr> <td>HR Given Name</td> <td>ABCDEFGHIJKLMNOPQRSTUVWXYZyABCDEFGHIJKLMNOPQRSTUVWXYZy</td> </tr> </table> <p>Then I click on "\${next.button.text}" button</p> <p>Then I verify following field level error message on company page</p> <table border="1"> <tr> <td>HR Given Name</td> <td> \${company.error.min.max.validation.firstname}</td> </tr> </table>	HR Given Name	ABCDEFGHIJKLMNOPQRSTUVWXYZyABCDEFGHIJKLMNOPQRSTUVWXYZy	HR Given Name	\${company.error.min.max.validation.firstname}
HR Given Name	ABCDEFGHIJKLMNOPQRSTUVWXYZyABCDEFGHIJKLMNOPQRSTUVWXYZy			
HR Given Name	\${company.error.min.max.validation.firstname}			
<b>After</b>				
<a href="#">Back to Table of Contents</a>				
<b>Scenario Outline: Validating the error message: "\${company.error.min.max.validation.surname}" When user enters a surname with more than 20 characters</b>				
Passed: 3				
<b>Before</b>				
<p>Given I enter following details on company page</p> <table border="1"> <tr> <td>Surname</td> <td>ABCDEFGHIJKLMNOPQRSTUVWXYZyABCDEFGHIJKLMNOPQRSTUVWXYZy</td> </tr> </table> <p>Then I click on "\${next.button.text}" button</p> <p>Then I verify following field level error message on company page</p> <table border="1"> <tr> <td>Surname</td> <td> \${company.error.min.max.validation.surname}</td> </tr> </table>	Surname	ABCDEFGHIJKLMNOPQRSTUVWXYZyABCDEFGHIJKLMNOPQRSTUVWXYZy	Surname	\${company.error.min.max.validation.surname}
Surname	ABCDEFGHIJKLMNOPQRSTUVWXYZyABCDEFGHIJKLMNOPQRSTUVWXYZy			
Surname	\${company.error.min.max.validation.surname}			
<b>After</b>				
<a href="#">Back to Table of Contents</a>				
<b>Scenario Outline: Validating the error message: "\${company.error.formatvalidation.email}" When user enters an invalid email address</b>				
Passed: 3				
<b>Before</b>				
<p>Given I enter following details on company page</p> <table border="1"> <tr> <td>Email Address</td> <td>testmailinator.com</td> </tr> </table> <p>Then I click on "\${next.button.text}" button</p> <p>Then I verify following field level error message on company page</p> <table border="1"> <tr> <td>Email Address</td> <td> \${company.error.formatvalidation.email}</td> </tr> </table>	Email Address	testmailinator.com	Email Address	\${company.error.formatvalidation.email}
Email Address	testmailinator.com			
Email Address	\${company.error.formatvalidation.email}			
<b>After</b>				
<a href="#">Back to Table of Contents</a>				
<b>Scenario Outline: Validating the error message: "Please ensure Contact Fax Number is 10 digits" When user enters a contact fax number with less than 10 digits</b>				
Passed: 3				
<b>Before</b>				
<p>Given I enter following details on company page</p> <table border="1"> <tr> <td>Contact Fax Number</td> <td>123456789</td> </tr> </table> <p>Then I click on "\${next.button.text}" button</p> <p>Then I verify following field level error message on company page</p> <table border="1"> <tr> <td>Contact Fax Number</td> <td>Please ensure Contact Fax Number is 10 digits</td> </tr> </table>	Contact Fax Number	123456789	Contact Fax Number	Please ensure Contact Fax Number is 10 digits
Contact Fax Number	123456789			
Contact Fax Number	Please ensure Contact Fax Number is 10 digits			
<b>After</b>				
<a href="#">Back to Table of Contents</a>				
<b>Scenario Outline: Validating the error message: "Please ensure Telephone Number is 10 digits" When user enters a telephone number with less than 10 digits</b>				
Passed: 3				
<b>Before</b>				

Given I enter following details on company page
Telephone Number 78456
Then I click on "\${next.button.text}" button
Then I verify following field level error message on company page
Telephone Number Please ensure Telephone Number is 10 digits

## After

[Back to Table of Contents](#)

**Scenario Outline: Validating the error message: "\${company.error.min.max.validation.email}" When**

**Passed: 3**

## Before

## After

[Back to Table of Contents](#)

**Scenario Outline:** **Validating the error message: "\${error.numeric.validation.city}" When user enters**

**Passed: 3**

## Before

Given I enter following details on company page
City City123456
Then I click on "\${next.button.text}" button
Then I verify following field level error message on company page

## After

[Back to Table of Contents](#)

**Scenario Outline:** **Validating the error message: "\${emp.error.min.max.validation.zipcode}" When user enters invalid zip code**

**Passed: 3**

## Before

Given I enter following details on company page
Postcode <u>123</u>
Then I click on "\${next.button.text}" button
Then I verify following field level error message on company page

## After

[Back to Table of Contents](#)

**Scenario Outline: Validating the error message: "\${emp.error.min.max.validation.zipcode}" When user enters invalid zip code**

**Passed: 3**

## Before

**Given I enter following details on company page**

	<b>Postcode</b> 123
<b>Then I click on "\${next.button.text}" button</b>	
<b>Then I verify following field level error message on company page</b>	
	<b>Postcode</b> \${emp.error.min.max.validation.zipcode}

**After**[Back to Table of Contents](#)**Scenario Outline: Validating the error message: "\${emp.error.min.max.validation.zipcode}" When u**

Passed: 3

**Before****Given I enter following details on company page****Postcode**123456**Then I click on "\${next.button.text}" button****Then I verify following field level error message on company page****Postcode** \${emp.error.min.max.validation.zipcode}**After**[Back to Table of Contents](#)**Scenario Outline: Validating the error message: "\${company.error.signatoryDesignation.format.validation}" When u**

Passed: 3

**Before****Given I enter following details on company page****Authorised Signatory Title**test2Title**Then I click on "\${next.button.text}" button****Then I verify following field level error message on company page****Authorised Signatory Title** \${company.error.signatoryDesignation.format.validation}**After**[Back to Table of Contents](#)**Scenario Outline: Validating the error message: "\${company.error.signatoryName.min.max.validation}" When u**

Passed: 3

**Before****Given I enter following details on company page****Authorised Signatory Name**abCD**Then I click on "\${next.button.text}" button****Then I verify following field level error message on company page****Authorised Signatory Name** \${company.error.signatoryName.min.max.validation}**After**[Back to Table of Contents](#)**Scenario Outline: Validating the error message: "\${company.error.signatoryName.min.max.validation}" When u**

Passed: 3

**Before****Given I enter following details on company page****Authorised Signatory Name**ABCDEFGH324LMNOPQRSTUWXYZyABCDEFGHIJKLMN**Then I click on "\${next.button.text}" button**



Address3	Address3 \${company.error.min.max.validation.address3}
<b>After</b>	
<a href="#">Back to Table of Contents</a>	
<b>Scenario Outline: Validating the error message: "\${company.error.min.max.validation.address4}" When</b>	
Passed: 3	
<b>Before</b>	
	Given I enter following details on company page
	Address4 ABCDEFGHIJKLMNOPQRSTUVWXYZ123456789012345678901234567890123456
	Then I click on "\${next.button.text}" button
	Then I verify following field level error message on company page
	Address4 \${company.error.min.max.validation.address4}
<b>After</b>	
<a href="#">Back to Table of Contents</a>	
<b>Scenario Outline: Validating the error message: "\${company.error.min.max.validation.city}" When</b>	
Passed: 3	
<b>Before</b>	
	Given I enter following details on company page
	City ABCDEfgIJKLMNO#\$%^&@PQRSTUVWXYZyABCDEFGHIJKLMNOPQRSTUVWXYZ
	Then I click on "\${next.button.text}" button
	Then I verify following field level error message on company page
	City \${company.error.min.max.validation.city}
<b>After</b>	
<a href="#">Back to Table of Contents</a>	
<b>Scenario Outline: validating the toast error message for scenario Primary Email Address already exists</b>	
Passed: 5	
<b>Before</b>	
	Then I enter following details on company page
	Email Address \${hr.admin.id}
	And I wait for 2 sec
	Then I click on "\${next.button.text}" button
	And I wait for 3 sec
	Then I verify following field level error message on company page
	Company Email \${company.toast.message.primaryconatct.already.exists}
<b>After</b>	
<a href="#">Back to Table of Contents</a>	
<b>Scenario: verify Agent should be able to fill Company Name</b>	
Passed: 4	
<b>Before</b>	
	Then I navigate to "Company" screen
	Given I generate random number and assign to variable "RANDOM_NUMBER"
Output	

Random number generated is :777

### And I assign "TestCompany\_\${RANDOM\_NUMBER}" to variable "COMP\_NAME"

Output

Assigning value TestCompany\_777070322359 to variable COMP\_NAME

### And I enter Company Name as "\${COMP\_NAME}"

Output

company name is: TestCompany\_777070322359

## After

[Back to Table of Contents](#)

### Scenario: verify Agent should be able to fill Primary Contact details

Passed: 3

## Before

### Given I generate random number and assign to variable "RANDOM\_NUMBER"

Output

Random number generated is :846

### And I assign value to following variables

HR_FIRSTNAME	TestGivenName
HR_SURNAME	TestSurName
HR_EMAIL	testhrautomation_\${RANDOM_NUMBER}@mailinator.com
HR_CONTACT_MOBILE_NO	0187878787

### Then I enter following details on company page

HR Given Name	\${HR_FIRSTNAME}
Surname	\${HR_SURNAME}
Email Address	\${HR_EMAIL}
Contact Mobile Number	\${HR_CONTACT_MOBILE_NO}

## After

[Back to Table of Contents](#)

### Scenario: verify Agent should be able to fill company details

Passed: 2

<b>Before</b>														
<p><b>Given I assign value to following variables</b></p> <table border="1"> <tr> <td>HR_CONTACT_LANDLINE_NO</td> <td>0272109678</td> </tr> <tr> <td>HR_CONTACT_REGISTRATION_NO</td> <td>123456789876</td> </tr> <tr> <td>HR_CONTACT_FAX_NO</td> <td>1234567898</td> </tr> </table>	HR_CONTACT_LANDLINE_NO	0272109678	HR_CONTACT_REGISTRATION_NO	123456789876	HR_CONTACT_FAX_NO	1234567898								
HR_CONTACT_LANDLINE_NO	0272109678													
HR_CONTACT_REGISTRATION_NO	123456789876													
HR_CONTACT_FAX_NO	1234567898													
<p><b>Then I enter following details on company page</b></p> <table border="1"> <tr> <td>Company Registration Number</td> <td> \${HR_CONTACT_REGISTRATION_NO}</td> </tr> <tr> <td>HR Contact Phone Number</td> <td> \${HR_CONTACT_LANDLINE_NO}</td> </tr> <tr> <td>Contact Fax Number</td> <td> \${HR_CONTACT_FAX_NO}</td> </tr> </table>	Company Registration Number	\${HR_CONTACT_REGISTRATION_NO}	HR Contact Phone Number	\${HR_CONTACT_LANDLINE_NO}	Contact Fax Number	\${HR_CONTACT_FAX_NO}								
Company Registration Number	\${HR_CONTACT_REGISTRATION_NO}													
HR Contact Phone Number	\${HR_CONTACT_LANDLINE_NO}													
Contact Fax Number	\${HR_CONTACT_FAX_NO}													
<b>After</b>														
<a href="#">Back to Table of Contents</a>														
<b>Scenario: verify Agent should be able to fill company address details</b>														
Passed: 2														
<b>Before</b>														
<p><b>Given I assign value to following variables</b></p> <table border="1"> <tr> <td>COMPANY_ADDRESS_1</td> <td>#02-2b,XYZ Bld</td> </tr> <tr> <td>COMPANY_ADDRESS_2</td> <td>test address line 1</td> </tr> <tr> <td>COMPANY_ADDRESS_3</td> <td>test address line 1</td> </tr> <tr> <td>COMPANY_ADDRESS_4</td> <td>test address line 1</td> </tr> <tr> <td>COMPANY_TOWN_CITY</td> <td>test City</td> </tr> <tr> <td>COMPANY_STATE</td> <td> \${state.dropdown.value.2}</td> </tr> <tr> <td>COMPANY_ZIPCODE</td> <td>45678</td> </tr> </table>	COMPANY_ADDRESS_1	#02-2b,XYZ Bld	COMPANY_ADDRESS_2	test address line 1	COMPANY_ADDRESS_3	test address line 1	COMPANY_ADDRESS_4	test address line 1	COMPANY_TOWN_CITY	test City	COMPANY_STATE	\${state.dropdown.value.2}	COMPANY_ZIPCODE	45678
COMPANY_ADDRESS_1	#02-2b,XYZ Bld													
COMPANY_ADDRESS_2	test address line 1													
COMPANY_ADDRESS_3	test address line 1													
COMPANY_ADDRESS_4	test address line 1													
COMPANY_TOWN_CITY	test City													
COMPANY_STATE	\${state.dropdown.value.2}													
COMPANY_ZIPCODE	45678													
<p><b>Then I enter following details on company page</b></p> <table border="1"> <tr> <td>Address1</td> <td> \${COMPANY_ADDRESS_1}</td> </tr> <tr> <td>Address2</td> <td> \${COMPANY_ADDRESS_2}</td> </tr> <tr> <td>Address3</td> <td> \${COMPANY_ADDRESS_3}</td> </tr> <tr> <td>Address4</td> <td> \${COMPANY_ADDRESS_4}</td> </tr> <tr> <td>City</td> <td> \${COMPANY_TOWN_CITY}</td> </tr> <tr> <td>State</td> <td> \${COMPANY_STATE}</td> </tr> <tr> <td>Postcode</td> <td> \${COMPANY_ZIPCODE}</td> </tr> </table>	Address1	\${COMPANY_ADDRESS_1}	Address2	\${COMPANY_ADDRESS_2}	Address3	\${COMPANY_ADDRESS_3}	Address4	\${COMPANY_ADDRESS_4}	City	\${COMPANY_TOWN_CITY}	State	\${COMPANY_STATE}	Postcode	\${COMPANY_ZIPCODE}
Address1	\${COMPANY_ADDRESS_1}													
Address2	\${COMPANY_ADDRESS_2}													
Address3	\${COMPANY_ADDRESS_3}													
Address4	\${COMPANY_ADDRESS_4}													
City	\${COMPANY_TOWN_CITY}													
State	\${COMPANY_STATE}													
Postcode	\${COMPANY_ZIPCODE}													
<b>After</b>														
<a href="#">Back to Table of Contents</a>														
<b>Scenario: verify Agent should be able to fill Authorised signatory details</b>														
Passed: 2														
<b>Before</b>														
<p><b>Given I assign value to following variables</b></p> <table border="1"> <tr> <td>AUTHORISED_SIGNATORY_NAME</td> <td>authorisedName</td> </tr> <tr> <td>AUTHORISED_SIGNATORY_TITLE</td> <td>authoriseTitle</td> </tr> </table>	AUTHORISED_SIGNATORY_NAME	authorisedName	AUTHORISED_SIGNATORY_TITLE	authoriseTitle										
AUTHORISED_SIGNATORY_NAME	authorisedName													
AUTHORISED_SIGNATORY_TITLE	authoriseTitle													
<p><b>Then I enter following details on company page</b></p> <table border="1"> <tr> <td>Authorised Signatory Name</td> <td> \${AUTHORISED_SIGNATORY_NAME}</td> </tr> <tr> <td>Authorised Signatory Title</td> <td> \${AUTHORISED_SIGNATORY_TITLE}</td> </tr> </table>	Authorised Signatory Name	\${AUTHORISED_SIGNATORY_NAME}	Authorised Signatory Title	\${AUTHORISED_SIGNATORY_TITLE}										
Authorised Signatory Name	\${AUTHORISED_SIGNATORY_NAME}													
Authorised Signatory Title	\${AUTHORISED_SIGNATORY_TITLE}													
<b>After</b>														

<a href="#">Back to Table of Contents</a>																																														
<b>Scenario: Verify all the information should persist when user return to company screen after clicking</b>																																														
Passed: 5																																														
<b>Before</b>																																														
<p>Then I navigate to "Members" screen</p> <p>Then verify the user is landed on "Employees" page</p> <p>Then I navigate to "Company" screen</p> <p>Then verify the user is landed on "Company" page</p> <p>And Verify all the previously entered details/default values are persistent/present on company pag</p> <table border="1"> <tr><td>Company Name</td><td> \${COMP_NAME}</td></tr> <tr><td>Given Name</td><td> \${HR_FIRSTNAME}</td></tr> <tr><td>Surname</td><td> \${HR_SURNAME}</td></tr> <tr><td>Company Email</td><td> \${HR_EMAIL}</td></tr> <tr><td>Contact Phone Number</td><td> \${HR_CONTACT_LANDLINE_NO}</td></tr> <tr><td>Contact Mobile Number</td><td> \${HR_CONTACT_MOBILE_NO}</td></tr> <tr><td>Company Registration Number</td><td> \${HR_CONTACT_REGISTRATION_NO}</td></tr> <tr><td>Contact Fax Number</td><td> \${HR_CONTACT_FAX_NO}</td></tr> <tr><td>Address1</td><td> \${COMPANY_ADDRESS_1}</td></tr> <tr><td>Address2</td><td> \${COMPANY_ADDRESS_2}</td></tr> <tr><td>Address3</td><td> \${COMPANY_ADDRESS_3}</td></tr> <tr><td>Address4</td><td> \${COMPANY_ADDRESS_4}</td></tr> <tr><td>City</td><td> \${COMPANY_TOWN_CITY}</td></tr> <tr><td>State</td><td> \${COMPANY_STATE}</td></tr> <tr><td>Post Code</td><td> \${COMPANY_ZIPCODE}</td></tr> <tr><td>Authorised Signatory Name</td><td> \${AUTHORISED_SIGNATORY_NAME}</td></tr> <tr><td>Authorised Signatory Title</td><td> \${AUTHORISED_SIGNATORY_TITLE}</td></tr> <tr><td>Agent First Name</td><td> \${Agent_First_Name}</td></tr> <tr><td>Agent Middle Name</td><td> \${Agent_Middle_Name}</td></tr> <tr><td>Agent Surname</td><td> \${Agent_Surname}</td></tr> <tr><td>Agent Code</td><td> \${Agent_Code}</td></tr> <tr><td>Agent Email</td><td> \${Agent_Email}</td></tr> <tr><td>Agent Phone</td><td> \${agent.phone}</td></tr> </table>	Company Name	\${COMP_NAME}	Given Name	\${HR_FIRSTNAME}	Surname	\${HR_SURNAME}	Company Email	\${HR_EMAIL}	Contact Phone Number	\${HR_CONTACT_LANDLINE_NO}	Contact Mobile Number	\${HR_CONTACT_MOBILE_NO}	Company Registration Number	\${HR_CONTACT_REGISTRATION_NO}	Contact Fax Number	\${HR_CONTACT_FAX_NO}	Address1	\${COMPANY_ADDRESS_1}	Address2	\${COMPANY_ADDRESS_2}	Address3	\${COMPANY_ADDRESS_3}	Address4	\${COMPANY_ADDRESS_4}	City	\${COMPANY_TOWN_CITY}	State	\${COMPANY_STATE}	Post Code	\${COMPANY_ZIPCODE}	Authorised Signatory Name	\${AUTHORISED_SIGNATORY_NAME}	Authorised Signatory Title	\${AUTHORISED_SIGNATORY_TITLE}	Agent First Name	\${Agent_First_Name}	Agent Middle Name	\${Agent_Middle_Name}	Agent Surname	\${Agent_Surname}	Agent Code	\${Agent_Code}	Agent Email	\${Agent_Email}	Agent Phone	\${agent.phone}
Company Name	\${COMP_NAME}																																													
Given Name	\${HR_FIRSTNAME}																																													
Surname	\${HR_SURNAME}																																													
Company Email	\${HR_EMAIL}																																													
Contact Phone Number	\${HR_CONTACT_LANDLINE_NO}																																													
Contact Mobile Number	\${HR_CONTACT_MOBILE_NO}																																													
Company Registration Number	\${HR_CONTACT_REGISTRATION_NO}																																													
Contact Fax Number	\${HR_CONTACT_FAX_NO}																																													
Address1	\${COMPANY_ADDRESS_1}																																													
Address2	\${COMPANY_ADDRESS_2}																																													
Address3	\${COMPANY_ADDRESS_3}																																													
Address4	\${COMPANY_ADDRESS_4}																																													
City	\${COMPANY_TOWN_CITY}																																													
State	\${COMPANY_STATE}																																													
Post Code	\${COMPANY_ZIPCODE}																																													
Authorised Signatory Name	\${AUTHORISED_SIGNATORY_NAME}																																													
Authorised Signatory Title	\${AUTHORISED_SIGNATORY_TITLE}																																													
Agent First Name	\${Agent_First_Name}																																													
Agent Middle Name	\${Agent_Middle_Name}																																													
Agent Surname	\${Agent_Surname}																																													
Agent Code	\${Agent_Code}																																													
Agent Email	\${Agent_Email}																																													
Agent Phone	\${agent.phone}																																													
<b>After</b>																																														
<a href="#">Back to Table of Contents</a>																																														
<b>Scenario Outline: Verify Agent can add additional Signatory information on company page to maxim</b>																																														
Passed: 4																																														
<b>Before</b>																																														
<p>When I click on "\${company.add.signatory.link}" button present below "\${company.companyZip}</p> <p>Then I verify the field label text on company page</p> <table border="1"> <tr><td>2nd Authorised Signatory Name</td><td> \${company.companyAuthorisedSignatoryName.text}</td></tr> <tr><td>2nd Authorised Signatory Title</td><td> \${company.companyAuthorisedSignatoryTitle.text}</td></tr> </table> <p>And I verify following buttons are displayed on "Company page"</p> <table border="1"> <tr><td> \${company.signatory.delete.button}</td></tr> </table>	2nd Authorised Signatory Name	\${company.companyAuthorisedSignatoryName.text}	2nd Authorised Signatory Title	\${company.companyAuthorisedSignatoryTitle.text}	\${company.signatory.delete.button}																																									
2nd Authorised Signatory Name	\${company.companyAuthorisedSignatoryName.text}																																													
2nd Authorised Signatory Title	\${company.companyAuthorisedSignatoryTitle.text}																																													
\${company.signatory.delete.button}																																														

<b>And I verify "\${company.add.signatory.link}" link count is 1 in Sales Company Page</b>																
<b>After</b>																
<a href="#">Back to Table of Contents</a>																
<b>Scenario Outline: Verify Agent can add additional Signatory information on company page to maximise the count</b>																
Passed: 4																
<b>Before</b>																
<p>When I click on "\${company.add.signatory.link}" button present below "\${company.companyZip}"</p> <p>Then I verify the field label text on company page</p> <table border="1"> <tr> <td>3rd Authorised Signatory Name</td> <td>`\${company.companyAuthorisedSignatoryName.text}`</td> </tr> <tr> <td>3rd Authorised Signatory Title</td> <td>`\${company.companyAuthorisedSignatoryTitle.text}`</td> </tr> </table> <p>And I verify following buttons are displayed on "Company page"</p> <table border="1"> <tr> <td>`\${company.signatory.delete.button}`</td> </tr> </table> <p>And I verify "\${company.add.signatory.link}" link count is 0 in Sales Company Page</p>	3rd Authorised Signatory Name	`\${company.companyAuthorisedSignatoryName.text}`	3rd Authorised Signatory Title	`\${company.companyAuthorisedSignatoryTitle.text}`	`\${company.signatory.delete.button}`											
3rd Authorised Signatory Name	`\${company.companyAuthorisedSignatoryName.text}`															
3rd Authorised Signatory Title	`\${company.companyAuthorisedSignatoryTitle.text}`															
`\${company.signatory.delete.button}`																
<b>After</b>																
<a href="#">Back to Table of Contents</a>																
<b>Scenario: Verify Agent should be able to fill multiple authorised signatories and Title titles in company page</b>																
Passed: 2																
<b>Before</b>																
<p>Given I assign value to following variables</p> <table border="1"> <tr> <td>AUTHORISED_SIGNATORY_NAME_2</td> <td>authorisedName2</td> </tr> <tr> <td>AUTHORISED_SIGNATORY_DESIGNATION_2</td> <td>testdesignationTwo</td> </tr> <tr> <td>AUTHORISED_SIGNATORY_NAME_3</td> <td>authorisedName3</td> </tr> <tr> <td>AUTHORISED_SIGNATORY_DESIGNATION_3</td> <td>testdesignationThree</td> </tr> </table> <p>Then I enter following details on company page</p> <table border="1"> <tr> <td>Authorised Signatory Name 2</td> <td>`\${AUTHORISED_SIGNATORY_NAME_2}`</td> </tr> <tr> <td>Authorised Signatory Title 2</td> <td>`\${AUTHORISED_SIGNATORY_DESIGNATION_2}`</td> </tr> <tr> <td>Authorised Signatory Name 3</td> <td>`\${AUTHORISED_SIGNATORY_NAME_3}`</td> </tr> <tr> <td>Authorised Signatory Title 3</td> <td>`\${AUTHORISED_SIGNATORY_DESIGNATION_3}`</td> </tr> </table>	AUTHORISED_SIGNATORY_NAME_2	authorisedName2	AUTHORISED_SIGNATORY_DESIGNATION_2	testdesignationTwo	AUTHORISED_SIGNATORY_NAME_3	authorisedName3	AUTHORISED_SIGNATORY_DESIGNATION_3	testdesignationThree	Authorised Signatory Name 2	`\${AUTHORISED_SIGNATORY_NAME_2}`	Authorised Signatory Title 2	`\${AUTHORISED_SIGNATORY_DESIGNATION_2}`	Authorised Signatory Name 3	`\${AUTHORISED_SIGNATORY_NAME_3}`	Authorised Signatory Title 3	`\${AUTHORISED_SIGNATORY_DESIGNATION_3}`
AUTHORISED_SIGNATORY_NAME_2	authorisedName2															
AUTHORISED_SIGNATORY_DESIGNATION_2	testdesignationTwo															
AUTHORISED_SIGNATORY_NAME_3	authorisedName3															
AUTHORISED_SIGNATORY_DESIGNATION_3	testdesignationThree															
Authorised Signatory Name 2	`\${AUTHORISED_SIGNATORY_NAME_2}`															
Authorised Signatory Title 2	`\${AUTHORISED_SIGNATORY_DESIGNATION_2}`															
Authorised Signatory Name 3	`\${AUTHORISED_SIGNATORY_NAME_3}`															
Authorised Signatory Title 3	`\${AUTHORISED_SIGNATORY_DESIGNATION_3}`															
<b>After</b>																
<a href="#">Back to Table of Contents</a>																
<b>Scenario: Verify Agent can save and export the quote on company page</b>																
Passed: 4																
<b>Before</b>																
<p>Then I click on "\${saveQuote.button.text}" button</p> <p>And I wait for 2 sec</p> <p>Then I verify following information is displayed on page footer</p> <table border="1"> <tr> <td>`\${lastSavedMessage.static.text}`</td> </tr> </table> <p>Then I verify the presence of export quote button</p>	`\${lastSavedMessage.static.text}`															
`\${lastSavedMessage.static.text}`																
<b>After</b>																
<a href="#">Back to Table of Contents</a>																
<b>Scenario: Verify pop up message is displayed when we delete added signatory</b>																
Passed: 6																

<b>Before</b>
Given I scroll the page till authorised signatory field is displayed on company page
Then I verify 3 "\${company.signatory.delete.button}" buttons are displayed on "Company Page"
When I click on delete button for "2nd Authorised Signatory Title" signatory
Then I verify following text is displayed on "popup window on Signatory" page
\${signatory.delete.popup.message1}
\${signatory.delete.popup.message2}
Then I verify following buttons are displayed on "delete popup"
\${signatory.delete.popup.cancel.button}
\${signatory.delete.popup.delete.button}
Then I click on "\${signatory.delete.popup.cancel.button}" button
<b>After</b>
<a href="#">Back to Table of Contents</a>
<b>Scenario: Confirm delete of added signatory</b>
Passed: 4
<b>Before</b>
When I click on delete button for "2nd Authorised Signatory Title" signatory
And I click on "\${signatory.delete.popup.delete.button}" button
And I verify following buttons are displayed on "Company page"
\${company.signatory.delete.button}
And I verify 2 "\${company.signatory.delete.button}" buttons are displayed on "Company Page"
<b>After</b>
<a href="#">Back to Table of Contents</a>
<b>Scenario: Verify Signatory added are displayed in Submit page to add documents</b>
Passed: 3
<b>Before</b>
When I navigate to "Submit" screen
And verify the user is landed on "Submit" page
Then I verify following text is displayed on "Submit" page
\${submit.authorized.signatory} \${AUTHORISED_SIGNATORY_NAME}
\${submit.authorized.signatory} \${AUTHORISED_SIGNATORY_NAME_3}
<b>After</b>
<a href="#">Back to Table of Contents</a>
<b>Scenario: Close Sales Portal</b>
Passed: 1
<b>Before</b>
And I close sales portal
<b>After</b>
<a href="#">Back to Table of Contents</a>
<b>Feature: Verify the Submit page for page verification and various document uploads</b>
Passed: 30
<b>Scenario: Login to Sales portal and go to New Quote page</b>

**Passed: 6****Before****Given Launch sales portal****Output**

```
https://uat-sales.eb.prudential.com.my/
```

**And I assign value to following variables**

<b>Agent_Email</b>	<b> \${agent.email.id.global}</b>
<b>Agent_Password</b>	<b> \${agent.password}</b>

**When I Login to Sales Portal with below details**

<b>UserName</b>	<b> \${Agent_Email}</b>
<b>Password</b>	<b> \${Agent_Password}</b>

**And I enter the verification code if page appears for agent "\${Agent\_Email}"****Then I verify "\${welcome.to.prudential}" screen is displayed****Given I assign "/testdata/my/submit\_document" to variable "testdata.path"****Output**

```
Assigning value /testdata/my/submit_document to variable testdata.path
```

**After**[Back to Table of Contents](#)**Scenario: Verify the text and buttons on Submit page****Passed: 9****Before****When I click on Create Quote Link****When I navigate to "Submit" screen****And verify the user is landed on "Submit" page****And I verify following text is displayed on "Submit Page" page**

<b> \${estimatedAnnualPremium.button.text}</b>
<b> \${newQuote.static.text}</b>

**Then I verify following buttons are displayed on top right corner of the screen**

<b> Save Quote</b>	<b> \${saveQuote.button.text}</b>
--------------------	-----------------------------------

**Then verify "Summary of Benefit" heading is visible on the screen****And I verify the presence of following table headers on summary table**

<b> Group Plan - Group Term Life (GTL)</b>
<b> Benefit per member</b>

**Then I verify the presence of following items on page footer**

<b> \${previous.button.text}</b>
<b> \${confirm.submit.button}</b>

<b>And I verify "\${previous.button.text}" button is "enabled"</b>
<b>After</b>
<a href="#">Back to Table of Contents</a>
<b>Scenario: Verify the upload for signed proposal document section</b>
Passed: 6
<b>Before</b>
<b>And I assign "Signed_Proposal.png" to variable "FILE_NAME"</b>
<b>Output</b>
Assigning value Signed_Proposal.png to variable FILE_NAME
<b>Then verify "\${submit.signed.proposal.text}" heading is visible on the screen</b>
<b>Then I verify following static text on "Submit" page</b>
<b>    \${submit.signed.proposal}</b>
<b>Then I verify the presence of "\${submit.upload.file.text}" button below the message "\${submit.sig</b>
<b>And I upload the Signed Proposal file "\${testdata.path}/\${FILE_NAME}"</b>
<b>Then I verify the upload of file "\${FILE_NAME}" by the uploaded document name</b>
<b>After</b>
<a href="#">Back to Table of Contents</a>
<b>Scenario: verify delete popup window on submit page</b>
Passed: 9
<b>Before</b>
<b>And I verify delete button is present for attached document "\${FILE_NAME}"</b>
<b>When I click on delete doc button for "\${FILE_NAME}" on submit page</b>
<b>Then I verify following text is displayed on "popup window on submit" page</b>
<b>    \${submit.delete.popup.message1}</b>
<b>    \${submit.delete.popup.message2}</b>
<b>Then I verify following buttons are displayed on "delete popup"</b>
<b>    \${submit.delete.popup.cancel.button}</b>
<b>    \${submit.delete.popup.delete.button}</b>
<b>Then I click on "\${submit.delete.popup.cancel.button}" button</b>
<b>Then I verify the upload of file "\${FILE_NAME}" by the uploaded document name</b>
<b>When I click on delete doc button for "\${FILE_NAME}" on submit page</b>
<b>Then I click on "\${submit.delete.popup.delete.button}" button</b>
<b>Then I verify following static text on "Submit" page</b>
<b>    \${submit.signed.proposal}</b>
<b>After</b>
<a href="#">Back to Table of Contents</a>
<b>Scenario Outline: Verify agent can upload pdf,png,jpg,jpeg file types</b>
Passed: 5
<b>Before</b>

	<p><b>When I click on Create Quote Link</b></p> <p><b>When I navigate to "Submit" screen</b></p> <p><b>And verify the user is landed on "Submit" page</b></p> <p><b>And I upload the Signed Proposal file "\${testdata.path}/filetype/FileType.jpg"</b></p> <p><b>Then I verify the upload of file "FileType.jpg" by the uploaded document name</b></p>
<b>After</b>	
<b><a href="#">Back to Table of Contents</a></b>	
<b>Scenario Outline: Verify agent can upload pdf,png,jpg,jpeg file types</b>	
<b>Passed: 5</b>	
<b>Before</b>	
	<p><b>When I click on Create Quote Link</b></p> <p><b>When I navigate to "Submit" screen</b></p> <p><b>And verify the user is landed on "Submit" page</b></p> <p><b>And I upload the Signed Proposal file "\${testdata.path}/filetype/FileType.jpeg"</b></p> <p><b>Then I verify the upload of file "FileType.jpeg" by the uploaded document name</b></p>
<b>After</b>	
<b><a href="#">Back to Table of Contents</a></b>	
<b>Scenario Outline: Verify agent can upload pdf,png,jpg,jpeg file types</b>	
<b>Passed: 5</b>	
<b>Before</b>	
	<p><b>When I click on Create Quote Link</b></p> <p><b>When I navigate to "Submit" screen</b></p> <p><b>And verify the user is landed on "Submit" page</b></p> <p><b>And I upload the Signed Proposal file "\${testdata.path}/filetype/FileType.pdf"</b></p> <p><b>Then I verify the upload of file "FileType.pdf" by the uploaded document name</b></p>
<b>After</b>	
<b><a href="#">Back to Table of Contents</a></b>	
<b>Scenario Outline: Verify agent can upload pdf,png,jpg,jpeg file types</b>	
<b>Passed: 5</b>	
<b>Before</b>	
	<p><b>When I click on Create Quote Link</b></p> <p><b>When I navigate to "Submit" screen</b></p> <p><b>And verify the user is landed on "Submit" page</b></p> <p><b>And I upload the Signed Proposal file "\${testdata.path}/filetype/FileType.PNG"</b></p> <p><b>Then I verify the upload of file "FileType.PNG" by the uploaded document name</b></p>
<b>After</b>	
<b><a href="#">Back to Table of Contents</a></b>	
<b>Scenario Outline: Verify agent can upload pdf,png,jpg,jpeg file types</b>	
<b>Passed: 5</b>	
<b>Before</b>	
	<p><b>When I click on Create Quote Link</b></p> <p><b>When I navigate to "Submit" screen</b></p> <p><b>And verify the user is landed on "Submit" page</b></p>

	<p><b>And I upload the Signed Proposal file "\${testdata.path}/filetype/FileType.xlsm"</b></p> <p><b>Then I verify the upload of file "FileType.xlsm" by the uploaded document name</b></p>
<b>After</b>	
<b><a href="#">Back to Table of Contents</a></b>	
<b>Scenario Outline: Verify agent can upload pdf,png,jpg,jpeg file types</b>	
Passed: 5	
<b>Before</b>	
	<p><b>When I click on Create Quote Link</b></p> <p><b>When I navigate to "Submit" screen</b></p> <p><b>And verify the user is landed on "Submit" page</b></p> <p><b>And I upload the Signed Proposal file "\${testdata.path}/filetype/FileType.doc"</b></p> <p><b>Then I verify the upload of file "FileType.doc" by the uploaded document name</b></p>
<b>After</b>	
<b><a href="#">Back to Table of Contents</a></b>	
<b>Scenario Outline: Verify agent can upload pdf,png,jpg,jpeg file types</b>	
Passed: 5	
<b>Before</b>	
	<p><b>When I click on Create Quote Link</b></p> <p><b>When I navigate to "Submit" screen</b></p> <p><b>And verify the user is landed on "Submit" page</b></p> <p><b>And I upload the Signed Proposal file "\${testdata.path}/filetype/FileType.docx"</b></p> <p><b>Then I verify the upload of file "FileType.docx" by the uploaded document name</b></p>
<b>After</b>	
<b><a href="#">Back to Table of Contents</a></b>	
<b>Scenario Outline: Verify agent can upload pdf,png,jpg,jpeg file types</b>	
Passed: 5	
<b>Before</b>	
	<p><b>When I click on Create Quote Link</b></p> <p><b>When I navigate to "Submit" screen</b></p> <p><b>And verify the user is landed on "Submit" page</b></p> <p><b>And I upload the Signed Proposal file "\${testdata.path}/filetype/FileType.xlsx"</b></p> <p><b>Then I verify the upload of file "FileType.xlsx" by the uploaded document name</b></p>
<b>After</b>	
<b><a href="#">Back to Table of Contents</a></b>	
<b>Scenario: Verify uploading invalid file format is throwing error on UI</b>	
Passed: 18	
<b>Before</b>	
	<p><b>When I click on Create Quote Link</b></p> <p><b>When I navigate to "Submit" screen</b></p> <p><b>And verify the user is landed on "Submit" page</b></p> <p><b>And I upload the Signed Proposal file "\${testdata.path}/filetype/FileType.txt"</b></p> <p><b>And I wait for 6 sec</b></p> <p><b>When I click on Bank Transfer button</b></p>

**And I upload the payment proof file "\${testdata.path}/filetype/FileType.txt"**

**And I wait for 6 sec**

**And I upload the copy NRIC file "\${testdata.path}/filetype/FileType.txt"**

**And I wait for 6 sec**

**And I upload the Authorised Signatory file "\${testdata.path}/filetype/FileType.txt"**

**And I wait for 6 sec**

**And I upload the direct credit file "\${testdata.path}/filetype/FileType.txt"**

**And I wait for 6 sec**

**And I upload the Form 49 file "\${testdata.path}/filetype/FileType.txt"**

**And I wait for 6 sec**

**And I upload the Form 24 file "\${testdata.path}/filetype/FileType.txt"**

**Then I verify invalid file type error message "\${submit.invalid.file.format.text}" for following field**

**Proposal Form**

**Form 24**

**Form 49**

**Direct Credit**

**Authorised Signatory**

**Copy NRIC**

**Payment proof**

**After**

[Back to Table of Contents](#)

**Scenario: Verify the upload for Form 8 document**

**Passed: 13**

**Before**

**When I click on Create Quote Link**

**When I navigate to "Submit" screen**

**And I assign "General\_Information\_Sheet.png" to variable "FILE\_NAME"**

**Output**

Assigning value General\_Information\_Sheet.png to variable FILE\_NAME

**Then verify "\${submit.upload.relevant.doc.text}" heading is visible on the screen**

**Then I verify following text is displayed on "Submit" page**

**\${submit.file.size.text}**

**Then verify file label is displayed as "\${submit.form.8.text}"**

**Then I verify following static text on "Submit" page**

**\${submit.drop.document.here.text}**

**Then I verify the presence of "\${submit.upload.file.text}" button below the message "\${submit.drcd...}**

**And I upload the Form 8 file "\${testdata.path}/\${FILE\_NAME}"**

**Then I verify the upload of file "\${FILE\_NAME}" by the uploaded document name**

**And I verify delete button is present for attached document "\${FILE\_NAME}"**

**When I click on delete doc button for "\${FILE\_NAME}" on submit page**

<b>Then I click on "\${submit.delete.popup.delete.button}" button</b>
<b>After</b>
<a href="#">Back to Table of Contents</a>
<b>Scenario: Verify the upload for Form 24 document</b>
Passed: 11
<b>Before</b>
<p><b>When I click on Create Quote Link</b></p> <p><b>When I navigate to "Submit" screen</b></p> <p><b>And I assign "Articles_Bylaws.png" to variable "FILE_NAME"</b></p> <p><b>Output</b></p> <p>Assigning value Articles_Bylaws.png to variable FILE_NAME</p>
<p><b>Then verify file label is displayed as "\${submit.form.24.text}"</b></p> <p><b>Then I verify the presence of "\${submit.upload.file.text}" button below the message "\${submit.drc...}</b></p> <p><b>And I upload the Form 24 file "\${testdata.path}/\${FILE_NAME}"</b></p> <p><b>Then I verify the upload of file "\${FILE_NAME}" by the uploaded document name</b></p> <p><b>And I verify delete button is present for attached document "\${FILE_NAME}"</b></p> <p><b>When I click on delete doc button for "\${FILE_NAME}" on submit page</b></p> <p><b>Then I click on "\${submit.delete.popup.delete.button}" button</b></p> <p><b>Then verify file label is displayed as "\${submit.form.24.text}"</b></p>
<b>After</b>
<a href="#">Back to Table of Contents</a>
<b>Scenario: Verify the upload for Form 49 document</b>
Passed: 11
<b>Before</b>
<p><b>When I click on Create Quote Link</b></p> <p><b>When I navigate to "Submit" screen</b></p> <p><b>And I assign "Latest_Audited_Financial_Statement.png" to variable "FILE_NAME"</b></p> <p><b>Output</b></p> <p>Assigning value Latest_Audited_Financial_Statement.png to variable FILE_NAME</p>
<p><b>Then verify file label is displayed as "\${submit.form.49.text}"</b></p> <p><b>Then I verify the presence of "\${submit.upload.file.text}" button below the message "\${submit.drc...}</b></p> <p><b>And I upload the Form 49 file "\${testdata.path}/\${FILE_NAME}"</b></p> <p><b>Then I verify the upload of file "\${FILE_NAME}" by the uploaded document name</b></p> <p><b>And I verify delete button is present for attached document "\${FILE_NAME}"</b></p> <p><b>When I click on delete doc button for "\${FILE_NAME}" on submit page</b></p> <p><b>Then I click on "\${submit.delete.popup.delete.button}" button</b></p> <p><b>Then verify file label is displayed as "\${submit.form.49.text}"</b></p>

<b>After</b>
<a href="#">Back to Table of Contents</a>
<b>Scenario: Verify the upload for Direct Credit document</b>
Passed: 11
<b>Before</b>
<p>When I click on Create Quote Link</p> <p>When I navigate to "Submit" screen</p> <p>And I assign "Latest_Audited_Financial_Statement.png" to variable "FILE_NAME"</p>
<b>Output</b>
Assigning value Latest_Audited_Financial_Statement.png to variable FILE_NAME
<p>Then verify file label is displayed as "\${submit.direct.credit.text}"</p> <p>Then I verify the presence of "\${submit.upload.file.text}" button below the message "\${submit.drc...}</p> <p>And I upload the direct credit file "\${testdata.path}/\${FILE_NAME}"</p> <p>Then I verify the upload of file "\${FILE_NAME}" by the uploaded document name</p> <p>And I verify delete button is present for attached document "\${FILE_NAME}"</p> <p>When I click on delete doc button for "\${FILE_NAME}" on submit page</p> <p>Then I click on "\${submit.delete.popup.delete.button}" button</p> <p>Then verify file label is displayed as "\${submit.direct.credit.text}"</p>
<b>After</b>
<a href="#">Back to Table of Contents</a>
<b>Scenario: Verify the upload for Schedule of assurance document</b>
Passed: 11
<b>Before</b>
<p>When I click on Create Quote Link</p> <p>When I navigate to "Submit" screen</p> <p>And I assign "Latest_Audited_Financial_Statement.png" to variable "FILE_NAME"</p>
<b>Output</b>
Assigning value Latest_Audited_Financial_Statement.png to variable FILE_NAME
<p>Then verify file label is displayed as "\${submit.schedule.assurance.text}"</p> <p>Then I verify the presence of "\${submit.upload.file.text}" button below the message "\${submit.drc...}</p> <p>And I upload the schedule assurance file "\${testdata.path}/\${FILE_NAME}"</p> <p>Then I verify the upload of file "\${FILE_NAME}" by the uploaded document name</p> <p>And I verify delete button is present for attached document "\${FILE_NAME}"</p> <p>When I click on delete doc button for "\${FILE_NAME}" on submit page</p> <p>Then I click on "\${submit.delete.popup.delete.button}" button</p> <p>Then verify file label is displayed as "\${submit.schedule.assurance.text}"</p>

**After**[Back to Table of Contents](#)**Scenario: Verify the upload for GHS schedule of benefits document**

Passed: 11

**Before****When I click on Create Quote Link****When I navigate to "Submit" screen****And I assign "Latest\_Audited\_Financial\_Statement.png" to variable "FILE\_NAME"****Output**

Assigning value Latest\_Audited\_Financial\_Statement.png to variable FILE\_NAME

**Then verify file label is displayed as "\${submit.ghs.benefit.text}"****Then I verify the presence of "\${submit.upload.file.text}" button below the message "\${submit.drc"****And I upload the ghs benefit file "\${testdata.path}/\${FILE\_NAME}"****Then I verify the upload of file "\${FILE\_NAME}" by the uploaded document name****And I verify delete button is present for attached document "\${FILE\_NAME}"****When I click on delete doc button for "\${FILE\_NAME}" on submit page****Then I click on "\${submit.delete.popup.delete.button}" button****Then verify file label is displayed as "\${submit.ghs.benefit.text}"****After**[Back to Table of Contents](#)**Scenario: Verify the upload for Authorized Signatory document 1 document**

Passed: 13

**Before****When I click on Create Quote Link****When I navigate to "Submit" screen****And I assign "General\_Information\_Sheet.png" to variable "FILE\_NAME"****Output**

Assigning value General\_Information\_Sheet.png to variable FILE\_NAME

**Then verify "\${submit.authorized.personal.text}" heading is visible on the screen****Then I verify following text is displayed on "Submit" page****\${submit.authorized.signatory}****Then verify file label is displayed as "\${submit.authorized.declaration.text}"****Then I verify following static text on "Submit" page****\${submit.drop.document.here.text}****Then I verify the presence of "\${submit.upload.file.text}" button below the message "\${submit.drc"****And I upload the Authorised Signatory file "\${testdata.path}/\${FILE\_NAME}"**

**Then I verify the upload of file "\${FILE\_NAME}" by the uploaded document name**  
**And I verify delete button is present for attached document "\${FILE\_NAME}"**  
**When I click on delete doc button for "\${FILE\_NAME}" on submit page**  
**Then I click on "\${submit.delete.popup.delete.button}" button**

**After**[Back to Table of Contents](#)**Scenario: Verify the upload for Copy of NRIC document****Passed: 11****Before**

**When I click on Create Quote Link**  
**When I navigate to "Submit" screen**  
**And I assign "Latest\_Audited\_Financial\_Statement.png" to variable "FILE\_NAME"**

**Output**

```
Assigning value Latest_Audited_Financial_Statement.png to variable FILE_NAME
```

**Then verify file label is displayed as "\${submit.copy.nric.text}"**  
**Then I verify the presence of "\${submit.upload.file.text}" button below the message "\${submit.drc"**  
**And I upload the copy NRIC file "\${testdata.path}/\${FILE\_NAME}"**  
**Then I verify the upload of file "\${FILE\_NAME}" by the uploaded document name**  
**And I verify delete button is present for attached document "\${FILE\_NAME}"**  
**When I click on delete doc button for "\${FILE\_NAME}" on submit page**  
**Then I click on "\${submit.delete.popup.delete.button}" button**  
**Then verify file label is displayed as "\${submit.copy.nric.text}"**

**After**[Back to Table of Contents](#)**Scenario: Verify the upload for Copy of Memos document****Passed: 13****Before**

**When I click on Create Quote Link**  
**When I navigate to "Submit" screen**  
**And I assign "Latest\_Audited\_Financial\_Statement.png" to variable "FILE\_NAME"**

**Output**

```
Assigning value Latest_Audited_Financial_Statement.png to variable FILE_NAME
```

**And I verify following text is displayed on "Submit" page****\${submit.memo.max.text}****Then verify file label is displayed as "\${submit.memo.text}"****Then I verify the presence of "\${submit.upload.file.text}" button below the message "\${submit.drc**

And I upload the memos file "\${testdata.path}/\${FILE\_NAME}"  
 Then I verify the upload of file "\${FILE\_NAME}" by the uploaded document name  
 And I verify delete button is present for attached document "\${FILE\_NAME}"  
 Then I verify following buttons are displayed on "Submit page"  
 \${submit.upload.another.file.text}  
 When I click on delete doc button for "\${FILE\_NAME}" on submit page  
 Then I click on "\${submit.delete.popup.delete.button}" button  
 Then verify file label is displayed as "\${submit.memo.text}"

**After**[Back to Table of Contents](#)**Scenario: Verify the select payment method Bank transfer section**

Passed: 12

**Before**

Then verify "\${submit.payment.method.text}" heading is visible on the screen  
 Then I verify following text is displayed on "Submit" page  
 \${submit.bank.transfer.text}  
 \${submit.cheque.text}

When I click on Bank Transfer button  
 And I assign "Latest\_Audited\_Financial\_Statement.png" to variable "FILE\_NAME"

**Output**

```
Assigning value Latest_Audited_Financial_Statement.png to variable FILE_NAME
```

Then verify file label is displayed as "\${submit.upload.payment.proof.text}"  
 Then I verify the presence of "\${submit.upload.file.text}" button below the message "\${submit.drc}"  
 And I upload the payment proof file "\${testdata.path}/\${FILE\_NAME}"  
 Then I verify the upload of file "\${FILE\_NAME}" by the uploaded document name  
 And I verify delete button is present for attached document "\${FILE\_NAME}"  
 When I click on delete doc button for "\${FILE\_NAME}" on submit page  
 Then I click on "\${submit.delete.popup.delete.button}" button  
 Then verify file label is displayed as "\${submit.upload.payment.proof.text}"

**After**[Back to Table of Contents](#)**Scenario: Verify the select payment method Bank transfer section**

Passed: 12

**Before**

When I click on Create Quote Link  
 When I navigate to "Submit" screen  
 When I click on Cheque button  
 And I assign "Latest\_Audited\_Financial\_Statement.png" to variable "FILE\_NAME"

**Output**

Assigning value Latest\_Audited\_Financial\_Statement.png to variable FILE\_NAME

**Then verify file label is displayed as "\${submit.upload.payment.proof.text}"**

**Then I verify the presence of "\${submit.upload.file.text}" button below the message "\${submit.drc"**

**And I upload the payment proof file "\${testdata.path}/\${FILE\_NAME}"**

**Then I verify the upload of file "\${FILE\_NAME}" by the uploaded document name**

**And I verify delete button is present for attached document "\${FILE\_NAME}"**

**When I click on delete doc button for "\${FILE\_NAME}" on submit page**

**Then I click on "\${submit.delete.popup.delete.button}" button**

**Then verify file label is displayed as "\${submit.upload.payment.proof.text}"**

**After**

[Back to Table of Contents](#)

**Scenario: Add quote for Group term life for all 5 categories**

**Passed: 6**

**Before**

**Given I generate random number and assign to variable "RANDOM\_NUMBER"**

**Output**

Random number generated is :604

**Then I assign "Dummy\_Quote\_\${RANDOM\_NUMBER}" to variable "Company\_Name"**

**Output**

Assigning value Dummy\_Quote\_604070323325 to variable Company\_Name

**When I click on Create Quote Link**

**Then I navigate to "Select Plan" screen**

**Then I enter Company Name as "\${Company\_Name}"**

**Output**

company name is: Dummy\_Quote\_604070323325

**Then I enter following details on select plan page**

No. of Members	10
----------------	----

**After**

[Back to Table of Contents](#)

**Scenario Outline: Verify Summary of benefit table display data selected in select plan page and getting****Passed: 9****Before****Then I navigate to "Select Plan" screen****And I click on PAMB GHS "\${selectplan.ghs.no.button}" button****When I navigate to "Submit" screen****And verify the user is landed on "Submit" page****Then I assign "Annual\_Summary.csv" to variable "FILE\_NAME"****Output**

Assigning value Annual\_Summary.csv to variable FILE\_NAME

**And I assign "testdata/my/submit\_document/summarydata/\${FILE\_NAME}" to variable "summary.data.compareFile.path"****Output**

Assigning value testdata/my/submit\_document/summarydata/Annual\_Summary.csv to variable summary.data.compareFile.path

**Then I assign "SummaryTable" to variable "Table\_Name"****Output**

Assigning value SummaryTable to variable Table\_Name

**Then I verify details in summary table is matching with "\${summary.data.compareFile.path}" file****Output**

UI data: {Death Benefit (due to ALL causes)={Benefit per member=RM5,000}, Total and Permanent Disability Benefit (TPD) - csvData: {Death Benefit (due to ALL causes)={Benefit per member=RM5,000}, Total and Permanent Disability Benefit (TPD)}

**And I verify following static text on "Summary Table" page**

<b>10</b>
<b>RM107.50</b>
<b>RM6.50</b>
<b>Total members</b>
<b>Annual Premium (Before Tax)</b>
<b>Service Tax 6%</b>

**After**[Back to Table of Contents](#)**Scenario Outline: Verify Summary of benefit table display data selected in select plan page and getting**

**Passed: 9****Before****Then I navigate to "Select Plan" screen****And I click on PAMB GHS "\${selectplan.ghs.yes.button}" button****When I navigate to "Submit" screen****And verify the user is landed on "Submit" page****Then I assign "Annual\_WithGHS.csv" to variable "FILE\_NAME"****Output**

Assigning value Annual\_WithGHS.csv to variable FILE\_NAME

**And I assign "testdata/my/submit\_document/summarydata/\${FILE\_NAME}" to variable "summary.data.compareFile.path"****Output**

Assigning value testdata/my/submit\_document/summarydata/Annual\_WithGHS.csv to variable summary.data.compareFile.path

**Then I assign "SummaryTable" to variable "Table\_Name"****Output**

Assigning value SummaryTable to variable Table\_Name

**Then I verify details in summary table is matching with "\${summary.data.compareFile.path}" file****Output**

UI data: {Group Hospital and Surgical Benefit (GHS)={Benefit per member=RM20,000}, Death Benefit (due to ALL causes)={} csvData: {Group Hospital and Surgical Benefit (GHS)={Benefit per member=RM20,000}, Death Benefit (due to ALL causes)=}}

**And I verify following static text on "Summary Table" page**

<b>10</b>
<b>RM2,667.50</b>
<b>RM160.10</b>
<b>Total members</b>
<b>Annual Premium (Before Tax, GHS Included)</b>
<b>Service Tax 6%</b>

**After**[Back to Table of Contents](#)**Scenario: Validating the error message When user clicks on Confirm and Submit button without entering any information****Passed: 3**

<b>Before</b>	<p>When I click on Bank Transfer button</p> <p>When I click on the Confirm and Submit button</p> <p>Then I verify following field upload error message on submit page</p> <table border="1"> <tr><td>Proposal Form</td><td> \${submit.error.proposal.form.mandatory}</td></tr> <tr><td>Form 8</td><td> \${submit.error.form.8.mandatory}</td></tr> <tr><td>Form 24</td><td> \${submit.error.form.24.mandatory}</td></tr> <tr><td>Form 49</td><td> \${submit.error.form.49.mandatory}</td></tr> <tr><td>Direct Credit</td><td> \${submit.error.direct.credit.mandatory}</td></tr> <tr><td>Authorised Signatory</td><td> \${submit.error.authorised.signatory.mandatory}</td></tr> <tr><td>Copy NRIC</td><td> \${submit.error.copy.nric.mandatory}</td></tr> <tr><td>Payment proof</td><td> \${submit.error.payment.proof}</td></tr> </table>	Proposal Form	\${submit.error.proposal.form.mandatory}	Form 8	\${submit.error.form.8.mandatory}	Form 24	\${submit.error.form.24.mandatory}	Form 49	\${submit.error.form.49.mandatory}	Direct Credit	\${submit.error.direct.credit.mandatory}	Authorised Signatory	\${submit.error.authorised.signatory.mandatory}	Copy NRIC	\${submit.error.copy.nric.mandatory}	Payment proof	\${submit.error.payment.proof}
Proposal Form	\${submit.error.proposal.form.mandatory}																
Form 8	\${submit.error.form.8.mandatory}																
Form 24	\${submit.error.form.24.mandatory}																
Form 49	\${submit.error.form.49.mandatory}																
Direct Credit	\${submit.error.direct.credit.mandatory}																
Authorised Signatory	\${submit.error.authorised.signatory.mandatory}																
Copy NRIC	\${submit.error.copy.nric.mandatory}																
Payment proof	\${submit.error.payment.proof}																
<b>After</b>																	
	<p><a href="#">Back to Table of Contents</a></p> <p><b>Scenario: Verify Agent can save and export the quote on submit page</b></p>																
Passed: 3																	
<b>Before</b>																	
	<p>Then I click on "\${saveQuote.button.text}" button</p> <p>Then I verify following information is displayed on page footer</p> <p>    \${lastSavedMessage.static.text}</p> <p>Then I verify the presence of export quote button</p>																
<b>After</b>																	
	<p><a href="#">Back to Table of Contents</a></p> <p><b>Scenario: Close Sales Portal</b></p>																
Passed: 1																	
<b>Before</b>																	
	<p>And I close sales portal</p>																
<b>After</b>																	
	<p><a href="#">Back to Table of Contents</a></p>																
<b>Feature: Verify agent can see all the PLUK documents and can download them</b>																	
Passed: 27																	
	<p><b>Scenario: Verify default and documents on Documents Page</b></p>																
Passed: 7																	
<b>Before</b>																	
	<p>Given I get the project directory path to variable "project.path"</p> <p>Given I assign "\${project.path}/src/test/resources/testdata/my/documentsstocompare/input" to variable "input"</p> <p>Output</p> <pre>Assigning value /tmp/workspace/me-sales-portal-ui-tests_develop/src/test/resources/testdata/my/documentsstocompare/input to variable input</pre>																
	<p>Given Launch sales portal</p>																

Output				
https://uat-sales.eb.prudential.com.my/				
<b>And I assign value to following variables</b>				
<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="padding: 2px;">Agent_Email</td> <td style="padding: 2px;">\${agent.email.id.global}</td> </tr> <tr> <td style="padding: 2px;">Agent_Password</td> <td style="padding: 2px;">\${agent.password}</td> </tr> </table>	Agent_Email	\${agent.email.id.global}	Agent_Password	\${agent.password}
Agent_Email	\${agent.email.id.global}			
Agent_Password	\${agent.password}			
<b>When I Login to Sales Portal with below details</b>				
<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="padding: 2px;">UserName</td> <td style="padding: 2px;">\${Agent_Email}</td> </tr> <tr> <td style="padding: 2px;">Password</td> <td style="padding: 2px;">\${Agent_Password}</td> </tr> </table>	UserName	\${Agent_Email}	Password	\${Agent_Password}
UserName	\${Agent_Email}			
Password	\${Agent_Password}			
<b>And I enter the verification code if page appears for agent "\${Agent_Email}"</b>				
<b>Then I verify "\${welcome.to.prudential}" screen is displayed</b>				
<b>After</b>				
<a href="#">Back to Table of Contents</a>				
<b>Scenario: Verify documents table on document page</b>				
Passed: 3				
<b>Before</b>				
<p><b>When I click on Documents link</b></p> <p><b>Then I verify following text is displayed on "Documents" page</b></p> <p style="border: 1px solid black; padding: 2px;">\${toggleBarItem.documents.label}</p> <p><b>Then I verify the presence of following table headers on "Documents page"</b></p> <p style="border: 1px solid black; padding: 2px;">\${document.table.header.document.name}</p>				
<b>After</b>				
<a href="#">Back to Table of Contents</a>				
<b>Scenario Outline: Verify "PRUEd Protect Leaflet" document download button is enabled</b>				
Passed: 1				
<b>Before</b>				
<p><b>And I verify download button for "PRUEd Protect Leaflet" document is enabled</b></p>				
<b>After</b>				
<a href="#">Back to Table of Contents</a>				
<b>Scenario Outline: Verify "Claim Form" document download button is enabled</b>				
Passed: 1				
<b>Before</b>				
<p><b>And I verify download button for "Claim Form" document is enabled</b></p>				
<b>After</b>				
<a href="#">Back to Table of Contents</a>				
<b>Scenario Outline: Verify "Medical Claim - Doctor's Statement" document download button is enabled</b>				
Passed: 1				
<b>Before</b>				
<p><b>And I verify download button for "Medical Claim - Doctor's Statement" document is enabled</b></p>				
<b>After</b>				

<a href="#">Back to Table of Contents</a>
<b>Scenario Outline: Verify "Personal Accident Claim - Doctor's Statement" document download button is enabled</b>
Passed: 1
<b>Before</b>
And I verify download button for "Personal Accident Claim - Doctor's Statement" document is enabled
<b>After</b>
<a href="#">Back to Table of Contents</a>
<b>Scenario Outline: Verify "Personal Accident Claim - Healing Progress Form" document download button is enabled</b>
Passed: 1
<b>Before</b>
And I verify download button for "Personal Accident Claim - Healing Progress Form" document is enabled
<b>After</b>
<a href="#">Back to Table of Contents</a>
<b>Scenario Outline: Verify "Total and Permanent Disability Claim - Doctor's Statement" document download button is enabled</b>
Passed: 1
<b>Before</b>
And I verify download button for "Total and Permanent Disability Claim - Doctor's Statement" document is enabled
<b>After</b>
<a href="#">Back to Table of Contents</a>
<b>Scenario Outline: Verify "Total and Permanent Disability Instalment Benefit - Doctor's Statement" document download button is enabled</b>
Passed: 1
<b>Before</b>
And I verify download button for "Total and Permanent Disability Instalment Benefit - Doctor's Statement" document is enabled
<b>After</b>
<a href="#">Back to Table of Contents</a>
<b>Scenario Outline: Verify "Death Claim - Doctor's Statement" document download button is enabled</b>
Passed: 1
<b>Before</b>
And I verify download button for "Death Claim - Doctor's Statement" document is enabled
<b>After</b>
<a href="#">Back to Table of Contents</a>
<b>Scenario Outline: Verify "Consent To Release Information" document download button is enabled</b>
Passed: 1
<b>Before</b>
And I verify download button for "Consent To Release Information" document is enabled
<b>After</b>
<a href="#">Back to Table of Contents</a>
<b>Scenario Outline: Verify "Master Application Form" document download button is enabled</b>
Passed: 1
<b>Before</b>
And I verify download button for "Master Application Form" document is enabled

<b>After</b>
<a href="#">Back to Table of Contents</a>
<b>Scenario Outline: Verify "Application For Direct Credit Form" document download button is enabled</b>
Passed: 1
<b>Before</b>
<b>And I verify download button for "Application For Direct Credit Form" document is enabled</b>
<b>After</b>
<a href="#">Back to Table of Contents</a>
<b>Scenario Outline: Verify "Authorised Company Representative Declaration Form" document download button is enabled</b>
Passed: 1
<b>Before</b>
<b>And I verify download button for "Authorised Company Representative Declaration Form" document is enabled</b>
<b>After</b>
<a href="#">Back to Table of Contents</a>
<b>Scenario Outline: Download PDF documents by click on down arrow button and verify "PRUEd Protect Leaflet" file is available</b>
Passed: 7
<b>Before</b>
<b>Given I assign "PRUEd Protect Leaflet" to variable "DOWNLOADED_FILE_NAME"</b>
<b>Output</b>
Assigning value PRUEd Protect Leaflet to variable DOWNLOADED_FILE_NAME
<b>Then I assign the downloaded file "\${DOWNLOADED_FILE_NAME}" to variable "document.to.compare.path"</b>
<b>And I assign "\${document.to.compare.path}.pdf" to variable "DOCUMENT_FILE_PATH"</b>
<b>Output</b>
Assigning value /tmp/workspace/me-sales-portal-ui-tests_develop/PRUEd Protect Leaflet.pdf to variable DOCUMENT_FILE_PATH
<b>And I delete the downloaded file "\${DOCUMENT_FILE_PATH}" if it already exists</b>
<b>When I click on download button for document "PRUEd Protect Leaflet"</b>
<b>Then I verify downloaded file name is "\${DOCUMENT_FILE_PATH}"</b>
<b>Output</b>
Downloaded file name=/tmp/workspace/me-sales-portal-ui-tests_develop/PRUEd Protect Leaflet.pdf
<b>And I verify "\${testdata.path}/PRUEd Protect Leaflet.pdf" pdf file is matching with "\${DOCUMENT_FILE_PATH}"</b>
<b>After</b>
<a href="#">Back to Table of Contents</a>

**Scenario Outline: Download PDF documents by click on down arrow button and verify "Claim Form"**

Passed: 7

**Before****Given I assign "Claim Form" to variable "DOWNLOADED\_FILE\_NAME"****Output**

Assigning value Claim Form to variable DOWNLOADED\_FILE\_NAME

**Then I assign the downloaded file "\${DOWNLOADED\_FILE\_NAME}" to variable "document.to"****And I assign "\${document.to.compare.path}.pdf" to variable "DOCUMENT\_FILE\_PATH"****Output**

Assigning value /tmp/workspace/me-sales-portal-ui-tests\_develop/Claim Form.pdf to variable DOCUMENT\_FILE\_PATH

**And I delete the downloaded file "\${DOCUMENT\_FILE\_PATH}" if it already exists****When I click on download button for document "Claim Form"****Then I verify downloaded file name is "\${DOCUMENT\_FILE\_PATH}"****Output**

Downloaded file name=/tmp/workspace/me-sales-portal-ui-tests\_develop/Claim Form.pdf

**And I verify "\${testdata.path}/Claim Form.pdf" pdf file is matching with "\${DOCUMENT\_FILE\_PATH}"****After**[Back to Table of Contents](#)**Scenario Outline: Download PDF documents by click on down arrow button and verify "Medical Claim - Doctor's Statement"**

Passed: 7

**Before****Given I assign "Medical Claim - Doctor's Statement" to variable "DOWNLOADED\_FILE\_NAME"****Output**

Assigning value Medical Claim - Doctor's Statement to variable DOWNLOADED\_FILE\_NAME

**Then I assign the downloaded file "\${DOWNLOADED\_FILE\_NAME}" to variable "document.to"****And I assign "\${document.to.compare.path}.pdf" to variable "DOCUMENT\_FILE\_PATH"****Output**

Assigning value /tmp/workspace/me-sales-portal-ui-tests_develop/Medical Claim - Doctor's Statement.pdf to variable DOCUMENT_FILE_PATH
<b>And I delete the downloaded file "\${DOCUMENT_FILE_PATH}" if it already exists</b>
<b>When I click on download button for document "Medical Claim - Doctor's Statement"</b>
<b>Then I verify downloaded file name is "\${DOCUMENT_FILE_PATH}"</b>
<b>Output</b>
Downloaded file name=/tmp/workspace/me-sales-portal-ui-tests_develop/Medical Claim - Doctor's Statement.pdf
<b>And I verify "\${testdata.path}/Medical Claim - Doctor's Statement.pdf" pdf file is matching with '</b>
<b>After</b>
<a href="#">Back to Table of Contents</a>
<b>Scenario Outline: Download PDF documents by click on down arrow button and verify "Personal Acc</b>
Passed: 7
<b>Before</b>
<b>Given I assign "Personal Accident Claim - Doctor's Statement" to variable "DOWNLOADED_FI</b>
<b>Output</b>
Assigning value Personal Accident Claim - Doctor's Statement to variable DOWNLOADED_FILE_NAME
<b>Then I assign the downloaded file "\${DOWNLOADED_FILE_NAME}" to variable "document.to</b>
<b>And I assign "\${document.to.compare.path}.pdf" to variable "DOCUMENT_FILE_PATH"</b>
<b>Output</b>
Assigning value /tmp/workspace/me-sales-portal-ui-tests_develop/Personal Accident Claim - Doctor's Statement.pdf to variable DOCUMENT_FILE_PATH
<b>And I delete the downloaded file "\${DOCUMENT_FILE_PATH}" if it already exists</b>
<b>When I click on download button for document "Personal Accident Claim - Doctor's Statement"</b>
<b>Then I verify downloaded file name is "\${DOCUMENT_FILE_PATH}"</b>
<b>Output</b>
Downloaded file name=/tmp/workspace/me-sales-portal-ui-tests_develop/Personal Accident Claim - Doctor's Statement.pdf
<b>And I verify "\${testdata.path}/Personal Accident Claim - Doctor's Statement.pdf" pdf file is match</b>
<b>After</b>
<a href="#">Back to Table of Contents</a>
<b>Scenario Outline: Download PDF documents by click on down arrow button and verify "Personal Acc</b>

Passed: 7

**Before****Given I assign "Personal Accident Claim - Healing Progress Form" to variable "DOWNLOADED\_FILE\_NAME"****Output**

```
Assigning value Personal Accident Claim - Healing Progress Form to variable DOWNLOADED_FILE_NAME
```

**Then I assign the downloaded file "\${DOWNLOADED\_FILE\_NAME}" to variable "document.to.path"****And I assign "\${document.to.compare.path}.pdf" to variable "DOCUMENT\_FILE\_PATH"****Output**

```
Assigning value /tmp/workspace/me-sales-portal-ui-tests_develop/Personal Accident Claim - Healing Progress Form.pdf to variable DOCUMENT_FILE_PATH
```

**And I delete the downloaded file "\${DOCUMENT\_FILE\_PATH}" if it already exists****When I click on download button for document "Personal Accident Claim - Healing Progress Form"****Then I verify downloaded file name is "\${DOCUMENT\_FILE\_PATH}"****Output**

```
Downloaded file name=/tmp/workspace/me-sales-portal-ui-tests_develop/Personal Accident Claim - Healing Progress Form.pdf
```

**And I verify "\${testdata.path}/Personal Accident Claim - Healing Progress Form.pdf" pdf file is not present****After**[Back to Table of Contents](#)**Scenario Outline: Download PDF documents by click on down arrow button and verify "Total and Permanent Disability Claim - Doctor's Statement"**

Passed: 7

**Before****Given I assign "Total and Permanent Disability Claim - Doctor's Statement" to variable "DOWNLOADED\_FILE\_NAME"****Output**

```
Assigning value Total and Permanent Disability Claim - Doctor's Statement to variable DOWNLOADED_FILE_NAME
```

**Then I assign the downloaded file "\${DOWNLOADED\_FILE\_NAME}" to variable "document.to.path"****And I assign "\${document.to.compare.path}.pdf" to variable "DOCUMENT\_FILE\_PATH"****Output**

```
Assigning value /tmp/workspace/me-sales-portal-ui-tests_develop/Total and Permanent Disability Claim - Doctor's Statement.pdf to variable DOCUMENT_FILE_PATH
```

**And I delete the downloaded file "\${DOCUMENT\_FILE\_PATH}" if it already exists**

**When I click on download button for document "Total and Permanent Disability Claim - Doctor's Statement"**

**Then I verify downloaded file name is "\${DOCUMENT\_FILE\_PATH}"**

**Output**

Downloaded file name=/tmp/workspace/me-sales-portal-ui-tests\_develop/Total and Permanent Disability Claim - Doctor's Statement.pdf

**And I verify "\${testdata.path}/Total and Permanent Disability Claim - Doctor's Statement.pdf" path is correct**

**After**

[Back to Table of Contents](#)

**Scenario Outline: Download PDF documents by click on down arrow button and verify "Total and Permanent Disability Instalment Benefit - Doctor's Statement"**

**Passed: 7**

**Before**

**Given I assign "Total and Permanent Disability Instalment Benefit - Doctor's Statement" to variable "document.to.compare.path"**

**Output**

Assigning value Total and Permanent Disability Instalment Benefit - Doctor's Statement to variable DOWNLOADED\_FILE\_NAME

**Then I assign the downloaded file "\${DOWNLOADED\_FILE\_NAME}" to variable "document.to.download.path"**

**And I assign "\${document.to.compare.path}.pdf" to variable "DOCUMENT\_FILE\_PATH"**

**Output**

Assigning value /tmp/workspace/me-sales-portal-ui-tests\_develop/Total and Permanent Disability Instalment Benefit - Doctor's Statement.pdf

**And I delete the downloaded file "\${DOCUMENT\_FILE\_PATH}" if it already exists**

**When I click on download button for document "Total and Permanent Disability Instalment Benefit - Doctor's Statement"**

**Then I verify downloaded file name is "\${DOCUMENT\_FILE\_PATH}"**

**Output**

Downloaded file name=/tmp/workspace/me-sales-portal-ui-tests\_develop/Total and Permanent Disability Instalment Benefit - Doctor's Statement.pdf

**And I verify "\${testdata.path}/Total and Permanent Disability Instalment Benefit - Doctor's Statement.pdf" path is correct**

**After**

[Back to Table of Contents](#)

**Scenario Outline: Download PDF documents by click on down arrow button and verify "Death Claim - Doctor's Statement"**

**Passed: 7**

**Before**

**Given I assign "Death Claim - Doctor's Statement" to variable "DOWNLOADED\_FILE\_NAME"**

Output

Assigning value Death Claim - Doctor's Statement to variable DOWNLOADED\_FILE\_NAME

**Then I assign the downloaded file "\${DOWNLOADED\_FILE\_NAME}" to variable "document.to"**

**And I assign "\${document.to.compare.path}.pdf" to variable "DOCUMENT\_FILE\_PATH"**

Output

Assigning value /tmp/workspace/me-sales-portal-ui-tests\_develop/Death Claim - Doctor's Statement.pdf to variable DOCUMENT\_FILE\_PATH

**And I delete the downloaded file "\${DOCUMENT\_FILE\_PATH}" if it already exists**

**When I click on download button for document "Death Claim - Doctor's Statement"**

**Then I verify downloaded file name is "\${DOCUMENT\_FILE\_PATH}"**

Output

Downloaded file name=/tmp/workspace/me-sales-portal-ui-tests\_develop/Death Claim - Doctor's Statement.pdf

**And I verify "\${testdata.path}/Death Claim - Doctor's Statement.pdf" pdf file is matching with "\${DOCUMENT\_FILE\_PATH}"**

**After**

[Back to Table of Contents](#)

**Scenario Outline: Download PDF documents by click on down arrow button and verify "Consent To**

Passed: 7

**Before**

**Given I assign "Consent To Release Information" to variable "DOWNLOADED\_FILE\_NAME"**

Output

Assigning value Consent To Release Information to variable DOWNLOADED\_FILE\_NAME

**Then I assign the downloaded file "\${DOWNLOADED\_FILE\_NAME}" to variable "document.to"**

**And I assign "\${document.to.compare.path}.pdf" to variable "DOCUMENT\_FILE\_PATH"**

Output

Assigning value /tmp/workspace/me-sales-portal-ui-tests\_develop/Consent To Release Information.pdf to variable DOCUMENT\_FILE\_PATH

**And I delete the downloaded file "\${DOCUMENT\_FILE\_PATH}" if it already exists**

**When I click on download button for document "Consent To Release Information"**

**Then I verify downloaded file name is "\${DOCUMENT\_FILE\_PATH}"**

**Output**

Downloaded file name=/tmp/workspace/me-sales-portal-ui-tests\_develop/Consent To Release Information.pdf

**And I verify "\${testdata.path}/Consent To Release Information.pdf" pdf file is matching with "\${I**

**After**

[Back to Table of Contents](#)

**Scenario Outline: Download PDF documents by click on down arrow button and verify "Master App**

Passed: 7

**Before**

**Given I assign "Master Application Form" to variable "DOWNLOADED\_FILE\_NAME"**

**Output**

Assigning value Master Application Form to variable DOWNLOADED\_FILE\_NAME

**Then I assign the downloaded file "\${DOWNLOADED\_FILE\_NAME}" to variable "document.to**

**And I assign "\${document.to.compare.path}.pdf" to variable "DOCUMENT\_FILE\_PATH"**

**Output**

Assigning value /tmp/workspace/me-sales-portal-ui-tests\_develop/Master Application Form.pdf to variable DOCUMENT\_FILE

**And I delete the downloaded file "\${DOCUMENT\_FILE\_PATH}" if it already exists**

**When I click on download button for document "Master Application Form"**

**Then I verify downloaded file name is "\${DOCUMENT\_FILE\_PATH}"**

**Output**

Downloaded file name=/tmp/workspace/me-sales-portal-ui-tests\_develop/Master Application Form.pdf

**And I verify "\${testdata.path}/Master Application Form.pdf" pdf file is matching with "\${DOCUM**

**After**

[Back to Table of Contents](#)

**Scenario Outline: Download PDF documents by click on down arrow button and verify "Application**

Passed: 7

**Before**

**Given I assign "Application For Direct Credit Form" to variable "DOWNLOADED\_FILE\_NAME"**

**Output**

Assigning value Application For Direct Credit Form to variable DOWNLOADED\_FILE\_NAME

**Then I assign the downloaded file "\${DOWNLOADED\_FILE\_NAME}" to variable "document.to"**

**And I assign "\${document.to.compare.path}.pdf" to variable "DOCUMENT\_FILE\_PATH"**

Output

Assigning value /tmp/workspace/me-sales-portal-ui-tests\_develop/Application For Direct Credit Form.pdf to variable DOCUMENT\_FILE\_PATH

**And I delete the downloaded file "\${DOCUMENT\_FILE\_PATH}" if it already exists**

**When I click on download button for document "Application For Direct Credit Form"**

**Then I verify downloaded file name is "\${DOCUMENT\_FILE\_PATH}"**

Output

Downloaded file name=/tmp/workspace/me-sales-portal-ui-tests\_develop/Application For Direct Credit Form.pdf

**And I verify "\${testdata.path}/Application For Direct Credit Form.pdf" pdf file is matching with "**

After

[Back to Table of Contents](#)

**Scenario Outline: Download PDF documents by click on down arrow button and verify "Authorised Company Representative Declaration Form"**

Passed: 7

Before

**Given I assign "Authorised Company Representative Declaration Form" to variable "DOWNLOADED\_FILE\_NAME"**

Output

Assigning value Authorised Company Representative Declaration Form to variable DOWNLOADED\_FILE\_NAME

**Then I assign the downloaded file "\${DOWNLOADED\_FILE\_NAME}" to variable "document.to"**

**And I assign "\${document.to.compare.path}.pdf" to variable "DOCUMENT\_FILE\_PATH"**

Output

Assigning value /tmp/workspace/me-sales-portal-ui-tests\_develop/Authorised Company Representative Declaration Form.pdf to variable DOCUMENT\_FILE\_PATH

**And I delete the downloaded file "\${DOCUMENT\_FILE\_PATH}" if it already exists**

**When I click on download button for document "Authorised Company Representative Declaration Form"**

**Then I verify downloaded file name is "\${DOCUMENT\_FILE\_PATH}"**

<b>Output</b>		
Downloaded file name=/tmp/workspace/me-sales-portal-ui-tests_develop/Authorised Company Representative Declaration Form.pdf		
<b>And I verify "\${testdata.path}/Authorised Company Representative Declaration Form.pdf" pdf file</b>		
<b>After</b>		
<a href="#">Back to Table of Contents</a>		
<b>Scenario: Close Sales Portal</b>		
Passed: 1		
<b>Before</b>		
<b>And I close sales portal</b>		
<b>After</b>		
<a href="#">Back to Table of Contents</a>		
<b>Feature: Verify agent can search for saved quotes based on search criteria, filter options and take required actions</b>		
Passed: 50		
<b>Scenario: Create Draft quote and verify default and sample text of Quotes page</b>		
Passed: 9		
<b>Before</b>		
<b>Given I assign "/testdata/\${sales.fe.lbu}/ExportQuote" to variable "testdata.path"</b>		
<b>Output</b>		
Assigning value /testdata/my/ExportQuote to variable testdata.path		
<b>And I assign "LifePlan.txt" to variable "FILE_NAME"</b>		
<b>Output</b>		
Assigning value LifePlan.txt to variable FILE_NAME		
<b>And I generate "current date" and assign to variable "FILE_GENERATION_DATE" in "yyyyMMddHHmmss"</b>		
<b>And I generate "current date" and assign to variable "PDF_GENERATION_DATE_1" in "dd/MM/yyyy"</b>		
<b>Given Launch sales portal</b>		
<b>Output</b>		
https://uat-sales.eb.prudential.com.my/		
<b>And I assign value to following variables</b>		
<table border="1"><tr><td>Agent_Email</td><td> \${agent.email.id.global}</td></tr></table>	Agent_Email	\${agent.email.id.global}
Agent_Email	\${agent.email.id.global}	

		<table border="1"> <tr><td>Agent_Password</td><td> \${agent.password}</td></tr> <tr><td>Agent_ID</td><td> \${agent.id.global}</td></tr> <tr><td>COMP_NAME_INFORCE</td><td>TestInforceQuote</td></tr> </table>	Agent_Password	\${agent.password}	Agent_ID	\${agent.id.global}	COMP_NAME_INFORCE	TestInforceQuote	
Agent_Password	\${agent.password}								
Agent_ID	\${agent.id.global}								
COMP_NAME_INFORCE	TestInforceQuote								
<b>When I Login to Sales Portal with below details</b>									
<table border="1"> <tr><td>UserName</td><td> \${Agent_Email}</td><td></td></tr> <tr><td>Password</td><td> \${Agent_Password}</td><td></td></tr> </table>			UserName	\${Agent_Email}		Password	\${Agent_Password}		
UserName	\${Agent_Email}								
Password	\${Agent_Password}								
<b>And I enter the verification code if page appears for agent "\${Agent_Email}"</b>									
<b>Then I verify "\${welcome.to.prudential}" screen is displayed</b>									
<b>After</b>									
<a href="#">Back to Table of Contents</a>									
<b>Scenario: Verify Table headers and fields on Quotes page</b>									
Passed: 5									
<b>Before</b>									
<b>When I click on Quotes link</b>									
<b>Then I verify following text is displayed on "Quotes" page</b>									
\${quote.page.text}									
<b>And I verify Search text field is displayed and enabled with magnifying class and default text as Se</b>									
<b>And I verify Filter image is displayed and enabled</b>									
<b>Then I verify the presence of following table headers on "Quotes page"</b>									
<table border="1"> <tr><td>    \${quote.table.header.company.name}</td></tr> <tr><td>    \${quote.table.header.reference.num}</td></tr> <tr><td>    \${quote.table.header.last.updated}</td></tr> <tr><td>    \${quote.table.header.quote.status}</td></tr> <tr><td>    \${quote.table.header.action}</td></tr> </table>				\${quote.table.header.company.name}	\${quote.table.header.reference.num}	\${quote.table.header.last.updated}	\${quote.table.header.quote.status}	\${quote.table.header.action}	
\${quote.table.header.company.name}									
\${quote.table.header.reference.num}									
\${quote.table.header.last.updated}									
\${quote.table.header.quote.status}									
\${quote.table.header.action}									
<b>After</b>									
<a href="#">Back to Table of Contents</a>									
<b>Scenario: Verify the filter option</b>									
Passed: 3									
<b>Before</b>									
<b>When I click on filter button</b>									
<b>Then I verify following filter options are displayed</b>									
<table border="1"> <tr><td>    \${quote.filter.option.draft}</td></tr> <tr><td>    \${quote.filter.option.archived}</td></tr> <tr><td>    \${quote.filter.option.submitted}</td></tr> <tr><td>    \${quote.filter.option.in.force}</td></tr> <tr><td>    \${quote.filter.option.denied}</td></tr> <tr><td>    \${quote.filter.option.expired}</td></tr> </table>				\${quote.filter.option.draft}	\${quote.filter.option.archived}	\${quote.filter.option.submitted}	\${quote.filter.option.in.force}	\${quote.filter.option.denied}	\${quote.filter.option.expired}
\${quote.filter.option.draft}									
\${quote.filter.option.archived}									
\${quote.filter.option.submitted}									
\${quote.filter.option.in.force}									
\${quote.filter.option.denied}									
\${quote.filter.option.expired}									
<b>And I click on filter button</b>									
<b>After</b>									
<a href="#">Back to Table of Contents</a>									
<b>Scenario: Create Draft Quote</b>									
Passed: 16									
<b>Before</b>									

**Given I generate random number and assign to variable "RANDOM\_NUMBER"**

Output

Random number generated is :668

**And I assign "TestDraft\_\${RANDOM\_NUMBER}" to variable "COMP\_NAME\_DRAFT"**

Output

Assigning value TestDraft\_668070323312 to variable COMP\_NAME\_DRAFT

**When I click on Create Quote Link**

**Then I accept disclaimer if present for new quote**

**Then I navigate to "Select Plan" screen**

**And I click on PAMB GHS "\${selectplan.ghs.yes.button}" button**

**And I enter following details on select plan page**

Company Name	\${COMP_NAME_DRAFT}
No. of Employees	12

**And I click on "\${saveQuote.button.text}" button**

**Then I wait for 2 sec**

**Then I click on Quotes link**

**Then I wait for 5 sec**

**When I enter "\${COMP\_NAME\_DRAFT}" in search text field in Quotes page**

**And I get the reference number for searched quote in variable "REF\_NUMBER"**

Output

Reference number is: PAMBKYUNS

**Then I verify quote reference number "\${REF\_NUMBER}" should contain "\${quote.prefix}" pre**

Output

Quote reference number is : PAMBKYUNS

**And I verify number of characters in quote ref number "\${REF\_NUMBER}" is as per design**

**Then I verify following information is displayed for company "\${COMP\_NAME\_DRAFT}" in quo**

Reference Number	not null
Quote Status	Draft

After

[Back to Table of Contents](#)

**Scenario: Create Archived Quote**

Passed: 15

**Before****Given I generate random number and assign to variable "RANDOM\_NUMBER"****Output**

Random number generated is :939

**And I assign "TestArch\_\${RANDOM\_NUMBER}" to variable "COMP\_NAME\_ARCHIVE"****Output**

Assigning value TestArch\_939070323329 to variable COMP\_NAME\_ARCHIVE

**When I click on Create Quote Link****Then I accept disclaimer if present for new quote****Then I navigate to "Select Plan" screen****And I click on PAMB GHS "\${selectplan.ghs.yes.button}" button****And I enter following details on select plan page**

Company Name	\${COMP_NAME_ARCHIVE}
No. of Employees	12

**And I click on "\${saveQuote.button.text}" button****Then I wait for 2 sec****When I click on Quotes link****Then I wait for 5 sec****When I enter "\${COMP\_NAME\_ARCHIVE}" in search text field in Quotes page****And I click on Action button next to searched quote****And I select "\${quote.action.archive}" option from Action menu****Then I verify following information is displayed for company "\${COMP\_NAME\_ARCHIVE}" in**

Reference Number	not null
Quote Status	Draft

**After**[Back to Table of Contents](#)**Scenario: Create Submitted Quote**

Passed: 50

**Before****Given I generate random number and assign to variable "RANDOM\_NUMBER"****Output**

Random number generated is :969

**And I assign "TestSub\_\${RANDOM\_NUMBER}" to variable "COMP\_NAME\_SUBMITTED"**

Output

Assigning value TestSub\_969070323345 to variable COMP\_NAME\_SUBMITTED

**And I assign "/src/test/resources/testdata/\${sales.fe.lbu}/bulk\_upload\_employee/quotes" to variable testdata.path**

Output

Assigning value /src/test/resources/testdata/my/bulk\_upload\_employee/quotes to variable testdata.path

**And I assign "\${testdata.path}/uploadEmployees.xlsm" to variable "INPUT\_PATH"**

Output

Assigning value /src/test/resources/testdata/my/bulk\_upload\_employee/quotes/uploadEmployees.xlsm to variable INPUT\_PATH

**And I assign "\${testdata.path}/output" to variable "OUTPUT\_PATH"**

Output

Assigning value /src/test/resources/testdata/my/bulk\_upload\_employee/quotes/output to variable OUTPUT\_PATH

**And I assign "/testdata/\${sales.fe.lbu}/bulk\_upload\_employee/quotes/output/uploadEmployees.xlsm" to variable EMPLOYEE\_FILE**

Output

Assigning value /testdata/my/bulk\_upload\_employee/quotes/output/uploadEmployees.xlsm to variable EMPLOYEE\_FILE

**When I copy the xls template "\${INPUT\_PATH}" and replace following variables in output path '**

email.id	\${RANDOM_NUMBER}
COMP_NAME	\${COMP_NAME_SUBMITTED}

**When I click on Quotes link**

**When I click on Create Quote Link**

**Then I navigate to "Select Plan" screen**

**And I click on PAMB GHS "\${selectplan.ghs.yes.button}" button**

**And I enter following details on select plan page**

Company Name	\${COMP_NAME_SUBMITTED}

No. of Employees	10
<b>And I click on "\${next.button.text}" button</b>	
<b>And I select the PDPA Consent requirement check box</b>	
<b>And I upload the employee csv file "\${EMPLOYEE_FILE}"</b>	
<b>And I wait for 6 sec</b>	
<b>And I click on "\${next.button.text}" button</b>	
<b>Then I enter following details on company page</b>	
HR Given Name	TestGivenName
Surname	TestSurName
Contact Email	primaryContact1-\${email.id}@mailinator.com
HR Contact Phone Number	0275109628
Company Registration Number	123456789876
Contact Fax Number	1234567898
Address1	#02-2b,XYZ Bld
Address2	test address line 1
City	test City
State	\${state.dropdown.value.2}
Postcode	25415
Authorised Signatory Name	authorisedName One
Authorised Signatory Title	authorisedTitle One
<b>And I click on next button "\${next.button.text}" for company page</b>	
<b>And I wait for 3 sec</b>	
<b>And I assign "/testdata/\${sales.fe.lbu}/submit_document" to variable "testdata.path"</b>	
Output	
Assigning value /testdata/my/submit_document to variable testdata.path	
<b>When I click on Bank Transfer button</b>	
<b>And I upload the payment proof file "\${testdata.path}/Articles_Bylaws.png"</b>	
<b>And I wait for 6 sec</b>	
<b>And I upload the copy NRIC file "\${testdata.path}/Articles_Bylaws.png"</b>	
<b>And I wait for 6 sec</b>	
<b>And I upload the Authorised Signatory file "\${testdata.path}/Articles_Bylaws.png"</b>	
<b>And I wait for 6 sec</b>	
<b>And I upload the direct credit file "\${testdata.path}/Articles_Bylaws.png"</b>	
<b>And I wait for 6 sec</b>	
<b>And I upload the Form 49 file "\${testdata.path}/Articles_Bylaws.png"</b>	
<b>And I wait for 6 sec</b>	
<b>And I upload the Form 24 file "\${testdata.path}/Articles_Bylaws.png"</b>	
<b>And I wait for 6 sec</b>	
<b>And I upload the Form 8 file "\${testdata.path}/Articles_Bylaws.png"</b>	
<b>And I wait for 5 sec</b>	
<b>And I upload the Signed Proposal file "\${testdata.path}/Signed_Proposal.png"</b>	

And I wait for 6 sec				
When I click on the Confirm and Submit button				
Then I verify following text is displayed on "Submit popup" page				
<table border="1"> <tr><td>    \${submit.confirmandsubmit.message1}</td></tr> <tr><td>    \${submit.confirmandsubmit.message2}</td></tr> </table>	\${submit.confirmandsubmit.message1}	\${submit.confirmandsubmit.message2}		
\${submit.confirmandsubmit.message1}				
\${submit.confirmandsubmit.message2}				
Then I verify following buttons are displayed on "Submit popup"				
<table border="1"> <tr><td>    \${submit.confirmandsubmit.confirm.btn}</td></tr> <tr><td>    \${submit.confirmandsubmit.cncl.btn}</td></tr> </table>	\${submit.confirmandsubmit.confirm.btn}	\${submit.confirmandsubmit.cncl.btn}		
\${submit.confirmandsubmit.confirm.btn}				
\${submit.confirmandsubmit.cncl.btn}				
Then I click on "\${submit.confirmandsubmit.confirm.btn}" button				
And I wait for 5 sec				
Then I verify following static text on "Quote Submission" page				
<table border="1"> <tr><td>    Quote Submitted</td></tr> </table>	Quote Submitted			
Quote Submitted				
And I verify following paragraph is displayed on "Quote Submission" page				
<table border="1"> <tr><td>    We look forward in helping your business grow</td></tr> </table>	We look forward in helping your business grow			
We look forward in helping your business grow				
When I click on Quotes link				
Then I wait for 5 sec				
When I enter "\${COMP_NAME_SUBMITTED}" in search text field in Quotes page				
Then I get the reference number for searched quote in variable "REF_NUMBER"				
Output				
Reference number is: PAMBNNC8F6				
-----				
Then I verify following information is displayed for company "\${COMP_NAME_SUBMITTED}"				
<table border="1"> <tr><td>    Reference Number</td><td>not null</td></tr> <tr><td>    Quote Status</td><td>Submitted</td></tr> </table>	Reference Number	not null	Quote Status	Submitted
Reference Number	not null			
Quote Status	Submitted			
After				
<a href="#">Back to Table of Contents</a>				
Scenario: Create In Force Quote				
Passed: 64				
Before				
Given I generate random number and assign to variable "RANDOM_NUMBER"				
Output				
Random number generated is :363				
-----				
And I assign "TestGtlForce_\${RANDOM_NUMBER}" to variable "COMP_NAME_INFORCE"				
Output				

Assigning value TestGtlForce\_363070323334 to variable COMP\_NAME\_INFORCE

**And I assign "/src/test/resources/testdata/\${sales.fe.lbu}/bulk\_upload\_employee/quotes" to variable testdata.path**

Output

Assigning value /src/test/resources/testdata/my/bulk\_upload\_employee/quotes to variable testdata.path

**And I assign "\${testdata.path}/uploadEmployeesMaxPosition.xls" to variable "INPUT\_PATH"**

Output

Assigning value /src/test/resources/testdata/my/bulk\_upload\_employee/quotes/uploadEmployeesMaxPosition.xls to variable INPUT\_PATH

**And I assign "\${testdata.path}/output" to variable "OUTPUT\_PATH"**

Output

Assigning value /src/test/resources/testdata/my/bulk\_upload\_employee/quotes/output to variable OUTPUT\_PATH

**And I assign "/testdata/\${sales.fe.lbu}/bulk\_upload\_employee/quotes/output/uploadEmployeesMaxPosition.xls" to variable EMPLOYEE\_FILE**

Output

Assigning value /testdata/my/bulk\_upload\_employee/quotes/output/uploadEmployeesMaxPosition.xls to variable EMPLOYEE\_FILE

**When I copy the xls template "\${INPUT\_PATH}" and replace following variables in output path '**

email.id	\${RANDOM_NUMBER}
COMP_NAME	\${COMP_NAME_INFORCE}

**When I click on Quotes link**

**When I click on Create Quote Link**

**Then I navigate to "Select Plan" screen**

**And I click on PAMB GHS "\${selectplan.ghs.yes.button}" button**

**And I enter following details on select plan page**

Company Name	\${COMP_NAME_INFORCE}
No. of Employees	10

**And I click on "\${next.button.text}" button**

**And I select the PDPA Consent requirement check box**

**And I upload the employee csv file "\${EMPLOYEE\_FILE}"**

**And I wait for 5 sec**

**And I click on "\${next.button.text}" button**

	<b>Then I enter following details on company page</b>
HR Given Name	TestGivenName
Surname	TestSurName
Contact Email	primaryContact2-\${email.id}@mailinator.com
HR Contact Phone Number	0275109628
Company Registration Number	123456789876
Contact Fax Number	1234567898
Address1	#02-2b,XYZ Bld
Address2	test address line 1
City	test City
State	\${state.dropdown.value.2}
Postcode	25417
Authorised Signatory Name	authorisedName One
Authorised Signatory Title	authorisedTitle One
<b>And I click on next button "\${next.button.text}" for company page</b>	
<b>And I wait for 3 sec</b>	
<b>And I assign "/testdata/\${sales.fe.lbu}/submit_document" to variable "testdata.path"</b>	
<b>Output</b>	
Assigning value /testdata/my/submit_document to variable testdata.path	
<b>When I click on Bank Transfer button</b>	
<b>And I upload the payment proof file "\${testdata.path}/Articles_Bylaws.png"</b>	
<b>And I wait for 6 sec</b>	
<b>And I upload the copy NRIC file "\${testdata.path}/Articles_Bylaws.png"</b>	
<b>And I wait for 6 sec</b>	
<b>And I upload the Authorised Signatory file "\${testdata.path}/Articles_Bylaws.png"</b>	
<b>And I wait for 6 sec</b>	
<b>And I upload the direct credit file "\${testdata.path}/Articles_Bylaws.png"</b>	
<b>And I wait for 6 sec</b>	
<b>And I upload the Form 49 file "\${testdata.path}/Articles_Bylaws.png"</b>	
<b>And I wait for 6 sec</b>	
<b>And I upload the Form 24 file "\${testdata.path}/Articles_Bylaws.png"</b>	
<b>And I wait for 6 sec</b>	
<b>And I upload the Form 8 file "\${testdata.path}/Articles_Bylaws.png"</b>	
<b>And I wait for 6 sec</b>	
<b>And I upload the Signed Proposal file "\${testdata.path}/Signed_Proposal.png"</b>	
<b>And I wait for 6 sec</b>	
<b>When I click on the Confirm and Submit button</b>	
<b>And I click on "\${submit.confirmandsubmit.confirm.btn}" button</b>	
<b>And I wait for 3 sec</b>	
<b>Then I verify following static text on "Quote Submission" page</b>	
<b>Quote Submitted</b>	

**When I click on Quotes link**

**And I wait for 5 sec**

**When I enter "\${COMP\_NAME\_INFORCE}" in search text field in Quotes page**

**Then I get the reference number for searched quote in variable "REF\_NUMBER"**

**Output**

Reference number is: PAMBWIF3EV

**Then I verify following information is displayed for company "\${COMP\_NAME\_INFORCE}" in**

Reference Number	not null
Quote Status	Submitted

**Given I assign "\${REF\_NUMBER}\_\${COMP\_NAME\_INFORCE}\_QUOTATION.xlsx" to variable "AZURE\_FILE\_NAME\_QUOTATION"**

**Output**

Assigning value PAMBWIF3EV\_TestGtlForce\_363070323334\_QUOTATION.xlsx to variable AZURE\_FILE\_NAME\_QUOTATION

**Given I assign "\${REF\_NUMBER}\_\${COMP\_NAME\_INFORCE}\_MEMBERLIST.xlsx" to variable "AZURE\_FILE\_NAME\_EMPLOYEE"**

**Output**

Assigning value PAMBWIF3EV\_TestGtlForce\_363070323334\_MEMBERLIST.xlsx to variable AZURE\_FILE\_NAME\_EMPLOYEE

**And I assign "\${azure.storage.folder.submitted.quotation}/\${REF\_NUMBER}\_\${COMP\_NAME\_INFORCE}\_QUOTE.xlsx" to variable "AZURE\_SRC\_FOLDER\_NAME"**

**Output**

Assigning value 1\_Submitted\_Quotations/PAMBWIF3EV\_TestGtlForce\_363070323334 to variable AZURE\_SRC\_FOLDER\_NAME

**And I assign "\${azure.storage.folder.ready.inforce.quotation}" to variable "AZURE\_DEST\_FOLDER\_NAME"**

**Output**

Assigning value 2\_Quotations\_Ready\_for\_Processing to variable AZURE\_DEST\_FOLDER\_NAME

**And I assign the downloaded file "\${AZURE\_FILE\_NAME\_QUOTE}" to variable "DOWNLOADED\_FILE\_PATH\_QUOTE"**

**And I delete the downloaded file "\${DOWNLOADED\_FILE\_PATH\_QUOTE}" if it already exists**

**And I assign the downloaded file "\${AZURE\_FILE\_NAME\_EMPLOYEE}" to variable "DOWNLOADED\_FILE\_PATH\_EMPLOYEE"**

**And I delete the downloaded file "\${DOWNLOADED\_FILE\_PATH\_EMPLOYEE}" if it already exists**

**When I download azure storage file "\${AZURE\_FILE\_NAME\_QUOTE}" from storage folder "\${AZURE\_SRC\_FOLDER\_NAME}"**

**Output**

Azure storage file name is PAMBWIF3EV\_TestGtlForce\_363070323334\_QUOTATION.xlsx  
 Azure storage folder name is 1\_Submitted\_Quotations/PAMBWIF3EV\_TestGtlForce\_363070323334  
 File Download Path is /tmp/workspace/me-sales-portal-ui-tests\_develop/PAMBWIF3EV\_TestGtlForce\_363070323334\_QUOTATION.xlsx

### When I download azure storage file "\${AZURE\_FILE\_NAME\_EMPLOYEE}" from storage folder

**Output**

Azure storage file name is PAMBWIF3EV\_TestGtlForce\_363070323334\_MEMBERLIST.xlsx  
 Azure storage folder name is 1\_Submitted\_Quotations/PAMBWIF3EV\_TestGtlForce\_363070323334  
 File Download Path is /tmp/workspace/me-sales-portal-ui-tests\_develop/PAMBWIF3EV\_TestGtlForce\_363070323334\_MEMBERLIST.xlsx

### Then I verify downloaded file name is "\${DOWNLOADED\_FILE\_PATH\_QUOTE}"

**Output**

Downloaded file name=/tmp/workspace/me-sales-portal-ui-tests\_develop/PAMBWIF3EV\_TestGtlForce\_363070323334\_QUOTATION.xlsx

### Then I verify downloaded file name is "\${DOWNLOADED\_FILE\_PATH\_EMP}"

**Output**

Downloaded file name=/tmp/workspace/me-sales-portal-ui-tests\_develop/PAMBWIF3EV\_TestGtlForce\_363070323334\_MEMBERLIST.xlsx

### When I write to excel file "\${DOWNLOADED\_FILE\_PATH\_QUOTE}" into below rows for column

Policy Status	APPROVED
Policy Number	68123456

### When I write to excel file "\${DOWNLOADED\_FILE\_PATH\_EMP}" into below rows for column

testEmpAutomation1-\${email.id}@mailinator.com	\${RANDOM_NUMBER}001
testEmpAutomation2-\${email.id}@mailinator.com	\${RANDOM_NUMBER}002
testEmpAutomation3-\${email.id}@mailinator.com	\${RANDOM_NUMBER}003
testEmpAutomation4-\${email.id}@mailinator.com	\${RANDOM_NUMBER}004
testEmpAutomation5-\${email.id}@mailinator.com	\${RANDOM_NUMBER}005
testEmpAutomation6-\${email.id}@mailinator.com	\${RANDOM_NUMBER}006
testEmpAutomation7-\${email.id}@mailinator.com	\${RANDOM_NUMBER}007
testEmpAutomation8-\${email.id}@mailinator.com	\${RANDOM_NUMBER}008
testEmpAutomation9-\${email.id}@mailinator.com	\${RANDOM_NUMBER}009
testEmpAutomation10-\${email.id}@mailinator.com	\${RANDOM_NUMBER}010

### And I upload local file "\${AZURE\_FILE\_NAME\_QUOTE}" to storage folder "\${AZURE\_DESTINATION}"

**Output**

Azure storage file name is PAMBWIF3EV\_TestGtlForce\_363070323334\_QUOTATION.xlsx  
 Azure storage folder name is 2\_Quotations\_Ready\_for\_Processing  
 File upload Path is /tmp/workspace/me-sales-portal-ui-tests\_develop/PAMBWIF3EV\_TestGtlForce\_363070323334\_QUOTATION.xlsx

### And I upload local file "\${AZURE\_FILE\_NAME\_EMPLOYEE}" to storage folder "\${AZURE\_FOLDER\_NAME}"

**Output**

Azure storage file name is PAMBWIF3EV\_TestGtlForce\_363070323334\_MEMBERLIST.xlsx  
 Azure storage folder name is 2\_Quotations\_Ready\_for\_Processing  
 File upload Path is /tmp/workspace/me-sales-portal-ui-tests\_develop/PAMBWIF3EV\_TestGtlForce\_363070323334\_MEMBERLIST.xlsx

### Then I wait for storage file "\${AZURE\_FILE\_NAME\_EMPLOYEE}" to be processed from storage

**Output**

Azure storage file name is PAMBWIF3EV\_TestGtlForce\_363070323334\_MEMBERLIST.xlsx  
 Azure storage folder name is 2\_Quotations\_Ready\_for\_Processing

## After

[Back to Table of Contents](#)

### Scenario: Create Denied Quote

Passed: 57

## Before

### Given I generate random number and assign to variable "RANDOM\_NUMBER"

**Output**

Random number generated is :859

### And I assign "TestDenied\_\${RANDOM\_NUMBER}" to variable "COMP\_NAME\_DENIED"

**Output**

Assigning value TestDenied\_85907032334 to variable COMP\_NAME\_DENIED

### And I assign "/src/test/resources/testdata/\${sales.fe.lbu}/bulk\_upload\_employee/quotes" to variable testdata.path

**Output**

Assigning value /src/test/resources/testdata/my/bulk\_upload\_employee/quotes to variable testdata.path

**And I assign "\${testdata.path}/uploadEmployees.xlsm" to variable "INPUT\_PATH"****Output**

```
Assigning value /src/test/resources/testdata/my/bulk_upload_employee/quotes/uploadEmployees.xlsm to variable INPUT_PATH
```

**And I assign "\${testdata.path}/output" to variable "OUTPUT\_PATH"****Output**

```
Assigning value /src/test/resources/testdata/my/bulk_upload_employee/quotes/output to variable OUTPUT_PATH
```

**And I assign "/testdata/\${sales.fe.lbu}/bulk\_upload\_employee/quotes/output/uploadEmployees.xlsm" to variable "EMPLOYEE\_FILE"****Output**

```
Assigning value /testdata/my/bulk_upload_employee/quotes/output/uploadEmployees.xlsm to variable EMPLOYEE_FILE
```

**When I copy the xls template "\${INPUT\_PATH}" and replace following variables in output path '**

email.id	\${RANDOM_NUMBER}
COMP_NAME	\${COMP_NAME_DENIED}

**When I click on Quotes link****When I click on Create Quote Link****Then I navigate to "Select Plan" screen****And I click on PAMB GHS "\${selectplan.ghs.yes.button}" button****And I enter following details on select plan page**

Company Name	\${COMP_NAME_DENIED}
No. of Employees	10

**And I click on "\${next.button.text}" button****And I select the PDPA Consent requirement check box****And I upload the employee csv file "\${EMPLOYEE\_FILE}"****And I wait for 5 sec****And I click on "\${next.button.text}" button****Then I enter following details on company page**

HR Given Name	TestGivenName
Surname	TestSurName
Contact Email	primarycontact3-\${email.id}@mailinator.com
HR Contact Phone Number	0275109628
Company Registration Number	123456789876
Contact Fax Number	1234567898
Address1	#02-2b,XYZ Bld
Address2	test address line 1

		<table border="1"> <tr><td>City</td><td>test City</td></tr> <tr><td>State</td><td> \${state.dropdown.value.2}</td></tr> <tr><td>Postcode</td><td>25415</td></tr> <tr><td>Authorised Signatory Name</td><td>authorisedName One</td></tr> <tr><td>Authorised Signatory Title</td><td>authorisedTitle One</td></tr> </table>	City	test City	State	\${state.dropdown.value.2}	Postcode	25415	Authorised Signatory Name	authorisedName One	Authorised Signatory Title	authorisedTitle One	
City	test City												
State	\${state.dropdown.value.2}												
Postcode	25415												
Authorised Signatory Name	authorisedName One												
Authorised Signatory Title	authorisedTitle One												
		<b>And I click on next button "\${next.button.text}" for company page</b>											
		<b>And I wait for 3 sec</b>											
		<b>And I assign "/testdata/\${sales.fe.lbu}/submit_document" to variable "testdata.path"</b>											
	Output												
		Assigning value /testdata/my/submit_document to variable testdata.path											
		<b>When I click on Bank Transfer button</b>											
		<b>And I upload the payment proof file "\${testdata.path}/Articles_Bylaws.png"</b>											
		<b>And I wait for 6 sec</b>											
		<b>And I upload the copy NRIC file "\${testdata.path}/Articles_Bylaws.png"</b>											
		<b>And I wait for 6 sec</b>											
		<b>And I upload the Authorised Signatory file "\${testdata.path}/Articles_Bylaws.png"</b>											
		<b>And I wait for 6 sec</b>											
		<b>And I upload the direct credit file "\${testdata.path}/Articles_Bylaws.png"</b>											
		<b>And I wait for 6 sec</b>											
		<b>And I upload the Form 49 file "\${testdata.path}/Articles_Bylaws.png"</b>											
		<b>And I wait for 6 sec</b>											
		<b>And I upload the Form 24 file "\${testdata.path}/Articles_Bylaws.png"</b>											
		<b>And I wait for 6 sec</b>											
		<b>And I upload the Form 8 file "\${testdata.path}/Articles_Bylaws.png"</b>											
		<b>And I wait for 6 sec</b>											
		<b>And I upload the Signed Proposal file "\${testdata.path}/Signed_Proposal.png"</b>											
		<b>And I wait for 6 sec</b>											
		<b>When I click on the Confirm and Submit button</b>											
		<b>And I click on "\${submit.confirmandsubmit.confirm.btn}" button</b>											
		<b>And I wait for 3 sec</b>											
		<b>Then I verify following static text on "Quote Submission" page</b>											
	Quote Submitted												
		<b>When I click on Quotes link</b>											
		<b>And I wait for 5 sec</b>											
		<b>When I enter "\${COMP_NAME_DENIED}" in search text field in Quotes page</b>											
		<b>Then I get the reference number for searched quote in variable "REF_NUMBER"</b>											
	Output												
		Reference number is: PAMBLH48F6											

**Then I verify following information is displayed for company "\${COMP\_NAME\_DENIED}" in quotation**

Reference Number	not null
Quote Status	Submitted

**Given I assign "\${REF\_NUMBER}\_\${COMP\_NAME\_DENIED}\_QUOTATION.xlsx" to variable AZURE\_FILE\_NAME\_QUOTE**

**Output**

Assigning value PAMBLH48F6\_TestDenied\_85907032334\_QUOTATION.xlsx to variable AZURE\_FILE\_NAME\_QUOTE

**And I assign "\${azure.storage.folder.submitted.quotation}/\${REF\_NUMBER}\_\${COMP\_NAME\_DENIED}\_QUOTATION.xlsx" to variable AZURE\_SRC\_FOLDER\_NAME**

**Output**

Assigning value 1\_Submitted\_Quotations/PAMBLH48F6\_TestDenied\_85907032334 to variable AZURE\_SRC\_FOLDER\_NAME

**And I assign "\${azure.storage.folder.ready.inforce.quotation}" to variable "AZURE\_DEST\_FOLDER\_NAME"**

**Output**

Assigning value 2\_Quotations\_Ready\_for\_Processing to variable AZURE\_DEST\_FOLDER\_NAME

**And I assign the downloaded file "\${AZURE\_FILE\_NAME\_QUOTE}" to variable "DOWNLOADED\_FILE\_PATH\_QUOTE"**

**And I delete the downloaded file "\${DOWNLOADED\_FILE\_PATH\_QUOTE}" if it already exists**

**When I download azure storage file "\${AZURE\_FILE\_NAME\_QUOTE}" from storage folder "\${AZURE\_DEST\_FOLDER\_NAME}"**

**Output**

Azure storage file name is PAMBLH48F6\_TestDenied\_85907032334\_QUOTATION.xlsx

Azure storage folder name is 1\_Submitted\_Quotations/PAMBLH48F6\_TestDenied\_85907032334

File Download Path is /tmp/workspace/me-sales-portal-ui-tests\_develop/PAMBLH48F6\_TestDenied\_85907032334\_QUOTATION.xlsx

**Then I verify downloaded file name is "\${DOWNLOADED\_FILE\_PATH\_QUOTE}"**

**Output**

Downloaded file name=/tmp/workspace/me-sales-portal-ui-tests\_develop/PAMBLH48F6\_TestDenied\_85907032334\_QUOTATION.xlsx

**When I write to excel file "\${DOWNLOADED\_FILE\_PATH\_QUOTE}" into below rows for column Policy Status**

Policy Status	REJECTED
---------------	----------

**And I upload local file "\${AZURE\_FILE\_NAME\_QUOTE}" to storage folder "\${AZURE\_DEST\_FOLDER\_NAME}"**

**Output**

Azure storage file name is PAMBLH48F6\_TestDenied\_85907032334\_QUOTATION.xlsx  
 Azure storage folder name is 2\_Quotations\_Ready\_for\_Processing  
 File upload Path is /tmp/workspace/me-sales-portal-ui-tests\_develop/PAMBLH48F6\_TestDenied\_85907032334\_QUOTATION

**Then I wait for storage file "\${AZURE\_FILE\_NAME\_QUOTE}" to be processed from storage folder**

**Output**

Azure storage file name is PAMBLH48F6\_TestDenied\_85907032334\_QUOTATION.xlsx  
 Azure storage folder name is 2\_Quotations\_Ready\_for\_Processing

**After**

[Back to Table of Contents](#)

**Scenario: Verify Archive quotes are not displayed when no filters are selected on quote page**

Passed: 5

**Before**

Given I click on Quotes link

And I wait for 5 sec

Then I enter "\${COMP\_NAME\_ARCHIVE}" in search text field in Quotes page

Then I verify search Result is empty in Quotes page

Then I remove the search text

**After**

[Back to Table of Contents](#)

**Scenario Outline: Verify search can be performed with "The exact company name"**

Passed: 4

**Before**

When I enter "\${COMP\_NAME\_DRAFT}" in search text field in Quotes page

Then I wait for 5 sec

Then I verify searched Quote count is 1

Then I remove the search text

**After**

[Back to Table of Contents](#)

**Scenario Outline: Verify search can be performed with "Company name by regex pattern"**

Passed: 4

**Before**

When I enter "\${RANDOM\_NUMBER}" in search text field in Quotes page

Then I wait for 5 sec

Then I verify searched Quote count is 1

Then I remove the search text

**After**

[Back to Table of Contents](#)

<b>Scenario Outline: Verify search can be performed with "Reference Number"</b>
Passed: 4
<b>Before</b>
<ul style="list-style-type: none"> <li>When I enter "\${REF_NUMBER}" in search text field in Quotes page</li> <li>Then I wait for 5 sec</li> <li>Then I verify searched Quote count is 1</li> <li>Then I remove the search text</li> </ul>
<b>After</b>
<a href="#">Back to Table of Contents</a>
<b>Scenario: Verify Search Quote functionality is working for Company Name</b>
Passed: 3
<b>Before</b>
<ul style="list-style-type: none"> <li>When I enter "\${COMP_NAME_DRAFT}" in search text field in Quotes page</li> <li>Then I wait for 5 sec</li> <li>Then I verify Quote is present only for "\${COMP_NAME_DRAFT}" search criteria in "\${quote.t</li> </ul>
<b>After</b>
<a href="#">Back to Table of Contents</a>
<b>Scenario: Verify search with invalid search value</b>
Passed: 5
<b>Before</b>
<ul style="list-style-type: none"> <li>When I enter "Test123456" in search text field in Quotes page</li> <li>Then I wait for 5 sec</li> <li>Then I verify search Result is empty in Quotes page</li> <li>Then I remove the search text</li> <li>And I wait for 2 sec</li> </ul>
<b>After</b>
<a href="#">Back to Table of Contents</a>
<b>Scenario Outline: Verify Quote Filter functionality for "Filter quotes for status Draft"</b>
Passed: 4
<b>Before</b>
<ul style="list-style-type: none"> <li>And I select "\${quote.filter.option.draft}" filter option in Quotes page</li> <li>And I verify quotes are loaded in the view</li> <li>Then I verify Quote is present only for "Draft" search criteria in "\${quote.table.header.quote.stat</li> <li>And I unselect "\${quote.filter.option.draft}" filter option in Quotes page</li> </ul>
<b>After</b>
<a href="#">Back to Table of Contents</a>
<b>Scenario Outline: Verify Quote Filter functionality for "Filter quotes for status Archived"</b>
Passed: 4
<b>Before</b>
<ul style="list-style-type: none"> <li>And I select "\${quote.filter.option.archived}" filter option in Quotes page</li> <li>And I verify quotes are loaded in the view</li> <li>Then I verify Quote is present only for "Draft" search criteria in "\${quote.table.header.quote.stat</li> </ul>

<b>And I unselect "\${quote.filter.option.archived}" filter option in Quotes page</b>
<b>After</b>
<a href="#">Back to Table of Contents</a>
<b>Scenario Outline: Verify Quote Filter functionality for "Filter quotes for status Submitted"</b>
Passed: 4
<b>Before</b>
<b>And I select "\${quote.filter.option.submitted}" filter option in Quotes page</b>
<b>And I verify quotes are loaded in the view</b>
<b>Then I verify Quote is present only for "Submitted" search criteria in "\${quote.table.header.quote.s</b>
<b>And I unselect "\${quote.filter.option.submitted}" filter option in Quotes page</b>
<b>After</b>
<a href="#">Back to Table of Contents</a>
<b>Scenario Outline: Verify Quote Filter functionality for "Filter quotes for status In Force"</b>
Passed: 4
<b>Before</b>
<b>And I select "\${quote.filter.option.in.force}" filter option in Quotes page</b>
<b>And I verify quotes are loaded in the view</b>
<b>Then I verify Quote is present only for "In Force" search criteria in "\${quote.table.header.quote.s</b>
<b>And I unselect "\${quote.filter.option.in.force}" filter option in Quotes page</b>
<b>After</b>
<a href="#">Back to Table of Contents</a>
<b>Scenario Outline: Verify Quote Filter functionality for "Filter quotes for status Denied"</b>
Passed: 4
<b>Before</b>
<b>And I select "\${quote.filter.option.denied}" filter option in Quotes page</b>
<b>And I verify quotes are loaded in the view</b>
<b>Then I verify Quote is present only for "Denied" search criteria in "\${quote.table.header.quote.s</b>
<b>And I unselect "\${quote.filter.option.denied}" filter option in Quotes page</b>
<b>After</b>
<a href="#">Back to Table of Contents</a>
<b>Scenario Outline: Verify Quote Filter functionality for "Filter quotes for status Draft,In Force"</b>
Passed: 4
<b>Before</b>
<b>And I select "\${quote.filter.option.draft};\${quote.filter.option.in.force}" filter option in Quotes pa</b>
<b>And I verify quotes are loaded in the view</b>
<b>Then I verify Quote is present only for "Draft;In Force" search criteria in "\${quote.table.header.c</b>
<b>And I unselect "\${quote.filter.option.draft};\${quote.filter.option.in.force}" filter option in Quotes</b>
<b>After</b>
<a href="#">Back to Table of Contents</a>
<b>Scenario Outline: Verify Quote Filter functionality for "Filter quotes for status Draft,Denied"</b>
Passed: 4
<b>Before</b>

And I select "\${quote.filter.option.draft};\${quote.filter.option.denied}" filter option in Quotes page  
 And I verify quotes are loaded in the view  
 Then I verify Quote is present only for "Draft;Denied" search criteria in "\${quote.table.header.quote}"  
 And I unselect "\${quote.filter.option.draft};\${quote.filter.option.denied}" filter option in Quotes page

**After**[Back to Table of Contents](#)**Scenario Outline: Verify Quote Filter functionality for "Filter quotes for status Draft,Archived,Denied"**

Passed: 4

**Before**

And I select "\${quote.filter.option.draft};\${quote.filter.option.archived};\${quote.filter.option.denied}" filter option in Quotes page  
 And I verify quotes are loaded in the view  
 Then I verify Quote is present only for "Draft;Denied" search criteria in "\${quote.table.header.quote}"  
 And I unselect "\${quote.filter.option.draft};\${quote.filter.option.archived};\${quote.filter.option.denied}" filter option in Quotes page

**After**[Back to Table of Contents](#)**Scenario Outline: Verify Quote Filter functionality for "Filter quotes for status Draft,Archived,In Force"**

Passed: 4

**Before**

And I select "\${quote.filter.option.draft};\${quote.filter.option.archived};\${quote.filter.option.inForce}" filter option in Quotes page  
 And I verify quotes are loaded in the view  
 Then I verify Quote is present only for "Draft;In Force" search criteria in "\${quote.table.header.quote}"  
 And I unselect "\${quote.filter.option.draft};\${quote.filter.option.archived};\${quote.filter.option.inForce}" filter option in Quotes page

**After**[Back to Table of Contents](#)**Scenario Outline: Verify Quote Filter functionality for "Filter quotes for status Draft,Submitted"**

Passed: 4

**Before**

And I select "\${quote.filter.option.draft};\${quote.filter.option.submitted}" filter option in Quotes page  
 And I verify quotes are loaded in the view  
 Then I verify Quote is present only for "Draft;Submitted" search criteria in "\${quote.table.header.quote}"  
 And I unselect "\${quote.filter.option.draft};\${quote.filter.option.submitted}" filter option in Quotes page

**After**[Back to Table of Contents](#)**Scenario Outline: Verify Quote Filter functionality for "Filter quotes for status Draft,Submitted,Archived"**

Passed: 4

**Before**

And I select "\${quote.filter.option.draft};\${quote.filter.option.submitted};\${quote.filter.option.archived}" filter option in Quotes page  
 And I verify quotes are loaded in the view  
 Then I verify Quote is present only for "Draft;Submitted" search criteria in "\${quote.table.header.quote}"  
 And I unselect "\${quote.filter.option.draft};\${quote.filter.option.submitted};\${quote.filter.option.archived}" filter option in Quotes page

**After**[Back to Table of Contents](#)**Scenario Outline: Verify Quote Filter functionality for "Filter quotes for status Draft,Submitted,Archived"**

Passed: 4
<b>Before</b>
<p>And I select "\${quote.filter.option.draft};\${quote.filter.option.submitted};\${quote.filter.option.archive}" filter option in Quotes page</p> <p>And I verify quotes are loaded in the view</p> <p>Then I verify Quote is present only for "Draft;Submitted;Denied;In Force" search criteria in "\${quote.filter.option.draft};\${quote.filter.option.submitted};\${quote.filter.option.archive}"</p> <p>And I unselect "\${quote.filter.option.draft};\${quote.filter.option.submitted};\${quote.filter.option.archive}" filter option in Quotes page</p>
<b>After</b>
<a href="#">Back to Table of Contents</a>
<b>Scenario Outline: Verify Action options for "Action option for status Draft" quotes</b>
Passed: 6
<b>Before</b>
<p>And I select "\${quote.filter.option.draft}" filter option in Quotes page</p> <p>When I enter "\${COMP_NAME_DRAFT}" in search text field in Quotes page</p> <p>Then I wait for 2 sec</p> <p>And I click on Action button next to searched quote</p> <p>Then I verify "\${quote.action.edit};\${quote.action.duplicate};\${quote.action.export.pdf};\${quote.action.unarchive}" action options are displayed for status Draft</p> <p>And I unselect "\${quote.filter.option.draft}" filter option in Quotes page</p>
<b>After</b>
<a href="#">Back to Table of Contents</a>
<b>Scenario Outline: Verify Action options for "Action option for status Submitted" quotes</b>
Passed: 6
<b>Before</b>
<p>And I select "\${quote.filter.option.submitted}" filter option in Quotes page</p> <p>When I enter "\${COMP_NAME_SUBMITTED}" in search text field in Quotes page</p> <p>Then I wait for 2 sec</p> <p>And I click on Action button next to searched quote</p> <p>Then I verify "\${quote.action.export.pdf};\${quote.action.view}" action options are displayed for status Submitted</p> <p>And I unselect "\${quote.filter.option.submitted}" filter option in Quotes page</p>
<b>After</b>
<a href="#">Back to Table of Contents</a>
<b>Scenario Outline: Verify Action options for "Action option for status Archived" quotes</b>
Passed: 6
<b>Before</b>
<p>And I select "\${quote.filter.option.archived}" filter option in Quotes page</p> <p>When I enter "\${COMP_NAME_ARCHIVE}" in search text field in Quotes page</p> <p>Then I wait for 2 sec</p> <p>And I click on Action button next to searched quote</p> <p>Then I verify "\${quote.action.edit};\${quote.action.export.pdf};\${quote.action.Unarchive};\${quote.action.delete}" action options are displayed for status Archived</p> <p>And I unselect "\${quote.filter.option.archived}" filter option in Quotes page</p>
<b>After</b>
<a href="#">Back to Table of Contents</a>
<b>Scenario Outline: Verify Action options for "Action option for status InForce" quotes</b>

Passed: 6
<b>Before</b>
And I select "\${quote.filter.option.in.force}" filter option in Quotes page
When I enter "\${COMP_NAME_INFORCE}" in search text field in Quotes page
Then I wait for 2 sec
And I click on Action button next to searched quote
Then I verify "\${quote.action.export.pdf};\${quote.action.archive};\${quote.action.view}" action op
And I unselect "\${quote.filter.option.in.force}" filter option in Quotes page
<b>After</b>
<a href="#">Back to Table of Contents</a>
<b>Scenario Outline: Verify Action options for "Action option for status Denied" quotes</b>
Passed: 6
<b>Before</b>
And I select "\${quote.filter.option.denied}" filter option in Quotes page
When I enter "\${COMP_NAME_DENIED}" in search text field in Quotes page
Then I wait for 2 sec
And I click on Action button next to searched quote
Then I verify "\${quote.action.duplicate};\${quote.action.export.pdf};\${quote.action.archive}" action op
And I unselect "\${quote.filter.option.denied}" filter option in Quotes page
<b>After</b>
<a href="#">Back to Table of Contents</a>
<b>Scenario: Verify Quote Action item Edit for Draft quote</b>
Passed: 12
<b>Before</b>
When I select "\${quote.filter.option.draft}" filter option in Quotes page
When I enter "\${COMP_NAME_DRAFT}" in search text field in Quotes page
And I click on Action button next to searched quote
And I select "\${quote.action.edit}" option from Action menu
Then I wait for 2 sec
Then verify the user is landed on "Select Plan" page
Then I verify company name is displayed as entered on select plan page
Company Name \${COMP_NAME_DRAFT}
Then I click on "\${saveQuote.button.text}" button
Then I wait for 2 sec
And I click on Quotes link
Then I wait for 5 sec
Then I verify following information is displayed for company "\${COMP_NAME_DRAFT}" in quote
Reference Number not null
<b>After</b>
<a href="#">Back to Table of Contents</a>
<b>Scenario Outline: Quote Action item Export PDF : "Verify quote is exported to PDF for Draft quote"</b>
Passed: 19
<b>Before</b>

**Given I assign "/testdata/\${sales.fe.lbu}/ExportQuote" to variable "testdata.path"**

Output

Assigning value /testdata/my/ExportQuote to variable testdata.path

**And I assign "LifePlan.txt" to variable "FILE\_NAME"**

Output

Assigning value LifePlan.txt to variable FILE\_NAME

**And I wait for 6 sec**

**And I click on Quotes link**

**And I scroll the page up**

**And I clear all filter options**

**And I select "\${quote.filter.option.draft}" filter option in Quotes page**

**Given I delete the downloaded file "\${EXPORT\_QUOTE\_PATH}" if it already exists**

**When I enter "\${COMP\_NAME\_DRAFT}" in search text field in Quotes page**

**Then I wait for 4 sec**

**Then I get the reference number for searched quote in variable "REF\_NUMBER"**

Output

Reference number is: PAMBKYUNS

**And I assign "\${COMP\_NAME\_DRAFT}\_\${REF\_NUMBER}\_\${FILE\_GENERATION\_DATE}.**

Output

Assigning value TestDraft\_668070323312\_PAMBKYUNS\_20210307.pdf to variable DOWNLOADED\_FILENAME

**Given I assign the downloaded file "\${DOWNLOADED\_FILENAME}" to variable "EXPORT\_Q**

**And I assign value to following variables**

COMPANY_NAME	`\${COMP_NAME_DRAFT}`
QUOTE_REF	`\${REF_NUMBER}`
EFFECTIVE_DATE	`\${PDF_GENERATION_DATE_1}`
PDF_GENERATION_DATE	`\${PDF_GENERATION_DATE_1}`

**And I click on Action button next to searched quote**

**And I select "\${quote.action.export.pdf}" option from Action menu**

**And I wait for 12 sec**

**And I unselect "\${quote.filter.option.draft}" filter option in Quotes page**

**Then I verify downloaded file name is "\${EXPORT\_QUOTE\_PATH}"**

Output

```
Downloaded file name=/tmp/workspace/me-sales-portal-ui-tests_develop/TestDraft_668070323312_PAMBKYUNS_2021030
```

**After**

[Back to Table of Contents](#)

**Scenario Outline: Quote Action item Export PDF : "Verify quote is exported to PDF for Submitted quote"**

Passed: 19

**Before**

**Given I assign "/testdata/\${sales.fe.lbu}/ExportQuote" to variable "testdata.path"**

Output

```
Assigning value /testdata/my/ExportQuote to variable testdata.path
```

**And I assign "LifePlan.txt" to variable "FILE\_NAME"**

Output

```
Assigning value LifePlan.txt to variable FILE_NAME
```

**And I wait for 6 sec**

**And I click on Quotes link**

**And I scroll the page up**

**And I clear all filter options**

**And I select "\${quote.filter.option.submitted}" filter option in Quotes page**

**Given I delete the downloaded file "\${EXPORT\_QUOTE\_PATH}" if it already exists**

**When I enter "\${COMP\_NAME\_SUBMITTED}" in search text field in Quotes page**

**Then I wait for 4 sec**

**Then I get the reference number for searched quote in variable "REF\_NUMBER"**

Output

```
Reference number is: PAMBNNC8F6
```

**And I assign "\${COMP\_NAME\_SUBMITTED}\_\${REF\_NUMBER}\_\${FILE\_GENERATION\_DATE}" to variable "QUOTE\_ID"**

Output

Assigning value TestSub\_969070323345\_PAMBNNC8F6\_20210307.pdf to variable DOWNLOADED\_FILENAME

**Given I assign the downloaded file "\${DOWNLOADED\_FILENAME}" to variable "EXPORT\_Q**

**And I assign value to following variables**

COMPANY_NAME	\${COMP_NAME_SUBMITTED}
QUOTE_REF	\${REF_NUMBER}
EFFECTIVE_DATE	\${PDF_GENERATION_DATE_1}
PDF_GENERATION_DATE	\${PDF_GENERATION_DATE_1}

**And I click on Action button next to searched quote**

**And I select "\${quote.action.export.pdf}" option from Action menu**

**And I wait for 12 sec**

**And I unselect "\${quote.filter.option.submitted}" filter option in Quotes page**

**Then I verify downloaded file name is "\${EXPORT\_QUOTE\_PATH}"**

**Output**

Downloaded file name=/tmp/workspace/me-sales-portal-ui-tests\_develop/TestSub\_969070323345\_PAMBNNC8F6\_20210307.p

**After**

[Back to Table of Contents](#)

**Scenario Outline: Quote Action item Export PDF : "Verify quote is exported to PDF for Archived qu**

**Passed: 19**

**Before**

**Given I assign "/testdata/\${sales.fe.lbu}/ExportQuote" to variable "testdata.path"**

**Output**

Assigning value /testdata/my/ExportQuote to variable testdata.path

**And I assign "LifePlan.txt" to variable "FILE\_NAME"**

**Output**

Assigning value LifePlan.txt to variable FILE\_NAME

**And I wait for 6 sec**

**And I click on Quotes link**

**And I scroll the page up**

**And I clear all filter options**

**And I select "\${quote.filter.option.archived}" filter option in Quotes page**

**Given I delete the downloaded file "\${EXPORT\_QUOTE\_PATH}" if it already exists**

**When I enter "\${COMP\_NAME\_ARCHIVE}" in search text field in Quotes page**

**Then I wait for 4 sec**

**Then I get the reference number for searched quote in variable "REF\_NUMBER"**

**Output**

Reference number is: PAMB9TEMV3

**And I assign "\${COMP\_NAME\_ARCHIVE}\_\${REF\_NUMBER}\_\${FILE\_GENERATION\_DATE}" to variable "EXPORT\_QUOTE\_PATH"**

**Output**

Assigning value TestArch\_939070323329\_PAMB9TEMV3\_20210307.pdf to variable DOWNLOADED\_FILENAME

**Given I assign the downloaded file "\${DOWNLOADED\_FILENAME}" to variable "EXPORT\_QUOTE\_PATH"**

**And I assign value to following variables**

COMPANY_NAME	`\${COMP_NAME_ARCHIVE}`
QUOTE_REF	`\${REF_NUMBER}`
EFFECTIVE_DATE	`\${PDF_GENERATION_DATE_1}`
PDF_GENERATION_DATE	`\${PDF_GENERATION_DATE_1}`

**And I click on Action button next to searched quote**

**And I select "\${quote.action.export.pdf}" option from Action menu**

**And I wait for 12 sec**

**And I unselect "\${quote.filter.option.archived}" filter option in Quotes page**

**Then I verify downloaded file name is "\${EXPORT\_QUOTE\_PATH}"**

**Output**

Downloaded file name=/tmp/workspace/me-sales-portal-ui-tests\_develop/TestArch\_939070323329\_PAMB9TEMV3\_20210307.pdf

**After**

[Back to Table of Contents](#)

**Scenario Outline: Quote Action item Export PDF : "Verify quote is exported to PDF for Inforce quote"**

**Passed: 19**

**Before**

**Given I assign "/testdata/\${sales.fe.lbu}/ExportQuote" to variable "testdata.path"**

**Output**

Assigning value /testdata/my/ExportQuote to variable testdata.path

**And I assign "LifePlan.txt" to variable "FILE\_NAME"**

**Output**

Assigning value LifePlan.txt to variable FILE\_NAME

**And I wait for 6 sec**

**And I click on Quotes link**

**And I scroll the page up**

**And I clear all filter options**

**And I select "\${quote.filter.option.in.force}" filter option in Quotes page**

**Given I delete the downloaded file "\${EXPORT\_QUOTE\_PATH}" if it already exists**

**When I enter "\${COMP\_NAME\_INFORCE}" in search text field in Quotes page**

**Then I wait for 4 sec**

**Then I get the reference number for searched quote in variable "REF\_NUMBER"**

**Output**

Reference number is: PAMBWIF3EV

**And I assign "\${COMP\_NAME\_INFORCE}\_\${REF\_NUMBER}\_\${FILE\_GENERATION\_DATE}" to variable DOWNLOADED\_FILENAME**

**Output**

Assigning value TestGtForce\_363070323334\_PAMBWIF3EV\_20210307.pdf to variable DOWNLOADED\_FILENAME

**Given I assign the downloaded file "\${DOWNLOADED\_FILENAME}" to variable "EXPORT\_QUOTE\_PATH"**

**And I assign value to following variables**

COMPANY_NAME	`\${COMP_NAME_INFORCE}
QUOTE_REF	`\${REF_NUMBER}
EFFECTIVE_DATE	`\${PDF_GENERATION_DATE_1}
PDF_GENERATION_DATE	`\${PDF_GENERATION_DATE_1}

**And I click on Action button next to searched quote**

**And I select "\${quote.action.export.pdf}" option from Action menu**

**And I wait for 12 sec**

**And I unselect "\${quote.filter.option.in.force}" filter option in Quotes page**

**Then I verify downloaded file name is "\${EXPORT\_QUOTE\_PATH}"**

**Output**

Downloaded file name=/tmp/workspace/me-sales-portal-ui-tests\_develop/TestGtForce\_363070323334\_PAMBWIF3EV\_20210307.pdf

**After**

[Back to Table of Contents](#)**Scenario Outline: Quote Action item Export PDF : "Verify quote is exported to PDF for Denied quote"**

Passed: 19

**Before****Given I assign "/testdata/\${sales.fe.lbu}/ExportQuote" to variable "testdata.path"****Output**

Assigning value /testdata/my/ExportQuote to variable testdata.path

**And I assign "LifePlan.txt" to variable "FILE\_NAME"****Output**

Assigning value LifePlan.txt to variable FILE\_NAME

**And I wait for 6 sec****And I click on Quotes link****And I scroll the page up****And I clear all filter options****And I select "\${quote.filter.option.denied}" filter option in Quotes page****Given I delete the downloaded file "\${EXPORT\_QUOTE\_PATH}" if it already exists****When I enter "\${COMP\_NAME\_DENIED}" in search text field in Quotes page****Then I wait for 4 sec****Then I get the reference number for searched quote in variable "REF\_NUMBER"****Output**

Reference number is: PAMBLH48F6

**And I assign "\${COMP\_NAME\_DENIED}\_\${REF\_NUMBER}\_\${FILE\_GENERATION\_DATE}"****Output**

Assigning value TestDenied\_85907032334\_PAMBLH48F6\_20210307.pdf to variable DOWNLOADED\_FILENAME

**Given I assign the downloaded file "\${DOWNLOADED\_FILENAME}" to variable "EXPORT\_Q****And I assign value to following variables**

<b>COMPANY_NAME</b>	<b>`\${COMP_NAME_DENIED}`</b>
<b>QUOTE_REF</b>	<b>`\${REF_NUMBER}`</b>
<b>EFFECTIVE_DATE</b>	<b>`\${PDF_GENERATION_DATE_1}`</b>
<b>PDF_GENERATION_DATE</b>	<b>`\${PDF_GENERATION_DATE_1}`</b>

<b>And I click on Action button next to searched quote</b>
<b>And I select "\${quote.action.export.pdf}" option from Action menu</b>
<b>And I wait for 12 sec</b>
<b>And I unselect "\${quote.filter.option.denied}" filter option in Quotes page</b>
<b>Then I verify downloaded file name is "\${EXPORT_QUOTE_PATH}"</b>
<b>Output</b>
Downloaded file name=/tmp/workspace/me-sales-portal-ui-tests_develop/TestDenied_85907032334_PAMBLH48F6_20210307
<b>After</b>
<a href="#">Back to Table of Contents</a>
<b>Scenario Outline: 1.Verify "Draft" quotes should return irrespective of isArchived flag for filter option</b>
<b>2. verify only archived quote is displayed when Archived filter option is selected</b>
<b>Passed: 24</b>
<b>Before</b>
<b>And I scroll the page up</b>
<b>When I select "\${quote.filter.option.draft}" filter option in Quotes page</b>
<b>When I enter "\${COMP_NAME_DRAFT}" in search text field in Quotes page</b>
<b>Then I wait for 2 sec</b>
<b>And I click on Action button next to searched quote</b>
<b>And I select "\${quote.action.archive}" option from Action menu</b>
<b>Then I verify searched Quote count is 1</b>
<b>And I unselect "\${quote.filter.option.draft}" filter option in Quotes page</b>
<b>And I click on Documents link</b>
<b>And I click on Quotes link</b>
<b>Then I select "\${quote.filter.option.archived}" filter option in Quotes page</b>
<b>When I enter "\${COMP_NAME_DRAFT}" in search text field in Quotes page</b>
<b>Then I wait for 2 sec</b>
<b>Then I verify searched Quote count is 1</b>
<b>And I click on Action button next to searched quote</b>
<b>And I select "\${quote.action.Unarchive}" option from Action menu</b>
<b>And I click on "\${quote.unarchive.popup.confirm.button}" button</b>
<b>And I click on Documents link</b>
<b>And I click on Quotes link</b>
<b>And I select "\${quote.filter.option.archived}" filter option in Quotes page</b>
<b>When I enter "\${COMP_NAME_DRAFT}" in search text field in Quotes page</b>
<b>Then I verify search Result is empty in Quotes page</b>
<b>And I scroll the page up</b>
<b>And I unselect "\${quote.filter.option.archived}" filter option in Quotes page</b>
<b>After</b>
<a href="#">Back to Table of Contents</a>

**Scenario Outline: 1.Verify "Denied" quotes should return irrespective of isArchived flag for filter option****2. verify only archived quote is displayed when Archived filter option is selected**

Passed: 24

**Before****And I scroll the page up****When I select "\${quote.filter.option.denied}" filter option in Quotes page****When I enter "\${COMP\_NAME\_DENIED}" in search text field in Quotes page****Then I wait for 2 sec****And I click on Action button next to searched quote****And I select "\${quote.action.archive}" option from Action menu****Then I verify searched Quote count is 1****And I unselect "\${quote.filter.option.denied}" filter option in Quotes page****And I click on Documents link****And I click on Quotes link****Then I select "\${quote.filter.option.archived}" filter option in Quotes page****When I enter "\${COMP\_NAME\_DENIED}" in search text field in Quotes page****Then I wait for 2 sec****Then I verify searched Quote count is 1****And I click on Action button next to searched quote****And I select "\${quote.action.Unarchive}" option from Action menu****And I click on "\${quote.unarchive.popup.confirm.button}" button****And I click on Documents link****And I click on Quotes link****And I select "\${quote.filter.option.archived}" filter option in Quotes page****When I enter "\${COMP\_NAME\_DENIED}" in search text field in Quotes page****Then I verify search Result is empty in Quotes page****And I scroll the page up****And I unselect "\${quote.filter.option.archived}" filter option in Quotes page****After**[Back to Table of Contents](#)**Scenario Outline: 1.Verify "Inforce" quotes should return irrespective of isArchived flag for filter option****2. verify only archived quote is displayed when Archived filter option is selected**

Passed: 24

**Before****And I scroll the page up****When I select "\${quote.filter.option.in.force}" filter option in Quotes page****When I enter "\${COMP\_NAME\_INFORCE}" in search text field in Quotes page****Then I wait for 2 sec****And I click on Action button next to searched quote****And I select "\${quote.action.archive}" option from Action menu****Then I verify searched Quote count is 1****And I unselect "\${quote.filter.option.in.force}" filter option in Quotes page**

And I click on Documents link
And I click on Quotes link
Then I select "\${quote.filter.option.archived}" filter option in Quotes page
When I enter "\${COMP_NAME_INFORCE}" in search text field in Quotes page
Then I wait for 2 sec
Then I verify searched Quote count is 1
And I click on Action button next to searched quote
And I select "\${quote.action.Unarchive}" option from Action menu
And I click on "\${quote.unarchive.popup.confirm.button}" button
And I click on Documents link
And I click on Quotes link
And I select "\${quote.filter.option.archived}" filter option in Quotes page
When I enter "\${COMP_NAME_INFORCE}" in search text field in Quotes page
Then I verify search Result is empty in Quotes page
And I scroll the page up
And I unselect "\${quote.filter.option.archived}" filter option in Quotes page
After
<a href="#">Back to Table of Contents</a>
Scenario Outline: Verify Action Duplicate for "\${quote.filter.option.draft}"
Passed: 19
Before
And I click on Quotes link
And I scroll the page up
And I clear all filter options
When I enter "\${COMP_NAME_DRAFT}" in search text field in Quotes page
Then I wait for 2 sec
And I click on Action button next to searched quote
And I select "\${quote.action.duplicate}" option from Action menu
Then I wait for 2 sec
When I enter "\${COMP_NAME_DRAFT}" in search text field in Quotes page
Then I wait for 2 sec
Then I verify searched Quote count is 2
Then I select "\${quote.filter.option.draft}" filter option in Quotes page
Then I verify Quote is present only for "Draft" search criteria in "\${quote.table.header.quote.statu
Then I verify searched Quote count is 2
And I click on Action button next to searched quote
And I select "\${quote.action.edit}" option from Action menu
And I wait for 2 sec
Then I verify company name is displayed as entered on select plan page
Company Name \${COMP_NAME_DRAFT}
Then I verify the sample text of following fields on select plan page
No. of Employees 12
After

[Back to Table of Contents](#)**Scenario Outline: Verify Action Duplicate for "\${quote.filter.option.denied}"**

Passed: 19

**Before**

And I click on Quotes link  
 And I scroll the page up  
 And I clear all filter options  
 When I enter "\${COMP\_NAME\_DENIED}" in search text field in Quotes page  
 Then I wait for 2 sec  
 And I click on Action button next to searched quote  
 And I select "\${quote.action.duplicate}" option from Action menu  
 Then I wait for 2 sec  
 When I enter "\${COMP\_NAME\_DENIED}" in search text field in Quotes page  
 Then I wait for 2 sec  
 Then I verify searched Quote count is 2  
 Then I select "\${quote.filter.option.draft}" filter option in Quotes page  
 Then I verify Quote is present only for "Draft" search criteria in "\${quote.table.header.quote.stat}  
 Then I verify searched Quote count is 1  
 And I click on Action button next to searched quote  
 And I select "\${quote.action.edit}" option from Action menu  
 And I wait for 2 sec  
 Then I verify company name is displayed as entered on select plan page  

Company Name	\${COMP_NAME_DENIED}
--------------	----------------------

 Then I verify the sample text of following fields on select plan page  

No. of Employees	10
------------------	----

**After**[Back to Table of Contents](#)**Scenario: verify Delete popup window**

Passed: 10

**Before**

And I click on Quotes link  
 And I scroll the page up  
 Then I select "\${quote.filter.option.draft}" filter option in Quotes page  
 And I enter "\${COMP\_NAME\_DRAFT}" in search text field in Quotes page  
 And I click on Action button next to searched quote  
 And I select "\${quote.action.delete}" option from Action menu  
 Then I verify following text is displayed on "popup window on quote" page  

\${quote.delete.popup.message1}
\${quote.delete.popup.message2}

Then I verify following buttons are displayed on "delete popup"

\${quote.delete.popup.cancel.button}
\${quote.delete.popup.delete.button}

Then I click on "\${quote.delete.popup.cancel.button}" button

<b>And verify the user is landed on "Quotes" page</b>			
<b>After</b>			
<a href="#">Back to Table of Contents</a>			
<b>Scenario: Verify Draft Quote is deleted</b>			
Passed: 12			
<b>Before</b>			
<p><b>And I scroll the page up</b></p> <p><b>When I select "\${quote.filter.option.draft}" filter option in Quotes page</b></p> <p><b>And I enter "\${COMP_NAME_DRAFT}" in search text field in Quotes page</b></p> <p><b>And I click on Action button next to searched quote</b></p> <p><b>And I select "\${quote.action.delete}" option from Action menu</b></p> <p><b>Then I click on "\${quote.delete.popup.delete.button}" button</b></p> <p><b>And I click on Documents link</b></p> <p><b>And I click on Quotes link</b></p> <p><b>Then I wait for 3 sec</b></p> <p><b>When I enter "\${COMP_NAME_DRAFT}" in search text field in Quotes page</b></p> <p><b>Then I wait for 2 sec</b></p> <p><b>Then I verify searched Quote count is 1</b></p>			
<b>After</b>			
<a href="#">Back to Table of Contents</a>			
<b>Scenario: Verify Quote Action item Edit for Archived quote</b>			
Passed: 17			
<b>Before</b>			
<p><b>And I scroll the page up</b></p> <p><b>When I select "\${quote.filter.option.archived}" filter option in Quotes page</b></p> <p><b>When I enter "\${COMP_NAME_ARCHIVE}" in search text field in Quotes page</b></p> <p><b>Then I wait for 2 sec</b></p> <p><b>And I click on Action button next to searched quote</b></p> <p><b>And I select "\${quote.action.edit}" option from Action menu</b></p> <p><b>Then verify the user is landed on "Select Plan" page</b></p> <p><b>And I wait for 3 sec</b></p> <p><b>Then I verify company name is displayed as entered on select plan page</b></p> <table border="1"> <tr> <td><b>Company Name \${COMP_NAME_ARCHIVE}</b></td> </tr> </table> <p><b>Then I click on "\${saveQuote.button.text}" button</b></p> <p><b>Then I wait for 2 sec</b></p> <p><b>And I click on Quotes link</b></p> <p><b>Then I wait for 5 sec</b></p> <p><b>When I enter "\${COMP_NAME_ARCHIVE}" in search text field in Quotes page</b></p> <p><b>And I click on Action button next to searched quote</b></p> <p><b>And I select "\${quote.action.archive}" option from Action menu</b></p> <p><b>Then I verify following information is displayed for company "\${COMP_NAME_ARCHIVE}" in</b></p> <table border="1"> <tr> <td><b>Reference Number</b></td> <td><b>not null</b></td> </tr> </table>	<b>Company Name \${COMP_NAME_ARCHIVE}</b>	<b>Reference Number</b>	<b>not null</b>
<b>Company Name \${COMP_NAME_ARCHIVE}</b>			
<b>Reference Number</b>	<b>not null</b>		
<b>After</b>			

<a href="#">Back to Table of Contents</a>			
<b>Scenario: Verify Quote Action item Unarchive text and cancel function</b>			
Passed: 9			
<b>Before</b>			
<p>And I click on Quotes link</p> <p>And I scroll the page up</p> <p>Given I select "\${quote.filter.option.archived}" filter option in Quotes page</p> <p>When I enter "\${COMP_NAME_ARCHIVE}" in search text field in Quotes page</p> <p>And I click on Action button next to searched quote</p> <p>And I select "\${quote.action.Unarchive}" option from Action menu</p> <p>Then I verify following text is displayed on "Unarchive quote pop-up" page</p> <table border="1"> <tr> <td>    \${quote.unarchive.popup.message1}</td> </tr> </table> <p>Then I verify following buttons are displayed on "Unarchive quote pop-up"</p> <table border="1"> <tr> <td>    \${quote.unarchive.popup.confirm.button}</td> </tr> <tr> <td>    \${quote.unarchive.popup.cancel.button}</td> </tr> </table> <p>Then I click on "\${quote.unarchive.popup.cancel.button}" button</p>	\${quote.unarchive.popup.message1}	\${quote.unarchive.popup.confirm.button}	\${quote.unarchive.popup.cancel.button}
\${quote.unarchive.popup.message1}			
\${quote.unarchive.popup.confirm.button}			
\${quote.unarchive.popup.cancel.button}			
<b>After</b>			
<a href="#">Back to Table of Contents</a>			
<b>Scenario: Verify Archived Quote is deleted</b>			
Passed: 9			
<b>Before</b>			
<p>And I click on Quotes link</p> <p>And I scroll the page up</p> <p>When I select "\${quote.filter.option.archived}" filter option in Quotes page</p> <p>And I enter "\${COMP_NAME_ARCHIVE}" in search text field in Quotes page</p> <p>And I click on Action button next to searched quote</p> <p>And I select "\${quote.action.delete}" option from Action menu</p> <p>Then I click on "\${quote.delete.popup.delete.button}" button</p> <p>When I enter "\${COMP_NAME_ARCHIVE}" in search text field in Quotes page</p> <p>Then I verify search Result is empty in Quotes page</p>			
<b>After</b>			
<a href="#">Back to Table of Contents</a>			
<b>Scenario: Verify Quote Action item View for Submitted quote</b>			
Passed: 14			
<b>Before</b>			
<p>And I scroll the page up</p> <p>And I clear all filter options</p> <p>When I enter "\${COMP_NAME_SUBMITTED}" in search text field in Quotes page</p> <p>And I click on Action button next to searched quote</p> <p>And I select "\${quote.action.view}" option from Action menu</p> <p>Then I wait for 2 sec</p> <p>Then verify the user is landed on "Select Plan" page</p> <p>Then I verify company name is displayed as entered on select plan page</p>			

Company Name \${COMP_NAME_SUBMITTED}
And I verify following buttons are displayed and enabled
\${close.button}
When I navigate to "Submit" screen
Then I verify following buttons are not displayed
\${confirm.submit.button}
And I click on "\${close.button}" button
Then I wait for 2 sec
Then I verify following text is displayed on "Quotes" page
\${quote.page.text}

**After**[Back to Table of Contents](#)**Scenario: Verify Quote Action item View for Inforce quote**

Passed: 13

**Before**

And I scroll the page up

When I enter "\${COMP\_NAME\_INFORCE}" in search text field in Quotes page

And I click on Action button next to searched quote

And I select "\${quote.action.view}" option from Action menu

Then I wait for 2 sec

Then verify the user is landed on "Select Plan" page

Then I verify company name is displayed as entered on select plan page

Company Name \${COMP\_NAME\_INFORCE}

And I verify following buttons are displayed and enabled

\${close.button}

When I navigate to "Submit" screen

Then I verify following buttons are not displayed

\${confirm.submit.button}

And I click on "\${close.button}" button

Then I wait for 2 sec

Then I verify following text is displayed on "Quotes" page

\${quote.page.text}

**After**[Back to Table of Contents](#)**Scenario: Close Sales Portal**

Passed: 1

**Before**

And I close sales portal

**After**[Back to Table of Contents](#)**Feature: Verify the Get Help page functionality**

Passed: 5

<b>Scenario: Verify agent should be navigated to Get Help page</b>										
Passed: 8										
<b>Before</b>										
<p><b>Given Launch sales portal</b></p> <table border="1"> <tr> <td>Output</td> </tr> </table> <p>https://uat-sales.eb.prudential.com.my/</p>	Output									
Output										
<p><b>And I assign value to following variables</b></p> <table border="1"> <tr> <td>Agent_Email</td> <td> \${agent.email.id.global}</td> </tr> <tr> <td>Agent_Password</td> <td> \${agent.password}</td> </tr> </table>	Agent_Email	\${agent.email.id.global}	Agent_Password	\${agent.password}						
Agent_Email	\${agent.email.id.global}									
Agent_Password	\${agent.password}									
<p><b>When I Login to Sales Portal with below details</b></p> <table border="1"> <tr> <td>UserName</td> <td> \${Agent_Email}</td> </tr> <tr> <td>Password</td> <td> \${Agent_Password}</td> </tr> </table>	UserName	\${Agent_Email}	Password	\${Agent_Password}						
UserName	\${Agent_Email}									
Password	\${Agent_Password}									
<p><b>And I enter the verification code if page appears for agent "\${Agent_Email}"</b></p>										
<p><b>And I toggle the language button as required</b></p>										
<p><b>Then I verify "\${welcome.to.prudential}" screen is displayed</b></p>										
<p><b>When I click on "Get Help" Link</b></p>										
<p><b>And verify the user is landed on "Get Help" page</b></p>										
<b>After</b>										
<a href="#">Back to Table of Contents</a>										
<b>Scenario: Verify static text on Get Help page</b>										
Passed: 3										
<b>Before</b>										
<p><b>And I verify h1 header text is displayed on "Get Help" page</b></p> <table border="1"> <tr> <td> \${toggleBarItem.support.label}</td> </tr> </table>	\${toggleBarItem.support.label}									
\${toggleBarItem.support.label}										
<p><b>Then I verify following text is displayed on "Get Help" page</b></p> <table border="1"> <tr> <td> \${support.what.can.help.text}</td> </tr> <tr> <td> \${support.access.pru.service.desk.text}</td> </tr> <tr> <td> \${support.submit.ticket.text}</td> </tr> <tr> <td> \${support.feedback.text}</td> </tr> <tr> <td> \${support.application.help.text}</td> </tr> <tr> <td> \${support.freq.asked.ques.article.text}</td> </tr> <tr> <td> \${support.direct.support}</td> </tr> <tr> <td> \${support.email.text}</td> </tr> <tr> <td> \${support.phone.text}</td> </tr> <tr> <td> \${support.email.us.text}</td> </tr> </table>	\${support.what.can.help.text}	\${support.access.pru.service.desk.text}	\${support.submit.ticket.text}	\${support.feedback.text}	\${support.application.help.text}	\${support.freq.asked.ques.article.text}	\${support.direct.support}	\${support.email.text}	\${support.phone.text}	\${support.email.us.text}
\${support.what.can.help.text}										
\${support.access.pru.service.desk.text}										
\${support.submit.ticket.text}										
\${support.feedback.text}										
\${support.application.help.text}										
\${support.freq.asked.ques.article.text}										
\${support.direct.support}										
\${support.email.text}										
\${support.phone.text}										
\${support.email.us.text}										
<p><b>And I verify support phone number are as below</b></p> <table border="1"> <tr> <td> \${support.phone.number.text1}</td> </tr> <tr> <td> \${support.phone.number.text2}</td> </tr> </table>	\${support.phone.number.text1}	\${support.phone.number.text2}								
\${support.phone.number.text1}										
\${support.phone.number.text2}										
<b>After</b>										

<a href="#">Back to Table of Contents</a>
<b>Scenario: Submit a ticket on sales portal app</b>
Passed: 5
<b>Before</b>
<p>And I get parent window handle      When I click on "\${support.feedback.text}" support button      And I wait for 15 sec      Then I verify "\${support.submit.ticket.page.title}" link is opened in new browser tab      And I switch to parent window</p>
<b>After</b>
<a href="#">Back to Table of Contents</a>
<b>Scenario: View Knowledge base</b>
Passed: 5
<b>Before</b>
<p>And I scroll to the end of page      When I click on "\${support.application.help.text}" support button      And I wait for 15 sec      Then I verify "\${support.application.page.title}" link is opened in new browser tab      And I switch to parent window</p>
<b>After</b>
<a href="#">Back to Table of Contents</a>
<b>Scenario: Close from Sales Portal</b>
Passed: 1
<b>Before</b>
And I close sales portal
<b>After</b>
<a href="#">Back to Table of Contents</a>
<b>Feature: Verify HR onboarding workflow for GTL product</b>
<p>1)Agent create GTL submitted quote      2)PAS Inforce the policy by supplying the policy number and Approved status      3)HR Admin gets email for on-boarding to HR portal</p>
Passed: 14
<b>Scenario: Login to sales portal</b>
Passed: 9
<b>Before</b>
<p>Given I assign "/testdata/\${sales.fe.lbu}/ExportQuote" to variable "testdata.path"</p> <p>Output</p> <pre>Assigning value /testdata/my/ExportQuote to variable testdata.path</pre>
And I assign "LifePlan.txt" to variable "FILE_NAME"

**Output**

Assigning value LifePlan.txt to variable FILE\_NAME

**And I generate "current date" and assign to variable "FILE\_GENERATION\_DATE" in "YYYYMMDD"**

**And I generate "current date" and assign to variable "COVERAGE\_DATE" in "dd/MM/yyyy" for policy**

**Given Launch sales portal**

**Output**

https://uat-sales.eb.prudential.com.my/

**And I assign value to following variables**

Agent_Email	\${agent.email.id.global}
Agent_Password	\${agent.password}
Agent_ID	\${agent.id.global}
COMP_NAME_INFORCE	TestInforceQuote

**When I Login to Sales Portal with below details**

UserName	\${Agent_Email}
Password	\${Agent_Password}

**And I enter the verification code if page appears for agent "\${Agent\_Email}"**

**Then I verify "\${welcome.to.prudential}" screen is displayed**

**After**

[Back to Table of Contents](#)

**Scenario: Agent creates GTL submitted quote**

Passed: 44

**Before**

**Given I generate random number and assign to variable "RANDOM\_NUMBER"**

**Output**

Random number generated is :675

**And I assign "TestGtlForce\_\${RANDOM\_NUMBER}" to variable "COMP\_NAME\_INFORCE"**

**Output**

Assigning value TestGtlForce\_675070323317 to variable COMP\_NAME\_INFORCE

**And I assign "/src/test/resources/testdata/\${sales.fe.lbu}/bulk\_upload\_employee/quotes" to variable "FILE\_NAME"**

**Output**

Assigning value /src/test/resources/testdata/my/bulk\_upload\_employee/quotes to variable testdata.path

### And I assign "\${testdata.path}/uploadEmployeesMaxPosition.xls" to variable "INPUT\_PATH"

Output

Assigning value /src/test/resources/testdata/my/bulk\_upload\_employee/quotes/uploadEmployeesMaxPosition.xls to variable INPUT\_PATH

### And I assign "\${testdata.path}/output" to variable "OUTPUT\_PATH"

Output

Assigning value /src/test/resources/testdata/my/bulk\_upload\_employee/quotes/output to variable OUTPUT\_PATH

### And I assign "/testdata/\${sales.fe.lbu}/bulk\_upload\_employee/quotes/output/uploadEmployeesMaxPosition.xls" to variable "EMPLOYEE\_FILE"

Output

Assigning value /testdata/my/bulk\_upload\_employee/quotes/output/uploadEmployeesMaxPosition.xls to variable EMPLOYEE\_FILE

### When I copy the xls template "\${INPUT\_PATH}" and replace following variables in output path '

email.id	\${RANDOM_NUMBER}
COMP_NAME	\${COMP_NAME_INFORCE}

When I click on Quotes link

When I click on Create Quote Link

Then I navigate to "Select Plan" screen

And I click on PAMB GHS "\${selectplan.ghs.no.button}" button

And I enter following details on select plan page

Company Name	\${COMP_NAME_INFORCE}
No. of Employees	10

And I click on "\${next.button.text}" button

And I select the PDPA Consent requirement check box

And I upload the employee csv file "\${EMPLOYEE\_FILE}"

And I wait for 5 sec

And I click on "\${next.button.text}" button

Then I enter following details on company page

HR Given Name	TestGivenName
Surname	TestSurName
Contact Email	hrPrimaryContact-\${email.id}@mailinator.com
HR Contact Phone Number	0275109628

		<table border="1"> <tr><td><b>Company Registration Number</b></td><td>123456789876</td></tr> <tr><td><b>Contact Fax Number</b></td><td>1234567898</td></tr> <tr><td><b>Address1</b></td><td>#02-2b,XYZ Bld</td></tr> <tr><td><b>Address2</b></td><td>test address line 1</td></tr> <tr><td><b>City</b></td><td>test City</td></tr> <tr><td><b>State</b></td><td> \${state.dropdown.value.2}</td></tr> <tr><td><b>Postcode</b></td><td>25415</td></tr> <tr><td><b>Authorised Signatory Name</b></td><td>authorisedName One</td></tr> <tr><td><b>Authorised Signatory Title</b></td><td>authorisedTitle One</td></tr> </table>	<b>Company Registration Number</b>	123456789876	<b>Contact Fax Number</b>	1234567898	<b>Address1</b>	#02-2b,XYZ Bld	<b>Address2</b>	test address line 1	<b>City</b>	test City	<b>State</b>	\${state.dropdown.value.2}	<b>Postcode</b>	25415	<b>Authorised Signatory Name</b>	authorisedName One	<b>Authorised Signatory Title</b>	authorisedTitle One	
<b>Company Registration Number</b>	123456789876																				
<b>Contact Fax Number</b>	1234567898																				
<b>Address1</b>	#02-2b,XYZ Bld																				
<b>Address2</b>	test address line 1																				
<b>City</b>	test City																				
<b>State</b>	\${state.dropdown.value.2}																				
<b>Postcode</b>	25415																				
<b>Authorised Signatory Name</b>	authorisedName One																				
<b>Authorised Signatory Title</b>	authorisedTitle One																				
		<b>And I click on next button "\${next.button.text}" for company page</b>																			
		<b>And I wait for 3 sec</b>																			
		<b>And I assign "/testdata/\${sales.fe.lbu}/submit_document/" to variable "testdata.path"</b>																			
	<b>Output</b>																				
		Assigning value /testdata/my/submit_document/ to variable testdata.path																			
		<b>And I assign "Articles_Bylaws.png" to variable "FILE_NAME"</b>																			
	<b>Output</b>																				
		Assigning value Articles_Bylaws.png to variable FILE_NAME																			
		<b>When I click on Bank Transfer button</b>																			
		<b>And I upload the payment proof file "\${testdata.path}\${FILE_NAME}"</b>																			
		<b>And I wait for 3 sec</b>																			
		<b>Then I verify the upload of file "\${FILE_NAME}" by the uploaded document name</b>																			
		<b>And I upload the copy NRIC file "\${testdata.path}\${FILE_NAME}"</b>																			
		<b>And I wait for 6 sec</b>																			
		<b>And I upload the Authorised Signatory file "\${testdata.path}\${FILE_NAME}"</b>																			
		<b>And I wait for 6 sec</b>																			
		<b>And I upload the direct credit file "\${testdata.path}\${FILE_NAME}"</b>																			
		<b>And I wait for 6 sec</b>																			
		<b>And I upload the Form 49 file "\${testdata.path}\${FILE_NAME}"</b>																			
		<b>And I wait for 6 sec</b>																			
		<b>And I upload the Form 24 file "\${testdata.path}\${FILE_NAME}"</b>																			
		<b>And I wait for 6 sec</b>																			
		<b>And I upload the Form 8 file "\${testdata.path}\${FILE_NAME}"</b>																			
		<b>And I wait for 6 sec</b>																			
		<b>And I upload the Signed Proposal file "\${testdata.path}\${FILE_NAME}"</b>																			
		<b>And I wait for 6 sec</b>																			
		<b>When I click on the Confirm and Submit button</b>																			
		<b>And I click on "\${submit.confirmandsubmit.confirm.btn}" button</b>																			

**And I wait for 3 sec**

**Then I verify following static text on "Quote Submission" page**

**Quote Submitted**

**After**

[Back to Table of Contents](#)

**Scenario: Get quote reference Number**

Passed: 5

**Before**

**When I click on Quotes link**

**And I wait for 5 sec**

**When I enter "\${COMP\_NAME\_INFORCE}" in search text field in Quotes page**

**Then I get the reference number for searched quote in variable "REF\_NUMBER"**

**Output**

Reference number is: PAMBOAL3WO

**Then I verify following information is displayed for company "\${COMP\_NAME\_INFORCE}" in**

Reference Number	not null
Quote Status	Submitted

**After**

[Back to Table of Contents](#)

**Scenario: Verify Quote Action item View for Submitted quote**

Passed: 23

**Before**

**And I click on Action button next to searched quote**

**And I select "\${quote.action.view}" option from Action menu**

**Then I wait for 2 sec**

**Then verify the user is landed on "Select Plan" page**

**Then I verify company name is displayed as entered on select plan page**

Company Name \${COMP\_NAME\_INFORCE}

**And I verify following buttons are displayed and enabled**

    \${close.button}

**Then I verify following elements are disabled on Select Plan page**

    Effective Date of Coverage

    No. of Members

    GHS Button

**When I navigate to "Members" screen**

**Then I verify following elements status on members page**

    PDPA Consent Requirement disabled

    Search Field enabled

    Add Member disabled

	<p>And I enter "testEmpAutomation1-\${email.id}@mailinator.com" in search text field in Members</p> <p>And I click on edit button next to the employee "First Name.01 Surname 1"</p> <p>When I click on profile button "\${quote.action.view}" on Add employee page</p> <p>Then I verify following header texts are displayed on "Members Page" page</p>		
	<table border="1"><tr><td>View Member</td><td></td></tr></table>	View Member	
View Member			
Then I verify following elements status on members page			
First Name	disabled		
Surname	disabled		
Date of Birth	disabled		
Gender	disabled		
Email Address	disabled		
Coverage Start Date	disabled		
NRIC no.	disabled		
Address 1	disabled		
Address 2	disabled		
Address 3	disabled		
Address 4	disabled		
City	disabled		
Post Code	disabled		
Then I click on "\${employee.addemp.close}" button			
When I navigate to "Company" screen			
Then I verify following elements status on company page			
HR Given Name	disabled		
Surname	disabled		
Email Address	disabled		
Contact Mobile Number	disabled		
Company Registration Number	disabled		
HR Contact Phone Number	disabled		
Contact Fax Number	disabled		
Address1	disabled		
Address2	disabled		
Address3	disabled		
Address4	disabled		
City	disabled		
Postcode	disabled		
Authorised Signatory Name	disabled		
Authorised Signatory Title	disabled		
And I verify "\${company.add.signatory.link}" link count is 0 in Sales Company Page			
When I navigate to "Submit" screen			
Then I verify following buttons are not displayed			
\${confirm.submit.button}			
And I click on "\${close.button}" button			
Then I wait for 2 sec			
Then I verify following text is displayed on "Quotes" page			

	<b>Output</b> \${quote.page.text}
<b>After</b>	
<a href="#">Back to Table of Contents</a>	
<b>Scenario: PAS Inforce the submitted quote for create quote number and company</b>	
Passed: 17	
<b>Before</b>	
<b>Given I assign "\${REF_NUMBER}_\${COMP_NAME_INFORCE}_QUOTATION.xlsx" to variable AZURE_FILE_NAME_QUOTE</b>	
<b>Output</b>	Assigning value PAMBOAL3WO_TestGtlForce_675070323317_QUOTATION.xlsx to variable AZURE_FILE_NAME_QUOTE
<b>Given I assign "\${REF_NUMBER}_\${COMP_NAME_INFORCE}_MEMBERLIST.xlsx" to variable AZURE_FILE_NAME_EMPLOYEE</b>	
<b>Output</b>	Assigning value PAMBOAL3WO_TestGtlForce_675070323317_MEMBERLIST.xlsx to variable AZURE_FILE_NAME_EMPLOYEE
<b>And I assign "\${azure.storage.folder.submitted.quotation}/\${REF_NUMBER}_\${COMP_NAME}_QUOTE" to variable AZURE_SRC_FOLDER_NAME</b>	
<b>Output</b>	Assigning value 1_Submitted_Quotations/PAMBOAL3WO_TestGtlForce_675070323317 to variable AZURE_SRC_FOLDER_NAME
<b>And I assign "\${azure.storage.folder.ready.inforce.quotation}" to variable "AZURE_DEST_FOLDER_NAME"</b>	
<b>Output</b>	Assigning value 2_Quotations_Ready_for_Processing to variable AZURE_DEST_FOLDER_NAME
<b>And I assign the downloaded file "\${AZURE_FILE_NAME_QUOTE}" to variable "DOWNLOADED_FILE_PATH_QUOTE"</b>	
<b>And I delete the downloaded file "\${DOWNLOADED_FILE_PATH_QUOTE}" if it already exists</b>	
<b>And I assign the downloaded file "\${AZURE_FILE_NAME_EMPLOYEE}" to variable "DOWNLOADED_FILE_PATH_EMPLOYEE"</b>	
<b>And I delete the downloaded file "\${DOWNLOADED_FILE_PATH_EMPLOYEE}" if it already exists</b>	
<b>When I download azure storage file "\${AZURE_FILE_NAME_QUOTE}" from storage folder "\${AZURE_SRC_FOLDER_NAME}"</b>	
<b>Output</b>	Azure storage file name is PAMBOAL3WO_TestGtlForce_675070323317_QUOTATION.xlsx Azure storage folder name is 1_Submitted_Quotations/PAMBOAL3WO_TestGtlForce_675070323317 File Download Path is /tmp/workspace/me-sales-portal-ui-tests_develop/PAMBOAL3WO_TestGtlForce_675070323317_QUOTATION.xlsx

**When I download azure storage file "\${AZURE\_FILE\_NAME\_EMPLOYEE}" from storage folder "\${AZURE\_DESTINATION}"****Output**

Azure storage file name is PAMBOAL3WO\_TestGtlForce\_675070323317\_MEMBERLIST.xlsx

Azure storage folder name is 1\_Submitted\_Quotations/PAMBOAL3WO\_TestGtlForce\_675070323317

File Download Path is /tmp/workspace/me-sales-portal-ui-tests\_develop/PAMBOAL3WO\_TestGtlForce\_675070323317\_MEMBERLIST.xlsx

**Then I verify downloaded file name is "\${DOWNLOADED\_FILE\_PATH\_QUOTE}"****Output**

Downloaded file name=/tmp/workspace/me-sales-portal-ui-tests\_develop/PAMBOAL3WO\_TestGtlForce\_675070323317\_QUOTATION.xlsx

**Then I verify downloaded file name is "\${DOWNLOADED\_FILE\_PATH\_EMP}"****Output**

Downloaded file name=/tmp/workspace/me-sales-portal-ui-tests\_develop/PAMBOAL3WO\_TestGtlForce\_675070323317\_MEMBERLIST.xlsx

**When I write to excel file "\${DOWNLOADED\_FILE\_PATH\_QUOTE}" into below rows for column "Policy Status"**

<b>Policy Status</b>	<b>APPROVED</b>
<b>Policy Number</b>	<b>\${RANDOM_NUMBER}</b>

**When I write to excel file "\${DOWNLOADED\_FILE\_PATH\_EMP}" into below rows for column "Email Address"**

testEmpAutomation1-\${email.id}@mailinator.com	\${RANDOM_NUMBER}001
testEmpAutomation2-\${email.id}@mailinator.com	\${RANDOM_NUMBER}002
testEmpAutomation3-\${email.id}@mailinator.com	\${RANDOM_NUMBER}003
testEmpAutomation4-\${email.id}@mailinator.com	\${RANDOM_NUMBER}004
testEmpAutomation5-\${email.id}@mailinator.com	\${RANDOM_NUMBER}005
testEmpAutomation6-\${email.id}@mailinator.com	\${RANDOM_NUMBER}006
testEmpAutomation7-\${email.id}@mailinator.com	\${RANDOM_NUMBER}007
testEmpAutomation8-\${email.id}@mailinator.com	\${RANDOM_NUMBER}008
testEmpAutomation9-\${email.id}@mailinator.com	\${RANDOM_NUMBER}009
testEmpAutomation10-\${email.id}@mailinator.com	\${RANDOM_NUMBER}010

**And I upload local file "\${AZURE\_FILE\_NAME\_QUOTE}" to storage folder "\${AZURE\_DESTINATION}"****Output**

Azure storage file name is PAMBOAL3WO\_TestGtlForce\_675070323317\_QUOTATION.xlsx

Azure storage folder name is 2\_Quotations\_Ready\_for\_Processing

File upload Path is /tmp/workspace/me-sales-portal-ui-tests\_develop/PAMBOAL3WO\_TestGtlForce\_675070323317\_QUOTATION.xlsx

**And I upload local file "\${AZURE\_FILE\_NAME\_EMPLOYEE}" to storage folder "\${AZURE\_DESTINATION}"**

**Output**

Azure storage file name is PAMBOAL3WO\_TestGtlForce\_675070323317\_MEMBERLIST.xlsx  
 Azure storage folder name is 2\_Quotations\_Ready\_for\_Processing  
 File upload Path is /tmp/workspace/me-sales-portal-ui-tests\_develop/PAMBOAL3WO\_TestGtlForce\_675070323317\_MEMBERLIST.xlsx

**Then I wait for storage file "\${AZURE\_FILE\_NAME\_EMPLOYEE}" to be processed from storage****Output**

Azure storage file name is PAMBOAL3WO\_TestGtlForce\_675070323317\_MEMBERLIST.xlsx  
 Azure storage folder name is 2\_Quotations\_Ready\_for\_Processing

**After**[Back to Table of Contents](#)**Scenario: Verify Quote file generated fields**

Passed: 1

**Before****And I verify excel file "\${DOWNLOADED\_FILE\_PATH\_QUOTE}" contains following values for**

Company Name	\${COMP_NAME_INFORCE}
Quote Number	\${REF_NUMBER}
No. of Members	10
LBU	\${salesChannel}
LBU Sales Channel	\${salesChannel}
Group Plan	GTL
Group Hospital Surgical Benefit (GHS)	NO
Agent Email Address	\${agent.email.id.global}
Primary Contact Email Address	hrPrimaryContact-\${email.id}@mailinator.com
Country	Malaysia
Company Registration Number	\${Company Registration Number}

**After**[Back to Table of Contents](#)**Scenario: Check quote is inforced**

Passed: 5

**Before****When I click on Documents link****When I click on Quotes link****And I wait for 5 sec****When I enter "\${COMP\_NAME\_INFORCE}" in search text field in Quotes page****Then I verify following information is displayed for company "\${COMP\_NAME\_INFORCE}" in quotes page**

Reference Number	not null
Quote Status	In Force

**After**[Back to Table of Contents](#)**Scenario: Verify Quote Action item View for Inforced quote**

Passed: 23

**Before****And I click on Action button next to searched quote****And I select "\${quote.action.view}" option from Action menu****Then I wait for 2 sec****Then verify the user is landed on "Select Plan" page****Then I verify company name is displayed as entered on select plan page****Company Name \${COMP\_NAME\_INFORCE}****And I verify following buttons are displayed and enabled****\${close.button}****Then I verify following elements are disabled on Select Plan page****Effective Date of Coverage****No. of Members****GHS Button****When I navigate to "Members" screen****Then I verify following elements status on members page****PDPA Consent Requirement** disabled**Search Field** enabled**Add Member** disabled**And I enter "testEmpAutomation1-\${email.id}@mailinator.com" in search text field in Members****And I click on edit button next to the employee "First Name.01 Surname 1"****When I click on profile button "\${quote.action.view}" on Add employee page****Then I verify following header texts are displayed on "Members Page" page****View Member****Then I verify following elements status on members page****First Name** disabled**Surname** disabled**Date of Birth** disabled**Gender** disabled**Email Address** disabled**Coverage Start Date** disabled**NRIC no.** disabled**Address 1** disabled**Address 2** disabled**Address 3** disabled**Address 4** disabled**City** disabled**Post Code** disabled**Then I click on "\${employee.addemp.close}" button****When I navigate to "Company" screen**

	<b>Then I verify following elements status on company page</b>
	HR Given Name   disabled
	Surname   disabled
	Email Address   disabled
	Contact Mobile Number   disabled
	Company Registration Number   disabled
	HR Contact Phone Number   disabled
	Contact Fax Number   disabled
	Address1   disabled
	Address2   disabled
	Address3   disabled
	Address4   disabled
	City   disabled
	Postcode   disabled
	Authorised Signatory Name   disabled
	Authorised Signatory Title   disabled
	<b>And I verify "\${company.add.signatory.link}" link count is 0 in Sales Company Page</b>
	<b>When I navigate to "Submit" screen</b>
	<b>Then I verify following buttons are not displayed</b>
	<b>    \${confirm.submit.button}</b>
	<b>And I click on "\${close.button}" button</b>
	<b>Then I wait for 2 sec</b>
	<b>Then I verify following text is displayed on "Quotes" page</b>
	<b>    \${quote.page.text}</b>
	<b>After</b>
	<a href="#">Back to Table of Contents</a>
	<b>Scenario: Close Sales Portal</b>
	Passed: 1
	<b>Before</b>
	<b>    And I close sales portal</b>
	<b>After</b>
	<a href="#">Back to Table of Contents</a>
	<b>Scenario: Verify HR Admin received the on-boarding email for Pru, Stash and HR Easily</b>
	Passed: 6
	<b>Before</b>
	<b>    Given I assign "hrPrimaryContact-\${email.id}@mailinator.com" to variable "Email_id"</b>
	<b>Output</b>
	Assigning value hrPrimaryContact-675070323317@mailinator.com to variable Email_id
	<b>    Given I assign "TestGivenName" to variable "First_Name"</b>
	<b>Output</b>

Assigning value TestGivenName to variable First\_Name

**And I wait for 15 sec**

**When I launch to mailinator email "\${Email\_id}" on UI**

**Output**

Mailinator url is https://www.mailinator.com/v3/index.jsp?zone=public&query=hrPrimaryContact-675070323317

**And I wait for 10 sec**

**Then I verify following emails are received in mailinator**

\${register.email.from}	\${register.email.subject}
\${hr.easily.email.from}	\${hr.easily.email.subject}

**After**

[Back to Table of Contents](#)

**Scenario: Close Sales Portal**

Passed: 1

**Before**

**And I close sales portal**

**After**

[Back to Table of Contents](#)

**Scenario: Verify Employee received the activation email for employee sdk**

Passed: 5

**Before**

**Given I assign "testEmpAutomation2-\${email.id}@mailinator.com" to variable "Email\_id"**

**Output**

Assigning value testEmpAutomation2-675070323317@mailinator.com to variable Email\_id

**Given I assign "First Name.02" to variable "First\_Name"**

**Output**

Assigning value First Name.02 to variable First\_Name

**When I launch to mailinator email "\${Email\_id}" on UI**

**Output**

Mailinator url is https://www.mailinator.com/v3/index.jsp?zone=public&query=testEmpAutomation2-675070323317
<b>And I wait for 10 sec</b>
<b>Then I verify following emails are received in mailinator</b>
<b>    \${register.email.from} \${sdk.employee.activate.email}</b>
<b>After</b>
<a href="#">Back to Table of Contents</a>
<b>Scenario: Verify content of activation email for employee</b>
Passed: 2
<b>Before</b>
<b>    When I click on email with from "\${register.email.from}" and subject "\${sdk.employee.activate.e</b>
<b>    Then I verify email content is matching with "/testdata/\${sales.fe.lbu}/email_template/quote_infor</b>
<b>After</b>
<a href="#">Back to Table of Contents</a>
<b>Scenario: Close Sales Portal</b>
Passed: 1
<b>Before</b>
<b>    And I close sales portal</b>
<b>After</b>
<a href="#">Back to Table of Contents</a>
<b>Feature: Verify product plan by benefit table data is as per requirement</b>
Passed: 5
<b>Scenario: Login to Sales Portal</b>
Passed: 5
<b>Before</b>
<b>    Given Launch sales portal</b>
<b>        Output</b>
https://uat-sales.eb.prudential.com.my/
<b>    And I assign value to following variables</b>
<b>        Agent_Email \${agent.email.id.global}</b>
<b>        Agent_Password \${agent.password}</b>
<b>    When I Login to Sales Portal with below details</b>
<b>        UserName \${Agent_Email}</b>
<b>        Password \${Agent_Password}</b>
<b>    And I enter the verification code if page appears for agent "\${Agent_Email}"</b>
<b>    Then I verify "\${welcome.to.prudential}" screen is displayed</b>
<b>After</b>
<a href="#">Back to Table of Contents</a>

<b>Scenario: Verify default state of Premium and Benefit page</b>															
Passed: 6															
<b>Before</b>															
<p>When I click on Create Quote Link</p> <p>Then I navigate to "Select Plan" screen</p> <p>And I click on Premium and Benefits button</p> <p>Then I verify following buttons are displayed and enabled</p> <table border="1"> <tr><td>    \${close.button}</td></tr> </table> <p>And I verify h1 header text is displayed on "Benefit Page" page</p> <table border="1"> <tr><td>    \${group.plan.static.text}</td></tr> </table> <p>And I verify following static text on "Benefit Page" page</p> <table border="1"> <tr><td>    \${coverage.plan.static.text}</td></tr> <tr><td>    \${benefit.total.static.text}</td></tr> <tr><td>    \${benefit.ghs.text}</td></tr> <tr><td>    \${benefit.ghs.hospital.text}</td></tr> <tr><td>    \${benefit.ghs.surgical.text}</td></tr> <tr><td>    \${benefit.ghs.non.surgical.text}</td></tr> <tr><td>    \${benefit.ghs.other.text}</td></tr> <tr><td>    \${benefit.ghs.Additional.text}</td></tr> <tr><td>    \${select.plan.gtl.gadd.text}</td></tr> <tr><td>    <b>Annual Premium per Member (without GHS)</b></td></tr> <tr><td>    <b>Annual Premium per Member (with GHS)</b></td></tr> <tr><td>    <b>RM11.40</b></td></tr> <tr><td>    <b>RM282.76</b></td></tr> </table>	\${close.button}	\${group.plan.static.text}	\${coverage.plan.static.text}	\${benefit.total.static.text}	\${benefit.ghs.text}	\${benefit.ghs.hospital.text}	\${benefit.ghs.surgical.text}	\${benefit.ghs.non.surgical.text}	\${benefit.ghs.other.text}	\${benefit.ghs.Additional.text}	\${select.plan.gtl.gadd.text}	<b>Annual Premium per Member (without GHS)</b>	<b>Annual Premium per Member (with GHS)</b>	<b>RM11.40</b>	<b>RM282.76</b>
\${close.button}															
\${group.plan.static.text}															
\${coverage.plan.static.text}															
\${benefit.total.static.text}															
\${benefit.ghs.text}															
\${benefit.ghs.hospital.text}															
\${benefit.ghs.surgical.text}															
\${benefit.ghs.non.surgical.text}															
\${benefit.ghs.other.text}															
\${benefit.ghs.Additional.text}															
\${select.plan.gtl.gadd.text}															
<b>Annual Premium per Member (without GHS)</b>															
<b>Annual Premium per Member (with GHS)</b>															
<b>RM11.40</b>															
<b>RM282.76</b>															
<b>After</b>															
<a href="#">Back to Table of Contents</a>															
<b>Scenario Outline: Compare plan by Annual benefit data for "\${select.plan.group.coverage.gtl.text}"</b>															
Passed: 1															
<b>Before</b>															
<p>Then I verify "GTL_ANNUAL" csv file data matches with Plans By Benefits table "GroupTermL</p> <table border="1"> <tr><td>Output</td></tr> <tr><td>UI Data:{Pre-Surgical Consultation and Diagnosis Benefit={Benefit=As Charged}, Loss of all sight in both eyes={Benefit=100} Test Data:{Pre-Surgical Consultation and Diagnosis Benefit={Benefit=As Charged}, Loss of all sight in both eyes={Benefit=10}}</td></tr> </table>	Output	UI Data:{Pre-Surgical Consultation and Diagnosis Benefit={Benefit=As Charged}, Loss of all sight in both eyes={Benefit=100} Test Data:{Pre-Surgical Consultation and Diagnosis Benefit={Benefit=As Charged}, Loss of all sight in both eyes={Benefit=10}}													
Output															
UI Data:{Pre-Surgical Consultation and Diagnosis Benefit={Benefit=As Charged}, Loss of all sight in both eyes={Benefit=100} Test Data:{Pre-Surgical Consultation and Diagnosis Benefit={Benefit=As Charged}, Loss of all sight in both eyes={Benefit=10}}															
<b>After</b>															
<a href="#">Back to Table of Contents</a>															
<b>Scenario: Close premium and benefit screen and logout</b>															
Passed: 2															
<b>Before</b>															
<p>When I click on "\${close.button}" button</p> <p>And I Logout of the sales portal</p>															

<b>After</b>				
<a href="#">Back to Table of Contents</a>				
<b>Scenario: Close from Sales Portal</b>				
Passed: 1				
<b>Before</b>				
<div style="border: 1px solid black; padding: 2px;"><b>And I close sales portal</b></div>				
<b>After</b>				
<a href="#">Back to Table of Contents</a>				
<b>Feature: Verify Quote is getting multiplied by number of employees and based on premium for selected plan</b>				
Passed: 12				
<b>Scenario: Launch Sales portal and navigate to New Quote page</b>				
Passed: 5				
<b>Before</b>				
<div style="border: 1px solid black; padding: 2px;"><b>Given Launch sales portal</b></div>				
<div style="border: 1px solid black; padding: 2px;"><b>Output</b></div>				
<div style="border: 1px dashed black; padding: 5px; background-color: #f0f0f0;">https://uat-sales.eb.prudential.com.my/</div>				
<div style="border: 1px solid black; padding: 2px;"><b>And I assign value to following variables</b></div>				
<table border="1" style="width: 100%;"><tr><td style="padding: 2px;"><b>Agent_Email</b></td><td style="padding: 2px;">\${agent.email.id.global}</td></tr><tr><td style="padding: 2px;"><b>Agent_Password</b></td><td style="padding: 2px;">\${agent.password}</td></tr></table>	<b>Agent_Email</b>	\${agent.email.id.global}	<b>Agent_Password</b>	\${agent.password}
<b>Agent_Email</b>	\${agent.email.id.global}			
<b>Agent_Password</b>	\${agent.password}			
<b>When I Login to Sales Portal with below details</b>				
<table border="1" style="width: 100%;"><tr><td style="padding: 2px;"><b>UserName</b></td><td style="padding: 2px;">\${Agent_Email}</td></tr><tr><td style="padding: 2px;"><b>Password</b></td><td style="padding: 2px;">\${Agent_Password}</td></tr></table>	<b>UserName</b>	\${Agent_Email}	<b>Password</b>	\${Agent_Password}
<b>UserName</b>	\${Agent_Email}			
<b>Password</b>	\${Agent_Password}			
<b>And I enter the verification code if page appears for agent "\${Agent_Email}"</b>				
<b>Then I verify "\${welcome.to.prudential}" screen is displayed</b>				
<b>After</b>				
<a href="#">Back to Table of Contents</a>				
<b>Scenario: Load Premium and modal factor csv file</b>				
Passed: 3				
<b>Before</b>				
<div style="border: 1px solid black; padding: 2px;"><b>When I click on Create Quote Link</b></div>				
<div style="border: 1px solid black; padding: 2px;"><b>Then I navigate to "Select Plan" screen</b></div>				
<div style="border: 1px solid black; padding: 2px;"><b>And I assign value to following variables</b></div>				
<table border="1" style="width: 100%;"><tr><td style="padding: 2px;"><b>ANNUAL_PREMIUM_WITHOUT_GHS_AFTER_TAX</b></td><td style="padding: 2px;">11.40</td></tr><tr><td style="padding: 2px;"><b>ANNUAL_PREMIUM_WITH_GHS_AFTER_TAX</b></td><td style="padding: 2px;">282.76</td></tr></table>	<b>ANNUAL_PREMIUM_WITHOUT_GHS_AFTER_TAX</b>	11.40	<b>ANNUAL_PREMIUM_WITH_GHS_AFTER_TAX</b>	282.76
<b>ANNUAL_PREMIUM_WITHOUT_GHS_AFTER_TAX</b>	11.40			
<b>ANNUAL_PREMIUM_WITH_GHS_AFTER_TAX</b>	282.76			
<b>After</b>				
<a href="#">Back to Table of Contents</a>				
<b>Scenario Outline: Estimated Annual Premium for Plan "GTL" for number of members "1"</b>				
Passed: 7				
<b>Before</b>				

**And I enter following details on select plan page**

No. of Employees	1
------------------	---

**And I click on PAMB GHS "\${selectplan.ghs.no.button}" button**

**And I calculate the estimated premium value for the selected plans into below variable**

ESTIMATED_PREMIUM_ANNUALIZED	1 * \${ANNUAL_PREMIUM_WITHOUT_GHS_ANNUAL}
------------------------------	---

**Output**

```
ESTIMATED_PREMIUM_ANNUALIZED=11.4
```

**Then I verify the the Estimated Annual Premium value on screen should match with "\${ESTIMATED\_PREMIUM\_ANNUALIZED}"**

**Output**

Actual Estimated Premium value on screen =11.40

Expected Estimated Premium value on screen =11.4

**And I click on PAMB GHS "\${selectplan.ghs.yes.button}" button**

**And I calculate the estimated premium value for the selected plans into below variable**

ESTIMATED_PREMIUM_ANNUALIZED	1 * \${ANNUAL_PREMIUM_WITH_GHS_ANNUAL}
------------------------------	--

**Output**

```
ESTIMATED_PREMIUM_ANNUALIZED=282.76
```

**Then I verify the the Estimated Annual Premium value on screen should match with "\${ESTIMATED\_PREMIUM\_ANNUALIZED}"**

**Output**

Actual Estimated Premium value on screen =282.76

Expected Estimated Premium value on screen =282.76

**After**

[Back to Table of Contents](#)

**Scenario Outline: Estimated Annual Premium for Plan "GTL" for number of members "4"**

**Passed: 7**

**Before**

**And I enter following details on select plan page**

No. of Employees	4
------------------	---

**And I click on PAMB GHS "\${selectplan.ghs.no.button}" button**

**And I calculate the estimated premium value for the selected plans into below variable**

ESTIMATED_PREMIUM_ANNUALIZED	4 * \${ANNUAL_PREMIUM_WITHOUT_GHS_ANNUAL}
------------------------------	---

**Output**

```
ESTIMATED_PREMIUM_ANNUALIZED=45.6
```

**Then I verify the the Estimated Annual Premium value on screen should match with "\${ESTIMATED\_PREMIUM\_ANNUALIZED}"****Output**

Actual Estimated Premium value on screen =45.60  
 Expected Estimated Premium value on screen =45.6

**And I click on PAMB GHS "\${selectplan.ghs.yes.button}" button****And I calculate the estimated premium value for the selected plans into below variable**

$$\text{ESTIMATED\_PREMIUM\_ANNUALIZED} = 4 * \text{${ANNUAL\_PREMIUM\_WITH\_GHS\_AFTER\_SELECT\_PLAN}$}$$
**Output**

```
ESTIMATED_PREMIUM_ANNUALIZED=1131.04
```

**Then I verify the the Estimated Annual Premium value on screen should match with "\${ESTIMATED\_PREMIUM\_ANNUALIZED}"****Output**

Actual Estimated Premium value on screen =1131.04  
 Expected Estimated Premium value on screen =1131.04

**After**[Back to Table of Contents](#)**Scenario Outline: Estimated Annual Premium for Plan "GTL" for number of members "5"****Passed: 7****Before****And I enter following details on select plan page**

No. of Employees	5
------------------	---

**And I click on PAMB GHS "\${selectplan.ghs.no.button}" button****And I calculate the estimated premium value for the selected plans into below variable**

$$\text{ESTIMATED\_PREMIUM\_ANNUALIZED} = 5 * \text{${ANNUAL\_PREMIUM\_WITHOUT\_GHS\_AFTER\_SELECT\_PLAN}$}$$
**Output**

```
ESTIMATED_PREMIUM_ANNUALIZED=57.0
```

**Then I verify the the Estimated Annual Premium value on screen should match with "\${ESTIMATED\_ANNUALIZED\_PREMIUM}"****Output**

Actual Estimated Premium value on screen =57.00  
 Expected Estimated Premium value on screen =57.0

**And I click on PAMB GHS "\${selectplan.ghs.yes.button}" button****And I calculate the estimated premium value for the selected plans into below variable****ESTIMATED\_PREMIUM\_ANNUALIZED** $5 * ${ANNUAL_PREMIUM_WITH_GHS_AFTER}$ **Output**

ESTIMATED\_PREMIUM\_ANNUALIZED=1413.8

**Then I verify the the Estimated Annual Premium value on screen should match with "\${ESTIMATED\_ANNUALIZED\_PREMIUM}"****Output**

Actual Estimated Premium value on screen =1413.80  
 Expected Estimated Premium value on screen =1413.8

**After**[Back to Table of Contents](#)**Scenario Outline: Estimated Annual Premium for Plan "GTL" for number of members "50"****Passed: 7****Before****And I enter following details on select plan page****No. of Employees** $50$ **And I click on PAMB GHS "\${selectplan.ghs.no.button}" button****And I calculate the estimated premium value for the selected plans into below variable****ESTIMATED\_PREMIUM\_ANNUALIZED** $50 * ${ANNUAL_PREMIUM_WITHOUT_GHS_AFTER}$ **Output**

ESTIMATED\_PREMIUM\_ANNUALIZED=570.0

**Then I verify the the Estimated Annual Premium value on screen should match with "\${ESTIMATED\_ANNUALIZED\_PREMIUM}"****Output**

Actual Estimated Premium value on screen =570.00  
 Expected Estimated Premium value on screen =570.0

And I click on PAMB GHS "\${selectplan.ghs.yes.button}" button

And I calculate the estimated premium value for the selected plans into below variable

ESTIMATED_PREMIUM_ANNUALIZED	$50 * \${ANNUAL_PREMIUM_WITH_GHS_AFT}$
------------------------------	--

Output

ESTIMATED\_PREMIUM\_ANNUALIZED=14138.0

Then I verify the the Estimated Annual Premium value on screen should match with "\${ESTIMA}

Output

Actual Estimated Premium value on screen =14138.00

Expected Estimated Premium value on screen =14138.0

After

[Back to Table of Contents](#)

Scenario Outline: Estimated Annual Premium for Plan "GTL" for number of members "100"

Passed: 7

Before

And I enter following details on select plan page

No. of Employees	100
------------------	-----

And I click on PAMB GHS "\${selectplan.ghs.no.button}" button

And I calculate the estimated premium value for the selected plans into below variable

ESTIMATED_PREMIUM_ANNUALIZED	$100 * \${ANNUAL_PREMIUM_WITHOUT_GHS_AFT}$
------------------------------	--

Output

ESTIMATED\_PREMIUM\_ANNUALIZED=1140.0

Then I verify the the Estimated Annual Premium value on screen should match with "\${ESTIMA}

Output

Actual Estimated Premium value on screen =1140.00

Expected Estimated Premium value on screen =1140.0

And I click on PAMB GHS "\${selectplan.ghs.yes.button}" button

And I calculate the estimated premium value for the selected plans into below variable

ESTIMATED_PREMIUM_ANNUALIZED	$100 * \${ANNUAL_PREMIUM_WITH_GHS_AFT}$
------------------------------	---

**Output**

```
ESTIMATED_PREMIUM_ANNUALIZED=28276.0
```

**Then I verify the the Estimated Annual Premium value on screen should match with "\${ESTIMATED\_PREMIUM\_ANNUALIZED}"****Output**

Actual Estimated Premium value on screen =28276.00  
 Expected Estimated Premium value on screen =28276.0

**After**[Back to Table of Contents](#)**Scenario Outline: Estimated Annual Premium for Plan "GTL" for number of members "200"****Passed: 7****Before****And I enter following details on select plan page**

No. of Employees	200
------------------	-----

**And I click on PAMB GHS "\${selectplan.ghs.no.button}" button****And I calculate the estimated premium value for the selected plans into below variable**

ESTIMATED_PREMIUM_ANNUALIZED	$200 * \${ANNUAL_PREMIUM_WITHOUT_GHS}$
------------------------------	--

**Output**

```
ESTIMATED_PREMIUM_ANNUALIZED=2280.0
```

**Then I verify the the Estimated Annual Premium value on screen should match with "\${ESTIMATED\_PREMIUM\_ANNUALIZED}"****Output**

Actual Estimated Premium value on screen =2280.00  
 Expected Estimated Premium value on screen =2280.0

**And I click on PAMB GHS "\${selectplan.ghs.yes.button}" button****And I calculate the estimated premium value for the selected plans into below variable**

ESTIMATED_PREMIUM_ANNUALIZED	$200 * \${ANNUAL_PREMIUM_WITH_GHS_AFT}$
------------------------------	---

**Output**

```
ESTIMATED_PREMIUM_ANNUALIZED=56552.0
```

**Then I verify the the Estimated Annual Premium value on screen should match with "\${ESTIMATED\_ANNUAL\_PREMIUM}"****Output**

Actual Estimated Premium value on screen =56552.00  
 Expected Estimated Premium value on screen =56552.0

**After**[Back to Table of Contents](#)**Scenario Outline: Estimated Annual Premium for Plan "GTL" for number of members "1000"****Passed: 7****Before****And I enter following details on select plan page****No. of Employees** 1000**And I click on PAMB GHS "\${selectplan.ghs.no.button}" button****And I calculate the estimated premium value for the selected plans into below variable****ESTIMATED\_PREMIUM\_ANNUALIZED** 1000 \* \${ANNUAL\_PREMIUM\_WITHOUT\_GHS}**Output**

ESTIMATED\_PREMIUM\_ANNUALIZED=11400.0

**Then I verify the the Estimated Annual Premium value on screen should match with "\${ESTIMATED\_ANNUAL\_PREMIUM}"****Output**

Actual Estimated Premium value on screen =11400.00  
 Expected Estimated Premium value on screen =11400.0

**And I click on PAMB GHS "\${selectplan.ghs.yes.button}" button****And I calculate the estimated premium value for the selected plans into below variable****ESTIMATED\_PREMIUM\_ANNUALIZED** 1000 \* \${ANNUAL\_PREMIUM\_WITH\_GHS\_AFT}**Output**

ESTIMATED\_PREMIUM\_ANNUALIZED=282760.0

**Then I verify the the Estimated Annual Premium value on screen should match with "\${ESTIMATED\_ANNUAL\_PREMIUM}"****Output**

Actual Estimated Premium value on screen =282760.00  
 Expected Estimated Premium value on screen =282760.0

**After**[Back to Table of Contents](#)**Scenario Outline: Estimated Annual Premium for Plan "GTL" for number of members "5000"**

Passed: 7

**Before****And I enter following details on select plan page**

No. of Employees	5000
------------------	------

**And I click on PAMB GHS "\${selectplan.ghs.no.button}" button****And I calculate the estimated premium value for the selected plans into below variable**

ESTIMATED_PREMIUM_ANNUALIZED	$5000 * \${ANNUAL_PREMIUM_WITHOUT_GHS}$
------------------------------	---

**Output**

ESTIMATED\_PREMIUM\_ANNUALIZED=57000.0

**Then I verify the the Estimated Annual Premium value on screen should match with "\${ESTIMATED\_PREMIUM\_ANNUALIZED}"****Output**

Actual Estimated Premium value on screen =57000.00

Expected Estimated Premium value on screen =57000.0

**And I click on PAMB GHS "\${selectplan.ghs.yes.button}" button****And I calculate the estimated premium value for the selected plans into below variable**

ESTIMATED_PREMIUM_ANNUALIZED	$5000 * \${ANNUAL_PREMIUM_WITH_GHS_AFFECTED}$
------------------------------	---

**Output**

ESTIMATED\_PREMIUM\_ANNUALIZED=1413800.0

**Then I verify the the Estimated Annual Premium value on screen should match with "\${ESTIMATED\_PREMIUM\_ANNUALIZED}"****Output**

Actual Estimated Premium value on screen =1413800.00

Expected Estimated Premium value on screen =1413800.0

**After**[Back to Table of Contents](#)**Scenario Outline: Estimated Annual Premium for Plan "GTL" for number of members "10000"**

Passed: 7

**Before****And I enter following details on select plan page**

No. of Employees	10000
------------------	-------

**And I click on PAMB GHS "\${selectplan.ghs.no.button}" button****And I calculate the estimated premium value for the selected plans into below variable**

ESTIMATED_PREMIUM_ANNUALIZED	$10000 * \${ANNUAL_PREMIUM_WITHOUT_GH}$
------------------------------	---

**Output**

ESTIMATED\_PREMIUM\_ANNUALIZED=114000.0

**Then I verify the the Estimated Annual Premium value on screen should match with "\${ESTIMA"****Output**

Actual Estimated Premium value on screen =114000.00

Expected Estimated Premium value on screen =114000.0

**And I click on PAMB GHS "\${selectplan.ghs.yes.button}" button****And I calculate the estimated premium value for the selected plans into below variable**

ESTIMATED_PREMIUM_ANNUALIZED	$10000 * \${ANNUAL_PREMIUM_WITH_GHS_AI}$
------------------------------	--

**Output**

ESTIMATED\_PREMIUM\_ANNUALIZED=2827600.0

**Then I verify the the Estimated Annual Premium value on screen should match with "\${ESTIMA"****Output**

Actual Estimated Premium value on screen =2827600.00

Expected Estimated Premium value on screen =2827600.0

**After**[Back to Table of Contents](#)**Scenario: Close Sales Portal**

Passed: 1

**Before****And I close sales portal****After**[Back to Table of Contents](#)

**Feature: Verify agent can download the quotes in pdf format and check all information is correct for GTI****Passed: 9****Scenario: Login to sales portal****Passed: 5****Before****Given Launch sales portal****Output**

```
https://uat-sales.eb.prudential.com.my/
```

**And I assign value to following variables**

Agent_Email	\${agent.email.id.global}
Agent_Password	\${agent.password}
Agent_ID	\${agent.email.id.agentcode}

**When I Login to Sales Portal with below details**

UserName	\${Agent_Email}
Password	\${Agent_Password}

**And I enter the verification code if page appears for agent "\${Agent\_Email}"****Then I verify "\${welcome.to.prudential}" screen is displayed****After****[Back to Table of Contents](#)****Scenario: Assign value to variables and enter details on select plan page****Passed: 7****Before****Given I assign "/testdata/my/ExportQuote" to variable "testdata.path"****Output**

```
Assigning value /testdata/my/ExportQuote to variable testdata.path
```

**And I assign "GTL\_Annual.txt" to variable "FILE\_NAME"****Output**

```
Assigning value GTL_Annual.txt to variable FILE_NAME
```

**And I generate "current date" and assign to variable "PDF\_GENERATION\_DATE" in "yyyyMM"****And I generate "current date" and assign to variable "PDF\_GENERATION\_DATE\_1" in "dd/MM"****And I generate random number and assign to variable "RANDOM\_NUMBER"****Output**

Random number generated is :542

**And I assign "Gtl\_\${RANDOM\_NUMBER}" to variable "COMP\_NAME"**

Output

Assigning value Gtl\_54208030317 to variable COMP\_NAME

**And I generate "future date" and assign to variable "COVERAGE\_DATE" in "dd/MM/yyyy" format**

After

[Back to Table of Contents](#)

**Scenario: Select plan and category**

Passed: 4

Before

**When I click on Create Quote Link**

**Then verify the user is landed on "Select Plan" page**

**Then I enter following details on select plan page**

Company Name	\${COMP_NAME}
Select Coverage Date	\${COVERAGE_DATE}
No. of Employees	10

**And I click on PAMB GHS "\${selectplan.ghs.yes.button}" button**

After

[Back to Table of Contents](#)

**Scenario: Save Quote and get reference number from Quotes screen**

Passed: 11

Before

**And I click on "\${saveQuote.button.text}" button**

**And I get the estimated premium value displayed on select plan page and assign to variable "ESTIMATE"**

**Then I wait for 5 sec**

**When I click on Quotes link**

**And I enter "\${COMP\_NAME}" in search text field in Quotes page**

**Then I get the reference number for searched quote in variable "REF\_NUMBER"**

Output

Reference number is: PAMBUCCHPY

**And I click on Action button next to searched quote**

**And I select "\${quote.action.edit}" option from Action menu**

**And I assign "\${COMP\_NAME}\_\${REF\_NUMBER}\_\${PDF\_GENERATION\_DATE}.pdf" to variable "FILE\_NAME"**

**Output**

```
Assigning value Gtl_54208030317_PAMBUCCHPY_20210308.pdf to variable DOWNLOADED_FILENAME
```

**Given I assign the downloaded file "\${DOWNLOADED\_FILENAME}" to variable "EXPORT\_QUOTE\_PATH"**

**And I assign value to following variables**

QUOTE_REF	\${REF_NUMBER}
TOTAL_PREMIUM_PER_YEAR	\${ESTIMATED_PREMIUM_VAL}

**After**

[Back to Table of Contents](#)

**Scenario Outline: Verify Export Quote is working in "Select Plan" page in sales Journey**

Passed: 7

**Before**

**And I wait for 5 sec**

**Given I delete the downloaded file "\${EXPORT\_QUOTE\_PATH}" if it already exists**

**When I navigate to "Select Plan" screen**

**And I click on export quote button**

**And I wait for 15 sec**

**Then I verify downloaded file name is "\${EXPORT\_QUOTE\_PATH}"**

**Output**

```
Downloaded file name=/tmp/workspace/me-sales-portal-ui-tests_develop/Gtl_54208030317_PAMBUCCHPY_20210308.pdf
```

**And I verify downloaded PDF file "\${EXPORT\_QUOTE\_PATH}" should contain the values in file**

**After**

[Back to Table of Contents](#)

**Scenario Outline: Verify Export Quote is working in "Employees" page in sales Journey**

Passed: 7

**Before**

**And I wait for 5 sec**

**Given I delete the downloaded file "\${EXPORT\_QUOTE\_PATH}" if it already exists**

**When I navigate to "Employees" screen**

**And I click on export quote button**

**And I wait for 15 sec**

**Then I verify downloaded file name is "\${EXPORT\_QUOTE\_PATH}"**

**Output**

```
Downloaded file name=/tmp/workspace/me-sales-portal-ui-tests_develop/Gtl_54208030317_PAMBUCCHPY_20210308.pdf
```

<b>And I verify downloaded PDF file "\${EXPORT_QUOTE_PATH}" should contain the values in file</b>
<b>After</b>
<a href="#">Back to Table of Contents</a>
<b>Scenario Outline: Verify Export Quote is working in "Company" page in sales Journey</b>
Passed: 7
<b>Before</b>
<b>And I wait for 5 sec</b>
<b>Given I delete the downloaded file "\${EXPORT_QUOTE_PATH}" if it already exists</b>
<b>When I navigate to "Company" screen</b>
<b>And I click on export quote button</b>
<b>And I wait for 15 sec</b>
<b>Then I verify downloaded file name is "\${EXPORT_QUOTE_PATH}"</b>
<b>Output</b>
Downloaded file name=/tmp/workspace/me-sales-portal-ui-tests_develop/Gtl_54208030317_PAMBUCCHPY_20210308.pdf
<b>And I verify downloaded PDF file "\${EXPORT_QUOTE_PATH}" should contain the values in file</b>
<b>After</b>
<a href="#">Back to Table of Contents</a>
<b>Scenario Outline: Verify Export Quote is working in "Submit" page in sales Journey</b>
Passed: 7
<b>Before</b>
<b>And I wait for 5 sec</b>
<b>Given I delete the downloaded file "\${EXPORT_QUOTE_PATH}" if it already exists</b>
<b>When I navigate to "Submit" screen</b>
<b>And I click on export quote button</b>
<b>And I wait for 15 sec</b>
<b>Then I verify downloaded file name is "\${EXPORT_QUOTE_PATH}"</b>
<b>Output</b>
Downloaded file name=/tmp/workspace/me-sales-portal-ui-tests_develop/Gtl_54208030317_PAMBUCCHPY_20210308.pdf
<b>And I verify downloaded PDF file "\${EXPORT_QUOTE_PATH}" should contain the values in file</b>
<b>After</b>
<a href="#">Back to Table of Contents</a>
<b>Scenario: Close Sales Portal</b>
Passed: 1
<b>Before</b>
<b>And I close sales portal</b>
<b>After</b>

[Back to Table of Contents](#)**Feature: Verify agent can download the quotes in pdf format and check all information is correct for GT**

Passed: 9

**Scenario: Login to sales portal**

Passed: 5

**Before****Given Launch sales portal**

Output

https://uat-sales.eb.prudential.com.my/

**And I assign value to following variables**

Agent_Email	\${agent.email.id.global}
Agent_Password	\${agent.password}
Agent_ID	\${agent.email.id.agentcode}

**When I Login to Sales Portal with below details**

UserName	\${Agent_Email}
Password	\${Agent_Password}

**And I enter the verification code if page appears for agent "\${Agent\_Email}"****Then I verify "\${welcome.to.prudential}" screen is displayed****After**[Back to Table of Contents](#)**Scenario: Assign value to variables and enter details on select plan page**

Passed: 7

**Before****Given I assign "/testdata/my/ExportQuote" to variable "testdata.path"**

Output

Assigning value /testdata/my/ExportQuote to variable testdata.path

**And I assign "GTL\_WithoutGHS.txt" to variable "FILE\_NAME"**

Output

Assigning value GTL\_WithoutGHS.txt to variable FILE\_NAME

**And I generate "current date" and assign to variable "PDF\_GENERATION\_DATE" in "yyyyMM"****And I generate "current date" and assign to variable "PDF\_GENERATION\_DATE\_1" in "dd/MM"****And I generate random number and assign to variable "RANDOM\_NUMBER"**

Output

Random number generated is :464

**And I assign "Gtl\_\${RANDOM\_NUMBER}" to variable "COMP\_NAME"**

Output

Assigning value Gtl\_4640803034 to variable COMP\_NAME

**And I generate "future date" and assign to variable "COVERAGE\_DATE" in "dd/MM/yyyy" for**

After

[Back to Table of Contents](#)

**Scenario: Select plan and category**

Passed: 4

Before

**When I click on Create Quote Link**

**Then verify the user is landed on "Select Plan" page**

**Then I enter following details on select plan page**

Company Name	\${COMP_NAME}
Select Coverage Date	\${COVERAGE_DATE}
No. of Employees	10

**And I click on PAMB GHS "\${selectplan.ghs.no.button}" button**

After

[Back to Table of Contents](#)

**Scenario: Save Quote and get reference number from Quotes screen**

Passed: 11

Before

**And I click on "\${saveQuote.button.text}" button**

**And I get the estimated premium value displayed on select plan page and assign to variable "ESTI**

**Then I wait for 5 sec**

**When I click on Quotes link**

**And I enter "\${COMP\_NAME}" in search text field in Quotes page**

**Then I get the reference number for searched quote in variable "REF\_NUMBER"**

Output

Reference number is: PAMBRPMQQG

**And I click on Action button next to searched quote**

**And I select "\${quote.action.edit}" option from Action menu**

**And I assign "\${COMP\_NAME}\_\${REF\_NUMBER}\_\${PDF\_GENERATION\_DATE}.pdf" to var**

**Output**

```
Assigning value Gtl_4640803034_PAMBRPMQQG_20210308.pdf to variable DOWNLOADED_FILENAME
```

**Given I assign the downloaded file "\${DOWNLOADED\_FILENAME}" to variable "EXPORT\_QUOTE\_PATH"**

**And I assign value to following variables**

<b>QUOTE_REF</b>	<b>  \${REF_NUMBER}</b>
<b>TOTAL_PREMIUM_PER_YEAR</b>	<b>  \${ESTIMATED_PREMIUM_VAL}</b>

**After**

[Back to Table of Contents](#)

**Scenario Outline: Verify Export Quote is working in "Select Plan" page in sales Journey**

Passed: 7

**Before**

**And I wait for 5 sec**

**Given I delete the downloaded file "\${EXPORT\_QUOTE\_PATH}" if it already exists**

**When I navigate to "Select Plan" screen**

**And I click on export quote button**

**And I wait for 15 sec**

**Then I verify downloaded file name is "\${EXPORT\_QUOTE\_PATH}"**

**Output**

```
Downloaded file name=/tmp/workspace/me-sales-portal-ui-tests_develop/Gtl_4640803034_PAMBRPMQQG_20210308.pdf
```

**And I verify downloaded PDF file "\${EXPORT\_QUOTE\_PATH}" should contain the values in file**

**After**

[Back to Table of Contents](#)

**Scenario Outline: Verify Export Quote is working in "Employees" page in sales Journey**

Passed: 7

**Before**

**And I wait for 5 sec**

**Given I delete the downloaded file "\${EXPORT\_QUOTE\_PATH}" if it already exists**

**When I navigate to "Employees" screen**

**And I click on export quote button**

**And I wait for 15 sec**

**Then I verify downloaded file name is "\${EXPORT\_QUOTE\_PATH}"**

**Output**

```
Downloaded file name=/tmp/workspace/me-sales-portal-ui-tests_develop/Gtl_4640803034_PAMBRPMQQG_20210308.pdf
```

<b>And I verify downloaded PDF file "\${EXPORT_QUOTE_PATH}" should contain the values in file</b>
<b>After</b>
<a href="#">Back to Table of Contents</a>
<b>Scenario Outline: Verify Export Quote is working in "Company" page in sales Journey</b>
Passed: 7
<b>Before</b>
<b>And I wait for 5 sec</b>
<b>Given I delete the downloaded file "\${EXPORT_QUOTE_PATH}" if it already exists</b>
<b>When I navigate to "Company" screen</b>
<b>And I click on export quote button</b>
<b>And I wait for 15 sec</b>
<b>Then I verify downloaded file name is "\${EXPORT_QUOTE_PATH}"</b>
<b>Output</b>
Downloaded file name=/tmp/workspace/me-sales-portal-ui-tests_develop/Gtl_4640803034_PAMBRPMQQG_20210308.pdf
<b>And I verify downloaded PDF file "\${EXPORT_QUOTE_PATH}" should contain the values in file</b>
<b>After</b>
<a href="#">Back to Table of Contents</a>
<b>Scenario Outline: Verify Export Quote is working in "Submit" page in sales Journey</b>
Passed: 7
<b>Before</b>
<b>And I wait for 5 sec</b>
<b>Given I delete the downloaded file "\${EXPORT_QUOTE_PATH}" if it already exists</b>
<b>When I navigate to "Submit" screen</b>
<b>And I click on export quote button</b>
<b>And I wait for 15 sec</b>
<b>Then I verify downloaded file name is "\${EXPORT_QUOTE_PATH}"</b>
<b>Output</b>
Downloaded file name=/tmp/workspace/me-sales-portal-ui-tests_develop/Gtl_4640803034_PAMBRPMQQG_20210308.pdf
<b>And I verify downloaded PDF file "\${EXPORT_QUOTE_PATH}" should contain the values in file</b>
<b>After</b>
<a href="#">Back to Table of Contents</a>
<b>Scenario: Close Sales Portal</b>
Passed: 1
<b>Before</b>
<b>And I close sales portal</b>
<b>After</b>

[Back to Table of Contents](#)