

Overview

	Passed	Failed	Known	Undefined	Total	%Passed
Features	13	24	0	0	37	35%
Scenarios	78	268	0	0	346	23%
Steps	734	268	0	605	1,607	46%

Overall Duration: 3h 24m 31s

Table of Contents

1. [Verify that user can view air quality details under My Environment screen](#)
 1. [Verify that user can view previous air quality details under My Environment Home page](#)
 2. [Verify that user can view Current air quality details under My Environment Home page](#)
 3. [Verify that user can view air quality details for next few days under My Environment Home page](#)
 4. [Verify that user can access and view Neighbourhood air quality details under My Environment Home page](#)
 5. [Verify that user can access and view Fires nearby under My Environment Home page](#)
 6. [Verify that user can view effects of the poor environment and upcoming activities under My Environment Home page](#)
 7. [Verify that User can view coming soon activities under My Environment Home](#)
2. [Verify the BabyLon call 995 flow on Pulse Health & Wealth app](#)
 1. [User should be able to login on app with correct credentials and the BabyLon call 995 flow must be verified](#)
3. [Verify the BabyLon Perianal lump workflow is working as expected](#)
 1. [User should be able to access Babylon from Pulse app and perform Perianal lump workflow](#)
4. [Verify the BabyLon Malignant Neoplasm Breast lump workflow is working as expected](#)
 1. [User should be able to access Babylon from Pulse app and perform Breast lump workflow](#)
5. [Verify the BabyLon Human Immune Virus workflow is working as expected](#)
 1. [User should be able to access Babylon from Pulse app and perform Human Immune Virus Rash workflow](#)
6. [Verify the BabyLon Groin Mass workflow is working as expected](#)
 1. [User should be able to access Babylon from Pulse app and perform Groin mass workflow](#)
7. [Verify the BabyLon Prostatic HyperPlasia workflow is working as expected](#)
 1. [User should be able to access Babylon from Pulse app and perform Prostatic Hyperplasia workflow](#)
 2. [User should be able to view the chat history in Babylon system checker screen after consultation](#)
8. [Verify the BabyLon Rib Fracture workflow is working as expected and user can the chat history after consultation](#)
 1. [User should be able to access Babylon from Pulse app and perform Rib Fracture workflow](#)
9. [Verify that user can locate near by Hospitals,clinics using PruShoppe Location feature](#)
 1. [User should be able to locate Hospitals using PruShoppe location](#)
 2. [User should be able to locate cli using PruShoppe location](#)
10. [Verify User should be able to Download as PDF Files & Validate the details in downloaded Mydoc Documents.](#)
 1. [Verify User should be able to navigate to Consultation Summary and see all available Files](#)

2. Verify User should be able to see the Referral,Prescription and eMC Documents
 3. Verify User should be able to download eMC Document
 4. Verify User should be able to verify the eMC details in downloaded PDF file
 5. Verify User should be able to download Prescription Document
 6. Verify User should be able to verify the Prescription details in downloaded PDF file
 7. Verify User should be able to download the Referral Document
 8. Verify User should be able to verify the Referral details in downloaded PDF file
11. **Verify MyDoc doctor consultation Summary on Pulse Health & Wealth app**
1. Verify User should be able to navigate to Consultation Summary and see all available Files
 2. Verify User should be able to see the Referral,Prescription and eMC Documents
 3. Verify User should be presented with the Mydoc Chat bot questions log
 4. Verify User can able to chat with Mydoc Chat bot
 5. Verify User should be able to update the medical profile for registered user
 6. Verify User should be able to see the payment screen fields
 7. Verify User should be able to select payment with existing added card
 8. Verify User should be able to start online pre consultation
 9. Verify User should be able see the allocated doctor details
12. **Verify MyDoc functionality on Pulse Health**
1. Verify the Home screen validation using "Continue with Email"
 2. Verify the online consultation screen user fields
 3. Verify the online consultation screen user fields after swipe down
 4. Verify User should be able to enter address and zipcode
 5. Verify User should be able to upload NRIC Image in Online Consultation screen
 6. Verify User should be presented with the symptoms checker questions log
 7. Verify User can able to chat with chatbot symptoms checker
 8. Verify User should be presented with the sample text on the Medical Profile screen as a first time user
 9. Verify User should be able to create the medical profile
 10. Verify User should be able to see the payment screen fields
 11. Verify User should be able enter the card details
 12. Verify User should be able see the added card successfully
 13. Verify User should be able to start online pre consultation
 14. Verify User should be able see the allocated doctor details
13. **Verify User should be able see all available documents in All My Files screen**
1. Verify User should be able to navigate to Consultation Summary and see all available Files
 2. Verify User should be able to see the Referral,Prescription and eMC Documents
14. **Verify MY Event channel functionality on one pulse App**
1. Verify User should be able to login using email account
 2. Verify MyEvent Functionality in Home screen
 3. Verify Open Events tab
 4. Verify Events Archive tab
15. **Verify My Health Content functionality on one pulse App**
1. Verify User should be able to login using email account
 2. Verify User should be able to navigate to Health page
 3. Verify User should be able to Share the post
 4. Verify User should be able to view the full page article post
 5. Verify User should be able to see the Like, Share, Comment options on full page article post
 6. Verify User should be able to Like the post in full article view screen
 7. Verify User should be able to Share the post in full article view screen
 8. Verify User can navigate to Health homepage

16. **Verify Pru Safe Covid-19 Cover functionality on one pulse App**

1. **Verify User should be able to register on app using email account**
2. **Verify User should be able to see the PRU Shoppe screen**
3. **Verify User should be able to see the PRUSafe COVIDCover screen options**
4. **Verify User should be able to see the PRUSafe COVIDCover screen options**
5. **validate the nric number through singpass**
6. **Verify User should be able to see the My Info Consent screen and proceed**
7. **Verify User should be able to select country of birth & Residency status**
8. **Verify User should be able to select lived outside singapore for past 5 year**
9. **Verify User should able to see Payment summary details**
10. **Verify User verify All 3 Terms and conditions**
11. **Verify User should be accept All 3 Terms and conditions and proceed**
12. **Verify User should be able to see the PRUSafe COVIDCover screen options**

17. **Verify Pru Safe Covid-19 Cover functionality on one pulse App**

1. **Verify User should be able to register on app using email account**
2. **Verify User should be able to see the PRU Shoppe screen**
3. **Verify User should be able to see the PRUSafe COVIDCover screen options**
4. **Verify User should be able to see the PRUSafe COVIDCover screen options**
5. **validate the nric number through singpass**
6. **Verify User should be able to see the My Info Consent screen and proceed**
7. **Verify User should be able to select country of birth & Residency status**
8. **Verify User should be able to select lived outside singapore for past 5 year**
9. **Verify User should able to see Payment summary details**
10. **Verify User verify All 3 Terms and conditions**
11. **Verify User should be accept All 3 Terms and conditions and proceed**
12. **Verify User should be able to see the PRUSafe COVIDCover screen options**

18. **Verify Pru Safe Covid-19 Cover functionality on one pulse App**

1. **Verify User should be able to register on app using email account**
2. **Verify User should be able to see the PRU Shoppe screen**
3. **Verify User should be able to see the PRUSafe COVIDCover screen options**
4. **Verify User should be able to see the PRUSafe COVIDCover screen options**
5. **validate the nric number through singpass**
6. **Verify User should be able to see the My Info Consent screen and proceed**
7. **Verify User should be able to select country of birth & Residency status**
8. **Verify User should be able to select lived outside singapore for past 5 year**
9. **Verify User should be accept the Terms and proceed**
10. **Verify User should be able to see the PRUSafe COVIDCover screen options**

19. **Verify Pru Safe Covid-19 Cover functionality on one pulse App**

1. **Verify User should be able to register on app using email account**
2. **Verify User should be able to see the PRU Shoppe screen**
3. **Verify User should be able to see the PRUSafe COVIDCover screen options**
4. **Verify User should be able to see the PRUSafe COVIDCover screen options**
5. **validate the nric number through singpass**
6. **Verify User should be able to see the My Info Consent screen and proceed**
7. **Verify User should be able to select country of birth & Residency status**
8. **Verify User should be able to select lived outside singapore for past 5 year**
9. **Verify User should be accept the Terms and proceed**
10. **Verify User should be able to see the PRUSafe COVIDCover screen options**

20. **Verify login functionality on One Pluse App**

1. **User should be able to login on app with correct credentials using "Continue with Gmail"**
2. **Verify the Invalid Email id in login screen using "Continue with Gmail"**

3. Verify the User not registered email in login screen using "Continue with Gmail"
 4. User should be able to retrieve the reset password using forget password link
 5. Verify Account should be locked after entering more than 5 times incorrect passwords
 6. Verify the Login Functionality using "Continue with Google"
21. Verify legal and legacy on One Pluse App
1. User should be able to login on app with correct credentials using "Continue with Gmail"
 2. Verify the Terms and condition should be displayed
 3. Verify the Privacy screen should be displayed
 4. Verify the Regulator screen should be displayed
22. Verify Edit Profile functionality on Pulse Health & Wealth app
1. Verify User should be able to navigate to Edit profile screen and should be able to change the profile on app
 2. Verify User should be able to change the profile picture in edit profile screen
 3. Verify user can able to change the details in edit profile screen
 4. Verify the email and COR fields are non-editable in edit profile screen
 5. Verify User should be able to see the registration required pop up if user not completed MyDoc Registration
 6. Verify User should not be able to edit Gender and DOB fields on myDoc registration page once the user submitted their gender and DOB in edit profile
 7. Verify User should be able to upload NRIC Image in Online Consultation screen
 8. Verify User should be able to Edit mobile number on profile screen
 9. Verify user can able to change the phone number details in edit profile screen
 10. Verify user should be able to see the OTP Verification Screen
23. Verify MySettings functionality in Account screen
1. User should be able to login on app with correct credentials using "Continue with Gmail"
 2. Verify the My Feedback screen in Account tab
 3. Verify the submit functionality in My feedback screen
 4. Verify the Pulse Personalised tab
 5. Verify the Marketing Consent in Account tab
24. Verify registration functionality on one pluse App
1. Verify the Multiple User Register login using "Continue with Email"
 2. Invalid Registration in password field
 3. Verify the Already Registered Email id in sign up screen using "Continue with Gmail."
 4. Verify the mobile number screen validation using "Continue with Email"
 5. Verify the Gender screen validation using "Continue with Email"
 6. Verify the Multiple User Register login using "Continue with Email"
25. Verify share with friends functionality in onepulse app
1. Verify user can login using CONTINUE WITH GOOGLE option
 2. Verify User should be able to share the link with Whatsapp
 3. Verify User should be able to share the link with Contacts app
 4. Verify User should be able to share the link with Messenger app
 5. Verify User should be able to share the link with Viber app
 6. Verify User should be able to share the link with Line app
26. Verify User should be able to using the wealth daily financial functionality
1. Verify User should be able to register on app using email account
 2. Verify User should be able to see the wealth screen options
 3. Verify the terms and condition and proceed
 4. Verify User should be able to see checkbox options
 5. Verify User can create the new goal by entering required details
27. Verify wealth registration functionality on one pulse App
1. Verify User should be able to register on app using email account

2. Verify User should be able to see the wealth screen options
 3. Verify User can navigate to terms and condition page
 4. Verify the terms and condition screen contents
 5. Verify User should be able enter details for wealth registration
 6. Verify wealth registration screen user fields
 7. Verify User should be able to complete the registration successfully
 8. Verify User can navigate to new goal page
 9. Verify wealth registration screen user fields
 10. Verify user can set correct retirement age on retirement goal page
 11. Verify user select the Simple lifestyle plan
 12. Verify Add My CPF Account screen user fields
 13. Verify user can enter the CPF Account details in Add my cpf screen
 14. Verify Risk Exposure options
 15. Verify user select the I can't stand risk option from risk exposure options list
 16. Verify User should be able to see goal details
 17. Verify User should be able to see the CREATED goal success message pop up
 18. Verify User should be able to edit the created retirement goal on retirement goal page
 19. Verify User should be able to see the EDITED goal success message pop up
 20. Verify User should be able to see delete pop up for the created goal
 21. Verify Add My CPF Account screen user fields
 22. Verify can Add My Retirement Account
 23. Verify user can able to see the Added My Retirement Account in Retirement goal screen
 24. Verify can able to DELETE the Private Retirement Account in Retirement goal screen
 25. Verify Private Retirement Account edit screen user fields
 26. Verify can able to EDIT the Private Retirement Account in Retirement goal screen
 27. Verify user can able to see the EDITED Private Retirement Account in Retirement goal screen
 28. Verify User should be able to see EXCEEDING Status in savings goal screen
28. Verify User should be able to Edit Savings account for created Goal
1. Verify the Multiple User Register login using "Continue with Email"
 2. Verify User should be able to see the wealth screen options
 3. Verify the terms and condition and proceed
 4. Verify User should be able to complete the registration successfully
 5. Verify User can navigate to new goal page
 6. Verify User should be able to see the New Goal screen options
 7. Verify User should be able to see the alert message with out enter the goal and amount
 8. Verify User can add a new goal from savings goal screen
 9. Verify User should be able to see Another created goal details
 10. Verify User can add the second goal with savings plan
 11. Verify User should be able to see Second goal Allocate Savings screen details
 12. Verify User should be able to see Add another goal plan status
 13. Verify User should be able to see created goal details in savings goal page
29. Verify wealth registration functionality on one pulse App
1. Verify User should be able to register on app using email account
 2. Verify User should be able to see the wealth screen options
 3. Verify User can navigate to terms and condition page
 4. Verify the terms and condition screen contents
 5. Verify User should be able to see the wealth registration screen user fields
 6. Verify User should be able enter details for wealth registration
 7. Verify wealth registration screen user fields
 8. Verify User should be able to complete the registration successfully

9. Verify User can navigate to new goal page
 10. Verify wealth registration screen user fields
 11. Verify user can set correct retirement age on retirement goal page
 12. Verify user select the Simple lifestyle plan
 13. Verify Add My CPF Account screen user fields
 14. Verify user can enter the CPF Account details in Add my cpf screen
 15. Verify Risk Exposure options
 16. Verify user select the I can't stand risk option from risk exposure options list
 17. Verify User should be able to see goal details
 18. Verify User should be able to see the CREATED goal success message pop up
 19. Verify User should be able to edit the created retirement goal on retirement goal page
 20. Verify User should be able to see the EDITED goal success message pop up
 21. Verify User should be able to see delete pop up for the created goal
 22. Verify Add My CPF Account screen user fields
 23. Verify can Add My Retirement Account
 24. Verify user can able to see the Added My Retirement Account in Retirement goal screen
 25. Verify can able to DELETE the Private Retirement Account in Retirement goal screen
 26. Verify Private Retirement Account edit screen user fields
 27. Verify can able to EDIT the Private Retirement Account in Retirement goal screen
 28. Verify user can able to see the EDITED Private Retirement Account in Retirement goal screen
 29. Verify user can able to DELETE the Private Retirement Account in Retirement goal screen
 30. Verify User should be able to see EXCEEDING Status in savings goal screen
 31. Verify User can able to DELETE the created goal
30. Verify User should be able to using the wealth My Goal End to End functionality
1. Verify User should be able to register on app using email account
 2. Verify User should be able to see the wealth screen options
 3. Verify the terms and condition and proceed
 4. Verify User should be able to complete the registration successfully
 5. Verify User can navigate to new goal page
 6. Verify User should be able to see the New Goal screen options
 7. Verify User should be able to see the alert message with out enter the goal and amount
 8. Verify User can create the new goal by entering required details
 9. Verify User should be able to see EASY goal assessment screen details
 10. Verify User should be able to see ACHIEVABLE goal assessment screen details
 11. Verify User should be able to see CHALLENGING goal assessment screen details
 12. Verify User should be able to SET CUSTOM GOAL assessment screen details
 13. Verify User can able to create a new goal successfully
 14. Verify User should be able to edit the created goal
 15. Verify User should be able to see delete pop up for the created goal
 16. Verify User should be able to see created goal details
 17. Verify User should be able to see Add to my savings screen details
 18. Verify User should be able to see Allocate Savings screen details
 19. Verify User can verify the savings plan details
 20. Verify User can navigate to my goal homepage
 21. Verify User should be able to see created goal details in my goal homepage
 22. Verify User should be able to see created goal details in savings goal screen
 23. Verify User can add a new goal from savings goal screen
 24. Verify User should be able to see Another created goal details
 25. Verify User can add the second goal with savings plan
 26. Verify User should be able to see Second goal Allocate Savings screen details

27. **Verify User should be able to see Add another goal plan status**
28. **Verify User should be able to see Added another goal status in savings goal screen**
31. **Verify wealth registration functionality with negative optional scenarios on one pulse App**
1. **Verify User should be able to register on app using email account**
 2. **Verify User should be able to see the wealth screen options**
 3. **Verify User can navigate to terms and condition page**
 4. **Verify the terms and condition screen contents**
 5. **Verify User should be able to see the wealth registration screen user fields**
 6. **Verify User should be able enter details for wealth registration**
 7. **Verify wealth registration screen user fields**
 8. **Verify User should be able to complete the registration successfully**
 9. **Verify user can able to login second time using registered wealth credentials**
32. **Verify User should be able to using the RUBY CHAT BOT for wealth My Goal functionality**
1. **Verify User should be able to register on app using email account**
 2. **Verify User should be able to see the wealth screen options**
 3. **Verify the terms and condition and proceed**
 4. **Verify User should be able to complete the registration successfully**
 5. **Verify User can navigate to Ruby chat bot screen**
 6. **Verify User can abe to see the Ruby chat bot welcome screen options**
 7. **Verify User can abe to select the Savings Option in chat bot screen**
 8. **Verify User can abe to select the Savings Option in chat bot screen**
 9. **Verify User can abe to enter goal amount in chat bot screen**
 10. **Verify User can abe to see the Easy, Achievable, Challenging messages in chat bot screen**
 11. **Verify User can abe to create the my goal using chat bot screen successfully**
 12. **Verify User can abe to see default option for savings to allocate to this goal**
 13. **Verify User can abe to allocate the savings to the goal using chat bot**
 14. **Verify User can allocate the savings to the goal for Banking**
 15. **Verify User should be able to see created goal details in my goal homepage**
 16. **Verify User should be able to see created goal details in savings goal screen**
33. **Verify User can use the wealth channel 360 View functionality**
1. **Verify the Login Functionality using "Continue with Google"**
 2. **Verify User should be able to see the wealth screen options**
 3. **Verify User can navigate to wealth 360 view page**
 4. **Verify User should be able to see the wealth 360 view screen options**
 5. **Verify User should be able to see the wealth 360 view screen recommended topics**
 6. **Verify User should be able to see wealth 360 view registration confirmation screen details**
34. **Verify wealth Call me back functionality on one pulse App**
1. **Verify User should be able to register on app using email account**
 2. **Verify User should be able to navigate to wealth page**
 3. **Verify the terms and condition and proceed**
 4. **Verify User should be able to complete the registration successfully**
 5. **Verify User can navigate to Call me back screen**
 6. **Verify User should be able to see Call me back purpose dropdown options**
 7. **Verify User should be able to complete the appointment using call by agent tab**
 8. **Verify User can navigate to Call me back Email screen from PRUSHield plan**
 9. **Verify User should be able to see Email tab purpose dropdown options**
 10. **Verify User should be able to complete the appointment using email tab**
35. **Verify wealth channel functionality on one pulse App**
1. **Verify User should be able to login using email account**
 2. **Verify User should be able to navigate to wealth page**
 3. **Verify User should be able to see the wealth screen options**

4. Verify User should be able to view the story post
 5. Verify User should be able to see the story post Like, Share, Comment options
 6. Verify User should be able to Like the post
 7. Verify User should be able to Share the post
 8. Verify User should be able to Comment the post
 9. Verify User should be able to view the full page article post
 10. Verify User should be able to see the Like, Share, Comment options on full page article post
 11. Verify User should be able to Like the post in full article view screen
 12. Verify User should be able to Share the post in full article view screen
 13. Verify User should be able to Comment the post in full article view screen
 14. Verify User can navigate to wealth homepage
36. **Verify User should be able to Create multiple goals with different STATUS**
1. Verify User should be able to register on app using email account
 2. Verify User should be able to see the wealth screen options
 3. Verify the terms and condition and proceed
 4. Verify User should be able to complete the registration successfully
 5. Verify User can navigate to new goal page
 6. Verify User should be able to see the New Goal screen options
 7. Verify User can create the new goal by entering required details
 8. Verify User should be able to see EASY goal assessment screen details
 9. Verify User can able to create a new goal successfully
 10. Verify User should be able to see OFF TRACK Status in created goal
 11. Verify User should be able to see created goal details in savings goal screen
 12. Verify User should be able to see delete pop up for the created goal
 13. Verify User can add a new goal from savings goal screen
 14. Verify User should be able to see Add to my savings screen details
 15. Verify User should be able to see Allocate Savings screen details
 16. Verify User should be able to see EXCEEDING Status in savings goal screen
 17. Verify User should be able to see delete pop up for the created goal
 18. Verify User should be able to register on app using email account
 19. Verify User should be able to see the wealth screen options
 20. Verify the terms and condition and proceed
 21. Verify User should be able to complete the registration successfully
 22. Verify User can navigate to new goal page
 23. Verify User can add a new goal from savings goal screen
 24. Verify User should be able to see Another created goal details
 25. Verify User can add the second goal with savings plan
 26. Verify User should be able to see Second goal Allocate Savings screen details
 27. Verify User should be able to see Add another goal plan status
 28. Verify User should be able to see COMPLETED status in savings goal screen
 29. Verify User should be able to see delete pop up for the created goal
 30. Verify User can add a new goal from savings goal screen
 31. Verify User should be able to see Another created goal details
 32. Verify User can add the second goal with savings plan
 33. Verify User should be able to see Second goal Allocate Savings screen details
 34. Verify User should be able to see Add another goal plan status
 35. Verify User should be able to see MOVING AT PACE status in savings goal screen
37. **Verify wealth registration functionality on one pulse App**
1. Verify User should be able to register on app using email account
 2. Verify User should be able to see the wealth screen options


3. Verify User can navigate to terms and condition page
4. Verify the terms and condition screen contents
5. Verify User should be able to see the wealth registration screen user fields
6. Verify User should be able enter details for wealth registration
7. Verify wealth registration screen user fields
8. Verify User should be able to complete the registration successfully

Detailed Results Report

Feature: Verify that user can view air quality details under My Environment screen						
Passed: 6	Failed: 1	Undefined: 0	Duration: 327.01s			
Scenario: Verify that user can view previous air quality details under My Environment Home page						
Passed: 12	Failed: 0	Undefined: 0	Duration: 101.45s			
Before						
Given User has pulse app			10.52s			
And user click on "CONTINUE WITH GOOGLE" with Google button			5.57s			
And I click the "Email" in Continue with Gmail			15.40s			
Emailid	\${facebook.text}					
Password	pulsesgqa@123					
Then user should be landed home screen			0.10s			
When I clicks on Health button			6.44s			
And I clicks on My Environment icon			24.05s			
Then User must be landed in My Environment Home Page			23.21s			
When User clicks on Previous Air quality button			0.34s			
Then User can view "Previous" Air quality search screen			5.79s			
When User clicks on "Swipe Up for Details" button to view the Previous day air quality details			5.92s			
Then User can see the "Previous" Air Quality Details			3.26s			
When User clicks on "Swipes Down To Close" button to close the details			0.42s			
After						
Back to Table of Contents						
Scenario: Verify that user can view Current air quality details under My Environment Home page						
Passed: 7	Failed: 0	Undefined: 0	Duration: 39.45s			
Before						
And User clicks on "Back" icon from "Previous Air Quality" screen to move to My Environments HomePage			0.91s			
Then User must be landed in My Environment Home Page			23.02s			
When User clicks on Current Air quality button			0.36s			
Then User can view "Current" Air quality search screen			5.57s			
When User clicks on "Swipe Up for Details" button to view current day air quality details			5.47s			
Then User can see the "Current" Air Quality Details			3.55s			
When User clicks on "Swipes Down To Close" button to close the details			0.56s			

After			0.00s
Back to Table of Contents			
Scenario: Verify that user can view air quality details for next few days under My Environment Home page			
Passed: 7	Failed: 0	Undefined: 0	Duration: 38.41s
Before			0.00s
And User clicks on "Back" icon from "Current Air Quality" screen to move to My Environments HomePage			0.96s
Then User must be landed in My Environment Home Page			22.79s
When User clicks on "How is my air quality over the next few days" icon in Environments Home Page			0.31s
Then User can view "Forecast" Air quality search screen			5.98s
When User clicks on "Swipe Up for Details" button to view current day air quality details			5.43s
Then User can see the "ForeCast" Air Quality Details			2.01s
When User clicks on "Swipes Down To Close" button to close the details			0.93s
After			0.00s
Back to Table of Contents			
Scenario: Verify that user can access and view Neighbourhood air quality details under My Environment Home page			
Passed: 4	Failed: 0	Undefined: 0	Duration: 30.01s
Before			0.00s
And User clicks on "Back" icon from "Next Few Days Air Quality" screen to move to My Environments HomePage			2.43s
Then User must be landed in My Environment Home Page			21.64s
When User clicks on My Neighbourhood air icon in Home Page			0.31s
Then User can view "Heat Map" Air quality search screen			5.64s
After			0.00s
Back to Table of Contents			
Scenario: Verify that user can access and view Fires nearby under My Environment Home page			
Passed: 6	Failed: 0	Undefined: 0	Duration: 34.4s
Before			0.00s
And User clicks on "Back" icon from "Neighbourhood Air Quality" screen to move to My Environments HomePage			0.41s
Then User must be landed in My Environment Home Page			21.84s
When User clicks on Fires NearBy icon in Home Page			0.39s
Then User can view "Fires NearBy" Air quality search screen			5.46s
When User clicks on "Swipe Up for Details" button to view current day air quality details			5.39s
When User clicks on "Swipes Down To Close" button to close the details			0.91s
After			0.00s
Back to Table of Contents			
Scenario: Verify that user can view effects of the poor environment and upcoming activities under My Environment Home page			

Passed: 4	Failed: 0	Undefined: 0	Duration: 27.76s
Before			0.00s
And User clicks on "Back" icon from "Fires Nearby" screen to move to My Environments HomePage			0.92s
Then User must be landed in My Environment Home Page			22.63s
When User clicks on "Why is it important to monitor my environment" icon in environment Home Page			0.45s
Then User can view short term and long term effects screen			3.76s
After			0.00s
Back to Table of Contents			
Scenario: Verify that User can view coming soon activities under My Environment Home			
Passed: 2	Failed: 1	Undefined: 0	Duration: 55.54s
Before			0.00s
And User clicks on "Back" icon from "Effects of Poor Air Quality" screen to move to My Environments HomePage			0.43s
Then User must be landed in My Environment Home Page			20.49s
Then User can see the upcoming air quality check programs			30.67s
<p>java.lang.AssertionError: The following asserts failed: Coming Soon text is not matching with the UI in Environment home screen expected [true] but found [false], Pollen Heat Map image is not displayed under coming soon section in Environment home screen expected [true] but found [false], Monitor Allergic triggers image is not displayed under coming soon section in Environment home screen expected [true] but found [false] at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43) at com.onepulse.app.screens.MyEnvironmentsScreen.verifyUpComingAirQualityTasks (MyEnvironmentsScreen.java:226) at com.onepulse.app.stepdefinitions.mobilesteps.MyEnvironmentSteps. userCanSeeTheUpcomingAirQualityCheckPrograms(MyEnvironmentSteps.java:109) at .Then User can see the upcoming air quality check programs(features/sg/health /MyEnvironments.feature:74)</p>			

	
After	3.94s
Back to Table of Contents	

Feature: Verify the BabyLon call 995 flow on Pulse Health & Wealth app

Passed: 1	Failed: 0	Undefined: 0	Duration: 146.82s
-----------	-----------	--------------	-------------------

Scenario: User should be able to login on app with correct credentials and the BabyLon call 995 flow must be verified

Passed: 14	Failed: 0	Undefined: 0	Duration: 146.82s				
Before	0.00s						
Given User has pulse app			13.46s				
And I assign "androidhraparity4@mailsac.com" to variable "PULSE_EMAIL"			0.01s				
When I navigate to login page			7.64s				
When user enters credentials			19.32s				
<table border="1"> <tr> <td>UserName</td> <td> \${PULSE_EMAIL}</td> </tr> <tr> <td>Password</td> <td>Pulse@123</td> </tr> </table>			UserName	\${PULSE_EMAIL}	Password	Pulse@123	
UserName	\${PULSE_EMAIL}						
Password	Pulse@123						
And User clicks on signin button			0.25s				
Then I wait for 10 sec			10.01s				
And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}"			28.15s				
And I navigate to Babylon Symptoms Page			11.99s				
Then I enter "Suicide" symptoms on Babylon screen And select "Thinking about ending your life."			39.82s				
Then I wait for 2 sec			2.00s				
Then I verify following conditions are displayed			0.15s				
I'm sorry you're having thoughts of self-harm or suicide. I'm stopping your assessment as this is beyond my capability. You can talk to someone from the Samaritans of Singapore							

	(SOS) at 1800-221 4444. If this is an emergency, call 995 immediately. Please know you're not alone.	
	Then I close the babylon symptoms checker screen	0.27s
	Then user views chat history	1.95s
	Then I sign out from pulse app	11.81s
After		0.00s
	Back to Table of Contents	

Feature: Verify the BabyLon Perianal lump workflow is working as expected

Following condition should meet to run this script:

Age:48

Sex:Male

Country:Singapore

Passed: 1	Failed: 0	Undefined: 0	Duration: 401.33s			
Scenario: User should be able to access Babylon from Pulse app and perform Perianal lump workflow						
Passed: 19	Failed: 0	Undefined: 0	Duration: 401.33s			
Before						
Given User has pulse app						
And I assign "\${Babylon.AnalLump}" to variable "PULSE_EMAIL"						
When I navigate to login page						
When user enters credentials						
UserName	{\${PULSE_EMAIL}}					
Password	\${Password.text}					
And User clicks on signin button	0.22s					
Then I wait for 10 sec	10.01s					
And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}"	28.01s					
And I navigate to Babylon Symptoms Page	14.61s					
Then I enter "Anal Lump" symptoms on Babylon screen And select "Feeling a lump around the opening of the back passage"	39.71s					
Then I click on Ok button after noting the caseid:	0.41s					
text	Thanks for taking part in user testing. Please record the following case id					
Then I handle questions and answer	252.50s					
Other people with your symptoms sometimes experience pain around the buttocks or anus. Have you experienced this?	No					
This is a bit personal, but have you noticed any of these problems around your anus?	Skin irritation##Submit					
One symptom that can be concerning is bleeding from the anus. Have you experienced this?	Yes					
Where have you seen the blood?	Mixed in with my stools					
Have you noticed any of these issues when you pass stool?	I have to strain to pass a stool##Submit					

	Do any of these describe your poos (stools)?	None of the above##Submit
	Have you gained or lost weight recently without trying to?	No
	Have you ever had sex (vaginal or anal)?	Yes
	Have you had sex (vaginal or anal) in the past 6 months?	No
	Please select any of the following sexual activities that apply to you, I ask this question because some sexual activities can increase your risk of infection.	None of the above##Submit
	How long have you had all of your symptoms for?	For months
	Do you have any pain in your abdomen?	No
	Do you have or have you recently had a fever?	No
	Have you experienced any difficulty breathing?	None of the above##Submit
	Is your heart beating faster than usual?	No
	Have you felt dizzy or light-headed recently?	No
	Has there been a significant change in your bowel habits, lasting for a few days or more?	Yes
	Then I verify the closure summary and click on continue button	5.81s
	Great, we're all done. Please remember, this service is only for general information purposes and isn't a personal or medical diagnosis. If your symptoms persist, change or worsen, or you are concerned seek further advice.	
	Then I click on view results to see the possible causes	8.36s
	And Verify following possible causes are displayed	0.38s
	Piles or haemorrhoids	
	Something potentially serious	
	When I select on "Piles or haemorrhoids" cause with offset 100 in report	0.35s
	Then I verify following conditions are displayed	1.92s
	Piles or haemorrhoids	
	This can usually be treated by a pharmacist.	
	Why this condition could be the potential cause?	
	Some of your answers indicate that this condition could be the cause:	
	Straining when passing stool	
	Fresh blood in stool	
	Lump around anus	
	Anus irritation	
	And I click on back button to move back to possible causes screen	1.43s
	When I select on "Something potentially serious" cause with offset 500 in report	1.43s
	Then I verify following conditions are displayed	1.98s
	Something potentially serious	
	This usually requires seeing a GP.	
	Why this condition could be the potential cause?	
	Change in bowel habit	
	Straining when passing stool	
	Fresh blood in stool	
	Lump around anus	

	Anus irritation			
After		0.00s		
Back to Table of Contents				
Feature: Verify the BabyLon Malignant Neoplasm Breast lump workflow is working as expected				
<i>Following condition should meet to run this script:</i>				
<i>Age:54</i>				
<i>Sex:Female</i>				
<i>Country:Singapore</i>				
Passed: 1	Failed: 0	Undefined: 0		
Duration: 378.8s				
Scenario: User should be able to access Babylon from Pulse app and perform Breast lump workflow				
Passed: 22	Failed: 0	Undefined: 0		
Before		0.00s		
Given I assign "\${pulse.babylon.breastlump.username}" to variable "PULSE_EMAIL"				
And I assign "Pulse@123" to variable "USER_PASSWORD"				
And User has pulse app				
When I navigate to login page				
When user enters credentials				
UserName	\${PULSE_EMAIL}			
Password	\${USER_PASSWORD}			
And User clicks on signin button				
Then I wait for 10 sec				
And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}"				
And I navigate to Babylon Symptoms Page				
Then I enter "Breast Lump" symptoms on Babylon screen And select "A lump or mass under the skin of the breast"				
Then I click on Ok button after noting the caseid:				
text	Thanks for taking part in user testing. Please record the following case id			
Then I handle questions and answer				
Have you had any pain in your breasts?				
Have you noticed any of the following changes in your breast(s)?				
Does your breast feel hot to touch?				
Have you had any discharge from your nipple recently?				
How would you describe your nipple discharge?				
Have either of your parents, or any siblings, ever been diagnosed with breast cancer?				
Has your mother, or any sisters, ever been diagnosed with ovarian cancer?				
Can you feel a lump in your armpit?				
Have you gained or lost weight recently without trying to?				
Have you recently injured your breast?				

	How long have you had all of your symptoms for?	For weeks
	Do you have or have you recently had a fever?	No
	Does the slightest knock or bump cause you to bruise?	No
	Do you have pain in your bones?	No
	Do you have a significantly weakened immune system due to an existing condition or from taking medication?	No
	Then I verify the closure summary and click on continue button	5.13s
	text If your symptoms persist, change or worsen, or you are concerned seek further advice.	
	Then I click on view results to see the possible causes	8.67s
	And Verify following possible causes are displayed	1.14s
	Something potentially serious	
	Breast abscess	
	When I select on "Something potentially serious" cause with offset 100 in report	0.37s
	Then I verify following conditions are displayed	2.00s
	Something potentially serious	
	This usually requires seeing a GP.	
	Why this condition could be the potential cause?	
	Some of your answers indicate that this condition could be the cause:	
	Lump or mass in armpit	
	Inverted nipple	
	Blood-stained nipple discharge	
	Family history of breast cancer	
	Breast lump	
	And I click on back button to move back to possible causes screen	0.19s
	When I select on "Breast abscess" cause with offset 500 in report	1.49s
	Then I verify following conditions are displayed	2.21s
	Breast abscess	
	This usually requires seeing a GP urgently.	
	Why this condition could be the potential cause?	
	Lump or mass in armpit	
	Inverted nipple	
	Blood-stained nipple discharge	
	Breast lump	
	And I click on back button to move back to home	12.21s
	Then I sign out from pulse app	12.54s
After		0.00s
Back to Table of Contents		

Feature: Verify the BabyLon Human Immune Virus workflow is working as expected**Following condition should meet to run this script:****Age:25****Sex:Male****Country:Singapore****Passed: 1****Failed: 0****Undefined: 0****Duration: 513.99s**

Scenario: User should be able to access Babylon from Pulse app and perform Human Immune Virus Rash workflow			
Passed: 21	Failed: 0	Undefined: 0	Duration: 513.99 s
Before			0.00s
Given User has pulse app			9.26s
And I assign "androidhrapharity5@mailsac.com" to variable "PULSE_EMAIL"			0.00s
When I navigate to login page			6.85s
When user enters credentials			19.48s
UserName	<code> \${PULSE_EMAIL}</code>		
Password	<code>Pulse@123</code>		
And User clicks on signin button			0.29s
Then I wait for 10 sec			10.01s
And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}"			28.82s
And I navigate to Babylon Symptoms Page			10.97s
Then I enter "Rash" symptoms on Babylon screen And select "Change in appearance of skin colour or texture"			37.67s
Then I click on Ok button after noting the caseid:			0.37s
text	Thanks for taking part in user testing. Please record the following case id		
Then I handle questions and answer			340.32s
Does your rash become lighter in colour when you press on it?		Yes	
Have you experienced any difficulty breathing?		I don't know##Submit	
Do you have any problems with your tongue?		None of the above##Submit	
Does any part of your face look swollen?		I don't know	
Do you have any of these problems with your eyelid(s)?		I don't know##Submit	
Do you have or have you recently had a fever?		Yes	
Do you have a cough?		Yes	
Is it a dry cough or are you bringing something up?		Dry	
Have you been coughing a lot more at night?		No	
Do you have a sore throat or any of these problems?		Swollen tonsils##Submit	
How long have you had all of your symptoms for?		For months	
Have you gained or lost weight recently without trying to?		Lost weight unexpectedly	
Does the slightest knock or bump cause you to bruise?		No	
Do you have pain in your bones?		No	
Do you have a significantly weakened immune system due to an existing condition or from taking medication?		No	
Is there an unusual lump or swelling in the front middle part of your neck?		Yes	
Have either of your parents or any siblings been diagnosed with an overactive thyroid?		Yes	

	Have either of your parents, or any siblings, ever been diagnosed with thyroid cancer?	Yes
	Do you have any pain in your abdomen?	No
	Do any of these describe your poos (stools)?	They are loose or watery (diarrhoea), and I'm going more often than usual##Submit
	Have you had diarrhoea more than 6 times in one day?	Yes
	Do you regularly have diarrhoea at night?	No
	Have you noticed your skin or the whites of your eyes going yellow?	No
	Then I verify the closure summary and click on continue button	6.17s
	Great, we're all done. Please remember, this service is only for general information purposes and isn't a personal or medical diagnosis. If your symptoms persist, change or worsen, or you are concerned seek further advice.	
	Then I click on view results to see the possible causes	9.50s
	And Verify following possible causes are displayed	0.36s
	Overactive thyroid	
	Thyrotoxic crisis	
	When I select on "Overactive thyroid" cause with offset 100 in report	0.35s
	Then I verify following conditions are displayed	2.53s
	Overactive thyroid	
	This usually requires seeing a GP.	
	Why this condition could be the potential cause?	
	Some of your answers indicate that this condition could be the cause:	
	Family history of hyperthyroidism	
	Unintentional weight loss	
	Diarrhoea	
	Severe diarrhoea	
	Rash that becomes lighter when pressed	
	Swelling in neck	
	And I click on back button to move back to possible causes screen	0.19s
	When I select on "Thyrotoxic crisis" cause with offset 500 in report	1.57s
	Then I verify following conditions are displayed	2.90s
	Thyrotoxic crisis	
	This is usually treated at the emergency department.	
	Why this condition could be the potential cause?	
	Family history of hyperthyroidism	
	Unintentional weight loss	
	Diarrhoea	
	Severe diarrhoea	
	Rash that becomes lighter when pressed	
	Fever	
	Swelling in neck	
	And I click on back button to move back to home	12.24s


	Then I sign out from pulse app	14.14s																		
After		0.00s																		
Back to Table of Contents																				
Feature: Verify the BabyLon Groin Mass workflow is working as expected																				
<i>Following condition should meet to run this script:</i>																				
<i>Age:55</i>																				
<i>Sex:Male</i>																				
<i>Country:Singapore</i>																				
Passed: 1	Failed: 0	Undefined: 0																		
Duration: 451.02s																				
Scenario: User should be able to access Babylon from Pulse app and perform Groin mass workflow																				
Passed: 23	Failed: 0	Undefined: 0																		
Duration: 451.02s																				
Before		0.02s																		
<table border="1"> <tr> <td>Given User has pulse app</td> <td>8.97s</td> </tr> <tr> <td>And I assign "androidhrapharity6@mailsac.com" to variable "PULSE_EMAIL"</td> <td>0.00s</td> </tr> <tr> <td>When I navigate to login page</td> <td>7.91s</td> </tr> <tr> <td>When user enters credentials</td> <td>17.51s</td> </tr> <tr> <td> UserName \${PULSE_EMAIL}</td> <td></td> </tr> <tr> <td> Password Pulse@123</td> <td></td> </tr> </table>			Given User has pulse app	8.97s	And I assign "androidhrapharity6@mailsac.com" to variable "PULSE_EMAIL"	0.00s	When I navigate to login page	7.91s	When user enters credentials	17.51s	UserName \${PULSE_EMAIL}		Password Pulse@123							
Given User has pulse app	8.97s																			
And I assign "androidhrapharity6@mailsac.com" to variable "PULSE_EMAIL"	0.00s																			
When I navigate to login page	7.91s																			
When user enters credentials	17.51s																			
UserName \${PULSE_EMAIL}																				
Password Pulse@123																				
And User clicks on signin button																				
Then I wait for 10 sec																				
And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}"																				
Then I wait for 14 sec																				
And I navigate to Babylon Symptoms Page																				
Then I wait for 6 sec																				
Then I enter "Groin mass" symptoms on Babylon screen And select "A lump under the skin at the hip crease."																				
Then I click on Ok button after noting the caseid:																				
text	Thanks for taking part in user testing. Please record the following case id																			
Then verify user is landed to inguinal hernia consultation screen																				
When I handle questions and answer																				
<table border="1"> <tr> <td>What best describes the swelling in your groin?</td> <td>It comes and goes depending on my position or if I press on it</td> </tr> <tr> <td>Have you injured your groin recently?</td> <td>No</td> </tr> <tr> <td>Do you have pain in your groin?</td> <td>No</td> </tr> <tr> <td>Do you have any pain in your abdomen?</td> <td>No</td> </tr> <tr> <td>Do you have any pain in your testicles?</td> <td>No</td> </tr> <tr> <td>Have you noticed any of these changes in your testicles?</td> <td>None of the above##Submit</td> </tr> <tr> <td>Does it hurt or sting when you urinate?</td> <td>No</td> </tr> <tr> <td>When urinating, have you noticed any of the following?</td> <td>None of the above##Submit</td> </tr> <tr> <td>Do you have or have you recently had a fever?</td> <td>No</td> </tr> </table>			What best describes the swelling in your groin?	It comes and goes depending on my position or if I press on it	Have you injured your groin recently?	No	Do you have pain in your groin?	No	Do you have any pain in your abdomen?	No	Do you have any pain in your testicles?	No	Have you noticed any of these changes in your testicles?	None of the above##Submit	Does it hurt or sting when you urinate?	No	When urinating, have you noticed any of the following?	None of the above##Submit	Do you have or have you recently had a fever?	No
What best describes the swelling in your groin?	It comes and goes depending on my position or if I press on it																			
Have you injured your groin recently?	No																			
Do you have pain in your groin?	No																			
Do you have any pain in your abdomen?	No																			
Do you have any pain in your testicles?	No																			
Have you noticed any of these changes in your testicles?	None of the above##Submit																			
Does it hurt or sting when you urinate?	No																			
When urinating, have you noticed any of the following?	None of the above##Submit																			
Do you have or have you recently had a fever?	No																			

	Do you feel sick or have you vomited?	None of the above##Submit
	How long have you had all of your symptoms for?	For months
	Have you gained or lost weight recently without trying to?	Lost weight unexpectedly
	Have you ever had sex (vaginal or anal)?	No
	Do you have a cough?	No
	Do any of these describe your poos (stools)?	None of the above##Submit
	One symptom that can be concerning is bleeding from the anus. Have you experienced this?	No
	Have you been diagnosed with either of these thyroid conditions?	No
	Then I verify the closure summary and click on continue button	5.28s
	Great, we're all done. Please remember, this service is only for general information purposes and isn't a personal or medical diagnosis. If your symptoms persist, change or worsen, or you are concerned seek further advice.	
	Then I click on view results to see the possible causes	10.15s
	When I click on "inguinal hernia" cause	0.22s
	Then I verify following conditions are displayed	1.74s
	Uncomplicated inguinal hernia	
	This usually requires seeing a GP.	
	Reducible groin mass	
	Groin mass or lump	
	And I click on back button to move back to possible causes screen	0.21s
	When I click on "femoral hernia" cause	1.46s
	Then I verify following conditions are displayed	1.62s
	Uncomplicated femoral hernia	
	This usually requires seeing a GP.	
	Reducible groin mass	
	Groin mass or lump	
	And I click on back button to move back to home	12.36s
	Then I sign out from pulse app	15.80s
	After	0.00s
	Back to Table of Contents	
Feature: Verify the BabyLon Prostatic HyperPlasia workflow is working as expected		
<i>Following condition should meet to run this script:</i>		
<i>Age:58</i>		
<i>Sex:Male</i>		
<i>Country:Singapore</i>		
Passed: 1	Failed: 1	Undefined: 0
Duration: 657.71s		
Scenario: User should be able to access Babylon from Pulse app and perform Prostatic Hyperplasia workflow		
Passed: 21	Failed: 0	Undefined: 0
Duration: 551.34s		
Before		
0.00s		

Given I assign "\${pulse.babylon.prostatic.username}" to variable "PULSE_EMAIL"	0.00s
And I assign "\${parity.password}" to variable "USER_PASSWORD"	0.00s
Given User has pulse app	8.52s
When I navigate to login page	6.70s
When I login into pulse app with below details	18.06s
UserName \${PULSE_EMAIL}	
Password \${USER_PASSWORD}	
Then I wait for 10 sec	10.01s
And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}"	28.30s
And I navigate to Babylon Page and Accept TermsAndCondition	26.88s
Then I enter "Difficulty passing urine" symptoms on Babylon screen And select "Problems passing urine."	37.76s
Then I click on Ok button after noting the caseid:	0.35s
text Thanks for taking part in user testing. Please record the following case id	
Then I handle questions and answer	356.47s
Which problems are you having when urinating?	Flow isn't as strong as usual##Dribbling after urinating##Submit
Does it hurt or sting when you urinate?	No
When urinating, have you noticed any of the following?	Urinating more often than usual##Urgently needing to urinate##Difficulty starting to urinate##Submit
Does your urine look different to usual?	Yes
In what way does your urine look different?	None of the above##Submit
Have you ever been diagnosed with 3 or more urinary tract infections in a single year?	No
Do any of these describe your poos (stools)?	I don't know##Submit
Do you have any pain in your abdomen?	No
Do you feel sick or have you vomited?	None of the above##Submit
Do you have or have you recently had a fever?	No
How long have you had all of your symptoms for?	For days
Have you noticed any of these issues when you pass stool?	None of the above##Submit
One symptom that can be concerning is bleeding from the anus. Have you experienced this?	No
Have you gained or lost weight recently without trying to?	Lost weight unexpectedly
Do you have pain in your back?	No
Have you noticed any abnormal muscle weakness lately?	None of the above##Submit

	This might sound a bit strange but does your anus feel numb when wiping?	No
	Do you have bowel incontinence?	No
	Have you been involved in a traffic accident recently?	No
	Do you currently have any of these prostate conditions?	No##Submit
	Have you been shivering intensely or uncontrollably?	No
	Have you had any of these problems with your penis?	None of the above##Submit
	Do you have any pain in your testicles?	No
	Then I verify the closure summary and click on continue button	5.37s
	text If your symptoms persist, change or worsen, or you are concerned seek further advice.	
	Then I click on view results to see the possible causes	9.13s
	And Verify following possible causes are displayed	10.08s
	Something potentially serious	
	Benign Prostatic Hyperplasia	
	When I select on "Benign Prostatic Hyperplasia" cause with offset 100 in report	0.35s
	Then I verify following conditions are displayed	1.97s
	Benign Prostatic Hyperplasia	
	This usually requires seeing a GP.	
	Why this condition could be the potential cause?	
	Some of your answers indicate that this condition could be the cause:	
	Difficulty starting urination	
	Increased frequency of urination	
	Urgent need to urinate	
	Decreased flow of urine	
	Dribbling of urine	
	And I click on back button to move back to possible causes screen	0.21s
	When I select on "Something potentially serious" cause with offset 500 in report	1.55s
	Then I verify following conditions are displayed	1.89s
	Something potentially serious	
	This usually requires seeing a GP.	
	Why this condition could be the potential cause?	
	Unintentional weight loss	
	Difficulty starting urination	
	Increased frequency of urination	
	Urgent need to urinate	
	Decreased flow of urine	
	Dribbling of urine	
	And I click on back button to move back to home	12.91s
	Then I sign out from pulse app	14.84s
After		0.00s

Back to Table of Contents							
Scenario: User should be able to view the chat history in Babylon system checker screen after consultation							
Passed: 9	Failed: 1	Undefined: 13	Duration: 106.37 s				
Before							
Given I assign "\${pulse.babylon.prostatic.username}" to variable "PULSE_EMAIL"	0.00s						
And I assign "\${parity.password}" to variable "USER_PASSWORD"	0.00s						
Given User has pulse app	8.60s						
When I navigate to login page	7.25s						
When I login into pulse app with below details	17.59s						
<table border="1"> <tr> <td>UserName</td><td> \${PULSE_EMAIL}</td></tr> <tr> <td>Password</td><td> \${USER_PASSWORD}</td></tr> </table>	UserName	\${PULSE_EMAIL}	Password	\${USER_PASSWORD}			
UserName	\${PULSE_EMAIL}						
Password	\${USER_PASSWORD}						
Then I wait for 45 sec	45.01s						
Given I create connection for api service	0.05s						
And I set endpoint url for reading email as "https://mailsac.com/api/addresses/\${PULSE_EMAIL}/messages/"	0.00s						
And I send request to "get" the otp with "https://mailsac.com/api/raw/\${PULSE_EMAIL}/" stored into variable "EMAIL OTP"	1.67s						
And I enter "\${EMAIL OTP}" OTP	25.27s						
<pre>java.lang.ArrayIndexOutOfBoundsException: Index 1 out of bounds for length 1 at com.onepulse.app.api.PulseMailSacApi.getMessageIdFromMailsacEmail(PulseMailSacApi.java:56) at com.onepulse.app.api.PulseMailSacApi.getOTPfromEmail(PulseMailSacApi.java:100) at com.onepulse.app.screens.PulseRegistrationScreen.enterOTP(PulseRegistrationScreen.java:240) at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.enterOTP(RegistrationSteps.java:48) at .And I enter "\${EMAIL OTP}" OTP(features/sg/health/babylon/BabylonProstaticHyperplasia.feature:140)</pre>							
And I navigate to Babylon Page and Accept TermsAndCondition	0.00s						
Then I click on view chat history	0.00s						
And verify user is landed to Babylon Chat History Screen	0.00s						
Then I wait for 5 sec	0.00s						
Then I verify the chat history is "present"	0.00s						
And I get the count of babylon chat history in variable "CHAT_HISTORY_COUNT"	0.00s						
Then I open latest babylon chat history logs	0.00s						
Then I wait for 2 sec	0.00s						
Then I verify the chat history should show full chat	0.00s						
Then I close the babylon latest Chat History screen	0.00s						
Then I verify a new chat history is not created	0.00s						
And I move back to home screen from view chat history screen	0.00s						
And I sign out from pulse app	0.00s						



After	0.92s
-------	--------------

[Back to Table of Contents](#)

Feature: Verify the BabyLon Rib Fracture workflow is working as expected and user can the chat history after consultation

Following condition should meet to run this script:

Age:39

Sex:Male

Country:Singapore

Passed: 0	Failed: 1	Undefined: 0	Duration: 145.64s
-----------	-----------	--------------	-------------------

Scenario: User should be able to access Babylon from Pulse app and perform Rib Fracture workflow

Passed: 9	Failed: 1	Undefined: 13	Duration: 145.64s
-----------	-----------	---------------	-------------------

Before

Given User has pulse app **8.48s**

And I assign "androidhraparity8@mailsac.com" to variable "PULSE_EMAIL" **0.00s**

When I navigate to login page **6.91s**

When user enters credentials **18.53s**

UserName	\${PULSE_EMAIL}
Password	Pulse@123

And User clicks on signin button **0.22s**

Then I wait for 10 sec **10.01s**

And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}"


28.19s

And I navigate to Babylon Symptoms Page

10.80s

Then I enter "Chest Pain" symptoms on Babylon screen And select "Pain in the

	chest."	38.34s
	Then verify user is landed to Rib Fracture consultation screen	22.74s
<pre>java.lang.AssertionError: expected [true] but found [false] at org.testng.Assert.fail(Assert.java:94) at org.testng.Assert.failNotEquals(Assert.java:513) at org.testng.Assert.assertTrue(Assert.java:42) at org.testng.Assert.assertTrue(Assert.java:52) at com.onepulse.app.stepdefinitions.mobilesteps.BabylonSteps. verifyRibFractureLandingScreen(BabylonSteps.java:129) at .Then verify user is landed to Rib Fracture consultation screen(features/sg/health/babylon /BabylonRibFracture.feature:32)</pre>		
	When I handle questions and answer	0.00s
	Where in your chest is the pain?	Right##Submit
	How would you describe your chest pain?	Dull or aching
	Is your chest pain close to the worst pain you can imagine?	No
	Did your chest pain start very suddenly or gradually?	Gradually
	Does the pain in your chest go anywhere else?	No##Submit
	Do any of these make your chest pain better or worse?	Moving around makes it worse##Submit
	Then I click on Ok button after noting the caseid:	0.00s
	text Thanks for taking part in user testing. Please record the following case id	
	Then I handle questions and answer	0.00s
	How long have you had all of your symptoms for?	For days
	Have you been diagnosed with diabetes?	No
	Are you diagnosed with high cholesterol?	No
	Do you currently have a diagnosis of the following blood pressure problems?	No
	Do you smoke cigarettes?	I've never smoked
	Do you have a body mass index (BMI) over 30 or has a medical professional told you that you're obese?	No
	Do any of the following apply to you?	None of the above##Submit
	Have you experienced any difficulty breathing?	None of the above##Submit
	Do you have a cough?	No
	Is your ribcage or chest painful when you press or touch it?	Yes
	Have you injured your chest recently?	Yes
	Then I verify the closure summary and click on continue button	0.00s
	text Great, we're all done. Please remember, this service is only for general information purposes and isn't a personal or medical diagnosis. If your symptoms persist, change or worsen, or you are concerned seek further advice.	
	Then I click on view results to see the possible causes	0.00s
	And Verify following 3 possible causes are displayed	0.00s
	When I click on "Chest strain" cause	0.00s

Then I verify following conditions are displayed	0.00s
Chest wall muscle strain	
This can usually be treated at home.	
Why this condition could be the potential cause?	
Some of your answers indicate that this condition could be the cause:	
Injury of chest wall	
Pain in chest made worse with movement of ribs	
Right sided chest pain	
Dull chest pain	
Painful to press on chest	
And I click on back button to move back to possible causes screen	0.00s
When I click on "Costochondritis" cause	0.00s
Then I verify following conditions are displayed	0.00s
Costochondritis	
This can usually be treated at home.	
Why this condition could be the potential cause?	
Injury of chest wall	
Pain in chest made worse with movement of ribs	
Right sided chest pain	
Dull chest pain	
Painful to press on chest	
And I click on back button to move back to home	0.00s
Then I sign out from pulse app	0.00s
	
After	1.42s
Back to Table of Contents	

Feature: Verify that user can locate near by Hospitals,clinics using PruShoppe Location feature


Passed: 0	Failed: 2	Undefined: 0	Duration: 128.03s
Scenario: User should be able to locate Hospitals using PruShoppe location			
Passed: 6	Failed: 1	Undefined: 13	Duration: 64.4s
Before			
			0.00s
Given User has pulse app			8.83s
And user click on "CONTINUE WITH GOOGLE" with Google button			5.51s
And I click the "Email" in Continue with Gmail			15.21s
Emailid	\${facebook.text}		
Password	pulsesgqa@123		
Then user should be landed home screen			0.05s
When I clicks on Health button			5.78s
Then I clicks on Location button			13.15s
When I clicks on Search here text field			13.09s
<p>org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.</p> <p>For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html</p> <p>Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'</p> <p>System info: host: 'Bavirisetts-MacBook-Pro.local', ip: 'fe80:0:0:0:91:d010:e7b3:bd5e%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'</p> <p>Driver info: io.appium.java_client.android.AndroidDriver</p> <p>Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel: SM-G985F, deviceName: R58N34BC9EH, deviceScreenDensity: 450, deviceScreenSize: 1080x2400, deviceUDID: R58N34BC9EH, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.8125, platform: LINUX, platformName: Android, platformVersion: 10, statusBarHeight: 73, takesScreenshot: true, viewportRect: {height: 2119, left: 0, top: 73, width: 1080}, warnings: {}, webStorageEnabled: false}</p> <p>Session ID: 6eb89cb5-cd05-4e5b-b1ce-6fbf0f34c647</p> <p>*** Element info: {Using=xpath, value=//android.view.ViewGroup//android.view.ViewGroup[2]/android.widget.TextView}</p> <p>at jdk.internal.reflect.GeneratedConstructorAccessor25.newInstance(Unknown Source)</p> <p>at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)</p> <p>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)</p> <p>at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)</p> <p>at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)</p> <p>at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)</p>			

```

at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.LocationScreen.clickSearchTextFieldInMaps(LocationScreen.java:59)
at com.onepulse.app.stepdefinitions.mobilesteps.LocationSteps.iClicksOnSearchHereTextField
(LocationSteps.java:34)
at .When I clicks on Search here text field(features/sg/health/locator/PruShoppeLocation.feature:33)

```

And I clicks on "Hospitals" under Pulse Search	0.00s
Then User can see the list of "Hospitals" near by to user's current location	0.00s
And User can see that Call, Navigate and See Details links are displayed under "Hospitals" search results	0.00s
When I clicks on See Details button on First result	0.00s
Then I can see the "Hospital" Information screen with Navigate and Call Now buttons	0.00s
When I clicks on "Speciality" tab	0.00s
Then I verify the Speciality screen is displayed	0.00s
When I clicks on "Doctors" tab	0.00s
Then I verify the Doctors screen is displayed	0.00s
When I clicks on "Rooms" tab	0.00s
Then I verify the Rooms screen is displayed	0.00s
When I clicks on back button in See Details screen	0.00s
And I clicks on back button in "Hospitals" screen	0.00s



After		2.77s
-------	--	-------

[Back to Table of Contents](#)

Scenario: User should be able to locate cli using PruShoppe location

Passed: 6	Failed: 1	Undefined: 7	Duration: 63.63s
Before	0.00s		

Given User has pulse app 8.32s

And user click on "CONTINUE WITH GOOGLE" with Google button 5.51s

And I click the "Email" in Continue with Gmail 15.38s

Emailid	\${facebook.text}
Password	pulsesgqa@123

Then user should be landed home screen 0.02s

Then I clicks on Health button 5.64s

Then I clicks on Location button 13.01s

When I clicks on Search here text field 13.22s

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.

For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html


Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'Bavirisettils-MacBook-Pro.local', ip: 'fe80:0:0:0:91:d010:e7b3:bd5e%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'

Driver info: io.appium.java_client.android.AndroidDriver

Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true,

platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel: SM-G985F, deviceName: R58N34BC9EH, deviceScreenDensity: 450, deviceScreenSize: 1080x2400, deviceUDID: R58N34BC9EH, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.8125, platform: LINUX, platformName: Android, platformVersion: 10, statusBarHeight: 73, takesScreenshot: true, viewportRect: {height: 2119, left: 0, top: 73, width: 1080}, warnings: {}, webStorageEnabled: false}
Session ID: de5e82c1-e856-4305-afad-ad921004f609
*** Element info: {Using=xpath, value=/android.view.ViewGroup//android.view.ViewGroup[2]/android.widget.TextView}
at jdk.internal.reflect.GeneratedConstructorAccessor25.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By\$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands\$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.LocationScreen.clickSearchTextFieldInMaps(LocationScreen.java:59)

	<p>at com.onepulse.app.stepdefinitions.mobilesteps.LocationSteps.iClicksOnSearchHereTextField (LocationSteps.java:34)</p> <p>at .When I clicks on Search here text field(features/sg/health/locator/PruShoppeLocation.feature:57)</p>		
	And I clicks on "Clinics" under Pulse Search 0.00s		
	Then User can see the list of "Clinics" near by to user's current location 0.00s		
	And User can see that Call, Navigate and See Details links are displayed under "Clinics" search results 0.00s		
	When I clicks on See Details button on First result 0.00s		
	Then I can see the "Clinic" Information screen with Navigate and Call Now buttons 0.00s		
	When I clicks on back button in See Details screen 0.00s		
	And I clicks on back button in "Clinic" screen 0.00s		
			
After	2.54s		
Back to Table of Contents			
Feature: Verify User should be able to Download as PDF Files & Validate the details in downloaded Mydoc Documents.			
Passed: 8	Failed: 0	Undefined: 0	Duration: 197.67s
Scenario: Verify User should be able to navigate to Consultation Summary and see all available Files			
Passed: 13	Failed: 0	Undefined: 0	Duration: 102.33s
Before			0.00s
Given User has pulse app			8.52s
And I assign "\${onepulse.login.id.mydoc}" to variable "PULSE_EMAIL"			0.01s
When I navigate to login page			6.84s

	When user enters credentials	18.39s
	UserName \${PULSE_EMAIL}	
	Password Pas\$1234	
	And User clicks on signin button	0.24s
	Then I wait for 10 sec	10.01s
	And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}"	28.11s
	Then user should be landed to "Home" screen	8.60s
	When I navigate to medical records screen	3.32s
	Then User verify following texts are displayed in medical records screen	1.64s
	All My Files	
	When I click on Consultation History link	10.29s
	And I verify following texts are displayed	0.88s
	Consultation History	
	And I click on Consultation History screen back button	5.49s
After		0.00s
Back to Table of Contents		
Scenario: Verify User should be able to see the Referral,Prescription and eMC Documents		
Passed: 4	Failed: 0	Undefined: 0
Before		0.00s
	When I click on All My Files link	8.23s
	Then I wait for 8 sec	8.01s
	And I verify following texts are displayed	0.46s
	All My Files	
	Then User verify following documents are displayed in All My Files Screen	0.52s
	Referral-11th-January-2021-KJRYIP3Q2BRB.pdf	
	Prescription-11th-January-2021-KJRYHM3H2BRB.pdf	
	eMC-11th-January-2021-13980.pdf	
After		0.00s
Back to Table of Contents		
Scenario: Verify User should be able to download eMC Document		
Passed: 3	Failed: 0	Undefined: 0
Before		0.00s
	And I click on emc attachment	0.19s
	And I click on download button for attachments	7.45s
	And I download "\${EMC_FILE_NAME}" pdf file from phone to local machine	0.32s
After		0.00s
Back to Table of Contents		
Scenario: Verify User should be able to verify the eMC details in downloaded PDF file		
Passed: 2	Failed: 0	Undefined: 0
Before		0.00s
	Then I verify following details are displayed in PDF File "\${EMC_FILE_NAME}"	1.21s

	<table border="1"> <tr><td>Medical Certificate</td></tr> <tr><td> \${NRIC_NUMBER}</td></tr> <tr><td> \${DOCTOR_NAME}</td></tr> <tr><td> \${FIRST_NAME}</td></tr> </table>	Medical Certificate	\${NRIC_NUMBER}	\${DOCTOR_NAME}	\${FIRST_NAME}	
Medical Certificate						
\${NRIC_NUMBER}						
\${DOCTOR_NAME}						
\${FIRST_NAME}						
	Then I close the file attachment	0.39s				
After		0.00s				
Back to Table of Contents						
Scenario: Verify User should be able to download Prescription Document						
Passed: 3	Failed: 0	Undefined: 0				
Before		0.00s				
	Then I open the Prescription	4.25s				
	And I click on download button for attachments	13.96s				
	And I download "\${PRE_FILE_NAME}" pdf file from phone to local machine	0.05s				
After		0.00s				
Back to Table of Contents						
Scenario: Verify User should be able to verify the Prescription details in downloaded PDF file						
Passed: 2	Failed: 0	Undefined: 0				
Before		0.00s				
	Then I verify following details are displayed in PDF File "\${PRE_FILE_NAME}"	0.70s				
	<table border="1"> <tr><td> \${FIRST_NAME}</td></tr> <tr><td> \${NRIC_NUMBER}</td></tr> <tr><td> \${PRESCRIPTION_DOCTOR_NAME}</td></tr> <tr><td> \${PRESCRIPTION_NUMBER}</td></tr> </table>	\${FIRST_NAME}	\${NRIC_NUMBER}	\${PRESCRIPTION_DOCTOR_NAME}	\${PRESCRIPTION_NUMBER}	
\${FIRST_NAME}						
\${NRIC_NUMBER}						
\${PRESCRIPTION_DOCTOR_NAME}						
\${PRESCRIPTION_NUMBER}						
	Then I close the file attachment	0.36s				
After		0.00s				
Back to Table of Contents						
Scenario: Verify User should be able to download the Referral Document						
Passed: 3	Failed: 0	Undefined: 0				
Before		0.01s				
	Then I open the referral	5.38s				
	And I click on download button for attachments	13.67s				
	And I download "\${REF_FILE_NAME}" pdf file from phone to local machine	0.17s				
After		0.00s				
Back to Table of Contents						
Scenario: Verify User should be able to verify the Referral details in downloaded PDF file						
Passed: 4	Failed: 0	Undefined: 0				
Before		0.00s				
	Then I verify following details are displayed in PDF File "\${REF_FILE_NAME}"	0.31s				
	<table border="1"> <tr><td> \${EPISODE_ID}</td></tr> <tr><td> \${NRIC_NUMBER}</td></tr> <tr><td> \${PRESCRIPTION_DOCTOR_NAME}</td></tr> </table>	\${EPISODE_ID}	\${NRIC_NUMBER}	\${PRESCRIPTION_DOCTOR_NAME}		
\${EPISODE_ID}						
\${NRIC_NUMBER}						
\${PRESCRIPTION_DOCTOR_NAME}						

	 \${REFERRAL_NUMBER}	
	Then I close the file attachment	0.79s
	And I click on Consultation Summary back button	19.68s
	And I logout from onepulse app	9.25s
After		0.00s
Back to Table of Contents		

Feature: Verify MyDoc doctor consultation Summary on Pulse Health & Wealth app

1. Verify Consultation History Screen
2. Verify All My Files Documents
3. Verify User able to Complete Mydoc Journey Without Mydoc Registration (Existing user)

Passed: 9	Failed: 0	Undefined: 0	Duration: 242.83s
-----------	-----------	--------------	-------------------

Scenario: Verify User should be able to navigate to Consultation Summary and see all available Files

Passed: 13	Failed: 0	Undefined: 0	Duration: 102.47s
Before			0.00s

Given User has pulse app	9.55s
--------------------------	-------

And I assign "\${onepulse.login.id.mydoc}" to variable "PULSE_EMAIL"	0.00s
--	-------

When I navigate to login page	6.81s
-------------------------------	-------

When user enters credentials	18.07s
------------------------------	--------

UserName	\${PULSE_EMAIL}
----------	-----------------

Password	Pas\$1234
----------	-----------

And User clicks on signin button	0.21s
----------------------------------	-------

Then I wait for 10 sec	10.01s
------------------------	--------

And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}"	28.14s
---	--------

Then user should be landed to "Home" screen	8.46s
---	-------

When I navigate to medical records screen	3.02s
---	-------

Then User verify following texts are displayed in medical records screen	1.56s
--	-------

Consultation History	
----------------------	--

All My Files	
--------------	--

When I click on Consultation History link	10.20s
---	--------

And I verify following texts are displayed	1.07s
--	-------

Consultation History	
----------------------	--

And I click on Consultation History screen back button	5.37s
--	-------

After	0.00s
-------	-------

Back to Table of Contents	
---	--

Scenario: Verify User should be able to see the Referral,Prescription and eMC Documents

Passed: 5	Failed: 0	Undefined: 0	Duration: 34.95s
Before			0.00s

When I click on All My Files link	7.29s
-----------------------------------	-------

And I verify following texts are displayed	0.25s
--	-------

All My Files	
--------------	--

	Then User verify following documents are displayed in All My Files Screen	0.46s
	Referral-11th-January-2021-KJRYIP3Q2BRB.pdf	
	Prescription-11th-January-2021-KJRYHM3H2BRB.pdf	
	eMC-11th-January-2021-13980.pdf	
	And I click on Consultation Summary back button	18.62s
	Then I navigate to online consultation screen for mydoc registration	8.32s
After		0.00s
Back to Table of Contents		
Scenario: Verify User should be presented with the Mydoc Chat bot questions log		
Passed: 1	Failed: 0	Undefined: 0
Before		0.00s
	And I verify following texts are displayed	2.04s
	Choking	
	Breathing difficulty	
	Chest pain	
	Weakness in arms or legs	
	Speech difficulty	
	Loss of consciousness	
	Suicidal or homicidal thoughts	
	Seizures	
	Bleeding	
	Severe pain	
	Confusion and/or hallucinations	
	Broken bones	
After		0.00s
Back to Table of Contents		
Scenario: Verify User can able to chat with Mydoc Chat bot		
Passed: 2	Failed: 0	Undefined: 0
Before		0.00s
	When Handle Emergency symptoms questions for doctor consult	9.80s
	And Verify Medical Profile screen is displayed	2.05s
After		0.00s
Back to Table of Contents		
Scenario: Verify User should be able to update the medical profile for registered user		
Passed: 2	Failed: 0	Undefined: 0
Before		0.00s
	When I enter Medical Profile details as below	8.28s
	Allergies	None
	Medical Conditions	None
	Medications	None
	Emergency Contact Name	Pulse
	Emergency Contact Number	98066613
	And I click on Medical Profile Continue button	1.46s

After		0.00s
Back to Table of Contents		
Scenario: Verify User should be able to see the payment screen fields		
Passed: 3	Failed: 0	Undefined: 0
Before		
And I verify following texts are displayed		4.34s
Payment		
Teleconsultation		
Payment Method		
Credit/Debit Card		
Voucher		
The fee covers a video consultation..		
The cost of medication is not included.		
When will I be charged?		
The amount will be charged to your card after the video consultation concludes.		
Total Amount		
Then I read the amount and stored into variable "PAYMENT_AMOUNT"		0.08s
And I click on Continue button		0.19s
After		0.00s
Back to Table of Contents		
Scenario: Verify User should be able to select payment with existing added card		
Passed: 1	Failed: 0	Undefined: 0
Before		
When I select the confirm payment using already added card		33.52s
After		0.00s
Back to Table of Contents		
Scenario: Verify User should be able to start online pre consultation		
Passed: 9	Failed: 0	Undefined: 0
Before		
And I response to the pre consultation questions		4.67s
firstResponse	Feverish	
secondResponse	Couple of days	
And I verify following texts are displayed		1.45s
What concerns or questions do you have for the doctor?		
Feverish		
How long has this been a concern?		
Couple of days		
Any further details you would like to add?		
Then verify user should be prompted to select No or Yes options to type further details		0.85s
Then I click on No button		0.19s
Then I wait for 5 sec		5.01s
And I verify following texts are displayed		0.93s

	Please Note	
	Make sure you are in an area where your device has good internet connectivity.	
	Once the request for consultation is sent, it cannot be recalled or cancelled.	
	The Average wait time for a consultation to start is 10-20 minutes.	
	Please ensure that the notification function is switched on to ensure you get appointment confirmation, reminder and alerts from the doctor and medical concierge.	
	Then I wait for 5 sec	5.04s
	Then I click on submit button	0.19s
	And I verify following texts are displayed	1.68s
	Request sent! We will notify you when your doctor confirms the request.	
After		0.00s
Back to Table of Contents		
Scenario: Verify User should be able see the allocated doctor details		
Passed: 4	Failed: 0	Undefined: 0
Before		0.00s
	Then I wait for 5 sec	5.00s
	And I click on MyDoc Back button	13.59s
	When I access health Consultation Summary	1.52s
	And I click on Consultation History and get assigned doctor name into variable "DOCTOR_NAME"	3.55s
After		0.00s
Back to Table of Contents		
Feature: Verify MyDoc functionality on Pulse Health		
Passed: 0	Failed: 14	Undefined: 0
Duration: 567.34s		
Scenario Outline: Verify the Home screen validation using "Continue with Email"		
Passed: 16	Failed: 1	Undefined: 19
Duration: 119.52s		
Before		0.00s
	Given I generate random number and assign to variable "RANDOM_NUMBER"	0.06s
	And I assign "pulse\${RANDOM_NUMBER}@mailsac.com" to variable "PULSE_EMAIL"	0.00s
	And User has pulse app	8.93s
	And user click on "CONTINUE WITH EMAIL" with Email button	12.50s
	When user enters registration details	7.73s
FirstName	Diet	
LastName	Test	
Email	 \${PULSE_EMAIL}	
Password	Pas\$1234	
	And taps on continue "Sign_Up" button	5.16s
	Then I wait for 10 sec	10.00s
	And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}"	28.49s
	Then I wait for 5 sec	5.01s
	And I enter the "mobile number" in welcome to pulse	9.17s


	mobileNumber 98678419	
	And I click the continue button	0.21s
	And I choose my wellness goals under wellness plan screen	1.68s
	And I click the continue button	0.99s
	And I click the date in Date of Birth field	7.22s
	And I click the Done icon	3.15s
	And I click the continue button	1.23s
	And I select the Male icon	16.03s
<p>org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.</p> <p>For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html</p> <p>Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'</p> <p>System info: host: 'Bavirisettil-MacBook-Pro.local', ip: 'fe80:0:0:0:91:d010:e7b3:bd5e%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'</p> <p>Driver info: io.appium.java_client.android.AndroidDriver</p> <p>Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel: SM-G985F, deviceName: R58N34BC9EH, deviceScreenDensity: 450, deviceScreenSize: 1080x2400, deviceUDID: R58N34BC9EH, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.8125, platform: LINUX, platformName: Android, platformVersion: 10, statusBarHeight: 73, takesScreenshot: true, viewportRect: {height: 2119, left: 0, top: 73, width: 1080}, warnings: {}, webStorageEnabled: false}</p> <p>Session ID: 2b085e78-cebd-4da5-abd2-5046e99bff01</p> <pre>*** Element info: {Using>xpath, value=//android.view.ViewGroup/android.widget.TextView[contains(@text,'What is your Gender?')]/following::android.widget.ImageView[1]}</pre> <p>at jdk.internal.reflect.GeneratedConstructorAccessor25.newInstance(Unknown Source)</p> <p>at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)</p> <p>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)</p> <p>at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)</p> <p>at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)</p> <p>at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)</p> <p>at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:231)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)</p> <p>at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:42)</p> <p>at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)</p> <p>at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)</p>		

```

at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.PulseRegistrationScreen.MaleImage(PulseRegistrationScreen.java:681)
at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.MaleImage
(RegistrationSteps.java:131)
at .And I select the Male icon(features/sg/health/mydoc/MyDocEndToEndTest.feature:29)

```

And I click the continue button	0.00s
And I enter my height and weight details	0.00s
And I click on Calculate BMI button	0.00s
And I click the continue button	0.00s
And I select the "How active are you?" in doing exercise	0.00s
And I click the continue button	0.00s
And I select my favorite food dietary	0.00s
And I click the continue button	0.00s
And I answer as "Yes" to "Food Allergies are common?"	0.00s
And I click the continue button	0.00s
And I verify that "Tracking your activity is trending" is displayed	0.00s
And I click the continue button	0.00s
And I see that "Welcome to Pulse" text is displayed	0.00s
And I click the continue button	0.00s
And I see that fitness subscription exclusive offers screen is displayed	0.00s
And I click on close icon	0.00s
Then I click skip buttons	0.00s
Then user should be landed home screen	0.00s
Then I clicks on Health button	0.00s



After	1.96s
-------	--------------

[Back to Table of Contents](#)

Scenario: Verify the online consultation screen user fields

Passed: 0	Failed: 1	Undefined: 2	Duration: 15.84s
Before	0.00s		

Then I navigate to online consultation screen	14.18s
---	---------------

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.

For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'Bavirisettil-MacBook-Pro.local', ip: 'fe80:0:0:0:91:d010:e7b3:bd5e%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'

Driver info: io.appium.java_client.android.AndroidDriver

Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel: SM-G985F, deviceName: R58N34BC9EH, deviceScreenDensity: 450, deviceScreenSize: 1080x2400, deviceUDID: R58N34BC9EH, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.8125, platform: LINUX, platformName: Android, platformVersion: 10, statBarHeight: 73, takesScreenshot: true, viewportRect: {height: 2119, left: 0, top: 73, width: 1080}, warnings: {}, webStorageEnabled: false}


Session ID: 2b085e78-cebd-4da5-abd2-5046e99bff01

*** Element info: {Using=xpath, value=//android.widget ScrollView/android.view.ViewGroup}

	/android.view.ViewGroup[5]/android.view.ViewGroup/android.view.ViewGroup/android.view.ViewGroup/android.view.ViewGroup[2]/android.view.ViewGroup[2]	
	at jdk.internal.reflect.GeneratedConstructorAccessor25.newInstance(Unknown Source)	
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)	
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)	
	at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)	
	at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)	
	at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)	
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)	
	at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:231)	
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)	
	at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:42)	
	at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)	
	at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)	
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)	
	at io.appium.java_client.DefaultGenericMobileDriver.findElement(DefaultGenericMobileDriver.java:62)	
	at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)	
	at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)	
	at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:419)	
	at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath(DefaultGenericMobileDriver.java:152)	
	at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)	
	at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)	
	at org.openqa.selenium.By\$ByXPath.findElement(By.java:353)	
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)	
	at io.appium.java_client.DefaultGenericMobileDriver.findElement(DefaultGenericMobileDriver.java:58)	
	at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)	
	at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)	
	at com.prudential.tap.selenium.Commands\$15.executeCommand(Commands.java:141)	
	at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19)	
	at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)	
	at com.onepulse.app.screens.PulseHealthScreen.navigateToOnlineConsultationScreen(PulseHealthScreen.java:86)	
	at com.onepulse.app.stepdefinitions.mydocuisteps.MyDocUiSteps.iNavigateToOnlineConsultationScreen(MyDocUiSteps.java:103)	
	at .Then I navigate to online consultation screen(features/sg/health/mydoc/MyDocEndToEndTest.feature:57)	
	Then user verify the following texts are displayed on "Online Consultation" registration page	0.00s
	Online Consultation	

	<table border="1"> <tr><td>First Name / Given Name</td></tr> <tr><td>Last Name / Family Name</td></tr> <tr><td>Email</td></tr> <tr><td>County of Residence</td></tr> </table>	First Name / Given Name	Last Name / Family Name	Email	County of Residence	
First Name / Given Name						
Last Name / Family Name						
Email						
County of Residence						
And I scroll down		0.00s				
						
After		1.66s				
Back to Table of Contents						
Scenario: Verify the online consultation screen user fields after swipe down						
Passed: 1	Failed: 1	Undefined: 0 Duration: 39.25s				
Before		0.00s				
And I scroll down		3.69s				
Then user verify the following texts are displayed on "Online Consultation" registration page		33.64s				
<table border="1"> <tr><td>Address (zipcode)</td></tr> <tr><td>NRIC/FIN</td></tr> <tr><td>NRIC/FIN Image</td></tr> <tr><td>Phone</td></tr> </table>	Address (zipcode)	NRIC/FIN	NRIC/FIN Image	Phone		
Address (zipcode)						
NRIC/FIN						
NRIC/FIN Image						
Phone						
<p>java.lang.AssertionError: The following asserts failed: Address (zipcode) text is displayed on page Online Consultation expected [true] but found [false], NRIC/FIN text is displayed on page Online Consultation expected [true] but found [false], NRIC/FIN Image text is displayed on page Online Consultation expected [true] but found [false], Phone text is displayed on page Online Consultation expected [true] but found [false] at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)</p>						

at com.onepulse.app.stepdefinitions.mydocuisteps.MyDocUiSteps.
 userVerifyTheFollowingTextsAreDisplayedOnRegistrationPage(MyDocUiSteps.java:116)
 at .Then user verify the following texts are displayed on "Online Consultation" registration
 page(features/sg/health/mydoc/MyDocEndToEndTest.feature:71)



After	1.93s
-------	-------

[Back to Table of Contents](#)

Scenario: Verify User should be able to enter address and zipcode

Passed: 0	Failed: 1	Undefined: 0	Duration: 40.79s
-----------	-----------	--------------	------------------

Before	0.00s
--------	-------

Then I enter "\${address}" and "\${zipcode}" 39.27s

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.

For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'Bavirisettil-MacBook-Pro.local', ip: 'fe80:0:0:0:91:d010:e7b3:bd5e%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'


Driver info: io.appium.java_client.android.AndroidDriver

Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel: SM-G985F, deviceName: R58N34BC9EH, deviceScreenDensity: 450, deviceScreenSize: 1080x2400, deviceUDID: R58N34BC9EH, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.8125, platform: LINUX, platformName: Android, platformVersion: 10,}

```

statBarHeight: 73, takesScreenshot: true, viewportRect: {height: 2119, left: 0, top: 73, width: 1080}, warnings: {}, webStorageEnabled: false}
Session ID: 2b085e78-cebd-4da5-abd2-5046e99bff01
*** Element info: {Using>xpath, value=/android.widget.EditText[@text='Address (e.g. street, apartment name, etc)']}
at jdk.internal.reflect.GeneratedConstructorAccessor25.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$16.executeCommand(Commands.java:148)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19)
at com.onepulse.app.screens.TestBasePage.setTextWithTab(TestBasePage.java:241)
at com.onepulse.app.screens.mydoc.MyDocRegistrationScreen.enterAddressAndZipcode(MyDocRegistrationScreen.java:725)
at com.onepulse.app.stepdefinitions.mydocuisteps.MyDocUiSteps.iEnterAnd(MyDocUiSteps.java:141)
at .Then I enter "${address}" and "${zipcode}">(features/sg/health/mydoc/MyDocEndToEndTest.feature:79)

```



After		1.52s
-------	--	-------

[Back to Table of Contents](#)

Scenario: Verify User should be able to upload NRIC Image in Online Consultation screen

Passed: 0	Failed: 1	Undefined: 1	Duration: 46.07s
Before			0.00s

Then I enter the mandatory fields "\${NRIC}"	44.55s
--	--------

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.

For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'Bavirisettil-MacBook-Pro.local', ip: 'fe80:0:0:0:91:d010:e7b3:bd5e%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'

Driver info: io.appium.java_client.android.AndroidDriver

Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel: SM-G985F, deviceName: R58N34BC9EH, deviceScreenDensity: 450, deviceScreenSize: 1080x2400, deviceUDID: R58N34BC9EH, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.8125, platform: LINUX, platformName: Android, platformVersion: 10, statBarHeight: 73, takesScreenshot: true, viewportRect: {height: 2119, left: 0, top: 73, width: 1080}, warnings: {}, webStorageEnabled: false}

Session ID: 2b085e78-cebd-4da5-abd2-5046e99bff01

*** Element info: {Using=xpath, value=//android.widget.TextView[@text='NRIC/FIN']}


```

/following::android.widget.EditText[1]}
at jdk.internal.reflect.GeneratedConstructorAccessor25.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$16.executeCommand(Commands.java:148)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.setTextWithTab(TestBasePage.java:241)
at com.onepulse.app.screens.mydoc.MyDocRegistrationScreen.enterNric
(MyDocRegistrationScreen.java:669)
at com.onepulse.app.stepdefinitions.mydocuisteps.MyDocUiSteps.iEnterTheMandatoryFields
(MyDocUiSteps.java:128)
at .Then I enter the mandatory fields "${NRIC}"(features/sg/health/mydoc
/MyDocEndToEndTest.feature:82)

```

Then I verify the "\${phonenumer}" and proceed with "\${otp}"

0.00s



After		1.52s
-------	--	-------

[Back to Table of Contents](#)

Scenario: Verify User should be presented with the symptoms checker questions log


Passed: 0	Failed: 1	Undefined: 0	Duration: 96.45s
Before	0.00s		

And I verify following texts are displayed	94.92s
<ul style="list-style-type: none"> Choking Breathing difficulty Chest pain Weakness in arms or legs Speech difficulty Loss of consciousness Suicidal or homicidal thoughts Seizures Bleeding Severe pain Confusion and/or hallucinations Broken bones 	

java.lang.AssertionError: The following asserts failed:

Choking text is displayed on page expected [true] but found [false],
 Breathing difficulty text is displayed on page expected [true] but found [false],
 Chest pain text is displayed on page expected [true] but found [false],
 Weakness in arms or legs text is displayed on page expected [true] but found [false],
 Speech difficulty text is displayed on page expected [true] but found [false],
 Loss of consciousness text is displayed on page expected [true] but found [false],

Suicidal or homicidal thoughts text is displayed on page expected [true] but found [false],
Seizures text is displayed on page expected [true] but found [false],
Bleeding text is displayed on page expected [true] but found [false],
Severe pain text is displayed on page expected [true] but found [false],
Confusion and/or hallucinations text is displayed on page expected [true] but found [false],
Broken bones text is displayed on page expected [true] but found [false]
at org.testing.asserts.SoftAssert.assertAll(SoftAssert.java:43)
at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnScreen
(MyDocSteps.java:733)
at .And I verify following texts are displayed(features/sg/health/mydoc/MyDocEndToEndTest.feature:86)



After	1.53s
-------	-------

[Back to Table of Contents](#)

Scenario: Verify User can able to chat with chatbot symptoms checker

Passed: 0	Failed: 1	Undefined: 0	Duration: 14.75s
-----------	-----------	--------------	------------------

Before	0.00s
--------	-------

When Handle Emergency symptoms questions for doctor consult 13.15s

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.

For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'Bavirisettis-MacBook-Pro.local', ip: 'fe80:0:0:0:91:d010:e7b3:bd5e%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'

Driver info: io.appium.java_client.android.AndroidDriver


Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.

```

prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName:
UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true,
platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel:
SM-G985F, deviceName: R58N34BC9EH, deviceScreenDensity: 450, deviceScreenSize:
1080x2400, deviceUDID: R58N34BC9EH, javascriptEnabled: true, locationContextEnabled:
false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true,
pixelRatio: 2.8125, platform: LINUX, platformName: Android, platformVersion: 10,
statBarHeight: 73, takesScreenshot: true, viewportRect: {height: 2119, left: 0, top: 73, width:
1080}, warnings: {}, webStorageEnabled: false}
Session ID: 2b085e78-cebd-4da5-abd2-5046e99bff01
*** Element info: {Using=xpath, value=//android.widget.TextView[@text='None of the above']}
at jdk.internal.reflect.GeneratedConstructorAccessor25.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.mydoc.MyDocMedicalProfileScreen.

```

handleEmergencySymptomQues(MyDocMedicalProfileScreen.java:54)
at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.handleEmergencySymptomQues
(MyDocSteps.java:185)
at .When Handle Emergency symptoms questions for doctor consult(features/sg/health/mydoc
/MyDocEndToEndTest.feature:101)



After	1.60s
-------	-------

[Back to Table of Contents](#)

Scenario: Verify User should be presented with the sample text on the Medical Profile screen as a first time user

Passed: 1	Failed: 1	Undefined: 0	Duration: 11.72s
Before	0.00s		

And Verify Medical Profile screen is displayed	7.72s
--	-------

And Verify the Sample Text on the text fields of the Medical Profile	2.46s
--	-------

Allergies	Enter 'None' if no allergies
Medical Conditions	Enter 'None' if no medical conditions
Medications	Enter 'None' if no medications

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.

For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'Bavirisettils-MacBook-Pro.local', ip: 'fe80:0:0:0:91:d010:e7b3:bd5e%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'


Driver info: io.appium.java_client.android.AndroidDriver

Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.

```

prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName:
UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true,
platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel:
SM-G985F, deviceName: R58N34BC9EH, deviceScreenDensity: 450, deviceScreenSize:
1080x2400, deviceUDID: R58N34BC9EH, javascriptEnabled: true, locationContextEnabled:
false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true,
pixelRatio: 2.8125, platform: LINUX, platformName: Android, platformVersion: 10,
statBarHeight: 73, takesScreenshot: true, viewportRect: {height: 2119, left: 0, top: 73, width:
1080}, warnings: {}, webStorageEnabled: false}
Session ID: 2b085e78-cebd-4da5-abd2-5046e99bff01
*** Element info: {Using=xpath, value=//android.widget.TextView[@text='Allergies']}
/following::android.widget.EditText[1]}
at jdk.internal.reflect.GeneratedConstructorAccessor25.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.onepulse.app.screens.TestBasePage.getElementText(TestBasePage.java:235)
at com.onepulse.app.screens.mydoc.MyDocMedicalProfileScreen.validateMedProfSampleText
(MyDocMedicalProfileScreen.java:171)
at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.validateMedProfSampleText

```

(MyDocSteps.java:687)**at .And Verify the Sample Text on the text fields of the Medical Profile(features/sg/health/mydoc/MyDocEndToEndTest.feature:105)**

After	1.55s
--------------	--------------

[Back to Table of Contents](#)**Scenario: Verify User should be able to create the medical profile**

Passed: 0	Failed: 1	Undefined: 1	Duration: 36.05s
-----------	-----------	--------------	------------------

Before	0.00s
---------------	--------------

When I enter Medical Profile details as below	34.51s
Allergies	None
Medical Conditions	None
Medications	None
EmergencyContact Name	Pulse QA
Emergency Contact Name	Pulse
Emergency Contact Number	98066613

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.

For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'Bavirisettis-MacBook-Pro.local', ip: 'fe80:0:0:0:91:d010:e7b3:bd5e%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'

Driver info: io.appium.java_client.android.AndroidDriver

Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName:

```


UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true,
platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel:
SM-G985F, deviceName: R58N34BC9EH, deviceScreenDensity: 450, deviceScreenSize:
1080x2400, deviceUDID: R58N34BC9EH, javascriptEnabled: true, locationContextEnabled:
false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true,
pixelRatio: 2.8125, platform: LINUX, platformName: Android, platformVersion: 10,
statBarHeight: 73, takesScreenshot: true, viewportRect: {height: 2119, left: 0, top: 73, width:
1080}, warnings: {}, webStorageEnabled: false}
Session ID: 2b085e78-cebd-4da5-abd2-5046e99bff01
*** Element info: {Using=xpath, value=//android.widget.TextView[@text='Allergies']}
/following::android.widget.EditText[1]}
at jdk.internal.reflect.GeneratedConstructorAccessor25.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$16.executeCommand(Commands.java:148)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.setTextWithTab(TestBasePage.java:241)
at com.onepulse.app.screens.mydoc.MyDocMedicalProfileScreen.enterMedicalProfile

```

(MyDocMedicalProfileScreen.java:83)
at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.enterMedicalProfileDetails
(MyDocSteps.java:192)
at .When I enter Medical Profile details as below(features/sg/health/mydoc
/MyDocEndToEndTest.feature:111)

And I click on Medical Profile Continue button

0.00s



After 1.54s

[Back to Table of Contents](#)

Scenario: Verify User should be able to see the payment screen fields

Passed: 0	Failed: 1	Undefined: 2	Duration: 81.36s
-----------	-----------	--------------	------------------

Before 0.00s

And I verify following texts are displayed 79.84s

Payment
Teleconsultation
Payment Method
Credit/Debit Card
Voucher
The fee covers a video consultation..
The cost of medication is not included.
When will I be charged?
The amount will be charged to your card after the video consultation concludes.
Total Amount

java.lang.AssertionError: The following asserts failed:

Payment text is displayed on page expected [true] but found [false],

Teleconsultation text is displayed on page expected [true] but found [false],


Payment Method text is displayed on page expected [true] but found [false],
 Credit/Debit Card text is displayed on page expected [true] but found [false],
 Voucher text is displayed on page expected [true] but found [false],
 The fee covers a video consultation.. text is displayed on page expected [true] but found [false],
 The cost of medication is not included. text is displayed on page expected [true] but found [false],
 When will I be charged? text is displayed on page expected [true] but found [false],
 The amount will be charged to your card after the video consultation concludes. text is displayed on page expected [true] but found [false],
 Total Amount text is displayed on page expected [true] but found [false]
 at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)
 at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnScreen
 (MyDocSteps.java:733)
 at .And I verify following texts are displayed(features/sg/health/mydoc/MyDocEndToEndTest.
 feature:121)

Then I read the amount and stored into variable "PAYMENT_AMOUNT"

0.00s

And I click on Continue button

0.00s



After

1.53s

[Back to Table of Contents](#)

Scenario: Verify User should be able enter the card details

Passed: 0

Failed: 1

Undefined: 4

Duration: 9.62s

Before

0.00s

When I click on Add New Card button

8.05s

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.



For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
 System info: host: 'Bavirisettis-MacBook-Pro.local', ip: 'fe80:0:0:0:91:d010:e7b3:bd5e%en0',
 os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'
 Driver info: io.appium.java_client.android.AndroidDriver
 Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel: SM-G985F, deviceName: R58N34BC9EH, deviceScreenDensity: 450, deviceScreenSize: 1080x2400, deviceUDID: R58N34BC9EH, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.8125, platform: LINUX, platformName: Android, platformVersion: 10, statusBarHeight: 73, takesScreenshot: true, viewportRect: {height: 2119, left: 0, top: 73, width: 1080}, warnings: {}, webStorageEnabled: false}
 Session ID: 2b085e78-cebd-4da5-abd2-5046e99bff01
 *** Element info: {Using=xpath, value=/android.view.View[@text='Add new cards']}

```


at jdk.internal.reflect.GeneratedConstructorAccessor25.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)

```

at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1) at com.prudential.tap.selenium.Commands\$15.executeCommand(Commands.java:141) at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19) at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163) at com.onepulse.app.screens.mydoc.MyDocPaymentDetailsScreen.clickAddNewCardButton(MyDocPaymentDetailsScreen.java:92) at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.clickAddNewCardButton(MyDocSteps.java:319) at .When I click on Add New Card button(features/sg/health/mydoc/MyDocEndToEndTest.feature:137)															
Then user verify add card details screen fields			0.00s												
															
And I enter Card details as below			0.00s												
<table border="1"> <tr> <td>Card Number</td> <td>4111 1111 1111 1111</td> <td></td> </tr> <tr> <td>Expiration Date</td> <td>0822</td> <td></td> </tr> <tr> <td>Card Number Android</td> <td>4111 1111 1111 1111</td> <td></td> </tr> <tr> <td>Expiration Date Android</td> <td>08 / 22</td> <td></td> </tr> </table>			Card Number	4111 1111 1111 1111		Expiration Date	0822		Card Number Android	4111 1111 1111 1111		Expiration Date Android	08 / 22		
Card Number	4111 1111 1111 1111														
Expiration Date	0822														
Card Number Android	4111 1111 1111 1111														
Expiration Date Android	08 / 22														
And I click on Confirm Payment Method button			0.00s												
Then I wait for 10 sec			0.00s												
															
After			1.57s												
Back to Table of Contents															
Scenario: Verify User should be able see the added card successfully															
Passed: 0	Failed: 1	Undefined: 0	Duration: 11.05s												
Before			0.00s												

	Then I verify the my card added successfully	9.08s
	<p>org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.</p> <p>For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html</p> <p>Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'</p> <p>System info: host: 'Bavirisettis-MacBook-Pro.local', ip: 'fe80:0:0:0:91:d010:e7b3:bd5e%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'</p> <p>Driver info: io.appium.java_client.android.AndroidDriver</p> <p>Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel: SM-G985F, deviceName: R58N34BC9EH, deviceScreenDensity: 450, deviceScreenSize: 1080x2400, deviceUDID: R58N34BC9EH, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.8125, platform: LINUX, platformName: Android, platformVersion: 10, statusBarHeight: 73, takesScreenshot: true, viewportRect: {height: 2119, left: 0, top: 73, width: 1080}, warnings: {}, webStorageEnabled: false}</p> <p>Session ID: 2b085e78-cebd-4da5-abd2-5046e99bff01</p> <p>*** Element info: {Using=xpath, value=//android.view.View[@text='Online Video Consultation']/preceding::android.view.ViewGroup[2]}</p> <p>at jdk.internal.reflect.GeneratedConstructorAccessor25.newInstance(Unknown Source)</p> <p>at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)</p> <p>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)</p> <p>at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)</p> <p>at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)</p> <p>at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)</p> <p>at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:231)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)</p> <p>at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:42)</p> <p>at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)</p> <p>at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)</p> <p>at io.appium.java_client.DefaultGenericMobileDriver.findElement(DefaultGenericMobileDriver.java:62)</p> <p>at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)</p> <p>at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:419)</p> <p>at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath</p>	

```
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.mydoc.MyDocPaymentDetailsScreen.verifyAddedCard
(MyDocPaymentDetailsScreen.java:139)
at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.
iVerifyTheMyCardAddedSuccessfully(MyDocSteps.java:835)
at .Then I verify the my card added successfully(features/sg/health/mydoc
/MyDocEndToEndTest.feature:150)
```



After	1.97s
-------	-------

[Back to Table of Contents](#)

Scenario: Verify User should be able to start online pre consultation

Passed: 0	Failed: 1	Undefined: 8	Duration: 14.48s
-----------	-----------	--------------	------------------

Before	0.00s
--------	-------

And I response to the pre consultation questions 12.89s

firstResponse	Feverish
secondResponse	Couple of days

```

org.openqa.selenium.InvalidElementStateException: Cannot set the element to 'Feverish'. Did
you interact with the correct element?
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'Bavirisettis-MacBook-Pro.local', ip: 'fe80:0:0:0:91:d010:e7b3:bd5e%en0',
os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.
prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName:
UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true,
platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel:
SM-G985F, deviceName: R58N34BC9EH, deviceScreenDensity: 450, deviceScreenSize:
1080x2400, deviceUDID: R58N34BC9EH, javascriptEnabled: true, locationContextEnabled:
false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true,
pixelRatio: 2.8125, platform: LINUX, platformName: Android, platformVersion: 10,
statBarHeight: 73, takesScreenshot: true, viewportRect: {height: 2119, left: 0, top: 73, width:
1080}, warnings: {}, webStorageEnabled: false}
Session ID: 2b085e78-cebd-4da5-abd2-5046e99bff01
at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance
(NativeConstructorAccessorImpl.java:62)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:276)
at io.appium.java_client.DefaultGenericMobileElement.execute(DefaultGenericMobileElement.
java:45)
at io.appium.java_client.MobileElement.execute(MobileElement.java:1)
at io.appium.java_client.android.AndroidElement.execute(AndroidElement.java:1)
at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:100)
at com.prudential.tap.selenium.Commands$12.executeCommand(Commands.java:116)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.setTextWithTab(TestBasePage.java:242)
at com.onepulse.app.screens.mydoc.MyDocPreConsultationScreen.fillPreconsultationForm
(MyDocPreConsultationScreen.java:93)
at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.

```

enterDetailsForPreConsultationForm(MyDocSteps.java:258) at .And I response to the pre consultation questions(features/sg/health/mydoc/MyDocEndToEndTest.feature:153)	
And I verify following texts are displayed	0.00s
What concerns or questions do you have for the doctor?	
Feverish	
How long has this been a concern?	
Couple of days	
Any further details you would like to add?	
Then verify user should be prompted to select No or Yes options to type further details	0.00s
Then I click on No button	0.00s
Then I wait for 5 sec	0.00s
And I verify following texts are displayed	0.00s
Please Note	
Make sure you are in an area where your device has good internet connectivity.	
Once the request for consultation is sent, it cannot be recalled or cancelled.	
The Average wait time for a consultation to start is 10-20 minutes.	
Please ensure that the notification function is switched on to ensure you get appointment confirmation, reminder and alerts from the doctor and medical concierge.	
Then I wait for 5 sec	0.00s
Then I click on submit button	0.00s
And I verify following texts are displayed	0.00s
Request sent! We will notify you when your doctor confirms the request.	
	
What's your mobile number? Please start by entering your mobile phone number	
+65 98678419	
Continue	
III O <	
After	1.60s
Back to Table of Contents	

Scenario: Verify User should be able see the allocated doctor details			
Passed: 2	Failed: 1	Undefined: 1	Duration: 30.37s
Before			0.00s
Then I wait for 5 sec			5.01s
And I click on MyDoc Back button			7.85s
When I access health Consultation Summary			15.94s
<p>org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.</p> <p>For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html</p> <p>Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'</p> <p>System info: host: 'Bavirisettis-MacBook-Pro.local', ip: 'fe80:0:0:0:91:d010:e7b3:bd5e%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'</p> <p>Driver info: io.appium.java_client.android.AndroidDriver</p> <p>Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel: SM-G985F, deviceName: R58N34BC9EH, deviceScreenDensity: 450, deviceScreenSize: 1080x2400, deviceUDID: R58N34BC9EH, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.8125, platform: LINUX, platformName: Android, platformVersion: 10, statusBarHeight: 73, takesScreenshot: true, viewportRect: {height: 2119, left: 0, top: 73, width: 1080}, warnings: {}, webStorageEnabled: false}</p> <p>Session ID: 2b085e78-cebd-4da5-abd2-5046e99bff01</p> <p>*** Element info: {Using=xpath, value=/android.widget.ScrollView/android.view.ViewGroup/android.view.ViewGroup[3]/android.view.ViewGroup/android.view.ViewGroup/android.view.ViewGroup}</p> <p>at jdk.internal.reflect.GeneratedConstructorAccessor25.newInstance(Unknown Source)</p> <p>at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)</p> <p>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)</p> <p>at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)</p> <p>at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)</p> <p>at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)</p> <p>at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:231)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)</p> <p>at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:42)</p> <p>at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)</p> <p>at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)</p>			


```

at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.mydoc.MyDocConsultationSummary.
naviGateToMyDocConsultationSummary(MyDocConsultationSummary.java:132)
at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.
naviGateToMyDocConsultationSummary(MyDocSteps.java:377)
at .When I access health Consultation Summary(features/sg/health/mydoc
/MyDocEndToEndTest.feature:179)

```

And I click on Consultation History and get assigned doctor name into variable "DOCTOR_NAME"

0.00s



After

1.57s

Back to Table of Contents					
Feature: Verify User should be able see all available documents in All My Files screen					
Passed: 2	Failed: 0	Undefined: 0	Duration: 131.12s		
Scenario: Verify User should be able to navigate to Consultation Summary and see all available Files					
Passed: 13	Failed: 0	Undefined: 0	Duration: 102.25s		
Before			0.00s		
Given User has pulse app			9.22s		
And I assign "\${onepulse.login.id.mydoc}" to variable "PULSE_EMAIL"			0.00s		
When I navigate to login page			6.95s		
When user enters credentials			18.06s		
UserName	\${PULSE_EMAIL}				
Password	Pas\$1234				
And User clicks on signin button			0.23s		
Then I wait for 10 sec			10.01s		
And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}"			28.35s		
Then user should be landed to "Home" screen			8.40s		
When I navigate to medical records screen			2.81s		
Then User verify following texts are displayed in medical records screen			1.70s		
Consultation History					
All My Files					
When I click on Consultation History link			10.25s		
And I verify following texts are displayed			0.74s		
Consultation History					
And I click on Consultation History screen back button			5.54s		
After			0.00s		
Back to Table of Contents					
Scenario: Verify User should be able to see the Referral,Prescription and eMC Documents					
Passed: 4	Failed: 0	Undefined: 0	Duration: 28.87s		
Before			0.00s		
When I click on All My Files link			7.86s		
And I verify following texts are displayed			0.33s		
All My Files					
Then User verify following documents are displayed in All My Files Screen			1.26s		
Referral-11th-January-2021-KJRYIP3Q2BRB.pdf					
Prescription-11th-January-2021-KJRYHM3H2BRB.pdf					
eMC-11th-January-2021-13980.pdf					
And I click on Consultation Summary back button			19.42s		
After			0.00s		
Back to Table of Contents					
Feature: Verify MY Event channel functionality on one pulse App					
Passed: 4	Failed: 0	Undefined: 0	Duration: 115.64s		

Scenario: Verify User should be able to login using email account							
Passed: 9	Failed: 0	Undefined: 0	Duration: 84.95s				
Before			0.00s				
Given User has pulse app			9.01s				
And I assign "\${onepulse.login.global.id}" to variable "PULSE_EMAIL"			0.01s				
When I navigate to login page			6.72s				
When user enters credentials			18.55s				
<table border="1"> <tr> <td>UserName</td> <td> \${PULSE_EMAIL}</td> </tr> <tr> <td>Password</td> <td>Pulse@123</td> </tr> </table>			UserName	\${PULSE_EMAIL}	Password	Pulse@123	
UserName	\${PULSE_EMAIL}						
Password	Pulse@123						
And User clicks on signin button			0.22s				
Then I wait for 10 sec			10.00s				
And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}"			28.16s				
Then user should be landed to "Home" screen			8.66s				
And I scroll down			3.63s				
After			0.00s				
Back to Table of Contents							
Scenario: Verify MyEvent Functionality in Home screen							
Passed: 2	Failed: 0	Undefined: 0	Duration: 10.87s				
Before			0.00s				
And I click the MyEvent icons			8.67s				
And I verify following texts are displayed			2.20s				
<table border="1"> <tr> <td>You do not have any events enrolled yet</td> </tr> </table>			You do not have any events enrolled yet				
You do not have any events enrolled yet							
After			0.00s				
Back to Table of Contents							
Scenario: Verify Open Events tab							
Passed: 2	Failed: 0	Undefined: 0	Duration: 10.0s				
Before			0.00s				
And I click the Open Events icon			8.35s				
And I verify following texts are displayed			1.65s				
<table border="1"> <tr> <td>There are no events available at the moment</td> </tr> </table>			There are no events available at the moment				
There are no events available at the moment							
After			0.00s				
Back to Table of Contents							
Scenario: Verify Events Archive tab							
Passed: 2	Failed: 0	Undefined: 0	Duration: 9.83s				
Before			0.00s				
And I click the Events Archive icon			8.33s				
And I verify following texts are displayed			1.50s				
<table border="1"> <tr> <td>You do not have any events in your archive.</td> </tr> </table>			You do not have any events in your archive.				
You do not have any events in your archive.							
After			0.00s				
Back to Table of Contents							
Feature: Verify My Health Content functionality on one pulse App							
Passed: 8	Failed: 0	Undefined: 0	Duration: 119.16s				

Scenario: Verify User should be able to login using email account									
Passed: 4	Failed: 0	Undefined: 0	Duration: 29.4s						
Before									
	Given User has pulse app								
	And user click on "CONTINUE WITH GOOGLE" with Google button								
	And I click the "Email" in Continue with Gmail								
	<table border="1"> <tr> <td>Emailid</td> <td> \${facebook.text}</td> <td></td> </tr> <tr> <td>Password</td> <td>pulsesgqa@123</td> <td></td> </tr> </table>			Emailid	\${facebook.text}		Password	pulsesgqa@123	
Emailid	\${facebook.text}								
Password	pulsesgqa@123								
	Then user should be landed home screen								
After									
Back to Table of Contents									
Scenario: Verify User should be able to navigate to Health page									
Passed: 3	Failed: 0	Undefined: 0	Duration: 28.67s						
Before									
	Then I navigate to Health screen								
	Then I wait for 5 sec								
	And I verify following texts are displayed								
	<table border="1"> <tr><td>Health Channels</td></tr> <tr><td>Category</td></tr> <tr><td>Like</td></tr> <tr><td>Share</td></tr> <tr><td>Comment</td></tr> </table>			Health Channels	Category	Like	Share	Comment	
Health Channels									
Category									
Like									
Share									
Comment									
After									
Back to Table of Contents									
Scenario: Verify User should be able to Share the post									
Passed: 2	Failed: 0	Undefined: 0	Duration: 12.02s						
Before									
	And I share the post								
	Then I Verify the share with friends popup								
After									
Back to Table of Contents									
Scenario: Verify User should be able to view the full page article post									
Passed: 2	Failed: 0	Undefined: 0	Duration: 17.26s						
Before									
	Then I click on "Health Channels" topic for details full view								
	Then I wait for 10 sec								
After									
Back to Table of Contents									
Scenario: Verify User should be able to see the Like, Share, Comment options on full page article post									
Passed: 1	Failed: 0	Undefined: 0	Duration: 1.05s						
Before									

	And I verify following texts are displayed			1.05s				
	<table border="1"> <tr><td>Like</td></tr> <tr><td>Share</td></tr> <tr><td>Comment</td></tr> </table>			Like	Share	Comment		
Like								
Share								
Comment								
After				0.00s				
Back to Table of Contents								
Scenario: Verify User should be able to Like the post in full article view screen								
Passed: 2	Failed: 0	Undefined: 0	Duration: 10.69s					
Before				0.00s				
<table border="1"> <tr><td>And I Like the post</td></tr> <tr><td>And I Like the post</td></tr> </table>			And I Like the post	And I Like the post	<table border="1"> <tr><td>5.23s</td></tr> <tr><td>5.47s</td></tr> </table>		5.23s	5.47s
And I Like the post								
And I Like the post								
5.23s								
5.47s								
After				0.00s				
Back to Table of Contents								
Scenario: Verify User should be able to Share the post in full article view screen								
Passed: 2	Failed: 0	Undefined: 0	Duration: 16.56s					
Before				0.00s				
<table border="1"> <tr><td>And I share the post</td></tr> <tr><td>Then I navigate back to previous page</td></tr> </table>			And I share the post	Then I navigate back to previous page	<table border="1"> <tr><td>5.52s</td></tr> <tr><td>11.05s</td></tr> </table>		5.52s	11.05s
And I share the post								
Then I navigate back to previous page								
5.52s								
11.05s								
After				0.00s				
Back to Table of Contents								
Scenario: Verify User can navigate to Health homepage								
Passed: 1	Failed: 0	Undefined: 0	Duration: 3.5s					
Before				0.00s				
<table border="1"> <tr><td>Then I navigate to story post page</td></tr> </table>			Then I navigate to story post page	3.50s				
Then I navigate to story post page								
After				0.00s				
Back to Table of Contents								
Feature: Verify Pru Safe Covid-19 Cover functionality on one pulse App								
Passed: 0	Failed: 12	Undefined: 0	Duration: 621.2s					
Scenario: Verify User should be able to register on app using email account								
Passed: 8	Failed: 1	Undefined: 2	Duration: 136.64s					
Before				0.00s				
<table border="1"> <tr><td>Given I generate random number and assign to variable "RANDOM_NUMBER"</td></tr> </table>			Given I generate random number and assign to variable "RANDOM_NUMBER"	0.03s				
Given I generate random number and assign to variable "RANDOM_NUMBER"								
<table border="1"> <tr><td>And I assign "pulse\${RANDOM_NUMBER}@mailsac.com" to variable "PULSE_EMAIL"</td></tr> </table>			And I assign "pulse\${RANDOM_NUMBER}@mailsac.com" to variable "PULSE_EMAIL"	0.00s				
And I assign "pulse\${RANDOM_NUMBER}@mailsac.com" to variable "PULSE_EMAIL"								
<table border="1"> <tr><td>Given User has pulse app</td></tr> </table>			Given User has pulse app	8.73s				
Given User has pulse app								
<table border="1"> <tr><td>And user click on "CONTINUE WITH EMAIL" with Email button</td></tr> </table>			And user click on "CONTINUE WITH EMAIL" with Email button	12.42s				
And user click on "CONTINUE WITH EMAIL" with Email button								
<table border="1"> <tr><td>When user enters registration details</td></tr> </table>			When user enters registration details	6.69s				
When user enters registration details								
FirstName	PruSafe							
LastName	CovidCover							
Email	\${PULSE_EMAIL}							
Password	Pas\$1234							

And taps on continue "Sign_Up" button	5.62s
Then I wait for 10 sec	10.01s
And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}"	27.88s
Then I click skip button	63.48s

java.lang.AssertionError: The following asserts failed:

Default height section is not displayed in the UI expected [true] but found [false],

Default weight section is not displayed in the UI expected [true] but found [false]

at org.testing.asserts.SoftAssert.assertAll(SoftAssert.java:43)

at com.onepulse.app.screens.PulseLoginScreen.verifyHeightandWeightScreenUi(PulseLoginScreen.java:1262)


at com.onepulse.app.screens.PulseLoginScreen.clickSkipButton(PulseLoginScreen.java:726)

at com.onepulse.app.stepdefinitions.mobilesteps.LoginSteps.iClickSkipButton(LoginSteps.java:292)

at .Then I click skip button(features/sg/home/prushopee/PruCancer360.feature:17)

Then I wait for 15 sec	0.00s
-------------------------------	--------------

Then user should be landed to "Home" screen	0.00s
--	--------------



Choose your Gender

Gender is an important factor for health and wellness recommendations.



Male



Female

Please select your gender

Continue

After	1.79s
--------------	--------------

[Back to Table of Contents](#)

Scenario: Verify User should be able to see the PRU Shoppe screen

Passed: 0	Failed: 1	Undefined: 5	Duration: 9.87s
-----------	-----------	--------------	-----------------

Before	0.00s
---------------	--------------

And I click on pru shoppe button on the home page	8.23s
--	--------------

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.

For documentation on this error, please visit: <http://seleniumhq.org/exceptions>

/no_such_element.html

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
 System info: host: 'Bavirisettil-MacBook-Pro.local', ip: 'fe80:0:0:0:91:d010:e7b3:bd5e%en0',
 os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'
 Driver info: io.appium.java_client.android.AndroidDriver
 Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel: SM-G985F, deviceName: R58N34BC9EH, deviceScreenDensity: 450, deviceScreenSize: 1080x2400, deviceUDID: R58N34BC9EH, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.8125, platform: LINUX, platformName: Android, platformVersion: 10, statusBarHeight: 73, takesScreenshot: true, viewportRect: {height: 2119, left: 0, top: 73, width: 1080}, warnings: {}, webStorageEnabled: false}
 Session ID: b8188315-c105-4854-afae-d3a7acfd3a44
 *** Element info: {Using=xpath, value=/android.widget.TextView[@text='Shoppe']}

at jdk.internal.reflect.GeneratedConstructorAccessor25.newInstance(Unknown Source)
 at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
 at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
 at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)
 at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)
 at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)
 at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)
 at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:231)
 at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
 at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:42)
 at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
 at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
 at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
 at io.appium.java_client.DefaultGenericMobileDriver.findElement(DefaultGenericMobileDriver.java:62)
 at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
 at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
 at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:419)
 at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath(DefaultGenericMobileDriver.java:152)
 at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
 at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
 at org.openqa.selenium.By\$ByXPath.findElement(By.java:353)
 at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
 at io.appium.java_client.DefaultGenericMobileDriver.findElement(DefaultGenericMobileDriver.java:58)

```

at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.PruShoppeScreen.clickOnPruShoppeIconOnHomePage(PruShoppeScreen.java:66)
at com.onepulse.app.stepdefinitions.mobilesteps.PruShoppeSteps.navigateToPruShoppeHomePage(PruShoppeSteps.java:40)
at .And I click on pru shoppe button on the home page(features/sg/home/prushopee/PruCancer360.feature:23)

```

And I verify following texts are displayed	0.00s
--	-------


By accessing PRUShoppe
I confirm that I have read, understood and agree to the Privacy Notice and Terms of Use.
Back
Proceed

And user click on "\${prushoppe.proceed.txt}" button	0.00s
--	-------

Then I wait for 5 sec	0.00s
-----------------------	-------

And I scroll to the end of the prushoppe screen	0.00s
---	-------

And I click on prusafe cancer tile on prushoppe screen	0.00s
--	-------



After	1.64s
-------	-------

[Back to Table of Contents](#)


Scenario: Verify User should be able to see the PRUSafe COVIDCover screen options

Passed: 1	Failed: 1	Undefined: 3	Duration: 62.85s
-----------	-----------	--------------	------------------

Before	0.00s
--------	-------

Then I wait for 5 sec	5.02s
-----------------------	-------

	And I verify following texts are displayed	56.36s
	PRUCancer 360 Basic Recommended for you Get protected with sum assured of SGD\$20,000 100% payout for all cancer stages No medical checks, just a health declaration to complete View More Packages Show More	
java.lang.AssertionError: The following asserts failed:		
PRUCancer 360 text is displayed on page expected [true] but found [false],		
Basic Recommended for you text is displayed on page expected [true] but found [false],		
Get protected with sum assured of SGD\$20,000 text is displayed on page expected [true] but found [false],		
100% payout for all cancer stages text is displayed on page expected [true] but found [false],		
No medical checks, just a health declaration to complete text is displayed on page expected [true] but found [false],		
View More Packages text is displayed on page expected [true] but found [false],		
Show More text is displayed on page expected [true] but found [false]		
at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)		
at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnScreen (MyDocSteps.java:733)		
at .And I verify following texts are displayed(features/sg/home/prushopee/PruCancer360.feature:36)		
	And user click on "Show More" button	0.00s
	And I verify following texts are displayed	0.00s
Provides cancer coverage up to age 100.		
This product is available to all Singaporeans, Permanent Resident of Singapore and Foreigners with valid passes residing in Singapore.		
Pursuant to Section 25(5) of the Insurance Act (Cap. 142), you are required to disclose, fully and faithfully, all the facts which you know or ought to know, otherwise you may receive nothing from the policy.		
	And I verify following texts are displayed	0.00s
	NRIC/FIN Full Name(Principal) Gender Date of birth	



After		1.47s
-------	--	-------

[Back to Table of Contents](#)

Scenario: Verify User should be able to see the PRUSafe COVIDCover screen options

Passed: 1	Failed: 1	Undefined: 1	Duration: 62.17s
Before	0.00s		

And I scroll down	3.79s
And I verify following texts are displayed	56.96s
Address Country Code Mobile Phone Number Email Nationality of customer Country of Birth Residency Status	


java.lang.AssertionError: The following asserts failed:

Address text is displayed on page expected [true] but found [false],
 Country Code text is displayed on page expected [true] but found [false],
 Mobile Phone Number text is displayed on page expected [true] but found [false],
 Email text is displayed on page expected [true] but found [false],
 Nationality of customer text is displayed on page expected [true] but found [false],
 Country of Birth text is displayed on page expected [true] but found [false],
 Residency Status text is displayed on page expected [true] but found [false]
 at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)
 at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnScreen
 (MyDocSteps.java:733)

at .And I verify following texts are displayed(features/sg/home/prushopee/PruCancer360.feature:58)

And I scroll up

0.00s



After

1.42s

[Back to Table of Contents](#)

Scenario: validate the nric number through singpass

Passed: 2

Failed: 1

Undefined: 1

Duration: 17.87s

Before

0.00s

Given I scroll up

3.24s

Then I wait for 5 sec

5.01s

Then I click on singpass button

8.12s

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.

For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'


System info: host: 'Bavirisettil-MacBook-Pro.local', ip: 'fe80:0:0:0:91:d010:e7b3:bd5e%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'

Driver info: io.appium.java_client.android.AndroidDriver

Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel: SM-G985F, deviceName: R58N34BC9EH, deviceScreenDensity: 450, deviceScreenSize: 1080x2400, deviceUDID: R58N34BC9EH, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true,

pixelRatio: 2.8125, platform: LINUX, platformName: Android, platformVersion: 10, statusBarHeight: 73, takesScreenshot: true, viewportRect: {height: 2119, left: 0, top: 73, width: 1080}, warnings: {}, webStorageEnabled: false}
Session ID: b8188315-c105-4854-afae-d3a7acfd3a44
***** Element info: {Using=xpath, value=//android.widget.TextView[@text='NRIC/FIN']}**
/following::android.view.ViewGroup[1]}
at jdk.internal.reflect.GeneratedConstructorAccessor25.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By\$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands\$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.PruShoppeScreen.clickOnSingPassBtn(PruShoppeScreen.java:78)
at com.onepulse.app.stepdefinitions.mobilesteps.PruShoppeSteps.clickOnSingPassBtn
(PruShoppeSteps.java:55)
at .Then I click on singpass button(features/sg/home/prushopee/PruCancer360.feature:71)

Then I login to the singpass app for nric number "\${prushopee.nric.number}"	0.00s
--	-------



After		1.50s
-------	--	-------

[Back to Table of Contents](#)

Scenario: Verify User should be able to see the My Info Consent screen and proceed

Passed: 0	Failed: 1	Undefined: 5	Duration: 26.03s
Before	0.00s		

And I verify following texts are displayed	24.55s
This digital service is requesting the following information from Singpass, for the purpose of	
NRIC/FIN	
Name	

java.lang.AssertionError: The following asserts failed:

This digital service is requesting the following information from Singpass, for the purpose of
text is displayed on page expected [true] but found [false],

NRIC/FIN text is displayed on page expected [true] but found [false],

Name text is displayed on page expected [true] but found [false]

at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)

at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnScreen

(MyDocSteps.java:733)

at .And I verify following texts are displayed(features/sg/home/prushopee/PruCancer360.
feature:75)


And I scroll down 0.00s

Then I verify following buttons are displayed 0.00s



And I click "\${pru.i.agree}" button on the app 0.00s

Then I wait for 5 sec 0.00s


And I scroll down		0.00s
After		1.48s
Back to Table of Contents		
Scenario: Verify User should be able to select country of birth & Residency status		
Passed: 0	Failed: 1	Undefined: 1 Duration: 103.9s
Before		0.00s
Then User enter the country of birth		102.36s
<pre>org.openqa.selenium.InvalidElementStateException: Swipe action cannot be performed Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z' System info: host: 'Bavirisettis-MacBook-Pro.local', ip: 'fe80:0:0:0:91:d010:e7b3:bd5e%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10' Driver info: io.appium.java_client.android.AndroidDriver Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com. prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel: SM-G985F, deviceName: R58N34BC9EH, deviceScreenDensity: 450, deviceScreenSize: 1080x2400, deviceUDID: R58N34BC9EH, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.8125, platform: LINUX, platformName: Android, platformVersion: 10, statBarHeight: 73, takesScreenshot: true, viewportRect: {height: 2119, left: 0, top: 73, width: 1080}, warnings: {}, webStorageEnabled: false} Session ID: b8188315-c105-4854-afae-d3a7acf3a44 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance (NativeConstructorAccessorImpl.java:62)</pre>		

```

at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at io.appium.java_client.PerformsTouchActions.performTouchAction(PerformsTouchActions.
java:41)
at io.appium.java_client.TouchAction.perform(TouchAction.java:187)
at com.prudential.tap.appium.AppiumCommands.scrollElement(AppiumCommands.java:876)
at com.onepulse.app.screens.TestBasePage.scrollUpTillElementDisplayed(TestBasePage.java:
374)
at com.onepulse.app.screens.PruShoppeScreen.enterCountryOfBirth(PruShoppeScreen.java:
58)
at com.onepulse.app.stepdefinitions.mobilesteps.PruShoppeSteps.
userEnterTheCountryOfBirth(PruShoppeSteps.java:35)
at .Then User enter the country of birth(features/sg/home/prushopee/PruCancer360.feature:88)

```

Then User select the country of residence "\${country.of.residence}" 0.00s



After		1.54s
Back to Table of Contents		
Scenario: Verify User should be able to select lived outside singapore for past 5 year		
Passed: 1	Failed: 1	Undefined: 2
Before		
And I scroll down		3.80s
And I click "\${pru.past.stay}" button on the app		30.94s
<p>org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.</p> <p>For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html</p> <p>Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'</p> <p>System info: host: 'Bavirisettil-MacBook-Pro.local', ip: 'fe80:0:0:0:91:d010:e7b3:bd5e%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'</p> <p>Driver info: io.appium.java_client.android.AndroidDriver</p> <p>Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel: SM-G985F, deviceName: R58N34BC9EH, deviceScreenDensity: 450, deviceScreenSize: 1080x2400, deviceUDID: R58N34BC9EH, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.8125, platform: LINUX, platformName: Android, platformVersion: 10, statusBarHeight: 73, takesScreenshot: true, viewportRect: {height: 2119, left: 0, top: 73, width: 1080}, warnings: {}, webStorageEnabled: false}</p> <p>Session ID: b8188315-c105-4854-afae-d3a7acfd3a44</p> <p>*** Element info: {Using=xpath, value=//android.widget.TextView[@text='Have you lived outside of Singapore continuously for the past 5 years or more?']/following::android.widget.TextView[1]}</p> <p>at jdk.internal.reflect.GeneratedConstructorAccessor25.newInstance(Unknown Source)</p> <p>at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)</p> <p>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)</p> <p>at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)</p> <p>at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)</p> <p>at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)</p> <p>at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:231)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)</p> <p>at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:42)</p> <p>at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)</p> <p>at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)</p>		


```

at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.WealthScreen.clickBasedOnXpath(WealthScreen.java:392)
at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.iClickButtonOnTheApp
(WealthSteps.java:237)
at .And I click "${pru.past.stay}" button on the app(features/sg/home/prushopee
/PruCancer360.feature:93)


```

And user click on "Yes" button	0.00s
--------------------------------	-------

And I scroll down	0.00s
-------------------	-------



After	1.78s
-------	-------

Back to Table of Contents							
Scenario: Verify User should able to see Payment summary details							
Passed: 1	Failed: 1	Undefined: 0	Duration: 37.11s				
Before							
<p>And I scroll down</p> <p>And I verify following texts are displayed</p> <table border="1"> <tr><td>Payment Summary</td></tr> <tr><td>Insurance Premium</td></tr> <tr><td>Total Premium</td></tr> <tr><td>Activate autodebit for automatic renewal</td></tr> </table>			Payment Summary	Insurance Premium	Total Premium	Activate autodebit for automatic renewal	3.68s
Payment Summary							
Insurance Premium							
Total Premium							
Activate autodebit for automatic renewal							
<p>And I verify following texts are displayed</p> <table border="1"> <tr><td>Payment Summary</td></tr> <tr><td>Insurance Premium</td></tr> <tr><td>Total Premium</td></tr> <tr><td>Activate autodebit for automatic renewal</td></tr> </table>			Payment Summary	Insurance Premium	Total Premium	Activate autodebit for automatic renewal	31.72s
Payment Summary							
Insurance Premium							
Total Premium							
Activate autodebit for automatic renewal							
<p>java.lang.AssertionError: The following asserts failed:</p> <p>Payment Summary text is displayed on page expected [true] but found [false],</p> <p>Insurance Premium text is displayed on page expected [true] but found [false],</p> <p>Total Premium text is displayed on page expected [true] but found [false],</p> <p>Activate autodebit for automatic renewal text is displayed on page expected [true] but found [false]</p> <p>at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)</p> <p>at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnScreen (MyDocSteps.java:733)</p> <p>at .And I verify following texts are displayed(features/sg/home/prushopee/PruCancer360.feature:99)</p>							
							
After							
<p>Back to Table of Contents</p> <p>Scenario: Verify User verify All 3 Terms and conditions</p>			1.71s				
Passed: 1	Failed: 1	Undefined: 3	Duration: 21.55s				
Before							


	And I scroll down	3.68s
	And I verify following texts are displayed	16.26s
	I have read, understood and agreed with Autodebit Term and Condition to activate autodebit.	
	I have read, understood and agree to the Terms and Conditions of my PRUCancer 360 Plan coverage stated above.	
	java.lang.AssertionError: The following asserts failed: I have read, understood and agreed with Autodebit Term and Condition to activate autodebit. text is displayed on page expected [true] but found [false], I have read, understood and agree to the Terms and Conditions of my PRUCancer 360 Plan coverage stated above. text is displayed on page expected [true] but found [false] at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43) at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnScreen (MyDocSteps.java:733) at .And I verify following texts are displayed(features/sg/home/prushopee/PruCancer360.feature:107)	
	And I click "\${terms.condition.checkbox.1}" button on the app	0.00s
	Then I wait for 5 sec	0.00s
	And I click "\${terms.condition.checkbox.2}" button on the app	0.00s
		
	What is your date of birth? Help the AI coach with your Date of Birth for best health recommendations. Date of Birth 07-May-2003 <input type="button" value="CALENDAR"/>	
	After	1.61s
	Back to Table of Contents	
	Scenario: Verify User should be accept All 3 Terms and conditions and proceed	
Passed: 1	Failed: 1	Undefined: 1 Duration: 36.03s
Before		0.00s
	And I scroll down	3.68s

	And I click "\${terms.condition.checkbox.3}" button on the app	30.78s
<p>org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.</p> <p>For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html</p> <p>Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'</p> <p>System info: host: 'Bavirisettis-MacBook-Pro.local', ip: 'fe80:0:0:0:91:d010:e7b3:bd5e%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'</p> <p>Driver info: io.appium.java_client.android.AndroidDriver</p> <p>Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel: SM-G985F, deviceName: R58N34BC9EH, deviceScreenDensity: 450, deviceScreenSize: 1080x2400, deviceUDID: R58N34BC9EH, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.8125, platform: LINUX, platformName: Android, platformVersion: 10, statusBarHeight: 73, takesScreenshot: true, viewportRect: {height: 2119, left: 0, top: 73, width: 1080}, warnings: {}, webStorageEnabled: false}</p> <p>Session ID: b8188315-c105-4854-afae-d3a7acfd3a44</p> <p>*** Element info: {Using=xpath, value=(//android.view.ViewGroup[@content-desc="termsandcondition"])[3]/android.view.ViewGroup}</p> <p>at jdk.internal.reflect.GeneratedConstructorAccessor25.newInstance(Unknown Source)</p> <p>at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)</p> <p>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)</p> <p>at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)</p> <p>at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)</p> <p>at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)</p> <p>at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:231)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)</p> <p>at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:42)</p> <p>at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)</p> <p>at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)</p> <p>at io.appium.java_client.DefaultGenericMobileDriver.findElement(DefaultGenericMobileDriver.java:62)</p> <p>at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)</p> <p>at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:419)</p> <p>at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath</p>		

```
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.WealthScreen.clickBasedOnXpath(WealthScreen.java:392)
at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.iClickButtonOnTheApp
(WealthSteps.java:237)
at .And I click "${terms.condition.checkbox.3}" button on the app(features/sg/home/prushoppee
/PruCancer360.feature:116)
```

And user click on "\${prushoppe.proceed.capital.txt}" button

0.00s



After	1.58s
-------	-------

[Back to Table of Contents](#)

Scenario: Verify User should be able to see the PRUSafe COVIDCover screen options

Passed: 1	Failed: 1	Undefined: 1	Duration: 70.68s
-----------	-----------	--------------	------------------

Before	0.00s
--------	-------

Then I wait for 5 sec	5.01s
-----------------------	-------

And I verify following texts are displayed	63.57s
--	--------

Congratulations!	
------------------	--

		Your policy registration is complete. Please check your coverage details on PULSE.	
		Your proposal number is	
		Enjoy the following great features in PULSE:	
		Health Assessment & Symptom checker	
		My Policies	
		Health Content	
		Done	
		 java.lang.AssertionError: The following asserts failed: Congratulations! text is displayed on page expected [true] but found [false], Your policy registration is complete. Please check your coverage details on PULSE. text is displayed on page expected [true] but found [false], Your proposal number is text is displayed on page expected [true] but found [false], Enjoy the following great features in PULSE: text is displayed on page expected [true] but found [false], Health Assessment & Symptom checker text is displayed on page expected [true] but found [false], My Policies text is displayed on page expected [true] but found [false], Health Content text is displayed on page expected [true] but found [false], Done text is displayed on page expected [true] but found [false] at org.testing.asserts.SoftAssert.assertAll(SoftAssert.java:43) at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnScreen (MyDocSteps.java:733) at .And I verify following texts are displayed(features/sg/home/prushopee/PruCancer360.feature:121)	
	And user click on "Done" button		0.00s
			
	<p>What is your date of birth? Help the AI coach with your Date of Birth for best health recommendations.</p> <p>Date of Birth</p> <p>07-May-2003</p> <p>Continue</p>		
	After		2.10s
	Back to Table of Contents		

Feature: Verify Pru Safe Covid-19 Cover functionality on one pulse App

Passed: 0	Failed: 12	Undefined: 0	Duration: 678.05s
-----------	------------	--------------	-------------------

Scenario: Verify User should be able to register on app using email account

Passed: 8	Failed: 1	Undefined: 2	Duration: 141.99s
-----------	-----------	--------------	-------------------

Before			0.01s
--------	--	--	-------

Given I generate random number and assign to variable "RANDOM_NUMBER"	0.02s
---	-------

And I assign "pulse\${RANDOM_NUMBER}@mailsac.com" to variable "PULSE_EMAIL"	0.00s
---	-------

Given User has pulse app	12.01s
--------------------------	--------

And user click on "CONTINUE WITH EMAIL" with Email button	12.57s
---	--------

When user enters registration details	6.74s
---------------------------------------	-------

FirstName	PruSafe
LastName	CovidCover
Email	\${PULSE_EMAIL}
Password	Pas\$1234

And taps on continue "Sign_Up" button	5.19s
---------------------------------------	-------

Then I wait for 10 sec	10.01s
------------------------	--------

And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}"	29.63s
---	--------

Then I click skip button	63.52s
--------------------------	--------

java.lang.AssertionError: The following asserts failed:

Default height section is not displayed in the UI expected [true] but found [false],

Default weight section is not displayed in the UI expected [true] but found [false],

Default height section is not displayed in the UI expected [true] but found [false],

Default weight section is not displayed in the UI expected [true] but found [false]

at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)

at com.onepulse.app.screens.PulseLoginScreen.verifyHeightandWeightScreenUi

(PulseLoginScreen.java:1262)


at com.onepulse.app.screens.PulseLoginScreen.clickSkipButton(PulseLoginScreen.java:726)

at com.onepulse.app.stepdefinitions.mobilesteps.LoginSteps.iClickSkipButton(LoginSteps.java:292)

at .Then I click skip button(features/sg/home/prushopee/PruCovid19Protection.feature:17)

Then I wait for 15 sec	0.00s
------------------------	-------

Then user should be landed to "Home" screen	0.00s
---	-------



After		2.30s
-------	--	-------

[Back to Table of Contents](#)

Scenario: Verify User should be able to see the PRU Shoppe screen

Passed: 0	Failed: 1	Undefined: 5	Duration: 9.5s
-----------	-----------	--------------	----------------

Before		0.00s
--------	--	-------

And I click on pru shoppe button on the home page	7.87s
---	-------

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.

For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'Bavirisettil-MacBook-Pro.local', ip: 'fe80:0:0:0:91:d010:e7b3:bd5e%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'

Driver info: io.appium.java_client.android.AndroidDriver

Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName:

UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel: SM-G985F, deviceName: R58N34BC9EH, deviceScreenDensity: 450, deviceScreenSize: 1080x2400, deviceUDID: R58N34BC9EH, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true,

pixelRatio: 2.8125, platform: LINUX, platformName: Android, platformVersion: 10, statBarHeight: 73, takesScreenshot: true, viewportRect: {height: 2119, left: 0, top: 73, width: 1080}, warnings: {}, webStorageEnabled: false}

Session ID: fc80be18-fefb-4875-ae73-8be1e6d991d7

*** Element info: {Using=xpath, value=//android.widget.TextView[@text='Shoppe']}

```

at jdk.internal.reflect.GeneratedConstructorAccessor25.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.PruShoppeScreen.clickOnPruShoppeIconOnHomePage
(PruShoppeScreen.java:66)
at com.onepulse.app.stepdefinitions.mobilesteps.PruShoppeSteps.
navigateToPruShoppeHomePage(PruShoppeSteps.java:40)
at .And I click on pru shoppe button on the home page(features/sg/home/prushoppee
/PruCovid19Protection.feature:23)

```

And I verify following texts are displayed

0.00s


By accessing PRUShoppe

I confirm that I have read, understood and agree to the Privacy Notice and Terms of Use

Back

Proceed

And user click on "\${prushoppe.proceed.txt}" button	0.00s
Then I wait for 5 sec	0.00s
And I scroll to the end of the prushoppe screen	0.00s
Then I click on pru covid19 protection tile on prushoppe screen	0.00s



After	1.63s
-------	-------

[Back to Table of Contents](#)

Scenario: Verify User should be able to see the PRUSafe COVIDCover screen options

Passed: 1	Failed: 1	Undefined: 1	Duration: 69.92s
-----------	-----------	--------------	------------------

Before	0.00s
--------	-------

Then I wait for 5 sec	5.01s
-----------------------	-------

And I verify following texts are displayed	63.34s
--	--------

Covid19 Protection

NEWPLAN

Php 20,000 lump sum benefit in case of Death

Php 800 Daily Hospital Income benefit for confinement due to injury or illness

Php 1,000 Long Term Hospitalization benefit for same injury/illness for each day of confinement beyond 30 days

[View More Packages](#)


[Show More](#)

Pursuant to Section 25(5) of the Insurance Act (Cap. 142), you are required to disclose, fully and faithfully, all the facts which you know or ought to know, otherwise you may receive nothing from the policy.

java.lang.AssertionError: The following asserts failed:

Covid19 Protection text is displayed on page expected [true] but found [false],
NEWPLAN text is displayed on page expected [true] but found [false],

Php 20,000 lump sum benefit in case of Death text is displayed on page expected [true] but found [false],
 Php 800 Daily Hospital Income benefit for confinement due to injury or illness text is displayed on page expected [true] but found [false],
 Php 1,000 Long Term Hospitalization benefit for same injury/illness for each day of confinement beyond 30 days text is displayed on page expected [true] but found [false],
 View More Packages text is displayed on page expected [true] but found [false],
 Show More text is displayed on page expected [true] but found [false],
 Pursuant to Section 25(5) of the Insurance Act (Cap. 142), you are required to disclose, fully and faithfully, all the facts which you know or ought to know, otherwise you may receive nothing from the policy. text is displayed on page expected [true] but found [false]
 at org.testing.asserts.SoftAssert.assertAll(SoftAssert.java:43)
 at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnScreen
 (MyDocSteps.java:733)
 at .And I verify following texts are displayed(features/sg/home/prushopee
 /PruCovid19Protection.feature:36)


And I verify following texts are displayed	0.00s
	

After	1.58s
-------	-------

[Back to Table of Contents](#)

Scenario: Verify User should be able to see the PRUSafe COVIDCover screen options

Passed: 1	Failed: 1	Undefined: 1	Duration: 60.53s
Before			
	And I scroll down		

	And I verify following texts are displayed	55.21s
	Address Country Code Mobile Phone Number Email Nationality of customer Country of Birth Residency Status	
java.lang.AssertionError: The following asserts failed:		
Address text is displayed on page expected [true] but found [false], Country Code text is displayed on page expected [true] but found [false], Mobile Phone Number text is displayed on page expected [true] but found [false], Email text is displayed on page expected [true] but found [false], Nationality of customer text is displayed on page expected [true] but found [false], Country of Birth text is displayed on page expected [true] but found [false], Residency Status text is displayed on page expected [true] but found [false]		
at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43) at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnScreen (MyDocSteps.java:733) at .And I verify following texts are displayed(features/sg/home/prushopee /PruCovid19Protection.feature:54)		
	And I scroll up	0.00s
		
	After	1.62s
Back to Table of Contents		
Scenario: validate the nric number through singpass		
Passed: 2	Failed: 1	Undefined: 1
Duration: 18.04s		


Before	0.00s
Given I scroll up	3.21s
Then I wait for 5 sec	5.01s
Then I click on singpass button	8.21s
<p>org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.</p> <p>For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html</p> <p>Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'</p> <p>System info: host: 'Bavirisettil-MacBook-Pro.local', ip: 'fe80:0:0:0:91:d010:e7b3:bd5e%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'</p> <p>Driver info: io.appium.java_client.android.AndroidDriver</p> <p>Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel: SM-G985F, deviceName: R58N34BC9EH, deviceScreenDensity: 450, deviceScreenSize: 1080x2400, deviceUDID: R58N34BC9EH, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.8125, platform: LINUX, platformName: Android, platformVersion: 10, statusBarHeight: 73, takesScreenshot: true, viewportRect: {height: 2119, left: 0, top: 73, width: 1080}, warnings: {}, webStorageEnabled: false}</p> <p>Session ID: fc80be18-fefb-4875-ae73-8be1e6d991d7</p> <p>*** Element info: {Using=xpath, value=//android.widget.TextView[@text='NRIC/FIN']/following::android.view.ViewGroup[1]}</p> <p>at jdk.internal.reflect.GeneratedConstructorAccessor25.newInstance(Unknown Source)</p> <p>at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)</p> <p>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)</p> <p>at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)</p> <p>at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)</p> <p>at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)</p> <p>at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:231)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)</p> <p>at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:42)</p> <p>at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)</p> <p>at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)</p> <p>at io.appium.java_client.DefaultGenericMobileDriver.findElement(DefaultGenericMobileDriver.java:62)</p> <p>at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)</p> <p>at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)</p>	

```

at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.PruShoppeScreen.clickOnSingPassBtn(PruShoppeScreen.java:78)
at com.onepulse.app.stepdefinitions.mobilesteps.PruShoppeSteps.clickOnSingPassBtn(PruShoppeSteps.java:55)
at .Then I click on singpass button(features/sg/home/prushopee/PruCovid19Protection.feature:67)

```

Then I login to the singpass app for nric number "\${prushopee.nric.number}" | 0.00s



After | 1.61s



[Back to Table of Contents](#)

Scenario: Verify User should be able to see the My Info Consent screen and proceed

Passed: 0	Failed: 1	Undefined: 5	Duration: 25.49s
-----------	-----------	--------------	------------------

Before | 0.00s

And I verify following texts are displayed | 23.88s


	This digital service is requesting the following information from Singpass, for the purpose of					
	NRIC/FIN					
	Name					
java.lang.AssertionError: The following asserts failed:						
This digital service is requesting the following information from Singpass, for the purpose of						
text is displayed on page expected [true] but found [false],						
NRIC/FIN text is displayed on page expected [true] but found [false],						
Name text is displayed on page expected [true] but found [false]						
at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)						
at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnScreen						
(MyDocSteps.java:733)						
at .And I verify following texts are displayed(features/sg/home/prushopee /PruCovid19Protection.feature:71)						
And I scroll down						
Then I verify following buttons are displayed						
						
And I click "\${pru.i.agree}" button on the app						
Then I wait for 5 sec						
And I scroll down						
						
<p>Choose your Gender Gender is an important factor for health and wellness recommendations.</p> <p> Male  Female</p> <p>Please select your gender</p>						
						
<p>Continue</p>						
						
After	1.61s					
Back to Table of Contents						
Scenario: Verify User should be able to select country of birth & Residency status						
Passed: 0	Failed: 1	Undefined: 1	Duration: 161.05 s			
Before	0.00s					

	Then User enter the country of birth	159.71s
<p>org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.</p> <p>For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html</p> <p>Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'</p> <p>System info: host: 'Bavirisettis-MacBook-Pro.local', ip: 'fe80:0:0:0:91:d010:e7b3:bd5e%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'</p> <p>Driver info: io.appium.java_client.android.AndroidDriver</p> <p>Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel: SM-G985F, deviceName: R58N34BC9EH, deviceScreenDensity: 450, deviceScreenSize: 1080x2400, deviceUDID: R58N34BC9EH, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.8125, platform: LINUX, platformName: Android, platformVersion: 10, statusBarHeight: 73, takesScreenshot: true, viewportRect: {height: 2119, left: 0, top: 73, width: 1080}, warnings: {}, webStorageEnabled: false}</p> <p>Session ID: fc80be18-fefb-4875-ae73-8be1e6d991d7</p> <p>*** Element info: {Using=xpath, value=//android.widget.EditText[@content-desc="countryOfBirth"]}</p> <p>at jdk.internal.reflect.GeneratedConstructorAccessor25.newInstance(Unknown Source)</p> <p>at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)</p> <p>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)</p> <p>at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)</p> <p>at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)</p> <p>at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)</p> <p>at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:231)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)</p> <p>at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:42)</p> <p>at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)</p> <p>at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)</p> <p>at io.appium.java_client.DefaultGenericMobileDriver.findElement(DefaultGenericMobileDriver.java:62)</p> <p>at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)</p> <p>at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:419)</p> <p>at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath</p>		

```
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.PruShoppeScreen.enterCountryOfBirth(PruShoppeScreen.java:59)
at com.onepulse.app.stepdefinitions.mobilesteps.PruShoppeSteps.
userEnterTheCountryOfBirth(PruShoppeSteps.java:35)
at .Then User enter the country of birth(features/sg/home/prushopee/PruCovid19Protection.feature:84)
```

Then User select the country of residence "\${country.of.residence}"

0.00s



After 1.34s

[Back to Table of Contents](#)

Scenario: Verify User should be able to select lived outside singapore for past 5 year

Passed: 1	Failed: 1	Undefined: 2	Duration: 35.61s
-----------	-----------	--------------	------------------

Before 0.00s

And I scroll down 3.73s

And I click "\${pru.past.stay}" button on the app 30.51s

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.
For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'Bavirisettis-MacBook-Pro.local', ip: 'fe80:0:0:0:91:d010:e7b3:bd5e%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel: SM-G985F, deviceName: R58N34BC9EH, deviceScreenDensity: 450, deviceScreenSize: 1080x2400, deviceUDID: R58N34BC9EH, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.8125, platform: LINUX, platformName: Android, platformVersion: 10, statusBarHeight: 73, takesScreenshot: true, viewportRect: {height: 2119, left: 0, top: 73, width: 1080}, warnings: {}, webStorageEnabled: false}
Session ID: fc80be18-fefb-4875-ae73-8be1e6d991d7
*** Element info: {Using=xpath, value=//android.widget.TextView[@text='Have you lived outside of Singapore continuously for the past 5 years or more?']/following::android.widget.TextView[1]}

at jdk.internal.reflect.GeneratedConstructorAccessor25.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)

```

at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.WealthScreen.clickBasedOnXpath(WealthScreen.java:392)
at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.iClickButtonOnTheApp
(WealthSteps.java:237)
at .And I click "${pru.past.stay}" button on the app(features/sg/home/prushopee
/PruCovid19Protection.feature:89)

```

And user click on "Yes" button	0.00s
--------------------------------	-------

And I scroll down	0.00s
-------------------	-------



After	1.37s
-------	-------

[Back to Table of Contents](#)

Scenario: Verify User should able to see Payment summary details

Passed: 1	Failed: 1	Undefined: 0	Duration: 37.25s
-----------	-----------	--------------	------------------


Before	0.00s
--------	-------

And I scroll down	3.65s
-------------------	-------

And I verify following texts are displayed	32.22s
--	--------

Press add more member, if you like to add family members to this policy.	
--	--

Add More Member	
-----------------	--

	<table border="1"> <tr> <td>Payment Summary</td></tr> <tr> <td>Total Cost</td></tr> </table>	Payment Summary	Total Cost	
Payment Summary				
Total Cost				
java.lang.AssertionError: The following asserts failed:				
Press add more member, if you like to add family members to this policy. text is displayed on page expected [true] but found [false],				
After	1.38s			
				
Back to Table of Contents				
Scenario: Verify User verify All 3 Terms and conditions				
Passed: 1	Failed: 1	Undefined: 1		
Before	0.00s			
And I scroll down		3.65s		
And I click "\${terms.covid19.protection}" button on the app		30.28s		
<p>org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.</p> <p>For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html</p> <p>Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'</p>				

System info: host: 'Bavirisettis-MacBook-Pro.local', ip: 'fe80:0:0:0:91:d010:e7b3:bd5e%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel: SM-G985F, deviceName: R58N34BC9EH, deviceScreenDensity: 450, deviceScreenSize: 1080x2400, deviceUDID: R58N34BC9EH, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.8125, platform: LINUX, platformName: Android, platformVersion: 10, statusBarHeight: 73, takesScreenshot: true, viewportRect: {height: 2119, left: 0, top: 73, width: 1080}, warnings: {}, webStorageEnabled: false}
Session ID: fc80be18-fefb-4875-ae73-8be1e6d991d7
*** Element info: {Using=xpath, value=/android.view.ViewGroup[@content-desc="termsandcondition"]/android.view.ViewGroup/android.widget.ImageView}
at jdk.internal.reflect.GeneratedConstructorAccessor25.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By\$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)


```

at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.WealthScreen.clickBasedOnXpath(WealthScreen.java:392)
at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.iClickButtonOnTheApp(WealthSteps.java:237)
at .And I click "${terms.covid19.protection}" button on the app(features/sg/home/prushopee/PruCovid19Protection.feature:103)

```

Then I wait for 5 sec

0.00s



After

1.37s

[Back to Table of Contents](#)

Scenario: Verify User should be accept All 3 Terms and conditions and proceed

Passed: 1	Failed: 1	Undefined: 0	Duration: 13.11s
-----------	-----------	--------------	------------------

Before

0.00s

And I scroll down

3.65s

And user click on "\${prushoppe.proceed.capital.txt}" button

8.01s

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.

For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'Bavirisettis-MacBook-Pro.local', ip: 'fe80:0:0:0:91:d010:e7b3:bd5e%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'

Driver info: io.appium.java_client.android.AndroidDriver

Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse}


```

uat, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel: SM-G985F, deviceName: R58N34BC9EH, deviceScreenDensity: 450, deviceScreenSize: 1080x2400, deviceUDID: R58N34BC9EH, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.8125, platform: LINUX, platformName: Android, platformVersion: 10, statusBarHeight: 73, takesScreenshot: true, viewportRect: {height: 2119, left: 0, top: 73, width: 1080}, warnings: {}, webStorageEnabled: false}
Session ID: fc80be18-fefb-4875-ae73-8be1e6d991d7
*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text, "PROCEED")]}

at jdk.internal.reflect.GeneratedConstructorAccessor25.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19)

```

at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
 at com.onepulse.app.screens.WealthScreen.clickScreenButtons(WealthScreen.java:323)
 at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.userClickOnButton(WealthSteps.java:159)
 at .And user click on "\${prushoppe.proceed.capital.txt}" button(features/sg/home/prushoppee/PruCovid19Protection.feature:108)



After		1.45s
-------	--	-------

[Back to Table of Contents](#)

Scenario: Verify User should be able to see the PRUSafe COVIDCover screen options

Passed: 1	Failed: 1	Undefined: 1	Duration: 70.26s
Before			0.00s

Then I wait for 5 sec	5.01s
-----------------------	-------

And I verify following texts are displayed	63.87s
--	--------

Congratulations!
Your policy registration is complete. Please check your coverage details on PULSE.
Your proposal number is
Enjoy the following great features in PULSE:
Health Assessment & Symptom checker
My Policies
Health Content
Done

java.lang.AssertionError: The following asserts failed:

Congratulations! text is displayed on page expected [true] but found [false],
 Your policy registration is complete. Please check your coverage details on PULSE. text is displayed on page expected [true] but found [false],

	Your proposal number is text is displayed on page expected [true] but found [false], Enjoy the following great features in PULSE: text is displayed on page expected [true] but found [false], Health Assessment & Symptom checker text is displayed on page expected [true] but found [false], My Policies text is displayed on page expected [true] but found [false], Health Content text is displayed on page expected [true] but found [false], Done text is displayed on page expected [true] but found [false] at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43) at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnScreen (MyDocSteps.java:733) at .And I verify following texts are displayed(features/sg/home/prushopee /PruCovid19Protection.feature:112)	
	And user click on "Done" button	0.00s
	After	1.37s
	Back to Table of Contents	
Feature: Verify Pru Safe Covid-19 Cover functionality on one pulse App		
Passed: 0	Failed: 10	Undefined: 0 Duration: 491.9s
Scenario: Verify User should be able to register on app using email account		
Passed: 4	Failed: 1	Undefined: 6 Duration: 62.71s
Before		0.00s
Given I generate random number and assign to variable "RANDOM_NUMBER"		0.01s
And I assign "pulse\${RANDOM_NUMBER}@mailsac.com" to variable "PULSE_EMAIL"		0.00s
Given User has pulse app		8.65s
And user click on "CONTINUE WITH EMAIL" with Email button		19.82s


	When user enters registration details	33.27s								
	<table border="1"> <tr> <td>FirstName</td><td>PruSafe</td></tr> <tr> <td>LastName</td><td>CovidCover</td></tr> <tr> <td>Email</td><td> \${PULSE_EMAIL}</td></tr> <tr> <td>Password</td><td>Pas\$1234</td></tr> </table>	FirstName	PruSafe	LastName	CovidCover	Email	\${PULSE_EMAIL}	Password	Pas\$1234	<pre>org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters. For documentation on this error, please visit: http://seleniumhq.org/exceptions /no_such_element.html Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z' System info: host: 'Bavirisettil-MacBook-Pro.local', ip: 'fe80:0:0:0:91:d010:e7b3:bd5e%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10' Driver info: io.appium.java_client.android.AndroidDriver Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com. prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel: SM-G985F, deviceName: R58N34BC9EH, deviceScreenDensity: 450, deviceScreenSize: 1080x2400, deviceUDID: R58N34BC9EH, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.8125, platform: LINUX, platformName: Android, platformVersion: 10, statBarHeight: 73, takesScreenshot: true, viewportRect: {height: 2119, left: 0, top: 73, width: 1080}, warnings: {}, webStorageEnabled: false} Session ID: 8f3bfd50-db0a-4009-a422-1253187baa89 *** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,'First Name / Given Name')]/following::android.widget.EditText[1]} at jdk.internal.reflect.GeneratedConstructorAccessor25.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java: 158) at io.appium.java_client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:231) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver. java:42) at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1) at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317) at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:62) at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)</pre>
FirstName	PruSafe									
LastName	CovidCover									
Email	\${PULSE_EMAIL}									
Password	Pas\$1234									

```

at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$16.executeCommand(Commands.java:148)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19)
at com.onepulse.app.screens.TestBasePage.setTextWithTab(TestBasePage.java:241)
at com.onepulse.app.screens.PulseRegistrationScreen.enterRegistrationDetails(PulseRegistrationScreen.java:206)
at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.enterRegistrationDetails(RegistrationSteps.java:39)
at .When user enters registration details(features/sg/home/prushopee/PruShoppePruSafeCOVIDCover.feature:9)

```

And taps on continue "Sign_Up" button	0.00s
Then I wait for 10 sec	0.00s
And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}"	0.00s
Then I click skip button	0.00s
Then I wait for 15 sec	0.00s
Then user should be landed to "Home" screen	0.00s



After	0.97s					
Back to Table of Contents						
Scenario: Verify User should be able to see the PRU Shoppe screen						
Passed: 0	Failed: 1	Undefined: 4	Duration: 8.51s			
Before	0.00s					
And I click on pru shoppe button on the home page			7.74s			
<p>org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.</p> <p>For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html</p> <p>Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'</p> <p>System info: host: 'Bavirisettil-MacBook-Pro.local', ip: 'fe80:0:0:0:91:d010:e7b3:bd5e%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'</p> <p>Driver info: io.appium.java_client.android.AndroidDriver</p> <p>Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel: SM-G985F, deviceName: R58N34BC9EH, deviceScreenDensity: 450, deviceScreenSize: 1080x2400, deviceUDID: R58N34BC9EH, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.8125, platform: LINUX, platformName: Android, platformVersion: 10, statusBarHeight: 73, takesScreenshot: true, viewportRect: {height: 2119, left: 0, top: 73, width: 1080}, warnings: {}, webStorageEnabled: false}</p> <p>Session ID: 8f3bfd50-db0a-4009-a422-1253187baa89</p> <pre>*** Element info: {Using=xpath, value=//android.widget.TextView[@text='Shoppe']}</pre> <p>at jdk.internal.reflect.GeneratedConstructorAccessor25.newInstance(Unknown Source)</p> <p>at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)</p> <p>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)</p> <p>at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)</p> <p>at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)</p> <p>at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)</p> <p>at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:231)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)</p> <p>at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:42)</p> <p>at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)</p> <p>at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)</p> <p>at io.appium.java_client.DefaultGenericMobileDriver.findElement(DefaultGenericMobileDriver.java:62)</p>						

```

at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebElement.findElement(RemoteWebElement.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.PruShoppeScreen.clickOnPruShoppeIconOnHomePage(PruShoppeScreen.java:66)
at com.onepulse.app.stepdefinitions.mobilesteps.PruShoppeSteps.navigateToPruShoppeHomePage(PruShoppeSteps.java:40)
at .And I click on pru shoppe button on the home page(features/sg/home/prushoppee/PruShoppePruSafeCOVIDCover.feature:23)

```

And I verify following texts are displayed	0.00s
--	-------

By accessing PRUShoppe

I confirm that I have read, understood and agree to the Privacy Notice and Terms of Use.
--


Back

Proceed

And user click on "\${prushoppe.proceed.txt}" button	0.00s
--	-------

Then I wait for 5 sec	0.00s
-----------------------	-------

And I click on prusafe covid cover tile on prushoppe screen	0.00s
---	-------



After		0.77s
-------	--	-------

[Back to Table of Contents](#)

Scenario: Verify User should be able to see the PRUSafe COVIDCover screen options

Passed: 1	Failed: 1	Undefined: 1	Duration: 43.99s
Before	0.00s		

Then I wait for 5 sec	5.01s
And I verify following texts are displayed	38.24s
PRUSafe COVIDCover	
Have a worry-free COVID-19 vaccination with complimentary protection from side effects	
Open for all Singapore Residents who are 18 years old or above	
Show More	
Pursuant to Section 25(5) of the Insurance Act (Cap. 142), you are required to disclose, fully and faithfully, all the facts which you know or ought to know, otherwise you may receive nothing from the policy.	

`java.lang.AssertionError: The following asserts failed:`

`PRUSafe COVIDCover text is displayed on page expected [true] but found [false],`
`Have a worry-free COVID-19 vaccination with complimentary protection from side effects text is displayed on page expected [true] but found [false],`
`Open for all Singapore Residents who are 18 years old or above text is displayed on page expected [true] but found [false],`

`Show More text is displayed on page expected [true] but found [false],`
`Pursuant to Section 25(5) of the Insurance Act (Cap. 142), you are required to disclose, fully and faithfully, all the facts which you know or ought to know, otherwise you may receive nothing from the policy. text is displayed on page expected [true] but found [false]`
`at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)`
`at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnScreen`


(MyDocSteps.java:733)

at .And I verify following texts are displayed(features/sg/home/prushopee/PruShoppePruSafeCOVIDCover.feature:36)

And I verify following texts are displayed

0.00s

NRIC/FIN
Full Name(Principal)
Gender
Date of birth



After

0.75s

[Back to Table of Contents](#)

Scenario: Verify User should be able to see the PRUSafe COVIDCover screen options

Passed: 1

Failed: 1

Undefined: 0

Duration: 65.22s

Before

0.00s

And I scroll down

3.71s


And I verify following texts are displayed

60.74s

Address
Country Code
Mobile Phone Number
Email
Nationality of customer
Country of Birth
Residency Status
PROCEED

java.lang.AssertionError: The following asserts failed:

Address text is displayed on page expected [true] but found [false],
 Country Code text is displayed on page expected [true] but found [false],
 Mobile Phone Number text is displayed on page expected [true] but found [false],
 Email text is displayed on page expected [true] but found [false],
 Nationality of customer text is displayed on page expected [true] but found [false],
 Country of Birth text is displayed on page expected [true] but found [false],
 Residency Status text is displayed on page expected [true] but found [false],
 PROCEED text is displayed on page expected [true] but found [false]
 at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)
 at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnScreen
 (MyDocSteps.java:733)
 at .And I verify following texts are displayed(features/sg/home/prushopee
 /PruShoppePruSafeCOVIDCover.feature:51)



After	0.77s
-------	-------

[Back to Table of Contents](#)

Scenario: validate the nric number through singpass

Passed: 2	Failed: 1	Undefined: 1	Duration: 16.5s
Before			0.00s

Given I scroll up	3.19s
Then I wait for 5 sec	5.01s
Then I click on singpass button	7.55s

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.

For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'Bavirisettil-MacBook-Pro.local', ip: 'fe80:0:0:0:91:d010:e7b3:bd5e%en0',

```

os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.
prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName:
UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true,
platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel:
SM-G985F, deviceName: R58N34BC9EH, deviceScreenDensity: 450, deviceScreenSize:
1080x2400, deviceUDID: R58N34BC9EH, javascriptEnabled: true, locationContextEnabled:
false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true,
pixelRatio: 2.8125, platform: LINUX, platformName: Android, platformVersion: 10,
statBarHeight: 73, takesScreenshot: true, viewportRect: {height: 2119, left: 0, top: 73, width:
1080}, warnings: {}, webStorageEnabled: false}
Session ID: 8f3bfd50-db0a-4009-a422-1253187baa89
*** Element info: {Using=xpath, value=//android.widget.TextView[@text='NRIC/FIN']}
/following::android.view.ViewGroup[1]
at jdk.internal.reflect.GeneratedConstructorAccessor25.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)


```

```

at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.PruShoppeScreen.clickOnSingPassBtn(PruShoppeScreen.java:78)
at com.onepulse.app.stepdefinitions.mobilesteps.PruShoppeSteps.clickOnSingPassBtn
(PruShoppeSteps.java:55)
at .Then I click on singpass button(features/sg/home/prushopee
/PruShoppePruSafeCOVIDCover.feature:64)

```

Then I login to the singpass app for nric number "\${prushopee.nric.number}" | 0.00s



After | 0.75s

[Back to Table of Contents](#)

Scenario: Verify User should be able to see the My Info Consent screen and proceed

Passed: 0	Failed: 1	Undefined: 5	Duration: 23.4s
Before			0.00s

And I verify following texts are displayed | 22.65s

This digital service is requesting the following information from Singpass, for the purpose of

NRIC/FIN

Name

java.lang.AssertionError: The following asserts failed:

This digital service is requesting the following information from Singpass, for the purpose of
text is displayed on page expected [true] but found [false],

NRIC/FIN text is displayed on page expected [true] but found [false],

Name text is displayed on page expected [true] but found [false]

at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)

at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnScreen

(MyDocSteps.java:733)**at .And I verify following texts are displayed(features/sg/home/prushopee****/PruShoppePruSafeCOVIDCover.feature:68)**

And I scroll down

0.00s

Then I verify following buttons are displayed

0.00s

Cancel
I Agree

And I click "\${pru.i.agree}" button on the app


0.00s

Then I wait for 5 sec

0.00s

And I scroll down

0.00s



After	0.75s
-------	-------

[Back to Table of Contents](#)

Scenario: Verify User should be able to select country of birth & Residency status

Passed: 1	Failed: 1	Undefined: 1	Duration: 158.65 s
-----------	-----------	--------------	--------------------

Before	0.00s
--------	-------

And I scroll down

3.67s

Then User enter the country of birth

154.22s

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.

For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'Bavirisettil-MacBook-Pro.local', ip: 'fe80:0:0:0:91:d010:e7b3:bd5e%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'

Driver info: io.appium.java_client.android.AndroidDriver

Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel: SM-G985F, deviceName: R58N34BC9EH, deviceScreenDensity: 450, deviceScreenSize: 1080x2400, deviceUDID: R58N34BC9EH, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.8125, platform: LINUX, platformName: Android, platformVersion: 10, statusBarHeight: 73, takesScreenshot: true, viewportRect: {height: 2119, left: 0, top: 73, width: 1080}, warnings: {}, webStorageEnabled: false}
Session ID: 8f3bfd50-db0a-4009-a422-1253187baa89


*** Element info: {Using=xpath, value=//android.widget.EditText[@content-desc="countryOfBirth"]}

at jdk.internal.reflect.GeneratedConstructorAccessor25.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By\$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands\$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:

19)

at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
 at com.onepulse.app.screens.PruShoppeScreen.enterCountryOfBirth(PruShoppeScreen.java:59)
 at com.onepulse.app.stepdefinitions.mobilesteps.PruShoppeSteps.userEnterTheCountryOfBirth(PruShoppeSteps.java:35)
 at .Then User enter the country of birth(features/sg/home/prushopee/PruShoppePruSafeCOVIDCover.feature:82)

Then User select the country of residence "\${country.of.residence}"	0.00s
--	-------



After	0.77s
-------	-------

[Back to Table of Contents](#)

Scenario: Verify User should be able to select lived outside singapore for past 5 year

Passed: 1	Failed: 1	Undefined: 2	Duration: 33.66s
-----------	-----------	--------------	------------------

Before	0.00s
--------	-------

And I scroll down	3.68s
-------------------	-------

And I click "\${pru.past.stay}" button on the app	29.23s
---	--------

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.

For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'Bavirisettis-MacBook-Pro.local', ip: 'fe80:0:0:0:91:d010:e7b3:bd5e%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'

Driver info: io.appium.java_client.android.AndroidDriver

Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName:

```

UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true,
platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel:
SM-G985F, deviceName: R58N34BC9EH, deviceScreenDensity: 450, deviceScreenSize:
1080x2400, deviceUDID: R58N34BC9EH, javascriptEnabled: true, locationContextEnabled:
false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true,
pixelRatio: 2.8125, platform: LINUX, platformName: Android, platformVersion: 10,
statBarHeight: 73, takesScreenshot: true, viewportRect: {height: 2119, left: 0, top: 73, width:
1080}, warnings: {}, webStorageEnabled: false}
Session ID: 8f3bfd50-db0a-4009-a422-1253187baa89
*** Element info: {Using=xpath, value=//android.widget.TextView[@text='Have you lived
outside of Singapore continuously for the past 5 years or more?']/following::android.widget.
TextView[1]}
at jdk.internal.reflect.GeneratedConstructorAccessor25.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)

```

at com.onepulse.app.screens.WealthScreen.clickBasedOnXpath(WealthScreen.java:392)
 at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.iClickButtonOnTheApp
 (WealthSteps.java:237)
 at .And I click "\${pru.past.stay}" button on the app(features/sg/home/prushoppee
 /PruShoppePruSafeCOVIDCover.feature:88)

And user click on "Yes" button	0.00s
And I scroll down	0.00s



After	0.75s
-------	-------

[Back to Table of Contents](#)


Scenario: Verify User should be accept the Terms and proceed

Passed: 1	Failed: 1	Undefined: 2	Duration: 12.28s
Before	0.00s		

And I scroll down	3.66s
And I verify following texts are displayed	7.84s
I have read, understood and agreed to the Terms and Conditions and Declaration.	

java.lang.AssertionError: The following asserts failed:
 I have read, understood and agreed to the Terms and Conditions and Declaration. text is
 displayed on page expected [true] but found [false]
 at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)
 at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnScreen
 (MyDocSteps.java:733)
 at .And I verify following texts are displayed(features/sg/home/prushoppee
 /PruShoppePruSafeCOVIDCover.feature:94)

And I click "\${pru.terms.and.condition}" button on the app	0.00s
And user click on "\${prushoppe.proceed.capital.txt}" button	0.00s



After		0.78s
-------	--	-------

[Back to Table of Contents](#)

Scenario: Verify User should be able to see the PRUSafe COVIDCover screen options

Passed: 1	Failed: 1	Undefined: 1	Duration: 66.97s
Before	0.00s		

Then I wait for 5 sec	5.01s
And I verify following texts are displayed	61.18s
Congratulations!	
Your policy registration is complete. Please check your coverage details on PULSE.	
Your proposal number is	
Enjoy the following great features in PULSE:	
Health Assessment & Symptom checker	
My Policies	
Health Content	
Done	

java.lang.AssertionError: The following asserts failed:

Congratulations! text is displayed on page expected [true] but found [false],

Your policy registration is complete. Please check your coverage details on PULSE. text is displayed on page expected [true] but found [false],


Your proposal number is text is displayed on page expected [true] but found [false],

Enjoy the following great features in PULSE: text is displayed on page expected [true] but found [false],

Health Assessment & Symptom checker text is displayed on page expected [true] but found [false],

My Policies text is displayed on page expected [true] but found [false],

Health Content text is displayed on page expected [true] but found [false],


	Done text is displayed on page expected [true] but found [false] at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43) at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnScreen (MyDocSteps.java:733) at .And I verify following texts are displayed(features/sg/home/prushopee /PruShoppePruSafeCOVIDCover.feature:101)	
	And user click on "\${done.button.text}" button	0.00s
		
	After	0.77s
	Back to Table of Contents	
Feature: Verify Pru Safe Covid-19 Cover functionality on one pulse App		
Passed: 0	Failed: 10	Undefined: 0 Duration: 605.71s
Scenario: Verify User should be able to register on app using email account		
Passed: 8	Failed: 1	Undefined: 2 Duration: 136.68s
Before		0.00s
Given I generate random number and assign to variable "RANDOM_NUMBER"		0.01s
And I assign "pulse\${RANDOM_NUMBER}@mailsac.com" to variable "PULSE_EMAIL"		0.00s
Given User has pulse app		8.62s
And user click on "CONTINUE WITH EMAIL" with Email button		12.46s
When user enters registration details		7.84s
FirstName	PruSafe	
LastName	CovidCover	
Email	\${PULSE_EMAIL}	
Password	Pas\$1234	

And taps on continue "Sign_Up" button	5.07s
Then I wait for 10 sec	10.01s
And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}"	27.75s
Then I click skip button	63.38s

java.lang.AssertionError: The following asserts failed:

Default height section is not displayed in the UI expected [true] but found [false],
 Default weight section is not displayed in the UI expected [true] but found [false],
 Default height section is not displayed in the UI expected [true] but found [false],
 Default weight section is not displayed in the UI expected [true] but found [false],
 Default height section is not displayed in the UI expected [true] but found [false],
 Default weight section is not displayed in the UI expected [true] but found [false]
 at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)
 at com.onepulse.app.screens.PulseLoginScreen.verifyHeightandWeightScreenUi
 (PulseLoginScreen.java:1262)
 at com.onepulse.app.screens.PulseLoginScreen.clickSkipButton(PulseLoginScreen.java:726)
 at com.onepulse.app.stepdefinitions.mobilesteps.LoginSteps.iClickSkipButton(LoginSteps.java:
 292)
at .Then I click skip button(features/sg/home/prushopee/PruShoppePruSafeDengue.feature:17)

Then I wait for 15 sec	0.00s
Then user should be landed to "Home" screen	0.00s



After	1.54s
-------	-------

[Back to Table of Contents](#)

Scenario: Verify User should be able to see the PRU Shoppe screen

Passed: 0	Failed: 1	Undefined: 5	Duration: 9.51s
-----------	-----------	--------------	-----------------

Before	0.00s
--------	-------

And I click on pru shoppe button on the home page	7.97s
---	-------

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.
For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'Bavirisettis-MacBook-Pro.local', ip: 'fe80:0:0:0:91:d010:e7b3:bd5e%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel: SM-G985F, deviceName: R58N34BC9EH, deviceScreenDensity: 450, deviceScreenSize: 1080x2400, deviceUDID: R58N34BC9EH, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.8125, platform: LINUX, platformName: Android, platformVersion: 10, statusBarHeight: 73, takesScreenshot: true, viewportRect: {height: 2119, left: 0, top: 73, width: 1080}, warnings: {}, webStorageEnabled: false}
Session ID: aedcb483-908e-47ba-9286-81a7c0486b67
*** Element info: {Using=xpath, value=/android.widget.TextView[@text='Shoppe']}

```
at jdk.internal.reflect.GeneratedConstructorAccessor25.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
```

```

at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.PruShoppeScreen.clickOnPruShoppeIconOnHomePage
(PruShoppeScreen.java:66)
at com.onepulse.app.stepdefinitions.mobilesteps.PruShoppeSteps.
navigateToPruShoppeHomePage(PruShoppeSteps.java:40)
at .And I click on pru shoppe button on the home page(features/sg/home/prushoppee
/PruShoppePruSafeDengue.feature:23)

```

And I verify following texts are displayed	0.00s
--	-------

By accessing PRUShoppe

I confirm that I have read, understood and agree to the Privacy Notice and Terms of Use.

Back


Proceed

And user click on "\${prushoppe.proceed.txt}" button	0.00s
--	-------

Then I wait for 5 sec	0.00s
-----------------------	-------

Then I scroll to the end of the prushoppe screen	0.00s
--	-------

And I click on prusafe dengue tile on prushoppe screen	0.00s
--	-------



Choose your Gender
Gender is an important factor for health and wellness recommendations.



Male



Female

Please select your gender


Continue



After	1.55s
-------	-------

[Back to Table of Contents](#)

Scenario: Verify User should be able to see the PRUSafe COVIDCover screen options							
Passed: 2	Failed: 1	Undefined: 1	Duration: 49.74s				
Before			0.00s				
And I scroll down			3.66s				
Then I wait for 5 sec			5.01s				
And I verify following texts are displayed			39.52s				
<p>PRUSafe Dengue</p> <p>Living in a dengue cluster? It only takes a minute to get super affordable dengue coverage to enjoy greater peace of mind</p> <p>Highly affordable premiums at S\$5 for 3 months of coverage</p> <p>Show More</p> <p>Pursuant to Section 25(5) of the Insurance Act (Cap. 142), you are required to disclose, fully and faithfully, all the facts which you know or ought to know, otherwise you may receive nothing from the policy.</p>							
<p>java.lang.AssertionError: The following asserts failed:</p> <p>PRUSafe Dengue text is displayed on page expected [true] but found [false],</p> <p>Living in a dengue cluster? It only takes a minute to get super affordable dengue coverage to enjoy greater peace of mind text is displayed on page expected [true] but found [false],</p> <p>Highly affordable premiums at S\$5 for 3 months of coverage text is displayed on page expected [true] but found [false],</p> <p>Show More text is displayed on page expected [true] but found [false],</p> <p>Pursuant to Section 25(5) of the Insurance Act (Cap. 142), you are required to disclose, fully and faithfully, all the facts which you know or ought to know, otherwise you may receive nothing from the policy. text is displayed on page expected [true] but found [false]</p> <p>at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)</p> <p>at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnScreen (MyDocSteps.java:733)</p> <p>at .And I verify following texts are displayed(features/sg/home/prushopee/PruShoppePruSafeDengue.feature:38)</p>							
And I verify following texts are displayed			0.00s				
<table border="1"> <tr><td>NRIC/FIN</td></tr> <tr><td>Full Name(Principal)</td></tr> <tr><td>Gender</td></tr> <tr><td>Date of birth</td></tr> </table>				NRIC/FIN	Full Name(Principal)	Gender	Date of birth
NRIC/FIN							
Full Name(Principal)							
Gender							
Date of birth							



After		1.54s
-------	--	-------

[Back to Table of Contents](#)

Scenario: Verify User should be able to see the PRUSafe COVIDCover screen options


Passed: 1	Failed: 1	Undefined: 0	Duration: 60.56s
Before	0.00s		

And I scroll down	3.72s
And I verify following texts are displayed	55.30s
Address Country Code Mobile Phone Number Email Nationality of customer Country of Birth Residency Status	

java.lang.AssertionError: The following asserts failed:

Address text is displayed on page expected [true] but found [false],
Country Code text is displayed on page expected [true] but found [false],
Mobile Phone Number text is displayed on page expected [true] but found [false],
Email text is displayed on page expected [true] but found [false],
Nationality of customer text is displayed on page expected [true] but found [false],
Country of Birth text is displayed on page expected [true] but found [false],
Residency Status text is displayed on page expected [true] but found [false]
at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)
at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnScreen
(MyDocSteps.java:733)

at .And I verify following texts are displayed(features/sg/home/prushopee /PruShoppePruSafeDengue.feature:53)



After	1.53s
-------	-------

[Back to Table of Contents](#)

Scenario: validate the nric number through singpass

Passed: 2	Failed: 1	Undefined: 1	Duration: 17.71s
-----------	-----------	--------------	------------------

Before	0.00s
--------	-------

Given I scroll up	3.19s
Then I wait for 5 sec	5.01s
Then I click on singpass button	7.90s

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.

For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'Bavirisettil-MacBook-Pro.local', ip: 'fe80:0:0:0:91:d010:e7b3:bd5e%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'


Driver info: io.appium.java_client.android.AndroidDriver

Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel: SM-G985F, deviceName: R58N34BC9EH, deviceScreenDensity: 450, deviceScreenSize: 1080x2400, deviceUDID: R58N34BC9EH, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.8125, platform: LINUX, platformName: Android, platformVersion: 10,}

statBarHeight: 73, takesScreenshot: true, viewportRect: {height: 2119, left: 0, top: 73, width: 1080}, warnings: {}, webStorageEnabled: false}
Session ID: aedcb483-908e-47ba-9286-81a7c0486b67
***** Element info: {Using>xpath, value=/android.widget.TextView[@text='NRIC/FIN']}**
/following::android.view.ViewGroup[1]
at jdk.internal.reflect.GeneratedConstructorAccessor25.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By\$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands\$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.PruShoppeScreen.clickOnSingPassBtn(PruShoppeScreen.java:78)
at com.onepulse.app.stepdefinitions.mobilesteps.PruShoppeSteps.clickOnSingPassBtn
(PruShoppeSteps.java:55)
at .Then I click on singpass button(features/sg/home/prushopee/PruShoppePruSafeDengue.feature:66)

Then I login to the singpass app for nric number "\${prushopee.nric.number}"

0.00s



After		1.61s
-------	--	-------

[Back to Table of Contents](#)

Scenario: Verify User should be able to see the My Info Consent screen and proceed

Passed: 0	Failed: 1	Undefined: 5	Duration: 25.45s
Before	0.00s		

And I verify following texts are displayed	23.82s
This digital service is requesting the following information from Singpass, for the purpose of	
NRIC/FIN	
Name	

`java.lang.AssertionError: The following asserts failed:`

This digital service is requesting the following information from Singpass, for the purpose of
text is displayed on page expected [true] but found [false],

NRIC/FIN text is displayed on page expected [true] but found [false],

Name text is displayed on page expected [true] but found [false]


at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)

at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnScreen
(MyDocSteps.java:733)

at .And I verify following texts are displayed(features/sg/home/prushopee
/PruShoppePruSafeDengue.feature:70)


And I scroll down	0.00s
-------------------	-------

Then I verify following buttons are displayed	0.00s
---	-------



And I click "\${pru.i.agree}" button on the app	0.00s
---	-------

Then I wait for 5 sec	0.00s
-----------------------	-------

And I scroll down	0.00s
	
After	1.62s
Back to Table of Contents	
Scenario: Verify User should be able to select country of birth & Residency status	
Passed: 1	Failed: 1
Undefined: 1	Duration: 164.32 s
Before	0.00s
And I scroll down	3.68s
Then User enter the country of birth	159.28s
<p>org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.</p> <p>For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html</p> <p>Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'</p> <p>System info: host: 'Bavirisettis-MacBook-Pro.local', ip: 'fe80:0:0:0:91:d010:e7b3:bd5e%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'</p> <p>Driver info: io.appium.java_client.android.AndroidDriver</p> <p>Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel: SM-G985F, deviceName: R58N34BC9EH, deviceScreenDensity: 450, deviceScreenSize: 1080x2400, deviceUDID: R58N34BC9EH, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.8125, platform: LINUX, platformName: Android, platformVersion: 10, statBarHeight: 73, takesScreenshot: true, viewportRect: {height: 2119, left: 0, top: 73, width:</p>	


```

1080}, warnings: {}, webStorageEnabled: false}
Session ID: aedcb483-908e-47ba-9286-81a7c0486b67
*** Element info: {Using=xpath, value=/android.widget.EditText[@content-desc='
countryOfBirth']}
at jdk.internal.reflect.GeneratedConstructorAccessor25.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.PruShoppeScreen.enterCountryOfBirth(PruShoppeScreen.java:
59)
at com.onepulse.app.stepdefinitions.mobilesteps.PruShoppeSteps.
userEnterTheCountryOfBirth(PruShoppeSteps.java:35)
at .Then User enter the country of birth(features/sg/home/prushopee
/PruShopPruSafeDengue.feature:84)

```

Then User select the country of residence "\${country.of.residence}"

0.00s



After		1.37s
-------	--	-------

[Back to Table of Contents](#)

Scenario: Verify User should be able to select lived outside singapore for past 5 year

Passed: 1	Failed: 1	Undefined: 2	Duration: 35.4s
Before			0.00s

And I scroll down	3.65s
-------------------	-------

And I click "\${pru.past.stay}" button on the app	30.41s
---	--------

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.

For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'Bavirisettis-MacBook-Pro.local', ip: 'fe80:0:0:0:91:d010:e7b3:bd5e%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'

Driver info: io.appium.java_client.android.AndroidDriver


Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel: SM-G985F, deviceName: R58N34BC9EH, deviceScreenDensity: 450, deviceScreenSize: 1080x2400, deviceUDID: R58N34BC9EH, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.8125, platform: LINUX, platformName: Android, platformVersion: 10, statusBarHeight: 73, takesScreenshot: true, viewportRect: {height: 2119, left: 0, top: 73, width: 1080}, warnings: {}, webStorageEnabled: false}

Session ID: aedcb483-908e-47ba-9286-81a7c0486b67

*** Element info: {Using>xpath, value=/android.widget.TextView[@text='Have you lived outside of Singapore continuously for the past 5 years or more?']/following::android.widget.TextView[1]}

at jdk.internal.reflect.GeneratedConstructorAccessor25.newInstance(Unknown Source)
 at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
 (DelegatingConstructorAccessorImpl.java:45)
 at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
 at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
 (W3CHttpResponseCodec.java:187)
 at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
 (W3CHttpResponseCodec.java:122)
 at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
 (W3CHttpResponseCodec.java:49)
 at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)
 at io.appium.java_client.remote.AppiumCommandExecutor.execute
 (AppiumCommandExecutor.java:231)
 at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
 at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:42)
 at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
 at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
 at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
 at io.appium.java_client.DefaultGenericMobileDriver.findElement
 (DefaultGenericMobileDriver.java:62)
 at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
 at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
 at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:419)
 at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
 (DefaultGenericMobileDriver.java:152)
 at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
 at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
 at org.openqa.selenium.By\$ByXPath.findElement(By.java:353)
 at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
 at io.appium.java_client.DefaultGenericMobileDriver.findElement
 (DefaultGenericMobileDriver.java:58)
 at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
 at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
 at com.prudential.tap.selenium.Commands\$15.executeCommand(Commands.java:141)
 at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19)
 at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
 at com.onepulse.app.screens.WealthScreen.clickBasedOnXpath(WealthScreen.java:392)
 at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.iClickButtonOnTheApp
 (WealthSteps.java:237)
 at .And I click "\${pru.past.stay}" button on the app(features/sg/home/prushopee
 /PruShoppePruSafeDengue.feature:89)

And user click on "Yes" button	0.00s
And I scroll down	0.00s



After		1.35s
-------	--	-------

[Back to Table of Contents](#)

Scenario: Verify User should be accept the Terms and proceed


Passed: 1	Failed: 1	Undefined: 2	Duration: 36.6s
Before	0.00s		

And I scroll down	3.66s
And I verify following texts are displayed	31.63s
Payment Summary	
Insurance Premium	
Total Premium	
I have read, understood and agreed to the Terms and Conditions and Declaration.	

java.lang.AssertionError: The following asserts failed:

Payment Summary text is displayed on page expected [true] but found [false],
 Insurance Premium text is displayed on page expected [true] but found [false],
 Total Premium text is displayed on page expected [true] but found [false],
 I have read, understood and agreed to the Terms and Conditions and Declaration. text is
 displayed on page expected [true] but found [false]
 at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)
 at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnScreen
 (MyDocSteps.java:733)
 at .And I verify following texts are displayed(features/sg/home/prushoppee
 /PruShoppePruSafeDengue.feature:95)

And I click "\${pru.terms.and.condition}" button on the app	0.00s
And user click on "\${prushoppe.proceed.capital.txt}" button	0.00s



After		1.32s
-------	--	-------

[Back to Table of Contents](#)

Scenario: Verify User should be able to see the PRUSafe COVIDCover screen options

Passed: 1	Failed: 1	Undefined: 1	Duration: 69.74s
Before	0.00s		

Then I wait for 5 sec	5.01s
-----------------------	-------

And I verify following texts are displayed	63.40s
--	--------

Congratulations!
Your policy registration is complete. Please check your coverage details on PULSE.
Your proposal number is
Enjoy the following great features in PULSE:
Health Assessment & Symptom checker
My Policies
Health Content
Done


java.lang.AssertionError: The following asserts failed:

Congratulations! text is displayed on page expected [true] but found [false],
 Your policy registration is complete. Please check your coverage details on PULSE. text is displayed on page expected [true] but found [false],
 Your proposal number is text is displayed on page expected [true] but found [false],
 Enjoy the following great features in PULSE: text is displayed on page expected [true] but found [false],
 Health Assessment & Symptom checker text is displayed on page expected [true] but found [false],
 My Policies text is displayed on page expected [true] but found [false],
 Health Content text is displayed on page expected [true] but found [false],

Done text is displayed on page expected [true] but found [false]
 at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)
 at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnScreen
 (MyDocSteps.java:733)
 at .And I verify following texts are displayed(features/sg/home/prushopee
 /PruShoppePruSafeDengue.feature:106)

And user click on "Done" button

0.00s



After

1.33s

[Back to Table of Contents](#)

Feature: Verify login functionality on One Pulse App

Passed: 4	Failed: 2	Undefined: 0	Duration: 398.72s
-----------	-----------	--------------	-------------------

Scenario: User should be able to login on app with correct credentials using "Continue with Gmail"

Passed: 9	Failed: 1	Undefined: 0	Duration: 79.73s
-----------	-----------	--------------	------------------

Before

0.00s

Given User has pulse app

8.79s

And I assign "pulse35428104105@mailsac.com" to variable "PULSE_EMAIL"

0.00s

And user click on "CONTINUE WITH EMAIL" with Email button

12.43s

And I scroll down

3.70s

And I click the Sign in link

3.86s

When user enters credentials

18.98s

UserName	\${PULSE_EMAIL}
----------	-----------------

Password	\${pulse.password}
----------	--------------------

And User clicks on signin button

0.17s

And I wait for 5 sec

5.01s

And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}"


8.00s

	Then user should be landed to "Home" screen	17.97s
<p>org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters. For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html</p> <p>Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z' System info: host: 'Bavirisettis-MacBook-Pro.local', ip: 'fe80:0:0:0:91:d010:e7b3:bd5e%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10' Driver info: io.appium.java_client.android.AndroidDriver Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel: SM-G985F, deviceName: R58N34BC9EH, deviceScreenDensity: 450, deviceScreenSize: 1080x2400, deviceUDID: R58N34BC9EH, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.8125, platform: LINUX, platformName: Android, platformVersion: 10, statusBarHeight: 73, takesScreenshot: true, viewportRect: {height: 2119, left: 0, top: 73, width: 1080}, warnings: {}, webStorageEnabled: false} Session ID: 2c2cec52-8764-47e3-bf88-ef3df1969864 *** Element info: {Using=xpath, value=//android.widget.TextView[@text='Home']}</p> <p>at jdk.internal.reflect.GeneratedConstructorAccessor25.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:231) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:42) at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1) at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317) at io.appium.java_client.DefaultGenericMobileDriver.findElement(DefaultGenericMobileDriver.java:62) at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1) at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1) at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:419) at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath(DefaultGenericMobileDriver.java:152)</p>		

```

at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.onepulse.app.screens.TestBasePage.getElementText(TestBasePage.java:235)
at com.onepulse.app.screens.PulseLoginScreen.getHomePageText(PulseLoginScreen.java:684)
at com.onepulse.app.stepdefinitions.mobilesteps.LoginSteps.landingPageValidation
(LoginSteps.java:86)
at .Then user should be landed to "Home" screen(features/sg/login/PulseLoginTest.feature:26)

```



After	0.81s
-------	-------

[Back to Table of Contents](#)

Scenario: Verify the Invalid Email id in login screen using "Continue with Gmail"

Passed: 12	Failed: 0	Undefined: 0	Duration: 54.83s
------------	-----------	--------------	------------------

Before	0.00s
--------	-------

Given User has pulse app 9.24s

Then I wait for 2 sec 2.03s

And user click on "CONTINUE WITH EMAIL" with Email button 12.61s

And I click the Sign in link 3.96s

When user enters credentials 18.13s

UserName	t@gmai
Password	Pas\$1234

And I scroll down 3.67s

And User clicks on signin button 0.19s

	Then verify invalid email message "Email is required"	0.54s
	Then User clicks on Forgot Password button	0.17s
	Then enter the email to request the new password	2.87s
	Emailt@gmail.com	
	Then User clicks on Send button	0.68s
	Then verify invalid email message "E-mail is invalid"	0.72s
After		0.00s
Back to Table of Contents		
Scenario: Verify the User not registered email in login screen using "Continue with Gmail"		
Passed: 14	Failed: 0	Undefined: 0
Before		0.00s
	Given I generate random number and assign to variable "RANDOM_NUMBER"	0.00s
	And I assign value to following variables	0.00s
	USER_NAME taf-\${RANDOM_NUMBER}@mailinator.com	
	USER_PASSWORD Pas\$1234	
	Given User has pulse app	8.52s
	And user click on "CONTINUE WITH EMAIL" with Email button	12.47s
	And I scroll down	3.71s
	And I click the Sign in link	3.96s
	When user enters credentials	17.92s
	UserName \${USER_NAME}	
	Password \${USER_PASSWORD}	
	And I scroll down	3.67s
	And User clicks on signin button	0.21s
	Then verify invalid email message "Your username or password is incorrect."	0.93s
	Then User clicks on Forgot Password button	0.17s
	Then enter the email to request the new password	2.84s
	Email pulsesgqa+001@gmail.com	
	Then User clicks on Send button	0.63s
	Then verify invalid email message "Your username or password is incorrect."	1.28s
After		0.00s
Back to Table of Contents		
Scenario: User should be able to retrieve the reset password using forget password link		
Passed: 10	Failed: 0	Undefined: 0
Before		0.00s
	And I assign "pulse596211071055@mailsac.com" to variable "PULSE_EMAIL"	0.00s
	Then enter the email to request the new password	11.21s
	Email \${PULSE_EMAIL}	
	Then User clicks on Send button	0.64s
	Then I wait for 30 sec	30.01s
	Given I create connection for api service	0.01s

	And I set endpoint url for reading email as "https://mailsac.com/api/addresses/\${PULSE_EMAIL}/messages/"	0.00s								
	And I send request to "get" the otp with "https://mailsac.com/api/raw/\${PULSE_EMAIL}"/ stored into variable "EMAIL_OTP"	1.11s								
	Then I enter "\${EMAIL_OTP}" reset code	3.29s								
	Then I wait for 7 sec	7.00s								
	Then Verify message: "Password Reset Successfully" for Reset Password	0.09s								
After		0.00s								
Back to Table of Contents										
Scenario Outline: Verify Account should be locked after entering more than 5 times incorrect passwords										
Passed: 16	Failed: 1	Undefined: 25								
Before		0.00s								
	Given I generate random number and assign to variable "RANDOM_NUMBER"	0.00s								
	And I assign "pulse\${RANDOM_NUMBER}@mailsac.com" to variable "PULSE_EMAIL"	0.00s								
	And User has pulse app	8.39s								
	Then I wait for 2 sec	2.01s								
	And user click on "CONTINUE WITH EMAIL" with Email button	12.50s								
	When user enters registration details	7.42s								
	<table border="1"> <tr><td>FirstName</td><td>testAutomation</td></tr> <tr><td>LastName</td><td>testAutomation</td></tr> <tr><td>Email</td><td> \${PULSE_EMAIL}</td></tr> <tr><td>Password</td><td>Pas\$1234</td></tr> </table>	FirstName	testAutomation	LastName	testAutomation	Email	\${PULSE_EMAIL}	Password	Pas\$1234	
FirstName	testAutomation									
LastName	testAutomation									
Email	\${PULSE_EMAIL}									
Password	Pas\$1234									
	And taps on continue "Sign_Up" button	5.03s								
	Then I enter OTP in one pulse app for user email "\${PULSE_EMAIL}"	29.81s								
	Then I wait for 10 sec	10.00s								
	And I enter the "mobile number" in welcome to pulse	9.17s								
	<table border="1"> <tr><td>mobileNumber</td><td>98678419</td></tr> </table>	mobileNumber	98678419							
mobileNumber	98678419									
	And I click the continue button	0.20s								
	And I choose my wellness goals under wellness plan screen	1.36s								
	And I click the continue button	0.87s								
	And I click the date in Date of Birth field	7.28s								
	And I click the Done icon	3.17s								
	And I click the continue button	1.18s								
	And I select the Male icon	16.46s								
<p>org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.</p> <p>For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html</p> <p>Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'</p> <p>System info: host: 'Bavirisettils-MacBook-Pro.local', ip: 'fe80:0:0:0:91:d010:e7b3:bd5e%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'</p> <p>Driver info: io.appium.java_client.android.AndroidDriver</p>										

```


Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.
prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName:
UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true,
platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel:
SM-G985F, deviceName: R58N34BC9EH, deviceScreenDensity: 450, deviceScreenSize:
1080x2400, deviceUDID: R58N34BC9EH, javascriptEnabled: true, locationContextEnabled:
false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true,
pixelRatio: 2.8125, platform: LINUX, platformName: Android, platformVersion: 10,
statBarHeight: 73, takesScreenshot: true, viewportRect: {height: 2119, left: 0, top: 73, width:
1080}, warnings: {}, webStorageEnabled: false}
Session ID: ad3b7d57-33cc-426c-b34a-77ea9db044ea
*** Element info: {Using=xpath, value=//android.view.ViewGroup/android.widget.TextView
[contains(@text,'What is your Gender?')]//following::android.widget.ImageView[1]}
at jdk.internal.reflect.GeneratedConstructorAccessor25.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:

```

19)

at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
 at com.onepulse.app.screens.PulseRegistrationScreen.MaleImage(PulseRegistrationScreen.java:681)
 at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.MaleImage
 (RegistrationSteps.java:131)
at .And I select the Male icon(features/sg/login/PulseLoginTest.feature:120)

And I click the continue button	0.00s
And I enter my height and weight details	0.00s
And I click on Calculate BMI button	0.00s
And I click the continue button	0.00s
And I select the "How active are you?" in doing exercise	0.00s
And I click the continue button	0.00s
And I select my favorite food dietary	0.00s
And I click the continue button	0.00s
And I answer as "Yes" to "Food Allergies are common?"	0.00s
And I click the continue button	0.00s
And I verify that "Tracking your activity is trending" is displayed	0.00s
And I click the continue button	0.00s
And I see that "Welcome to Pulse" text is displayed	0.00s
And I click the continue button	0.00s
And I see that fitness subscription exclusive offers screen is displayed	0.00s
And I click on close icon	0.00s
And I wait for 2 sec	0.00s
Then I click skip buttons	0.00s
Then user should be landed to "Home" screen	0.00s
And I click the Account icon in Home screen	0.00s
And I click the sign out from pulse app	0.00s
Then I wait for 1 sec	0.00s
And User clicks on signin button	0.00s
Then I wait for 2 sec	0.00s
Then I enter invalid password on login screen and verify the error message	0.00s
Pas\$123##Your username or password is incorrect.	
Pas\$123##Your username or password is incorrect.	
Pas\$123##Your username or password is incorrect.	
Pas\$123##Your username or password is incorrect.	
Pas\$123##Your username or password is incorrect.	
Pas\$123##Your username or password is incorrect.	
Pas\$123##Your username or password is incorrect.	
Pas\$123##Account is locked.	



After	1.84s
-------	--------------

[Back to Table of Contents](#)

Scenario: Verify the Login Functionality using "Continue with Google"

Passed: 4	Failed: 0	Undefined: 0	Duration: 37.81s
-----------	-----------	--------------	------------------

Before	0.00s
--------	--------------

Given User has pulse app **8.57s**

And user click on "CONTINUE WITH GOOGLE" with Google button **5.48s**

And I click the "Email" in Continue with Gmail **15.16s**

Emailid	\${facebook.text}
Password	Pulse@123

Then user should be landed to "Home" screen **8.60s**

After	0.00s
-------	--------------

[Back to Table of Contents](#)

Feature: Verify legal and legacy on One Pluse App

Passed: 4	Failed: 0	Undefined: 0	Duration: 229.8s
-----------	-----------	--------------	------------------

Scenario: User should be able to login on app with correct credentials using "Continue with Gmail"

Passed: 4	Failed: 0	Undefined: 0	Duration: 29.14s
-----------	-----------	--------------	------------------

Before	0.00s
--------	--------------

Given User has pulse app **8.62s**


And user click on "CONTINUE WITH GOOGLE" with Google button **5.45s**

And I click the "Email" in Continue with Gmail **15.06s**

Emailid	\${facebook.text}
Password	pulsesgqa@123

	Then user should be landed home screen	0.02s																
After		0.00s																
Back to Table of Contents																		
Scenario: Verify the Terms and condition should be displayed																		
Passed: 8	Failed: 0	Undefined: 0																
Before		0.00s																
<table border="1"> <tr><td>And I click the Account icon in Home screen</td><td>5.59s</td></tr> <tr><td>And I click the Legacy and Privacy in Account screen</td><td>3.34s</td></tr> <tr> <td>Then I verify following texts are displayed</td><td>2.00s</td></tr> <tr> <td> Terms & Conditions</td><td></td></tr> <tr> <td> Privacy Notice</td><td></td></tr> <tr> <td> Regulatory</td><td></td></tr> </table>			And I click the Account icon in Home screen	5.59s	And I click the Legacy and Privacy in Account screen	3.34s	Then I verify following texts are displayed	2.00s	Terms & Conditions		Privacy Notice		Regulatory					
And I click the Account icon in Home screen	5.59s																	
And I click the Legacy and Privacy in Account screen	3.34s																	
Then I verify following texts are displayed	2.00s																	
Terms & Conditions																		
Privacy Notice																		
Regulatory																		
And I click the Terms and condition icon																		
Then I verify following texts are displayed																		
Terms & Conditions																		
Pulse																		
And I click the pulse icon in Account screen																		
And I click the Back icon in pulse screen																		
And I click the Babylon icon in Account screen																		
After		0.00s																
Back to Table of Contents																		
Scenario: Verify the Privacy screen should be displayed																		
Passed: 4	Failed: 0	Undefined: 0																
Before		0.00s																
<table border="1"> <tr><td>And I click the Privacy icon in legal screen</td><td>13.29s</td></tr> <tr><td>And I click the pulse icon in Account screen</td><td>13.39s</td></tr> <tr><td>And I click the Back icon in pulse screen</td><td>17.33s</td></tr> <tr><td>And I click the Back icon in Privacy Notice</td><td>30.33s</td></tr> </table>			And I click the Privacy icon in legal screen	13.29s	And I click the pulse icon in Account screen	13.39s	And I click the Back icon in pulse screen	17.33s	And I click the Back icon in Privacy Notice	30.33s								
And I click the Privacy icon in legal screen	13.29s																	
And I click the pulse icon in Account screen	13.39s																	
And I click the Back icon in pulse screen	17.33s																	
And I click the Back icon in Privacy Notice	30.33s																	
After		0.00s																
Back to Table of Contents																		
Scenario: Verify the Regulator screen should be displayed																		
Passed: 5	Failed: 0	Undefined: 0																
Before		0.00s																
<table border="1"> <tr><td>And I click the Regulatory icon in legal screen</td><td>14.53s</td></tr> <tr><td>And I click the clinical safety icon in Account screen</td><td>20.35s</td></tr> <tr> <td>Then I verify following texts are displayed</td><td>0.63s</td></tr> <tr> <td> Clinical Safety</td><td></td></tr> <tr> <td> AI in Healthcare</td><td></td></tr> <tr> <td> Localisation</td><td></td></tr> <tr> <td> Privacy & Data Protection</td><td></td></tr> <tr> <td> Raising Concerns & Reporting issues</td><td></td></tr> </table>			And I click the Regulatory icon in legal screen	14.53s	And I click the clinical safety icon in Account screen	20.35s	Then I verify following texts are displayed	0.63s	Clinical Safety		AI in Healthcare		Localisation		Privacy & Data Protection		Raising Concerns & Reporting issues	
And I click the Regulatory icon in legal screen	14.53s																	
And I click the clinical safety icon in Account screen	20.35s																	
Then I verify following texts are displayed	0.63s																	
Clinical Safety																		
AI in Healthcare																		
Localisation																		
Privacy & Data Protection																		
Raising Concerns & Reporting issues																		
And I click the Babylons icon in Account screen																		
And I click the Back icons in pulse screen																		

After		0.00s
Back to Table of Contents		
Feature: Verify Edit Profile functionality on Pulse Health & Wealth app		
Passed: 0	Failed: 10	Undefined: 0 Duration: 459.91s
Scenario: Verify User should be able to navigate to Edit profile screen and should be able to change the profile on app		
Passed: 9	Failed: 1	Undefined: 3 Duration: 120.5s
Before		
Given User has pulse app		8.68s
And I assign "\${onepulse.login.edit.profile}" to variable "PULSE_EMAIL"		0.00s
When I navigate to login page		6.70s
When user enters credentials		18.53s
UserName	 \${PULSE_EMAIL}	
Password	 Pas\$1234	
And User clicks on signin button		0.23s
Then I wait for 59 sec		59.01s
Given I create connection for api service		0.01s
And I set endpoint url for reading email as "https://mailsac.com/api/addresses/\${PULSE_EMAIL}/messages/"		0.01s
And I send request to "get" the otp with "https://mailsac.com/api/raw/\${PULSE_EMAIL}/" stored into variable "EMAIL OTP"		1.22s
And I enter "\${EMAIL OTP}" OTP		25.29s
java.lang.ArrayIndexOutOfBoundsException: Index 1 out of bounds for length 1 at com.onepulse.app.api.PulseMailSacApi.getMessageIdFromMailsacEmail(PulseMailSacApi.java:56) at com.onepulse.app.api.PulseMailSacApi.getOTPFromEmail(PulseMailSacApi.java:100) at com.onepulse.app.screens.PulseRegistrationScreen.enterOTP(PulseRegistrationScreen.java:240) at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.enterOTP (RegistrationSteps.java:48) at .And I enter "\${EMAIL OTP}" OTP(features/sg/profile/PulseEditProfileTest.feature:17)		
Then user should be landed to "Home" screen		0.00s
Then user navigate to account page		0.00s
Then user navigate to edit profile screen		0.00s



After		0.83s
-------	--	-------

[Back to Table of Contents](#)

Scenario: Verify User should be able to change the profile picture in edit profile screen

Passed: 0	Failed: 1	Undefined: 3	Duration: 9.83s
Before			0.00s

Then user navigate to edit profile screen	9.02s
---	-------

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.

For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'Bavirisettil-MacBook-Pro.local', ip: 'fe80:0:0:0:91:d010:e7b3:bd5e%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'

Driver info: io.appium.java_client.android.AndroidDriver

Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName:

UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel:

SM-G985F, deviceName: R58N34BC9EH, deviceScreenDensity: 450, deviceScreenSize:

1080x2400, deviceUDID: R58N34BC9EH, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true,

pixelRatio: 2.8125, platform: LINUX, platformName: Android, platformVersion: 10, statBarHeight: 73, takesScreenshot: true, viewportRect: {height: 2119, left: 0, top: 73, width:

1080}, warnings: {}, webStorageEnabled: false}

Session ID: 5be11ec8-ecf6-4c15-9175-8215d7df82ac


*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,'years')]}

```

/following::android.view.ViewGroup[1]
at jdk.internal.reflect.GeneratedConstructorAccessor25.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.PulseManageProfileScreen.clickOnMyProfile
(PulseManageProfileScreen.java:1265)
at com.onepulse.app.stepdefinitions.mobilesteps.ManageProfileSteps.
userNavigateToEditProfileScreen(ManageProfileSteps.java:141)
at .Then user navigate to edit profile screen(features/sg/profile/PulseEditProfileTest.feature:23)

```

Then I wait for 5 sec	0.00s
Then I give manage profile camera permission	0.00s
Then I take picture from Camera	0.00s



After		0.82s
-------	--	-------

[Back to Table of Contents](#)

Scenario: Verify user can able to change the details in edit profile screen

Passed: 0	Failed: 1	Undefined: 0	Duration: 42.08s
Before	0.00s		

Then change personal details 41.28s

FirstName	Automation
LastName	Testing
PhoneNumber	81069586
Address	Singapore
PostalCode	576612
DOB	13-January-2003

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.

For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'Bavirisettis-MacBook-Pro.local', ip: 'fe80:0:0:0:91:d010:e7b3:bd5e%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'

Driver info: io.appium.java_client.android.AndroidDriver

Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel: SM-G985F, deviceName: R58N34BC9EH, deviceScreenDensity: 450, deviceScreenSize:


1080x2400, deviceUDID: R58N34BC9EH, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.8125, platform: LINUX, platformName: Android, platformVersion: 10, statusBarHeight: 73, takesScreenshot: true, viewportRect: {height: 2119, left: 0, top: 73, width: 1080}, warnings: {}, webStorageEnabled: false}

Session ID: 5be11ec8-ecf6-4c15-9175-8215d7df82ac

```
*** Element info: {Using=xpath, value=/android.widget.TextView[contains(@text,'First Name / Given Name')]/following::android.widget.EditText[1]}
```

at jdk.internal.reflect.GeneratedConstructorAccessor25.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By\$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands\$16.executeCommand(Commands.java:148)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19)
at com.onepulse.app.screens.TestBasePage.setTextWithTab(TestBasePage.java:241)
at com.onepulse.app.screens.PulseManageProfileScreen.editUserProfileDetails
(PulseManageProfileScreen.java:250)
at com.onepulse.app.stepdefinitions.mobilesteps.EditProfileSteps.changeProfileDetails

(EditProfileSteps.java:57)
at .Then change personal details(features/sg/profile/PulseEditProfileTest.feature:36)



After	0.81s
-------	--------------

[Back to Table of Contents](#)

Scenario: Verify the email and COR fields are non-editable in edit profile screen

Passed: 2	Failed: 1	Undefined: 2	Duration: 17.35s
Before			0.00s

And verify email field is non-editable	4.49s
And verify country of Residence is Singapore	4.44s
And click on save button	7.68s

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.

For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'


System info: host: 'Bavirisettil-MacBook-Pro.local', ip: 'fe80:0:0:0:91:d010:e7b3:bd5e%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'

Driver info: io.appium.java_client.android.AndroidDriver

Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel: SM-G985F, deviceName: R58N34BC9EH, deviceScreenDensity: 450, deviceScreenSize: 1080x2400, deviceUDID: R58N34BC9EH, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.8125, platform: LINUX, platformName: Android, platformVersion: 10,}

statBarHeight: 73, takesScreenshot: true, viewportRect: {height: 2119, left: 0, top: 73, width: 1080}, warnings: {}, webStorageEnabled: false}
Session ID: 5be11ec8-ecf6-4c15-9175-8215d7df82ac
 *** Element info: {Using=xpath, value=/android.widget.TextView[contains(@text,"Update")]}
 at jdk.internal.reflect.GeneratedConstructorAccessor25.newInstance(Unknown Source)
 at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
 (DelegatingConstructorAccessorImpl.java:45)
 at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
 at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
 (W3CHttpResponseCodec.java:187)
 at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
 (W3CHttpResponseCodec.java:122)
 at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
 (W3CHttpResponseCodec.java:49)
 at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)
 at io.appium.java_client.remote.AppiumCommandExecutor.execute
 (AppiumCommandExecutor.java:231)
 at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
 at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:42)
 at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
 at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
 at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
 at io.appium.java_client.DefaultGenericMobileDriver.findElement
 (DefaultGenericMobileDriver.java:62)
 at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
 at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
 at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:419)
 at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
 (DefaultGenericMobileDriver.java:152)
 at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
 at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
 at org.openqa.selenium.By\$ByXPath.findElement(By.java:353)
 at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
 at io.appium.java_client.DefaultGenericMobileDriver.findElement
 (DefaultGenericMobileDriver.java:58)
 at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
 at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
 at com.prudential.tap.selenium.Commands\$15.executeCommand(Commands.java:141)
 at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19)
 at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
 at com.onepulse.app.screens.PulseManageProfileScreen.clickSaveButton
 (PulseManageProfileScreen.java:184)
 at com.onepulse.app.stepdefinitions.mobilesteps.EditProfileSteps.clickSaveButton
 (EditProfileSteps.java:62)
 at .And click on save button(features/sg/profile/PulseEditProfileTest.feature:48)

Then I wait for 5 sec	0.00s
And I click "\${accounts.back.button}" button on the app	0.00s



After	0.75s
-------	--------------

[Back to Table of Contents](#)

Scenario: Verify User should be able to see the registration required pop up if user not completed MyDoc Registration

Passed: 0	Failed: 1	Undefined: 3	Duration: 15.96s
Before	0.00s		

When I navigate to medical records screen	15.16s
---	---------------

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.

For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'Bavirisettis-MacBook-Pro.local', ip: 'fe80:0:0:0:91:d010:e7b3:bd5e%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'

Driver info: io.appium.java_client.android.AndroidDriver

Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel: SM-G985F, deviceName: R58N34BC9EH, deviceScreenDensity: 450, deviceScreenSize: 1080x2400, deviceUDID: R58N34BC9EH, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.8125, platform: LINUX, platformName: Android, platformVersion: 10, statusBarHeight: 73, takesScreenshot: true, viewportRect: {height: 2119, left: 0, top: 73, width: 1080}, warnings: {}, webStorageEnabled: false}

Session ID: 5be11ec8-ecf6-4c15-9175-8215d7df82ac

```
*** Element info: {Using>xpath, value=/android.widget.TextView[@text='Health']}
at jdk.internal.reflect.GeneratedConstructorAccessor25.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.mydoc.MyDocConsultationSummary.
naviGateToMyDocMedicalRecordsScreen(MyDocConsultationSummary.java:822)
at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.
iNavigateToMedicalRecordsScreen(MyDocSteps.java:840)
at .When I navigate to medical records screen(features/sg/profile/PulseEditProfileTest.feature:
54)
```

And I verify following texts are displayed


0.00s


Registration Required

You are currently not registered. Please register yourself before continuing.

Then I verify following buttons are displayed

0.00s

LATER	REGISTER NOW	
Then I proceed with register now button		0.00s
		
After		0.80s
Back to Table of Contents		
Scenario: Verify User should not be able to edit Gender and DOB fields on myDoc registration page once the user submitted their gender and DOB in edit profile		
Passed: 1	Failed: 1	Undefined: 2
Duration: 13.63s		
Before		0.00s
Then I wait for 5 sec		5.01s
Then user verify the following texts are displayed on "Online Consultation" registration page		7.82s
Online Consultation		
<p>java.lang.AssertionError: The following asserts failed: Online Consultation text is displayed on page Online Consultation expected [true] but found [false] at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43) at com.onepulse.app.stepdefinitions.mydocuisteps.MyDocUiSteps. userVerifyTheFollowingTextsAreDisplayedOnRegistrationPage(MyDocUiSteps.java:116) at .Then user verify the following texts are displayed on "Online Consultation" registration page(features/sg/profile/PulseEditProfileTest.feature:65)</p>		
And verify Gender field should not be editable in mydoc Registration Screen		0.00s
And verify DOB field should not be editable in mydoc Registration Screen		0.00s



After		0.80s
-------	--	-------

[Back to Table of Contents](#)

Scenario: Verify User should be able to upload NRIC Image in Online Consultation screen

Passed: 0	Failed: 1	Undefined: 2	Duration: 44.64s
Before			0.00s

Then I enter the mandatory fields "\${NRIC}"


```
org.openqa.selenium.NoSuchElementException: An element could not be located on the page
using the given search parameters.
For documentation on this error, please visit: http://seleniumhq.org/exceptions
/no_such_element.html
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'Bavirisettil-MacBook-Pro.local', ip: 'fe80:0:0:0:91:d010:e7b3:bd5e%en0',
os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.
prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName:
UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true,
platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel:
SM-G985F, deviceName: R58N34BC9EH, deviceScreenDensity: 450, deviceScreenSize:
1080x2400, deviceUDID: R58N34BC9EH, javascriptEnabled: true, locationContextEnabled:
false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true,
pixelRatio: 2.8125, platform: LINUX, platformName: Android, platformVersion: 10,
statBarHeight: 73, takesScreenshot: true, viewportRect: {height: 2119, left: 0, top: 73, width:
1080}, warnings: {}, webStorageEnabled: false}
Session ID: 5be11ec8-ecf6-4c15-9175-8215d7df82ac
*** Element info: {Using=xpath, value=//android.widget.TextView[@text='NRIC/FIN']}
```

```

/following::android.widget.EditText[1]}
at jdk.internal.reflect.GeneratedConstructorAccessor25.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$16.executeCommand(Commands.java:148)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.setTextWithTab(TestBasePage.java:241)
at com.onepulse.app.screens.mydoc.MyDocRegistrationScreen.enterNric
(MyDocRegistrationScreen.java:669)
at com.onepulse.app.stepdefinitions.mydocuisteps.MyDocUiSteps.iEnterTheMandatoryFields
(MyDocUiSteps.java:128)
at .Then I enter the mandatory fields "${NRIC}"(features/sg/profile/PulseEditProfileTest.
feature:71)

```

Then I wait for 5 sec	0.00s
Then I verify the "\${phonenumer}" and proceed with "\${otp}" for already registered user	0.00s



After	0.80s
-------	--------------

[Back to Table of Contents](#)

Scenario: Verify User should be able to Edit mobile number on profile screen

Passed: 9	Failed: 1	Undefined: 5	Duration: 120.58 s
Before	0.00s		

Given User has pulse app	8.80s				
And I assign "\${onepulse.login.edit.profile}" to variable "PULSE_EMAIL"	0.00s				
When I navigate to login page	6.70s				
When user enters credentials	18.46s				
<table border="1"> <tr> <td>UserName</td> <td> \${PULSE_EMAIL}</td> </tr> <tr> <td>Password</td> <td> Pas\$1234</td> </tr> </table>	UserName	 \${PULSE_EMAIL}	Password	 Pas\$1234	
UserName	 \${PULSE_EMAIL}				
Password	 Pas\$1234				
And User clicks on signin button	0.26s				
Then I wait for 59 sec	59.01s				
Given I create connection for api service	0.01s				
And I set endpoint url for reading email as "https://mailsac.com/api/addresses/\${PULSE_EMAIL}/messages/"	0.01s				
And I send request to "get" the otp with "https://mailsac.com/api/raw/\${PULSE_EMAIL}/" stored into variable "EMAIL OTP"	1.20s				
And I enter "\${EMAIL OTP}" OTP	25.24s				
<pre>java.lang.ArrayIndexOutOfBoundsException: Index 1 out of bounds for length 1 at com.onepulse.app.api.PulseMailSacApi.getMessageIdFromMailsacEmail(PulseMailSacApi.java:56) at com.onepulse.app.api.PulseMailSacApi.getOTPFromEmail(PulseMailSacApi.java:100) at com.onepulse.app.screens.PulseRegistrationScreen.enterOTP(PulseRegistrationScreen.java:</pre>					

240)

at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.enterOTP

(RegistrationSteps.java:48)

at .And I enter "\${EMAIL_OTP}" OTP(features/sg/profile/PulseEditProfileTest.feature:88)

Then user should be landed to "Home" screen

0.00s

Then user navigate to account page

0.00s

Then I wait for 5 sec


0.00s

Then user navigate to edit profile screen

0.00s

Then I wait for 5 sec

0.00s



After	0.88s
--------------	--------------

[Back to Table of Contents](#)**Scenario: Verify user can able to change the phone number details in edit profile screen**

Passed: 0	Failed: 1	Undefined: 1	Duration: 43.55s
-----------	-----------	--------------	------------------

Before	0.00s
---------------	--------------

Then change personal details **42.72s**

FirstName	Automation
LastName	Testing
PhoneNumber	98066613
Address	Singapore
PostalCode	576612
DOB	13-January-2003

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.

For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
 System info: host: 'Bavirisettis-MacBook-Pro.local', ip: 'fe80:0:0:0:91:d010:e7b3:bd5e%en0',
 os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'
 Driver info: io.appium.java_client.android.AndroidDriver
 Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel: SM-G985F, deviceName: R58N34BC9EH, deviceScreenDensity: 450, deviceScreenSize: 1080x2400, deviceUDID: R58N34BC9EH, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.8125, platform: LINUX, platformName: Android, platformVersion: 10, statusBarHeight: 73, takesScreenshot: true, viewportRect: {height: 2119, left: 0, top: 73, width: 1080}, warnings: {}, webStorageEnabled: false}
 Session ID: 94dace9c-892a-41de-90bb-01ab0fe66ef2
*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text, "First Name / Given Name")]/following::android.widget.EditText[1]}
 at jdk.internal.reflect.GeneratedConstructorAccessor25.newInstance(Unknown Source)
 at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
 at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
 at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)
 at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)
 at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)
 at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)
 at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:231)
 at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
 at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:42)
 at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
 at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
 at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
 at io.appium.java_client.DefaultGenericMobileDriver.findElement(DefaultGenericMobileDriver.java:62)
 at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
 at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
 at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:419)
 at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath(DefaultGenericMobileDriver.java:152)
 at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
 at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
 at org.openqa.selenium.By\$ByXPath.findElement(By.java:353)
 at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
 at io.appium.java_client.DefaultGenericMobileDriver.findElement(DefaultGenericMobileDriver.java:58)


```

at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$16.executeCommand(Commands.java:148)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19)
at com.onepulse.app.screens.TestBasePage.setTextWithTab(TestBasePage.java:241)
at com.onepulse.app.screens.PulseManageProfileScreen.editUserProfileDetails(PulseManageProfileScreen.java:250)
at com.onepulse.app.stepdefinitions.mobilesteps.EditProfileSteps.changeProfileDetails(EditProfileSteps.java:57)
at .Then change personal details(features/sg/profile/PulseEditProfileTest.feature:96)

```

And click on save button

0.00s



After	0.83s
-------	-------

[Back to Table of Contents](#)

Scenario: Verify user should be able to see the OTP Verification Screen


Passed: 0	Failed: 1	Undefined: 3	Duration: 31.79s
Before	0.00s		

And I verify following texts are displayed 31.04s

OTP Verification
Didn't receive the code?
Cancel
Continue

java.lang.AssertionError: The following asserts failed:

OTP Verification text is displayed on page expected [true] but found [false],
 Didn't receive the code? text is displayed on page expected [true] but found [false],
 Cancel text is displayed on page expected [true] but found [false],

	Continue text is displayed on page expected [true] but found [false] at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43) at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnScreen (MyDocSteps.java:733) at .And I verify following texts are displayed(features/sg/profile/PulseEditProfileTest.feature:106)	
	And I enter the "\${profile.otp.text}" value on "\${change.mobile.number.otp}" one pulse screen	0.00s
	Then I wait for 5 sec	0.00s
	And I click "\${accounts.back.button}" button on the app	0.00s
		
After		0.76s
Back to Table of Contents		
Feature: Verify MySettings functionality in Account screen		
Passed: 5	Failed: 0	Undefined: 0 Duration: 160.05s
Scenario: User should be able to login on app with correct credentials using "Continue with Gmail"		
Passed: 8	Failed: 0	Undefined: 0 Duration: 72.54s
Before		0.00s
Given User has pulse app And I assign "\${onepulse.login.id.mydoc}" to variable "PULSE_EMAIL" When I navigate to login page When user enters credentials		
User Name	\${PULSE_EMAIL}	
Password	Pas\$1234	
And User clicks on signin button		
Then I wait for 10 sec		

	And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}"	29.01s
	Then user should be landed home screen	0.04s
After		0.00s
Back to Table of Contents		
Scenario: Verify the My Feedback screen in Account tab		
Passed: 4	Failed: 0	Undefined: 0
Before		0.00s
	And I click the Account icon in Home screen	7.30s
	And I click the My Feedback icon in Account screen	3.48s
	And I click the Feedback start icon in Account screen	3.50s
	Then I verify following texts are displayed	1.32s
	Health Articles	
	BMI	
	Wrinkle	
	Health Assessment	
After		0.00s
Back to Table of Contents		
Scenario: Verify the submit functionality in My feedback screen		
Passed: 3	Failed: 0	Undefined: 0
Before		0.00s
	And I click the Health Articles icon in Account screen	3.43s
	And I enter the "Feedback" in welcome to Feedback Screen	7.99s
	mobileNumber <input type="text" value="98678419"/>	
	And I click the Submit icon in Feedback Screen	4.54s
After		0.00s
Back to Table of Contents		
Scenario: Verify the Pulse Personalised tab		
Passed: 4	Failed: 0	Undefined: 0
Before		0.00s
	And I click the Pulse by Personalised icons	4.79s
	And I click the save button in pulse personalised icons	3.88s
	And I click the Ok button in pulse personalised screen	8.34s
	And I click the Back icon in pulse personalised screen	8.39s
After		0.00s
Back to Table of Contents		
Scenario: Verify the Marketing Consent in Account tab		
Passed: 5	Failed: 0	Undefined: 0
Before		0.00s
	And I click the Marketing content	8.34s
	Then I verify the following text "Marketing Consent" in Screen	2.19s
	Marketing Consent	
	And I click the save button in pulse personalised icons	3.42s

	And I click the Ok button in pulse personalised screen	8.25s
	And I click the Back icon in pulse Marketing Consent	8.35s
After		0.00s
Back to Table of Contents		

Feature: Verify registration functionality on one pluse App

Passed: 5	Failed: 1	Undefined: 0	Duration: 576.71s
-----------	-----------	--------------	-------------------

	Scenario Outline: Verify the Multiple User Register login using "Continue with Email"	
Passed: 10	Failed: 1	Undefined: 32
Before	0.00s	
Given I generate random number and assign to variable "RANDOM_NUMBER"	0.00s	
And I assign "pulse\${RANDOM_NUMBER}@mailsac.com" to variable "PULSE_EMAIL"	0.00s	
And User has pulse app	8.66s	
Then I wait for 2 sec	2.01s	
And user click on "CONTINUE WITH EMAIL" with Email button	12.47s	
When user enters registration details	6.67s	
FirstName testAutomation		
LastName testAutomation		
Email \${PULSE_EMAIL}		
Password Pas\$1234		
And taps on continue "Sign_Up" button	4.98s	
Then I wait for 10 sec	10.01s	
And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}"	0.55s	
Then I wait for 9 sec	9.01s	
And I enter the "mobile number" in welcome to pulse	0.13s	
mobileNumber \${registration.mobile.number}		
<pre>org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: connect ECONNREFUSED 127.0.0.1:8232 Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z' System info: host: 'Bavirisettil-MacBook-Pro.local', ip: 'fe80:0:0:0:91:d010:e7b3:bd5e%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10' Driver info: io.appium.java_client.android.AndroidDriver Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com. prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel: SM-G985F, deviceName: R58N34BC9EH, deviceScreenDensity: 450, deviceScreenSize: 1080x2400, deviceUDID: R58N34BC9EH, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.8125, platform: LINUX, platformName: Android, platformVersion: 10, statBarHeight: 73, takesScreenshot: true, viewportRect: {height: 2119, left: 0, top: 73, width: 1080}, warnings: {}, webStorageEnabled: false}</pre>		

Session ID: 87939791-b766-4245-aa76-8937a39431af

```
*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,'Please
start by entering your mobile phone number')]/following::android.widget.EditText[2]}
at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance
(NativeConstructorAccessorImpl.java:62)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$16.executeCommand(Commands.java:148)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.setTextWithTab(TestBasePage.java:241)
at com.onepulse.app.screens.PulseRegistrationScreen.enterMobileNumber
(PulseRegistrationScreen.java:508)
at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.enterMobileNumber
(RegistrationSteps.java:172)
at .And I enter the "mobile number" in welcome to pulse(features/sg/registration
/PulseRegistrationTest.feature:61)
```

	And I click the continue button	0.00s
	And I choose my wellness goals under wellness plan screen	0.00s
	And I click the continue button	0.00s
	And I click the date in Date of Birth field	0.00s
	And I click the Done icon	0.00s
	And I click the continue button	0.00s
	And I select the Male icon	0.00s
	And I click the continue button	0.00s
	And I enter my height and weight details	0.00s
	And I click on Calculate BMI button	0.00s
	And I click the continue button	0.00s
	And I select the "How active are you?" in doing exercise	0.00s
	And I click the continue button	0.00s
	And I select my favorite food dietary	0.00s
	And I click the continue button	0.00s
	And I answer as "Yes" to "Food Allergies are common?"	0.00s
	And I click the continue button	0.00s
	And I verify that "Tracking your activity is trending" is displayed	0.00s
	And I click the continue button	0.00s
	And I see that "Welcome to Pulse" text is displayed	0.00s
	And I click the continue button	0.00s
	And I see that fitness subscription exclusive offers screen is displayed	0.00s
	And I click on close icon	0.00s
	Then I click skip buttons	0.00s
	Then user should be landed home screen	0.00s
	And I click the Account icon in Home screen	0.00s
	And I click the sign out from pulse app	0.00s
	Then I wait for 4 sec	0.00s
	When user enters password credentials in signin screen	0.00s
	<input type="password"/> Pas\$1234	
	And User clicks on signin button	0.00s
	Then I wait for 8 sec	0.00s
	Then user should be landed home screen	0.00s
After		0.07s

```
com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases
(CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor30.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
```

```

at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberScenarioOutline.run(CucumberScenarioOutline.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:91)
at jdk.internal.reflect.GeneratedMethodAccessor37.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

```

[Back to Table of Contents](#)

Scenario: Invalid Registration in password field


Passed: 5	Failed: 0	Undefined: 0	Duration: 109.92 s		
Before			0.00s		
Given I generate random number and assign to variable "RANDOM_NUMBER"			0.00s		
And User has pulse app			8.45s		
And user click on "CONTINUE WITH EMAIL" with Email button			12.39s		
And I enter invalid details for "Password" and verify the error message "Enter 8-16 characters with at least 1 number, 1 uppercase, 1 lowercase and 1 special character (!@#\$%^&+=)"			37.32s		
<table border="1"> <tr> <td>Pulse@1</td> </tr> <tr> <td>Pulse123</td> </tr> </table>			Pulse@1	Pulse123	
Pulse@1					
Pulse123					
And I enter valid details for "Password" and verify the error message "Enter 8-16 characters with at least 1 number, 1 uppercase, 1 lowercase and 1 special character (!@#\$%^&+=)"			51.76s		

	character (!@#\$%^&+=)" should not display	
	Pulse123! Pas\$1234	
After		0.00s
Back to Table of Contents		
Scenario: Verify the Already Registered Email id in sign up screen using "Continue with Gmail."		
Passed: 7	Failed: 0	Undefined: 0
Before		0.00s
Given I generate random number and assign to variable "RANDOM_NUMBER"		0.00s
And User has pulse app		8.35s
And user click on "CONTINUE WITH EMAIL" with Email button		12.34s
Then I wait for 2 sec		2.01s
When user enters registration details		5.68s
FirstName	testAutomation	
LastName	testAutomation	
Email	employee47@yopmail.com	
Password	Pas\$1234	
And taps on continue "Sign_Up" button		5.19s
Then verify Again invalid Email id "User already exists."		1.14s
After		0.00s
Back to Table of Contents		
Scenario: Verify the mobile number screen validation using "Continue with Email"		
Passed: 11	Failed: 0	Undefined: 0
Before		0.00s
Given I generate random number and assign to variable "RANDOM_NUMBER"		0.00s
And I assign "pulse\${RANDOM_NUMBER}@mailsac.com" to variable "PULSE_EMAIL"		0.00s
When user enters registration details		7.04s
FirstName	NewAutomation	
LastName	NewAutomation	
Email	\${PULSE_EMAIL}	
Password	Pas\$1234	
And taps on continue "Sign_Up" button		5.07s
Then I wait for 10 sec		10.01s
And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}"		28.55s
Then I wait for 3 sec		3.01s
And I enter the "mobile number" in welcome to pulse		9.38s
mobileNumber	917670	
And I click the continue button		0.21s
Then I wait for 5 sec		5.01s
Then verify Again invalid Mobile message "Please enter a valid mobile phone number."		0.07s

After			0.00s								
Back to Table of Contents											
Scenario: Verify the Gender screen validation using "Continue with Email"											
Passed: 19	Failed: 0	Undefined: 0	Duration: 101.1s								
Before			0.00s								
Given I generate random number and assign to variable "RANDOM_NUMBER"			0.00s								
And I assign "pulse\${RANDOM_NUMBER}@mailsac.com" to variable "PULSE_EMAIL"			0.00s								
And User has pulse app			8.49s								
And user click on "CONTINUE WITH EMAIL" with Email button			12.47s								
When user enters registration details			6.68s								
<table border="1"> <tr><td>FirstName</td><td>NewAutomation</td></tr> <tr><td>LastName</td><td>NewAutomation</td></tr> <tr><td>Email</td><td> \${PULSE_EMAIL}</td></tr> <tr><td>Password</td><td>Pas\$1234</td></tr> </table>		FirstName	NewAutomation	LastName	NewAutomation	Email	\${PULSE_EMAIL}	Password	Pas\$1234		
FirstName	NewAutomation										
LastName	NewAutomation										
Email	\${PULSE_EMAIL}										
Password	Pas\$1234										
And taps on continue "Sign_Up" button			5.48s								
Then I wait for 10 sec			10.01s								
And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}"			27.59s								
Then I wait for 3 sec			3.01s								
And I enter the "mobile number" in welcome to pulse			9.74s								
<table border="1"> <tr><td>mobileNumber</td><td>98678519</td></tr> </table>			mobileNumber	98678519							
mobileNumber	98678519										
And I click the continue button			0.23s								
And I choose my wellness goals under wellness plan screen			1.54s								
And I click the continue button			0.86s								
And I click the date in Date of Birth field			7.74s								
And I click the Done icon			3.23s								
And I click the continue button			1.19s								
Then I wait for 2 sec			2.01s								
And I click the continue button			0.29s								
Then verify Again invalid Gender message "Please select your gender"			0.53s								
After			0.00s								
Back to Table of Contents											
Scenario Outline: Verify the Multiple User Register login using "Continue with Email"											
Passed: 12	Failed: 0	Undefined: 0	Duration: 208.06s								
Before			0.00s								
Given I generate random number and assign to variable "RANDOM_NUMBER"			0.00s								
And I assign "pulse\${RANDOM_NUMBER}@mailsac.com" to variable "PULSE_EMAIL"			0.00s								
And User has pulse app			8.58s								
Then I wait for 2 sec			2.01s								
And user click on "CONTINUE WITH EMAIL" with Email button			12.44s								

	When user enters registration details		7.69s
	FirstName testAutomation		
	LastName testAutomation		
	Email \${PULSE_EMAIL}		
	Password Pas\$1234		
	And taps on continue "Sign_Up" button		5.26s
	Then I wait for 100 sec		100.01s
	Then I click the Resend button in OTP screen		3.27s
	Then I wait for 10 sec		10.01s
	And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}"		28.98s
	And I enter valid Resend password details for and verify the error message "Enter code to continue" should not display		29.82s
	After		0.00s
	Back to Table of Contents		
	Feature: Verify share with friends functionality in onepulse app		
Passed: 6	Failed: 0	Undefined: 0	Duration: 64.11s
	Scenario: Verify user can login using CONTINUE WITH GOOGLE option		
Passed: 5	Failed: 0	Undefined: 0	Duration: 37.03s
Before			0.00s
	Given User has pulse app		
	And user click on "CONTINUE WITH GOOGLE" with Google button		
	And I click the "Email" in Continue with Gmail		
	Emailid \${facebook.text}		
	Password pulsesgqa@123		
	Then user should be landed home screen		
	Then I wait for 8 sec		
After			0.00s
	Back to Table of Contents		
	Scenario: Verify User should be able to share the link with Whatsapp		
Passed: 1	Failed: 0	Undefined: 0	Duration: 9.23s
Before			0.00s
	Then I verify the share with friends links		
After			0.00s
	Back to Table of Contents		
	Scenario: Verify User should be able to share the link with Contacts app		
Passed: 1	Failed: 0	Undefined: 0	Duration: 8.27s
Before			0.00s
	Then I verify the contacts share icon		
After			0.00s
	Back to Table of Contents		
	Scenario: Verify User should be able to share the link with Messenger app		
Passed: 1	Failed: 0	Undefined: 0	Duration: 6.06s
Before			0.00s

Then I verify the fb messenger share icon		6.06s
After		0.00s
Back to Table of Contents		
Scenario: Verify User should be able to share the link with Viber app		
Passed: 1	Failed: 0	Undefined: 0
Before		0.00s
Then I verify the Viber share icon		1.68s
After		0.00s
Back to Table of Contents		
Scenario: Verify User should be able to share the link with Line app		
Passed: 1	Failed: 0	Undefined: 0
Before		0.00s
Then I verify the Line share icon		1.84s
After		0.00s
Back to Table of Contents		
Feature: Verify User should be able to using the wealth daily financial functionality		
Passed: 3	Failed: 2	Undefined: 0
Scenario: Verify User should be able to register on app using email account		
Passed: 9	Failed: 0	Undefined: 0
Before		0.00s
Given User has pulse app		9.41s
And I assign "\${wealth.login.id}" to variable "PULSE_EMAIL"		0.00s
When I navigate to login page		7.26s
When user enters credentials		17.83s
UserName \${PULSE_EMAIL}		
Password Pas\$1234		
And User clicks on signin button		0.24s
Then I wait for 10 sec		10.01s
And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}"		27.74s
Then I wait for 15 sec		15.01s
Then user should be landed to "Home" screen		9.30s
After		0.00s
Back to Table of Contents		
Scenario: Verify User should be able to see the wealth screen options		
Passed: 2	Failed: 0	Undefined: 0
Before		0.00s
Then I navigate to wealth screen		0.33s
And I verify following texts are displayed		2.20s
Wealth Channel		
Learn Investing Basics		
Wealth		
Care about your finances		


After		0.00s		
Back to Table of Contents				
Scenario: Verify the terms and condition and proceed				
Passed: 4	Failed: 0	Undefined: 0		
Before				
Then I navigate to finances wealth screen		0.25s		
Then I wait for 15 sec		15.01s		
And I scroll down		3.69s		
And I click "\${wealth.daily.bytes}" button on the app		0.32s		
After				
Back to Table of Contents				
Scenario: Verify User should be able to see checkbox options				
Passed: 0	Failed: 1	Undefined: 0		
Before				
And I verify following texts are displayed		16.56s		
<table border="1"> <tr> <td>retirement</td> </tr> <tr> <td>Custom your goal</td> </tr> </table>		retirement	Custom your goal	
retirement				
Custom your goal				
<p>java.lang.AssertionError: The following asserts failed:</p> <p>retirement text is displayed on page expected [true] but found [false],</p> <p>Custom your goal text is displayed on page expected [true] but found [false]</p> <p>at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)</p> <p>at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnScreen (MyDocSteps.java:733)</p> <p>at .And I verify following texts are displayed(features/sg/wealth/DailyFinancialBytes.feature: 34)</p>				
				

After		1.26s
Back to Table of Contents		
Scenario: Verify User can create the new goal by entering required details		
Passed: 0	Failed: 1	Undefined: 1
Before		0.00s
And user click on "retirement" button		8.62s
<p>org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.</p> <p>For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html</p> <p>Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'</p> <p>System info: host: 'Bavirisettis-MacBook-Pro.local', ip: 'fe80:0:0:0:91:d010:e7b3:bd5e%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'</p> <p>Driver info: io.appium.java_client.android.AndroidDriver</p> <p>Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel: SM-G985F, deviceName: R58N34BC9EH, deviceScreenDensity: 450, deviceScreenSize: 1080x2400, deviceUDID: R58N34BC9EH, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.8125, platform: LINUX, platformName: Android, platformVersion: 10, statusBarHeight: 73, takesScreenshot: true, viewportRect: {height: 2119, left: 0, top: 73, width: 1080}, warnings: {}, webStorageEnabled: false}</p> <p>Session ID: 645608bf-3c07-4520-a00c-e82d93280e57</p> <p>*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text, "retirement")]}</p> <p>at jdk.internal.reflect.GeneratedConstructorAccessor25.newInstance(Unknown Source)</p> <p>at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)</p> <p>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)</p> <p>at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)</p> <p>at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)</p> <p>at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)</p> <p>at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:231)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)</p> <p>at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:42)</p> <p>at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)</p> <p>at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)</p> <p>at io.appium.java_client.DefaultGenericMobileDriver.findElement</p>		

```
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.WealthScreen.clickScreenButtons(WealthScreen.java:323)
at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.userClickOnButton(WealthSteps.java:159)
at .And user click on "retirement" button(features/sg/wealth/DailyFinancialBytes.feature:43)
```

And I click "\${wealth.check.box.close}" button on the app

0.00s



After

1.29s

[Back to Table of Contents](#)

Feature: Verify wealth registration functionality on one pulse App


Passed: 1

Failed: 27

Undefined: 0

Duration: 502.34s

Scenario: Verify User should be able to register on app using email account			
Passed: 8	Failed: 1	Undefined: 2	Duration: 137.58 s
Before	0.00s		
Given I generate random number and assign to variable "RANDOM_NUMBER"			0.01s
And I assign "pulse\${RANDOM_NUMBER}@mailsac.com" to variable "PULSE_EMAIL"			0.00s
Given User has pulse app			8.59s
And user click on "CONTINUE WITH EMAIL" with Email button			12.40s
When user enters registration details			7.12s
FirstName	Wealth		
LastName	Registration		
Email	\${PULSE_EMAIL}		
Password	Pas\$1234		
And taps on continue "Sign_Up" button			5.17s
Then I wait for 10 sec			10.01s
And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}"			28.55s
Then I click skip button			64.08s
java.lang.AssertionError: The following asserts failed: Default height section is not displayed in the UI expected [true] but found [false], Default weight section is not displayed in the UI expected [true] but found [false], Default height section is not displayed in the UI expected [true] but found [false], Default weight section is not displayed in the UI expected [true] but found [false], Default height section is not displayed in the UI expected [true] but found [false], Default weight section is not displayed in the UI expected [true] but found [false], Default height section is not displayed in the UI expected [true] but found [false], Default weight section is not displayed in the UI expected [true] but found [false] at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43) at com.onepulse.app.screens.PulseLoginScreen.verifyHeightandWeightScreenUi(PulseLoginScreen.java:1262) at com.onepulse.app.screens.PulseLoginScreen.clickSkipButton(PulseLoginScreen.java:726) at com.onepulse.app.stepdefinitions.mobilesteps.LoginSteps.iClickSkipButton(LoginSteps.java:292) at .Then I click skip button(features/sg/wealth/EditCustomizeLifeStyle.feature:17)			
Then I wait for 15 sec			0.00s
Then user should be landed to "Home" screen			0.00s



After		1.64s
-------	--	-------

[Back to Table of Contents](#)

Scenario: Verify User should be able to see the wealth screen options

Passed: 0	Failed: 1	Undefined: 1	Duration: 32.67s
Before	0.00s		

Then I navigate to wealth screen	31.08s
----------------------------------	--------

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.

For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'Bavirisettil-MacBook-Pro.local', ip: 'fe80:0:0:0:91:d010:e7b3:bd5e%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'

Driver info: io.appium.java_client.android.AndroidDriver

Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName:

UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel: SM-G985F, deviceName: R58N34BC9EH, deviceScreenDensity: 450, deviceScreenSize: 1080x2400, deviceUDID: R58N34BC9EH, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true,

pixelRatio: 2.8125, platform: LINUX, platformName: Android, platformVersion: 10, statBarHeight: 73, takesScreenshot: true, viewportRect: {height: 2119, left: 0, top: 73, width: 1080}, warnings: {}, webStorageEnabled: false}

Session ID: aaecc3c0-97df-4c39-88fe-737d0dcdb2e4

*** Element info: {Using=xpath, value=//android.widget.TextView[@text='Wealth']}

```


at jdk.internal.reflect.GeneratedConstructorAccessor25.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.WealthScreen.clickWealthButton(WealthScreen.java:117)
at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.iNavigateToWealthScreen
(WealthSteps.java:46)
at .Then I navigate to wealth screen(features/sg/wealth/EditCustomizeLifeStyle.feature:23)

```

And I verify following texts are displayed

0.00s

Wealth Channel



After		1.59s
-------	--	-------

[Back to Table of Contents](#)

Scenario: Verify User can navigate to terms and condition page

Passed: 0	Failed: 1	Undefined: 0	Duration: 10.82s
Before	0.00s		

Then I navigate to finances wealth screen	9.55s
---	-------

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.

For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'Bavirisettil-MacBook-Pro.local', ip: 'fe80:0:0:0:91:d010:e7b3:bd5e%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'

Driver info: io.appium.java_client.android.AndroidDriver

Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName:

UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel:

SM-G985F, deviceName: R58N34BC9EH, deviceScreenDensity: 450, deviceScreenSize:

1080x2400, deviceUDID: R58N34BC9EH, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true,


pixelRatio: 2.8125, platform: LINUX, platformName: Android, platformVersion: 10, statBarHeight: 73, takesScreenshot: true, viewportRect: {height: 2119, left: 0, top: 73, width:

1080}, warnings: {}, webStorageEnabled: false}

Session ID: aaecc3c0-97df-4c39-88fe-737d0dcdb2e4

*** Element info: {Using=xpath, value=//android.widget.TextView[@text='Wealth']/following::

```
    android.widget.TextView[@text='Explore']}
at jdk.internal.reflect.GeneratedConstructorAccessor25.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.WealthScreen.clickFinancialWealthExploreButton(WealthScreen.
java:259)
at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.
iNavigateToFinancesWealthScreen(WealthSteps.java:117)
at .Then I navigate to finances wealth screen(features/sg/wealth/EditCustomizeLifeStyle.
feature:28)
```



After		1.27s
-------	--	-------

[Back to Table of Contents](#)

Scenario: Verify the terms and condition screen contents

Passed: 0	Failed: 1	Undefined: 1	Duration: 9.75s
Before	0.00s		

And I verify following texts are displayed	8.39s
Welcome to Wealth	

java.lang.AssertionError: The following asserts failed:

Welcome to Wealth text is displayed on page expected [true] but found [false]


at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)

at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnScreen

(MyDocSteps.java:733)

at .And I verify following texts are displayed(features/sg/wealth/EditCustomizeLifeStyle.feature:31)

And I agree the Terms and Conditions to proceed	0.00s



After		1.36s
-------	--	-------

[Back to Table of Contents](#)

Scenario: Verify User should be able enter details for wealth registration

Passed: 0	Failed: 1	Undefined: 0	Duration: 41.49s
Before	0.00s		

And I enter details for wealth profile registration 40.13s

DateOfBirth	21/02/1991
NRIC	557N
PostalCode	460105

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.

For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'Bavirisettil-MacBook-Pro.local', ip: 'fe80:0:0:0:91:d010:e7b3:bd5e%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'


Driver info: io.appium.java_client.android.AndroidDriver

Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel: SM-G985F, deviceName: R58N34BC9EH, deviceScreenDensity: 450, deviceScreenSize: 1080x2400, deviceUDID: R58N34BC9EH, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.8125, platform: LINUX, platformName: Android, platformVersion: 10, statBarHeight: 73, takesScreenshot: true, viewportRect: {height: 2119, left: 0, top: 73, width:

```

1080}, warnings: {}, webStorageEnabled: false}
Session ID: aaecc3c0-97df-4c39-88fe-737d0dcdb2e4
*** Element info: {Using=xpath, value=/android.widget.EditText[@text='DD/MM/YYYY']}
at jdk.internal.reflect.GeneratedConstructorAccessor25.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$16.executeCommand(Commands.java:148)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.setTextWithTab(TestBasePage.java:241)
at com.onepulse.app.screens.WealthScreen.enterWealthRegistrationDetails(WealthScreen.
java:270)
at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.
iEnterDetailsForWealthProfileRegistration(WealthSteps.java:129)
at .And I enter details for wealth profile registration(features/sg/wealth
/EditCustomizeLifeStyle.feature:36)

```



After		1.37s
-------	--	-------

[Back to Table of Contents](#)

Scenario: Verify wealth registration screen user fields

Passed: 0	Failed: 1	Undefined: 0	Duration: 42.83s
-----------	-----------	--------------	------------------

Before		0.00s
--------	--	-------

And I verify following texts are displayed	41.51s
--	--------

Let us know more about you so that we can serve you better.
Gender
Martial Status
Occupation
Annual Income
Postal Code

java.lang.AssertionError: The following asserts failed:

Let us know more about you so that we can serve you better. text is displayed on page expected [true] but found [false],

Martial Status text is displayed on page expected [true] but found [false],

Occupation text is displayed on page expected [true] but found [false],


Annual Income text is displayed on page expected [true] but found [false],

Postal Code text is displayed on page expected [true] but found [false]

at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)

at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnScreen
(MyDocSteps.java:733)

at .And I verify following texts are displayed(features/sg/wealth/EditCustomizeLifeStyle.
feature:42)



After		1.33s
-------	--	-------

[Back to Table of Contents](#)

Scenario: Verify User should be able to complete the registration successfully

Passed: 1	Failed: 0	Undefined: 0	Duration: 16.34s
-----------	-----------	--------------	------------------

Before		0.00s
--------	--	-------

Then I verify financial wealth registration completed successfully	16.34s
--	--------

After		0.00s
-------	--	-------

[Back to Table of Contents](#)

Scenario: Verify User can navigate to new goal page

Passed: 0	Failed: 1	Undefined: 1	Duration: 17.47s
-----------	-----------	--------------	------------------

Before		0.00s
--------	--	-------

And I click grow my wealth tab	15.95s
--------------------------------	--------

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.

For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'Bavirisettil-MacBook-Pro.local', ip: 'fe80:0:0:0:91:d010:e7b3:bd5e%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'

Driver info: io.appium.java_client.android.AndroidDriver

Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel: SM-G985F, deviceName: R58N34BC9EH, deviceScreenDensity: 450, deviceScreenSize:

1080x2400, deviceUDID: R58N34BC9EH, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.8125, platform: LINUX, platformName: Android, platformVersion: 10, statusBarHeight: 73, takesScreenshot: true, viewportRect: {height: 2119, left: 0, top: 73, width: 1080}, warnings: {}, webStorageEnabled: false}

Session ID: aaecc3c0-97df-4c39-88fe-737d0dcdb2e4

*** Element info: {Using=xpath, value=/android.widget.TextView[@text='My Goals']}

/following::android.view.ViewGroup[1]

at jdk.internal.reflect.GeneratedConstructorAccessor25.newInstance(Unknown Source)

at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)

at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)

at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)

at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:231)

at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)

at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:42)

at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)

at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)

at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)

at io.appium.java_client.DefaultGenericMobileDriver.findElement(DefaultGenericMobileDriver.java:62)

at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)

at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)

at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:419)

at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath(DefaultGenericMobileDriver.java:152)

at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)

at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)

at org.openqa.selenium.By\$ByXPath.findElement(By.java:353)

at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)

at io.appium.java_client.DefaultGenericMobileDriver.findElement(DefaultGenericMobileDriver.java:58)

at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)

at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)

at com.prudential.tap.selenium.Commands\$15.executeCommand(Commands.java:141)


at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19)


at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)

at com.onepulse.app.screens.WealthScreen.navigateToMyGoalPage(WealthScreen.java:352)

at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.iClickGrowMyWealthTab(WealthSteps.java:195)

at .And I click grow my wealth tab(features/sg/wealth/EditCustomizeLifeStyle.feature:54)

And user click on "Prepare for retirement" button	0.00s		
			
After	1.52s		
Back to Table of Contents			
Scenario: Verify wealth registration screen user fields			
Passed: 0	Failed: 1	Undefined: 0	Duration: 26.12s
Before	0.00s		
And I verify following texts are displayed	24.55s		
<input type="checkbox"/> Retirement Goal <input type="checkbox"/> Prepare for Retirement <input type="checkbox"/> Target retirement age*			
<p>java.lang.AssertionError: The following asserts failed:</p> <p>Retirement Goal text is displayed on page expected [true] but found [false],</p> <p>Prepare for Retirement text is displayed on page expected [true] but found [false],</p> <p>Target retirement age* text is displayed on page expected [true] but found [false]</p> <p>at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)</p> <p>at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnScreen (MyDocSteps.java:733)</p> <p>at .And I verify following texts are displayed(features/sg/wealth/EditCustomizeLifeStyle.feature:58)</p>			



After		1.57s
-------	--	-------

[Back to Table of Contents](#)

Scenario: Verify user can set correct retirement age on retirement goal page

Passed: 0	Failed: 1	Undefined: 1	Duration: 36.99s
Before	0.00s		

And I enter the "\${wealth.retirement.age.field}" value on "\${wealth.retirement.age}" one pulse screen	35.43s
---	--------

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.

For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'Bavirisettis-MacBook-Pro.local', ip: 'fe80:0:0:0:91:d010:e7b3:bd5e%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'


Driver info: io.appium.java_client.android.AndroidDriver

Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel: SM-G985F, deviceName: R58N34BC9EH, deviceScreenDensity: 450, deviceScreenSize: 1080x2400, deviceUDID: R58N34BC9EH, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.8125, platform: LINUX, platformName: Android, platformVersion: 10, statusBarHeight: 73, takesScreenshot: true, viewportRect: {height: 2119, left: 0, top: 73, width: 1080}, warnings: {}, webStorageEnabled: false}

Session ID: aaecc3c0-97df-4c39-88fe-737d0dcdb2e4

```
*** Element info: {Using>xpath, value=/android.widget.EditText[@content-desc="ID_targetAge"]}
at jdk.internal.reflect.GeneratedConstructorAccessor25.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$16.executeCommand(Commands.java:148)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.setTextWithTab(TestBasePage.java:241)
at com.onepulse.app.screens.PulseManageProfileScreen.enterValueBasedOnXpath
(PulseManageProfileScreen.java:1325)
at com.onepulse.app.stepdefinitions.mobilesteps.EditProfileSteps.
iEnterTheValueOnOnePulseScreen(EditProfileSteps.java:350)
at .And I enter the "${wealth.retirement.age.field}" value on "${wealth.retirement.age}" one
pulse screen(features/sg/wealth/EditCustomizeLifeStyle.feature:64)
```

And user click on "Start" button	0.00s
----------------------------------	-------



After		1.57s
-------	--	-------

[Back to Table of Contents](#)

Scenario: Verify user select the Simple lifestyle plan

Passed: 0	Failed: 1	Undefined: 1	Duration: 10.35s
Before	0.00s		

And user click on "Simple 0" button	8.27s
-------------------------------------	-------

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.

For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'Bavirisettil-MacBook-Pro.local', ip: 'fe80:0:0:0:91:d010:e7b3:bd5e%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'

Driver info: io.appium.java_client.android.AndroidDriver

Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel: SM-G985F, deviceName: R58N34BC9EH, deviceScreenDensity: 450, deviceScreenSize: 1080x2400, deviceUDID: R58N34BC9EH, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.8125, platform: LINUX, platformName: Android, platformVersion: 10, statBarHeight: 73, takesScreenshot: true, viewportRect: {height: 2119, left: 0, top: 73, width: 1080}, warnings: {}, webStorageEnabled: false}

Session ID: aaecc3c0-97df-4c39-88fe-737d0dcdb2e4

*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text, "Simple


```

0"})}
at jdk.internal.reflect.GeneratedConstructorAccessor25.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.WealthScreen.clickScreenButtons(WealthScreen.java:323)
at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.userClickOnButton(WealthSteps.
java:159)
at .And user click on "Simple 0" button(features/sg/wealth/EditCustomizeLifeStyle.feature:68)

```

And user click on "Next" button

0.00s



After		2.08s
-------	--	-------

[Back to Table of Contents](#)

Scenario: Verify Add My CPF Account screen user fields


Passed: 0	Failed: 1	Undefined: 0	Duration: 9.77s
Before	0.00s		

And I verify following texts are displayed	8.12s
--	-------

Add My CPF Account

java.lang.AssertionError: The following asserts failed:

Add My CPF Account text is displayed on page expected [true] but found [false]
at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)
at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnScreen
(MyDocSteps.java:733)
at .And I verify following texts are displayed(features/sg/wealth/EditCustomizeLifeStyle.
feature:72)



After		1.65s
-------	--	-------

[Back to Table of Contents](#)

Scenario: Verify user can enter the CPF Account details in Add my cpf screen

Passed: 0	Failed: 1	Undefined: 2	Duration: 36.74s
Before			0.00s

And I enter the "\${wealth.cpf.total.value}" value on "\${wealth.total.account.value}" one pulse screen	35.21s
---	--------

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.

For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'


System info: host: 'Bavirisettis-MacBook-Pro.local', ip: 'fe80:0:0:0:91:d010:e7b3:bd5e%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'

Driver info: io.appium.java_client.android.AndroidDriver

Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel: SM-G985F, deviceName: R58N34BC9EH, deviceScreenDensity: 450, deviceScreenSize: 1080x2400, deviceUDID: R58N34BC9EH, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.8125, platform: LINUX, platformName: Android, platformVersion: 10, statusBarHeight: 73, takesScreenshot: true, viewportRect: {height: 2119, left: 0, top: 73, width: 1080}, warnings: {}, webStorageEnabled: false}

Session ID: aaecc3c0-97df-4c39-88fe-737d0dcdb2e4


	*** Element info: {Using>xpath, value=/android.widget.EditText[@content-desc="atTotalAccount"]} at jdk.internal.reflect.GeneratedConstructorAccessor25.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at io.appium.java_client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:231) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:42) at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1) at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317) at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:62) at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1) at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1) at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:419) at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath (DefaultGenericMobileDriver.java:152) at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1) at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1) at org.openqa.selenium.By\$ByXPath.findElement(By.java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309) at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:58) at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1) at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1) at com.prudential.tap.selenium.Commands\$16.executeCommand(Commands.java:148) at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19) at com.onepulse.app.screens.TestBasePage.setTextWithTab(TestBasePage.java:241) at com.onepulse.app.screens.PulseManageProfileScreen.enterValueBasedOnXpath (PulseManageProfileScreen.java:1325) at com.onepulse.app.stepdefinitions.mobilesteps.EditProfileSteps. iEnterTheValueOnOnePulseScreen(EditProfileSteps.java:350) at .And I enter the "\${wealth.cpf.total.value}" value on "\${wealth.total.account.value}" one pulse screen(features/sg/wealth/EditCustomizeLifeStyle.feature:76)	And I enter the "\${wealth.cpf.my.monthly.contribution}" value on "\${wealth.my.monthly.contribution}" one pulse screen	0.00s
	And I enter the "\${wealth.cpf.emp.monthly.contribution}" value on "\${wealth.total.account.value}" one pulse screen		

employer.monthly.contribution}" one pulse screen		0.00s
After		1.53s
Back to Table of Contents		
Scenario: Verify Risk Exposure options		
Passed: 0	Failed: 1	Undefined: 1 Duration: 9.46s
Before		0.00s
<p>And user click on ">" button</p> <pre>org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters. For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z' System info: host: 'Bavirisettis-MacBook-Pro.local', ip: 'fe80:0:0:0:91:d010:e7b3:bd5e%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10' Driver info: io.appium.java_client.android.AndroidDriver Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel: SM-G985F, deviceName: R58N34BC9EH, deviceScreenDensity: 450, deviceScreenSize: 1080x2400, deviceUDID: R58N34BC9EH, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.8125, platform: LINUX, platformName: Android, platformVersion: 10, statusBarHeight: 73, takesScreenshot: true, viewportRect: {height: 2119, left: 0, top: 73, width: 1080}, warnings: {}, webStorageEnabled: false} Session ID: aaecc3c0-97df-4c39-88fe-737d0dcdb2e4</pre>		7.91s

```
*** Element info: {Using>xpath, value=/android.widget.TextView[contains(@text,>")]}
```

at jdk.internal.reflect.GeneratedConstructorAccessor25.newInstance(Unknown Source)
 at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
 (DelegatingConstructorAccessorImpl.java:45)
 at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
 at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
 (W3CHttpResponseCodec.java:187)
 at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
 (W3CHttpResponseCodec.java:122)
 at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
 (W3CHttpResponseCodec.java:49)
 at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
 158)
 at io.appium.java_client.remote.AppiumCommandExecutor.execute
 (AppiumCommandExecutor.java:231)
 at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
 at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
 java:42)
 at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
 at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
 at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
 at io.appium.java_client.DefaultGenericMobileDriver.findElement
 (DefaultGenericMobileDriver.java:62)
 at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
 at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
 at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
 java:419)
 at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
 (DefaultGenericMobileDriver.java:152)
 at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
 at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
 at org.openqa.selenium.By\$ByXPath.findElement(By.java:353)
 at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
 at io.appium.java_client.DefaultGenericMobileDriver.findElement
 (DefaultGenericMobileDriver.java:58)
 at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
 at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
 at com.prudential.tap.selenium.Commands\$15.executeCommand(Commands.java:141)
 at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
 19)
 at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
 at com.onepulse.app.screens.WealthScreen.clickScreenButtons(WealthScreen.java:323)
 at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.userClickOnButton(WealthSteps.
 java:159)
 at .And user click on ">" button(features/sg/wealth/EditCustomizeLifeStyle.feature:81)

And I verify following texts are displayed	0.00s
Cash and/or unspecified	
I can't stand risk	
I'm not a risk taker	
I don't like risk too much	



After		1.55s
-------	--	-------

[Back to Table of Contents](#)

Scenario: Verify user select the I can't stand risk option from risk exposure options list

Passed: 0	Failed: 1	Undefined: 1	Duration: 9.72s
Before			0.00s

And user click on "I can't stand risk" button	8.02s
---	-------

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.

For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'Bavirisettil-MacBook-Pro.local', ip: 'fe80:0:0:0:91:d010:e7b3:bd5e%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'

Driver info: io.appium.java_client.android.AndroidDriver

Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel: SM-G985F, deviceName: R58N34BC9EH, deviceScreenDensity: 450, deviceScreenSize: 1080x2400, deviceUDID: R58N34BC9EH, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.8125, platform: LINUX, platformName: Android, platformVersion: 10, statBarHeight: 73, takesScreenshot: true, viewportRect: {height: 2119, left: 0, top: 73, width: 1080}, warnings: {}, webStorageEnabled: false}

Session ID: aaecc3c0-97df-4c39-88fe-737d0dcdb2e4

*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text, 'I can't


```

stand risk")]
at jdk.internal.reflect.GeneratedConstructorAccessor25.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.WealthScreen.clickScreenButtons(WealthScreen.java:323)
at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.userClickOnButton(WealthSteps.
java:159)
at .And user click on "I can't stand risk" button(features/sg/wealth/EditCustomizeLifeStyle.
feature:89)

```

And user click on "Next" button

0.00s



After		1.70s
-------	--	-------

[Back to Table of Contents](#)

Scenario: Verify User should be able to see goal details

Passed: 0	Failed: 1	Undefined: 3	Duration: 25.46s
Before	0.00s		

And I verify following texts are displayed	23.90s
--	--------

My Retirement Plan
Retirement age
Target monthly income

java.lang.AssertionError: The following asserts failed:


My Retirement Plan text is displayed on page expected [true] but found [false],
 Retirement age text is displayed on page expected [true] but found [false],
 Target monthly income text is displayed on page expected [true] but found [false]
 at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)
 at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnScreen
 (MyDocSteps.java:733)
 at .And I verify following texts are displayed(features/sg/wealth/EditCustomizeLifeStyle.
 feature:93)

And I scroll down	0.00s
-------------------	-------

And I verify following texts are displayed	0.00s
--	-------

Setup Goal

And user click on "Setup Goal" button	0.00s
---------------------------------------	-------



After		1.56s
-------	--	-------

[Back to Table of Contents](#)

Scenario: Verify User should be able to see the CREATED goal success message pop up

Passed: 0	Failed: 1	Undefined: 1	Duration: 22.94s
Before	0.00s		

And I verify following texts are displayed	22.92s
--	--------

Congratulations!

You have successfully set a goal.

OK

java.lang.AssertionError: The following asserts failed:

Congratulations! text is displayed on page expected [true] but found [false],

You have successfully set a goal. text is displayed on page expected [true] but found [false],

OK text is displayed on page expected [true] but found [false]

at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)

at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnScreen

(MyDocSteps.java:733)

at .And I verify following texts are displayed(features/sg/wealth/EditCustomizeLifeStyle.

feature:103)

And user click on "OK" button

0.00s

After		0.02s
-------	--	-------

com.prudential.tap.exception.TapException: Failed to take screenshot of

at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases

(CucumberHook.java:95)

at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)

at jdk.internal.reflect.GeneratedMethodAccessor30.invoke(Unknown Source)

```

at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:91)
at jdk.internal.reflect.GeneratedMethodAccessor37.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

```

[Back to Table of Contents](#)

Scenario: Verify User should be able to edit the created retirement goal on retirement goal page

Passed: 0	Failed: 1	Undefined: 6	Duration: .09s
Before			
And I edit the created goal			

```

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while
processing the command. Original error: Could not proxy command to the remote server.
Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'Bavirisettis-MacBook-Pro.local', ip: 'fe80:0:0:0:91:d010:e7b3:bd5e%en0',
os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'

```

Driver info: io.appium.java_client.android.AndroidDriver
 Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel: SM-G985F, deviceName: R58N34BC9EH, deviceScreenDensity: 450, deviceScreenSize: 1080x2400, deviceUDID: R58N34BC9EH, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.8125, platform: LINUX, platformName: Android, platformVersion: 10, statusBarHeight: 73, takesScreenshot: true, viewportRect: {height: 2119, left: 0, top: 73, width: 1080}, warnings: {}, webStorageEnabled: false}
 Session ID: aaecc3c0-97df-4c39-88fe-737d0dcdb2e4
 *** Element info: {Using=xpath, value=//android.widget.ImageView[@content-desc="atEditGoal"]}
 at jdk.internal.reflect.GeneratedConstructorAccessor40.newInstance(Unknown Source)
 at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
 at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
 at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)
 at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)
 at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)
 at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)
 at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:231)
 at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
 at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:42)
 at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
 at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
 at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
 at io.appium.java_client.DefaultGenericMobileDriver.findElement(DefaultGenericMobileDriver.java:62)
 at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
 at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
 at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:419)
 at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath(DefaultGenericMobileDriver.java:152)
 at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
 at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
 at org.openqa.selenium.By\$ByXPath.findElement(By.java:353)
 at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
 at io.appium.java_client.DefaultGenericMobileDriver.findElement(DefaultGenericMobileDriver.java:58)
 at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
 at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
 at com.prudential.tap.selenium.Commands\$15.executeCommand(Commands.java:141)

	at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19) at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163) at com.onepulse.app.screens.WealthScreen.clickCreatedGoalEditOption(WealthScreen.java:363) at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.iEditTheCreatedGoal(WealthSteps.java:207) at .And I edit the created goal(features/sg/wealth/EditCustomizeLifeStyle.feature:110)
	And I enter the "\${wealth.edit.age}" value on "\${wealth.edit.age.value}" one pulse screen 0.00s
	And I click "\${wealth.edit.ideal.style}" button on the app 0.00s
	Then I wait for 8 sec 0.00s
	And I scroll down 0.00s
	And user click on "Standard" button 0.00s
	And user click on "Save" button 0.00s
After	0.05s
	com.prudential.tap.exception.TapException: Failed to take screenshot of at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases(CucumberHook.java:95) at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72) at jdk.internal.reflect.GeneratedMethodAccessor30.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at cucumber.runtime.Utils\$1.call(Utils.java:40) at cucumber.runtime.Timeout.timeout(Timeout.java:16) at cucumber.runtime.Utils.invoke(Utils.java:34) at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60) at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224) at cucumber.runtime.Runtime.runHooks(Runtime.java:212) at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206) at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46) at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165) at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:63) at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:91) at jdk.internal.reflect.GeneratedMethodAccessor37.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86) at org.testng.internal.Invoker.invokeMethod(Invoker.java:643) at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820) at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112) at org.testng.TestRunner.privateRun(TestRunner.java:782) at org.testng.TestRunner.run(TestRunner.java:632) at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)

```

at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

```

[Back to Table of Contents](#)

Scenario: Verify User should be able to see the EDITED goal success message pop up

Passed: 1	Failed: 1	Undefined: 3	Duration: 5.09s
Before			
Then I wait for 5 sec			5.01s
And I scroll down			0.07s

```

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while
processing the command. Original error: Could not proxy command to the remote server.
Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'Bavirisettis-MacBook-Pro.local', ip: 'fe80:0:0:0:91:d010:e7b3:bd5e%en0',
os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.
prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName:
UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true,
platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel:
SM-G985F, deviceName: R58N34BC9EH, deviceScreenDensity: 450, deviceScreenSize:
1080x2400, deviceUDID: R58N34BC9EH, javascriptEnabled: true, locationContextEnabled:
false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true,
pixelRatio: 2.8125, platform: LINUX, platformName: Android, platformVersion: 10,
statBarHeight: 73, takesScreenshot: true, viewportRect: {height: 2119, left: 0, top: 73, width:
1080}, warnings: {}, webStorageEnabled: false}
Session ID: aaecc3c0-97df-4c39-88fe-737d0dcdb2e4
at jdk.internal.reflect.GeneratedConstructorAccessor40.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)

```

	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:46) at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1) at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1) at org.openqa.selenium.remote. RemoteWebDriver\$RemoteWebdriverOptions\$RemoteWindow.getSize(RemoteWebdriver.java:804) at com.prudential.tap.appium.AppiumCommands.swipe(AppiumCommands.java:432) at com.onepulse.app.screens.TestBasePage.scrollPageDown(TestBasePage.java:185) at com.onepulse.app.stepdefinitions.mobilesteps.BaseSteps.scrollDown(BaseSteps.java:53) at .And I scroll down(features/sg/wealth/EditCustomizeLifeStyle.feature:120)
And user click on "Save" button	0.00s
And I verify following texts are displayed	0.00s
Congratulations! You have successfully set a goal. OK	
And user click on "OK" button	0.00s
After	0.01s
com.prudential.tap.exception.TapException: Failed to take screenshot of at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases (CucumberHook.java:95) at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72) at jdk.internal.reflect.GeneratedMethodAccessor30.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at cucumber.runtime.Utils\$1.call(Utils.java:40) at cucumber.runtime.Timeout.timeout(Timeout.java:16) at cucumber.runtime.Utils.invoke(Utils.java:34) at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60) at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224) at cucumber.runtime.Runtime.runHooks(Runtime.java:212) at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206) at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46) at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165) at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:63) at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:91) at jdk.internal.reflect.GeneratedMethodAccessor37.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86) at org.testng.internal.Invoker.invokeMethod(Invoker.java:643) at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820) at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)	

```

at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

```

[Back to Table of Contents](#)

Scenario: Verify User should be able to see delete pop up for the created goal

Passed: 0	Failed: 1	Undefined: 2	Duration: .04s
Before			0.00s
And I delete the created goal			0.03s
<p>org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z' System info: host: 'Bavirisettis-MacBook-Pro.local', ip: 'fe80:0:0:0:91:d010:e7b3:bd5e%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10' Driver info: io.appium.java_client.android.AndroidDriver Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel: SM-G985F, deviceName: R58N34BC9EH, deviceScreenDensity: 450, deviceScreenSize: 1080x2400, deviceUDID: R58N34BC9EH, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.8125, platform: LINUX, platformName: Android, platformVersion: 10, statusBarHeight: 73, takesScreenshot: true, viewportRect: {height: 2119, left: 0, top: 73, width: 1080}, warnings: {}, webStorageEnabled: false} Session ID: aaecc3c0-97df-4c39-88fe-737d0dcdb2e4 *** Element info: {Using=xpath, value=//android.widget.ImageView[@content-desc="atDeleteGoal"]} at jdk.internal.reflect.GeneratedConstructorAccessor40.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)</p>			

```

at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.WealthScreen.clickCreatedGoalDeleteOption(WealthScreen.java:367)
at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.iDeleteTheCreatedGoal
(WealthSteps.java:212)
at .And I delete the created goal(features/sg/wealth/EditCustomizeLifeStyle.feature:129)

```

And I verify following texts are displayed	0.00s
And user click on "Cancel" button	0.00s
After	0.01s

```

com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases
(CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor30.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)

```

```

at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:91)
at jdk.internal.reflect.GeneratedMethodAccessor37.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

```

[Back to Table of Contents](#)

Scenario: Verify Add My CPF Account screen user fields

Passed: 0	Failed: 1	Undefined: 2	Duration: .1s					
Before			0.00s					
And I verify following texts are displayed			0.09s					
<table border="1"> <tr><td>Prepare for retirement</td></tr> <tr><td>Target monthly income</td></tr> <tr><td>Monthly contribution needed</td></tr> <tr><td>Exceeding</td></tr> <tr><td>Retirement age</td></tr> </table>			Prepare for retirement	Target monthly income	Monthly contribution needed	Exceeding	Retirement age	
Prepare for retirement								
Target monthly income								
Monthly contribution needed								
Exceeding								
Retirement age								

java.lang.AssertionError: The following asserts failed:

Prepare for retirement text is displayed on page expected [true] but found [false],
 Target monthly income text is displayed on page expected [true] but found [false],
 Monthly contribution needed text is displayed on page expected [true] but found [false],

	<pre>Exceeding text is displayed on page expected [true] but found [false], Retirement age text is displayed on page expected [true] but found [false] at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43) at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnScreen (MyDocSteps.java:733) at .And I verify following texts are displayed(features/sg/wealth/EditCustomizeLifeStyle. feature:136)</pre>							
	And I scroll down 0.00s							
	And I verify following texts are displayed 0.00s							
	<table border="1"><tr><td>lifestyle</td></tr><tr><td>My Retirement Account</td></tr><tr><td>CPF</td></tr><tr><td>CPF Investment Account</td></tr><tr><td>+ Add a Retirement Account</td></tr><tr><td>How much do you need to retire in Singapore ></td></tr><tr><td>Back to My Goals</td></tr></table>	lifestyle	My Retirement Account	CPF	CPF Investment Account	+ Add a Retirement Account	How much do you need to retire in Singapore >	Back to My Goals
lifestyle								
My Retirement Account								
CPF								
CPF Investment Account								
+ Add a Retirement Account								
How much do you need to retire in Singapore >								
Back to My Goals								
After	0.01s							
	<pre>com.prudential.tap.exception.TapException: Failed to take screenshot of at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases (CucumberHook.java:95) at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72) at jdk.internal.reflect.GeneratedMethodAccessor30.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at cucumber.runtime.Utils\$1.call(Utils.java:40) at cucumber.runtime.Timeout.timeout(Timeout.java:16) at cucumber.runtime.Utils.invoke(Utils.java:34) at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60) at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224) at cucumber.runtime.Runtime.runHooks(Runtime.java:212) at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206) at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46) at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165) at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java: 63) at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:91) at jdk.internal.reflect.GeneratedMethodAccessor37.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86) at org.testng.internal.Invoker.invokeMethod(Invoker.java:643) at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820) at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112) at org.testng.TestRunner.privateRun(TestRunner.java:782)</pre>							

```

at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

```

[Back to Table of Contents](#)

Scenario: Verify can Add My Retirement Account

Passed: 0	Failed: 1	Undefined: 5	Duration: .02s
Before			0.00s

And user click on "+ Add a Retirement Account" button	0.01s
<pre> org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z' System info: host: 'Bavirisettil-MacBook-Pro.local', ip: 'fe80:0:0:0:91:d010:e7b3:bd5e%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10' Driver info: io.appium.java_client.android.AndroidDriver Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com. prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel: SM-G985F, deviceName: R58N34BC9EH, deviceScreenDensity: 450, deviceScreenSize: 1080x2400, deviceUDID: R58N34BC9EH, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.8125, platform: LINUX, platformName: Android, platformVersion: 10, statBarHeight: 73, takesScreenshot: true, viewportRect: {height: 2119, left: 0, top: 73, width: 1080}, warnings: {}, webStorageEnabled: false} Session ID: aaecc3c0-97df-4c39-88fe-737d0dcdb2e4 *** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,"+ Add a Retirement Account")]} at jdk.internal.reflect.GeneratedConstructorAccessor40.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java: </pre>	

158)

```

at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.WealthScreen.clickScreenButtons(WealthScreen.java:323)
at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.userClickOnButton(WealthSteps.
java:159)
at .And user click on "+ Add a Retirement Account" button(features/sg/wealth
/EditCustomizeLifeStyle.feature:153)

```

And I verify following texts are displayed	0.00s
Add My Private Retirement Account	
And I enter the "\${wealth.add.cpf.provider}" value on "\${wealth.add. retirement.provider}" one pulse screen	0.00s
And I enter the "\${wealth.add.cpf.total.value}" value on "\${wealth.total. account.value}" one pulse screen	0.00s
And I enter the "\${wealth.add.cpf.monthly}" value on "\${wealth.my.monthly. contribution}" one pulse screen	0.00s
And user click on "Save" button	0.00s
After	0.01s

```

com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases
(CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor30.invoke(Unknown Source)

```

```

at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:91)
at jdk.internal.reflect.GeneratedMethodAccessor37.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

```

[Back to Table of Contents](#)

Scenario: Verify user can able to see the Added My Retirement Account in Retirement goal screen

Passed: 0	Failed: 1	Undefined: 1	Duration: .05s
Before			0.00s

And I verify following texts are displayed 0.04s

Private retirement account
Prudential Insurance

java.lang.AssertionError: The following asserts failed:

Private retirement account text is displayed on page expected [true] but found [false],

Prudential Insurance text is displayed on page expected [true] but found [false]

at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)

	at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnScreen (MyDocSteps.java:733) at .And I verify following texts are displayed(features/sg/wealth/EditCustomizeLifeStyle. feature:162)	
	And I scroll down	0.00s
After		0.01s
com.prudential.tap.exception.TapException: Failed to take screenshot of at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases (CucumberHook.java:95) at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72) at jdk.internal.reflect.GeneratedMethodAccessor30.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at cucumber.runtime.Utils\$1.call(Utils.java:40) at cucumber.runtime.Timeout.timeout(Timeout.java:16) at cucumber.runtime.Utils.invoke(Utils.java:34) at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60) at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224) at cucumber.runtime.Runtime.runHooks(Runtime.java:212) at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206) at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46) at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165) at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java: 63) at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:91) at jdk.internal.reflect.GeneratedMethodAccessor37.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86) at org.testng.internal.Invoker.invokeMethod(Invoker.java:643) at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820) at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112) at org.testng.TestRunner.privateRun(TestRunner.java:782) at org.testng.TestRunner.run(TestRunner.java:632) at org.testng.SuiteRunner.runTest(SuiteRunner.java:366) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319) at org.testng.SuiteRunner.run(SuiteRunner.java:268) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244) at org.testng.TestNG.runSuitesLocally(TestNG.java:1169) at org.testng.TestNG.run(TestNG.java:1064) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)		

[Back to Table of Contents](#)

Scenario: Verify can able to DELETE the Private Retirement Account in Retirement goal screen			
Passed: 0	Failed: 1	Undefined: 3	Duration: .02s
Before	0.00s		
And user click on "Prudential Insurance" button			0.02s
<pre>org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z' System info: host: 'Bavirisettis-MacBook-Pro.local', ip: 'fe80:0:0:0:91:d010:e7b3:bd5e%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10' Driver info: io.appium.java_client.android.AndroidDriver Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com. prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel: SM-G985F, deviceName: R58N34BC9EH, deviceScreenDensity: 450, deviceScreenSize: 1080x2400, deviceUDID: R58N34BC9EH, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.8125, platform: LINUX, platformName: Android, platformVersion: 10, statBarHeight: 73, takesScreenshot: true, viewportRect: {height: 2119, left: 0, top: 73, width: 1080}, warnings: {}, webStorageEnabled: false} Session ID: aaecc3c0-97df-4c39-88fe-737d0dcdb2e4 *** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,"Prudential Insurance")]} at jdk.internal.reflect.GeneratedConstructorAccessor40.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java: 158) at io.appium.java_client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:231) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver. java:42) at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1) at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317) at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:62) at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1) at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1) at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.</pre>			

```
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.WealthScreen.clickScreenButtons(WealthScreen.java:323)
at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.userClickOnButton(WealthSteps.
java:159)
at .And user click on "Prudential Insurance" button(features/sg/wealth
/EditCustomizeLifeStyle.feature:168)
```

And I delete the created goal account type	0.00s
And I verify following texts are displayed	0.00s
Delete this account?	
Once deleted, the savings record of this account will be removed.	
Yes	
Cancel	
And user click on "Cancel" button	0.00s
After	0.01s

```
com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases
(CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor30.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:
63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:91)
at jdk.internal.reflect.GeneratedMethodAccessor37.invoke(Unknown Source)
```

```

at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

```

[Back to Table of Contents](#)

Scenario: Verify Private Retirement Account edit screen user fields

Passed: 0	Failed: 1	Undefined: 0	Duration: .18s
Before	0.00s		

And I verify following texts are displayed	0.16s
--	--------------

Private Retirement Account
Prudential Insurance
Current plans total balance
Upper range
Average
Lower range
Investment Breakdown

java.lang.AssertionError: The following asserts failed:

Private Retirement Account text is displayed on page expected [true] but found [false],

Prudential Insurance text is displayed on page expected [true] but found [false],

Current plans total balance text is displayed on page expected [true] but found [false],

Upper range text is displayed on page expected [true] but found [false],

Average text is displayed on page expected [true] but found [false],

Lower range text is displayed on page expected [true] but found [false],

Investment Breakdown text is displayed on page expected [true] but found [false]

at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)

at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnScreen
(MyDocSteps.java:733)

at .And I verify following texts are displayed(features/sg/wealth/EditCustomizeLifeStyle.
feature:178)

After	0.02s
-------	--------------

```

com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases
(CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor30.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:91)
at jdk.internal.reflect.GeneratedMethodAccessor37.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

```

[Back to Table of Contents](#)

Scenario: Verify can able to EDIT the Private Retirement Account in Retirement goal screen

Passed: 0	Failed: 1	Undefined: 6	Duration: .05s
Before			
And I edit the created goal my account type			0.04s

```

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while
processing the command. Original error: Could not proxy command to the remote server.
Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'Bavirisettil-MacBook-Pro.local', ip: 'fe80:0:0:0:91:d010:e7b3:bd5e%en0',
os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.
prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName:
UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true,
platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel:
SM-G985F, deviceName: R58N34BC9EH, deviceScreenDensity: 450, deviceScreenSize:
1080x2400, deviceUDID: R58N34BC9EH, javascriptEnabled: true, locationContextEnabled:
false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true,
pixelRatio: 2.8125, platform: LINUX, platformName: Android, platformVersion: 10,
statBarHeight: 73, takesScreenshot: true, viewportRect: {height: 2119, left: 0, top: 73, width:
1080}, warnings: {}, webStorageEnabled: false}
Session ID: aaecc3c0-97df-4c39-88fe-737d0dcdb2e4
*** Element info: {Using=xpath, value=//android.widget.ImageView[@content-desc="

atEditAccount"]}
at jdk.internal.reflect.GeneratedConstructorAccessor40.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)

```

	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309) at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:58) at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1) at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1) at com.prudential.tap.selenium.Commands\$15.executeCommand(Commands.java:141) at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java: 19) at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163) at com.onepulse.app.screens.WealthScreen.clickCreatedAccountsEditOption(WealthScreen. java:383) at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps. iEditTheCreatedGoalMyAccountType(WealthSteps.java:222) at .And I edit the created goal my account type(features/sg/wealth/EditCustomizeLifeStyle. feature:188)
And I verify following texts are displayed	0.00s
<input type="button" value="Update My Private Retirement Account"/>	
And I enter the "\${wealth.add.cpf.provider}" value on "\${edit.wealth.add. retirement.provider}" one pulse screen	0.00s
And I enter the "\${wealth.add.cpf.total.value}" value on "\${edit.wealth.total. account.value}" one pulse screen	0.00s
And I enter the "\${wealth.add.cpf.monthly}" value on "\${edit.wealth.my. monthly.contribution}" one pulse screen	0.00s
And I scroll down	0.00s
And user click on "Save" button	0.00s
After	0.01s
com.prudential.tap.exception.TapException: Failed to take screenshot of at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases (CucumberHook.java:95) at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72) at jdk.internal.reflect.GeneratedMethodAccessor30.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at cucumber.runtime.Utils\$1.call(Utils.java:40) at cucumber.runtime.Timeout.timeout(Timeout.java:16) at cucumber.runtime.Utils.invoke(Utils.java:34) at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60) at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224) at cucumber.runtime.Runtime.runHooks(Runtime.java:212) at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206) at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46) at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165) at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java: 63) at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:91) at jdk.internal.reflect.GeneratedMethodAccessor37.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)	

```

at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

```

[Back to Table of Contents](#)

Scenario: Verify user can able to see the EDITED Private Retirement Account in Retirement goal screen

Passed: 0	Failed: 1	Undefined: 1	Duration: .04s						
Before			0.00s						
And I verify following texts are displayed			0.03s						
<table border="1"> <tr> <td>Private retirement account</td> <td></td> <td></td> </tr> <tr> <td>AXA Insurance</td> <td></td> <td></td> </tr> </table>			Private retirement account			AXA Insurance			
Private retirement account									
AXA Insurance									
<p>java.lang.AssertionError: The following asserts failed:</p> <p>Private retirement account text is displayed on page expected [true] but found [false], AXA Insurance text is displayed on page expected [true] but found [false]</p> <p>at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43) at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnScreen (MyDocSteps.java:733) at .And I verify following texts are displayed(features/sg/wealth/EditCustomizeLifeStyle. feature:198)</p>									
And user click on "Back to My Goals" button			0.00s						
After			0.01s						
<p>com.prudential.tap.exception.TapException: Failed to take screenshot of</p> <p>at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases (CucumberHook.java:95)</p> <p>at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72) at jdk.internal.reflect.GeneratedMethodAccessor30.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)</p> <p>at java.base/java.lang.reflect.Method.invoke(Method.java:566)</p> <p>at cucumber.runtime.Utils\$1.call(Utils.java:40)</p>									

```

at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:91)
at jdk.internal.reflect.GeneratedMethodAccessor37.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

```

[Back to Table of Contents](#)

Scenario: Verify User should be able to see EXCEEDING Status in savings goal screen

Passed: 0	Failed: 1	Undefined: 1	Duration: .15s
Before			
And I verify following texts are displayed	0.14s		
Prepare for retirement			
Achieved			
Target			
Exceeding			
Add a New Goal			

java.lang.AssertionError: The following asserts failed:

Prepare for retirement text is displayed on page expected [true] but found [false],
Achieved text is displayed on page expected [true] but found [false],
Target text is displayed on page expected [true] but found [false],

	Exceeding text is displayed on page expected [true] but found [false], Add a New Goal text is displayed on page expected [true] but found [false] at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43) at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnScreen (MyDocSteps.java:733) at .And I verify following texts are displayed(features/sg/wealth/EditCustomizeLifeStyle. feature:204)	
	And user click on "Prepare for retirement" button	0.00s
After		0.01s
com.prudential.tap.exception.TapException: Failed to take screenshot of at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases (CucumberHook.java:95) at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72) at jdk.internal.reflect.GeneratedMethodAccessor30.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at cucumber.runtime.Utils\$1.call(Utils.java:40) at cucumber.runtime.Timeout.timeout(Timeout.java:16) at cucumber.runtime.Utils.invoke(Utils.java:34) at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60) at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224) at cucumber.runtime.Runtime.runHooks(Runtime.java:212) at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206) at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46) at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165) at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java: 63) at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:91) at jdk.internal.reflect.GeneratedMethodAccessor37.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86) at org.testng.internal.Invoker.invokeMethod(Invoker.java:643) at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820) at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112) at org.testng.TestRunner.privateRun(TestRunner.java:782) at org.testng.TestRunner.run(TestRunner.java:632) at org.testng.SuiteRunner.runTest(SuiteRunner.java:366) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319) at org.testng.SuiteRunner.run(SuiteRunner.java:268) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244) at org.testng.TestNG.runSuitesLocally(TestNG.java:1169) at org.testng.TestNG.run(TestNG.java:1064)		

	at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)
--	--

[Back to Table of Contents](#)

Feature: Verify User should be able to Edit Savings account for created Goal

Passed: 0	Failed: 13	Undefined: 0	Duration: 455.99s
-----------	------------	--------------	-------------------

Scenario Outline: Verify the Multiple User Register login using "Continue with Email"

Passed: 17	Failed: 1	Undefined: 25	Duration: 127.38s
------------	-----------	---------------	-------------------

Before		0.00s
--------	--	-------

Given I generate random number and assign to variable "RANDOM_NUMBER"	0.00s
---	-------

And I assign "pulse\${RANDOM_NUMBER}@mailsac.com" to variable "PULSE_EMAIL"	0.00s
---	-------

And User has pulse app	8.02s
------------------------	-------

Then I wait for 2 sec	2.01s
-----------------------	-------

And user click on "CONTINUE WITH EMAIL" with Email button	12.46s
---	--------

When user enters registration details	8.58s
---------------------------------------	-------

FirstName	testAutomation
LastName	testAutomation
Email	\${PULSE_EMAIL}
Password	Pas\$1234

And taps on continue "Sign_Up" button	5.60s
---------------------------------------	-------

Then I wait for 10 sec	10.00s
------------------------	--------

And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}"	28.39s
---	--------

Then I wait for 9 sec	9.00s
-----------------------	-------

And I enter the "mobile number" in welcome to pulse	10.22s
---	--------

mobileNumber	\${registration.mobile.number}
--------------	--------------------------------

And I click the continue button	0.77s
---------------------------------	-------

And I choose my wellness goals under wellness plan screen	1.92s
---	-------

And I click the continue button	0.95s
---------------------------------	-------

And I click the date in Date of Birth field	7.19s
---	-------

And I click the Done icon	3.65s
---------------------------	-------

And I click the continue button	1.19s
---------------------------------	-------

And I select the Male icon	15.83s
----------------------------	--------

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.

For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'Bavirisettis-MacBook-Pro.local', ip: 'fe80:0:0:0:91:d010:e7b3:bd5e%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'

Driver info: io.appium.java_client.android.AndroidDriver


Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName:

```

UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true,
platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel:
SM-G985F, deviceName: R58N34BC9EH, deviceScreenDensity: 450, deviceScreenSize:
1080x2400, deviceUDID: R58N34BC9EH, javascriptEnabled: true, locationContextEnabled:
false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true,
pixelRatio: 2.8125, platform: LINUX, platformName: Android, platformVersion: 10,
statBarHeight: 73, takesScreenshot: true, viewportRect: {height: 2119, left: 0, top: 73, width:
1080}, warnings: {}, webStorageEnabled: false}
Session ID: 11b4ec03-5017-4239-a375-22ff9199d602
*** Element info: {Using=xpath, value=//android.view.ViewGroup/android.widget.TextView
[contains(@text,'What is your Gender?')]/following::android.widget.ImageView[1]}
at jdk.internal.reflect.GeneratedConstructorAccessor25.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.PulseRegistrationScreen.MaleImage(PulseRegistrationScreen.

```

java:681)	
at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.MaleImage	
(RegistrationSteps.java:131)	
at .And I select the Male icon(features/sg/wealth/EditMySavingsAccountType.feature:30)	
And I click the continue button	0.00s
And I enter my height and weight details	0.00s
And I click on Calculate BMI button	0.00s
And I click the continue button	0.00s
And I select the "How active are you?" in doing exercise	0.00s
And I click the continue button	0.00s
And I select my favorite food dietary	0.00s
And I click the continue button	0.00s
And I answer as "Yes" to "Food Allergies are common?"	0.00s
And I click the continue button	0.00s
And I verify that "Tracking your activity is trending" is displayed	0.00s
And I click the continue button	0.00s
And I see that "Welcome to Pulse" text is displayed	0.00s
And I click the continue button	0.00s
And I see that fitness subscription exclusive offers screen is displayed	0.00s
And I click on close icon	0.00s
Then I click skip buttons	0.00s
Then user should be landed home screen	0.00s
And I click the Account icon in Home screen	0.00s
And I click the sign out from pulse app	0.00s
Then I wait for 4 sec	0.00s
When user enters password credentials in signin screen	0.00s
Password Pas\$1234	
And User clicks on signin button	0.00s
Then I wait for 8 sec	0.00s
Then user should be landed home screen	0.00s



After		1.61s
-------	--	-------

[Back to Table of Contents](#)

Scenario: Verify User should be able to see the wealth screen options

Passed: 0	Failed: 1	Undefined: 1	Duration: 32.28s
Before	0.00s		

Then I navigate to wealth screen	30.75s
----------------------------------	--------

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.

For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'Bavirisettil-MacBook-Pro.local', ip: 'fe80:0:0:0:91:d010:e7b3:bd5e%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'

Driver info: io.appium.java_client.android.AndroidDriver

Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel: SM-G985F, deviceName: R58N34BC9EH, deviceScreenDensity: 450, deviceScreenSize: 1080x2400, deviceUDID: R58N34BC9EH, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.8125, platform: LINUX, platformName: Android, platformVersion: 10, statBarHeight: 73, takesScreenshot: true, viewportRect: {height: 2119, left: 0, top: 73, width: 1080}, warnings: {}, webStorageEnabled: false}

Session ID: 11b4ec03-5017-4239-a375-22ff9199d602

*** Element info: {Using=xpath, value=//android.widget.TextView[@text='Wealth']}

```


at jdk.internal.reflect.GeneratedConstructorAccessor25.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.WealthScreen.clickWealthButton(WealthScreen.java:117)
at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.iNavigateToWealthScreen
(WealthSteps.java:46)
at .Then I navigate to wealth screen(features/sg/wealth/EditMySavingsAccountType.feature:65)

```

And I verify following texts are displayed

0.00s

Wealth Channel
Learn Investing Basics
Wealth
Care about your finances



After		1.53s
-------	--	-------

[Back to Table of Contents](#)

Scenario: Verify the terms and condition and proceed

Passed: 0	Failed: 1	Undefined: 1	Duration: 9.39s
Before	0.00s		

Then I navigate to finances wealth screen	7.87s
---	-------

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.

For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'Bavirisettil-MacBook-Pro.local', ip: 'fe80:0:0:0:91:d010:e7b3:bd5e%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'

Driver info: io.appium.java_client.android.AndroidDriver

Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel: SM-G985F, deviceName: R58N34BC9EH, deviceScreenDensity: 450, deviceScreenSize: 1080x2400, deviceUDID: R58N34BC9EH, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.8125, platform: LINUX, platformName: Android, platformVersion: 10, statBarHeight: 73, takesScreenshot: true, viewportRect: {height: 2119, left: 0, top: 73, width: 1080}, warnings: {}, webStorageEnabled: false}

Session ID: 11b4ec03-5017-4239-a375-22ff9199d602
*** Element info: {Using=xpath, value=//android.widget.TextView[@text='Wealth']/following::


```

    android.widget.TextView[@text='Explore']}
at jdk.internal.reflect.GeneratedConstructorAccessor25.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.WealthScreen.clickFinancialWealthExploreButton(WealthScreen.
java:259)
at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.
iNavigateToFinancesWealthScreen(WealthSteps.java:117)
at .Then I navigate to finances wealth screen(features/sg/wealth/EditMySavingsAccountType.
feature:73)

```

And I agree the Terms and Conditions to proceed

0.00s



After		1.52s
-------	--	-------

[Back to Table of Contents](#)

Scenario: Verify User should be able to complete the registration successfully

Passed: 0	Failed: 1	Undefined: 2	Duration: 40.09s
Before	0.00s		

And I enter details for wealth profile registration	38.48s
DateOfBirth NRIC PostalCode	21/02/1991 557N 460105

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.

For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'Bavirisettil-MacBook-Pro.local', ip: 'fe80:0:0:0:91:d010:e7b3:bd5e%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'

Driver info: io.appium.java_client.android.AndroidDriver


Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel: SM-G985F, deviceName: R58N34BC9EH, deviceScreenDensity: 450, deviceScreenSize: 1080x2400, deviceUDID: R58N34BC9EH, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.8125, platform: LINUX, platformName: Android, platformVersion: 10, statBarHeight: 73, takesScreenshot: true, viewportRect: {height: 2119, left: 0, top: 73, width:

```

1080}, warnings: {}, webStorageEnabled: false}
Session ID: 11b4ec03-5017-4239-a375-22ff9199d602
*** Element info: {Using=xpath, value=/android.widget.EditText[@text='DD/MM/YYYY']}
at jdk.internal.reflect.GeneratedConstructorAccessor25.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$16.executeCommand(Commands.java:148)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.setTextWithTab(TestBasePage.java:241)
at com.onepulse.app.screens.WealthScreen.enterWealthRegistrationDetails(WealthScreen.
java:270)
at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.
iEnterDetailsForWealthProfileRegistration(WealthSteps.java:129)
at .And I enter details for wealth profile registration(features/sg/wealth
/EditMySavingsAccountType.feature:77)

```

Then I verify financial wealth registration completed successfully	0.00s
Then I wait for 8 sec	0.00s



After		1.61s
-------	--	-------

[Back to Table of Contents](#)

Scenario: Verify User can navigate to new goal page

Passed: 0	Failed: 1	Undefined: 2	Duration: 17.3s
Before	0.00s		

And I click grow my wealth tab	15.69s
--------------------------------	--------

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.

For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'Bavirisettil-MacBook-Pro.local', ip: 'fe80:0:0:0:91:d010:e7b3:bd5e%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'

Driver info: io.appium.java_client.android.AndroidDriver


Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel: SM-G985F, deviceName: R58N34BC9EH, deviceScreenDensity: 450, deviceScreenSize: 1080x2400, deviceUDID: R58N34BC9EH, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.8125, platform: LINUX, platformName: Android, platformVersion: 10, statBarHeight: 73, takesScreenshot: true, viewportRect: {height: 2119, left: 0, top: 73, width: 1080}, warnings: {}, webStorageEnabled: false}

Session ID: 11b4ec03-5017-4239-a375-22ff9199d602

*** Element info: {Using=xpath, value=//android.widget.TextView[@text='My Goals']}

```
/following::android.view.ViewGroup[1]
at jdk.internal.reflect.GeneratedConstructorAccessor25.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.WealthScreen.navigateToMyGoalPage(WealthScreen.java:352)
at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.iClickGrowMyWealthTab
(WealthSteps.java:195)
at .And I click grow my wealth tab(features/sg/wealth/EditMySavingsAccountType.feature:85)
```

Then I wait for 2 sec	0.00s
And user click on "Custom your goal" button	0.00s



After		1.61s
-------	--	-------

[Back to Table of Contents](#)

Scenario: Verify User should be able to see the New Goal screen options

Passed: 0	Failed: 1	Undefined: 0	Duration: 33.44s
-----------	-----------	--------------	------------------

Before		0.00s
--------	--	-------

And I verify following texts are displayed	31.90s
--	--------

Your goal name
Target amount
Launch the Simulation
Cancel

java.lang.AssertionError: The following asserts failed:

Your goal name text is displayed on page expected [true] but found [false],

Target amount text is displayed on page expected [true] but found [false],

Launch the Simulation text is displayed on page expected [true] but found [false],


Cancel text is displayed on page expected [true] but found [false]

at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)

at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnScreen

(MyDocSteps.java:733)

at .And I verify following texts are displayed(features/sg/wealth/EditMySavingsAccountType.feature:90)



After		1.54s
-------	--	-------

[Back to Table of Contents](#)

Scenario: Verify User should be able to see the alert message with out enter the goal and amount

Passed: 0	Failed: 1	Undefined: 1	Duration: 9.66s
Before			0.00s

And user click on "Launch the Simulation" button	8.12s
--	-------

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.

For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'Bavirisettil-MacBook-Pro.local', ip: 'fe80:0:0:0:91:d010:e7b3:bd5e%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'

Driver info: io.appium.java_client.android.AndroidDriver

Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel: SM-G985F, deviceName: R58N34BC9EH, deviceScreenDensity: 450, deviceScreenSize: 1080x2400, deviceUDID: R58N34BC9EH, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.8125, platform: LINUX, platformName: Android, platformVersion: 10, statBarHeight: 73, takesScreenshot: true, viewportRect: {height: 2119, left: 0, top: 73, width: 1080}, warnings: {}, webStorageEnabled: false}

Session ID: 11b4ec03-5017-4239-a375-22ff9199d602

*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,'Launch

```

the Simulation")]
at jdk.internal.reflect.GeneratedConstructorAccessor25.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.WealthScreen.clickScreenButtons(WealthScreen.java:323)
at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.userClickOnButton(WealthSteps.
java:159)
at .And user click on "Launch the Simulation" button(features/sg/wealth
/EditMySavingsAccountType.feature:97)


```

And I verify following texts are displayed

0.00s

please input valid goal name	
------------------------------	--

please input valid target amount	
----------------------------------	--



After		1.54s
-------	--	-------

[Back to Table of Contents](#)

Scenario: Verify User can add a new goal from savings goal screen

Passed: 0	Failed: 1	Undefined: 3	Duration: 40.34s
Before	0.00s		

And I enter details for create the new goal	38.82s				
<table border="1"> <tr> <td>GoalName</td> <td>Buy a Home</td> </tr> <tr> <td>GoalAmount</td> <td>10000</td> </tr> </table>	GoalName	Buy a Home	GoalAmount	10000	
GoalName	Buy a Home				
GoalAmount	10000				

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.

For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'Bavirisettis-MacBook-Pro.local', ip: 'fe80:0:0:0:91:d010:e7b3:bd5e%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'

Driver info: io.appium.java_client.android.AndroidDriver


Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel: SM-G985F, deviceName: R58N34BC9EH, deviceScreenDensity: 450, deviceScreenSize: 1080x2400, deviceUDID: R58N34BC9EH, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.8125, platform: LINUX, platformName: Android, platformVersion: 10, statBarHeight: 73, takesScreenshot: true, viewportRect: {height: 2119, left: 0, top: 73, width: 1080}, warnings: {}, webStorageEnabled: false}

Session ID: 11b4ec03-5017-4239-a375-22ff9199d602

*** Element info: {Using=xpath, value=/android.widget.EditText[@text='Please input your goal name']}

at jdk.internal.reflect.GeneratedConstructorAccessor25.newInstance(Unknown Source)
 at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
 (DelegatingConstructorAccessorImpl.java:45)
 at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
 at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
 (W3CHttpResponseCodec.java:187)
 at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
 (W3CHttpResponseCodec.java:122)
 at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
 (W3CHttpResponseCodec.java:49)
 at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)
 at io.appium.java_client.remote.AppiumCommandExecutor.execute
 (AppiumCommandExecutor.java:231)
 at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
 at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:42)
 at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
 at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
 at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
 at io.appium.java_client.DefaultGenericMobileDriver.findElement
 (DefaultGenericMobileDriver.java:62)
 at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
 at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
 at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:419)
 at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
 (DefaultGenericMobileDriver.java:152)
 at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
 at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
 at org.openqa.selenium.By\$ByXPath.findElement(By.java:353)
 at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
 at io.appium.java_client.DefaultGenericMobileDriver.findElement
 (DefaultGenericMobileDriver.java:58)
 at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
 at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
 at com.prudential.tap.selenium.Commands\$16.executeCommand(Commands.java:148)
 at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19)
 at com.onepulse.app.screens.TestBasePage.setTextWithTab(TestBasePage.java:241)
 at com.onepulse.app.screens.WealthScreen.enterCreateNewGoalDetails(WealthScreen.java:357)
 at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.
 iEnterDetailsForCreateTheNewGoal(WealthSteps.java:202)
 at .And I enter details for create the new goal(features/sg/wealth/EditMySavingsAccountType.feature:103)

And user click on "Launch the Simulation" button	0.00s
And user click on "Easy" button	0.00s

	And user click on "Setup the Goal" button	0.00s
		
After	1.52s	
Back to Table of Contents		
Before	Passed: 0 Failed: 1 Undefined: 3 Duration: 80.49s	0.00s
And I verify following texts are displayed	78.95s	
<p>Target amount Months to go \$10,000.00 799 months Status Off track Ideal contribution Start date End date My Savings</p>		
<pre>java.lang.AssertionError: The following asserts failed: Target amount text is displayed on page expected [true] but found [false], Months to go text is displayed on page expected [true] but found [false], \$10,000.00 text is displayed on page expected [true] but found [false], 799 months text is displayed on page expected [true] but found [false], Status text is displayed on page expected [true] but found [false], Off track text is displayed on page expected [true] but found [false], Ideal contribution text is displayed on page expected [true] but found [false],</pre>		


Start date text is displayed on page expected [true] but found [false],
 End date text is displayed on page expected [true] but found [false],
 My Savings text is displayed on page expected [true] but found [false]
 at org.testing.asserts.SoftAssert.assertAll(SoftAssert.java:43)
 at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnScreen
 (MyDocSteps.java:733)
 at .And I verify following texts are displayed(features/sg/wealth/EditMySavingsAccountType.feature:111)

And I scroll down	0.00s
-------------------	-------

And I verify following texts are displayed	0.00s
--	-------

No active account	
Add My Savings	
Back to My Goals	

And I scroll down	0.00s
-------------------	-------



After	1.54s
-------	-------

[Back to Table of Contents](#)

Scenario: Verify User can add the second goal with savings plan

Passed: 0	Failed: 1	Undefined: 3	Duration: 9.56s
-----------	-----------	--------------	-----------------

Before	0.00s
--------	-------

And user click on "Add My Savings" button	8.01s
---	-------

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.

For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'Bavirisettil-MacBook-Pro.local', ip: 'fe80:0:0:0:91:d010:e7b3:bd5e%en0',

```

os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.
prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName:
UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true,
platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel:
SM-G985F, deviceName: R58N34BC9EH, deviceScreenDensity: 450, deviceScreenSize:
1080x2400, deviceUDID: R58N34BC9EH, javascriptEnabled: true, locationContextEnabled:
false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true,
pixelRatio: 2.8125, platform: LINUX, platformName: Android, platformVersion: 10,
statBarHeight: 73, takesScreenshot: true, viewportRect: {height: 2119, left: 0, top: 73, width:
1080}, warnings: {}, webStorageEnabled: false}
Session ID: 11b4ec03-5017-4239-a375-22ff9199d602
*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,"Add My
Savings")]}

at jdk.internal.reflect.GeneratedConstructorAccessor25.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)

```

```


at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.WealthScreen.clickScreenButtons(WealthScreen.java:323)
at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.userClickOnButton(WealthSteps.java:159)
at .And user click on "Add My Savings" button(features/sg/wealth/EditMySavingsAccountType.feature:130)

```

And I enter the balance for this goal amount "\${easy.my.goal.amount}"	0.00s
--	-------

Then I wait for 10 sec	0.00s
------------------------	-------

And user click on "Allocate Saving" button	0.00s
--	-------



After	1.55s
-------	-------

[Back to Table of Contents](#)

Scenario: Verify User should be able to see Second goal Allocate Savings screen details

Passed: 0	Failed: 1	Undefined: 2	Duration: 48.67s
-----------	-----------	--------------	------------------

Before	0.00s
--------	-------

And I verify following texts are displayed	47.14s
--	--------

See my new plan based on the updated information.	
---	--

Target amount	
---------------	--

\$10,000.00	
-------------	--

Before	
--------	--

After	
-------	--

Confirm the Plan	
------------------	--

java.lang.AssertionError: The following asserts failed:

See my new plan based on the updated information. text is displayed on page expected [true] but found [false],

Target amount text is displayed on page expected [true] but found [false],

\$10,000.00 text is displayed on page expected [true] but found [false],

Before text is displayed on page expected [true] but found [false],

After text is displayed on page expected [true] but found [false],

Confirm the Plan text is displayed on page expected [true] but found [false]

at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)

at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnScreen

(MyDocSteps.java:733)


at .And I verify following texts are displayed(features/sg/wealth/EditMySavingsAccountType.feature:136)

And I scroll down

0.00s

And user click on "Confirm the Plan" button

0.00s



After 1.53s

[Back to Table of Contents](#)

Scenario: Verify User should be able to see Add another goal plan status

Passed: 0	Failed: 1	Undefined: 3	Duration: 7.33s
-----------	-----------	--------------	-----------------

Before 0.00s

And I verify following texts are displayed 7.32s

Target amount

Months to go

\$10,000.00

176 months

Status

Moving at pace

Ideal contribution

	<table border="1"> <tr><td>Start date</td></tr> <tr><td>End date</td></tr> <tr><td>My Savings</td></tr> </table>	Start date	End date	My Savings	
Start date					
End date					
My Savings					
java.lang.AssertionError: The following asserts failed:					
	Target amount text is displayed on page expected [true] but found [false],				
	Months to go text is displayed on page expected [true] but found [false],				
	\$10,000.00 text is displayed on page expected [true] but found [false],				
	176 months text is displayed on page expected [true] but found [false],				
	Status text is displayed on page expected [true] but found [false],				
	Moving at pace text is displayed on page expected [true] but found [false],				
	Ideal contribution text is displayed on page expected [true] but found [false],				
	Start date text is displayed on page expected [true] but found [false],				
	End date text is displayed on page expected [true] but found [false],				
	My Savings text is displayed on page expected [true] but found [false]				
	at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)				
	at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnScreen				
	(MyDocSteps.java:733)				
	at .And I verify following texts are displayed(features/sg/wealth/EditMySavingsAccountType.feature:147)				
And I scroll down		0.00s			
And I verify following texts are displayed		0.00s			
<table border="1"> <tr><td>My account</td></tr> <tr><td>Back to My Goals</td></tr> </table>	My account	Back to My Goals			
My account					
Back to My Goals					
And user click on "Back to My Goals" button		0.00s			
After		0.01s			
com.prudential.tap.exception.TapException: Failed to take screenshot of					
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases (CucumberHook.java:95)					
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)					
at jdk.internal.reflect.GeneratedMethodAccessor30.invoke(Unknown Source)					
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)					
at java.base/java.lang.reflect.Method.invoke(Method.java:566)					
at cucumber.runtime.Utils\$1.call(Utils.java:40)					
at cucumber.runtime.Timeout.timeout(Timeout.java:16)					
at cucumber.runtime.Utils.invoke(Utils.java:34)					
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)					
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)					
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)					
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)					
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)					
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)					
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:63)					
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:91)					
at jdk.internal.reflect.GeneratedMethodAccessor37.invoke(Unknown Source)					
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)					

```

at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

```

[Back to Table of Contents](#)

Scenario: Verify User should be able to see created goal details in savings goal page

Passed: 0	Failed: 1	Undefined: 1	Duration: .06s
Before			0.00s
And I verify following texts are displayed			0.06s
Buy a Home Achieved Target Moving at pace			
java.lang.AssertionError: The following asserts failed: Buy a Home text is displayed on page expected [true] but found [false], Achieved text is displayed on page expected [true] but found [false], Target text is displayed on page expected [true] but found [false], Moving at pace text is displayed on page expected [true] but found [false] at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43) at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnScreen (MyDocSteps.java:733) at .And I verify following texts are displayed(features/sg/wealth/EditMySavingsAccountType.feature:165)			
And user click on "Buy a Home" button			0.00s
After			0.01s
com.prudential.tap.exception.TapException: Failed to take screenshot of at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases (CucumberHook.java:95) at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72) at jdk.internal.reflect.GeneratedMethodAccessor30.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke			


```
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:91)
at jdk.internal.reflect.GeneratedMethodAccessor37.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)
```

[Back to Table of Contents](#)

Feature: Verify wealth registration functionality on one pulse App

Passed: 0	Failed: 31	Undefined: 0	Duration: 401.68s
Scenario: Verify User should be able to register on app using email account			
Passed: 8	Failed: 1	Undefined: 2	Duration: 136.01s
Before			0.00s
Given I generate random number and assign to variable "RANDOM_NUMBER"			0.00s
And I assign "pulse\${RANDOM_NUMBER}@mailsac.com" to variable "PULSE_EMAIL"			0.00s
Given User has pulse app			7.54s

	And user click on "CONTINUE WITH EMAIL" with Email button	12.44s
	When user enters registration details	7.64s
	FirstName Wealth	
	LastName Registration	
	Email \${PULSE_EMAIL}	
	Password Pas\$1234	
	And taps on continue "Sign_Up" button	5.29s
	Then I wait for 10 sec	10.00s
	And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}"	27.96s
	Then I click skip button	63.48s
	 java.lang.AssertionError: The following asserts failed: Default height section is not displayed in the UI expected [true] but found [false], Default weight section is not displayed in the UI expected [true] but found [false], Default height section is not displayed in the UI expected [true] but found [false], Default weight section is not displayed in the UI expected [true] but found [false], Default height section is not displayed in the UI expected [true] but found [false], Default weight section is not displayed in the UI expected [true] but found [false], Default height section is not displayed in the UI expected [true] but found [false], Default weight section is not displayed in the UI expected [true] but found [false], Default height section is not displayed in the UI expected [true] but found [false], Default weight section is not displayed in the UI expected [true] but found [false] at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43) at com.onepulse.app.screens.PulseLoginScreen.verifyHeightandWeightScreenUi (PulseLoginScreen.java:1262) at com.onepulse.app.screens.PulseLoginScreen.clickSkipButton(PulseLoginScreen.java:726) at com.onepulse.app.stepdefinitions.mobilesteps.LoginSteps.iClickSkipButton(LoginSteps.java: 292) at .Then I click skip button(features/sg/wealth/EditPrivateRetirementGoalAccount.feature:17)	
	Then I wait for 15 sec	0.00s
	Then user should be landed to "Home" screen	0.00s



After		1.67s
-------	--	-------

[Back to Table of Contents](#)

Scenario: Verify User should be able to see the wealth screen options

Passed: 0	Failed: 1	Undefined: 1	Duration: 32.11s
Before	0.00s		

Then I navigate to wealth screen	31.19s
----------------------------------	--------

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.

For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'Bavirisettil-MacBook-Pro.local', ip: 'fe80:0:0:0:91:d010:e7b3:bd5e%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'

Driver info: io.appium.java_client.android.AndroidDriver

Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName:

UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel: SM-G985F, deviceName: R58N34BC9EH, deviceScreenDensity: 450, deviceScreenSize: 1080x2400, deviceUDID: R58N34BC9EH, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true,

pixelRatio: 2.8125, platform: LINUX, platformName: Android, platformVersion: 10, statBarHeight: 73, takesScreenshot: true, viewportRect: {height: 2119, left: 0, top: 73, width: 1080}, warnings: {}, webStorageEnabled: false}

Session ID: d9f5f342-bc20-4029-95b8-7815a0d173ed


*** Element info: {Using>xpath, value=//android.widget.TextView[@text='Wealth']}

```

at jdk.internal.reflect.GeneratedConstructorAccessor25.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.WealthScreen.clickWealthButton(WealthScreen.java:117)
at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.iNavigateToWealthScreen
(WealthSteps.java:46)
at .Then I navigate to wealth screen(features/sg/wealth/EditPrivateRetirementGoalAccount.
feature:23)

```

And I verify following texts are displayed	0.00s
Wealth Channel	



After		0.92s
-------	--	-------


[Back to Table of Contents](#)

Scenario: Verify User can navigate to terms and condition page

Passed: 0	Failed: 1	Undefined: 0	Duration: 8.65s
Before	0.00s		

Then I navigate to finances wealth screen	7.75s
<p>org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters. For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html</p> <p>Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z' System info: host: 'Bavirisetts-MacBook-Pro.local', ip: 'fe80:0:0:0:91:d010:e7b3:bd5e%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10' Driver info: io.appium.java_client.android.AndroidDriver Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel: SM-G985F, deviceName: R58N34BC9EH, deviceScreenDensity: 450, deviceScreenSize: 1080x2400, deviceUDID: R58N34BC9EH, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.8125, platform: LINUX, platformName: Android, platformVersion: 10, statBarHeight: 73, takesScreenshot: true, viewportRect: {height: 2119, left: 0, top: 73, width: 1080}, warnings: {}, webStorageEnabled: false} Session ID: d9f5f342-bc20-4029-95b8-7815a0d173ed *** Element info: {Using>xpath, value=//android.widget.TextView[@text='Wealth']/following::</p>	

```
    android.widget.TextView[@text='Explore']}
at jdk.internal.reflect.GeneratedConstructorAccessor25.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.WealthScreen.clickFinancialWealthExploreButton(WealthScreen.
java:259)
at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.
iNavigateToFinancesWealthScreen(WealthSteps.java:117)
at .Then I navigate to finances wealth screen(features/sg/wealth
/EditPrivateRetirementGoalAccount.feature:28)
```



After		0.90s
-------	--	-------

[Back to Table of Contents](#)

Scenario: Verify the terms and condition screen contents

Passed: 0	Failed: 1	Undefined: 1	Duration: 8.5s
Before	0.00s		

And I verify following texts are displayed	7.64s
Welcome to Wealth	

java.lang.AssertionError: The following asserts failed:

Welcome to Wealth text is displayed on page expected [true] but found [false]

at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)


at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnScreen

(MyDocSteps.java:733)

at .And I verify following texts are displayed(features/sg/wealth

/EditPrivateRetirementGoalAccount.feature:31)

And I agree the Terms and Conditions to proceed	0.00s



After		0.86s
-------	--	-------

[Back to Table of Contents](#)

Scenario: Verify User should be able to see the wealth registration screen user fields

Passed: 0	Failed: 1	Undefined: 0	Duration: 39.0s
Before	0.00s		

And I verify following texts are displayed 38.02s

Allow us to serve you better by connecting you to your existing policies with Prudential.
First Name*
Last Name*
Date of birth*
Last 4 digits of NRIC

java.lang.AssertionError: The following asserts failed:

Allow us to serve you better by connecting you to your existing policies with Prudential. text is displayed on page expected [true] but found [false],

First Name* text is displayed on page expected [true] but found [false],

Last Name* text is displayed on page expected [true] but found [false],


Date of birth* text is displayed on page expected [true] but found [false],

Last 4 digits of NRIC text is displayed on page expected [true] but found [false]

at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)

at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnScreen
(MyDocSteps.java:733)

at .And I verify following texts are displayed(features/sg/wealth
/EditPrivateRetirementGoalAccount.feature:36)



After		0.98s
-------	--	-------

[Back to Table of Contents](#)

Scenario: Verify User should be able enter details for wealth registration

Passed: 0	Failed: 1	Undefined: 0	Duration: 38.34s
Before	0.00s		

And I enter details for wealth profile registration	37.32s
---	--------

DateOfBirth	21/02/1991
NRIC	557N
PostalCode	460105

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.

For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'Bavirisettil-MacBook-Pro.local', ip: 'fe80:0:0:0:91:d010:e7b3:bd5e%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'


Driver info: io.appium.java_client.android.AndroidDriver

Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel: SM-G985F, deviceName: R58N34BC9EH, deviceScreenDensity: 450, deviceScreenSize: 1080x2400, deviceUDID: R58N34BC9EH, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.8125, platform: LINUX, platformName: Android, platformVersion: 10, statBarHeight: 73, takesScreenshot: true, viewportRect: {height: 2119, left: 0, top: 73, width:

```

1080}, warnings: {}, webStorageEnabled: false}
Session ID: d9f5f342-bc20-4029-95b8-7815a0d173ed
*** Element info: {Using=xpath, value=/android.widget.EditText[@text='DD/MM/YYYY']}
at jdk.internal.reflect.GeneratedConstructorAccessor25.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$16.executeCommand(Commands.java:148)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.setTextWithTab(TestBasePage.java:241)
at com.onepulse.app.screens.WealthScreen.enterWealthRegistrationDetails(WealthScreen.
java:270)
at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.
iEnterDetailsForWealthProfileRegistration(WealthSteps.java:129)
at .And I enter details for wealth profile registration(features/sg/wealth
/EditPrivateRetirementGoalAccount.feature:44)

```



After		1.02s
-------	--	-------

[Back to Table of Contents](#)

Scenario: Verify wealth registration screen user fields

Passed: 0	Failed: 1	Undefined: 0	Duration: 47.29s
Before	0.00s		

And I verify following texts are displayed	46.29s
--	--------

Let us know more about you so that we can serve you better.
Gender
Martial Status
Occupation
Annual Income
Postal Code

java.lang.AssertionError: The following asserts failed:

Let us know more about you so that we can serve you better. text is displayed on page expected [true] but found [false],

Gender text is displayed on page expected [true] but found [false],

Martial Status text is displayed on page expected [true] but found [false],

Occupation text is displayed on page expected [true] but found [false],

Annual Income text is displayed on page expected [true] but found [false],

Postal Code text is displayed on page expected [true] but found [false]


at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)

at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnScreen

(MyDocSteps.java:733)

at .And I verify following texts are displayed(features/sg/wealth

/EditPrivateRetirementGoalAccount.feature:50)



After		1.00s
-------	--	-------


[Back to Table of Contents](#)

Scenario: Verify User should be able to complete the registration successfully

Passed: 0	Failed: 1	Undefined: 0	Duration: 16.08s
Before	0.00s		

Then I verify financial wealth registration completed successfully	15.22s
<p>org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters. For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html</p> <p>Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z' System info: host: 'Bavirisetts-MacBook-Pro.local', ip: 'fe80:0:0:0:91:d010:e7b3:bd5e%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10' Driver info: io.appium.java_client.android.AndroidDriver Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel: SM-G985F, deviceName: R58N34BC9EH, deviceScreenDensity: 450, deviceScreenSize: 1080x2400, deviceUDID: R58N34BC9EH, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.8125, platform: LINUX, platformName: Android, platformVersion: 10, statBarHeight: 73, takesScreenshot: true, viewportRect: {height: 2119, left: 0, top: 73, width: 1080}, warnings: {}, webStorageEnabled: false} Session ID: d9f5f342-bc20-4029-95b8-7815a0d173ed *** Element info: {Using>xpath, value=//android.widget.TextView[@text='Continue']}</p>	

```
at jdk.internal.reflect.GeneratedConstructorAccessor25.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.WealthScreen.continueRegistration(WealthScreen.java:301)
at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.
iVerifyFinancialWealthRegistrationCompletedSuccessfully(WealthSteps.java:139)
at .Then I verify financial wealth registration completed successfully(features/sg/wealth
/EditPrivateRetirementGoalAccount.feature:59)
```



After	0.86s
-------	--------------

[Back to Table of Contents](#)

Scenario: Verify User can navigate to new goal page

Passed: 0	Failed: 1	Undefined: 1	Duration: 17.0s
Before	0.00s		

And I click grow my wealth tab	15.41s
--------------------------------	---------------

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.

For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'Bavirisettil-MacBook-Pro.local', ip: 'fe80:0:0:0:91:d010:e7b3:bd5e%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'

Driver info: io.appium.java_client.android.AndroidDriver


Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel: SM-G985F, deviceName: R58N34BC9EH, deviceScreenDensity: 450, deviceScreenSize: 1080x2400, deviceUDID: R58N34BC9EH, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.8125, platform: LINUX, platformName: Android, platformVersion: 10, statBarHeight: 73, takesScreenshot: true, viewportRect: {height: 2119, left: 0, top: 73, width: 1080}, warnings: {}, webStorageEnabled: false}

Session ID: d9f5f342-bc20-4029-95b8-7815a0d173ed

*** Element info: {Using>xpath, value=//android.widget.TextView[@text='My Goals']}

```
/following::android.view.ViewGroup[1]
at jdk.internal.reflect.GeneratedConstructorAccessor25.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.WealthScreen.navigateToMyGoalPage(WealthScreen.java:352)
at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.iClickGrowMyWealthTab
(WealthSteps.java:195)
at .And I click grow my wealth tab(features/sg/wealth/EditPrivateRetirementGoalAccount.
feature:62)
```

And user click on "Prepare for retirement" button	0.00s
---	-------



After		1.60s
-------	--	-------

[Back to Table of Contents](#)

Scenario: Verify wealth registration screen user fields


Passed: 0	Failed: 1	Undefined: 0	Duration: 25.56s
-----------	-----------	--------------	------------------

Before		0.00s
--------	--	-------

And I verify following texts are displayed	23.92s
Retirement Goal	
Prepare for Retirement	
Target retirement age*	

java.lang.AssertionError: The following asserts failed:

Retirement Goal text is displayed on page expected [true] but found [false],
 Prepare for Retirement text is displayed on page expected [true] but found [false],
 Target retirement age* text is displayed on page expected [true] but found [false]
 at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)
 at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnScreen
 (MyDocSteps.java:733)
 at .And I verify following texts are displayed(features/sg/wealth
 /EditPrivateRetirementGoalAccount.feature:66)



After		1.64s
-------	--	-------

[Back to Table of Contents](#)

Scenario: Verify user can set correct retirement age on retirement goal page

Passed: 0	Failed: 1	Undefined: 1	Duration: 32.15s
Before	0.00s		

And I enter the "\${wealth.retirement.age.field}" value on "\${wealth.retirement.age}" one pulse screen	32.12s
---	--------

```
org.openqa.selenium.WebDriverException: An unknown server-side error occurred while
processing the command. Original error: Could not proxy command to the remote server.
Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'Bavirisettil-MacBook-Pro.local', ip: 'fe80:0:0:0:91:d010:e7b3:bd5e%en0',
os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.
prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName:
UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true,
platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel:
SM-G985F, deviceName: R58N34BC9EH, deviceScreenDensity: 450, deviceScreenSize:
1080x2400, deviceUDID: R58N34BC9EH, javascriptEnabled: true, locationContextEnabled:
false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true,
pixelRatio: 2.8125, platform: LINUX, platformName: Android, platformVersion: 10,
statBarHeight: 73, takesScreenshot: true, viewportRect: {height: 2119, left: 0, top: 73, width:
1080}, warnings: {}, webStorageEnabled: false}
Session ID: d9f5f342-bc20-4029-95b8-7815a0d173ed
*** Element info: {Using=xpath, value=//android.widget.EditText[@content-desc="]
```

	<pre>ID_targetAge"]} at jdk.internal.reflect.GeneratedConstructorAccessor40.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java: 158) at io.appium.java_client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:231) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver. java:42) at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1) at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317) at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:62) at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1) at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1) at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver. java:419) at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath (DefaultGenericMobileDriver.java:152) at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1) at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1) at org.openqa.selenium.By\$ByXPath.findElement(By.java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309) at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:58) at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1) at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1) at com.prudential.tap.selenium.Commands\$16.executeCommand(Commands.java:148) at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java: 19) at com.onepulse.app.screens.TestBasePage.setTextWithTab(TestBasePage.java:241) at com.onepulse.app.screens.PulseManageProfileScreen.enterValueBasedOnXpath (PulseManageProfileScreen.java:1325) at com.onepulse.app.stepdefinitions.mobilesteps.EditProfileSteps. iEnterTheValueOnOnePulseScreen(EditProfileSteps.java:350) at .And I enter the "\${wealth.retirement.age.field}" value on "\${wealth.retirement.age}" one pulse screen(features/sg/wealth/EditPrivateRetirementGoalAccount.feature:72)</pre>	0.00s
After		0.02s
com.prudential.tap.exception.TapException: Failed to take screenshot of		

```

at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases
(CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor30.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:91)
at jdk.internal.reflect.GeneratedMethodAccessor37.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

```

[Back to Table of Contents](#)

Scenario: Verify user select the Simple lifestyle plan

Passed: 0	Failed: 1	Undefined: 1	Duration: .12s
Before	0.00s		
And user click on "Simple 0" button			0.08s
org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server.			

Original error: socket hang up

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'Bavirisettil-MacBook-Pro.local', ip: 'fe80:0:0:0:91:d010:e7b3:bd5e%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'

Driver info: io.appium.java_client.android.AndroidDriver

Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel: SM-G985F, deviceName: R58N34BC9EH, deviceScreenDensity: 450, deviceScreenSize: 1080x2400, deviceUDID: R58N34BC9EH, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.8125, platform: LINUX, platformName: Android, platformVersion: 10, statusBarHeight: 73, takesScreenshot: true, viewportRect: {height: 2119, left: 0, top: 73, width: 1080}, warnings: {}, webStorageEnabled: false}

Session ID: d9f5f342-bc20-4029-95b8-7815a0d173ed

*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,"Simple 0")]}

at jdk.internal.reflect.GeneratedConstructorAccessor40.newInstance(Unknown Source)

at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)

at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)

at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)

at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:231)

at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)

at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:42)

at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)

at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)

at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)

at io.appium.java_client.DefaultGenericMobileDriver.findElement(DefaultGenericMobileDriver.java:62)

at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)

at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)

at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:419)

at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath(DefaultGenericMobileDriver.java:152)

at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)

at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)

at org.openqa.selenium.By\$ByXPath.findElement(By.java:353)

at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)

at io.appium.java_client.DefaultGenericMobileDriver.findElement

	(DefaultGenericMobileDriver.java:58) at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1) at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1) at com.prudential.tap.selenium.Commands\$15.executeCommand(Commands.java:141) at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19) at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163) at com.onepulse.app.screens.WealthScreen.clickScreenButtons(WealthScreen.java:323) at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.userClickOnButton(WealthSteps.java:159) at .And user click on "Simple 0" button(features/sg/wealth/EditPrivateRetirementGoalAccount.feature:76)	
	And user click on "Next" button	0.00s
After		0.05s
	com.prudential.tap.exception.TapException: Failed to take screenshot of at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases(CucumberHook.java:95) at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72) at jdk.internal.reflect.GeneratedMethodAccessor30.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at cucumber.runtime.Utils\$1.call(Utils.java:40) at cucumber.runtime.Timeout.timeout(Timeout.java:16) at cucumber.runtime.Utils.invoke(Utils.java:34) at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60) at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224) at cucumber.runtime.Runtime.runHooks(Runtime.java:212) at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206) at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46) at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165) at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:63) at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:91) at jdk.internal.reflect.GeneratedMethodAccessor37.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86) at org.testng.internal.Invoker.invokeMethod(Invoker.java:643) at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820) at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112) at org.testng.TestRunner.privateRun(TestRunner.java:782) at org.testng.TestRunner.run(TestRunner.java:632) at org.testng.SuiteRunner.runTest(SuiteRunner.java:366) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319) at org.testng.SuiteRunner.run(SuiteRunner.java:268)	

```

at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

```

[Back to Table of Contents](#)

Scenario: Verify Add My CPF Account screen user fields

Passed: 0	Failed: 1	Undefined: 0	Duration: .02s	
Before	0.00s			
And I verify following texts are displayed	0.02s			
<table border="1"> <tr> <td>Add My CPF Account</td> </tr> </table>			Add My CPF Account	
Add My CPF Account				
<p>java.lang.AssertionError: The following asserts failed: Add My CPF Account text is displayed on page expected [true] but found [false] at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43) at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnScreen (MyDocSteps.java:733) at .And I verify following texts are displayed(features/sg/wealth /EditPrivateRetirementGoalAccount.feature:80)</p>				
After	0.01s			

```

com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases
(CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor30.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:
63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:91)
at jdk.internal.reflect.GeneratedMethodAccessor37.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)

```

```

at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

```

[Back to Table of Contents](#)

Scenario: Verify user can enter the CPF Account details in Add my cpf screen

Passed: 0	Failed: 1	Undefined: 2	Duration: .02s
Before			0.00s
And I enter the "\${wealth.cpf.total.value}" value on "\${wealth.total.account.value}" one pulse screen			0.01s
org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z' System info: host: 'Bavirisettis-MacBook-Pro.local', ip: 'fe80:0:0:0:91:d010:e7b3:bd5e%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10' Driver info: io.appium.java_client.android.AndroidDriver Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel: SM-G985F, deviceName: R58N34BC9EH, deviceScreenDensity: 450, deviceScreenSize: 1080x2400, deviceUDID: R58N34BC9EH, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.8125, platform: LINUX, platformName: Android, platformVersion: 10, statBarHeight: 73, takesScreenshot: true, viewportRect: {height: 2119, left: 0, top: 73, width: 1080}, warnings: {}, webStorageEnabled: false} Session ID: d9f5f342-bc20-4029-95b8-7815a0d173ed *** Element info: {Using=xpath, value=//android.widget.EditText[@content-desc="atTotalAccount"]} at jdk.internal.reflect.GeneratedConstructorAccessor40.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)			

	<pre> at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java: 158) at io.appium.java_client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:231) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver. java:42) at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1) at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317) at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:62) at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1) at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1) at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver. java:419) at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath (DefaultGenericMobileDriver.java:152) at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1) at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1) at org.openqa.selenium.By\$ByXPath.findElement(By.java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309) at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:58) at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1) at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1) at com.prudential.tap.selenium.Commands\$16.executeCommand(Commands.java:148) at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java: 19) at com.onepulse.app.screens.TestBasePage.setTextWithTab(TestBasePage.java:241) at com.onepulse.app.screens.PulseManageProfileScreen.enterValueBasedOnXpath (PulseManageProfileScreen.java:1325) at com.onepulse.app.stepdefinitions.mobilesteps.EditProfileSteps. iEnterTheValueOnOnePulseScreen(EditProfileSteps.java:350) at .And I enter the "\${wealth.cpf.total.value}" value on "\${wealth.total.account.value}" one pulse screen(features/sg/wealth/EditPrivateRetirementGoalAccount.feature:84) </pre>	
	And I enter the "\${wealth.cpf.my.monthly.contribution}" value on "\${wealth. my.monthly.contribution}" one pulse screen	0.00s
	And I enter the "\${wealth.cpf.emp.monthly.contribution}" value on "\${wealth. employer.monthly.contribution}" one pulse screen	0.00s
After		0.01s
	<pre> com.prudential.tap.exception.TapException: Failed to take screenshot of at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases (CucumberHook.java:95) at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72) at jdk.internal.reflect.GeneratedMethodAccessor30.invoke(Unknown Source) </pre>	

```

at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:91)
at jdk.internal.reflect.GeneratedMethodAccessor37.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

```

[Back to Table of Contents](#)

Scenario: Verify Risk Exposure options

Passed: 0	Failed: 1	Undefined: 1	Duration: .02s
Before			
And user click on ">" button			0.00s

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server.
Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'Bavirisettis-MacBook-Pro.local', ip: 'fe80:0:0:0:91:d010:e7b3:bd5e%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'

Driver info: io.appium.java_client.android.AndroidDriver
 Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel: SM-G985F, deviceName: R58N34BC9EH, deviceScreenDensity: 450, deviceScreenSize: 1080x2400, deviceUDID: R58N34BC9EH, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.8125, platform: LINUX, platformName: Android, platformVersion: 10, statusBarHeight: 73, takesScreenshot: true, viewportRect: {height: 2119, left: 0, top: 73, width: 1080}, warnings: {}, webStorageEnabled: false}
 Session ID: d9f5f342-bc20-4029-95b8-7815a0d173ed
 *** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,>)]}
 at jdk.internal.reflect.GeneratedConstructorAccessor40.newInstance(Unknown Source)
 at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
 (DelegatingConstructorAccessorImpl.java:45)
 at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
 at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
 (W3CHttpResponseCodec.java:187)
 at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
 (W3CHttpResponseCodec.java:122)
 at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
 (W3CHttpResponseCodec.java:49)
 at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)
 at io.appium.java_client.remote.AppiumCommandExecutor.execute
 (AppiumCommandExecutor.java:231)
 at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
 at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:42)
 at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
 at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
 at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
 at io.appium.java_client.DefaultGenericMobileDriver.findElement
 (DefaultGenericMobileDriver.java:62)
 at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
 at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
 at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:419)
 at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
 (DefaultGenericMobileDriver.java:152)
 at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
 at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
 at org.openqa.selenium.By\$ByXPath.findElement(By.java:353)
 at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
 at io.appium.java_client.DefaultGenericMobileDriver.findElement
 (DefaultGenericMobileDriver.java:58)
 at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
 at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
 at com.prudential.tap.selenium.Commands\$15.executeCommand(Commands.java:141)
 at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:

	19)	at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163) at com.onepulse.app.screens.WealthScreen.clickScreenButtons(WealthScreen.java:323) at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.userClickOnButton(WealthSteps.java:159) at .And user click on ">" button(features/sg/wealth/EditPrivateRetirementGoalAccount.feature:89)
	And I verify following texts are displayed	0.00s
	Cash and/or unspecified I can't stand risk I'm not a risk taker I don't like risk too much	
After		0.01s
	com.prudential.tap.exception.TapException: Failed to take screenshot of at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases(CucumberHook.java:95) at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72) at jdk.internal.reflect.GeneratedMethodAccessor30.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at cucumber.runtime.Utils\$1.call(Utils.java:40) at cucumber.runtime.Timeout.timeout(Timeout.java:16) at cucumber.runtime.Utils.invoke(Utils.java:34) at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60) at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224) at cucumber.runtime.Runtime.runHooks(Runtime.java:212) at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206) at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46) at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165) at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:63) at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:91) at jdk.internal.reflect.GeneratedMethodAccessor37.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86) at org.testng.internal.Invoker.invokeMethod(Invoker.java:643) at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820) at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112) at org.testng.TestRunner.privateRun(TestRunner.java:782) at org.testng.TestRunner.run(TestRunner.java:632) at org.testng.SuiteRunner.runTest(SuiteRunner.java:366) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319) at org.testng.SuiteRunner.run(SuiteRunner.java:268)	

```

at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

```

[Back to Table of Contents](#)

Scenario: Verify user select the I can't stand risk option from risk exposure options list

Passed: 0	Failed: 1	Undefined: 1	Duration: .02s
Before			0.00s

And user click on "I can't stand risk" button	0.01s
---	-------

```

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while
processing the command. Original error: Could not proxy command to the remote server.
Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'Bavirisettis-MacBook-Pro.local', ip: 'fe80:0:0:0:91:d010:e7b3:bd5e%en0',
os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.
prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName:
UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true,
platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel:
SM-G985F, deviceName: R58N34BC9EH, deviceScreenDensity: 450, deviceScreenSize:
1080x2400, deviceUDID: R58N34BC9EH, javascriptEnabled: true, locationContextEnabled:
false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true,
pixelRatio: 2.8125, platform: LINUX, platformName: Android, platformVersion: 10,
statBarHeight: 73, takesScreenshot: true, viewportRect: {height: 2119, left: 0, top: 73, width:
1080}, warnings: {}, webStorageEnabled: false}
Session ID: d9f5f342-bc20-4029-95b8-7815a0d173ed
*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text, "I can't
stand risk")]}
at jdk.internal.reflect.GeneratedConstructorAccessor40.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.

```

java:42)		
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)		
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)		
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)		
at io.appium.java_client.DefaultGenericMobileDriver.findElement		
(DefaultGenericMobileDriver.java:62)		
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)		
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)		
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:419)		
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath		
(DefaultGenericMobileDriver.java:152)		
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)		
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)		
at org.openqa.selenium.By\$ByXPath.findElement(By.java:353)		
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)		
at io.appium.java_client.DefaultGenericMobileDriver.findElement		
(DefaultGenericMobileDriver.java:58)		
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)		
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)		
at com.prudential.tap.selenium.Commands\$15.executeCommand(Commands.java:141)		
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19)		
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)		
at com.onepulse.app.screens.WealthScreen.clickScreenButtons(WealthScreen.java:323)		
at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.userClickOnButton(WealthSteps.java:159)		
at .And user click on "I can't stand risk" button(features/sg/wealth/EditPrivateRetirementGoalAccount.feature:97)		
And user click on "Next" button		0.00s
After		0.01s

com.prudential.tap.exception.TapException: Failed to take screenshot of
 at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases
 (CucumberHook.java:95)
 at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
 at jdk.internal.reflect.GeneratedMethodAccessor30.invoke(Unknown Source)
 at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
 (DelegatingMethodAccessorImpl.java:43)
 at java.base/java.lang.reflect.Method.invoke(Method.java:566)
 at cucumber.runtime.Utils\$1.call(Utils.java:40)
 at cucumber.runtime.Timeout.timeout(Timeout.java:16)
 at cucumber.runtime.Utils.invoke(Utils.java:34)
 at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
 at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
 at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
 at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
 at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
 at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
 at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:63)

```

at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:91)
at jdk.internal.reflect.GeneratedMethodAccessor37.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

```

[Back to Table of Contents](#)

Scenario: Verify User should be able to see goal details

Passed: 0	Failed: 1	Undefined: 3	Duration: .04s
Before			0.00s

And I verify following texts are displayed	0.04s
My Retirement Plan	
Retirement age	
Target monthly income	

java.lang.AssertionError: The following asserts failed:

My Retirement Plan text is displayed on page expected [true] but found [false],
 Retirement age text is displayed on page expected [true] but found [false],
 Target monthly income text is displayed on page expected [true] but found [false]
 at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)
 at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnScreen
 (MyDocSteps.java:733)

at .And I verify following texts are displayed(features/sg/wealth
/EditPrivateRetirementGoalAccount.feature:101)

And I scroll down	0.00s
And I verify following texts are displayed	0.00s
Setup Goal	
And user click on "Setup Goal" button	0.00s
After	0.01s

```

com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases
(CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor30.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:
63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:91)
at jdk.internal.reflect.GeneratedMethodAccessor37.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

```

[Back to Table of Contents](#)

Scenario: Verify User should be able to see the CREATED goal success message pop up

Passed: 0	Failed: 1	Undefined: 1	Duration: .06s
-----------	-----------	--------------	----------------

Before		0.00s
--------	--	-------

And I verify following texts are displayed		0.05s
--	--	-------

Congratulations!	
------------------	--

You have successfully set a goal.	
-----------------------------------	--

	OK	
java.lang.AssertionError: The following asserts failed: Congratulations! text is displayed on page expected [true] but found [false], You have successfully set a goal. text is displayed on page expected [true] but found [false], OK text is displayed on page expected [true] but found [false] at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43) at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnScreen (MyDocSteps.java:733) at .And I verify following texts are displayed(features/sg/wealth /EditPrivateRetirementGoalAccount.feature:111)		
And user click on "OK" button		
After		0.01s
com.prudential.tap.exception.TapException: Failed to take screenshot of at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases (CucumberHook.java:95) at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72) at jdk.internal.reflect.GeneratedMethodAccessor30.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at cucumber.runtime.Utils\$1.call(Utils.java:40) at cucumber.runtime.Timeout.timeout(Timeout.java:16) at cucumber.runtime.Utils.invoke(Utils.java:34) at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60) at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224) at cucumber.runtime.Runtime.runHooks(Runtime.java:212) at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206) at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46) at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165) at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java: 63) at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:91) at jdk.internal.reflect.GeneratedMethodAccessor37.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86) at org.testng.internal.Invoker.invokeMethod(Invoker.java:643) at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820) at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112) at org.testng.TestRunner.privateRun(TestRunner.java:782) at org.testng.TestRunner.run(TestRunner.java:632) at org.testng.SuiteRunner.runTest(SuiteRunner.java:366) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319) at org.testng.SuiteRunner.run(SuiteRunner.java:268) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)		

```

at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

```

[Back to Table of Contents](#)

Scenario: Verify User should be able to edit the created retirement goal on retirement goal page

Passed: 0	Failed: 1	Undefined: 9	Duration: .02s
Before			0.00s

And I edit the created goal	0.01s
-----------------------------	-------

```

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while
processing the command. Original error: Could not proxy command to the remote server.
Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'Bavirisettis-MacBook-Pro.local', ip: 'fe80:0:0:0:91:d010:e7b3:bd5e%en0',
os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.
prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName:
UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true,
platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel:
SM-G985F, deviceName: R58N34BC9EH, deviceScreenDensity: 450, deviceScreenSize:
1080x2400, deviceUDID: R58N34BC9EH, javascriptEnabled: true, locationContextEnabled:
false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true,
pixelRatio: 2.8125, platform: LINUX, platformName: Android, platformVersion: 10,
statBarHeight: 73, takesScreenshot: true, viewportRect: {height: 2119, left: 0, top: 73, width:
1080}, warnings: {}, webStorageEnabled: false}
Session ID: d9f5f342-bc20-4029-95b8-7815a0d173ed
*** Element info: {Using=xpath, value=//android.widget.ImageView[@content-desc="

atEditGoal"]}
at jdk.internal.reflect.GeneratedConstructorAccessor40.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)

```

```

at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.WealthScreen.clickCreatedGoalEditOption(WealthScreen.java:363)
at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.iEditTheCreatedGoal
(WealthSteps.java:207)
at .And I edit the created goal(features/sg/wealth/EditPrivateRetirementGoalAccount.feature:118)

```

And I enter "\${wealth.edit.age}" value on "\${wealth.edit.age.value}" one pulse screen	0.00s
And I click "\${wealth.edit.ideal.style}" button on the app	0.00s
Then I wait for 8 sec	0.00s
And I scroll down	0.00s
And user click on "Standard" button	0.00s
And user click on "Save" button	0.00s
Then I wait for 5 sec	0.00s
And I scroll down	0.00s
And user click on "Save" button	0.00s

After	0.01s
-------	-------

```

com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases
(CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor30.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)

```

```

at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:91)
at jdk.internal.reflect.GeneratedMethodAccessor37.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

```

[Back to Table of Contents](#)

Scenario: Verify User should be able to see the EDITED goal success message pop up

Passed: 0	Failed: 1	Undefined: 1	Duration: .05s
Before			
And I verify following texts are displayed	0.05s		
Congratulations!			
You have successfully set a goal.			
OK			

java.lang.AssertionError: The following asserts failed:

Congratulations! text is displayed on page expected [true] but found [false],
 You have successfully set a goal. text is displayed on page expected [true] but found [false],
 OK text is displayed on page expected [true] but found [false]
 at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)
 at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnScreen
 (MyDocSteps.java:733)

	at .And I verify following texts are displayed(features/sg/wealth/EditPrivateRetirementGoalAccount.feature:130)	
	And user click on "OK" button	0.00s
After		0.01s
<pre>com.prudential.tap.exception.TapException: Failed to take screenshot of at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases (CucumberHook.java:95) at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72) at jdk.internal.reflect.GeneratedMethodAccessor30.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at cucumber.runtime.Utils\$1.call(Utils.java:40) at cucumber.runtime.Timeout.timeout(Timeout.java:16) at cucumber.runtime.Utils.invoke(Utils.java:34) at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60) at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224) at cucumber.runtime.Runtime.runHooks(Runtime.java:212) at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206) at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46) at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165) at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:63) at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:91) at jdk.internal.reflect.GeneratedMethodAccessor37.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86) at org.testng.internal.Invoker.invokeMethod(Invoker.java:643) at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820) at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112) at org.testng.TestRunner.privateRun(TestRunner.java:782) at org.testng.TestRunner.run(TestRunner.java:632) at org.testng.SuiteRunner.runTest(SuiteRunner.java:366) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319) at org.testng.SuiteRunner.run(SuiteRunner.java:268) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244) at org.testng.TestNG.runSuitesLocally(TestNG.java:1169) at org.testng.TestNG.run(TestNG.java:1064) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)</pre>		
Back to Table of Contents		
Scenario: Verify User should be able to see delete pop up for the created goal		

Passed: 0	Failed: 1	Undefined: 2	Duration: .02s
Before			0.00s
And I delete the created goal			0.02s
<p>org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up</p> <p>Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'</p> <p>System info: host: 'Bavirisettil-MacBook-Pro.local', ip: 'fe80:0:0:0:91:d010:e7b3:bd5e%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'</p> <p>Driver info: io.appium.java_client.android.AndroidDriver</p> <p>Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel: SM-G985F, deviceName: R58N34BC9EH, deviceScreenDensity: 450, deviceScreenSize: 1080x2400, deviceUDID: R58N34BC9EH, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.8125, platform: LINUX, platformName: Android, platformVersion: 10, statusBarHeight: 73, takesScreenshot: true, viewportRect: {height: 2119, left: 0, top: 73, width: 1080}, warnings: {}, webStorageEnabled: false}</p> <p>Session ID: d9f5f342-bc20-4029-95b8-7815a0d173ed</p> <p>*** Element info: {Using=xpath, value=/android.widget.ImageView[@content-desc="atDeleteGoal"]}</p> <p>at jdk.internal.reflect.GeneratedConstructorAccessor40.newInstance(Unknown Source)</p> <p>at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)</p> <p>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)</p> <p>at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)</p> <p>at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)</p> <p>at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)</p> <p>at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:231)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)</p> <p>at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:42)</p> <p>at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)</p> <p>at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)</p> <p>at io.appium.java_client.DefaultGenericMobileDriver.findElement(DefaultGenericMobileDriver.java:62)</p> <p>at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)</p> <p>at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:419)</p>			

```

at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.WealthScreen.clickCreatedGoalDeleteOption(WealthScreen.java:
367)
at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.iDeleteTheCreatedGoal
(WealthSteps.java:212)
at .And I delete the created goal(features/sg/wealth/EditPrivateRetirementGoalAccount.
feature:137)

```

And I verify following texts are displayed	0.00s
	
And user click on "Cancel" button	0.00s
After	0.01s

```

com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases
(CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor30.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:
63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:91)
at jdk.internal.reflect.GeneratedMethodAccessor37.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)

```

```

at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

```

[Back to Table of Contents](#)

Scenario: Verify Add My CPF Account screen user fields

Passed: 0	Failed: 1	Undefined: 2	Duration: .08s
Before			0.00s

And I verify following texts are displayed	0.08s
--	-------

Prepare for retirement
Target monthly income
Monthly contribution needed
Exceeding
Retirement age

java.lang.AssertionError: The following asserts failed:

Prepare for retirement text is displayed on page expected [true] but found [false],
 Target monthly income text is displayed on page expected [true] but found [false],
 Monthly contribution needed text is displayed on page expected [true] but found [false],
 Exceeding text is displayed on page expected [true] but found [false],
 Retirement age text is displayed on page expected [true] but found [false]

at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)
 at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnScreen
 (MyDocSteps.java:733)

at .And I verify following texts are displayed(features/sg/wealth
 /EditPrivateRetirementGoalAccount.feature:144)

And I scroll down	0.00s
-------------------	-------

And I verify following texts are displayed	0.00s
--	-------

lifestyle
My Retirement Account
CPF
CPF Investment Account
+ Add a Retirement Account

How much do you need to retire in Singapore > Back to My Goals			
After			0.01s
<pre>com.prudential.tap.exception.TapException: Failed to take screenshot of at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases (CucumberHook.java:95) at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72) at jdk.internal.reflect.GeneratedMethodAccessor30.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at cucumber.runtime.Utils\$1.call(Utils.java:40) at cucumber.runtime.Timeout.timeout(Timeout.java:16) at cucumber.runtime.Utils.invoke(Utils.java:34) at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60) at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224) at cucumber.runtime.Runtime.runHooks(Runtime.java:212) at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206) at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46) at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165) at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java: 63) at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:91) at jdk.internal.reflect.GeneratedMethodAccessor37.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86) at org.testng.internal.Invoker.invokeMethod(Invoker.java:643) at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820) at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112) at org.testng.TestRunner.privateRun(TestRunner.java:782) at org.testng.TestRunner.run(TestRunner.java:632) at org.testng.SuiteRunner.runTest(SuiteRunner.java:366) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319) at org.testng.SuiteRunner.run(SuiteRunner.java:268) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244) at org.testng.TestNG.runSuitesLocally(TestNG.java:1169) at org.testng.TestNG.run(TestNG.java:1064) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)</pre>			
Back to Table of Contents			
Scenario: Verify can Add My Retirement Account			
Passed: 0	Failed: 1	Undefined: 5	Duration: .03s

Before		0.00s
	<p>And user click on "+ Add a Retirement Account" button</p> <pre>org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z' System info: host: 'Bavirisetts-MacBook-Pro.local', ip: 'fe80:0:0:0:91:d010:e7b3:bd5e%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10' Driver info: io.appium.java_client.android.AndroidDriver Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com. prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel: SM-G985F, deviceName: R58N34BC9EH, deviceScreenDensity: 450, deviceScreenSize: 1080x2400, deviceUDID: R58N34BC9EH, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.8125, platform: LINUX, platformName: Android, platformVersion: 10, statBarHeight: 73, takesScreenshot: true, viewportRect: {height: 2119, left: 0, top: 73, width: 1080}, warnings: {}, webStorageEnabled: false} Session ID: d9f5f342-bc20-4029-95b8-7815a0d173ed *** Element info: {Using=xpath, value=/android.widget.TextView[contains(@text,"+ Add a Retirement Account")]} at jdk.internal.reflect.GeneratedConstructorAccessor40.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java: 158) at io.appium.java_client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:231) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver. java:42) at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1) at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317) at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:62) at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1) at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1) at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver. java:419) at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath</pre>	0.02s

	(DefaultGenericMobileDriver.java:152) at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1) at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1) at org.openqa.selenium.By\$ByXPath.findElement(By.java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309) at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:58) at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1) at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1) at com.prudential.tap.selenium.Commands\$15.executeCommand(Commands.java:141) at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19) at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163) at com.onepulse.app.screens.WealthScreen.clickScreenButtons(WealthScreen.java:323) at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.userClickOnButton(WealthSteps.java:159) at .And user click on "+ Add a Retirement Account" button(features/sg/wealth/EditPrivateRetirementGoalAccount.feature:161)	
And I verify following texts are displayed		0.00s
Add My Private Retirement Account		
And I enter the "\${wealth.add.cpf.provider}" value on "\${wealth.add.retirement.provider}" one pulse screen		0.00s
And I enter the "\${wealth.add.cpf.total.value}" value on "\${wealth.total.account.value}" one pulse screen		0.00s
And I enter the "\${wealth.add.cpf.monthly}" value on "\${wealth.my.monthly.contribution}" one pulse screen		0.00s
And user click on "Save" button		0.00s
After		0.01s
com.prudential.tap.exception.TapException: Failed to take screenshot of at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases (CucumberHook.java:95) at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72) at jdk.internal.reflect.GeneratedMethodAccessor30.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at cucumber.runtime.Utils\$1.call(Utils.java:40) at cucumber.runtime.Timeout.timeout(Timeout.java:16) at cucumber.runtime.Utils.invoke(Utils.java:34) at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60) at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224) at cucumber.runtime.Runtime.runHooks(Runtime.java:212) at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206) at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46) at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165) at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:63) at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:91) at jdk.internal.reflect.GeneratedMethodAccessor37.invoke(Unknown Source)		

```

at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

```

[Back to Table of Contents](#)

Scenario: Verify user can able to see the Added My Retirement Account in Retirement goal screen

Passed: 0	Failed: 1	Undefined: 1	Duration: .04s
Before			0.00s

And I verify following texts are displayed	0.03s
--	-------

Private retirement account	
Prudential Insurance	

java.lang.AssertionError: The following asserts failed:

Private retirement account text is displayed on page expected [true] but found [false],

Prudential Insurance text is displayed on page expected [true] but found [false]

at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)

at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnScreen
(MyDocSteps.java:733)

at .And I verify following texts are displayed(features/sg/wealth
/EditPrivateRetirementGoalAccount.feature:170)

And I scroll down	0.00s
-------------------	-------

After	0.01s
-------	-------

com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases
(CucumberHook.java:95)

at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)

at jdk.internal.reflect.GeneratedMethodAccessor30.invoke(Unknown Source)

at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)

at java.base/java.lang.reflect.Method.invoke(Method.java:566)

```

at cucumber.runtime.Utils$1.call(Utils.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:91)
at jdk.internal.reflect.GeneratedMethodAccessor37.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

```

[Back to Table of Contents](#)

Scenario: Verify can able to DELETE the Private Retirement Account in Retirement goal screen

Passed: 0	Failed: 1	Undefined: 3	Duration: .03s
Before			
And user click on "Prudential Insurance" button	0.00s		
org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z' System info: host: 'Bavirisettis-MacBook-Pro.local', ip: 'fe80:0:0:0:91:d010:e7b3:bd5e%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10' Driver info: io.appium.java_client.android.AndroidDriver Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.}			

```

prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName:
UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true,
platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel:
SM-G985F, deviceName: R58N34BC9EH, deviceScreenDensity: 450, deviceScreenSize:
1080x2400, deviceUDID: R58N34BC9EH, javascriptEnabled: true, locationContextEnabled:
false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true,
pixelRatio: 2.8125, platform: LINUX, platformName: Android, platformVersion: 10,
statBarHeight: 73, takesScreenshot: true, viewportRect: {height: 2119, left: 0, top: 73, width:
1080}, warnings: {}, webStorageEnabled: false}
Session ID: d9f5f342-bc20-4029-95b8-7815a0d173ed
*** Element info: {Using=xpath, value=/android.widget.TextView[contains(@text,"Prudential
Insurance")]}
at jdk.internal.reflect.GeneratedConstructorAccessor40.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)

```

	at com.onepulse.app.screens.WealthScreen.clickScreenButtons(WealthScreen.java:323) at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.userClickOnButton(WealthSteps.java:159) at .And user click on "Prudential Insurance" button(features/sg/wealth/EditPrivateRetirementGoalAccount.feature:176)	
	And I delete the created goal account type	0.00s
	And I verify following texts are displayed	0.00s
	Delete this account? Once deleted, the savings record of this account will be removed. Yes Cancel	
	And user click on "Cancel" button	0.00s
After		0.01s
	com.prudential.tap.exception.TapException: Failed to take screenshot of at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases(CucumberHook.java:95) at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72) at jdk.internal.reflect.GeneratedMethodAccessor30.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at cucumber.runtime.Utils\$1.call(Utils.java:40) at cucumber.runtime.Timeout.timeout(Timeout.java:16) at cucumber.runtime.Utils.invoke(Utils.java:34) at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60) at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224) at cucumber.runtime.Runtime.runHooks(Runtime.java:212) at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206) at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46) at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165) at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:63) at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:91) at jdk.internal.reflect.GeneratedMethodAccessor37.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86) at org.testng.internal.Invoker.invokeMethod(Invoker.java:643) at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820) at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112) at org.testng.TestRunner.privateRun(TestRunner.java:782) at org.testng.TestRunner.run(TestRunner.java:632) at org.testng.SuiteRunner.runTest(SuiteRunner.java:366) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319) at org.testng.SuiteRunner.run(SuiteRunner.java:268)	

```

at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

```

[Back to Table of Contents](#)

Scenario: Verify Private Retirement Account edit screen user fields

Passed: 0	Failed: 1	Undefined: 0	Duration: .16s
Before	0.00s		

And I verify following texts are displayed	0.15s
Private Retirement Account	
Prudential Insurance	
Current plans total balance	
Upper range	
Average	
Lower range	
Investment Breakdown	

java.lang.AssertionError: The following asserts failed:

Private Retirement Account text is displayed on page expected [true] but found [false],
Prudential Insurance text is displayed on page expected [true] but found [false],
Current plans total balance text is displayed on page expected [true] but found [false],
Upper range text is displayed on page expected [true] but found [false],
Average text is displayed on page expected [true] but found [false],
Lower range text is displayed on page expected [true] but found [false],
Investment Breakdown text is displayed on page expected [true] but found [false]
at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)
at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnScreen
(MyDocSteps.java:733)
at .And I verify following texts are displayed(features/sg/wealth
/EditPrivateRetirementGoalAccount.feature:186)

After	0.01s
-------	--------------

```

com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases
(CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor30.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)

```

```

at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:91)
at jdk.internal.reflect.GeneratedMethodAccessor37.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

```

[Back to Table of Contents](#)

Scenario: Verify can able to EDIT the Private Retirement Account in Retirement goal screen

Passed: 0	Failed: 1	Undefined: 5	Duration: .04s
Before			
And I edit the created goal my account type	0.00s		

```

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while
processing the command. Original error: Could not proxy command to the remote server.
Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'Bavirisettil-MacBook-Pro.local', ip: 'fe80:0:0:0:91:d010:e7b3:bd5e%en0',
os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.
prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName:
UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true,
platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel:
SM-G985F, deviceName: R58N34BC9EH, deviceScreenDensity: 450, deviceScreenSize:
1080x2400, deviceUDID: R58N34BC9EH, javascriptEnabled: true, locationContextEnabled:
false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true,

```

pixelRatio: 2.8125, platform: LINUX, platformName: Android, platformVersion: 10, statusBarHeight: 73, takesScreenshot: true, viewportRect: {height: 2119, left: 0, top: 73, width: 1080}, warnings: {}, webStorageEnabled: false}
Session ID: d9f5f342-bc20-4029-95b8-7815a0d173ed
*** Element info: {Using=xpath, value=//android.widget.ImageView[@content-desc="atEditAccount"]}
at jdk.internal.reflect.GeneratedConstructorAccessor40.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By\$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands\$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.WealthScreen.clickCreatedAccountsEditOption(WealthScreen.java:383)
at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.
iEditTheCreatedGoalMyAccountType(WealthSteps.java:222)
at .And I edit the created goal my account type(features/sg/wealth
/EditPrivateRetirementGoalAccount.feature:196)

	And I verify following texts are displayed	0.00s
	Update My Private Retirement Account	
	And I enter the "\${wealth.add.cpf.provider}" value on "\${edit.wealth.add.retirement.provider}" one pulse screen	0.00s
	And I enter the "\${wealth.add.cpf.total.value}" value on "\${edit.wealth.total.account.value}" one pulse screen	0.00s
	And I enter the "\${wealth.add.cpf.monthly}" value on "\${edit.wealth.my.monthly.contribution}" one pulse screen	0.00s
	And user click on "Save" button	0.00s
After		0.01s
<pre>com.prudential.tap.exception.TapException: Failed to take screenshot of at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases (CucumberHook.java:95) at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72) at jdk.internal.reflect.GeneratedMethodAccessor30.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at cucumber.runtime.Utils\$1.call(Utils.java:40) at cucumber.runtime.Timeout.timeout(Timeout.java:16) at cucumber.runtime.Utils.invoke(Utils.java:34) at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60) at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224) at cucumber.runtime.Runtime.runHooks(Runtime.java:212) at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206) at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46) at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165) at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:63) at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:91) at jdk.internal.reflect.GeneratedMethodAccessor37.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86) at org.testng.internal.Invoker.invokeMethod(Invoker.java:643) at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820) at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112) at org.testng.TestRunner.privateRun(TestRunner.java:782) at org.testng.TestRunner.run(TestRunner.java:632) at org.testng.SuiteRunner.runTest(SuiteRunner.java:366) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319) at org.testng.SuiteRunner.run(SuiteRunner.java:268) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)</pre>		

at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
 at org.testng.TestNG.run(TestNG.java:1064)
 at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
 at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

[Back to Table of Contents](#)

Scenario: Verify user can able to see the EDITED Private Retirement Account in Retirement goal screen

Passed: 0	Failed: 1	Undefined: 0	Duration: .05s
Before			0.00s

And I verify following texts are displayed	0.05s
Private retirement account	
AXA Insurance	

java.lang.AssertionError: The following asserts failed:

Private retirement account text is displayed on page expected [true] but found [false],
 AXA Insurance text is displayed on page expected [true] but found [false]

at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)

at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnScreen
 (MyDocSteps.java:733)

at .And I verify following texts are displayed(features/sg/wealth
 /EditPrivateRetirementGoalAccount.feature:205)

After	0.01s
-------	-------

com.prudential.tap.exception.TapException: Failed to take screenshot of
 at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases
 (CucumberHook.java:95)
 at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
 at jdk.internal.reflect.GeneratedMethodAccessor30.invoke(Unknown Source)
 at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
 (DelegatingMethodAccessorImpl.java:43)
 at java.base/java.lang.reflect.Method.invoke(Method.java:566)
 at cucumber.runtime.Utils\$1.call(Utils.java:40)
 at cucumber.runtime.Timeout.timeout(Timeout.java:16)
 at cucumber.runtime.Utils.invoke(Utils.java:34)
 at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
 at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
 at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
 at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
 at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
 at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
 at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:
 63)
 at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:91)
 at jdk.internal.reflect.GeneratedMethodAccessor37.invoke(Unknown Source)
 at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
 (DelegatingMethodAccessorImpl.java:43)
 at java.base/java.lang.reflect.Method.invoke(Method.java:566)
 at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
 at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)

```

at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

```

[Back to Table of Contents](#)

Scenario: Verify user can able to DELETE the Private Retirement Account in Retirement goal screen

Passed: 0	Failed: 1	Undefined: 7	Duration: .04s
Before			0.00s
And user click on "AXA Insurance" button			0.03s
org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z' System info: host: 'Bavirisettil-MacBook-Pro.local', ip: 'fe80:0:0:0:91:d010:e7b3:bd5e%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10' Driver info: io.appium.java_client.android.AndroidDriver Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel: SM-G985F, deviceName: R58N34BC9EH, deviceScreenDensity: 450, deviceScreenSize: 1080x2400, deviceUDID: R58N34BC9EH, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.8125, platform: LINUX, platformName: Android, platformVersion: 10, statBarHeight: 73, takesScreenshot: true, viewportRect: {height: 2119, left: 0, top: 73, width: 1080}, warnings: {}, webStorageEnabled: false} Session ID: d9f5f342-bc20-4029-95b8-7815a0d173ed *** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,"AXA Insurance")]} at jdk.internal.reflect.GeneratedConstructorAccessor40.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException			

```
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.WealthScreen.clickScreenButtons(WealthScreen.java:323)
at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.userClickOnButton(WealthSteps.java:159)
at .And user click on "AXA Insurance" button(features/sg/wealth/EditPrivateRetirementGoalAccount.feature:210)
```

And I delete the created goal account type	0.00s
And I verify following texts are displayed	0.00s
<input checked="" type="checkbox"/> Yes	
And user click on "Yes" button	0.00s
Then I wait for 8 sec	0.00s
And I scroll down	0.00s
And I verify following texts are displayed	0.00s
<input type="button" value="Back to My Goals"/>	
And user click on "Back to My Goals" button	0.00s

After		0.01s
<pre>com.prudential.tap.exception.TapException: Failed to take screenshot of at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases (CucumberHook.java:95) at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72) at jdk.internal.reflect.GeneratedMethodAccessor30.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at cucumber.runtime.Utils\$1.call(Utils.java:40) at cucumber.runtime.Timeout.timeout(Timeout.java:16) at cucumber.runtime.Utils.invoke(Utils.java:34) at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60) at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224) at cucumber.runtime.Runtime.runHooks(Runtime.java:212) at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206) at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46) at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165) at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:63) at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:91) at jdk.internal.reflect.GeneratedMethodAccessor37.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86) at org.testng.internal.Invoker.invokeMethod(Invoker.java:643) at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820) at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112) at org.testng.TestRunner.privateRun(TestRunner.java:782) at org.testng.TestRunner.run(TestRunner.java:632) at org.testng.SuiteRunner.runTest(SuiteRunner.java:366) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319) at org.testng.SuiteRunner.run(SuiteRunner.java:268) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244) at org.testng.TestNG.runSuitesLocally(TestNG.java:1169) at org.testng.TestNG.run(TestNG.java:1064) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)</pre>		
Back to Table of Contents		
Scenario: Verify User should be able to see EXCEEDING Status in savings goal screen		
Passed: 0	Failed: 1	Undefined: 1
Before		0.00s
	And I verify following texts are displayed	0.09s

		<table border="1"> <tr><td>Prepare for retirement</td></tr> <tr><td>Achieved</td></tr> <tr><td>Target</td></tr> <tr><td>Exceeding</td></tr> <tr><td>Add a New Goal</td></tr> </table>	Prepare for retirement	Achieved	Target	Exceeding	Add a New Goal	
Prepare for retirement								
Achieved								
Target								
Exceeding								
Add a New Goal								
		<p>java.lang.AssertionError: The following asserts failed:</p> <p>Prepare for retirement text is displayed on page expected [true] but found [false], Achieved text is displayed on page expected [true] but found [false], Target text is displayed on page expected [true] but found [false], Exceeding text is displayed on page expected [true] but found [false], Add a New Goal text is displayed on page expected [true] but found [false]</p> <p>at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43) at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnScreen (MyDocSteps.java:733) at .And I verify following texts are displayed(features/sg/wealth /EditPrivateRetirementGoalAccount.feature:222)</p>						
		And user click on "Prepare for retirement" button	0.00s					
After			0.01s					
		<p>com.prudential.tap.exception.TapException: Failed to take screenshot of</p> <p>at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases (CucumberHook.java:95)</p> <p>at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)</p> <p>at jdk.internal.reflect.GeneratedMethodAccessor30.invoke(Unknown Source)</p> <p>at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)</p> <p>at java.base/java.lang.reflect.Method.invoke(Method.java:566)</p> <p>at cucumber.runtime.Utils\$1.call(Utils.java:40)</p> <p>at cucumber.runtime.Timeout.timeout(Timeout.java:16)</p> <p>at cucumber.runtime.Utils.invoke(Utils.java:34)</p> <p>at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)</p> <p>at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)</p> <p>at cucumber.runtime.Runtime.runHooks(Runtime.java:212)</p> <p>at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)</p> <p>at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)</p> <p>at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)</p> <p>at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:63)</p> <p>at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:91)</p> <p>at jdk.internal.reflect.GeneratedMethodAccessor37.invoke(Unknown Source)</p> <p>at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)</p> <p>at java.base/java.lang.reflect.Method.invoke(Method.java:566)</p> <p>at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)</p> <p>at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)</p> <p>at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)</p> <p>at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)</p> <p>at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)</p> <p>at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)</p>						

```

at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

```

[Back to Table of Contents](#)

Scenario: Verify User can able to DELETE the created goal

Passed: 0	Failed: 1	Undefined: 2	Duration: .02s
Before			0.00s

And I delete the created goal	0.02s
-------------------------------	-------

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server.
Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'Bavirisettis-MacBook-Pro.local', ip: 'fe80:0:0:0:91:d010:e7b3:bd5e%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel: SM-G985F, deviceName: R58N34BC9EH, deviceScreenDensity: 450, deviceScreenSize: 1080x2400, deviceUDID: R58N34BC9EH, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.8125, platform: LINUX, platformName: Android, platformVersion: 10, statusBarHeight: 73, takesScreenshot: true, viewportRect: {height: 2119, left: 0, top: 73, width: 1080}, warnings: {}, webStorageEnabled: false}
Session ID: d9f5f342-bc20-4029-95b8-7815a0d173ed
*** Element info: {Using=xpath, value=//android.widget.ImageView[@content-desc="atDeleteGoal"]}
at jdk.internal.reflect.GeneratedConstructorAccessor40.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)

```

at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.WealthScreen.clickCreatedGoalDeleteOption(WealthScreen.java:367)
at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.iDeleteTheCreatedGoal
(WealthSteps.java:212)
at .And I delete the created goal(features/sg/wealth/EditPrivateRetirementGoalAccount.feature:231)

```

And I verify following texts are displayed

0.00s

Yes
Cancel

And user click on "Yes" button

0.00s

After

0.01s

```

com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases
(CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor30.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)

```

```

at cucumber.runtime.Utils$1.call(Utils.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:91)
at jdk.internal.reflect.GeneratedMethodAccessor37.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)


```

[Back to Table of Contents](#)

Feature: Verify User should be able to using the wealth My Goal End to End functionality

Passed: 0	Failed: 28	Undefined: 0	Duration: 162.73s
Scenario: Verify User should be able to register on app using email account			
Passed: 8	Failed: 1	Undefined: 2	Duration: 135.78s
Before			
Given I generate random number and assign to variable "RANDOM_NUMBER"			0.00s
And I assign "pulse\${RANDOM_NUMBER}@mailsac.com" to variable "PULSE_EMAIL"			0.00s
Given User has pulse app			7.68s
And user click on "CONTINUE WITH EMAIL" with Email button			12.39s
When user enters registration details			7.25s

		FirstName Wealth	
		LastName New Goal	
		Email \${PULSE_EMAIL}	
		Password Pas\$1234	
		And taps on continue "Sign_Up" button	5.09s
		Then I wait for 10 sec	10.01s
		And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}"	28.50s
		Then I click skip button	63.17s
		java.lang.AssertionError: The following asserts failed:	
		Default height section is not displayed in the UI expected [true] but found [false],	
		Default weight section is not displayed in the UI expected [true] but found [false],	
		Default height section is not displayed in the UI expected [true] but found [false],	
		Default weight section is not displayed in the UI expected [true] but found [false],	
		Default height section is not displayed in the UI expected [true] but found [false],	
		Default weight section is not displayed in the UI expected [true] but found [false],	
		Default height section is not displayed in the UI expected [true] but found [false],	
		Default weight section is not displayed in the UI expected [true] but found [false],	
		Default height section is not displayed in the UI expected [true] but found [false],	
		Default weight section is not displayed in the UI expected [true] but found [false]	
		at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)	
		at com.onepulse.app.screens.PulseLoginScreen.verifyHeightandWeightScreenUi(PulseLoginScreen.java:1262)	
		at com.onepulse.app.screens.PulseLoginScreen.clickSkipButton(PulseLoginScreen.java:726)	
		at com.onepulse.app.stepdefinitions.mobilesteps.LoginSteps.iClickSkipButton(LoginSteps.java:292)	
		at .Then I click skip button(features/sg/wealth/GrowMyWealthNewGoal.feature:17)	
		Then I wait for 15 sec	0.00s
		Then user should be landed to "Home" screen	0.00s



After		1.68s
-------	--	-------

[Back to Table of Contents](#)

Scenario: Verify User should be able to see the wealth screen options

Passed: 1	Failed: 1	Undefined: 1	Duration: 11.69s
Before	0.00s		

Then I wait for 5 sec	5.01s
-----------------------	-------

Then I navigate to wealth screen	6.67s
----------------------------------	-------

```
org.openqa.selenium.WebDriverException: An unknown server-side error occurred while
processing the command. Original error: Could not proxy command to the remote server.
Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'Bavirisettis-MacBook-Pro.local', ip: 'fe80:0:0:0:91:d010:e7b3:bd5e%en0',
os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.
prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName:
UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true,
platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel:
SM-G985F, deviceName: R58N34BC9EH, deviceScreenDensity: 450, deviceScreenSize:
1080x2400, deviceUDID: R58N34BC9EH, javascriptEnabled: true, locationContextEnabled:
false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true,
pixelRatio: 2.8125, platform: LINUX, platformName: Android, platformVersion: 10,
statBarHeight: 73, takesScreenshot: true, viewportRect: {height: 2119, left: 0, top: 73, width:
1080}, warnings: {}, webStorageEnabled: false}
Session ID: 34baf220-d264-4a95-806f-a2798af3582b
*** Element info: {Using=xpath, value=//android.widget.TextView[@text='Wealth']}
```

	<pre>at jdk.internal.reflect.GeneratedConstructorAccessor40.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java: 158) at io.appium.java_client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:231) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver. java:42) at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1) at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317) at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:62) at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1) at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1) at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver. java:419) at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath (DefaultGenericMobileDriver.java:152) at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1) at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1) at org.openqa.selenium.By\$ByXPath.findElement(By.java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309) at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:58) at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1) at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1) at com.prudential.tap.selenium.Commands\$15.executeCommand(Commands.java:141) at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java: 19) at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163) at com.onepulse.app.screens.WealthScreen.clickWealthButton(WealthScreen.java:117) at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.iNavigateToWealthScreen (WealthSteps.java:46) at .Then I navigate to wealth screen(features/sg/wealth/GrowMyWealthNewGoal.feature:24)</pre>
And I verify following texts are displayed	0.00s
	
After	
com.prudential.tap.exception.TapException: Failed to take screenshot of	

```

at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases
(CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor30.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:91)
at jdk.internal.reflect.GeneratedMethodAccessor37.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

```

[Back to Table of Contents](#)

Scenario: Verify the terms and condition and proceed

Passed: 0	Failed: 1	Undefined: 1	Duration: .02s
Before	0.00s		
Then I navigate to finances wealth screen			0.01s
org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server.			

Original error: socket hang up

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'Bavirisettil-MacBook-Pro.local', ip: 'fe80:0:0:0:91:d010:e7b3:bd5e%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'

Driver info: io.appium.java_client.android.AndroidDriver

Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel: SM-G985F, deviceName: R58N34BC9EH, deviceScreenDensity: 450, deviceScreenSize: 1080x2400, deviceUDID: R58N34BC9EH, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.8125, platform: LINUX, platformName: Android, platformVersion: 10, statusBarHeight: 73, takesScreenshot: true, viewportRect: {height: 2119, left: 0, top: 73, width: 1080}, warnings: {}, webStorageEnabled: false}

Session ID: 34baf220-d264-4a95-806f-a2798af3582b

```
*** Element info: {Using=xpath, value=/android.widget.TextView[@text='Wealth']/following::android.widget.TextView[@text='Explore']}
```

at jdk.internal.reflect.GeneratedConstructorAccessor40.newInstance(Unknown Source)

at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)

at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)

at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)

at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:231)

at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)

at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:42)

at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)

at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)

at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)

at io.appium.java_client.DefaultGenericMobileDriver.findElement(DefaultGenericMobileDriver.java:62)

at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)

at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)

at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:419)

at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath(DefaultGenericMobileDriver.java:152)

at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)

at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)

at org.openqa.selenium.By\$ByXPath.findElement(By.java:353)

at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)

at io.appium.java_client.DefaultGenericMobileDriver.findElement

	(DefaultGenericMobileDriver.java:58) at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1) at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1) at com.prudential.tap.selenium.Commands\$15.executeCommand(Commands.java:141) at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19) at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163) at com.onepulse.app.screens.WealthScreen.clickFinancialWealthExploreButton(WealthScreen.java:259) at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps. iNavigateToFinancesWealthScreen(WealthSteps.java:117) at .Then I navigate to finances wealth screen(features/sg/wealth/GrowMyWealthNewGoal.feature:32)	
	And I agree the Terms and Conditions to proceed	0.00s
After		0.01s
com.prudential.tap.exception.TapException: Failed to take screenshot of at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases (CucumberHook.java:95) at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72) at jdk.internal.reflect.GeneratedMethodAccessor30.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at cucumber.runtime.Utils\$1.call(Utils.java:40) at cucumber.runtime.Timeout.timeout(Timeout.java:16) at cucumber.runtime.Utils.invoke(Utils.java:34) at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60) at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224) at cucumber.runtime.Runtime.runHooks(Runtime.java:212) at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206) at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46) at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165) at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:63) at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:91) at jdk.internal.reflect.GeneratedMethodAccessor37.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86) at org.testng.internal.Invoker.invokeMethod(Invoker.java:643) at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820) at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112) at org.testng.TestRunner.privateRun(TestRunner.java:782) at org.testng.TestRunner.run(TestRunner.java:632) at org.testng.SuiteRunner.runTest(SuiteRunner.java:366) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)		

```

at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

```

[Back to Table of Contents](#)

Scenario: Verify User should be able to complete the registration successfully

Passed: 0	Failed: 1	Undefined: 1	Duration: 4.05s
Before			0.00s

And I enter details for wealth profile registration	4.04s
---	-------

DateOfBirth	21/02/1991
NRIC	557N
PostalCode	460105

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'Bavirisettis-MacBook-Pro.local', ip: 'fe80:0:0:0:91:d010:e7b3:bd5e%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel: SM-G985F, deviceName: R58N34BC9EH, deviceScreenDensity: 450, deviceScreenSize: 1080x2400, deviceUDID: R58N34BC9EH, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.8125, platform: LINUX, platformName: Android, platformVersion: 10, statusBarHeight: 73, takesScreenshot: true, viewportRect: {height: 2119, left: 0, top: 73, width: 1080}, warnings: {}, webStorageEnabled: false}
Session ID: 34baf220-d264-4a95-806f-a2798af3582b
*** Element info: {Using=xpath, value=//android.widget.EditText[@text='DD/MM/YYYY']}
at jdk.internal.reflect.GeneratedConstructorAccessor40.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute

<pre>(AppiumCommandExecutor.java:231) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:42) at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1) at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317) at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:62) at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1) at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1) at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:419) at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath (DefaultGenericMobileDriver.java:152) at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1) at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1) at org.openqa.selenium.By\$ByXPath.findElement(By.java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309) at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:58) at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1) at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1) at com.prudential.tap.selenium.Commands\$16.executeCommand(Commands.java:148) at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19) at com.onepulse.app.screens.TestBasePage.setTextWithTab(TestBasePage.java:241) at com.onepulse.app.screens.WealthScreen.enterWealthRegistrationDetails(WealthScreen.java:270) at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps. iEnterDetailsForWealthProfileRegistration(WealthSteps.java:129) at .And I enter details for wealth profile registration(features/sg/wealth /GrowMyWealthNewGoal.feature:36)</pre>	
Then I verify financial wealth registration completed successfully	0.00s
After	0.01s
<pre>com.prudential.tap.exception.TapException: Failed to take screenshot of at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases (CucumberHook.java:95) at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72) at jdk.internal.reflect.GeneratedMethodAccessor30.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at cucumber.runtime.Utils\$1.call(Utils.java:40) at cucumber.runtime.Timeout.timeout(Timeout.java:16) at cucumber.runtime.Utils.invoke(Utils.java:34) at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60) at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224) at cucumber.runtime.Runtime.runHooks(Runtime.java:212) at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)</pre>	

```

at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:91)
at jdk.internal.reflect.GeneratedMethodAccessor37.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

```

[Back to Table of Contents](#)

Scenario: Verify User can navigate to new goal page

Passed: 0	Failed: 1	Undefined: 1	Duration: 4.07s
Before			0.00s

And I click grow my wealth tab	4.06s
--------------------------------	-------

```

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while
processing the command. Original error: Could not proxy command to the remote server.
Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'Bavirisettis-MacBook-Pro.local', ip: 'fe80:0:0:0:91:d010:e7b3:bd5e%en0',
os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.
prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName:
UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true,
platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel:
SM-G985F, deviceName: R58N34BC9EH, deviceScreenDensity: 450, deviceScreenSize:
1080x2400, deviceUDID: R58N34BC9EH, javascriptEnabled: true, locationContextEnabled:
false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true,
pixelRatio: 2.8125, platform: LINUX, platformName: Android, platformVersion: 10,
}
```

statBarHeight: 73, takesScreenshot: true, viewportRect: {height: 2119, left: 0, top: 73, width: 1080}, warnings: {}, webStorageEnabled: false}	
Session ID: 34baf220-d264-4a95-806f-a2798af3582b	
at jdk.internal.reflect.GeneratedConstructorAccessor40.newInstance(Unknown Source)	
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)	
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)	
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)	
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)	
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)	
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)	
at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:231)	
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)	
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:46)	
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)	
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)	
at org.openqa.selenium.remote.RemoteWebDriver\$RemoteWebDriverOptions\$RemoteWindow.getSize(RemoteWebDriver.java:804)	
at com.prudential.tap.appium.AppiumCommands.swipe(AppiumCommands.java:432)	
at com.onepulse.app.screens.TestBasePage.scrollPageDown(TestBasePage.java:185)	
at com.onepulse.app.screens.WealthScreen.navigateToMyGoalPage(WealthScreen.java:351)	
at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.iClickGrowMyWealthTab(WealthSteps.java:195)	
at .And I click grow my wealth tab(features/sg/wealth/GrowMyWealthNewGoal.feature:43)	
And user click on "Custom your goal" button	0.00s
After	0.01s
com.prudential.tap.exception.TapException: Failed to take screenshot of	
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases(CucumberHook.java:95)	
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)	
at jdk.internal.reflect.GeneratedMethodAccessor30.invoke(Unknown Source)	
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)	
at java.base/java.lang.reflect.Method.invoke(Method.java:566)	
at cucumber.runtime.Utils\$1.call(Utils.java:40)	
at cucumber.runtime.Timeout.timeout(Timeout.java:16)	
at cucumber.runtime.Utils.invoke(Utils.java:34)	
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)	
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)	
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)	
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)	
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)	
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)	

```

at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:91)
at jdk.internal.reflect.GeneratedMethodAccessor37.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

```

[Back to Table of Contents](#)

Scenario: Verify User should be able to see the New Goal screen options

Passed: 0	Failed: 1	Undefined: 0	Duration: .15s
Before			0.00s

And I verify following texts are displayed	0.13s
Your goal name Target amount Launch the Simulation Cancel	

java.lang.AssertionError: The following asserts failed:

Your goal name text is displayed on page expected [true] but found [false],
 Target amount text is displayed on page expected [true] but found [false],
 Launch the Simulation text is displayed on page expected [true] but found [false],
 Cancel text is displayed on page expected [true] but found [false]
 at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)
 at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnScreen
 (MyDocSteps.java:733)
 at .And I verify following texts are displayed(features/sg/wealth/GrowMyWealthNewGoal.
 feature:60)

After	0.02s
-------	-------

com.prudential.tap.exception.TapException: Failed to take screenshot of

```

at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases
(CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor30.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:91)
at jdk.internal.reflect.GeneratedMethodAccessor37.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

```

[Back to Table of Contents](#)

Scenario: Verify User should be able to see the alert message with out enter the goal and amount

Passed: 0	Failed: 1	Undefined: 1	Duration: .06s
Before			0.00s
And user click on "Launch the Simulation" button			0.05s
org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server.			

Original error: socket hang up

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'Bavirisettil-MacBook-Pro.local', ip: 'fe80:0:0:0:91:d010:e7b3:bd5e%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'

Driver info: io.appium.java_client.android.AndroidDriver

Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel: SM-G985F, deviceName: R58N34BC9EH, deviceScreenDensity: 450, deviceScreenSize: 1080x2400, deviceUDID: R58N34BC9EH, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.8125, platform: LINUX, platformName: Android, platformVersion: 10, statusBarHeight: 73, takesScreenshot: true, viewportRect: {height: 2119, left: 0, top: 73, width: 1080}, warnings: {}, webStorageEnabled: false}

Session ID: 34baf220-d264-4a95-806f-a2798af3582b

*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text, "Launch the Simulation")]}

at jdk.internal.reflect.GeneratedConstructorAccessor40.newInstance(Unknown Source)

at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)

at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)

at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)

at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:231)

at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)

at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:42)

at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)

at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)

at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)

at io.appium.java_client.DefaultGenericMobileDriver.findElement(DefaultGenericMobileDriver.java:62)

at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)

at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)

at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:419)

at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath(DefaultGenericMobileDriver.java:152)

at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)

at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)

at org.openqa.selenium.By\$ByXPath.findElement(By.java:353)

at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)

at io.appium.java_client.DefaultGenericMobileDriver.findElement

	(DefaultGenericMobileDriver.java:58) at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1) at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1) at com.prudential.tap.selenium.Commands\$15.executeCommand(Commands.java:141) at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19) at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163) at com.onepulse.app.screens.WealthScreen.clickScreenButtons(WealthScreen.java:323) at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.userClickOnButton(WealthSteps.java:159) at .And user click on "Launch the Simulation" button(features/sg/wealth/GrowMyWealthNewGoal.feature:67)	
And I verify following texts are displayed	please input valid goal name please input valid target amount	0.00s
After		0.01s
	com.prudential.tap.exception.TapException: Failed to take screenshot of at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases(CucumberHook.java:95) at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72) at jdk.internal.reflect.GeneratedMethodAccessor30.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at cucumber.runtime.Utils\$1.call(Utils.java:40) at cucumber.runtime.Timeout.timeout(Timeout.java:16) at cucumber.runtime.Utils.invoke(Utils.java:34) at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60) at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224) at cucumber.runtime.Runtime.runHooks(Runtime.java:212) at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206) at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46) at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165) at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:63) at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:91) at jdk.internal.reflect.GeneratedMethodAccessor37.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86) at org.testng.internal.Invoker.invokeMethod(Invoker.java:643) at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820) at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112) at org.testng.TestRunner.privateRun(TestRunner.java:782) at org.testng.TestRunner.run(TestRunner.java:632) at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)	

```

at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

```

[Back to Table of Contents](#)

Scenario: Verify User can create the new goal by entering required details

Passed: 0	Failed: 1	Undefined: 1	Duration: 4.07s
Before			0.00s

And I enter details for create the new goal	4.05s				
<table border="1"> <tr> <td>GoalName</td> <td>Buy a car</td> </tr> <tr> <td>GoalAmount</td> <td>50000</td> </tr> </table>	GoalName	Buy a car	GoalAmount	50000	
GoalName	Buy a car				
GoalAmount	50000				

```

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while
processing the command. Original error: Could not proxy command to the remote server.
Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'Bavirisettis-MacBook-Pro.local', ip: 'fe80:0:0:0:91:d010:e7b3:bd5e%en0',
os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.
prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName:
UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true,
platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel:
SM-G985F, deviceName: R58N34BC9EH, deviceScreenDensity: 450, deviceScreenSize:
1080x2400, deviceUDID: R58N34BC9EH, javascriptEnabled: true, locationContextEnabled:
false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true,
pixelRatio: 2.8125, platform: LINUX, platformName: Android, platformVersion: 10,
statBarHeight: 73, takesScreenshot: true, viewportRect: {height: 2119, left: 0, top: 73, width:
1080}, warnings: {}, webStorageEnabled: false}
Session ID: 34baf220-d264-4a95-806f-a2798af3582b
*** Element info: {Using=xpath, value=//android.widget.EditText[@text='Please input your
goal name']}
at jdk.internal.reflect.GeneratedConstructorAccessor40.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:

```

158)	
at io.appium.java_client.remote.AppiumCommandExecutor.execute	
(AppiumCommandExecutor.java:231)	
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)	
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:42)	
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)	
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)	
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)	
at io.appium.java_client.DefaultGenericMobileDriver.findElement	
(DefaultGenericMobileDriver.java:62)	
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)	
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)	
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:419)	
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath	
(DefaultGenericMobileDriver.java:152)	
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)	
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)	
at org.openqa.selenium.By\$ByXPath.findElement(By.java:353)	
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)	
at io.appium.java_client.DefaultGenericMobileDriver.findElement	
(DefaultGenericMobileDriver.java:58)	
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)	
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)	
at com.prudential.tap.selenium.Commands\$16.executeCommand(Commands.java:148)	
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19)	
at com.onepulse.app.screens.TestBasePage.setTextWithTab(TestBasePage.java:241)	
at com.onepulse.app.screens.WealthScreen.enterCreateNewGoalDetails(WealthScreen.java:357)	
at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.	
iEnterDetailsForCreateTheNewGoal(WealthSteps.java:202)	
at .And I enter details for create the new goal(features/sg/wealth/GrowMyWealthNewGoal.feature:73)	
And user click on "Launch the Simulation" button	0.00s
After	0.02s
com.prudential.tap.exception.TapException: Failed to take screenshot of	
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases	
(CucumberHook.java:95)	
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)	
at jdk.internal.reflect.GeneratedMethodAccessor30.invoke(Unknown Source)	
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke	
(DelegatingMethodAccessorImpl.java:43)	
at java.base/java.lang.reflect.Method.invoke(Method.java:566)	
at cucumber.runtime.Utils\$1.call(Utils.java:40)	
at cucumber.runtime.Timeout.timeout(Timeout.java:16)	
at cucumber.runtime.Utils.invoke(Utils.java:34)	
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)	
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)	

```

at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:91)
at jdk.internal.reflect.GeneratedMethodAccessor37.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

```

[Back to Table of Contents](#)

Scenario: Verify User should be able to see EASY goal assessment screen details

Passed: 0	Failed: 1	Undefined: 2	Duration: .04s
Before			
And user click on "Easy" button			0.00s
org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z' System info: host: 'Bavirisettis-MacBook-Pro.local', ip: 'fe80:0:0:0:91:d010:e7b3:bd5e%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10' Driver info: io.appium.java_client.android.AndroidDriver Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel: SM-G985F, deviceName: R58N34BC9EH, deviceScreenDensity: 450, deviceScreenSize: 1080x2400, deviceUDID: R58N34BC9EH, javascriptEnabled: true, locationContextEnabled: true}			0.03s

	false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.8125, platform: LINUX, platformName: Android, platformVersion: 10, statBarHeight: 73, takesScreenshot: true, viewportRect: {height: 2119, left: 0, top: 73, width: 1080}, warnings: {}, webStorageEnabled: false} Session ID: 34baf220-d264-4a95-806f-a2798af3582b *** Element info: {Using=xpath, value=/android.widget.TextView[contains(@text,"Easy")]} at jdk.internal.reflect.GeneratedConstructorAccessor40.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at io.appium.java_client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:231) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:42) at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1) at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317) at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:62) at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1) at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1) at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:419) at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath (DefaultGenericMobileDriver.java:152) at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1) at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1) at org.openqa.selenium.By\$ByXPath.findElement(By.java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309) at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:58) at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1) at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1) at com.prudential.tap.selenium.Commands\$15.executeCommand(Commands.java:141) at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19) at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163) at com.onepulse.app.screens.WealthScreen.clickScreenButtons(WealthScreen.java:323) at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.userClickOnButton(WealthSteps.java:159) at .And user click on "Easy" button(features/sg/wealth/GrowMyWealthNewGoal.feature:79)	Then I wait for 5 sec	0.00s
--	--	-----------------------	-------

	And I verify following texts are displayed	0.00s
	Buy a car Based on your current income, you should be able to reach your goal of \$50,000 in about 1227 months. Easy Achievable Challenging monthly contribution Duration Start date End date \$2.08/month 1227 months Custom My Goal Setup the Goal	
After		0.01s

com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases
(CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor30.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils\$1.call(Utils.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:91)
at jdk.internal.reflect.GeneratedMethodAccessor37.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)

```

at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

```

[Back to Table of Contents](#)

Scenario: Verify User should be able to see ACHIEVABLE goal assessment screen details

Passed: 0	Failed: 1	Undefined: 2	Duration: .05s
Before			0.00s

And user click on "Achievable" button	0.03s
---------------------------------------	-------

```

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while
processing the command. Original error: Could not proxy command to the remote server.
Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'Bavirisetts-MacBook-Pro.local', ip: 'fe80:0:0:0:91:d010:e7b3:bd5e%en0',
os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.
prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName:
UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true,
platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel:
SM-G985F, deviceName: R58N34BC9EH, deviceScreenDensity: 450, deviceScreenSize:
1080x2400, deviceUDID: R58N34BC9EH, javascriptEnabled: true, locationContextEnabled:
false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true,
pixelRatio: 2.8125, platform: LINUX, platformName: Android, platformVersion: 10,
statBarHeight: 73, takesScreenshot: true, viewportRect: {height: 2119, left: 0, top: 73, width:
1080}, warnings: {}, webStorageEnabled: false}
Session ID: 34baf220-d264-4a95-806f-a2798af3582b
*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,"
Achievable")]}
at jdk.internal.reflect.GeneratedConstructorAccessor40.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)

```

```

at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.WealthScreen.clickScreenButtons(WealthScreen.java:323)
at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.userClickOnButton(WealthSteps.java:159)
at .And user click on "Achievable" button(features/sg/wealth/GrowMyWealthNewGoal.feature:97)

```

Then I wait for 5 sec	0.00s
And I verify following texts are displayed	0.00s
Buy a car	
Based on your current income, you should be able to reach your goal of \$50,000 in about 1040 months.	
Easy	
Achievable	
Challenging	
monthly contribution	
Duration	
Start date	
End date	
\$4.17/month	
1040 months	
Custom My Goal	
Setup the Goal	

After		0.03s
<pre>com.prudential.tap.exception.TapException: Failed to take screenshot of at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases (CucumberHook.java:95) at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72) at jdk.internal.reflect.GeneratedMethodAccessor30.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at cucumber.runtime.Utils\$1.call(Utils.java:40) at cucumber.runtime.Timeout.timeout(Timeout.java:16) at cucumber.runtime.Utils.invoke(Utils.java:34) at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60) at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224) at cucumber.runtime.Runtime.runHooks(Runtime.java:212) at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206) at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46) at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165) at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:63) at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:91) at jdk.internal.reflect.GeneratedMethodAccessor37.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86) at org.testng.internal.Invoker.invokeMethod(Invoker.java:643) at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820) at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112) at org.testng.TestRunner.privateRun(TestRunner.java:782) at org.testng.TestRunner.run(TestRunner.java:632) at org.testng.SuiteRunner.runTest(SuiteRunner.java:366) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319) at org.testng.SuiteRunner.run(SuiteRunner.java:268) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244) at org.testng.TestNG.runSuitesLocally(TestNG.java:1169) at org.testng.TestNG.run(TestNG.java:1064) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)</pre>		
Back to Table of Contents		
Scenario: Verify User should be able to see CHALLENGING goal assessment screen details		
Passed: 0	Failed: 1	Undefined: 3
Before		0.00s
	And user click on "Challenging" button	0.04s

```

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while
processing the command. Original error: Could not proxy command to the remote server.
Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'Bavirisettis-MacBook-Pro.local', ip: 'fe80:0:0:0:91:d010:e7b3:bd5e%en0',
os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.
prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName:
UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true,
platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel:
SM-G985F, deviceName: R58N34BC9EH, deviceScreenDensity: 450, deviceScreenSize:
1080x2400, deviceUDID: R58N34BC9EH, javascriptEnabled: true, locationContextEnabled:
false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true,
pixelRatio: 2.8125, platform: LINUX, platformName: Android, platformVersion: 10,
statBarHeight: 73, takesScreenshot: true, viewportRect: {height: 2119, left: 0, top: 73, width:
1080}, warnings: {}, webStorageEnabled: false}
Session ID: 34baf220-d264-4a95-806f-a2798af3582b
*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,"Challenging")]}
at jdk.internal.reflect.GeneratedConstructorAccessor40.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)

```

	at org.openqa.selenium.By\$ByXPath.findElement(By.java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309) at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:58) at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1) at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1) at com.prudential.tap.selenium.Commands\$15.executeCommand(Commands.java:141) at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java: 19) at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163) at com.onepulse.app.screens.WealthScreen.clickScreenButtons(WealthScreen.java:323) at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.userClickOnButton(WealthSteps. java:159) at .And user click on "Challenging" button(features/sg/wealth/GrowMyWealthNewGoal. feature:115)
Then I wait for 5 sec	0.00s
And I verify following texts are displayed	0.00s
Buy a car	
Based on your current income, you should be able to reach your goal of \$50,000 in about 932 months.	
Easy	
Achievable	
Challenging	
monthly contribution	
Duration	
Start date	
End date	
\$6.25/month	
932 months	
Custom My Goal	
Setup the Goal	
And user click on "Easy" button	0.00s
After	0.01s
com.prudential.tap.exception.TapException: Failed to take screenshot of at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases (CucumberHook.java:95) at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72) at jdk.internal.reflect.GeneratedMethodAccessor30.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at cucumber.runtime.Utils\$1.call(Utils.java:40) at cucumber.runtime.Timeout.timeout(Timeout.java:16) at cucumber.runtime.Utils.invoke(Utils.java:34) at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60) at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224) at cucumber.runtime.Runtime.runHooks(Runtime.java:212)	

```

at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:91)
at jdk.internal.reflect.GeneratedMethodAccessor37.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

```

[Back to Table of Contents](#)

Scenario: Verify User should be able to SET CUSTOM GOAL assessment screen details

Passed: 0	Failed: 1	Undefined: 2	Duration: .03s
Before			
And user click on "Custom My Goal" button	0.00s		

```

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while
processing the command. Original error: Could not proxy command to the remote server.
Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'Bavirisettil-MacBook-Pro.local', ip: 'fe80:0:0:0:91:d010:e7b3:bd5e%en0',
os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.
prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName:
UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true,
platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel:
SM-G985F, deviceName: R58N34BC9EH, deviceScreenDensity: 450, deviceScreenSize:
1080x2400, deviceUDID: R58N34BC9EH, javascriptEnabled: true, locationContextEnabled:
false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true,

```

pixelRatio: 2.8125, platform: LINUX, platformName: Android, platformVersion: 10, statusBarHeight: 73, takesScreenshot: true, viewportRect: {height: 2119, left: 0, top: 73, width: 1080}, warnings: {}, webStorageEnabled: false}
Session ID: 34baf220-d264-4a95-806f-a2798af3582b
***** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,"Custom My Goal")]}**
at jdk.internal.reflect.GeneratedConstructorAccessor40.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By\$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands\$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.WealthScreen.clickScreenButtons(WealthScreen.java:323)
at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.userClickOnButton(WealthSteps.java:159)
at .And user click on "Custom My Goal" button(features/sg/wealth/GrowMyWealthNewGoal.feature:134)

	And I verify following texts are displayed	0.00s
	My goal name Target amount Initial one-off payment Ideal monthly contribution	
	And user click on "< Custom My Goal" button	0.00s
After		0.01s
<pre>com.prudential.tap.exception.TapException: Failed to take screenshot of at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases (CucumberHook.java:95) at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72) at jdk.internal.reflect.GeneratedMethodAccessor30.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at cucumber.runtime.Utils\$1.call(Utils.java:40) at cucumber.runtime.Timeout.timeout(Timeout.java:16) at cucumber.runtime.Utils.invoke(Utils.java:34) at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60) at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224) at cucumber.runtime.Runtime.runHooks(Runtime.java:212) at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206) at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46) at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165) at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java: 63) at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:91) at jdk.internal.reflect.GeneratedMethodAccessor37.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86) at org.testng.internal.Invoker.invokeMethod(Invoker.java:643) at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820) at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112) at org.testng.TestRunner.privateRun(TestRunner.java:782) at org.testng.TestRunner.run(TestRunner.java:632) at org.testng.SuiteRunner.runTest(SuiteRunner.java:366) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319) at org.testng.SuiteRunner.run(SuiteRunner.java:268) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244) at org.testng.TestNG.runSuitesLocally(TestNG.java:1169) at org.testng.TestNG.run(TestNG.java:1064)</pre>		

at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)			
Back to Table of Contents			
Scenario: Verify User can able to create a new goal successfully			
Passed: 0	Failed: 1	Undefined: 0	Duration: .03s
Before			0.00s
And user click on "Setup the Goal" button	0.02s		
org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z' System info: host: 'Bavirisettis-MacBook-Pro.local', ip: 'fe80:0:0:0:91:d010:e7b3:bd5e%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10' Driver info: io.appium.java_client.android.AndroidDriver Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel: SM-G985F, deviceName: R58N34BC9EH, deviceScreenDensity: 450, deviceScreenSize: 1080x2400, deviceUDID: R58N34BC9EH, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.8125, platform: LINUX, platformName: Android, platformVersion: 10, statusBarHeight: 73, takesScreenshot: true, viewportRect: {height: 2119, left: 0, top: 73, width: 1080}, warnings: {}, webStorageEnabled: false} Session ID: 34baf220-d264-4a95-806f-a2798af3582b *** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text, "Setup the Goal")]} at jdk.internal.reflect.GeneratedConstructorAccessor40.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:231) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:42) at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1) at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317) at io.appium.java_client.DefaultGenericMobileDriver.findElement			

	(DefaultGenericMobileDriver.java:62) at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1) at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1) at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:419) at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath (DefaultGenericMobileDriver.java:152) at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1) at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1) at org.openqa.selenium.By\$ByXPath.findElement(By.java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309) at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:58) at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1) at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1) at com.prudential.tap.selenium.Commands\$15.executeCommand(Commands.java:141) at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19) at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163) at com.onepulse.app.screens.WealthScreen.clickScreenButtons(WealthScreen.java:323) at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.userClickOnButton(WealthSteps.java:159) at .And user click on "Setup the Goal" button(features/sg/wealth/GrowMyWealthNewGoal.feature:143)
--	--

After	0.01s
com.prudential.tap.exception.TapException: Failed to take screenshot of at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases (CucumberHook.java:95) at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72) at jdk.internal.reflect.GeneratedMethodAccessor30.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at cucumber.runtime.Utils\$1.call(Utils.java:40) at cucumber.runtime.Timeout.timeout(Timeout.java:16) at cucumber.runtime.Utils.invoke(Utils.java:34) at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60) at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224) at cucumber.runtime.Runtime.runHooks(Runtime.java:212) at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206) at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46) at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165) at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:63) at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:91) at jdk.internal.reflect.GeneratedMethodAccessor37.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)	

```

at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

```

[Back to Table of Contents](#)

Scenario: Verify User should be able to edit the created goal

Passed: 0	Failed: 1	Undefined: 2	Duration: .02s
Before			0.00s
And I edit the created goal			0.02s
org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z' System info: host: 'Bavirisettil-MacBook-Pro.local', ip: 'fe80:0:0:0:91:d010:e7b3:bd5e%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10' Driver info: io.appium.java_client.android.AndroidDriver Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel: SM-G985F, deviceName: R58N34BC9EH, deviceScreenDensity: 450, deviceScreenSize: 1080x2400, deviceUDID: R58N34BC9EH, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.8125, platform: LINUX, platformName: Android, platformVersion: 10, statBarHeight: 73, takesScreenshot: true, viewportRect: {height: 2119, left: 0, top: 73, width: 1080}, warnings: {}, webStorageEnabled: false} Session ID: 34baf220-d264-4a95-806f-a2798af3582b *** Element info: {Using=xpath, value=//android.widget.ImageView[@content-desc="atEditGoal"]} at jdk.internal.reflect.GeneratedConstructorAccessor40.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException			

```
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.WealthScreen.clickCreatedGoalEditOption(WealthScreen.java:363)
at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.iEditTheCreatedGoal
(WealthSteps.java:207)
at .And I edit the created goal(features/sg/wealth/GrowMyWealthNewGoal.feature:146)
```

And user click on "Launch the Simulation" button	0.00s
And user click on "Setup the Goal" button	0.00s

After	0.01s
-------	-------

```
com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases
(CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor30.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
```

```

at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:91)
at jdk.internal.reflect.GeneratedMethodAccessor37.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

```

[Back to Table of Contents](#)


Scenario: Verify User should be able to see delete pop up for the created goal

Passed: 0	Failed: 1	Undefined: 2	Duration: .02s
Before			0.00s
And I delete the created goal			0.01s
org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z' System info: host: 'Bavirisettis-MacBook-Pro.local', ip: 'fe80:0:0:0:91:d010:e7b3:bd5e%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10' Driver info: io.appium.java_client.android.AndroidDriver Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse}			

```

uat, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel: SM-G985F, deviceName: R58N34BC9EH, deviceScreenDensity: 450, deviceScreenSize: 1080x2400, deviceUDID: R58N34BC9EH, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.8125, platform: LINUX, platformName: Android, platformVersion: 10, statusBarHeight: 73, takesScreenshot: true, viewportRect: {height: 2119, left: 0, top: 73, width: 1080}, warnings: {}, webStorageEnabled: false}
Session ID: 34baf220-d264-4a95-806f-a2798af3582b
*** Element info: {Using=xpath, value=//android.widget.ImageView[@content-desc="atDeleteGoal"]}
at jdk.internal.reflect.GeneratedConstructorAccessor40.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19)

```

	at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163) at com.onepulse.app.screens.WealthScreen.clickCreatedGoalDeleteOption(WealthScreen.java:367) at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.iDeleteTheCreatedGoal(WealthSteps.java:212) at .And I delete the created goal(features/sg/wealth/GrowMyWealthNewGoal.feature:151)	
And I verify following texts are displayed		0.00s
		
And user click on "Cancel" button		0.00s
After		0.01s
<p>com.prudential.tap.exception.TapException: Failed to take screenshot of</p> <p>at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases(CucumberHook.java:95)</p> <p>at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)</p> <p>at jdk.internal.reflect.GeneratedMethodAccessor30.invoke(Unknown Source)</p> <p>at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)</p> <p>at java.base/java.lang.reflect.Method.invoke(Method.java:566)</p> <p>at cucumber.runtime.Utils\$1.call(Utils.java:40)</p> <p>at cucumber.runtime.Timeout.timeout(Timeout.java:16)</p> <p>at cucumber.runtime.Utils.invoke(Utils.java:34)</p> <p>at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)</p> <p>at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)</p> <p>at cucumber.runtime.Runtime.runHooks(Runtime.java:212)</p> <p>at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)</p> <p>at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)</p> <p>at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)</p> <p>at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:63)</p> <p>at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:91)</p> <p>at jdk.internal.reflect.GeneratedMethodAccessor37.invoke(Unknown Source)</p> <p>at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)</p> <p>at java.base/java.lang.reflect.Method.invoke(Method.java:566)</p> <p>at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)</p> <p>at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)</p> <p>at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)</p> <p>at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)</p> <p>at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)</p> <p>at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)</p> <p>at org.testng.TestRunner.privateRun(TestRunner.java:782)</p> <p>at org.testng.TestRunner.run(TestRunner.java:632)</p> <p>at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)</p> <p>at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)</p> <p>at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)</p> <p>at org.testng.SuiteRunner.run(SuiteRunner.java:268)</p> <p>at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)</p> <p>at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)</p>		

at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
 at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
 at org.testng.TestNG.run(TestNG.java:1064)
 at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
 at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

[Back to Table of Contents](#)

Scenario: Verify User should be able to see created goal details

Passed: 0	Failed: 1	Undefined: 2	Duration: .2s										
Before	0.00s												
And I verify following texts are displayed			0.19s										
<table border="1"> <tr><td>Target amount</td></tr> <tr><td>Months to go</td></tr> <tr><td>\$50,000.00</td></tr> <tr><td>1227 months</td></tr> <tr><td>Status</td></tr> <tr><td>Off track</td></tr> <tr><td>Ideal contribution</td></tr> <tr><td>Start date</td></tr> <tr><td>End date</td></tr> <tr><td>My Savings</td></tr> </table>			Target amount	Months to go	\$50,000.00	1227 months	Status	Off track	Ideal contribution	Start date	End date	My Savings	
Target amount													
Months to go													
\$50,000.00													
1227 months													
Status													
Off track													
Ideal contribution													
Start date													
End date													
My Savings													
<p>java.lang.AssertionError: The following asserts failed:</p> <p>Target amount text is displayed on page expected [true] but found [false], Months to go text is displayed on page expected [true] but found [false], \$50,000.00 text is displayed on page expected [true] but found [false], 1227 months text is displayed on page expected [true] but found [false], Status text is displayed on page expected [true] but found [false], Off track text is displayed on page expected [true] but found [false], Ideal contribution text is displayed on page expected [true] but found [false], Start date text is displayed on page expected [true] but found [false], End date text is displayed on page expected [true] but found [false], My Savings text is displayed on page expected [true] but found [false]</p> <p>at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43) at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnScreen (MyDocSteps.java:733) at .And I verify following texts are displayed(features/sg/wealth/GrowMyWealthNewGoal. feature:158)</p>													
And I scroll down			0.00s										
And I verify following texts are displayed			0.00s										
<table border="1"> <tr><td>No active account</td></tr> <tr><td>Add My Savings</td></tr> <tr><td>Back to My Goals</td></tr> </table>			No active account	Add My Savings	Back to My Goals								
No active account													
Add My Savings													
Back to My Goals													
After	0.01s												
<p>com.prudential.tap.exception.TapException: Failed to take screenshot of</p> <p>at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases (CucumberHook.java:95)</p>													

```

at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor30.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:
63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:91)
at jdk.internal.reflect.GeneratedMethodAccessor37.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

```

[Back to Table of Contents](#)

Scenario: Verify User should be able to see Add to my savings screen details

Passed: 0	Failed: 1	Undefined: 3	Duration: .03s
-----------	-----------	--------------	----------------

Before		0.00s
--------	--	-------

And user click on "Add My Savings" button	0.02s
---	-------

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server.
Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'Bavirisettis-MacBook-Pro.local', ip: 'fe80:0:0:0:91:d010:e7b3:bd5e%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel: SM-G985F, deviceName: R58N34BC9EH, deviceScreenDensity: 450, deviceScreenSize: 1080x2400, deviceUDID: R58N34BC9EH, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.8125, platform: LINUX, platformName: Android, platformVersion: 10, statusBarHeight: 73, takesScreenshot: true, viewportRect: {height: 2119, left: 0, top: 73, width: 1080}, warnings: {}, webStorageEnabled: false}
Session ID: 34baf220-d264-4a95-806f-a2798af3582b
*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,"Add My Savings")]}
at jdk.internal.reflect.GeneratedConstructorAccessor40.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By\$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)

	at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1) at com.prudential.tap.selenium.Commands\$15.executeCommand(Commands.java:141) at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19) at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163) at com.onepulse.app.screens.WealthScreen.clickScreenButtons(WealthScreen.java:323) at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.userClickOnButton(WealthSteps.java:159) at .And user click on "Add My Savings" button(features/sg/wealth/GrowMyWealthNewGoal.feature:176)	
	And I verify following texts are displayed	0.00s
	Update my plan with money I have already saved in. Account type Bank accounts Cash savings E-Wallet Account name My balance for this goal	
	And I enter the balance for this goal amount "\${achieve.my.goal.amount}"	0.00s
	And user click on "Allocate Saving" button	0.00s
After		0.01s
	com.prudential.tap.exception.TapException: Failed to take screenshot of at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases(CucumberHook.java:95) at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72) at jdk.internal.reflect.GeneratedMethodAccessor30.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at cucumber.runtime.Utils\$1.call(Utils.java:40) at cucumber.runtime.Timeout.timeout(Timeout.java:16) at cucumber.runtime.Utils.invoke(Utils.java:34) at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60) at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224) at cucumber.runtime.Runtime.runHooks(Runtime.java:212) at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206) at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46) at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165) at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:63) at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:91) at jdk.internal.reflect.GeneratedMethodAccessor37.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86) at org.testng.internal.Invoker.invokeMethod(Invoker.java:643) at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)	

```

at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

```

[Back to Table of Contents](#)

Scenario: Verify User should be able to see Allocate Savings screen details

Passed: 0	Failed: 1	Undefined: 2	Duration: .1s
Before			0.00s
And I verify following texts are displayed			0.09s
<p>See my new plan based on the updated information.</p> <p>Target amount</p> <p>\$50,000.00</p> <p>Before</p> <p>After</p> <p>Confirm the Plan</p>			
<p>java.lang.AssertionError: The following asserts failed:</p> <p>See my new plan based on the updated information. text is displayed on page expected [true] but found [false],</p> <p>Target amount text is displayed on page expected [true] but found [false],</p> <p>\$50,000.00 text is displayed on page expected [true] but found [false],</p> <p>Before text is displayed on page expected [true] but found [false],</p> <p>After text is displayed on page expected [true] but found [false],</p> <p>Confirm the Plan text is displayed on page expected [true] but found [false]</p> <p>at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)</p> <p>at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnScreen (MyDocSteps.java:733)</p> <p>at .And I verify following texts are displayed(features/sg/wealth/GrowMyWealthNewGoal.feature:190)</p> <p>And I scroll down</p> <p>And user click on "Confirm the Plan" button</p>			
After			0.01s
<p>com.prudential.tap.exception.TapException: Failed to take screenshot of</p> <p>at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases (CucumberHook.java:95)</p>			

```

at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor30.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:
63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:91)
at jdk.internal.reflect.GeneratedMethodAccessor37.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

```

[Back to Table of Contents](#)

Scenario: Verify User can verify the savings plan details

Passed: 0	Failed: 1	Undefined: 0	Duration: .03s
-----------	-----------	--------------	----------------

Before		0.00s
--------	--	-------

And I verify following texts are displayed	0.02s
--	-------

See my new plan based on the updated information.

<p>java.lang.AssertionError: The following asserts failed: See my new plan based on the updated information. text is displayed on page expected [true] but found [false]</p>
--

	at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43) at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnScreen (MyDocSteps.java:733) at .And I verify following texts are displayed(features/sg/wealth/GrowMyWealthNewGoal.feature:201)	
After		0.02s
com.prudential.tap.exception.TapException: Failed to take screenshot of at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases (CucumberHook.java:95) at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72) at jdk.internal.reflect.GeneratedMethodAccessor30.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at cucumber.runtime.Utils\$1.call(Utils.java:40) at cucumber.runtime.Timeout.timeout(Timeout.java:16) at cucumber.runtime.Utils.invoke(Utils.java:34) at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60) at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224) at cucumber.runtime.Runtime.runHooks(Runtime.java:212) at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206) at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46) at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165) at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:63) at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:91) at jdk.internal.reflect.GeneratedMethodAccessor37.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86) at org.testng.internal.Invoker.invokeMethod(Invoker.java:643) at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820) at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112) at org.testng.TestRunner.privateRun(TestRunner.java:782) at org.testng.TestRunner.run(TestRunner.java:632) at org.testng.SuiteRunner.runTest(SuiteRunner.java:366) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319) at org.testng.SuiteRunner.run(SuiteRunner.java:268) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244) at org.testng.TestNG.runSuitesLocally(TestNG.java:1169) at org.testng.TestNG.run(TestNG.java:1064) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)		

[Back to Table of Contents](#)

Scenario: Verify User can navigate to my goal homepage			
Passed: 0	Failed: 1	Undefined: 6	Duration: .03s
Before			
And user click on "Back to Previous" button			0.02s
<pre>org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z' System info: host: 'Bavirisettis-MacBook-Pro.local', ip: 'fe80:0:0:0:91:d010:e7b3:bd5e%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10' Driver info: io.appium.java_client.android.AndroidDriver Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com. prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel: SM-G985F, deviceName: R58N34BC9EH, deviceScreenDensity: 450, deviceScreenSize: 1080x2400, deviceUDID: R58N34BC9EH, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.8125, platform: LINUX, platformName: Android, platformVersion: 10, statBarHeight: 73, takesScreenshot: true, viewportRect: {height: 2119, left: 0, top: 73, width: 1080}, warnings: {}, webStorageEnabled: false} Session ID: 34baf220-d264-4a95-806f-a2798af3582b *** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,"Back to Previous")]} at jdk.internal.reflect.GeneratedConstructorAccessor40.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java: 158) at io.appium.java_client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:231) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver. java:42) at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1) at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317) at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:62) at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1) at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1) at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.</pre>			

```

java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.WealthScreen.clickScreenButtons(WealthScreen.java:323)
at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.userClickOnButton(WealthSteps.
java:159)
at .And user click on "Back to Previous" button(features/sg/wealth/GrowMyWealthNewGoal.
feature:205)

```

And user click on "< Achieve My Goal" button	0.00s
And user click on "< Achieve My Goal" button	0.00s
And user click on "< Goal Detail" button	0.00s
And user click on "< Saving Goals" button	0.00s
Then I wait for 5 sec	0.00s
And I scroll down	0.00s

After		0.01s
-------	--	-------

```

com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases
(CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor30.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:
63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:91)
at jdk.internal.reflect.GeneratedMethodAccessor37.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke

```

```
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)
```

[Back to Table of Contents](#)

Scenario: Verify User should be able to see created goal details in my goal homepage

Passed: 0	Failed: 1	Undefined: 1	Duration: .14s
Before			0.00s

And I verify following texts are displayed	0.12s
Buy a car Achieved Target Months to go Off track	

java.lang.AssertionError: The following asserts failed:
Buy a car text is displayed on page expected [true] but found [false],
Achieved text is displayed on page expected [true] but found [false],
Target text is displayed on page expected [true] but found [false],
Months to go text is displayed on page expected [true] but found [false],
Off track text is displayed on page expected [true] but found [false]
at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)
at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnScreen
(MyDocSteps.java:733)
at .And I verify following texts are displayed(features/sg/wealth/GrowMyWealthNewGoal.
feature:214)

And I click grow my wealth tab	0.00s
--------------------------------	-------

After	0.02s
-------	-------

com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases
(CucumberHook.java:95)

```

at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor30.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:
63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:91)
at jdk.internal.reflect.GeneratedMethodAccessor37.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

```

[Back to Table of Contents](#)

Scenario: Verify User should be able to see created goal details in savings goal screen

Passed: 0	Failed: 1	Undefined: 0	Duration: .29s
Before			0.00s

And I verify following texts are displayed	0.27s
--	-------

Buy a car
Achieved
Target
Months to go
Off track

	Add a New Goal	
java.lang.AssertionError: The following asserts failed: Buy a car text is displayed on page expected [true] but found [false], Achieved text is displayed on page expected [true] but found [false], Target text is displayed on page expected [true] but found [false], Months to go text is displayed on page expected [true] but found [false], Off track text is displayed on page expected [true] but found [false], Add a New Goal text is displayed on page expected [true] but found [false] at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43) at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnScreen (MyDocSteps.java:733) at .And I verify following texts are displayed(features/sg/wealth/GrowMyWealthNewGoal. feature:223)		
After		0.01s
com.prudential.tap.exception.TapException: Failed to take screenshot of at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases (CucumberHook.java:95) at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72) at jdk.internal.reflect.GeneratedMethodAccessor30.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at cucumber.runtime.Utils\$1.call(Utils.java:40) at cucumber.runtime.Timeout.timeout(Timeout.java:16) at cucumber.runtime.Utils.invoke(Utils.java:34) at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60) at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224) at cucumber.runtime.Runtime.runHooks(Runtime.java:212) at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206) at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46) at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165) at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java: 63) at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:91) at jdk.internal.reflect.GeneratedMethodAccessor37.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86) at org.testng.internal.Invoker.invokeMethod(Invoker.java:643) at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820) at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112) at org.testng.TestRunner.privateRun(TestRunner.java:782) at org.testng.TestRunner.run(TestRunner.java:632) at org.testng.SuiteRunner.runTest(SuiteRunner.java:366) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)		

```

at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

```

[Back to Table of Contents](#)

Scenario: Verify User can add a new goal from savings goal screen

Passed: 0	Failed: 1	Undefined: 4	Duration: .04s
Before			0.00s
And user click on "Add a New Goal" button			0.03s
org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z' System info: host: 'Bavirisettil-MacBook-Pro.local', ip: 'fe80:0:0:0:91:d010:e7b3:bd5e%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10' Driver info: io.appium.java_client.android.AndroidDriver Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel: SM-G985F, deviceName: R58N34BC9EH, deviceScreenDensity: 450, deviceScreenSize: 1080x2400, deviceUDID: R58N34BC9EH, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.8125, platform: LINUX, platformName: Android, platformVersion: 10, statusBarHeight: 73, takesScreenshot: true, viewportRect: {height: 2119, left: 0, top: 73, width: 1080}, warnings: {}, webStorageEnabled: false} Session ID: 34baf220-d264-4a95-806f-a2798af3582b *** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,"Add a New Goal")]} at jdk.internal.reflect.GeneratedConstructorAccessor40.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:231) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)			

```

at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.WealthScreen.clickScreenButtons(WealthScreen.java:323)
at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.userClickOnButton(WealthSteps.java:159)
at .And user click on "Add a New Goal" button(features/sg/wealth/GrowMyWealthNewGoal.feature:232)

```

And I enter details for create the new goal	0.00s
	
And user click on "Launch the Simulation" button	0.00s
And user click on "Easy" button	0.00s
And user click on "Setup the Goal" button	0.00s
After	0.01s

```

com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases(CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor30.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)

```

```

at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:91)
at jdk.internal.reflect.GeneratedMethodAccessor37.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

```

[Back to Table of Contents](#)

Scenario: Verify User should be able to see Another created goal details

Passed: 0	Failed: 1	Undefined: 3	Duration: .22s										
Before			0.00s										
And I verify following texts are displayed			0.21s										
<table border="1"> <tr><td>Target amount</td></tr> <tr><td>Months to go</td></tr> <tr><td>\$10,000.00</td></tr> <tr><td>799 months</td></tr> <tr><td>Status</td></tr> <tr><td>Off track</td></tr> <tr><td>Ideal contribution</td></tr> <tr><td>Start date</td></tr> <tr><td>End date</td></tr> <tr><td>My Savings</td></tr> </table>			Target amount	Months to go	\$10,000.00	799 months	Status	Off track	Ideal contribution	Start date	End date	My Savings	
Target amount													
Months to go													
\$10,000.00													
799 months													
Status													
Off track													
Ideal contribution													
Start date													
End date													
My Savings													
java.lang.AssertionError: The following asserts failed: Target amount text is displayed on page expected [true] but found [false],													

Months to go text is displayed on page expected [true] but found [false], \$10,000.00 text is displayed on page expected [true] but found [false], 799 months text is displayed on page expected [true] but found [false], Status text is displayed on page expected [true] but found [false], Off track text is displayed on page expected [true] but found [false], Ideal contribution text is displayed on page expected [true] but found [false], Start date text is displayed on page expected [true] but found [false], End date text is displayed on page expected [true] but found [false], My Savings text is displayed on page expected [true] but found [false] at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43) at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnScreen (MyDocSteps.java:733) at .And I verify following texts are displayed(features/sg/wealth/GrowMyWealthNewGoal.feature:241)		
And I scroll down		0.00s
And I verify following texts are displayed		0.00s
No active account Add My Savings Back to My Goals		
And I scroll down		0.00s
After		0.01s

```

at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

```

[Back to Table of Contents](#)

Scenario: Verify User can add the second goal with savings plan

Passed: 0	Failed: 1	Undefined: 3	Duration: .03s
Before			0.00s
And user click on "Add My Savings" button			0.02s
org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z' System info: host: 'Bavirisettil-MacBook-Pro.local', ip: 'fe80:0:0:0:91:d010:e7b3:bd5e%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10' Driver info: io.appium.java_client.android.AndroidDriver Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel: SM-G985F, deviceName: R58N34BC9EH, deviceScreenDensity: 450, deviceScreenSize: 1080x2400, deviceUDID: R58N34BC9EH, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.8125, platform: LINUX, platformName: Android, platformVersion: 10, statusBarHeight: 73, takesScreenshot: true, viewportRect: {height: 2119, left: 0, top: 73, width: 1080}, warnings: {}, webStorageEnabled: false} Session ID: 34baf220-d264-4a95-806f-a2798af3582b *** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,"Add My Savings")]} at jdk.internal.reflect.GeneratedConstructorAccessor40.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)			

	at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at io.appium.java_client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:231) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:42) at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1) at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317) at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:62) at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1) at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1) at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:419) at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath (DefaultGenericMobileDriver.java:152) at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1) at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1) at org.openqa.selenium.By\$ByXPath.findElement(By.java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309) at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:58) at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1) at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1) at com.prudential.tap.selenium.Commands\$15.executeCommand(Commands.java:141) at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19) at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163) at com.onepulse.app.screens.WealthScreen.clickScreenButtons(WealthScreen.java:323) at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.userClickOnButton(WealthSteps.java:159) at .And user click on "Add My Savings" button(features/sg/wealth/GrowMyWealthNewGoal.feature:260)	
	And I enter the balance for this goal amount "\${easy.my.goal.amount}"	0.00s
	Then I wait for 10 sec	0.00s
	And user click on "Allocate Saving" button	0.00s
After		0.01s
	com.prudential.tap.exception.TapException: Failed to take screenshot of at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases (CucumberHook.java:95) at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72) at jdk.internal.reflect.GeneratedMethodAccessor30.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at cucumber.runtime.Utils\$1.call(Utils.java:40)	

```

at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:91)
at jdk.internal.reflect.GeneratedMethodAccessor37.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

```

[Back to Table of Contents](#)

Scenario: Verify User should be able to see Second goal Allocate Savings screen details

Passed: 0	Failed: 1	Undefined: 2	Duration: .12s
Before	0.00s		
And I verify following texts are displayed	0.12s		
See my new plan based on the updated information.			
Target amount			
\$10,000.00			
Before			
After			
Confirm the Plan			

java.lang.AssertionError: The following asserts failed:

See my new plan based on the updated information. text is displayed on page expected [true] but found [false],

	Target amount text is displayed on page expected [true] but found [false], \$10,000.00 text is displayed on page expected [true] but found [false], Before text is displayed on page expected [true] but found [false], After text is displayed on page expected [true] but found [false], Confirm the Plan text is displayed on page expected [true] but found [false] at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43) at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnScreen (MyDocSteps.java:733) at .And I verify following texts are displayed(features/sg/wealth/GrowMyWealthNewGoal. feature:266)	
	And I scroll down	0.00s
	And user click on "Confirm the Plan" button	0.00s
After		0.01s
	com.prudential.tap.exception.TapException: Failed to take screenshot of at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases (CucumberHook.java:95) at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72) at jdk.internal.reflect.GeneratedMethodAccessor30.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at cucumber.runtime.Utils\$1.call(Utils.java:40) at cucumber.runtime.Timeout.timeout(Timeout.java:16) at cucumber.runtime.Utils.invoke(Utils.java:34) at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60) at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224) at cucumber.runtime.Runtime.runHooks(Runtime.java:212) at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206) at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46) at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165) at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java: 63) at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:91) at jdk.internal.reflect.GeneratedMethodAccessor37.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86) at org.testng.internal.Invoker.invokeMethod(Invoker.java:643) at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820) at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112) at org.testng.TestRunner.privateRun(TestRunner.java:782) at org.testng.TestRunner.run(TestRunner.java:632) at org.testng.SuiteRunner.runTest(SuiteRunner.java:366) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319) at org.testng.SuiteRunner.run(SuiteRunner.java:268) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)	

```

at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

```

[Back to Table of Contents](#)

Scenario: Verify User should be able to see Add another goal plan status

Passed: 0	Failed: 1	Undefined: 3	Duration: 1.26s
Before			0.00s

And I verify following texts are displayed	1.24s
--	-------

Target amount	
Months to go	
\$10,000.00	
1162 months	
Status	
Exceeding	
Ideal contribution	
Start date	
End date	
My Savings	

java.lang.AssertionError: The following asserts failed:

Target amount text is displayed on page expected [true] but found [false],
 Months to go text is displayed on page expected [true] but found [false],
 \$10,000.00 text is displayed on page expected [true] but found [false],
 1162 months text is displayed on page expected [true] but found [false],
 Status text is displayed on page expected [true] but found [false],
 Exceeding text is displayed on page expected [true] but found [false],
 Ideal contribution text is displayed on page expected [true] but found [false],
 Start date text is displayed on page expected [true] but found [false],
 End date text is displayed on page expected [true] but found [false],
 My Savings text is displayed on page expected [true] but found [false]
 at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)
 at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnScreen
 (MyDocSteps.java:733)
 at .And I verify following texts are displayed(features/sg/wealth/GrowMyWealthNewGoal.
 feature:277)

And I scroll down	0.00s
-------------------	-------

And I verify following texts are displayed	0.00s
--	-------

Bank accounts	
My account	
Back to My Goals	

And user click on "Back to My Goals" button	0.00s
---	-------

After	0.01s
-------	-------

com.prudential.tap.exception.TapException: Failed to take screenshot of

```

at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases
(CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor30.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:91)
at jdk.internal.reflect.GeneratedMethodAccessor37.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

```

[Back to Table of Contents](#)

Scenario: Verify User should be able to see Added another goal status in savings goal screen

Passed: 0	Failed: 1	Undefined: 0	Duration: .12s			
Before			0.00s			
And I verify following texts are displayed			0.12s			
<table border="1"> <tr><td>Buy a Home</td></tr> <tr><td>Achieved</td></tr> <tr><td>Target</td></tr> </table>			Buy a Home	Achieved	Target	
Buy a Home						
Achieved						
Target						

		Months to go Exceeding Add a New Goal	
java.lang.AssertionError: The following asserts failed:			
		Buy a Home text is displayed on page expected [true] but found [false], Achieved text is displayed on page expected [true] but found [false], Target text is displayed on page expected [true] but found [false], Months to go text is displayed on page expected [true] but found [false], Exceeding text is displayed on page expected [true] but found [false], Add a New Goal text is displayed on page expected [true] but found [false] at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43) at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnScreen (MyDocSteps.java:733) at .And I verify following texts are displayed(features/sg/wealth/GrowMyWealthNewGoal. feature:296)	
After			0.01s
com.prudential.tap.exception.TapException: Failed to take screenshot of at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases (CucumberHook.java:95) at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72) at jdk.internal.reflect.GeneratedMethodAccessor30.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at cucumber.runtime.Utils\$1.call(Utils.java:40) at cucumber.runtime.Timeout.timeout(Timeout.java:16) at cucumber.runtime.Utils.invoke(Utils.java:34) at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60) at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224) at cucumber.runtime.Runtime.runHooks(Runtime.java:212) at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206) at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46) at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165) at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java: 63) at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:91) at jdk.internal.reflect.GeneratedMethodAccessor37.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86) at org.testng.internal.Invoker.invokeMethod(Invoker.java:643) at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820) at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112) at org.testng.TestRunner.privateRun(TestRunner.java:782) at org.testng.TestRunner.run(TestRunner.java:632) at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)			

```

at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

```

[Back to Table of Contents](#)

Feature: Verify wealth registration functionality with negative optional scenarios on one pulse App

Passed: 0	Failed: 9	Undefined: 0	Duration: 5.88s
-----------	-----------	--------------	-----------------

Scenario: Verify User should be able to register on app using email account

Passed: 2	Failed: 1	Undefined: 8	Duration: 1.15s
-----------	-----------	--------------	-----------------

Before		0.00s
--------	--	-------

Given I generate random number and assign to variable "RANDOM_NUMBER"	0.00s
---	-------

And I assign "pulse\${RANDOM_NUMBER}@mailsac.com" to variable "PULSE_EMAIL"	0.00s
---	-------

Given User has pulse app	1.11s
--------------------------	-------

com.prudential.tap.exception.TapException: Driver not create for [android], [It is impossible to create a new session because 'createSession' which takes HttpClient, InputStream and long was not found or it is not accessible]

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'Bavirisettis-MacBook-Pro.local', ip: 'fe80:0:0:0:91:d010:e7b3:bd5e%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'

Driver info: driver.version: TapDriver]

at com.onepulse.app.screens.TestBasePage.launchApp(TestBasePage.java:126)

at com.onepulse.app.stepdefinitions.mobilesteps.BaseSteps.userHasPulseAppGeneric (BaseSteps.java:43)

at .Given User has pulse app(features/sg/wealth/OptionalWealthRegistrationAndLogin.feature:7)

And user click on "CONTINUE WITH EMAIL" with Email button	0.00s
---	-------

When user enters registration details	0.00s
---------------------------------------	-------

FirstName	Wealth
LastName	Registration
Email	\${PULSE_EMAIL}
Password	Pas\$1234

And taps on continue "Sign_Up" button	0.00s
---------------------------------------	-------

Then I wait for 10 sec	0.00s
------------------------	-------

And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}"	0.00s
---	-------

Then I click skip button	0.00s
--------------------------	-------

Then I wait for 15 sec	0.00s
------------------------	-------

Then user should be landed to "Home" screen	0.00s
---	-------

After	0.03s
-------	-------

```

com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases
(CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor30.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:91)
at jdk.internal.reflect.GeneratedMethodAccessor37.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

```

[Back to Table of Contents](#)

Scenario: Verify User should be able to see the wealth screen options

Passed: 0	Failed: 1	Undefined: 1	Duration: .1s
Before			
Then I navigate to wealth screen		0.09s	

```

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while
processing the command. Original error: Could not proxy command to the remote server.
Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'Bavirisettil-MacBook-Pro.local', ip: 'fe80:0:0:0:91:d010:e7b3:bd5e%en0',
os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.
prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName:
UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true,
platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel:
SM-G985F, deviceName: R58N34BC9EH, deviceScreenDensity: 450, deviceScreenSize:
1080x2400, deviceUDID: R58N34BC9EH, javascriptEnabled: true, locationContextEnabled:
false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true,
pixelRatio: 2.8125, platform: LINUX, platformName: Android, platformVersion: 10,
statBarHeight: 73, takesScreenshot: true, viewportRect: {height: 2119, left: 0, top: 73, width:
1080}, warnings: {}, webStorageEnabled: false}
Session ID: 34baf220-d264-4a95-806f-a2798af3582b
*** Element info: {Using=xpath, value=//android.widget.TextView[@text='Wealth']}
at jdk.internal.reflect.GeneratedConstructorAccessor40.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)

```

	at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:58) at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1) at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1) at com.prudential.tap.selenium.Commands\$15.executeCommand(Commands.java:141) at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19) at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163) at com.onepulse.app.screens.WealthScreen.clickWealthButton(WealthScreen.java:117) at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.iNavigateToWealthScreen (WealthSteps.java:46) at .Then I navigate to wealth screen(features/sg/wealth/OptionalWealthRegistrationAndLogin.feature:23)				
And I verify following texts are displayed	0.00s				
<table border="1"> <tr><td>Wealth Channel</td></tr> <tr><td>Learn Investing Basics</td></tr> <tr><td>Wealth</td></tr> <tr><td>Care about your finances</td></tr> </table>	Wealth Channel	Learn Investing Basics	Wealth	Care about your finances	
Wealth Channel					
Learn Investing Basics					
Wealth					
Care about your finances					
After	0.01s				
	com.prudential.tap.exception.TapException: Failed to take screenshot of at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases (CucumberHook.java:95) at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72) at jdk.internal.reflect.GeneratedMethodAccessor30.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at cucumber.runtime.Utils\$1.call(Utils.java:40) at cucumber.runtime.Timeout.timeout(Timeout.java:16) at cucumber.runtime.Utils.invoke(Utils.java:34) at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60) at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224) at cucumber.runtime.Runtime.runHooks(Runtime.java:212) at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206) at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46) at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165) at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:63) at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:91) at jdk.internal.reflect.GeneratedMethodAccessor37.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86) at org.testng.internal.Invoker.invokeMethod(Invoker.java:643) at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820) at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)				

```

at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

```

[Back to Table of Contents](#)

Scenario: Verify User can navigate to terms and condition page

Passed: 0	Failed: 1	Undefined: 0	Duration: .03s
Before			0.00s

Then I navigate to finances wealth screen | 0.02s

```

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while
processing the command. Original error: Could not proxy command to the remote server.
Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'Bavirisettis-MacBook-Pro.local', ip: 'fe80:0:0:0:91:d010:e7b3:bd5e%en0',
os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.
prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName:
UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true,
platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel:
SM-G985F, deviceName: R58N34BC9EH, deviceScreenDensity: 450, deviceScreenSize:
1080x2400, deviceUDID: R58N34BC9EH, javascriptEnabled: true, locationContextEnabled:
false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true,
pixelRatio: 2.8125, platform: LINUX, platformName: Android, platformVersion: 10,
statBarHeight: 73, takesScreenshot: true, viewportRect: {height: 2119, left: 0, top: 73, width:
1080}, warnings: {}, webStorageEnabled: false}
Session ID: 34baf220-d264-4a95-806f-a2798af3582b
*** Element info: {Using=xpath, value=//android.widget.TextView[@text='Wealth']/following::
android.widget.TextView[@text='Explore']}
at jdk.internal.reflect.GeneratedConstructorAccessor40.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)

```

```

at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.WealthScreen.clickFinancialWealthExploreButton(WealthScreen.java:259)
at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.
iNavigateToFinancesWealthScreen(WealthSteps.java:117)
at .Then I navigate to finances wealth screen(features/sg/wealth
/OptionalWealthRegistrationAndLogin.feature:31)

```

After		0.01s
<pre> com.prudential.tap.exception.TapException: Failed to take screenshot of at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases (CucumberHook.java:95) at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72) at jdk.internal.reflect.GeneratedMethodAccessor30.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at cucumber.runtime.Utils\$1.call(Utils.java:40) at cucumber.runtime.Timeout.timeout(Timeout.java:16) at cucumber.runtime.Utils.invoke(Utils.java:34) at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60) at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224) </pre>		

```

at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:91)
at jdk.internal.reflect.GeneratedMethodAccessor37.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

```

[Back to Table of Contents](#)

Scenario: Verify the terms and condition screen contents

Passed: 0	Failed: 1	Undefined: 1	Duration: .15s
Before			0.00s

And I verify following texts are displayed	0.15s
--	-------

Welcome to Wealth

By checking this box

I confirm that I have read, understood and agree to the

Terms of Use

Privacy Notice

I acknowledge that

(i) all products and services offered through Wealth are made by Prudential Assurance Company Singapore (Pte) Limited (“Prudential”), and not by Pulse Ecosystems Pte Ltd (“PulseCo”) which provides the Pulse app;

(ii) I have entered into the modules presented by Prudential;

(iii) PulseCo is an introducer and not a distributor of Prudential products. PulseCo cannot give advice or provide any recommendation on any Prudential Products or arrange any

	contract of insurance in respect of life policies, other than to the extent of carrying out introducing activities. PulseCo does not receive any fee from any sale of Prudential products through the introduction.
java.lang.AssertionError: The following asserts failed: Welcome to Wealth text is displayed on page expected [true] but found [false], By checking this box text is displayed on page expected [true] but found [false], I confirm that I have read, understood and agree to the text is displayed on page expected [true] but found [false], Terms of Use text is displayed on page expected [true] but found [false], Privacy Notice text is displayed on page expected [true] but found [false], I acknowledge that text is displayed on page expected [true] but found [false], (i) all products and services offered through Wealth are made by Prudential Assurance Company Singapore (Pte) Limited (“Prudential”), and not by Pulse Ecosystems Pte Ltd (“PulseCo”) which provides the Pulse app; text is displayed on page expected [true] but found [false], (ii) I have entered into the modules presented by Prudential; text is displayed on page expected [true] but found [false], (iii) PulseCo is an introducer and not a distributor of Prudential products. PulseCo cannot give advice or provide any recommendation on any Prudential Products or arrange any contract of insurance in respect of life policies, other than to the extent of carrying out introducing activities. PulseCo does not receive any fee from any sale of Prudential products through the introduction. text is displayed on page expected [true] but found [false] at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43) at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnScreen (MyDocSteps.java:733) at .And I verify following texts are displayed(features/sg/wealth /OptionalWealthRegistrationAndLogin.feature:34)	
And I agree the Terms and Conditions to proceed	0.00s
After	0.01s
com.prudential.tap.exception.TapException: Failed to take screenshot of at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases (CucumberHook.java:95) at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72) at jdk.internal.reflect.GeneratedMethodAccessor30.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at cucumber.runtime.Utils\$1.call(Utils.java:40) at cucumber.runtime.Timeout.timeout(Timeout.java:16) at cucumber.runtime.Utils.invoke(Utils.java:34) at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60) at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224) at cucumber.runtime.Runtime.runHooks(Runtime.java:212) at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206) at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46) at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165) at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:63) at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:91)	

```

at jdk.internal.reflect.GeneratedMethodAccessor37.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

```

[Back to Table of Contents](#)

Scenario: Verify User should be able to see the wealth registration screen user fields

Passed: 0	Failed: 1	Undefined: 0	Duration: .1s
Before	0.00s		
And I verify following texts are displayed	0.09s		
Allow us to serve you better by connecting you to your existing policies with Prudential.			
First Name*			
Last Name*			
Date of birth*			
Last 4 digits of NRIC			
java.lang.AssertionError: The following asserts failed: Allow us to serve you better by connecting you to your existing policies with Prudential. text is displayed on page expected [true] but found [false], First Name* text is displayed on page expected [true] but found [false], Last Name* text is displayed on page expected [true] but found [false], Date of birth* text is displayed on page expected [true] but found [false], Last 4 digits of NRIC text is displayed on page expected [true] but found [false] at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43) at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnScreen (MyDocSteps.java:733) at .And I verify following texts are displayed(features/sg/wealth /OptionalWealthRegistrationAndLogin.feature:47)			
After	0.01s		
com.prudential.tap.exception.TapException: Failed to take screenshot of			

```

at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases
(CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor30.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:91)
at jdk.internal.reflect.GeneratedMethodAccessor37.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

```

[Back to Table of Contents](#)

Scenario: Verify User should be able enter details for wealth registration

Passed: 0	Failed: 1	Undefined: 0	Duration: 4.06s
Before			0.00s
And I enter details for optional value wealth profile registration			4.04s
DateOfBirth	21/02/1991		
PostalCode	460105		

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
 System info: host: 'Bavirisettil-MacBook-Pro.local', ip: 'fe80:0:0:0:91:d010:e7b3:bd5e%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'
 Driver info: io.appium.java_client.android.AndroidDriver
 Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel: SM-G985F, deviceName: R58N34BC9EH, deviceScreenDensity: 450, deviceScreenSize: 1080x2400, deviceUDID: R58N34BC9EH, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.8125, platform: LINUX, platformName: Android, platformVersion: 10, statusBarHeight: 73, takesScreenshot: true, viewportRect: {height: 2119, left: 0, top: 73, width: 1080}, warnings: {}, webStorageEnabled: false}
 Session ID: 34baf220-d264-4a95-806f-a2798af3582b
***** Element info: {Using=xpath, value=//android.widget.EditText[@text='DD/MM/YYYY']}**
 at jdk.internal.reflect.GeneratedConstructorAccessor40.newInstance(Unknown Source)
 at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
 at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
 at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)
 at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)
 at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)
 at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)
 at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:231)
 at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
 at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:42)
 at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
 at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
 at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
 at io.appium.java_client.DefaultGenericMobileDriver.findElement(DefaultGenericMobileDriver.java:62)
 at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
 at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
 at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:419)
 at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath(DefaultGenericMobileDriver.java:152)
 at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
 at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
 at org.openqa.selenium.By\$ByXPath.findElement(By.java:353)
 at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)

	at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:58) at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1) at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1) at com.prudential.tap.selenium.Commands\$16.executeCommand(Commands.java:148) at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19) at com.onepulse.app.screens.TestBasePage.setTextWithTab(TestBasePage.java:241) at com.onepulse.app.screens.WealthScreen.enterOptionalValueWealthRegistrationDetails (WealthScreen.java:413) at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps. iEnterDetailsForOptionalValueWealthProfileRegistration(WealthSteps.java:267) at .And I enter details for optional value wealth profile registration(features/sg/wealth /OptionalWealthRegistrationAndLogin.feature:55)
After	0.02s

com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases
(CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor30.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils\$1.call(Utils.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:91)
at jdk.internal.reflect.GeneratedMethodAccessor37.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)

```

at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

```

[Back to Table of Contents](#)

Scenario: Verify wealth registration screen user fields

Passed: 0	Failed: 1	Undefined: 0	Duration: .2s
Before			0.00s

And I verify following texts are displayed	0.19s
Let us know more about you so that we can serve you better.	
Gender	
Martial Status	
Occupation	
Annual Income	
Postal Code	

java.lang.AssertionError: The following asserts failed:

Let us know more about you so that we can serve you better. text is displayed on page expected [true] but found [false],

Gender text is displayed on page expected [true] but found [false],

Martial Status text is displayed on page expected [true] but found [false],

Occupation text is displayed on page expected [true] but found [false],

Annual Income text is displayed on page expected [true] but found [false],

Postal Code text is displayed on page expected [true] but found [false]

at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)

at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnScreen
(MyDocSteps.java:733)

at .And I verify following texts are displayed(features/sg/wealth
/OptionalWealthRegistrationAndLogin.feature:60)

After	0.02s
-------	-------

com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases
(CucumberHook.java:95)

at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)

at jdk.internal.reflect.GeneratedMethodAccessor30.invoke(Unknown Source)

at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)

at java.base/java.lang.reflect.Method.invoke(Method.java:566)

at cucumber.runtime.Utils\$1.call(Utils.java:40)

at cucumber.runtime.Timeout.timeout(Timeout.java:16)

at cucumber.runtime.Utils.invoke(Utils.java:34)

at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)

at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)

at cucumber.runtime.Runtime.runHooks(Runtime.java:212)

```

at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:91)
at jdk.internal.reflect.GeneratedMethodAccessor37.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

```

[Back to Table of Contents](#)

Scenario: Verify User should be able to complete the registration successfully

Passed: 0	Failed: 1	Undefined: 1	Duration: .05s
Before			0.00s
Then I verify financial wealth registration completed successfully with SKIP option			0.04s
org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z' System info: host: 'Bavirisettis-MacBook-Pro.local', ip: 'fe80:0:0:0:91:d010:e7b3:bd5e%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10' Driver info: io.appium.java_client.android.AndroidDriver Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel: SM-G985F, deviceName: R58N34BC9EH, deviceScreenDensity: 450, deviceScreenSize: 1080x2400, deviceUDID: R58N34BC9EH, javascriptEnabled: true, locationContextEnabled: true}			

	<pre>false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.8125, platform: LINUX, platformName: Android, platformVersion: 10, statBarHeight: 73, takesScreenshot: true, viewportRect: {height: 2119, left: 0, top: 73, width: 1080}, warnings: {}, webStorageEnabled: false} Session ID: 34baf220-d264-4a95-806f-a2798af3582b at jdk.internal.reflect.GeneratedConstructorAccessor40.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java: 158) at io.appium.java_client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:231) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver. java:46) at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1) at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1) at org.openqa.selenium.remote. RemoteWebDriver\$RemoteWebDriverOptions\$RemoteWindow.getSize(RemoteWebDriver. java:804) at com.prudential.tap.appium.AppiumCommands.swipe(AppiumCommands.java:432) at com.onepulse.app.screens.TestBasePage.scrollPageDown(TestBasePage.java:185) at com.onepulse.app.screens.WealthScreen.skipRegistration(WealthScreen.java:425) at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps. iVerifyFinancialWealthRegistrationCompletedSuccessfullyWithSKIPOption(WealthSteps. java:273) at .Then I verify financial wealth registration completed successfully with SKIP option(features /sg/wealth/OptionalWealthRegistrationAndLogin.feature:69)</pre>
And user click on "< Wealth" button	0.00s
After	0.01s
	<pre>com.prudential.tap.exception.TapException: Failed to take screenshot of at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases (CucumberHook.java:95) at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72) at jdk.internal.reflect.GeneratedMethodAccessor30.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at cucumber.runtime.Utils\$1.call(Utils.java:40) at cucumber.runtime.Timeout.timeout(Timeout.java:16) at cucumber.runtime.Utils.invoke(Utils.java:34) at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60) at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)</pre>

```

at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:91)
at jdk.internal.reflect.GeneratedMethodAccessor37.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

```

[Back to Table of Contents](#)

Scenario: Verify user can able to login second time using registered wealth credentials

Passed: 0	Failed: 1	Undefined: 3	Duration: .04s
Before			
And I logout from onepulse app	0.03s		
org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z' System info: host: 'Bavirisettis-MacBook-Pro.local', ip: 'fe80:0:0:0:91:d010:e7b3:bd5e%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10' Driver info: io.appium.java_client.android.AndroidDriver Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel: SM-G985F, deviceName: R58N34BC9EH, deviceScreenDensity: 450, deviceScreenSize: 1080x2400, deviceUDID: R58N34BC9EH, javascriptEnabled: true, locationContextEnabled: true}			

```
false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true,
pixelRatio: 2.8125, platform: LINUX, platformName: Android, platformVersion: 10,
statBarHeight: 73, takesScreenshot: true, viewportRect: {height: 2119, left: 0, top: 73, width:
1080}, warnings: {}, webStorageEnabled: false}
Session ID: 34baf220-d264-4a95-806f-a2798af3582b
*** Element info: {Using=xpath, value=//android.widget.TextView[@text='Home']}
at jdk.internal.reflect.GeneratedConstructorAccessor40.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.WealthScreen.pulseLogOut(WealthScreen.java:433)
at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.iLogoutFromOnepulseApp
(WealthSteps.java:279)
at .And I logout from onepulse app(features/sg/wealth/OptionalWealthRegistrationAndLogin.
feature:73)
```


	And I login again with registered wealth credentials	0.00s
	Password Pas\$1234	
	And User clicks on signin button	0.00s
	Then I verify user can navigate to wealth policy page	0.00s
After		0.01s

```
com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases
(CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor30.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:
63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:91)
at jdk.internal.reflect.GeneratedMethodAccessor37.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)
```

[Back to Table of Contents](#)

Feature: Verify User should be able to using the RUBY CHAT BOT for wealth My Goal functionality

Passed: 0	Failed: 16	Undefined: 0	Duration: 410.42s
Scenario: Verify User should be able to register on app using email account			
Passed: 8	Failed: 1	Undefined: 2	Duration: 128.37s
Before			
Given I generate random number and assign to variable "RANDOM_NUMBER"			0.00s
And I assign "pulse\${RANDOM_NUMBER}@mailsac.com" to variable "PULSE_EMAIL"			0.00s
Given User has pulse app			8.40s
And user click on "CONTINUE WITH EMAIL" with Email button			12.44s
When user enters registration details			6.79s
FirstName	Wealth		
LastName	New Goal		
Email	\${PULSE_EMAIL}		
Password	Pas\$1234		
And taps on continue "Sign_Up" button			5.12s
Then I wait for 10 sec			10.01s
And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}"			29.74s
Then I click skip button			54.27s
java.lang.AssertionError: The following asserts failed:			
Default height section is not displayed in the UI expected [true] but found [false],			
Default weight section is not displayed in the UI expected [true] but found [false],			
Default height section is not displayed in the UI expected [true] but found [false],			
Default weight section is not displayed in the UI expected [true] but found [false],			
Default height section is not displayed in the UI expected [true] but found [false],			
Default weight section is not displayed in the UI expected [true] but found [false],			
Default height section is not displayed in the UI expected [true] but found [false],			
Default weight section is not displayed in the UI expected [true] but found [false],			
Default height section is not displayed in the UI expected [true] but found [false],			
Default weight section is not displayed in the UI expected [true] but found [false],			
Default height section is not displayed in the UI expected [true] but found [false],			
Default weight section is not displayed in the UI expected [true] but found [false],			
Default height section is not displayed in the UI expected [true] but found [false],			
Default weight section is not displayed in the UI expected [true] but found [false],			
Default height section is not displayed in the UI expected [true] but found [false],			
Default weight section is not displayed in the UI expected [true] but found [false],			
at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)			
at com.onepulse.app.screens.PulseLoginScreen.verifyHeightandWeightScreenUi(PulseLoginScreen.java:1262)			
at com.onepulse.app.screens.PulseLoginScreen.clickSkipButton(PulseLoginScreen.java:726)			
at com.onepulse.app.stepdefinitions.mobilesteps.LoginSteps.iClickSkipButton(LoginSteps.java:292)			
at .Then I click skip button(features/sg/wealth/RubyChatBotCreateGoal.feature:17)			
Then I wait for 15 sec			0.00s
Then user should be landed to "Home" screen			0.00s



After		1.60s
-------	--	-------

[Back to Table of Contents](#)

Scenario: Verify User should be able to see the wealth screen options

Passed: 0	Failed: 1	Undefined: 1	Duration: 29.47s
Before	0.00s		

Then I navigate to wealth screen	28.24s
----------------------------------	--------

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.
For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'Bavirisettil-MacBook-Pro.local', ip: 'fe80:0:0:0:91:d010:e7b3:bd5e%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel: SM-G985F, deviceName: R58N34BC9EH, deviceScreenDensity: 450, deviceScreenSize: 1080x2400, deviceUDID: R58N34BC9EH, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.8125, platform: LINUX, platformName: Android, platformVersion: 10, statBarHeight: 73, takesScreenshot: true, viewportRect: {height: 2119, left: 0, top: 73, width: 1080}, warnings: {}, webStorageEnabled: false}
Session ID: c69acdd9-ebc2-4e25-8b90-175a4bcf61d0
*** Element info: {Using=xpath, value=//android.widget.TextView[@text='Wealth']}

```


at jdk.internal.reflect.GeneratedConstructorAccessor25.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.WealthScreen.clickWealthButton(WealthScreen.java:117)
at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.iNavigateToWealthScreen
(WealthSteps.java:46)
at .Then I navigate to wealth screen(features/sg/wealth/RubyChatBotCreateGoal.feature:23)

```

And I verify following texts are displayed

0.00s

Wealth Channel



After		1.23s
-------	--	-------

[Back to Table of Contents](#)

Scenario: Verify the terms and condition and proceed

Passed: 0	Failed: 1	Undefined: 1	Duration: 9.7s
-----------	-----------	--------------	----------------

Before		0.00s
--------	--	-------

Then I navigate to finances wealth screen	8.43s
---	-------

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.

For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'Bavirisettil-MacBook-Pro.local', ip: 'fe80:0:0:0:91:d010:e7b3:bd5e%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'

Driver info: io.appium.java_client.android.AndroidDriver

Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel: SM-G985F, deviceName: R58N34BC9EH, deviceScreenDensity: 450, deviceScreenSize: 1080x2400, deviceUDID: R58N34BC9EH, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.8125, platform: LINUX, platformName: Android, platformVersion: 10, statBarHeight: 73, takesScreenshot: true, viewportRect: {height: 2119, left: 0, top: 73, width: 1080}, warnings: {}, webStorageEnabled: false}

Session ID: c69acdd9-ebc2-4e25-8b90-175a4bcf61d0

*** Element info: {Using=xpath, value=//android.widget.TextView[@text='Wealth']/following::


```

    android.widget.TextView[@text='Explore']}
at jdk.internal.reflect.GeneratedConstructorAccessor25.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.WealthScreen.clickFinancialWealthExploreButton(WealthScreen.
java:259)
at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.
iNavigateToFinancesWealthScreen(WealthSteps.java:117)
at .Then I navigate to finances wealth screen(features/sg/wealth/RubyChatBotCreateGoal.
feature:28)

```

And I agree the Terms and Conditions to proceed

0.00s



After		1.27s
-------	--	-------

[Back to Table of Contents](#)

Scenario: Verify User should be able to complete the registration successfully

Passed: 0	Failed: 1	Undefined: 2	Duration: 38.27s
Before	0.00s		

And I enter details for wealth profile registration | 36.68s

DateOfBirth	21/02/1991
NRIC	557N
PostalCode	460105

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.

For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'Bavirisettil-MacBook-Pro.local', ip: 'fe80:0:0:0:91:d010:e7b3:bd5e%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'

Driver info: io.appium.java_client.android.AndroidDriver


Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel: SM-G985F, deviceName: R58N34BC9EH, deviceScreenDensity: 450, deviceScreenSize: 1080x2400, deviceUDID: R58N34BC9EH, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.8125, platform: LINUX, platformName: Android, platformVersion: 10, statBarHeight: 73, takesScreenshot: true, viewportRect: {height: 2119, left: 0, top: 73, width:

```

1080}, warnings: {}, webStorageEnabled: false}
Session ID: c69acdd9-ebc2-4e25-8b90-175a4bcf61d0
*** Element info: {Using=xpath, value=/android.widget.EditText[@text='DD/MM/YYYY']}
at jdk.internal.reflect.GeneratedConstructorAccessor25.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$16.executeCommand(Commands.java:148)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.setTextWithTab(TestBasePage.java:241)
at com.onepulse.app.screens.WealthScreen.enterWealthRegistrationDetails(WealthScreen.
java:270)
at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.
iEnterDetailsForWealthProfileRegistration(WealthSteps.java:129)
at .And I enter details for wealth profile registration(features/sg/wealth
/RubyChatBotCreateGoal.feature:32)

```

Then I verify financial wealth registration completed successfully	0.00s
Then I wait for 10 sec	0.00s



After		1.59s
-------	--	-------

[Back to Table of Contents](#)

Scenario: Verify User can navigate to Ruby chat bot screen

Passed: 0	Failed: 1	Undefined: 1	Duration: 32.66s
Before	0.00s		

And I click "\${wealth.ruby.chat.bot}" button on the app 31.12s

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.

For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'Bavirisettil-MacBook-Pro.local', ip: 'fe80:0:0:0:91:d010:e7b3:bd5e%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'

Driver info: io.appium.java_client.android.AndroidDriver

Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName:

UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel: SM-G985F, deviceName: R58N34BC9EH, deviceScreenDensity: 450, deviceScreenSize:

1080x2400, deviceUDID: R58N34BC9EH, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.8125, platform: LINUX, platformName: Android, platformVersion: 10, statBarHeight: 73, takesScreenshot: true, viewportRect: {height: 2119, left: 0, top: 73, width: 1080}, warnings: {}, webStorageEnabled: false}

Session ID: c69acdd9-ebc2-4e25-8b90-175a4bcf61d0

*** Element info: {Using=xpath, value=//android.view.ViewGroup[@content-desc="


```

floatIcon"]}/android.view.ViewGroup/android.widget.ImageView}
at jdk.internal.reflect.GeneratedConstructorAccessor25.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.WealthScreen.clickBasedOnXpath(WealthScreen.java:392)
at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.iClickButtonOnTheApp
(WealthSteps.java:237)
at .And I click "{$wealth.ruby.chat.bot}" button on the app(features/sg/wealth
/RubyChatBotCreateGoal.feature:40)

```

Then I wait for 15 sec

0.00s



After		1.54s
-------	--	-------

[Back to Table of Contents](#)

Scenario: Verify User can see the Ruby chat bot welcome screen options

Passed: 1	Failed: 1	Undefined: 3	Duration: 57.84s
Before	0.00s		

Then I wait for 15 sec	15.01s
And I verify following Ruby ChatBot texts are displayed	41.30s
I'm Ruby, your AI-powered financial assistant.	
In order to make the most of your money, we will need to work at it together!	
Before we start let's deal with some legal stuff.	
Wealth, with investments, your capital is at risk. Take time to read the risk warning.	
And remember past performance is not a guide to the future performance of any investment	

java.lang.AssertionError: The following asserts failed:

I'm Ruby, your AI-powered financial assistant. text is displayed on page expected [true] but found [false],

In order to make the most of your money, we will need to work at it together! text is displayed on page expected [true] but found [false],

Before we start let's deal with some legal stuff. text is displayed on page expected [true] but found [false],

Wealth, with investments, your capital is at risk. Take time to read the risk warning. text is displayed on page expected [true] but found [false],

And remember past performance is not a guide to the future performance of any investment text is displayed on page expected [true] but found [false]

at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)

at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.

iVerifyFollowingRubyChatBotTextsAreDisplayed(WealthSteps.java:250)

at .And I verify following Ruby ChatBot texts are displayed(features/sg/wealth/RubyChatBotCreateGoal.feature:45)


And I click "\${ruby.chat.please.continue}" button on the app	0.00s
---	-------

Then I wait for 15 sec	0.00s
------------------------	-------

And I verify following Ruby ChatBot texts are displayed	0.00s
---	-------

Ok..thanks for your patience!	
-------------------------------	--

Do you have a specific question or can I assist you with one of these topics?.	
--	--



After	1.53s
-------	-------

[Back to Table of Contents](#)

Scenario: Verify User can able to select the Savings Option in chat bot screen

Passed: 0	Failed: 1	Undefined: 1	Duration: 17.96s
-----------	-----------	--------------	------------------

Before	0.00s
--------	-------

Then I verify following buttons are displayed	16.47s
---	--------

Retirement	
------------	--

Saving	
--------	--

java.lang.AssertionError: The following asserts failed:

Retirement text is displayed on page expected [true] but found [false],

Saving text is displayed on page expected [true] but found [false]


at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)

at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.

iVerifyFollowingButtonsAreDisplayed(MyDocSteps.java:881)

at .Then I verify following buttons are displayed(features/sg/wealth/RubyChatBotCreateGoal.feature:58)

And I click "\${ruby.chat.bot.savings}" button on the app	0.00s
---	-------



After		1.50s
-------	--	-------

[Back to Table of Contents](#)

Scenario: Verify User can able to select the Savings Option in chat bot screen

Passed: 1	Failed: 1	Undefined: 5	Duration: 28.49s
Before	0.00s		

Then I wait for 10 sec	10.00s
And I verify following Ruby ChatBot texts are displayed	16.93s
Did you know that people that are setting up a goal are more likely to achieve it?	
I can help you define a saving plan to achieve your goals	

java.lang.AssertionError: The following asserts failed:

Did you know that people that are setting up a goal are more likely to achieve it? text is displayed on page expected [true] but found [false],

I can help you define a saving plan to achieve your goals text is displayed on page expected [true] but found [false]

at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)

at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.


iVerifyFollowingRubyChatBotTextsAreDisplayed(WealthSteps.java:250)

at .And I verify following Ruby ChatBot texts are displayed(features/sg/wealth

/RubyChatBotCreateGoal.feature:65)

Then I verify following buttons are displayed	0.00s
Yes, please!	
Maybe later	
Could you tell me more about how it works?	

And I click "\${ruby.chat.bot.yes}" button on the app	0.00s
And I verify following Ruby ChatBot texts are displayed	0.00s

What are you saving for?	
I can help you define a saving plan to achieve your goals	
And I click "\${ruby.chat.bot.select}" button on the app	0.00s
Then I wait for 10 sec	0.00s
	

After	1.56s
-------	-------

[Back to Table of Contents](#)

Scenario: Verify User can abe to enter goal amount in chat bot screen

Passed: 0	Failed: 1	Undefined: 2	Duration: 9.87s
Before	0.00s		

And I verify following Ruby ChatBot texts are displayed

How much would you like to save for this goal?

java.lang.AssertionError: The following asserts failed:

How much would you like to save for this goal? text is displayed on page expected [true] but found [false]

at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)


at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.

iVerifyFollowingRubyChatBotTextsAreDisplayed(WealthSteps.java:250)

at .And I verify following Ruby ChatBot texts are displayed(features/sg/wealth/RubyChatBotCreateGoal.feature:80)

Then I wait for 10 sec

And I enter the "\${ruby.chat.goal.amount}"



After		1.56s
-------	--	-------

[Back to Table of Contents](#)

Scenario: Verify User can see the Easy, Achievable, Challenging messages in chat bot screen

Passed: 1	Failed: 1	Undefined: 2	Duration: 27.2s
Before			0.00s

Then I wait for 20 sec	20.01s
------------------------	--------

And I verify following Ruby ChatBot texts are displayed	7.17s
---	-------

Great!

Based on your income, I can suggest a few plans to achieve that goal:

Easy: save \$2/month for 569 months

Achievable: save \$4/month for 412 months

Challenging: save \$6/month for 330 months

java.lang.AssertionError: The following asserts failed:

Great! text is displayed on page expected [true] but found [false],

Based on your income, I can suggest a few plans to achieve that goal: text is displayed on page expected [true] but found [false],

Easy: save \$2/month for 569 months text is displayed on page expected [true] but found [false],

Achievable: save \$4/month for 412 months text is displayed on page expected [true] but found [false],

Challenging: save \$6/month for 330 months text is displayed on page expected [true] but found [false]

at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)

at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.

iVerifyFollowingRubyChatBotTextsAreDisplayed(WealthSteps.java:250)

at .And I verify following Ruby ChatBot texts are displayed(features/sg/wealth

/RubyChatBotCreateGoal.feature:87)

	And I click on EASY payment type plan	0.00s
	And I click "\${ruby.chat.bot.select}" button on the app	0.00s
After		0.03s
<pre>com.prudential.tap.exception.TapException: Failed to take screenshot of at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases (CucumberHook.java:95) at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72) at jdk.internal.reflect.GeneratedMethodAccessor30.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at cucumber.runtime.Utils\$1.call(Utils.java:40) at cucumber.runtime.Timeout.timeout(Timeout.java:16) at cucumber.runtime.Utils.invoke(Utils.java:34) at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60) at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224) at cucumber.runtime.Runtime.runHooks(Runtime.java:212) at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206) at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46) at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165) at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:63) at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:91) at jdk.internal.reflect.GeneratedMethodAccessor37.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86) at org.testng.internal.Invoker.invokeMethod(Invoker.java:643) at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820) at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112) at org.testng.TestRunner.privateRun(TestRunner.java:782) at org.testng.TestRunner.run(TestRunner.java:632) at org.testng.SuiteRunner.runTest(SuiteRunner.java:366) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319) at org.testng.SuiteRunner.run(SuiteRunner.java:268) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244) at org.testng.TestNG.runSuitesLocally(TestNG.java:1169) at org.testng.TestNG.run(TestNG.java:1064) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)</pre>		
Back to Table of Contents		
Scenario: Verify User can able to create the my goal using chat bot screen successfully		
Passed: 1	Failed: 1	Undefined: 0
		Duration: 20.23s

Before		0.00s
Then I wait for 20 sec		20.01s
And I verify following Ruby ChatBot texts are displayed		0.20s
	<p>Well done!</p> <p>Your goal is created and you have achieved your first step</p> <p>Let's see how we can achieve this goal!</p> <p>Do you already have any savings to allocate to this goal?</p> <p>Challenging: save \$6/month for 330 months</p>	
<p>java.lang.AssertionError: The following asserts failed:</p> <p>Well done! text is displayed on page expected [true] but found [false],</p> <p>Your goal is created and you have achieved your first step text is displayed on page expected [true] but found [false],</p> <p>Let's see how we can achieve this goal! text is displayed on page expected [true] but found [false],</p> <p>Do you already have any savings to allocate to this goal? text is displayed on page expected [true] but found [false],</p> <p>Challenging: save \$6/month for 330 months text is displayed on page expected [true] but found [false]</p> <p>at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43) at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.iVerifyFollowingRubyChatBotTextsAreDisplayed(WealthSteps.java:250) at .And I verify following Ruby ChatBot texts are displayed(features/sg/wealth/RubyChatBotCreateGoal.feature:98)</p>		
After		0.03s
<p>com.prudential.tap.exception.TapException: Failed to take screenshot of</p> <p>at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases(CucumberHook.java:95)</p> <p>at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)</p> <p>at jdk.internal.reflect.GeneratedMethodAccessor30.invoke(Unknown Source)</p> <p>at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)</p> <p>at java.base/java.lang.reflect.Method.invoke(Method.java:566)</p> <p>at cucumber.runtime.Utils\$1.call(Utils.java:40)</p> <p>at cucumber.runtime.Timeout.timeout(Timeout.java:16)</p> <p>at cucumber.runtime.Utils.invoke(Utils.java:34)</p> <p>at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)</p> <p>at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)</p> <p>at cucumber.runtime.Runtime.runHooks(Runtime.java:212)</p> <p>at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)</p> <p>at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)</p> <p>at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)</p> <p>at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:63)</p> <p>at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:91)</p> <p>at jdk.internal.reflect.GeneratedMethodAccessor37.invoke(Unknown Source)</p> <p>at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)</p>		

```

at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

```

[Back to Table of Contents](#)

Scenario: Verify User can see default option for savings to allocate to this goal

Passed: 0	Failed: 1	Undefined: 1	Duration: .05s
Before			0.00s
Then I verify following buttons are displayed			0.04s
<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No			
java.lang.AssertionError: The following asserts failed: Yes text is displayed on page expected [true] but found [false], No text is displayed on page expected [true] but found [false] at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43) at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps. iVerifyFollowingButtonsAreDisplayed(MyDocSteps.java:881) at .Then I verify following buttons are displayed(features/sg/wealth/RubyChatBotCreateGoal. feature:106)			
And I click "\${ruby.chat.allocate.yes}" button on the app			0.00s
After			0.01s

```

com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases
(CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor30.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)

```

```

at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:91)
at jdk.internal.reflect.GeneratedMethodAccessor37.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

```

[Back to Table of Contents](#)

Scenario: Verify User can able to allocate the savings to the goal using chat bot

Passed: 1	Failed: 1	Undefined: 1	Duration: 10.07s
Before			0.00s
Then I wait for 10 sec			10.00s
And I verify following Ruby ChatBot texts are displayed			0.05s
How much have you managed to save for this goal?			
<p>java.lang.AssertionError: The following asserts failed:</p> <p>How much have you managed to save for this goal? text is displayed on page expected [true] but found [false]</p> <p>at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)</p> <p>at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.iVerifyFollowingRubyChatBotTextsAreDisplayed(WealthSteps.java:250)</p> <p>at .And I verify following Ruby ChatBot texts are displayed(features/sg/wealth/RubyChatBotCreateGoal.feature:113)</p>			
And I enter the "{\$ruby.chat.allocated.amount}"			0.00s

After		0.02s
<pre>com.prudential.tap.exception.TapException: Failed to take screenshot of at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases (CucumberHook.java:95) at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72) at jdk.internal.reflect.GeneratedMethodAccessor30.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at cucumber.runtime.Utils\$1.call(Utils.java:40) at cucumber.runtime.Timeout.timeout(Timeout.java:16) at cucumber.runtime.Utils.invoke(Utils.java:34) at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60) at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224) at cucumber.runtime.Runtime.runHooks(Runtime.java:212) at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206) at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46) at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165) at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:63) at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:91) at jdk.internal.reflect.GeneratedMethodAccessor37.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86) at org.testng.internal.Invoker.invokeMethod(Invoker.java:643) at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820) at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112) at org.testng.TestRunner.privateRun(TestRunner.java:782) at org.testng.TestRunner.run(TestRunner.java:632) at org.testng.SuiteRunner.runTest(SuiteRunner.java:366) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319) at org.testng.SuiteRunner.run(SuiteRunner.java:268) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244) at org.testng.TestNG.runSuitesLocally(TestNG.java:1169) at org.testng.TestNG.run(TestNG.java:1064) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)</pre>		
Back to Table of Contents		
Scenario: Verify User can allocate the savings to the goal for Banking		
Passed: 0	Failed: 1	Undefined: 9 Duration: .04s
Before		0.00s
And I verify following Ruby ChatBot texts are displayed		0.03s

	Where is this money saved?						
java.lang.AssertionError: The following asserts failed: Where is this money saved? text is displayed on page expected [true] but found [false] at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43) at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps. iVerifyFollowingRubyChatBotTextsAreDisplayed(WealthSteps.java:250) at .And I verify following Ruby ChatBot texts are displayed(features/sg/wealth /RubyChatBotCreateGoal.feature:121)							
And I click "\${ruby.chat.cash.savings}" button on the app							
Then I wait for 10 sec							
And I verify following Ruby ChatBot texts are displayed							
<table border="1"> <tr><td>Great! You're moving at pace with your initial target!</td></tr> <tr><td>I can see that you have 1 saving goals.</td></tr> <tr><td>You are doing great!</td></tr> <tr><td>All your goals are on track.</td></tr> <tr><td>What do you want to do next?</td></tr> </table>			Great! You're moving at pace with your initial target!	I can see that you have 1 saving goals.	You are doing great!	All your goals are on track.	What do you want to do next?
Great! You're moving at pace with your initial target!							
I can see that you have 1 saving goals.							
You are doing great!							
All your goals are on track.							
What do you want to do next?							
And user click on "< Wealth" button							
Then I wait for 8 sec							
And user click on "< Wealth" button							
Then I navigate to wealth screen							
Then I navigate to finances wealth screen							
Then I wait for 5 sec							
After		0.01s					
com.prudential.tap.exception.TapException: Failed to take screenshot of at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases (CucumberHook.java:95) at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72) at jdk.internal.reflect.GeneratedMethodAccessor30.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at cucumber.runtime.Utils\$1.call(Utils.java:40) at cucumber.runtime.Timeout.timeout(Timeout.java:16) at cucumber.runtime.Utils.invoke(Utils.java:34) at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60) at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224) at cucumber.runtime.Runtime.runHooks(Runtime.java:212) at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206) at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46) at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165) at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:63) at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:91) at jdk.internal.reflect.GeneratedMethodAccessor37.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)							

```

at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

```

[Back to Table of Contents](#)

Scenario: Verify User should be able to see created goal details in my goal homepage

Passed: 0	Failed: 1	Undefined: 2	Duration: .03s
Before			0.00s
And I scroll down			0.03s
<pre> org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z' System info: host: 'Bavirisettis-MacBook-Pro.local', ip: 'fe80:0:0:0:91:d010:e7b3:bd5e%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10' Driver info: io.appium.java_client.android.AndroidDriver Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com. prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel: SM-G985F, deviceName: R58N34BC9EH, deviceScreenDensity: 450, deviceScreenSize: 1080x2400, deviceUDID: R58N34BC9EH, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.8125, platform: LINUX, platformName: Android, platformVersion: 10, statBarHeight: 73, takesScreenshot: true, viewportRect: {height: 2119, left: 0, top: 73, width: 1080}, warnings: {}, webStorageEnabled: false} Session ID: c69acdd9-ebc2-4e25-8b90-175a4bcf61d0 at jdk.internal.reflect.GeneratedConstructorAccessor40.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException </pre>			

```
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:46)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver$RemoteWebDriverOptions$RemoteWindow.getSize(RemoteWebDriver.java:804)
at com.prudential.tap.appium.AppiumCommands.swipe(AppiumCommands.java:432)
at com.onepulse.app.screens.TestBasePage.scrollPageDown(TestBasePage.java:185)
at com.onepulse.app.stepdefinitions.mobilesteps.BaseSteps.scrollDown(BaseSteps.java:53)
at .And I scroll down(features/sg/wealth/RubyChatBotCreateGoal.feature:139)
```

And I verify following texts are displayed

0.00s

Save for children education
Achieved
Target
Months to go
Moving at pace
\$1,500
\$4,000

And I click grow my wealth tab

0.00s

After		0.01s
-------	--	-------

```
com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases
(CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor30.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
```

```

at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:91)
at jdk.internal.reflect.GeneratedMethodAccessor37.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

```

[Back to Table of Contents](#)

Scenario: Verify User should be able to see created goal details in savings goal screen

Passed: 0	Failed: 1	Undefined: 0	Duration: .18s
Before			0.00s
And I verify following texts are displayed			0.17s
Save for children education Achieved Target Months to go Moving at pace \$1,500 \$4,000			

java.lang.AssertionError: The following asserts failed:

Save for children education text is displayed on page expected [true] but found [false],
Achieved text is displayed on page expected [true] but found [false],
Target text is displayed on page expected [true] but found [false],
Months to go text is displayed on page expected [true] but found [false],
Moving at pace text is displayed on page expected [true] but found [false],
\$1,500 text is displayed on page expected [true] but found [false],
\$4,000 text is displayed on page expected [true] but found [false]
at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)
at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnScreen

(MyDocSteps.java:733) at .And I verify following texts are displayed(features/sg/wealth/RubyChatBotCreateGoal.feature:151)	
After	0.01s
<pre>com.prudential.tap.exception.TapException: Failed to take screenshot of at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases (CucumberHook.java:95) at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72) at jdk.internal.reflect.GeneratedMethodAccessor30.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at cucumber.runtime.Utils\$1.call(Utils.java:40) at cucumber.runtime.Timeout.timeout(Timeout.java:16) at cucumber.runtime.Utils.invoke(Utils.java:34) at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60) at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224) at cucumber.runtime.Runtime.runHooks(Runtime.java:212) at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206) at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46) at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165) at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:63) at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:91) at jdk.internal.reflect.GeneratedMethodAccessor37.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86) at org.testng.internal.Invoker.invokeMethod(Invoker.java:643) at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820) at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112) at org.testng.TestRunner.privateRun(TestRunner.java:782) at org.testng.TestRunner.run(TestRunner.java:632) at org.testng.SuiteRunner.runTest(SuiteRunner.java:366) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319) at org.testng.SuiteRunner.run(SuiteRunner.java:268) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244) at org.testng.TestNG.runSuitesLocally(TestNG.java:1169) at org.testng.TestNG.run(TestNG.java:1064) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)</pre>	

[Back to Table of Contents](#)
Feature: Verify User can use the wealth channel 360 View functionality

Passed: 4	Failed: 2	Undefined: 0	Duration: 83.31s				
Scenario: Verify the Login Functionality using "Continue with Google"							
Passed: 4	Failed: 0	Undefined: 0	Duration: 28.89s				
Before							
Given User has pulse app			7.90s				
And user click on "CONTINUE WITH GOOGLE" with Google button			5.49s				
And I click the "Email" in Continue with Gmail			15.48s				
Emailid	\${facebook.text}						
Password	pulsesgqa@123						
Then user should be landed home screen			0.02s				
After							
Back to Table of Contents							
Scenario: Verify User should be able to see the wealth screen options							
Passed: 2	Failed: 0	Undefined: 0	Duration: 7.93s				
Before							
Then I navigate to wealth screen			5.57s				
And I verify following texts are displayed			2.36s				
Wealth Channel							
Wealth							
After							
Back to Table of Contents							
Scenario: Verify User can navigate to wealth 360 view page							
Passed: 2	Failed: 0	Undefined: 0	Duration: 4.25s				
Before							
Then I navigate to finances wealth screen			0.19s				
Then I click wealth view get started button			4.05s				
After							
Back to Table of Contents							
Scenario: Verify User should be able to see the wealth 360 view screen options							
Passed: 1	Failed: 0	Undefined: 0	Duration: 5.22s				
Before							
And I verify following texts are displayed			5.22s				
360 View is a tool that delivers a complete and visible view of your assets.							
It enables you to better understand and manage your finances.							
How will 360 View benefit my assets?							
Identify and control financial risks that arise from certain investment.							
Get professional suggestion for your assets from your exclusive consultant.							
Keep tabs on all of your policies anytime anywhere.							
Where Can I Start?							
After							
Back to Table of Contents							
Scenario: Verify User should be able to see the wealth 360 view screen recommended topics							

Passed: 1	Failed: 1	Undefined: 0	Duration: 22.5s
Before			0.00s
Then I scroll down			3.63s
And I verify following texts are displayed			17.13s
<p>Make sure you have policies first, or you can talk to the consultant if you are interested in the solutions suggested for you.</p> <p>Explore Solutions</p> <p>Also Relevant for You</p>			
<p>java.lang.AssertionError: The following asserts failed:</p> <p>Explore Solutions text is displayed on page expected [true] but found [false],</p> <p>Also Relevant for You text is displayed on page expected [true] but found [false]</p> <p>at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)</p> <p>at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnScreen (MyDocSteps.java:733)</p> <p>at .And I verify following texts are displayed(features/sg/wealth/Wealth360View.feature:37)</p>			
After			1.75s
Back to Table of Contents			
Scenario: Verify User should be able to see wealth 360 view registration confirmation screen details			
Passed: 2	Failed: 1	Undefined: 0	Duration: 14.53s
Before			0.00s
Then I scroll down			3.78s
And I verify following texts are displayed			0.90s
<p>By submitting the information below, I confirm that I would like to display the details of my existing policy(ies) with Prudential on this platform.</p>			

	<input type="text" value="First Name"/> <input type="text" value="Last Name"/> <input type="text" value="Date of Birth"/> <input type="text" value="Last 4 Digits of NRIC"/> <input type="button" value="Submit"/>	
	Then I navigate back to wealth products page	8.45s

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.
For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html

```
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'  

System info: host: 'Bavirisettil-MacBook-Pro.local', ip: 'fe80:0:0:0:91:d010:e7b3:bd5e%en0',  

os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'  

Driver info: io.appium.java_client.android.AndroidDriver  

Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel: SM-G985F, deviceName: R58N34BC9EH, deviceScreenDensity: 450, deviceScreenSize: 1080x2400, deviceUDID: R58N34BC9EH, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.8125, platform: LINUX, platformName: Android, platformVersion: 10, statusBarHeight: 73, takesScreenshot: true, viewportRect: {height: 2119, left: 0, top: 73, width: 1080}, warnings: {}, webStorageEnabled: false}  

Session ID: e62172c2-9322-4591-b37f-442d9b673a09  

*** Element info: {Using=xpath, value=//android.widget.ImageView[@content-desc="atBackIcon"]}  

at jdk.internal.reflect.GeneratedConstructorAccessor25.newInstance(Unknown Source)  

at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  

at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)  

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)  

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)  

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)  

at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)  

at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:231)  

at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)  

at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:42)  


at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)  

at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)  

at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)  

at io.appium.java_client.DefaultGenericMobileDriver.findElement
```

```
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.WealthScreen.clickProductsBackButton(WealthScreen.java:312)
at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.
iNavigateBackToWealthProductsPage(WealthSteps.java:149)
at .Then I navigate back to wealth products page(features/sg/wealth/Wealth360View.feature:52)
```




After	1.39s
-------	-------

[Back to Table of Contents](#)

Feature: Verify wealth Call me back functionality on one pulse App

Passed: 0	Failed: 10	Undefined: 0	Duration: 275.25s
-----------	------------	--------------	-------------------

Scenario: Verify User should be able to register on app using email account											
Passed: 8	Failed: 1	Undefined: 2	Duration: 139.56 s								
Before	0.00s										
Given I generate random number and assign to variable "RANDOM_NUMBER"			0.02s								
And I assign "pulse\${RANDOM_NUMBER}@mailsac.com" to variable "PULSE_EMAIL"			0.00s								
Given User has pulse app			8.81s								
And user click on "CONTINUE WITH EMAIL" with Email button			12.94s								
When user enters registration details			8.57s								
<table border="1"> <tr><td>FirstName</td><td>Wealth</td></tr> <tr><td>LastName</td><td>Callmeback</td></tr> <tr><td>Email</td><td> \${PULSE_EMAIL}</td></tr> <tr><td>Password</td><td>Pas\$1234</td></tr> </table>				FirstName	Wealth	LastName	Callmeback	Email	\${PULSE_EMAIL}	Password	Pas\$1234
FirstName	Wealth										
LastName	Callmeback										
Email	\${PULSE_EMAIL}										
Password	Pas\$1234										
And taps on continue "Sign_Up" button			5.06s								
Then I wait for 10 sec			10.01s								
And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}"			29.43s								
Then I click skip button			63.08s								
<p>java.lang.AssertionError: The following asserts failed:</p> <p>Default height section is not displayed in the UI expected [true] but found [false], Default weight section is not displayed in the UI expected [true] but found [false], Default height section is not displayed in the UI expected [true] but found [false], Default weight section is not displayed in the UI expected [true] but found [false], Default height section is not displayed in the UI expected [true] but found [false], Default weight section is not displayed in the UI expected [true] but found [false], Default height section is not displayed in the UI expected [true] but found [false], Default weight section is not displayed in the UI expected [true] but found [false], Default height section is not displayed in the UI expected [true] but found [false], Default weight section is not displayed in the UI expected [true] but found [false], Default height section is not displayed in the UI expected [true] but found [false], Default weight section is not displayed in the UI expected [true] but found [false], Default height section is not displayed in the UI expected [true] but found [false], Default weight section is not displayed in the UI expected [true] but found [false], Default height section is not displayed in the UI expected [true] but found [false], Default weight section is not displayed in the UI expected [true] but found [false], Default height section is not displayed in the UI expected [true] but found [false], Default weight section is not displayed in the UI expected [true] but found [false], Default height section is not displayed in the UI expected [true] but found [false], Default weight section is not displayed in the UI expected [true] but found [false], at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43) at com.onepulse.app.screens.PulseLoginScreen.verifyHeightandWeightScreenUi(PulseLoginScreen.java:1262) at com.onepulse.app.screens.PulseLoginScreen.clickSkipButton(PulseLoginScreen.java:726) at com.onepulse.app.stepdefinitions.mobilesteps.LoginSteps.iClickSkipButton(LoginSteps.java:292) at .Then I click skip button(features/sg/wealth/WealthCallMeBack.feature:17)</p>											
Then I wait for 15 sec			0.00s								
Then user should be landed to "Home" screen			0.00s								



After		1.64s
-------	--	-------

[Back to Table of Contents](#)

Scenario: Verify User should be able to navigate to wealth page

Passed: 0	Failed: 1	Undefined: 1	Duration: 31.14s
Before	0.00s		

Then I navigate to wealth screen	29.59s
----------------------------------	--------

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.

For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'Bavirisettil-MacBook-Pro.local', ip: 'fe80:0:0:0:91:d010:e7b3:bd5e%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'

Driver info: io.appium.java_client.android.AndroidDriver

Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName:

UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel: SM-G985F, deviceName: R58N34BC9EH, deviceScreenDensity: 450, deviceScreenSize: 1080x2400, deviceUDID: R58N34BC9EH, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true,

pixelRatio: 2.8125, platform: LINUX, platformName: Android, platformVersion: 10, statBarHeight: 73, takesScreenshot: true, viewportRect: {height: 2119, left: 0, top: 73, width: 1080}, warnings: {}, webStorageEnabled: false}

Session ID: bd84a789-916e-44d2-abdf-86c6be22e369

*** Element info: {Using=xpath, value=//android.widget.TextView[@text='Wealth']}

```


at jdk.internal.reflect.GeneratedConstructorAccessor25.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.WealthScreen.clickWealthButton(WealthScreen.java:117)
at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.iNavigateToWealthScreen
(WealthSteps.java:46)
at .Then I navigate to wealth screen(features/sg/wealth/WealthCallMeBack.feature:23)

```

And I verify following texts are displayed

0.00s

Wealth Channel



After		1.55s
-------	--	-------

[Back to Table of Contents](#)

Scenario: Verify the terms and condition and proceed

Passed: 0	Failed: 1	Undefined: 1	Duration: 9.61s
Before			

Then I navigate to finances wealth screen	8.06s
---	-------

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.

For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'Bavirisettil-MacBook-Pro.local', ip: 'fe80:0:0:0:91:d010:e7b3:bd5e%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'

Driver info: io.appium.java_client.android.AndroidDriver

Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel: SM-G985F, deviceName: R58N34BC9EH, deviceScreenDensity: 450, deviceScreenSize: 1080x2400, deviceUDID: R58N34BC9EH, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.8125, platform: LINUX, platformName: Android, platformVersion: 10, statBarHeight: 73, takesScreenshot: true, viewportRect: {height: 2119, left: 0, top: 73, width: 1080}, warnings: {}, webStorageEnabled: false}

Session ID: bd84a789-916e-44d2-abdf-86c6be22e369

*** Element info: {Using=xpath, value=//android.widget.TextView[@text='Wealth']/following::


```

    android.widget.TextView[@text='Explore']}
at jdk.internal.reflect.GeneratedConstructorAccessor25.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.WealthScreen.clickFinancialWealthExploreButton(WealthScreen.
java:259)
at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.
iNavigateToFinancesWealthScreen(WealthSteps.java:117)
at .Then I navigate to finances wealth screen(features/sg/wealth/WealthCallMeBack.feature:28)

```

And I agree the Terms and Conditions to proceed

0.00s



After		1.55s
-------	--	-------

[Back to Table of Contents](#)

Scenario: Verify User should be able to complete the registration successfully

Passed: 0	Failed: 1	Undefined: 1	Duration: 39.52s
Before	0.00s		

And I enter details for wealth profile registration	37.90s
DateOfBirth	21/02/1991
NRIC	557N
PostalCode	460105

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.

For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'Bavirisettil-MacBook-Pro.local', ip: 'fe80:0:0:0:91:d010:e7b3:bd5e%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'

Driver info: io.appium.java_client.android.AndroidDriver


Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel: SM-G985F, deviceName: R58N34BC9EH, deviceScreenDensity: 450, deviceScreenSize: 1080x2400, deviceUDID: R58N34BC9EH, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.8125, platform: LINUX, platformName: Android, platformVersion: 10, statBarHeight: 73, takesScreenshot: true, viewportRect: {height: 2119, left: 0, top: 73, width:

```

1080}, warnings: {}, webStorageEnabled: false}
Session ID: bd84a789-916e-44d2-abdf-86c6be22e369
*** Element info: {Using=xpath, value=/android.widget.EditText[@text='DD/MM/YYYY']}
at jdk.internal.reflect.GeneratedConstructorAccessor25.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$16.executeCommand(Commands.java:148)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.setTextWithTab(TestBasePage.java:241)
at com.onepulse.app.screens.WealthScreen.enterWealthRegistrationDetails(WealthScreen.
java:270)
at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.
iEnterDetailsForWealthProfileRegistration(WealthSteps.java:129)
at .And I enter details for wealth profile registration(features/sg/wealth/WealthCallMeBack.
feature:32)

```

Then I verify financial wealth registration completed successfully	0.00s
--	-------



After		1.61s
-------	--	-------

[Back to Table of Contents](#)

Scenario: Verify User can navigate to Call me back screen

Passed: 1	Failed: 1	Undefined: 1	Duration: 13.17s
Before			

Then I scroll down	3.70s
And user click on "Call me back" button	7.89s

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.

For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'Bavirisettis-MacBook-Pro.local', ip: 'fe80:0:0:0:91:d010:e7b3:bd5e%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'

Driver info: io.appium.java_client.android.AndroidDriver

Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel: SM-G985F, deviceName: R58N34BC9EH, deviceScreenDensity: 450, deviceScreenSize: 1080x2400, deviceUDID: R58N34BC9EH, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.8125, platform: LINUX, platformName: Android, platformVersion: 10, statBarHeight: 73, takesScreenshot: true, viewportRect: {height: 2119, left: 0, top: 73, width: 1080}, warnings: {}, webStorageEnabled: false}

Session ID: bd84a789-916e-44d2-abdf-86c6be22e369


```
*** Element info: {Using>xpath, value=/android.widget.TextView[contains(@text,"Call me back")]}
at jdk.internal.reflect.GeneratedConstructorAccessor25.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.WealthScreen.clickScreenButtons(WealthScreen.java:323)
at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.userClickOnButton(WealthSteps.
java:159)
at .And user click on "Call me back" button(features/sg/wealth/WealthCallMeBack.feature:40)
```

And I verify following texts are displayed

0.00s

Please contact me by
Call by Agent
Email
Select call-back purpose

Interested in a policy
Preferred phone number*
Type your message
By submitting this form, I confirm that I have read, understood and given my consent
Send



The screenshot shows a mobile application interface. At the top, there is a navigation bar with icons for back, forward, and search. Below the navigation bar, there is a large image of a stir-fried vegetable dish. Underneath the image, the text "Gender" is displayed. Below this, there is a section titled "Choose your Gender" with the sub-instruction "Gender is an important factor for health and wellness recommendations." Two gender icons are shown: a red male icon and a white female icon. Below the icons, the words "Male" and "Female" are written. At the bottom of the screen, there is a red "Continue" button.

After	1.57s
-------	-------

[Back to Table of Contents](#)

Scenario: Verify User should be able to see Call me back purpose dropdown options

Passed: 0	Failed: 1	Undefined: 2	Duration: 9.93s
-----------	-----------	--------------	-----------------

Before	0.00s
--------	-------

And user click on "Interested in a policy" button	8.31s
---	-------

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.

For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'Bavirisettil-MacBook-Pro.local', ip: 'fe80:0:0:0:91:d010:e7b3:bd5e%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'

Driver info: io.appium.java_client.android.AndroidDriver

Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel:

SM-G985F, deviceName: R58N34BC9EH, deviceScreenDensity: 450, deviceScreenSize: 1080x2400, deviceUDID: R58N34BC9EH, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.8125, platform: LINUX, platformName: Android, platformVersion: 10, statusBarHeight: 73, takesScreenshot: true, viewportRect: {height: 2119, left: 0, top: 73, width: 1080}, warnings: {}, webStorageEnabled: false}

Session ID: bd84a789-916e-44d2-abdf-86c6be22e369

*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text, "Interested in a policy")]}

at jdk.internal.reflect.GeneratedConstructorAccessor25.newInstance(Unknown Source)

at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)

at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)

at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)

at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:231)

at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)

at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:42)

at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)

at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)

at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)

at io.appium.java_client.DefaultGenericMobileDriver.findElement(DefaultGenericMobileDriver.java:62)

at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)

at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)

at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:419)

at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath(DefaultGenericMobileDriver.java:152)

at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)

at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)

at org.openqa.selenium.By\$ByXPath.findElement(By.java:353)

at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)

at io.appium.java_client.DefaultGenericMobileDriver.findElement(DefaultGenericMobileDriver.java:58)

at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)

at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)

at com.prudential.tap.selenium.Commands\$15.executeCommand(Commands.java:141)

at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19)

at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)

at com.onepulse.app.screens.WealthScreen.clickScreenButtons(WealthScreen.java:323)


at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.userClickOnButton(WealthSteps.java:159)

at .And user click on "Interested in a policy" button(features/sg/wealth/WealthCallMeBack.feature:55)

And I verify following drop down texts are displayed 0.00s

Interested in a policy
I have a Policy and want to add benefits
Family and Inheritance planning
Retirement Planning
Starting to Invest
General Support

And I select the call back purpose dropdown 0.00s



After 1.62s

[Back to Table of Contents](#)

Scenario: Verify User should be able to complete the appointment using call by agent tab

Passed: 0	Failed: 1	Undefined: 1	Duration: 22.17s
-----------	-----------	--------------	------------------

Before 0.00s

And I enter details for schedule the call me back option 22.15s

Phone	81069586
Message	Call me back

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'Bavirisettils-MacBook-Pro.local', ip: 'fe80:0:0:0:91:d010:e7b3:bd5e%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'

Driver info: io.appium.java_client.android.AndroidDriver

```

Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel: SM-G985F, deviceName: R58N34BC9EH, deviceScreenDensity: 450, deviceScreenSize: 1080x2400, deviceUDID: R58N34BC9EH, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.8125, platform: LINUX, platformName: Android, platformVersion: 10, statusBarHeight: 73, takesScreenshot: true, viewportRect: {height: 2119, left: 0, top: 73, width: 1080}, warnings: {}, webStorageEnabled: false}
Session ID: bd84a789-916e-44d2-abdf-86c6be22e369
*** Element info: {Using=xpath, value=//android.widget.EditText[@text='Please input your phone number']}
at jdk.internal.reflect.GeneratedConstructorAccessor40.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$16.executeCommand(Commands.java:148)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:

```

	19)	at com.onepulse.app.screens.TestBasePage.setTextWithTab(TestBasePage.java:241) at com.onepulse.app.screens.WealthScreen.enterCallMeBackDetails(WealthScreen.java:338) at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps. iEnterDetailsForScheduleTheCallMeBackOption(WealthSteps.java:184) at .And I enter details for schedule the call me back option(features/sg/wealth /WealthCallMeBack.feature:66)
		And user click on "Send" button
	After	0.00s
After		
com.prudential.tap.exception.TapException: Failed to take screenshot of at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases (CucumberHook.java:95) at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72) at jdk.internal.reflect.GeneratedMethodAccessor30.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at cucumber.runtime.Utils\$1.call(Utils.java:40) at cucumber.runtime.Timeout.timeout(Timeout.java:16) at cucumber.runtime.Utils.invoke(Utils.java:34) at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60) at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224) at cucumber.runtime.Runtime.runHooks(Runtime.java:212) at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206) at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46) at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165) at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java: 63) at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:91) at jdk.internal.reflect.GeneratedMethodAccessor37.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86) at org.testng.internal.Invoker.invokeMethod(Invoker.java:643) at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820) at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112) at org.testng.TestRunner.privateRun(TestRunner.java:782) at org.testng.TestRunner.run(TestRunner.java:632) at org.testng.SuiteRunner.runTest(SuiteRunner.java:366) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319) at org.testng.SuiteRunner.run(SuiteRunner.java:268) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244) at org.testng.TestNG.runSuitesLocally(TestNG.java:1169) at org.testng.TestNG.run(TestNG.java:1064)		

at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)			
Back to Table of Contents			
Scenario: Verify User can navigate to Call me back Email screen from PRUShield plan			
Passed: 1	Failed: 1	Undefined: 2	Duration: 10.09s
Before			
Then I wait for 10 sec			10.01s
And user click on "Call me back" button			0.07s
org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z' System info: host: 'Bavirisetts-MacBook-Pro.local', ip: 'fe80:0:0:0:91:d010:e7b3:bd5e%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10' Driver info: io.appium.java_client.android.AndroidDriver Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel: SM-G985F, deviceName: R58N34BC9EH, deviceScreenDensity: 450, deviceScreenSize: 1080x2400, deviceUDID: R58N34BC9EH, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.8125, platform: LINUX, platformName: Android, platformVersion: 10, statusBarHeight: 73, takesScreenshot: true, viewportRect: {height: 2119, left: 0, top: 73, width: 1080}, warnings: {}, webStorageEnabled: false} Session ID: bd84a789-916e-44d2-abdf-86c6be22e369 *** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,"Call me back")]} at jdk.internal.reflect.GeneratedConstructorAccessor40.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:231) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:42) at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1) at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)			

	at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:62) at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1) at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1) at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:419) at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath (DefaultGenericMobileDriver.java:152) at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1) at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1) at org.openqa.selenium.By\$ByXPath.findElement(By.java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309) at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:58) at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1) at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1) at com.prudential.tap.selenium.Commands\$15.executeCommand(Commands.java:141) at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19) at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163) at com.onepulse.app.screens.WealthScreen.clickScreenButtons(WealthScreen.java:323) at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.userClickOnButton(WealthSteps.java:159) at .And user click on "Call me back" button(features/sg/wealth/WealthCallMeBack.feature:77)	
And user click on "Email" button		0.00s
And I verify following texts are displayed		0.00s
Call by Agent		
Email		
Select call-back purpose		
Interested in a policy		
Preferred email*		
Type your message		
By submitting this form, I confirm that I have read, understood and given my		
consent		
Send		
After		0.02s
com.prudential.tap.exception.TapException: Failed to take screenshot of at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases (CucumberHook.java:95) at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72) at jdk.internal.reflect.GeneratedMethodAccessor30.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at cucumber.runtime.Utils\$1.call(Utils.java:40) at cucumber.runtime.Timeout.timeout(Timeout.java:16) at cucumber.runtime.Utils.invoke(Utils.java:34)		

```

at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:91)
at jdk.internal.reflect.GeneratedMethodAccessor37.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

```

[Back to Table of Contents](#)

Scenario: Verify User should be able to see Email tab purpose dropdown options

Passed: 0	Failed: 1	Undefined: 2	Duration: .03s
Before			0.00s
And user click on "Interested in a policy" button			0.03s
org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z' System info: host: 'Bavirisettil-MacBook-Pro.local', ip: 'fe80:0:0:0:91:d010:e7b3:bd5e%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10' Driver info: io.appium.java_client.android.AndroidDriver Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel: }			

SM-G985F, deviceName: R58N34BC9EH, deviceScreenDensity: 450, deviceScreenSize: 1080x2400, deviceUDID: R58N34BC9EH, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.8125, platform: LINUX, platformName: Android, platformVersion: 10, statusBarHeight: 73, takesScreenshot: true, viewportRect: {height: 2119, left: 0, top: 73, width: 1080}, warnings: {}, webStorageEnabled: false}

Session ID: bd84a789-916e-44d2-abdf-86c6be22e369

*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text, "Interested in a policy")]}

at jdk.internal.reflect.GeneratedConstructorAccessor40.newInstance(Unknown Source)

at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)

at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)

at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)

at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:231)

at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)

at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:42)

at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)

at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)

at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)

at io.appium.java_client.DefaultGenericMobileDriver.findElement(DefaultGenericMobileDriver.java:62)

at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)

at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)

at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:419)

at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath(DefaultGenericMobileDriver.java:152)

at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)

at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)

at org.openqa.selenium.By\$ByXPath.findElement(By.java:353)

at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)

at io.appium.java_client.DefaultGenericMobileDriver.findElement(DefaultGenericMobileDriver.java:58)

at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)

at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)

at com.prudential.tap.selenium.Commands\$15.executeCommand(Commands.java:141)

at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19)

at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)

at com.onepulse.app.screens.WealthScreen.clickScreenButtons(WealthScreen.java:323)

at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.userClickOnButton(WealthSteps.java:159)

	at .And user click on "Interested in a policy" button(features/sg/wealth/WealthCallMeBack.feature:93)							
	And I verify following drop down texts are displayed	0.00s						
	<table border="1"> <tr><td>Interested in a policy</td></tr> <tr><td>I have a Policy and want to add benefits</td></tr> <tr><td>Family and Inheritance planning</td></tr> <tr><td>Retirement Planning</td></tr> <tr><td>Starting to Invest</td></tr> <tr><td>General Support</td></tr> </table>	Interested in a policy	I have a Policy and want to add benefits	Family and Inheritance planning	Retirement Planning	Starting to Invest	General Support	
Interested in a policy								
I have a Policy and want to add benefits								
Family and Inheritance planning								
Retirement Planning								
Starting to Invest								
General Support								
	And I select the call back purpose dropdown	0.00s						
After		0.01s						
<pre>com.prudential.tap.exception.TapException: Failed to take screenshot of at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases (CucumberHook.java:95) at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72) at jdk.internal.reflect.GeneratedMethodAccessor30.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at cucumber.runtime.Utils\$1.call(Utils.java:40) at cucumber.runtime.Timeout.timeout(Timeout.java:16) at cucumber.runtime.Utils.invoke(Utils.java:34) at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60) at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224) at cucumber.runtime.Runtime.runHooks(Runtime.java:212) at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206) at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46) at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165) at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:63) at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:91) at jdk.internal.reflect.GeneratedMethodAccessor37.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86) at org.testng.internal.Invoker.invokeMethod(Invoker.java:643) at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820) at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112) at org.testng.TestRunner.privateRun(TestRunner.java:782) at org.testng.TestRunner.run(TestRunner.java:632) at org.testng.SuiteRunner.runTest(SuiteRunner.java:366) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319) at org.testng.SuiteRunner.run(SuiteRunner.java:268) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)</pre>								

```

at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

```

[Back to Table of Contents](#)

Scenario: Verify User should be able to complete the appointment using email tab

Passed: 0	Failed: 1	Undefined: 1	Duration: .03s
Before			0.00s
And I accept the terms consent			0.03s
org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z' System info: host: 'Bavirisettil-MacBook-Pro.local', ip: 'fe80:0:0:0:91:d010:e7b3:bd5e%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10' Driver info: io.appium.java_client.android.AndroidDriver Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel: SM-G985F, deviceName: R58N34BC9EH, deviceScreenDensity: 450, deviceScreenSize: 1080x2400, deviceUDID: R58N34BC9EH, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.8125, platform: LINUX, platformName: Android, platformVersion: 10, statusBarHeight: 73, takesScreenshot: true, viewportRect: {height: 2119, left: 0, top: 73, width: 1080}, warnings: {}, webStorageEnabled: false} Session ID: bd84a789-916e-44d2-abdf-86c6be22e369 *** Element info: {Using=xpath, value=//android.view.ViewGroup[@content-desc="ID__Radio--Unselected"]} at jdk.internal.reflect.GeneratedConstructorAccessor40.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:231) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:42) at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)			

	at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317) at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:62) at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1) at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1) at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:419) at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath (DefaultGenericMobileDriver.java:152) at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1) at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1) at org.openqa.selenium.By\$ByXPath.findElement(By.java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309) at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:58) at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1) at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1) at com.prudential.tap.selenium.Commands\$15.executeCommand(Commands.java:141) at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19) at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163) at com.onepulse.app.screens.WealthScreen.clickConsentCheckBoxOption(WealthScreen.java:346) at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.iAcceptTheTermsConsent (WealthSteps.java:190) at .And I accept the terms consent(features/sg/wealth/WealthCallMeBack.feature:104)	
	And user click on "Send" button	0.00s
After		0.01s
com.prudential.tap.exception.TapException: Failed to take screenshot of at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases (CucumberHook.java:95) at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72) at jdk.internal.reflect.GeneratedMethodAccessor30.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at cucumber.runtime.Utils\$1.call(Utils.java:40) at cucumber.runtime.Timeout.timeout(Timeout.java:16) at cucumber.runtime.Utils.invoke(Utils.java:34) at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60) at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224) at cucumber.runtime.Runtime.runHooks(Runtime.java:212) at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206) at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46) at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165) at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:63) at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:91) at jdk.internal.reflect.GeneratedMethodAccessor37.invoke(Unknown Source)		

```

at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

```

[Back to Table of Contents](#)

Feature: Verify wealth channel functionality on one pulse App

Passed: 3	Failed: 11	Undefined: 0	Duration: 264.13s
-----------	------------	--------------	-------------------

Scenario: Verify User should be able to login using email account

Passed: 9	Failed: 0	Undefined: 0	Duration: 79.38s
-----------	-----------	--------------	------------------

Before 0.00s

Given User has pulse app	7.75s
--------------------------	-------

And I assign "\${onepulse.login.global.id}" to variable "PULSE_EMAIL"	0.00s
---	-------

When I navigate to login page	6.72s
-------------------------------	-------

Given I create connection for api service	0.04s
---	-------

When user enters credentials	17.92s
------------------------------	--------

UserName	\${PULSE_EMAIL}
Password	Pulse@123

And User clicks on signin button	0.20s
----------------------------------	-------

Then I wait for 10 sec	10.00s
------------------------	--------

And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}"	28.21s
---	--------

Then user should be landed to "Home" screen	8.55s
---	-------

After 0.00s

[Back to Table of Contents](#)

Scenario: Verify User should be able to navigate to wealth page

Passed: 2	Failed: 0	Undefined: 0	Duration: 3.02s
-----------	-----------	--------------	-----------------

Before 0.00s

Then I navigate to wealth screen	0.36s
----------------------------------	-------

And I verify following texts are displayed	2.66s
--	-------

	Wealth Channel	
	Wealth	
After		0.00s
Back to Table of Contents		
Scenario: Verify User should be able to see the wealth screen options		
Passed: 0	Failed: 1	Undefined: 1
Before		0.00s
Then I navigate to wealth channel explore page		8.55s
<pre>org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters. For documentation on this error, please visit: http://seleniumhq.org/exceptions/ /no_such_element.html Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z' System info: host: 'Bavirisettil-MacBook-Pro.local', ip: 'fe80:0:0:0:91:d010:e7b3:bd5e%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10' Driver info: io.appium.java_client.android.AndroidDriver Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com. prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel: SM-G985F, deviceName: R58N34BC9EH, deviceScreenDensity: 450, deviceScreenSize: 1080x2400, deviceUDID: R58N34BC9EH, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.8125, platform: LINUX, platformName: Android, platformVersion: 10, statBarHeight: 73, takesScreenshot: true, viewportRect: {height: 2119, left: 0, top: 73, width: 1080}, warnings: {}, webStorageEnabled: false} Session ID: 3d5afdc8-70a6-44dc-b361-19cbca8242e7 *** Element info: {Using=xpath, value=//android.widget.TextView[@text='']/following:: android.view.ViewGroup[1]} at jdk.internal.reflect.GeneratedConstructorAccessor25.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java: 158) at io.appium.java_client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:231) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver. java:42) at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1) at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)</pre>		


```

at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.WealthScreen.clickExploreButton(WealthScreen.java:121)
at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.
iNavigateToWealthChannelExplorePage(WealthSteps.java:51)
at .Then I navigate to wealth channel explore page(features/sg/wealth/WealthChannel.feature:26)

```

And I verify following texts are displayed	0.00s
--	-------

Wealth Channel
Learn Investing Basics
Importance of Money Parenting
What should I as a Parent know?



After		2.27s
-------	--	-------

[Back to Table of Contents](#)

Scenario: Verify User should be able to view the story post

Passed: 1	Failed: 0	Undefined: 0	Duration: 6.19s
Before			0.00s

Then I click on "Learn Investing Basics" wealth channel topic **6.19s**

After		0.00s
-------	--	-------

[Back to Table of Contents](#)

Scenario: Verify User should be able to see the story post Like, Share, Comment options

Passed: 0	Failed: 1	Undefined: 0	Duration: 27.09s
Before			0.00s

And I verify following texts are displayed **24.96s**

Like
Share
Comment

java.lang.AssertionError: The following asserts failed:

Like text is displayed on page expected [true] but found [false],

Share text is displayed on page expected [true] but found [false],


Comment text is displayed on page expected [true] but found [false]

at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)

at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnScreen

(MyDocSteps.java:733)

at .And I verify following texts are displayed(features/sg/wealth/WealthChannel.feature:37)



After		2.13s
-------	--	-------

[Back to Table of Contents](#)

Scenario: Verify User should be able to Like the post

Passed: 0	Failed: 1	Undefined: 3	Duration: 9.8s
Before	0.00s		

And I read the "Learn Investing Basics" post like count	7.67s
---	-------

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.

For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'Bavirisettil-MacBook-Pro.local', ip: 'fe80:0:0:0:91:d010:e7b3:bd5e%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'

Driver info: io.appium.java_client.android.AndroidDriver

Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName:

UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel:

SM-G985F, deviceName: R58N34BC9EH, deviceScreenDensity: 450, deviceScreenSize:

1080x2400, deviceUDID: R58N34BC9EH, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true,

pixelRatio: 2.8125, platform: LINUX, platformName: Android, platformVersion: 10, statBarHeight: 73, takesScreenshot: true, viewportRect: {height: 2119, left: 0, top: 73, width:

1080}, warnings: {}, webStorageEnabled: false}

Session ID: 3d5afdc8-70a6-44dc-b361-19cbca8242e7


*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text, 'Learn

```

Investing Basics"]]/following::android.widget.TextView[contains(@text, 'Likes')]}
at jdk.internal.reflect.GeneratedConstructorAccessor25.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.onepulse.app.screens.TestBasePage.getElementText(TestBasePage.java:235)
at com.onepulse.app.screens.WealthScreen.readLikeCount(WealthScreen.java:177)
at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.iReadThePostLikeCount
(WealthSteps.java:82)
at .And I read the "Learn Investing Basics" post like count(features/sg/wealth/WealthChannel.
feature:43)

```

And I Like the post	0.00s
Then I verify "Learn Investing Basics" post like count is increased	0.00s
And I Like the post	0.00s



After		2.13s
-------	--	-------

[Back to Table of Contents](#)

Scenario: Verify User should be able to Share the post

Passed: 0	Failed: 1	Undefined: 1	Duration: 15.34s
Before	0.00s		

And I share the post	13.25s
----------------------	--------

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.

For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'Bavirisettil-MacBook-Pro.local', ip: 'fe80:0:0:0:91:d010:e7b3:bd5e%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'

Driver info: io.appium.java_client.android.AndroidDriver

Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName:

UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel:

SM-G985F, deviceName: R58N34BC9EH, deviceScreenDensity: 450, deviceScreenSize:

1080x2400, deviceUDID: R58N34BC9EH, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true,

pixelRatio: 2.8125, platform: LINUX, platformName: Android, platformVersion: 10, statBarHeight: 73, takesScreenshot: true, viewportRect: {height: 2119, left: 0, top: 73, width:

1080}, warnings: {}, webStorageEnabled: false}

Session ID: 3d5afdc8-70a6-44dc-b361-19cbca8242e7

*** Element info: {Using=xpath, value=//android.widget.TextView[@text='Share']}


```

at jdk.internal.reflect.GeneratedConstructorAccessor25.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.WealthScreen.clickShareButton(WealthScreen.java:198)
at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.iShareThePost(WealthSteps.java:
87)
at .And I share the post(features/sg/wealth/WealthChannel.feature:49)

```

Then I Verify the share with friends popup

0.00s



After		2.09s
-------	--	-------

[Back to Table of Contents](#)

Scenario: Verify User should be able to Comment the post


Passed: 0	Failed: 1	Undefined: 2	Duration: 7.37s
Before	0.00s		

And I read the "Learn Investing Basics" post comment count	5.31s
--	-------

```
java.lang.NumberFormatException: empty String
at java.base/jdk.internal.math.FloatingDecimal.readJavaFormatString(FloatingDecimal.java:1842)
at java.base/jdk.internal.math.FloatingDecimal.parseDouble(FloatingDecimal.java:110)
at java.base/java.lang.Double.parseDouble(Double.java:543)
at com.onepulse.app.screens.WealthScreen.readCommentCount(WealthScreen.java:224)
at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.iReadThePostCommentCount(WealthSteps.java:97)
at .And I read the "Learn Investing Basics" post comment count(features/sg/wealth/WealthChannel.feature:53)
```

And I commented in the post "\${wealth.topic.comment}"	0.00s
--	-------

Then I verify "Learn Investing Basics" post comment count is increased	0.00s
--	-------



After		2.07s
-------	--	-------

[Back to Table of Contents](#)

Scenario: Verify User should be able to view the full page article post

Passed: 0	Failed: 1	Undefined: 0	Duration: 17.38s
Before	0.00s		

Then I click on "Learn Investing Basics" topic for details full view	14.15s
--	--------

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.

For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'Bavirisettil-MacBook-Pro.local', ip: 'fe80:0:0:0:91:d010:e7b3:bd5e%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'

Driver info: io.appium.java_client.android.AndroidDriver

Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName:

UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel:

SM-G985F, deviceName: R58N34BC9EH, deviceScreenDensity: 450, deviceScreenSize:

1080x2400, deviceUDID: R58N34BC9EH, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true,


pixelRatio: 2.8125, platform: LINUX, platformName: Android, platformVersion: 10, statBarHeight: 73, takesScreenshot: true, viewportRect: {height: 2119, left: 0, top: 73, width:

1080}, warnings: {}, webStorageEnabled: false}

Session ID: 3d5afdc8-70a6-44dc-b361-19cbca8242e7

*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text, 'Learn

Investing Basics"]]/..following::android.widgetScrollView[1]/android.view.ViewGroup
 /android.view.ViewGroup[2]}
 at jdk.internal.reflect.GeneratedConstructorAccessor25.newInstance(Unknown Source)
 at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
 (DelegatingConstructorAccessorImpl.java:45)
 at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
 at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
 (W3CHttpResponseCodec.java:187)
 at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
 (W3CHttpResponseCodec.java:122)
 at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
 (W3CHttpResponseCodec.java:49)
 at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
 158)
 at io.appium.java_client.remote.AppiumCommandExecutor.execute
 (AppiumCommandExecutor.java:231)
 at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
 at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
 java:42)
 at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
 at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
 at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
 at io.appium.java_client.DefaultGenericMobileDriver.findElement
 (DefaultGenericMobileDriver.java:62)
 at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
 at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
 at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
 java:419)
 at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
 (DefaultGenericMobileDriver.java:152)
 at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
 at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
 at org.openqa.selenium.By\$ByXPath.findElement(By.java:353)
 at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
 at io.appium.java_client.DefaultGenericMobileDriver.findElement
 (DefaultGenericMobileDriver.java:58)
 at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
 at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
 at com.prudential.tap.selenium.Commands\$15.executeCommand(Commands.java:141)
 at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
 19)
 at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
 at com.onepulse.app.screens.WealthScreen.clickWealthChannelTopicDetailView
 (WealthScreen.java:134)
 at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.
 iClickOnTopicForDetailsFullView(WealthSteps.java:61)
 at .Then I click on "Learn Investing Basics" topic for details full view(features/sg/wealth
 /WealthChannel.feature:58)



After		3.23s
-------	--	-------

[Back to Table of Contents](#)

Scenario: Verify User should be able to see the Like, Share, Comment options on full page article post

Passed: 0	Failed: 1	Undefined: 0	Duration: 29.37s
-----------	-----------	--------------	------------------

Before		0.00s
--------	--	-------

And I verify following texts are displayed	26.95s
--	--------

Like
Share
Comment

java.lang.AssertionError: The following asserts failed:

Like text is displayed on page expected [true] but found [false],

Share text is displayed on page expected [true] but found [false],


Comment text is displayed on page expected [true] but found [false]

at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)

at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnScreen

(MyDocSteps.java:733)

at .And I verify following texts are displayed(features/sg/wealth/WealthChannel.feature:62)



After		2.42s
-------	--	-------

[Back to Table of Contents](#)

Scenario: Verify User should be able to Like the post in full article view screen

Passed: 0	Failed: 1	Undefined: 1	Duration: 9.8s
Before	0.00s		

And I Like the post	7.63s
---------------------	-------

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.

For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'Bavirisettil-MacBook-Pro.local', ip: 'fe80:0:0:0:91:d010:e7b3:bd5e%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'

Driver info: io.appium.java_client.android.AndroidDriver

Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName:

UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel:

SM-G985F, deviceName: R58N34BC9EH, deviceScreenDensity: 450, deviceScreenSize:

1080x2400, deviceUDID: R58N34BC9EH, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true,

pixelRatio: 2.8125, platform: LINUX, platformName: Android, platformVersion: 10, statBarHeight: 73, takesScreenshot: true, viewportRect: {height: 2119, left: 0, top: 73, width:

1080}, warnings: {}, webStorageEnabled: false}

Session ID: 3d5afdc8-70a6-44dc-b361-19cbca8242e7


*** Element info: {Using=xpath, value=//android.widget.TextView[@text='Like']}

```

at jdk.internal.reflect.GeneratedConstructorAccessor25.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.WealthScreen.clickLikeButton(WealthScreen.java:170)
at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.iLikeThePost(WealthSteps.java:
72)
at .And I Like the post(features/sg/wealth/WealthChannel.feature:67)

```

And I Like the post	0.00s
---------------------	-------



After		2.17s
-------	--	-------

[Back to Table of Contents](#)

Scenario: Verify User should be able to Share the post in full article view screen

Passed: 0	Failed: 1	Undefined: 1	Duration: 15.43s
Before	0.00s		

And I share the post	13.32s
----------------------	--------

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.

For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'Bavirisettil-MacBook-Pro.local', ip: 'fe80:0:0:0:91:d010:e7b3:bd5e%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'

Driver info: io.appium.java_client.android.AndroidDriver

Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName:

UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel: SM-G985F, deviceName: R58N34BC9EH, deviceScreenDensity: 450, deviceScreenSize: 1080x2400, deviceUDID: R58N34BC9EH, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true,

pixelRatio: 2.8125, platform: LINUX, platformName: Android, platformVersion: 10, statBarHeight: 73, takesScreenshot: true, viewportRect: {height: 2119, left: 0, top: 73, width: 1080}, warnings: {}, webStorageEnabled: false}

Session ID: 3d5afdc8-70a6-44dc-b361-19cbca8242e7

*** Element info: {Using=xpath, value=//android.widget.TextView[@text='Share']}


```

at jdk.internal.reflect.GeneratedConstructorAccessor25.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.WealthScreen.clickShareButton(WealthScreen.java:198)
at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.iShareThePost(WealthSteps.java:
87)
at .And I share the post(features/sg/wealth/WealthChannel.feature:71)

```

Then I navigate back to previous page

0.00s



After		2.12s
-------	--	-------

[Back to Table of Contents](#)

Scenario: Verify User should be able to Comment the post in full article view screen

Passed: 0	Failed: 1	Undefined: 0	Duration: 14.98s
Before	0.00s		

And I comment in full view post article "\${wealth.topic.view.comment}" | 12.96s

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.

For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'Bavirisettil-MacBook-Pro.local', ip: 'fe80:0:0:0:91:d010:e7b3:bd5e%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'

Driver info: io.appium.java_client.android.AndroidDriver

Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName:


UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel: SM-G985F, deviceName: R58N34BC9EH, deviceScreenDensity: 450, deviceScreenSize:

1080x2400, deviceUDID: R58N34BC9EH, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.8125, platform: LINUX, platformName: Android, platformVersion: 10, statBarHeight: 73, takesScreenshot: true, viewportRect: {height: 2119, left: 0, top: 73, width: 1080}, warnings: {}, webStorageEnabled: false}

Session ID: 3d5afdc8-70a6-44dc-b361-19cbca8242e7

*** Element info: {Using=xpath, value=//android.widget.TextView[@text='Comment']}

```
at jdk.internal.reflect.GeneratedConstructorAccessor25.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.WealthScreen.enterCommentOnFullViewPage(WealthScreen.
java:250)
at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.iCommentInFullViewPostArticle
(WealthSteps.java:112)
at .And I comment in full view post article "${wealth.topic.view.comment}"(features/sg/wealth
/WealthChannel.feature:75)
```



After		2.03s
-------	--	-------

[Back to Table of Contents](#)

Scenario: Verify User can navigate to wealth homepage

Passed: 1	Failed: 1	Undefined: 1	Duration: 18.14s
Before	0.00s		

Then I navigate to story post page	3.69s
------------------------------------	-------

Then I click on "Learn Investing Basics" back button	13.46s
--	--------

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.

For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'


System info: host: 'Bavirisettis-MacBook-Pro.local', ip: 'fe80:0:0:0:91:d010:e7b3:bd5e%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'

Driver info: io.appium.java_client.android.AndroidDriver

Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel: SM-G985F, deviceName: R58N34BC9EH, deviceScreenDensity: 450, deviceScreenSize: 1080x2400, deviceUDID: R58N34BC9EH, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.8125, platform: LINUX, platformName: Android, platformVersion: 10, statBarHeight: 73, takesScreenshot: true, viewportRect: {height: 2119, left: 0, top: 73, width: 1080}, warnings: {}, webStorageEnabled: false}

Session ID: 3d5afdc8-70a6-44dc-b361-19cbca8242e7

	*** Element info: {Using>xpath, value=/android.widget.TextView[contains(@text,"Learn Investing Basics")]/preceding::android.widget.ImageView}	
	at jdk.internal.reflect.GeneratedConstructorAccessor25.newInstance(Unknown Source)	
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)	
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)	
	at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)	
	at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)	
	at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)	
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)	
	at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:231)	
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)	
	at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:42)	
	at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)	
	at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)	
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)	
	at io.appium.java_client.DefaultGenericMobileDriver.findElement(DefaultGenericMobileDriver.java:62)	
	at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)	
	at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)	
	at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:419)	
	at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath(DefaultGenericMobileDriver.java:152)	
	at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)	
	at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)	
	at org.openqa.selenium.By\$ByXPath.findElement(By.java:353)	
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)	
	at io.appium.java_client.DefaultGenericMobileDriver.findElement(DefaultGenericMobileDriver.java:58)	
	at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)	
	at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)	
	at com.prudential.tap.selenium.Commands\$15.executeCommand(Commands.java:141)	
	at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19)	
	at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)	
	at com.onepulse.app.screens.WealthScreen.clickBackButton(WealthScreen.java:112)	
	at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.iClickOnBackButton(WealthSteps.java:41)	
	at .Then I click on "Learn Investing Basics" back button(features/sg/wealth/WealthChannel.feature:79)	
	Then I click on "Wealth Channels" back button	0.00s



After		0.99s
-------	--	-------

[Back to Table of Contents](#)

Feature: Verify User should be able to Create multiple goals with different STATUS

Passed: 0	Failed: 35	Undefined: 0	Duration: 663.66s
-----------	------------	--------------	-------------------

Scenario: Verify User should be able to register on app using email account

Passed: 8	Failed: 1	Undefined: 3	Duration: 141.83s
-----------	-----------	--------------	-------------------

Before		0.00s
--------	--	-------

Given I generate random number and assign to variable "RANDOM_NUMBER"	0.03s
---	-------

And I assign "pulse\${RANDOM_NUMBER}@mailsac.com" to variable "PULSE_EMAIL"	0.00s
---	-------

Given User has pulse app	9.93s
--------------------------	-------

And user click on "CONTINUE WITH EMAIL" with Email button	12.44s
---	--------

When user enters registration details	8.25s
---------------------------------------	-------

FirstName	Wealth
LastName	New Goal
Email	\${PULSE_EMAIL}
Password	Pas\$1234

And taps on continue "Sign_Up" button	5.14s
---------------------------------------	-------

Then I wait for 10 sec	10.02s
------------------------	--------


And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}"	30.71s
---	--------

Then I click skip button	63.54s
--------------------------	--------

java.lang.AssertionError: The following asserts failed:

Default height section is not displayed in the UI expected [true] but found [false],
 Default weight section is not displayed in the UI expected [true] but found [false],
 Default height section is not displayed in the UI expected [true] but found [false],
 Default weight section is not displayed in the UI expected [true] but found [false],
 Default height section is not displayed in the UI expected [true] but found [false],
 Default weight section is not displayed in the UI expected [true] but found [false],
 Default height section is not displayed in the UI expected [true] but found [false],
 Default weight section is not displayed in the UI expected [true] but found [false],
 Default height section is not displayed in the UI expected [true] but found [false],
 Default weight section is not displayed in the UI expected [true] but found [false],
 Default height section is not displayed in the UI expected [true] but found [false],
 Default weight section is not displayed in the UI expected [true] but found [false],
 Default height section is not displayed in the UI expected [true] but found [false],
 Default weight section is not displayed in the UI expected [true] but found [false],
 Default height section is not displayed in the UI expected [true] but found [false],
 Default weight section is not displayed in the UI expected [true] but found [false],
 at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)
 at com.onepulse.app.screens.PulseLoginScreen.verifyHeightandWeightScreenUi(PulseLoginScreen.java:1262)
 at com.onepulse.app.screens.PulseLoginScreen.clickSkipButton(PulseLoginScreen.java:726)
 at com.onepulse.app.stepdefinitions.mobilesteps.LoginSteps.iClickSkipButton(LoginSteps.java:292)
at .Then I click skip button(features/sg/wealth/WealthGoalStatus.feature:17)

Then I wait for 8 sec	0.00s
Then user should be landed to "Home" screen	0.00s
Then I handle the pulse mate popup	0.00s



After	1.77s
-------	-------


[Back to Table of Contents](#)

Scenario: Verify User should be able to see the wealth screen options			
Passed: 0	Failed: 1	Undefined: 1	Duration: 31.96s
Before	0.00s		
Then I navigate to wealth screen			30.26s
<p>org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.</p> <p>For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html</p> <p>Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'</p> <p>System info: host: 'Bavirisettis-MacBook-Pro.local', ip: 'fe80:0:0:0:91:d010:e7b3:bd5e%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'</p> <p>Driver info: io.appium.java_client.android.AndroidDriver</p> <p>Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel: SM-G985F, deviceName: R58N34BC9EH, deviceScreenDensity: 450, deviceScreenSize: 1080x2400, deviceUDID: R58N34BC9EH, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.8125, platform: LINUX, platformName: Android, platformVersion: 10, statusBarHeight: 73, takesScreenshot: true, viewportRect: {height: 2119, left: 0, top: 73, width: 1080}, warnings: {}, webStorageEnabled: false}</p> <p>Session ID: 39641b77-a17e-4cba-9e49-9bb4d51c5e38</p> <pre>*** Element info: {Using=xpath, value=//android.widget.TextView[@text='Wealth']}</pre> <p>at jdk.internal.reflect.GeneratedConstructorAccessor25.newInstance(Unknown Source)</p> <p>at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)</p> <p>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)</p> <p>at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)</p> <p>at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)</p> <p>at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)</p> <p>at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:231)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)</p> <p>at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:42)</p> <p>at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)</p> <p>at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)</p> <p>at io.appium.java_client.DefaultGenericMobileDriver.findElement(DefaultGenericMobileDriver.java:62)</p> <p>at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)</p> <p>at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.</p>			

```
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.WealthScreen.clickWealthButton(WealthScreen.java:117)
at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.iNavigateToWealthScreen
(WealthSteps.java:46)
at .Then I navigate to wealth screen(features/sg/wealth/WealthGoalStatus.feature:23)
```

And I verify following texts are displayed 0.00s

Wealth Channel



After 1.70s

[Back to Table of Contents](#)

Scenario: Verify the terms and condition and proceed

Passed: 0	Failed: 1	Undefined: 1	Duration: 10.54s
-----------	-----------	--------------	------------------

Before 0.00s

Then I navigate to finances wealth screen 8.96s

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.

For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
 System info: host: 'Bavirisettis-MacBook-Pro.local', ip: 'fe80:0:0:0:91:d010:e7b3:bd5e%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'
 Driver info: io.appium.java_client.android.AndroidDriver
 Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel: SM-G985F, deviceName: R58N34BC9EH, deviceScreenDensity: 450, deviceScreenSize: 1080x2400, deviceUDID: R58N34BC9EH, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.8125, platform: LINUX, platformName: Android, platformVersion: 10, statusBarHeight: 73, takesScreenshot: true, viewportRect: {height: 2119, left: 0, top: 73, width: 1080}, warnings: {}, webStorageEnabled: false}
 Session ID: 39641b77-a17e-4cba-9e49-9bb4d51c5e38

```
*** Element info: {Using=xpath, value=/android.widget.TextView[@text='Wealth']/following::android.widget.TextView[@text='Explore']}
```

at jdk.internal.reflect.GeneratedConstructorAccessor25.newInstance(Unknown Source)
 at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
 at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
 at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)
 at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)
 at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)
 at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)
 at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:231)
 at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
 at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:42)
 at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
 at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
 at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
 at io.appium.java_client.DefaultGenericMobileDriver.findElement(DefaultGenericMobileDriver.java:62)
 at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
 at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
 at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:419)
 at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath(DefaultGenericMobileDriver.java:152)
 at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
 at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)


```

at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.WealthScreen.clickFinancialWealthExploreButton(WealthScreen.
java:259)
at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.
iNavigateToFinancesWealthScreen(WealthSteps.java:117)
at .Then I navigate to finances wealth screen(features/sg/wealth/WealthGoalStatus.feature:28)

```

And I agree the Terms and Conditions to proceed

0.00s



Choose your Gender
Gender is an important factor for health and wellness recommendations.

Male Female
Please select your gender

Continue

After

1.58s

[Back to Table of Contents](#)

Scenario: Verify User should be able to complete the registration successfully

Passed: 0	Failed: 1	Undefined: 1	Duration: 40.2s
Before			

And I enter details for wealth profile registration

38.61s

DateOfBirth	21/02/1991
NRIC	557N
PostalCode	460105

org.openqa.selenium.NoSuchElementException: An element could not be located on the page

using the given search parameters.

For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html

```
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'Bavirisettil-MacBook-Pro.local', ip: 'fe80:0:0:0:91:d010:e7b3:bd5e%en0',
os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.
prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName:
UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true,
platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel:
SM-G985F, deviceName: R58N34BC9EH, deviceScreenDensity: 450, deviceScreenSize:
1080x2400, deviceUDID: R58N34BC9EH, javascriptEnabled: true, locationContextEnabled:
false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true,
pixelRatio: 2.8125, platform: LINUX, platformName: Android, platformVersion: 10,
statBarHeight: 73, takesScreenshot: true, viewportRect: {height: 2119, left: 0, top: 73, width:
1080}, warnings: {}, webStorageEnabled: false}
Session ID: 39641b77-a17e-4cba-9e49-9bb4d51c5e38
*** Element info: {Using=xpath, value=//android.widget.EditText[@text='DD/MM/YYYY']}
at jdk.internal.reflect.GeneratedConstructorAccessor25.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
```


```

at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$16.executeCommand(Commands.java:148)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19)
at com.onepulse.app.screens.TestBasePage.setTextWithTab(TestBasePage.java:241)
at com.onepulse.app.screens.WealthScreen.enterWealthRegistrationDetails(WealthScreen.java:270)
at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.
iEnterDetailsForWealthProfileRegistration(WealthSteps.java:129)
at .And I enter details for wealth profile registration(features/sg/wealth/WealthGoalStatus.feature:32)

```

Then I verify financial wealth registration completed successfully

0.00s



After 1.59s

[Back to Table of Contents](#)

Scenario: Verify User can navigate to new goal page

Passed: 0	Failed: 1	Undefined: 1	Duration: 13.51s
-----------	-----------	--------------	------------------

Before 0.00s

And I click grow my wealth tab 13.42s

```

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while
processing the command. Original error: Could not proxy command to the remote server.
Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'Bavirisettis-MacBook-Pro.local', ip: 'fe80:0:0:0:91:d010:e7b3:bd5e%en0',
os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'

```

Driver info: io.appium.java_client.android.AndroidDriver
 Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel: SM-G985F, deviceName: R58N34BC9EH, deviceScreenDensity: 450, deviceScreenSize: 1080x2400, deviceUDID: R58N34BC9EH, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.8125, platform: LINUX, platformName: Android, platformVersion: 10, statusBarHeight: 73, takesScreenshot: true, viewportRect: {height: 2119, left: 0, top: 73, width: 1080}, warnings: {}, webStorageEnabled: false}
 Session ID: 39641b77-a17e-4cba-9e49-9bb4d51c5e38
 *** Element info: {Using=xpath, value=/android.widget.TextView[@text='My Goals']}
 /following::android.view.ViewGroup[1]}
 at jdk.internal.reflect.GeneratedConstructorAccessor40.newInstance(Unknown Source)
 at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
 (DelegatingConstructorAccessorImpl.java:45)
 at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
 at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
 (W3CHttpResponseCodec.java:187)
 at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
 (W3CHttpResponseCodec.java:122)
 at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
 (W3CHttpResponseCodec.java:49)
 at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)
 at io.appium.java_client.remote.AppiumCommandExecutor.execute
 (AppiumCommandExecutor.java:231)
 at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
 at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:42)
 at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
 at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
 at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
 at io.appium.java_client.DefaultGenericMobileDriver.findElement
 (DefaultGenericMobileDriver.java:62)
 at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
 at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
 at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:419)
 at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
 (DefaultGenericMobileDriver.java:152)
 at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
 at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
 at org.openqa.selenium.By\$ByXPath.findElement(By.java:353)
 at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
 at io.appium.java_client.DefaultGenericMobileDriver.findElement
 (DefaultGenericMobileDriver.java:58)
 at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
 at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
 at com.prudential.tap.selenium.Commands\$15.executeCommand(Commands.java:141)

	at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19) at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163) at com.onepulse.app.screens.WealthScreen.navigateToMyGoalPage(WealthScreen.java:352) at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.iClickGrowMyWealthTab (WealthSteps.java:195) at .And I click grow my wealth tab(features/sg/wealth/WealthGoalStatus.feature:39)	
	And user click on "Custom your goal" button	0.00s
After		0.08s
com.prudential.tap.exception.TapException: Failed to take screenshot of at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases (CucumberHook.java:95) at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72) at jdk.internal.reflect.GeneratedMethodAccessor30.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at cucumber.runtime.Utils\$1.call(Utils.java:40) at cucumber.runtime.Timeout.timeout(Timeout.java:16) at cucumber.runtime.Utils.invoke(Utils.java:34) at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60) at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224) at cucumber.runtime.Runtime.runHooks(Runtime.java:212) at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206) at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46) at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165) at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:63) at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:91) at jdk.internal.reflect.GeneratedMethodAccessor37.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86) at org.testng.internal.Invoker.invokeMethod(Invoker.java:643) at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820) at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112) at org.testng.TestRunner.privateRun(TestRunner.java:782) at org.testng.TestRunner.run(TestRunner.java:632) at org.testng.SuiteRunner.runTest(SuiteRunner.java:366) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319) at org.testng.SuiteRunner.run(SuiteRunner.java:268) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244) at org.testng.TestNG.runSuitesLocally(TestNG.java:1169) at org.testng.TestNG.run(TestNG.java:1064)		

at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)			
Back to Table of Contents			
Scenario: Verify User should be able to see the New Goal screen options			
Passed: 0	Failed: 1	Undefined: 0	Duration: .03s
Before			
And I verify following texts are displayed			0.02s
Your goal name			
java.lang.AssertionError: The following asserts failed: Your goal name text is displayed on page expected [true] but found [false] at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43) at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnScreen (MyDocSteps.java:733) at .And I verify following texts are displayed(features/sg/wealth/WealthGoalStatus.feature:56)			
After			
com.prudential.tap.exception.TapException: Failed to take screenshot of at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases (CucumberHook.java:95) at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72) at jdk.internal.reflect.GeneratedMethodAccessor30.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at cucumber.runtime.Utils\$1.call(Utils.java:40) at cucumber.runtime.Timeout.timeout(Timeout.java:16) at cucumber.runtime.Utils.invoke(Utils.java:34) at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60) at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224) at cucumber.runtime.Runtime.runHooks(Runtime.java:212) at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206) at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46) at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165) at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:63) at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:91) at jdk.internal.reflect.GeneratedMethodAccessor37.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86) at org.testng.internal.Invoker.invokeMethod(Invoker.java:643) at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820) at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112) at org.testng.TestRunner.privateRun(TestRunner.java:782) at org.testng.TestRunner.run(TestRunner.java:632) at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)			

```

at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

```

[Back to Table of Contents](#)

Scenario: Verify User can create the new goal by entering required details

Passed: 0	Failed: 1	Undefined: 1	Duration: 4.07s
Before			0.00s

And I enter details for create the new goal	4.06s				
<table border="1"> <tr> <td>GoalName</td> <td>Buy a car</td> </tr> <tr> <td>GoalAmount</td> <td>50000</td> </tr> </table>	GoalName	Buy a car	GoalAmount	50000	
GoalName	Buy a car				
GoalAmount	50000				

```

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while
processing the command. Original error: Could not proxy command to the remote server.
Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'Bavirisettis-MacBook-Pro.local', ip: 'fe80:0:0:0:91:d010:e7b3:bd5e%en0',
os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.
prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName:
UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true,
platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel:
SM-G985F, deviceName: R58N34BC9EH, deviceScreenDensity: 450, deviceScreenSize:
1080x2400, deviceUDID: R58N34BC9EH, javascriptEnabled: true, locationContextEnabled:
false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true,
pixelRatio: 2.8125, platform: LINUX, platformName: Android, platformVersion: 10,
statBarHeight: 73, takesScreenshot: true, viewportRect: {height: 2119, left: 0, top: 73, width:
1080}, warnings: {}, webStorageEnabled: false}
Session ID: 39641b77-a17e-4cba-9e49-9bb4d51c5e38
*** Element info: {Using=xpath, value=//android.widget.EditText[@text='Please input your
goal name']}
at jdk.internal.reflect.GeneratedConstructorAccessor40.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:

```

158)

```

at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$16.executeCommand(Commands.java:148)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.setTextWithTab(TestBasePage.java:241)
at com.onepulse.app.screens.WealthScreen.enterCreateNewGoalDetails(WealthScreen.java:
357)
at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.
iEnterDetailsForCreateTheNewGoal(WealthSteps.java:202)
at .And I enter details for create the new goal(features/sg/wealth/WealthGoalStatus.feature:60)

```

And user click on "Launch the Simulation" button

0.00s

After		0.02s
-------	--	-------

```

com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases
(CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor30.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)

```

```

at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:91)
at jdk.internal.reflect.GeneratedMethodAccessor37.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

```

[Back to Table of Contents](#)

Scenario: Verify User should be able to see EASY goal assessment screen details

Passed: 0	Failed: 1	Undefined: 1	Duration: .05s
Before			
And user click on "Easy" button	0.00s		

```

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while
processing the command. Original error: Could not proxy command to the remote server.
Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'Bavirisettil-MacBook-Pro.local', ip: 'fe80:0:0:0:91:d010:e7b3:bd5e%en0',
os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.
prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName:
UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true,
platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel:
SM-G985F, deviceName: R58N34BC9EH, deviceScreenDensity: 450, deviceScreenSize:
1080x2400, deviceUDID: R58N34BC9EH, javascriptEnabled: true, locationContextEnabled:
false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true,

```

pixelRatio: 2.8125, platform: LINUX, platformName: Android, platformVersion: 10,
 statusBarHeight: 73, takesScreenshot: true, viewportRect: {height: 2119, left: 0, top: 73, width:
 1080}, warnings: {}, webStorageEnabled: false
 Session ID: 39641b77-a17e-4cba-9e49-9bb4d51c5e38
 *** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,"Easy")]}
 at jdk.internal.reflect.GeneratedConstructorAccessor40.newInstance(Unknown Source)
 at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
 (DelegatingConstructorAccessorImpl.java:45)
 at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
 at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
 (W3CHttpResponseCodec.java:187)
 at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
 (W3CHttpResponseCodec.java:122)
 at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
 (W3CHttpResponseCodec.java:49)
 at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
 158)
 at io.appium.java_client.remote.AppiumCommandExecutor.execute
 (AppiumCommandExecutor.java:231)
 at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
 at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
 java:42)
 at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
 at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
 at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
 at io.appium.java_client.DefaultGenericMobileDriver.findElement
 (DefaultGenericMobileDriver.java:62)
 at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
 at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
 at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
 java:419)
 at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
 (DefaultGenericMobileDriver.java:152)
 at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
 at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
 at org.openqa.selenium.By\$ByXPath.findElement(By.java:353)
 at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
 at io.appium.java_client.DefaultGenericMobileDriver.findElement
 (DefaultGenericMobileDriver.java:58)
 at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
 at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
 at com.prudential.tap.selenium.Commands\$15.executeCommand(Commands.java:141)
 at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
 19)
 at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
 at com.onepulse.app.screens.WealthScreen.clickScreenButtons(WealthScreen.java:323)
 at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.userClickOnButton(WealthSteps.
 java:159)
 at .And user click on "Easy" button(features/sg/wealth/WealthGoalStatus.feature:66)

And I verify following texts are displayed

0.00s

Buy a car

	Easy	
	Achievable	
	Challenging	
After		0.01s
		<pre>com.prudential.tap.exception.TapException: Failed to take screenshot of at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases (CucumberHook.java:95) at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72) at jdk.internal.reflect.GeneratedMethodAccessor30.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at cucumber.runtime.Utils\$1.call(Utils.java:40) at cucumber.runtime.Timeout.timeout(Timeout.java:16) at cucumber.runtime.Utils.invoke(Utils.java:34) at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60) at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224) at cucumber.runtime.Runtime.runHooks(Runtime.java:212) at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206) at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46) at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165) at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:63) at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:91) at jdk.internal.reflect.GeneratedMethodAccessor37.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86) at org.testng.internal.Invoker.invokeMethod(Invoker.java:643) at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820) at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112) at org.testng.TestRunner.privateRun(TestRunner.java:782) at org.testng.TestRunner.run(TestRunner.java:632) at org.testng.SuiteRunner.runTest(SuiteRunner.java:366) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319) at org.testng.SuiteRunner.run(SuiteRunner.java:268) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244) at org.testng.TestNG.runSuitesLocally(TestNG.java:1169) at org.testng.TestNG.run(TestNG.java:1064) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)</pre>
		Back to Table of Contents
		Scenario: Verify User can able to create a new goal successfully

Passed: 0	Failed: 1	Undefined: 0	Duration: .03s
Before			0.00s
And user click on "Setup the Goal" button			0.02s
<pre>org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z' System info: host: 'Bavirisettil-MacBook-Pro.local', ip: 'fe80:0:0:0:91:d010:e7b3:bd5e%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10' Driver info: io.appium.java_client.android.AndroidDriver Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com. prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel: SM-G985F, deviceName: R58N34BC9EH, deviceScreenDensity: 450, deviceScreenSize: 1080x2400, deviceUDID: R58N34BC9EH, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.8125, platform: LINUX, platformName: Android, platformVersion: 10, statBarHeight: 73, takesScreenshot: true, viewportRect: {height: 2119, left: 0, top: 73, width: 1080}, warnings: {}, webStorageEnabled: false} Session ID: 39641b77-a17e-4cba-9e49-9bb4d51c5e38 *** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,"Setup the Goal")]} at jdk.internal.reflect.GeneratedConstructorAccessor40.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java: 158) at io.appium.java_client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:231) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver. java:42) at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1) at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317) at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:62) at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1) at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1) at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver. java:419)</pre>			

	at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath (DefaultGenericMobileDriver.java:152) at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1) at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1) at org.openqa.selenium.By\$ByXPath.findElement(By.java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309) at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:58) at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1) at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1) at com.prudential.tap.selenium.Commands\$15.executeCommand(Commands.java:141) at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java: 19) at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163) at com.onepulse.app.screens.WealthScreen.clickScreenButtons(WealthScreen.java:323) at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.userClickOnButton(WealthSteps. java:159) at .And user click on "Setup the Goal" button(features/sg/wealth/WealthGoalStatus.feature:73)
--	--

After		0.01s
com.prudential.tap.exception.TapException: Failed to take screenshot of at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases (CucumberHook.java:95) at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72) at jdk.internal.reflect.GeneratedMethodAccessor30.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at cucumber.runtime.Utils\$1.call(Utils.java:40) at cucumber.runtime.Timeout.timeout(Timeout.java:16) at cucumber.runtime.Utils.invoke(Utils.java:34) at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60) at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224) at cucumber.runtime.Runtime.runHooks(Runtime.java:212) at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206) at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46) at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165) at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java: 63) at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:91) at jdk.internal.reflect.GeneratedMethodAccessor37.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86) at org.testng.internal.Invoker.invokeMethod(Invoker.java:643) at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820) at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112) at org.testng.TestRunner.privateRun(TestRunner.java:782)		

```

at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

```

[Back to Table of Contents](#)

Scenario: Verify User should be able to see OFF TRACK Status in created goal

Passed: 0	Failed: 1	Undefined: 3	Duration: .04s			
Before	0.00s					
And I verify following texts are displayed	0.03s					
Target amount						
My Savings						
java.lang.AssertionError: The following asserts failed:						
Target amount text is displayed on page expected [true] but found [false],						
My Savings text is displayed on page expected [true] but found [false]						
at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)						
at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnScreen (MyDocSteps.java:733)						
at .And I verify following texts are displayed(features/sg/wealth/WealthGoalStatus.feature:76)						
And I scroll down	0.00s					
And I verify following texts are displayed	0.00s					
Back to My Goals						
And user click on "Back to My Goals" button	0.00s					
After	0.01s					

```

com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases
(CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor30.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)

```

```

at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:91)
at jdk.internal.reflect.GeneratedMethodAccessor37.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

```

[Back to Table of Contents](#)

Scenario: Verify User should be able to see created goal details in savings goal screen

Passed: 0	Failed: 1	Undefined: 1	Duration: .1s										
Before			0.00s										
And I verify following texts are displayed			0.10s										
<table border="1"> <tr><td>Buy a car</td><td></td></tr> <tr><td>Achieved</td><td></td></tr> <tr><td>Target</td><td></td></tr> <tr><td>Months to go</td><td></td></tr> <tr><td>Off track</td><td></td></tr> </table>			Buy a car		Achieved		Target		Months to go		Off track		
Buy a car													
Achieved													
Target													
Months to go													
Off track													
java.lang.AssertionError: The following asserts failed: Buy a car text is displayed on page expected [true] but found [false], Achieved text is displayed on page expected [true] but found [false], Target text is displayed on page expected [true] but found [false], Months to go text is displayed on page expected [true] but found [false], Off track text is displayed on page expected [true] but found [false] at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43) at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnScreen (MyDocSteps.java:733) at .And I verify following texts are displayed(features/sg/wealth/WealthGoalStatus.feature:85)													
And user click on "Buy a car" button			0.00s										

After		0.01s
<pre>com.prudential.tap.exception.TapException: Failed to take screenshot of at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases (CucumberHook.java:95) at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72) at jdk.internal.reflect.GeneratedMethodAccessor30.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at cucumber.runtime.Utils\$1.call(Utils.java:40) at cucumber.runtime.Timeout.timeout(Timeout.java:16) at cucumber.runtime.Utils.invoke(Utils.java:34) at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60) at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224) at cucumber.runtime.Runtime.runHooks(Runtime.java:212) at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206) at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46) at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165) at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:63) at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:91) at jdk.internal.reflect.GeneratedMethodAccessor37.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86) at org.testng.internal.Invoker.invokeMethod(Invoker.java:643) at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820) at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112) at org.testng.TestRunner.privateRun(TestRunner.java:782) at org.testng.TestRunner.run(TestRunner.java:632) at org.testng.SuiteRunner.runTest(SuiteRunner.java:366) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319) at org.testng.SuiteRunner.run(SuiteRunner.java:268) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244) at org.testng.TestNG.runSuitesLocally(TestNG.java:1169) at org.testng.TestNG.run(TestNG.java:1064) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)</pre>		
Back to Table of Contents		
Scenario: Verify User should be able to see delete pop up for the created goal		
Passed: 0	Failed: 1	Undefined: 2
Before		0.00s
	And I delete the created goal	0.03s

```
org.openqa.selenium.WebDriverException: An unknown server-side error occurred while
processing the command. Original error: Could not proxy command to the remote server.
Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'Bavirisettis-MacBook-Pro.local', ip: 'fe80:0:0:0:91:d010:e7b3:bd5e%en0',
os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.
prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName:
UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true,
platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel:
SM-G985F, deviceName: R58N34BC9EH, deviceScreenDensity: 450, deviceScreenSize:
1080x2400, deviceUDID: R58N34BC9EH, javascriptEnabled: true, locationContextEnabled:
false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true,
pixelRatio: 2.8125, platform: LINUX, platformName: Android, platformVersion: 10,
statBarHeight: 73, takesScreenshot: true, viewportRect: {height: 2119, left: 0, top: 73, width:
1080}, warnings: {}, webStorageEnabled: false}
Session ID: 39641b77-a17e-4cba-9e49-9bb4d51c5e38
*** Element info: {Using=xpath, value=//android.widget.ImageView[@content-desc="

atDeleteGoal"]}
at jdk.internal.reflect.GeneratedConstructorAccessor40.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
```

```

at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.WealthScreen.clickCreatedGoalDeleteOption(WealthScreen.java:
367)
at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.iDeleteTheCreatedGoal
(WealthSteps.java:212)
at .And I delete the created goal(features/sg/wealth/WealthGoalStatus.feature:93)

```

And I verify following texts are displayed	0.00s
--	-------

<input type="checkbox"/> Yes

And user click on "Yes" button	0.00s
--------------------------------	-------

After	0.01s
-------	-------

```

com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases
(CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor30.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:
63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:91)
at jdk.internal.reflect.GeneratedMethodAccessor37.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)

```

```

at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

```

[Back to Table of Contents](#)

Scenario: Verify User can add a new goal from savings goal screen

Passed: 0	Failed: 1	Undefined: 6	Duration: .02s
Before			0.00s
And user click on "Add a New Goal" button			0.02s
<p>org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z' System info: host: 'Bavirisettis-MacBook-Pro.local', ip: 'fe80:0:0:0:91:d010:e7b3:bd5e%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10' Driver info: io.appium.java_client.android.AndroidDriver Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel: SM-G985F, deviceName: R58N34BC9EH, deviceScreenDensity: 450, deviceScreenSize: 1080x2400, deviceUDID: R58N34BC9EH, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.8125, platform: LINUX, platformName: Android, platformVersion: 10, statusBarHeight: 73, takesScreenshot: true, viewportRect: {height: 2119, left: 0, top: 73, width: 1080}, warnings: {}, webStorageEnabled: false} Session ID: 39641b77-a17e-4cba-9e49-9bb4d51c5e38 *** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text, "Add a New Goal")]} at jdk.internal.reflect.GeneratedConstructorAccessor40.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)</p>			

```

at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.WealthScreen.clickScreenButtons(WealthScreen.java:323)
at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.userClickOnButton(WealthSteps.java:159)
at .And user click on "Add a New Goal" button(features/sg/wealth/WealthGoalStatus.feature:99)

```

And I enter details for create the new goal	0.00s
GoalName Buy a Home	
GoalAmount 5000	
And user click on "Launch the Simulation" button	0.00s
And user click on "Easy" button	0.00s
And user click on "Setup the Goal" button	0.00s
Then I wait for 8 sec	0.00s
And I scroll down	0.00s
After	0.01s

```

com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases
(CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor30.invoke(Unknown Source)

```

```

at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:91)
at jdk.internal.reflect.GeneratedMethodAccessor37.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

```

[Back to Table of Contents](#)

Scenario: Verify User should be able to see Add to my savings screen details

Passed: 0	Failed: 1	Undefined: 5	Duration: .02s
Before			0.00s
And I scroll down			0.01s

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server.
Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'Bavirisettis-MacBook-Pro.local', ip: 'fe80:0:0:0:91:d010:e7b3:bd5e%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'

	Driver info: io.appium.java_client.android.AndroidDriver Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel: SM-G985F, deviceName: R58N34BC9EH, deviceScreenDensity: 450, deviceScreenSize: 1080x2400, deviceUDID: R58N34BC9EH, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.8125, platform: LINUX, platformName: Android, platformVersion: 10, statusBarHeight: 73, takesScreenshot: true, viewportRect: {height: 2119, left: 0, top: 73, width: 1080}, warnings: {}, webStorageEnabled: false} Session ID: 39641b77-a17e-4cba-9e49-9bb4d51c5e38 at jdk.internal.reflect.GeneratedConstructorAccessor40.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:231) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:46) at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1) at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1) at org.openqa.selenium.remote. RemoteWebDriver\$RemoteWebDriverOptions\$RemoteWindow.getSize(RemoteWebDriver.java:804) at com.prudential.tap.appium.AppiumCommands.swipe(AppiumCommands.java:432) at com.onepulse.app.screens.TestBasePage.scrollPageDown(TestBasePage.java:185) at com.onepulse.app.stepdefinitions.mobilesteps.BaseSteps.scrollDown(BaseSteps.java:53) at .And I scroll down(features/sg/wealth/WealthGoalStatus.feature:110)				
	And user click on "Add My Savings" button	0.00s			
	And I verify following texts are displayed	0.00s			
	<table border="1"> <tr><td>Bank accounts</td></tr> <tr><td>Cash savings</td></tr> <tr><td>E-Wallet</td></tr> </table>	Bank accounts	Cash savings	E-Wallet	
Bank accounts					
Cash savings					
E-Wallet					
	And I enter the balance for this goal amount "\${execeeding.status.goal.amount}"	0.00s			
	And user click on "Allocate Saving" button	0.00s			
	Then I wait for 10 sec	0.00s			
After		0.01s			

```

com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases
(CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor30.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:
63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:91)
at jdk.internal.reflect.GeneratedMethodAccessor37.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

```

[Back to Table of Contents](#)

Scenario: Verify User should be able to see Allocate Savings screen details

Passed: 0	Failed: 1	Undefined: 5	Duration: .03s
Before			0.00s

And I verify following texts are displayed	0.02s
See my new plan based on the updated information.	

java.lang.AssertionError: The following asserts failed: See my new plan based on the updated information. text is displayed on page expected [true] but found [false]
at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)
at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnScreen (MyDocSteps.java:733)
at .And I verify following texts are displayed(features/sg/wealth/WealthGoalStatus.feature:121)
And I scroll down 0.00s
And user click on "Confirm the Plan" button 0.00s
Then I wait for 8 sec 0.00s
And I scroll down 0.00s
And user click on "Back to My Goals" button 0.00s
After 0.01s
 com.prudential.tap.exception.TapException: Failed to take screenshot of at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases (CucumberHook.java:95) at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72) at jdk.internal.reflect.GeneratedMethodAccessor30.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at cucumber.runtime.Utils\$1.call(Utils.java:40) at cucumber.runtime.Timeout.timeout(Timeout.java:16) at cucumber.runtime.Utils.invoke(Utils.java:34) at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60) at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224) at cucumber.runtime.Runtime.runHooks(Runtime.java:212) at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206) at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46) at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165) at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:63) at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:91) at jdk.internal.reflect.GeneratedMethodAccessor37.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86) at org.testng.internal.Invoker.invokeMethod(Invoker.java:643) at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820) at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112) at org.testng.TestRunner.privateRun(TestRunner.java:782) at org.testng.TestRunner.run(TestRunner.java:632) at org.testng.SuiteRunner.runTest(SuiteRunner.java:366) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319) at org.testng.SuiteRunner.run(SuiteRunner.java:268)

```

at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

```

[Back to Table of Contents](#)

Scenario: Verify User should be able to see EXCEEDING Status in savings goal screen

Passed: 0	Failed: 1	Undefined: 1	Duration: .08s
Before			0.00s

And I verify following texts are displayed	0.07s
	

java.lang.AssertionError: The following asserts failed:

```

Buy a Home text is displayed on page expected [true] but found [false],
Achieved text is displayed on page expected [true] but found [false],
Target text is displayed on page expected [true] but found [false],
Months to go text is displayed on page expected [true] but found [false],
Exceeding text is displayed on page expected [true] but found [false]
at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)
at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnScreen
(MyDocSteps.java:733)
at .And I verify following texts are displayed(features/sg/wealth/WealthGoalStatus.feature:130)

```

And user click on "Buy a Home" button	0.00s
After	0.01s

```

com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases
(CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor30.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:

```

63)

```

at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:91)
at jdk.internal.reflect.GeneratedMethodAccessor37.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

```

[Back to Table of Contents](#)

Scenario: Verify User should be able to see delete pop up for the created goal

Passed: 0	Failed: 1	Undefined: 2	Duration: .03s
Before			0.00s

And I delete the created goal	0.02s
-------------------------------	-------

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'Bavirisettis-MacBook-Pro.local', ip: 'fe80:0:0:0:91:d010:e7b3:bd5e%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel: SM-G985F, deviceName: R58N34BC9EH, deviceScreenDensity: 450, deviceScreenSize: 1080x2400, deviceUDID: R58N34BC9EH, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.8125, platform: LINUX, platformName: Android, platformVersion: 10, statBarHeight: 73, takesScreenshot: true, viewportRect: {height: 2119, left: 0, top: 73, width: 1080}, warnings: {}, webStorageEnabled: false}
Session ID: 39641b77-a17e-4cba-9e49-9bb4d51c5e38

```
*** Element info: {Using>xpath, value=/android.widget.ImageView[@content-desc="atDeleteGoal"]}

at jdk.internal.reflect.GeneratedConstructorAccessor40.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.WealthScreen.clickCreatedGoalDeleteOption(WealthScreen.java:
367)
at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.iDeleteTheCreatedGoal
(WealthSteps.java:212)
at .And I delete the created goal(features/sg/wealth/WealthGoalStatus.feature:139)
```

And I verify following texts are displayed	0.00s
<input checked="" type="checkbox"/> Yes	
And user click on "Yes" button	0.00s
After	0.01s

```

com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases
(CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor30.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:
63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:91)
at jdk.internal.reflect.GeneratedMethodAccessor37.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)


```

[Back to Table of Contents](#)

Scenario: Verify User should be able to register on app using email account

Passed: 10	Failed: 1	Undefined: 4	Duration: 116.93 s
Before	Given I generate random number and assign to variable		

	"RANDOM_NUMBER"	0.00s								
	And I assign "pulse\${RANDOM_NUMBER}@mailsac.com" to variable " PULSE_EMAIL "	0.00s								
	Given User has pulse app	7.24s								
	And user click on "CONTINUE WITH EMAIL" with Email button	12.36s								
	When user enters registration details	5.85s								
	<table border="1"> <tr> <td>FirstName</td><td>Wealth</td></tr> <tr> <td>LastName</td><td>New Goal</td></tr> <tr> <td>Email</td><td> \${PULSE_EMAIL}</td></tr> <tr> <td>Password</td><td>Pas\$1234</td></tr> </table>	FirstName	Wealth	LastName	New Goal	Email	\${PULSE_EMAIL}	Password	Pas\$1234	
FirstName	Wealth									
LastName	New Goal									
Email	\${PULSE_EMAIL}									
Password	Pas\$1234									
	And taps on continue "Sign_Up" button	5.15s								
	Then I wait for 59 sec	59.01s								
	Given I create connection for api service	0.03s								
	And I set endpoint url for reading email as "https://mailsac.com/api/addresses/\${PULSE_EMAIL}/messages/"	0.00s								
	And I send request to "get" the otp with "https://mailsac.com/api/raw/\${PULSE_EMAIL}/" stored into variable "EMAIL OTP"	1.06s								
	And I enter "\${EMAIL OTP}" OTP	25.29s								
	<pre>java.lang.ArrayIndexOutOfBoundsException: Index 1 out of bounds for length 1 at com.onepulse.app.api.PulseMailSacApi.getMessageIdFromMailsacEmail(PulseMailSacApi.java:56) at com.onepulse.app.api.PulseMailSacApi.getOTPFromEmail(PulseMailSacApi.java:100) at com.onepulse.app.screens.PulseRegistrationScreen.enterOTP(PulseRegistrationScreen.java:240) at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.enterOTP (RegistrationSteps.java:48) at .And I enter "\${EMAIL OTP}" OTP(features/sg/wealth/WealthGoalStatus.feature:159)</pre>									
	Then I click skip button	0.00s								
	Then I wait for 8 sec	0.00s								
	Then user should be landed to "Home" screen	0.00s								
	Then I handle the pulse mate popup	0.00s								



After		0.93s
-------	--	-------

[Back to Table of Contents](#)

Scenario: Verify User should be able to see the wealth screen options

Passed: 0	Failed: 1	Undefined: 1	Duration: 30.5s
Before	0.00s		

Then I navigate to wealth screen	29.69s
----------------------------------	--------

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.

For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'Bavirisettil-MacBook-Pro.local', ip: 'fe80:0:0:0:91:d010:e7b3:bd5e%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'

Driver info: io.appium.java_client.android.AndroidDriver

Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel: SM-G985F, deviceName: R58N34BC9EH, deviceScreenDensity: 450, deviceScreenSize: 1080x2400, deviceUDID: R58N34BC9EH, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.8125, platform: LINUX, platformName: Android, platformVersion: 10, statBarHeight: 73, takesScreenshot: true, viewportRect: {height: 2119, left: 0, top: 73, width: 1080}, warnings: {}, webStorageEnabled: false}

Session ID: ffeb6e5f-daf3-4aa6-bd7b-178f589115ef

*** Element info: {Using>xpath, value=//android.widget.TextView[@text='Wealth']}

```


at jdk.internal.reflect.GeneratedConstructorAccessor25.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.WealthScreen.clickWealthButton(WealthScreen.java:117)
at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.iNavigateToWealthScreen
(WealthSteps.java:46)
at .Then I navigate to wealth screen(features/sg/wealth/WealthGoalStatus.feature:166)

```

And I verify following texts are displayed

0.00s

Wealth Channel



After	0.81s
-------	--------------

[Back to Table of Contents](#)

Scenario: Verify the terms and condition and proceed

Passed: 0	Failed: 1	Undefined: 1	Duration: 8.53s
Before	0.00s		

Then I navigate to finances wealth screen	7.71s
---	--------------

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.

For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'Bavirisettil-MacBook-Pro.local', ip: 'fe80:0:0:0:91:d010:e7b3:bd5e%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'

Driver info: io.appium.java_client.android.AndroidDriver

Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel: SM-G985F, deviceName: R58N34BC9EH, deviceScreenDensity: 450, deviceScreenSize: 1080x2400, deviceUDID: R58N34BC9EH, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.8125, platform: LINUX, platformName: Android, platformVersion: 10, statBarHeight: 73, takesScreenshot: true, viewportRect: {height: 2119, left: 0, top: 73, width: 1080}, warnings: {}, webStorageEnabled: false}

Session ID: ffeb6e5f-daf3-4aa6-bd7b-178f589115ef

*** Element info: {Using>xpath, value=//android.widget.TextView[@text='Wealth']/following::


```

    android.widget.TextView[@text='Explore']}
at jdk.internal.reflect.GeneratedConstructorAccessor25.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.WealthScreen.clickFinancialWealthExploreButton(WealthScreen.
java:259)
at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.
iNavigateToFinancesWealthScreen(WealthSteps.java:117)
at .Then I navigate to finances wealth screen(features/sg/wealth/WealthGoalStatus.feature:171)

```

And I agree the Terms and Conditions to proceed

0.00s



After		0.82s
-------	--	-------

[Back to Table of Contents](#)

Scenario: Verify User should be able to complete the registration successfully

Passed: 0	Failed: 1	Undefined: 1	Duration: 38.4s
Before	0.00s		

And I enter details for wealth profile registration	37.57s
DateOfBirth NRIC PostalCode	21/02/1991 557N 460105

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.

For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'Bavirisettil-MacBook-Pro.local', ip: 'fe80:0:0:0:91:d010:e7b3:bd5e%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'

Driver info: io.appium.java_client.android.AndroidDriver

Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel: SM-G985F, deviceName: R58N34BC9EH, deviceScreenDensity: 450, deviceScreenSize: 1080x2400, deviceUDID: R58N34BC9EH, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.8125, platform: LINUX, platformName: Android, platformVersion: 10, statBarHeight: 73, takesScreenshot: true, viewportRect: {height: 2119, left: 0, top: 73, width:


```

1080}, warnings: {}, webStorageEnabled: false}
Session ID: ffeb6e5f-daf3-4aa6-bd7b-178f589115ef
*** Element info: {Using=xpath, value=/android.widget.EditText[@text='DD/MM/YYYY']}
at jdk.internal.reflect.GeneratedConstructorAccessor25.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$16.executeCommand(Commands.java:148)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.setTextWithTab(TestBasePage.java:241)
at com.onepulse.app.screens.WealthScreen.enterWealthRegistrationDetails(WealthScreen.
java:270)
at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.
iEnterDetailsForWealthProfileRegistration(WealthSteps.java:129)
at .And I enter details for wealth profile registration(features/sg/wealth/WealthGoalStatus.
feature:175)

```

Then I verify financial wealth registration completed successfully

0.00s



After	0.83s
-------	--------------

[Back to Table of Contents](#)

Scenario: Verify User can navigate to new goal page

Passed: 0	Failed: 1	Undefined: 0	Duration: 16.19s
Before	0.00s		

And I click grow my wealth tab	15.37s
--------------------------------	---------------

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.

For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'Bavirisettil-MacBook-Pro.local', ip: 'fe80:0:0:0:91:d010:e7b3:bd5e%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'


Driver info: io.appium.java_client.android.AndroidDriver

Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel: SM-G985F, deviceName: R58N34BC9EH, deviceScreenDensity: 450, deviceScreenSize: 1080x2400, deviceUDID: R58N34BC9EH, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.8125, platform: LINUX, platformName: Android, platformVersion: 10, statBarHeight: 73, takesScreenshot: true, viewportRect: {height: 2119, left: 0, top: 73, width: 1080}, warnings: {}, webStorageEnabled: false}

Session ID: ffeb6e5f-daf3-4aa6-bd7b-178f589115ef

*** Element info: {Using=xpath, value=//android.widget.TextView[@text='My Goals']}

```
/following::android.view.ViewGroup[1]
at jdk.internal.reflect.GeneratedConstructorAccessor25.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.WealthScreen.navigateToMyGoalPage(WealthScreen.java:352)
at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.iClickGrowMyWealthTab
(WealthSteps.java:195)
at .And I click grow my wealth tab(features/sg/wealth/WealthGoalStatus.feature:182)
```



After	0.82s
-------	--------------

[Back to Table of Contents](#)

Scenario: Verify User can add a new goal from savings goal screen

Passed: 0	Failed: 1	Undefined: 3	Duration: 38.22s
Before	0.00s		

And I enter details for create the new goal	37.43s
---	---------------

GoalName	Buy a Bike
GoalAmount	10000

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.

For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html


Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'


System info: host: 'Bavirisettis-MacBook-Pro.local', ip: 'fe80:0:0:0:91:d010:e7b3:bd5e%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'

Driver info: io.appium.java_client.android.AndroidDriver

```
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel: SM-G985F, deviceName: R58N34BC9EH, deviceScreenDensity: 450, deviceScreenSize: 1080x2400, deviceUDID: R58N34BC9EH, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.8125, platform: LINUX, platformName: Android, platformVersion: 10, statusBarHeight: 73, takesScreenshot: true, viewportRect: {height: 2119, left: 0, top: 73, width: 1080}, warnings: {}, webStorageEnabled: false}
```

	Session ID: ffeb6e5f-daf3-4aa6-bd7b-178f589115ef *** Element info: {Using=xpath, value=/android.widget.EditText[@text='Please input your goal name']}
	at jdk.internal.reflect.GeneratedConstructorAccessor25.newInstance(Unknown Source)
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
	at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)
	at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)
	at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)
	at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:231)
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
	at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:42)
	at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
	at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
	at io.appium.java_client.DefaultGenericMobileDriver.findElement(DefaultGenericMobileDriver.java:62)
	at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
	at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
	at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:419)
	at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath(DefaultGenericMobileDriver.java:152)
	at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
	at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
	at org.openqa.selenium.By\$ByXPath.findElement(By.java:353)
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
	at io.appium.java_client.DefaultGenericMobileDriver.findElement(DefaultGenericMobileDriver.java:58)
	at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
	at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
	at com.prudential.tap.selenium.Commands\$16.executeCommand(Commands.java:148)
	at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19)
	at com.onepulse.app.screens.TestBasePage.setTextWithTab(TestBasePage.java:241)
	at com.onepulse.app.screens.WealthScreen.enterCreateNewGoalDetails(WealthScreen.java:357)
	at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.iEnterDetailsForCreateTheNewGoal(WealthSteps.java:202)
	at .And I enter details for create the new goal(features/sg/wealth/WealthGoalStatus.feature:185)
	And user click on "Launch the Simulation" button 0.00s
	And user click on "Easy" button 0.00s

And user click on "Setup the Goal" button	0.00s		
			
After	0.80s		
Back to Table of Contents			
Scenario: Verify User should be able to see Another created goal details			
Passed: 0	Failed: 1		
Undefined: 3	Duration: 16.09s		
Before	0.00s		
And I verify following texts are displayed	15.27s		
<table border="1"><tr><td>Off track</td></tr><tr><td>My Savings</td></tr></table>	Off track	My Savings	
Off track			
My Savings			
java.lang.AssertionError: The following asserts failed: Off track text is displayed on page expected [true] but found [false], My Savings text is displayed on page expected [true] but found [false] at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43) at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnScreen (MyDocSteps.java:733) at .And I verify following texts are displayed(features/sg/wealth/WealthGoalStatus.feature:193)			
And I scroll down	0.00s		
And I verify following texts are displayed	0.00s		
<table border="1"><tr><td>Back to My Goals</td></tr></table>	Back to My Goals		
Back to My Goals			
And I scroll down	0.00s		



After		0.82s
-------	--	-------

[Back to Table of Contents](#)

Scenario: Verify User can add the second goal with savings plan

Passed: 0	Failed: 1	Undefined: 3	Duration: 8.49s
Before	0.00s		

And user click on "Add My Savings" button | 7.71s

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.

For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'Bavirisettil-MacBook-Pro.local', ip: 'fe80:0:0:0:91:d010:e7b3:bd5e%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'

Driver info: io.appium.java_client.android.AndroidDriver

Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel: SM-G985F, deviceName: R58N34BC9EH, deviceScreenDensity: 450, deviceScreenSize: 1080x2400, deviceUDID: R58N34BC9EH, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.8125, platform: LINUX, platformName: Android, platformVersion: 10, statBarHeight: 73, takesScreenshot: true, viewportRect: {height: 2119, left: 0, top: 73, width: 1080}, warnings: {}, webStorageEnabled: false}

Session ID: ffeb6e5f-daf3-4aa6-bd7b-178f589115ef


*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,"Add My

```
Savings"})}
at jdk.internal.reflect.GeneratedConstructorAccessor25.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.WealthScreen.clickScreenButtons(WealthScreen.java:323)
at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.userClickOnButton(WealthSteps.
java:159)
at .And user click on "Add My Savings" button(features/sg/wealth/WealthGoalStatus.feature:
202)
```

And I enter the balance for this goal amount "\${completed.status.goal.amount}"	0.00s
---	-------

And user click on "Allocate Saving" button	0.00s
--	-------

Then I wait for 5 sec	0.00s
-----------------------	-------



After		0.78s
-------	--	-------

[Back to Table of Contents](#)

Scenario: Verify User should be able to see Second goal Allocate Savings screen details

Passed: 0	Failed: 1	Undefined: 2	Duration: 8.48s
Before	0.00s		

And I verify following texts are displayed	7.67s
See my new plan based on the updated information.	

java.lang.AssertionError: The following asserts failed:

See my new plan based on the updated information. text is displayed on page expected [true] but found [false]

at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)


at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnScreen

(MyDocSteps.java:733)

at .And I verify following texts are displayed(features/sg/wealth/WealthGoalStatus.feature:208)

And I scroll down 0.00s

And user click on "Confirm the Plan" button 0.00s



After		0.80s
-------	--	-------

[Back to Table of Contents](#)

Scenario: Verify User should be able to see Add another goal plan status

Passed: 0	Failed: 1	Undefined: 3	Duration: 8.55s
Before	0.00s		

And I verify following texts are displayed	7.73s
Completed	


java.lang.AssertionError: The following asserts failed:

Completed text is displayed on page expected [true] but found [false]
at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)
at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnScreen
(MyDocSteps.java:733)
at .And I verify following texts are displayed(features/sg/wealth/WealthGoalStatus.feature:214)

And I scroll down	0.00s
And I verify following texts are displayed	0.00s

[Back to My Goals](#)

And user click on "Back to My Goals" button	0.00s
---	-------



After		0.82s
-------	--	-------

[Back to Table of Contents](#)

Scenario: Verify User should be able to see COMPLETED status in savings goal screen

Passed: 0	Failed: 1	Undefined: 1	Duration: 40.51s
Before	0.00s		

And I verify following texts are displayed	39.53s
<ul style="list-style-type: none"> Buy a Bike Achieved Target Months to go Completed 	

java.lang.AssertionError: The following asserts failed:

Buy a Bike text is displayed on page expected [true] but found [false],

Achieved text is displayed on page expected [true] but found [false],

Target text is displayed on page expected [true] but found [false],

Months to go text is displayed on page expected [true] but found [false],

Completed text is displayed on page expected [true] but found [false]


at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)

at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnScreen

(MyDocSteps.java:733)

at .And I verify following texts are displayed(features/sg/wealth/WealthGoalStatus.feature:222)

And user click on "Buy a Bike" button	0.00s
---------------------------------------	-------



After		0.98s
-------	--	-------

[Back to Table of Contents](#)

Scenario: Verify User should be able to see delete pop up for the created goal

Passed: 0	Failed: 1	Undefined: 2	Duration: 8.49s
Before	0.00s		

And I delete the created goal	7.67s
-------------------------------	-------

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.

For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'Bavirisettil-MacBook-Pro.local', ip: 'fe80:0:0:0:91:d010:e7b3:bd5e%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'

Driver info: io.appium.java_client.android.AndroidDriver

Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel: SM-G985F, deviceName: R58N34BC9EH, deviceScreenDensity: 450, deviceScreenSize: 1080x2400, deviceUDID: R58N34BC9EH, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.8125, platform: LINUX, platformName: Android, platformVersion: 10, statBarHeight: 73, takesScreenshot: true, viewportRect: {height: 2119, left: 0, top: 73, width: 1080}, warnings: {}, webStorageEnabled: false}

Session ID: ffeb6e5f-daf3-4aa6-bd7b-178f589115ef

*** Element info: {Using>xpath, value=//android.widget.ImageView[@content-desc=""]}

```


atDeleteGoal"]}
at jdk.internal.reflect.GeneratedConstructorAccessor25.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.WealthScreen.clickCreatedGoalDeleteOption(WealthScreen.java:
367)
at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.iDeleteTheCreatedGoal
(WealthSteps.java:212)
at .And I delete the created goal(features/sg/wealth/WealthGoalStatus.feature:231)

```

And I verify following texts are displayed	0.00s
--	-------

Yes

And user click on "Yes" button	0.00s
--------------------------------	-------



After		0.82s
-------	--	-------

[Back to Table of Contents](#)

Scenario: Verify User can add a new goal from savings goal screen

Passed: 0	Failed: 1	Undefined: 8	Duration: 8.62s
Before	0.00s		

And user click on "Add a New Goal" button	7.69s
---	-------

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.

For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'Bavirisettil-MacBook-Pro.local', ip: 'fe80:0:0:0:91:d010:e7b3:bd5e%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'

Driver info: io.appium.java_client.android.AndroidDriver

Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName:

UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel: SM-G985F, deviceName: R58N34BC9EH, deviceScreenDensity: 450, deviceScreenSize: 1080x2400, deviceUDID: R58N34BC9EH, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true,

pixelRatio: 2.8125, platform: LINUX, platformName: Android, platformVersion: 10, statBarHeight: 73, takesScreenshot: true, viewportRect: {height: 2119, left: 0, top: 73, width: 1080}, warnings: {}, webStorageEnabled: false}

Session ID: ffeb6e5f-daf3-4aa6-bd7b-178f589115ef

*** Element info: {Using>xpath, value=//android.widget.TextView[contains(@text,"Add a

```

New Goal'")]
at jdk.internal.reflect.GeneratedConstructorAccessor25.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.WealthScreen.clickScreenButtons(WealthScreen.java:323)
at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.userClickOnButton(WealthSteps.
java:159)
at .And user click on "Add a New Goal" button(features/sg/wealth/WealthGoalStatus.feature:
237)

```

And I enter details for create the new goal

0.00s

GoalName	Buy a Land
GoalAmount	5000


And user click on "Launch the Simulation" button

0.00s

And user click on "Easy" button

0.00s

And user click on "Custom My Goal" button	0.00s
And user click on "I have a target date" button	0.00s
And I enter my custom goal date "\${my.custom.goal.date}"	0.00s
And user click on "Launch the Simulation" button	0.00s
And user click on "Setup the Goal" button	0.00s



After	0.94s
-------	-------

[Back to Table of Contents](#)

Scenario: Verify User should be able to see Another created goal details


Passed: 0	Failed: 1	Undefined: 3	Duration: 8.43s
Before			0.00s

And I verify following texts are displayed	7.67s
Off track	

java.lang.AssertionError: The following asserts failed:

Off track text is displayed on page expected [true] but found [false]
at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)
at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnScreen
(MyDocSteps.java:733)
at .And I verify following texts are displayed(features/sg/wealth/WealthGoalStatus.feature:250)

And I scroll down	0.00s
And I verify following texts are displayed	0.00s
Back to My Goals	
And I scroll down	0.00s



After	0.77s
-------	--------------

[Back to Table of Contents](#)

Scenario: Verify User can add the second goal with savings plan

Passed: 0	Failed: 1	Undefined: 3	Duration: 8.5s
Before	0.00s		

And user click on "Add My Savings" button **7.73s**

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.

For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'Bavirisettil-MacBook-Pro.local', ip: 'fe80:0:0:0:91:d010:e7b3:bd5e%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'

Driver info: io.appium.java_client.android.AndroidDriver

Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName:

UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel: SM-G985F, deviceName: R58N34BC9EH, deviceScreenDensity: 450, deviceScreenSize: 1080x2400, deviceUDID: R58N34BC9EH, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true,


pixelRatio: 2.8125, platform: LINUX, platformName: Android, platformVersion: 10, statBarHeight: 73, takesScreenshot: true, viewportRect: {height: 2119, left: 0, top: 73, width: 1080}, warnings: {}, webStorageEnabled: false}

Session ID: ffeb6e5f-daf3-4aa6-bd7b-178f589115ef

*** Element info: {Using>xpath, value=//android.widget.TextView[contains(@text,"Add My

```
Savings"})}
at jdk.internal.reflect.GeneratedConstructorAccessor25.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.WealthScreen.clickScreenButtons(WealthScreen.java:323)
at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.userClickOnButton(WealthSteps.
java:159)
at .And user click on "Add My Savings" button(features/sg/wealth/WealthGoalStatus.feature:
258)
```

And I enter the balance for this goal amount "\${moving.status.goal.amount}"	0.00s
And user click on "Allocate Saving" button	0.00s
Then I wait for 10 sec	0.00s



After		0.78s
-------	--	-------

[Back to Table of Contents](#)

Scenario: Verify User should be able to see Second goal Allocate Savings screen details

Passed: 0	Failed: 1	Undefined: 2	Duration: 8.65s
Before	0.00s		

And I verify following texts are displayed	7.85s
See my new plan based on the updated information.	

java.lang.AssertionError: The following asserts failed:

See my new plan based on the updated information. text is displayed on page expected [true] but found [false]

at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)


at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnScreen

(MyDocSteps.java:733)

at .And I verify following texts are displayed(features/sg/wealth/WealthGoalStatus.feature:264)

And I scroll down 0.00s

And user click on "Confirm the Plan" button 0.00s



After		0.80s
-------	--	-------

[Back to Table of Contents](#)

Scenario: Verify User should be able to see Add another goal plan status

Passed: 0	Failed: 1	Undefined: 3	Duration: 8.53s
Before	0.00s		

And I verify following texts are displayed	7.75s
Moving at pace	

java.lang.AssertionError: The following asserts failed:

Moving at pace text is displayed on page expected [true] but found [false]

at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)

at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnScreen


(MyDocSteps.java:733)

at .And I verify following texts are displayed(features/sg/wealth/WealthGoalStatus.feature:270)

And I scroll down	0.00s
And I verify following texts are displayed	0.00s

[Back to My Goals](#)

And user click on "Back to My Goals" button	0.00s



After		0.77s
-------	--	-------

[Back to Table of Contents](#)

Scenario: Verify User should be able to see MOVING AT PACE status in savings goal screen

Passed: 0	Failed: 1	Undefined: 0	Duration: 38.98s
Before	0.00s		

And I verify following texts are displayed	38.15s
Buy a Land Achieved Target Months to go Moving at pace	

java.lang.AssertionError: The following asserts failed:

Buy a Land text is displayed on page expected [true] but found [false],

Achieved text is displayed on page expected [true] but found [false],

Target text is displayed on page expected [true] but found [false],

Months to go text is displayed on page expected [true] but found [false],


Moving at pace text is displayed on page expected [true] but found [false]

at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)

at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnScreen

(MyDocSteps.java:733)

at .And I verify following texts are displayed(features/sg/wealth/WealthGoalStatus.feature:278)



After	0.84s
-------	--------------

[Back to Table of Contents](#)

Feature: Verify wealth registration functionality on one pulse App

Passed: 0	Failed: 8	Undefined: 0	Duration: 29.14s
-----------	-----------	--------------	------------------

Scenario: Verify User should be able to register on app using email account

Passed: 4	Failed: 1	Undefined: 6	Duration: 24.72s
-----------	-----------	--------------	------------------

Before	0.01s
--------	--------------

Given I generate random number and assign to variable "RANDOM_NUMBER"	0.04s
---	--------------

And I assign "pulse\${RANDOM_NUMBER}@mailsac.com" to variable "PULSE_EMAIL"	0.00s
---	--------------

Given User has pulse app	9.09s
--------------------------	--------------

And user click on "CONTINUE WITH EMAIL" with Email button	12.50s
---	---------------

When user enters registration details	3.04s
---------------------------------------	--------------

FirstName	Wealth
LastName	Registration
Email	\${PULSE_EMAIL}
Password	Pas\$1234

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'Bavirisettil-MacBook-Pro.local', ip: 'fe80:0:0:0:91:d010:e7b3:bd5e%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'

Driver info: io.appium.java_client.android.AndroidDriver

```

Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.
prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName:
UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true,
platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel:
SM-G985F, deviceName: R58N34BC9EH, deviceScreenDensity: 450, deviceScreenSize:
1080x2400, deviceUDID: R58N34BC9EH, javascriptEnabled: true, locationContextEnabled:
false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true,
pixelRatio: 2.8125, platform: LINUX, platformName: Android, platformVersion: 10,
statBarHeight: 73, takesScreenshot: true, viewportRect: {height: 2119, left: 0, top: 73, width:
1080}, warnings: {}, webStorageEnabled: false}
Session ID: ea2e5c77-221b-4431-be25-b7c08041a6ce
*** Element info: {Using=xpath, value=/android.widget.TextView[contains(@text,'Last Name
/ Family Name')]/following::android.widget.EditText[1]}
at jdk.internal.reflect.GeneratedConstructorAccessor40.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$16.executeCommand(Commands.java:148)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:

```

	19)	at com.onepulse.app.screens.TestBasePage.setTextWithTab(TestBasePage.java:241) at com.onepulse.app.screens.PulseRegistrationScreen.enterRegistrationDetails(PulseRegistrationScreen.java:207) at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.enterRegistrationDetails(RegistrationSteps.java:39) at .When user enters registration details(features/sg/wealth/WealthRegistration.feature:9)
		And taps on continue "Sign_Up" button 0.00s
		Then I wait for 10 sec 0.00s
		And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}" 0.00s
		Then I click skip button 0.00s
		Then I wait for 15 sec 0.00s
		Then user should be landed to "Home" screen 0.00s
After		0.05s
<p>com.prudential.tap.exception.TapException: Failed to take screenshot of at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases(CucumberHook.java:95) at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72) at jdk.internal.reflect.GeneratedMethodAccessor30.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at cucumber.runtime.Utils\$1.call(Utils.java:40) at cucumber.runtime.Timeout.timeout(Timeout.java:16) at cucumber.runtime.Utils.invoke(Utils.java:34) at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60) at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224) at cucumber.runtime.Runtime.runHooks(Runtime.java:212) at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206) at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46) at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165) at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:63) at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:91) at jdk.internal.reflect.GeneratedMethodAccessor37.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86) at org.testng.internal.Invoker.invokeMethod(Invoker.java:643) at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820) at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112) at org.testng.TestRunner.privateRun(TestRunner.java:782) at org.testng.TestRunner.run(TestRunner.java:632) at org.testng.SuiteRunner.runTest(SuiteRunner.java:366) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)</p>		

```

at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

```

[Back to Table of Contents](#)

Scenario: Verify User should be able to see the wealth screen options

Passed: 0	Failed: 1	Undefined: 1	Duration: .03s
Before			0.00s
Then I navigate to wealth screen			0.02s
<pre> org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z' System info: host: 'Bavirisettis-MacBook-Pro.local', ip: 'fe80:0:0:0:91:d010:e7b3:bd5e%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10' Driver info: io.appium.java_client.android.AndroidDriver Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com. prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel: SM-G985F, deviceName: R58N34BC9EH, deviceScreenDensity: 450, deviceScreenSize: 1080x2400, deviceUDID: R58N34BC9EH, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.8125, platform: LINUX, platformName: Android, platformVersion: 10, statBarHeight: 73, takesScreenshot: true, viewportRect: {height: 2119, left: 0, top: 73, width: 1080}, warnings: {}, webStorageEnabled: false} Session ID: ea2e5c77-221b-4431-be25-b7c08041a6ce *** Element info: {Using=xpath, value=//android.widget.TextView[@text='Wealth']} at jdk.internal.reflect.GeneratedConstructorAccessor40.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java: 158) at io.appium.java_client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:231) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver. </pre>			

```

java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.WealthScreen.clickWealthButton(WealthScreen.java:117)
at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.iNavigateToWealthScreen
(WealthSteps.java:46)
at .Then I navigate to wealth screen(features/sg/wealth/WealthRegistration.feature:23)

```

And I verify following texts are displayed	0.00s
--	-------

Wealth Channel
Learn Investing Basics
Wealth
Care about your finances

After	0.01s
-------	-------

```

com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases
(CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor30.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)

```

```

at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:91)
at jdk.internal.reflect.GeneratedMethodAccessor37.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

```

[Back to Table of Contents](#)

Scenario: Verify User can navigate to terms and condition page

Passed: 0	Failed: 1	Undefined: 0	Duration: .02s
Before			0.00s
Then I navigate to finances wealth screen			0.01s
org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z' System info: host: 'Bavirisettis-MacBook-Pro.local', ip: 'fe80:0:0:0:91:d010:e7b3:bd5e%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10' Driver info: io.appium.java_client.android.AndroidDriver Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel: SM-G985F, deviceName: R58N34BC9EH, deviceScreenDensity: 450, deviceScreenSize: 1080x2400, deviceUDID: R58N34BC9EH, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.8125, platform: LINUX, platformName: Android, platformVersion: 10,}			

	statBarHeight: 73, takesScreenshot: true, viewportRect: {height: 2119, left: 0, top: 73, width: 1080}, warnings: {}, webStorageEnabled: false} Session ID: ea2e5c77-221b-4431-be25-b7c08041a6ce *** Element info: {Using>xpath, value=/android.widget.TextView[@text='Wealth']/following::android.widget.TextView[@text='Explore']}
	at jdk.internal.reflect.GeneratedConstructorAccessor40.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:231) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:42) at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1) at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317) at io.appium.java_client.DefaultGenericMobileDriver.findElement(DefaultGenericMobileDriver.java:62) at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1) at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1) at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:419) at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath(DefaultGenericMobileDriver.java:152) at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1) at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1) at org.openqa.selenium.By\$ByXPath.findElement(By.java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309) at io.appium.java_client.DefaultGenericMobileDriver.findElement(DefaultGenericMobileDriver.java:58) at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1) at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1) at com.prudential.tap.selenium.Commands\$15.executeCommand(Commands.java:141) at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19) at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163) at com.onepulse.app.screens.WealthScreen.clickFinancialWealthExploreButton(WealthScreen.java:259) at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.iNavigateToFinancesWealthScreen(WealthSteps.java:117) at .Then I navigate to finances wealth screen(features/sg/wealth/WealthRegistration.feature:31)
After	0.01s

```

com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases
(CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor30.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:91)
at jdk.internal.reflect.GeneratedMethodAccessor37.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

```

[Back to Table of Contents](#)

Scenario: Verify the terms and condition screen contents

Passed: 0	Failed: 1	Undefined: 1	Duration: .05s
Before			
And I verify following texts are displayed			0.00s
Welcome to Wealth			0.05s

	<table border="1"> <tr><td>By checking this box, I hereby consent the</td></tr> <tr><td>Terms of Use</td></tr> <tr><td>Privacy Notice</td></tr> </table>	By checking this box, I hereby consent the	Terms of Use	Privacy Notice	
By checking this box, I hereby consent the					
Terms of Use					
Privacy Notice					
java.lang.AssertionError: The following asserts failed:					
Welcome to Wealth text is displayed on page expected [true] but found [false],					
By checking this box, I hereby consent the text is displayed on page expected [true] but found [false],					
Terms of Use text is displayed on page expected [true] but found [false], Privacy Notice text is displayed on page expected [true] but found [false] at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43) at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnScreen (MyDocSteps.java:733) at .And I verify following texts are displayed(features/sg/wealth/WealthRegistration.feature:34)					
And I agree the Terms and Conditions to proceed		0.00s			
After		0.00s			
com.prudential.tap.exception.TapException: Failed to take screenshot of at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases (CucumberHook.java:95) at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72) at jdk.internal.reflect.GeneratedMethodAccessor30.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at cucumber.runtime.Utils\$1.call(Utils.java:40) at cucumber.runtime.Timeout.timeout(Timeout.java:16) at cucumber.runtime.Utils.invoke(Utils.java:34) at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60) at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224) at cucumber.runtime.Runtime.runHooks(Runtime.java:212) at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206) at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46) at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165) at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:63) at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:91) at jdk.internal.reflect.GeneratedMethodAccessor37.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86) at org.testng.internal.Invoker.invokeMethod(Invoker.java:643) at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820) at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112) at org.testng.TestRunner.privateRun(TestRunner.java:782) at org.testng.TestRunner.run(TestRunner.java:632) at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)					

```

at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

```

[Back to Table of Contents](#)

Scenario: Verify User should be able to see the wealth registration screen user fields

Passed: 0	Failed: 1	Undefined: 0	Duration: .07s
Before	0.00s		
And I verify following texts are displayed	0.07s		
Allow us to serve you better by connecting you to your existing policies with Prudential.			
First Name*			
Last Name*			
Date of birth*			
Last 4 digits of NRIC			
 java.lang.AssertionError: The following asserts failed: Allow us to serve you better by connecting you to your existing policies with Prudential. text is displayed on page expected [true] but found [false], First Name* text is displayed on page expected [true] but found [false], Last Name* text is displayed on page expected [true] but found [false], Date of birth* text is displayed on page expected [true] but found [false], Last 4 digits of NRIC text is displayed on page expected [true] but found [false] at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43) at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnScreen (MyDocSteps.java:733) at .And I verify following texts are displayed(features/sg/wealth/WealthRegistration.feature:42)			
After	0.00s		

```

com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases
(CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor30.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)

```

```

at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:91)
at jdk.internal.reflect.GeneratedMethodAccessor37.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

```

[Back to Table of Contents](#)

Scenario: Verify User should be able enter details for wealth registration

Passed: 0	Failed: 1	Undefined: 0	Duration: 4.09s
Before	0.00s		

And I enter details for wealth profile registration		4.08s
DateOfBirth	21/02/1991	
NRIC	557N	
PostalCode	460105	

```

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while
processing the command. Original error: Could not proxy command to the remote server.
Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'Bavirisettil-MacBook-Pro.local', ip: 'fe80:0:0:0:91:d010:e7b3:bd5e%en0',
os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.
prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName:
UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true,
platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel:
SM-G985F, deviceName: R58N34BC9EH, deviceScreenDensity: 450, deviceScreenSize:

```

1080x2400, deviceUDID: R58N34BC9EH, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.8125, platform: LINUX, platformName: Android, platformVersion: 10, statusBarHeight: 73, takesScreenshot: true, viewportRect: {height: 2119, left: 0, top: 73, width: 1080}, warnings: {}, webStorageEnabled: false}

Session ID: ea2e5c77-221b-4431-be25-b7c08041a6ce

```
*** Element info: {Using>xpath, value=/android.widget.EditText[@text="DD/MM/YYYY"]}

at jdk.internal.reflect.GeneratedConstructorAccessor40.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$16.executeCommand(Commands.java:148)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19)
at com.onepulse.app.screens.TestBasePage.setTextWithTab(TestBasePage.java:241)
at com.onepulse.app.screens.WealthScreen.enterWealthRegistrationDetails(WealthScreen.java:270)
at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.iEnterDetailsForWealthProfileRegistration(WealthSteps.java:129)
```

at .And I enter details for wealth profile registration(features/sg/wealth/WealthRegistration.feature:50)			
After			0.02s
<pre>com.prudential.tap.exception.TapException: Failed to take screenshot of at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases (CucumberHook.java:95) at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72) at jdk.internal.reflect.GeneratedMethodAccessor30.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at cucumber.runtime.Utils\$1.call(Utils.java:40) at cucumber.runtime.Timeout.timeout(Timeout.java:16) at cucumber.runtime.Utils.invoke(Utils.java:34) at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60) at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224) at cucumber.runtime.Runtime.runHooks(Runtime.java:212) at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206) at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46) at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165) at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:63) at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:91) at jdk.internal.reflect.GeneratedMethodAccessor37.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86) at org.testng.internal.Invoker.invokeMethod(Invoker.java:643) at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820) at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112) at org.testng.TestRunner.privateRun(TestRunner.java:782) at org.testng.TestRunner.run(TestRunner.java:632) at org.testng.SuiteRunner.runTest(SuiteRunner.java:366) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319) at org.testng.SuiteRunner.run(SuiteRunner.java:268) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244) at org.testng.TestNG.runSuitesLocally(TestNG.java:1169) at org.testng.TestNG.run(TestNG.java:1064) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)</pre>			
Back to Table of Contents			
Scenario: Verify wealth registration screen user fields			
Passed: 0	Failed: 1	Undefined: 0	Duration: .14s

Before		0.00s
And I verify following texts are displayed		0.14s
<p>Let us know more about you so that we can serve you better.</p> <p>Gender</p> <p>Martial Status</p> <p>Occupation</p> <p>Annual Income</p> <p>Postal Code</p>		
<pre>java.lang.AssertionError: The following asserts failed: Let us know more about you so that we can serve you better. text is displayed on page expected [true] but found [false], Gender text is displayed on page expected [true] but found [false], Martial Status text is displayed on page expected [true] but found [false], Occupation text is displayed on page expected [true] but found [false], Annual Income text is displayed on page expected [true] but found [false], Postal Code text is displayed on page expected [true] but found [false] at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43) at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnScreen (MyDocSteps.java:733) at .And I verify following texts are displayed(features/sg/wealth/WealthRegistration.feature:56)</pre>		
After		0.01s
<pre>com.prudential.tap.exception.TapException: Failed to take screenshot of at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases (CucumberHook.java:95) at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72) at jdk.internal.reflect.GeneratedMethodAccessor30.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at cucumber.runtime.Utils\$1.call(Utils.java:40) at cucumber.runtime.Timeout.timeout(Timeout.java:16) at cucumber.runtime.Utils.invoke(Utils.java:34) at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60) at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224) at cucumber.runtime.Runtime.runHooks(Runtime.java:212) at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206) at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46) at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165) at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:63) at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:91) at jdk.internal.reflect.GeneratedMethodAccessor37.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86) at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)</pre>		

```

at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

```

[Back to Table of Contents](#)

Scenario: Verify User should be able to complete the registration successfully

Passed: 0	Failed: 1	Undefined: 0	Duration: .02s
Before			0.00s
Then I verify financial wealth registration completed successfully			0.02s
org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z' System info: host: 'Bavirisettis-MacBook-Pro.local', ip: 'fe80:0:0:0:91:d010:e7b3:bd5e%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10' Driver info: io.appium.java_client.android.AndroidDriver Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel: SM-G985F, deviceName: R58N34BC9EH, deviceScreenDensity: 450, deviceScreenSize: 1080x2400, deviceUDID: R58N34BC9EH, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.8125, platform: LINUX, platformName: Android, platformVersion: 10, statusBarHeight: 73, takesScreenshot: true, viewportRect: {height: 2119, left: 0, top: 73, width: 1080}, warnings: {}, webStorageEnabled: false} Session ID: ea2e5c77-221b-4431-be25-b7c08041a6ce at jdk.internal.reflect.GeneratedConstructorAccessor40.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)			

	at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at io.appium.java_client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:231) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:46) at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1) at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1) at org.openqa.selenium.remote. RemoteWebDriver\$RemoteWebDriverOptions\$RemoteWindow.getSize(RemoteWebDriver.java:804) at com.prudential.tap.appium.AppiumCommands.swipe(AppiumCommands.java:432) at com.onepulse.app.screens.TestBasePage.scrollPageDown(TestBasePage.java:185) at com.onepulse.app.screens.WealthScreen.continueRegistration(WealthScreen.java:299) at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps. iVerifyFinancialWealthRegistrationCompletedSuccessfully(WealthSteps.java:139) at .Then I verify financial wealth registration completed successfully(features/sg/wealth /WealthRegistration.feature:65)
--	--

After		0.01s
-------	--	-------

com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases
(CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor30.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils\$1.call(Utils.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:91)
at jdk.internal.reflect.GeneratedMethodAccessor37.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)

```
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)
```

[Back to Table of Contents](#)