

# Overview

	Passed	Failed	Known	Undefined	Total	%Passed
Features	14	18	0	0	32	44%
Scenarios	154	167	0	0	321	48%
Steps	1,098	167	0	189	1,454	76%

Overall Duration: 2h 55m 53s

## Table of Contents

1. **Verify login functionality on One pulse App**
  1. Launch the app and select the country as per specified lbu
  2. login to the app with correct credentials using "Continue with Email"
  3. Verify the Invalid Email id in login screen using "Continue with Email"
  4. Verify the User not registered email in login screen using "Continue with Email"
  5. User should be able to retrieve the reset password using forget password link
  6. Verify Account should be locked after entering more than 7 times incorrect passwords
2. **Verify registration functionality on one pulse App**
  1. User should be able to register on app with correct credentials using "Continue with Email"
  2. verify the field label on registration screen
  3. verify the validation message for mandatory fields
  4. verify validation message when user enters Invalid password: Pulse@1 on registration page
  5. verify validation message when user enters Invalid password: Pulse123 on registration page
  6. Verify the validation message when user enter already registered email id on registration page
  7. Verify the mobile number screen validation using "Continue with Email"
  8. Verify the Gender screen validation using "Continue with Email"
  9. Verify the resend OTP functionality on Enter OTP Screen using "Continue with Email"
3. **Verify Edit Profile functionality on Pulse Health & Wealth app**
  1. Launch the app and select the country as per specified lbu
  2. login to the app with correct credentials using "Continue with Email"
  3. Verify User should be able to navigate to Edit profile screen
  4. Verify User should be able to change the profile picture in edit profile screen
  5. Verify the email.country code and COR fields are non-editable in edit profile screen
  6. Verify user can able to change the details in edit profile screen
  7. Verify Details updated during pulse profile registration should be reflected in edit profile screen
  8. verify the user details should be correctly on babylon screen
  9. navigate back to health screen
4. **Verify that user can locate near by Hospitals,clinics using PruShoppe Location feature**
  1. Launch the app and select the country as per specified lbu
  2. login to the app with correct credentials using "Continue with Email"
  3. User should be able to locate Hospitals using PruShoppe location
  4. User can see details of listed hospitals in detail
  5. User can see the details in speciality tab
  6. User can see the details in doctor's tab

7. User can see the details in rooms tab
8. User can navigate out of the hospital details screen
9. User should be able to locate cli using PruShoppe location
10. User can verify the clinic page
11. User can view listed clinic details
12. User can view listed clinic info
13. User can view listed clinic info details
14. User can navigate back to clinics screen
5. Verify Medicine Reminder Positive Flow functionality on one pulse App
  1. User should be able to register on app with correct credentials using "Continue with Email"
  2. Verify User should be able to navigate to medical reminder page
  3. verify the static text on medicine reminder screen
  4. verify add medicine screen is launched and user can enter the required info on medical info screen
  5. verify user navigated to schedule screen and user can enter the required info
  6. Verify User should be able to navigate to More Setting page
  7. verify Add medicine screen is displayed when user click on add new reminder on success popup
  8. verify medicine reminder home screen is displayed when user click on not now button on success popup
  9. navigate to health screen
  10. Verify User should be able to navigate to calendar page
6. Verify MY Event channel functionality on one pulse App
  1. Launch the app and select the country as per specified Ibu
  2. login to the app with correct credentials using "Continue with Email"
  3. Verify MyEvent Functionality in Home screen
  4. Verify Open Events tab
  5. Verify Events Archive tab
7. Verify My Health Content functionality on one pulse App
  1. Launch the app and select the country as per specified Ibu
  2. User should be able to login on app with correct credentials using "Continue with Email"
  3. Verify User should be able to navigate to Health page
  4. Verify User should be able to view the full page article post
  5. Verify User should be able to see the Like, Share, Comment options on full page article post
  6. Verify User should be able to Like the post in full article view screen
  7. Verify User should be able to Share the post in full article view screen
  8. Verify User can navigate to Health homepage
8. Verify Notification Center functionality on one pulse App
  1. User should be able to register on app with correct credentials using "Continue with Email"
  2. Navigate to notification screen via home screen
  3. Verify User should be able to see the Notification screen texts
9. Verify My Challenges on One Pulse App
  1. Launch the app and select the country as per specified Ibu
  2. User should be able to login on app with correct credentials using "Continue with Email"
  3. Verify My Challenges texts
  4. Click on All challenges and and verify texts
10. Verify My Communities on One Pluse App
  1. Launch the app and select the country as per specified Ibu

2. User should be able to login on app with correct credentials using "Continue with Gmail"
3. User should be able to login on app with correct credentials using "Continue with Email" and Verify the Mycommunities screen
4. Leave the community if already joined
5. Verify the All Communities Post screen
6. Verify the Likes and comments counts in All communities tab
7. Verify the Share with Friends Functionality in All communities tab
8. Verify the Post Functionality in All communities
9. Verify the Category list and search feature
10. Leave the community if already joined
11. Verify Private My Communities on One Pluse App
  1. Launch the app and select the country as per specified lbu
  2. User should be able to login on app with correct credentials using "Continue with Gmail"
  3. User should be able to login on app with correct credentials using "Continue with Gmail" and Verify the Mycommunities screen
  4. Verify the Private Communities in communities screen
12. Verify legal and legacy on One pulse App
  1. Launch the app and select the country as per specified lbu
  2. login to the app with correct credentials using "Continue with Email"
  3. Navigate to account screen
  4. Verify the Legacy and Privacy should be displayed
  5. Verify the Terms and condition screen should be displayed
  6. Verify the Privacy screen should be displayed
  7. Verify the Regulator screen should be displayed
13. Verify My accounts options in Account screen
  1. Launch the app and select the country as per specified lbu
  2. login to the app with correct credentials using "Continue with Email"
  3. Navigate to account screen and verify all the options
  4. Verify wearable screen in Account tab
  5. navigate back to account screen from my wearable screen
  6. Navigate to account screen
  7. Verify reward screen in Account tab
  8. User access My Rewards FAQ
  9. Verify the FAQ on my rewards screen
  10. Verify the FAQ on my rewards screen
  11. Verify the FAQ on my rewards screen
  12. Verify the FAQ on my rewards screen
  13. Verify the FAQ on my rewards screen
  14. Verify the FAQ on my rewards screen
  15. Verify the FAQ on my rewards screen
  16. Verify the FAQ on my rewards screen
  17. navigate back to account screen from my rewards screen
  18. Verify Notification screen in Account tab
  19. navigate back to account screen from Notification screen
  20. Verify my feedback screen in Account tab
  21. Verify the submit functionality in My feedback screen
  22. Verify the Pulse Personalised tab
  23. Save the consent with data privacy check
  24. Save the consent without data privacy check
  25. navigate back to account screen from pulse personalised screen
14. Verify MySettings functionality in Account screen

1. Launch the app and select the country as per specified lbu
2. login to the app with correct credentials using "Continue with Email"
3. Navigate to account screen
4. Verify my setting screen in Account tab
5. navigate back to account screen from my setting screen
15. Verify My wearable functionality via fitness tab on Pulse Health & Wealth app
  1. Launch the app and select the country as per specified lbu
  2. login to the app with correct credentials using "Continue with Email"
  3. Verify the user can access My Wearables via Fitness
16. Verify the Babylon Registration via HRA journey
  1. User should be able to Register for Babylon HRA
17. Verify the BabyLon HRA Report - Nutrition, Body, Activity
  1. Launch the app and select the country as per specified lbu
  2. login to the app with correct credentials using "Continue with Email"
  3. User should be able to access Babylon Health Risk Assessment Report
  4. Verify the HRA Activity Report
  5. Verify the HRA Activity Report
  6. Verify the HRA Nutrition Report
  7. Verify the HRA Report - Keep It Up sub-section
  8. Verify the HRA Report - Make a Change sub-section
  9. User should be able to access Babylon HRA - Healthcheck - Body
  10. User should be able to access Babylon HRA - Healthcheck - Nutrition
  11. User should be able to access Babylon HRA - Healthcheck - Activity
  12. User should be able to access Babylon HRA - Healthcheck - Mood
18. Verify that user can access calendar under health section
  1. Launch the app and select the country as per specified lbu
  2. login to the app with correct credentials using "Continue with Email"
  3. User should be able to access Calendar screen
19. Verify that user can access Chinese Medicine feature
  1. User should be able to register on app with correct credentials using "Continue with Email"
  2. User should be able to access Chinese Medicine screen
  3. Verify the carousel on Chinese Medicine journey
  4. Verify the carousel on Chinese Medicine journey
  5. Verify the carousel on Chinese Medicine journey
  6. User should be able to complete Chinese Medicine profile
  7. Verify the Q&A on Chinese Medicine journey
  8. Verify the Q&A on Chinese Medicine journey
  9. Verify the Q&A on Chinese Medicine journey
  10. Verify the Q&A on Chinese Medicine journey
  11. Verify the Q&A on Chinese Medicine journey
  12. Verify the Q&A on Chinese Medicine journey
  13. Verify the Q&A on Chinese Medicine journey
  14. Verify the Q&A on Chinese Medicine journey
  15. Verify the Q&A on Chinese Medicine journey
  16. Verify the Q&A on Chinese Medicine journey
  17. Verify the Q&A on Chinese Medicine journey
  18. Verify the Q&A on Chinese Medicine journey
  19. Verify the Q&A on Chinese Medicine journey
  20. Verify the Q&A on Chinese Medicine journey
  21. Verify the Q&A on Chinese Medicine journey

22. [Verify the Q&A on Chinese Medicine journey](#)
23. [Verify the Q&A on Chinese Medicine journey](#)
24. [Verify the Q&A on Chinese Medicine journey](#)
25. [Verify the Q&A on Chinese Medicine journey](#)
26. [Verify the Q&A on Chinese Medicine journey](#)
27. [Verify the Q&A on Chinese Medicine journey](#)
28. [Verify the Q&A on Chinese Medicine journey](#)
29. [Verify the Q&A on Chinese Medicine journey](#)
30. [Verify the Q&A on Chinese Medicine journey](#)
31. [Verify the Q&A on Chinese Medicine journey](#)
32. [Verify the Q&A on Chinese Medicine journey](#)
33. [Verify the Q&A on Chinese Medicine journey](#)
34. [Verify the Q&A on Chinese Medicine journey](#)
35. [Verify the Q&A on Chinese Medicine journey](#)
36. [Verify the Q&A on Chinese Medicine journey](#)
37. [Verify the Q&A on Chinese Medicine journey](#)
38. [Verify the Q&A on Chinese Medicine journey](#)
39. [Verify the Q&A on Chinese Medicine journey](#)
40. [Verify the Q&A on Chinese Medicine journey](#)
41. [Verify the Q&A on Chinese Medicine journey](#)
42. [Verify the Q&A on Chinese Medicine journey](#)
43. [Verify the Q&A on Chinese Medicine journey](#)
44. [Verify the Q&A on Chinese Medicine journey](#)
45. [Verify the Q&A on Chinese Medicine journey](#)
46. [Verify the Q&A on Chinese Medicine journey](#)
47. [Verify the Q&A on Chinese Medicine journey](#)
48. [Verify the Q&A on Chinese Medicine journey](#)
49. [Verify the Q&A on Chinese Medicine journey](#)
50. [Verify the Q&A on Chinese Medicine journey](#)
51. [Verify the Q&A on Chinese Medicine journey](#)
52. [Verify the Q&A on Chinese Medicine journey](#)
53. [Verify the Q&A on Chinese Medicine journey](#)
54. [Verify the Q&A on Chinese Medicine journey](#)
55. [Verify the Q&A on Chinese Medicine journey](#)
56. [Verify the Q&A on Chinese Medicine journey](#)
57. [Verify the Q&A on Chinese Medicine journey](#)
58. [Verify the Q&A on Chinese Medicine journey](#)
59. [Verify the Q&A on Chinese Medicine journey](#)
60. [Verify the Q&A on Chinese Medicine journey](#)
61. [Verify the Q&A on Chinese Medicine journey](#)
62. [Verify the Q&A on Chinese Medicine journey](#)
63. [Verify the Q&A on Chinese Medicine journey](#)
64. [Verify the Q&A on Chinese Medicine journey](#)
65. [Verify the Q&A on Chinese Medicine journey](#)
66. [Verify the Q&A on Chinese Medicine journey](#)
67. [Verify the Q&A on Chinese Medicine journey](#)
68. [Verify the Q&A on Chinese Medicine journey](#)
69. [Verify the Q&A on Chinese Medicine journey](#)
70. [Verify the Assessment completion screen](#)
71. [Verify the user can view the Assessment Record](#)
72. [Verify the Assessment Summary](#)



73. Verify the "Constitution" Details of the Assessment
74. Verify the "Change In Tongue" Details of the Assessment
20. Verify Dietician Positive Flow for Doctor functionality on one pulse App
  1. Verify the Home screen validation using "Continue with Email"
  2. Verify User should be able to navigate to Dietician page
  3. Select the expert type as doctor and navigate to next screen
  4. Verify User should be able to navigate to specialisation page
  5. Verify User should be able to navigate to Educational Details page
  6. Verify User should be able to navigate to Add experience page
  7. Verify User should be able to navigate to Services Offered page
  8. Verify User should be able to navigate to achievement and awards screen
  9. Verify User should be able to navigate to Seminar(s) Attended page
  10. Verify User should be able to navigate to linked clinic page
  11. Verify User should be able to navigate to Take a Picture page
  12. Verify User should be able to navigate to schedule Calendar page
21. Verify that user can manage events via the Family Vaccine Vaccine Calendar feature
  1. User should be able to register on app with correct credentials using "Continue with Email"
  2. User should be able to access my family vaccination calendar
  3. Verify the user can Add Vaccine Information
  4. enter information on add vaccination popup
  5. Verify the added item displayed on the Vaccine Schedule screen
22. Verify that user can access Dengue Alert feature
  1. Launch the app and select the country as per specified Ibu
  2. login to the app with correct credentials using "Continue with Email"
  3. Verify the map can be expanded
  4. User should be able to vew the Dengue Outbreak - Malaysia
  5. User should be able to vew the Dengue Cases - Malaysia
23. Verify Pru Safe Covid-19 Cover functionality on one pulse App
  1. User should be able to register on app with correct credentials using "Continue with Email"
  2. Verify User should be able to see the PRU Shoppe screen
  3. Verify User should be able to see the PRUSafe COVIDCover screen options
  4. Verify User should be able to see the PRUSafe COVIDCover screen options
24. Verify Pru infectious disease cover functionality on one pulse App
  1. User should be able to register on app with correct credentials using "Continue with Email"
  2. Navigate to PRU Shoppe screen
  3. Verify User should be able to see the infectious disease cover screen options
  4. Verify User should be able to see the infectious disease cover Screen options
  5. Verify User should be able to see the infectious disease cover term and condition
  6. Verify User should be able to see the infectious disease cover term and condition
  7. Verify User should be able to see the infectious disease cover term and condition
  8. Verify User should be able to see the infectious disease cover term and condition
  9. verify that user can see agreement and proceed button
25. Verify Pru Shoppe My Coverage functionality on one pulse App
  1. Launch the app and select the country as per specified Ibu
  2. login to the app with correct credentials using "Continue with Email"
  3. Verify user can access his policies from Pru Shoppe My Policies screen
  4. Click on Link policy and verify screen to add policy number
  5. Verify the error message when the Policy Number is blank

6. Verify the error message when the Policy Number is invalid or incorrect
7. Verify the error message when the Cancel Button
26. Verify Pru critical illness functionality on one pulse App
  1. User should be able to register on app with correct credentials using "Continue with Email"
  2. Navigate to PRU Shoppe screen
  3. Verify User should be able to see the icritical illness screen options
  4. Verify User should be able to see the critical illness Screen options
  5. Verify User should be able to see the critical illness term and condition
  6. Scroll the page down
  7. Verify User should be able to see the critical illness term and condition
  8. Verify User should be able to see the critical illness term and condition
  9. Verify User should be able to see the critical illness term and condition
  10. Verify User should be able to see the critical illness term and condition
  11. verify that user can see agreement and proceed button
27. Verify Pru accidental package functionality on one pulse App
  1. User should be able to register on app with correct credentials using "Continue with Email"
  2. Navigate to PRU Shoppe screen
  3. Verify User should be able to see the accidental package screen options
  4. Verify User should be able to see the accidental package Screen options
  5. Verify User should be able to see the accidental package term and condition
  6. Verify User should be able to see the accidental package term and condition
  7. Verify User should be able to see the accidental package term and condition
  8. Verify User should be able to see the accidental package term and condition
  9. verify that user can see agreement and proceed button
28. Verify Pru heart health functionality on one pulse App
  1. User should be able to register on app with correct credentials using "Continue with Email"
  2. Navigate to PRU Shoppe screen
  3. Verify User should be able to see the heart health screen options
  4. Verify User should be able to see the heart health Screen options
  5. Verify User should be able to see the heart health term and condition
  6. Verify User should be able to see the heart health term and condition
  7. scroll the page down
  8. Verify User should be able to see the heart health term and condition
  9. Verify User should be able to see the heart health term and condition
  10. Verify User should be able to see the heart health term and condition
  11. verify that user can see agreement and proceed button
29. Verify Pru theft injury package functionality on one pulse App
  1. User should be able to register on app with correct credentials using "Continue with Email"
  2. Navigate to PRU Shoppe screen
  3. Verify User should be able to see the theft injury package screen options
  4. Verify User should be able to see the theft injury package Screen options
  5. Verify User should be able to see the theft injury package term and condition
  6. Verify User should be able to see the theft injury package term and condition
  7. scroll the page down
  8. Verify User should be able to see the theft injury package term and condition
  9. Verify User should be able to see the theft injury package term and condition
  10. verify that user can see agreement and proceed button

30. **Verify Pru step up against cancer functionality on one pulse App**
  1. **User should be able to register on app with correct credentials using "Continue with Email"**
  2. **Navigate to PRU Shoppe screen**
  3. **Verify User should be able to see the step up against cancer screen options**
  4. **Verify User should be able to see the step up against cancer screen options**
  5. **Verify User should be able to see the step up against cancer term and condition**
  6. **verify that user can see agreement and proceed button**
31. **Verify wealth channel functionality on one pulse App**
  1. **Launch the app and select the country as per specified Ibu**
  2. **login to the app with correct credentials using "Continue with Email"**
  3. **Verify User should be able to navigate to wealth page**
  4. **Verify User should be able to view the story post**
  5. **Verify User should be able to Like the post**
  6. **Verify User should be able to Share the post**
  7. **Verify User should be able to Comment the post**
  8. **Verify User should be able to view the full page article post**
  9. **Verify User should be able to see the Like, Share, Comment options on full page article post**
  10. **Verify User should be able to Like the post in full article view screen**
  11. **Verify User should be able to Share the post in full article view screen**
  12. **Verify User should be able to Comment the post in full article view screen**
  13. **Verify User can navigate to wealth homepage**
32. **Verify share with friends functionality in onepulse app**
  1. **Launch the app and select the country as per specified Ibu**
  2. **login to the app with correct credentials using "Continue with Email"**
  3. **Verify User should be able to share the link with Whatsapp**
  4. **Verify User should be able to share the link with Contacts app**
  5. **Verify User should be able to share the link with Messenger app**
  6. **Verify User should be able to share the link with Viber app**
  7. **Verify User should be able to share the link with Line app**

## Detailed Results Report

Feature: Verify login functionality on One pulse App				
Passed: 5		Failed: 1	Undefined: 0	Duration: 639.3s
	Scenario: Launch the app and select the country as per specified Ibu			
	Passed: 7	Failed: 0	Undefined: 0	Duration: 71.26s
	Before			0.43s
	Given User has pulse app			22.21s
	And I assign "\${login.email.id}" to variable "PULSE_EMAIL"			0.01s
	And user click on "CONTINUE WITH EMAIL" with Email button			24.92s
	Then I change the country as required on registration page			11.45s
	Then I wait for 5 sec			5.01s
	And I click the Sign in link			5.03s
	Then I verify below language options on toggle bar as per specified Ibu on login page			2.21s
	After			0.00s



[Back to Table of Contents](#)**Scenario: login to the app with correct credentials using "Continue with Email"**

Passed: 6	Failed: 0	Undefined: 0	Duration: 43.57s
Before			0.00s
Given I select the language option on toggle bar as required on login page			2.44s
When user enters credentials			18.58s
UserName	{PULSE_EMAIL}		
Password	{login.password}		
And User clicks on signin button			0.51s
And I wait for 5 sec			5.00s
And I enter OTP in one pulse app for user email "{PULSE_EMAIL}"			8.73s
Then user should be landed to "Home" screen			8.31s
After			0.00s

[Back to Table of Contents](#)**Scenario: Verify the Invalid Email id in login screen using "Continue with Email"**

Passed: 15	Failed: 0	Undefined: 0	Duration: 97.94s
Before			0.00s
Given User has pulse app			15.55s
Then I wait for 2 sec			2.00s
And user click on "CONTINUE WITH EMAIL" with Email button			24.17s
Then I change the country as required on registration page			11.18s
Then I wait for 5 sec			5.00s
And I click the Sign in link			5.18s
And I select the language option on toggle bar as required on login page			3.97s
When user enters credentials			18.96s
UserName	t@gmai		
Password	Pas\$1234		
And I scroll down			4.17s
And User clicks on signin button			0.48s
Then verify invalid email message "Email is required"			0.85s
Then User clicks on Forgot Password button			0.39s
Then enter the email to request the new password			3.97s
Email	t@gmai		
Then User clicks on Send button			0.92s
Then verify invalid email message "{email.invalid.text}"			1.15s
After			0.00s

[Back to Table of Contents](#)**Scenario: Verify the User not registerd email in login screen using "Continue with Email"**

Passed: 16	Failed: 0	Undefined: 0	Duration: 96.25s
Before			0.00s
Given I generate random number and assign to variable "RANDOM_NUMBER"			0.10s
And I assign value to following variables			0.00s

USER_NAME		taf-#{RANDOM_NUMBER}@mailinator.com	
USER_PASSWORD		Pas\$1234	
Given User has pulse app			17.05s
And user click on "CONTINUE WITH EMAIL" with Email button			23.92s
Then I change the country as required on registration page			11.10s
Then I wait for 5 sec			5.00s
And I click the Sign in link			5.28s
And I select the language option on toggle bar as required on login page			3.86s
When user enters credentials			17.09s
UserName		#{USER_NAME}	
Password		#{USER_PASSWORD}	
And I scroll down			4.08s
And User clicks on signin button			0.41s
Then verify invalid email message "\${invalid.credential.message}"			1.18s
Then User clicks on Forgot Password button			0.40s
Then enter the email to request the new password			4.62s
Email		#{USER_NAME}	
Then User clicks on Send button			0.89s
Then verify invalid email message "\${invalid.credential.message}"			1.27s
After			0.00s
<a href="#">Back to Table of Contents</a>			
Scenario: User should be able to retrieve the reset password using forget password link			
Passed: 7		Failed: 1	Duration: 56.38s
Before		Undefined: 0	0.00s
And I assign "\${forgot.password.email.id}" to variable "PULSE_EMAIL"			0.00s
Then enter the email to request the new password			4.19s
Email		#{PULSE_EMAIL}	
Then User clicks on Send button			0.94s
Then I wait for 10 sec			10.00s
And I read the otp for emailid "\${PULSE_EMAIL}" using mailsac api and store into a variable "EMAIL_OTP"			29.55s
Then I enter "\${EMAIL_OTP}" reset code			2.26s
Then I wait for 7 sec			7.00s
Then Verify message: "\${password.reset.success.text}" for Reset Password			2.44s
<p>org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.</p> <p>For documentation on this error, please visit: <a href="http://seleniumhq.org/exceptions/no_such_element.html">http://seleniumhq.org/exceptions/no_such_element.html</a></p> <p>Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'</p> <p>System info: host: 'RISHANI-PC', ip: '192.168.0.101', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.10'</p> <p>Driver info: io.appium.java_client.android.AndroidDriver</p> <p>Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,</p>			

desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel: SM-N770F, deviceName: RF8N31EE5JX, deviceScreenDensity: 420, deviceScreenSize: 1080x2400, deviceUDID: RF8N31EE5JX, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.625, platform: LINUX, platformName: Android, platformVersion: 10, statBarHeight: 85, takesScreenshot: true, viewportRect: {height: 2104, left: 0, top: 85, width: 1080}, warnings: {}, webStorageEnabled: false}

Session ID: c86b59d5-a73e-4d73-b81b-9602bf60219a

\*\*\* Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,'Password Reset Successfully')]}]

at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)

at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)

at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)

at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)

at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)

at io.appium.java\_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:231)

at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)

at io.appium.java\_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:42)

at io.appium.java\_client.AppiumDriver.execute(AppiumDriver.java:1)

at io.appium.java\_client.android.AndroidDriver.execute(AndroidDriver.java:1)

at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)

at io.appium.java\_client.DefaultGenericMobileDriver.findElement(DefaultGenericMobileDriver.java:62)

at io.appium.java\_client.AppiumDriver.findElement(AppiumDriver.java:1)

at io.appium.java\_client.android.AndroidDriver.findElement(AndroidDriver.java:1)

at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:419)

at io.appium.java\_client.DefaultGenericMobileDriver.findElementByXPath(DefaultGenericMobileDriver.java:152)

at io.appium.java\_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)

at io.appium.java\_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)

at org.openqa.selenium.By\$ByXPath.findElement(By.java:353)


at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)

at io.appium.java\_client.DefaultGenericMobileDriver.findElement(DefaultGenericMobileDriver.java:58)

at io.appium.java\_client.AppiumDriver.findElement(AppiumDriver.java:1)

at io.appium.java\_client.android.AndroidDriver.findElement(AndroidDriver.java:1)

at com.onepulse.app.screens.TestBasePage.getElementText(TestBasePage.java:257)  
 at com.onepulse.app.screens.PulseLoginScreen.getResetPasswordText(PulseLoginScreen.java:347)  
 at com.onepulse.app.stepdefinitions.mobilesteps.LoginSteps.verifyResetPasswordMsg(LoginSteps.java:120)  
 at .Then Verify message: "\${password.reset.success.text}" for Reset Password(features/PulseLoginTest.feature:86)



After		0.00s
<a href="#">Back to Table of Contents</a>		
<b>Scenario: Verify Account should be locked after entering more than 7 times incorrect passwords</b>		
Passed: 47	Failed: 0	Duration: 273.91s
Before		0.00s
Given I generate random number and assign to variable "RANDOM_NUMBER"		0.01s
And I assign "pulse\${RANDOM_NUMBER}@mailsac.com" to variable "PULSE_EMAIL"		0.00s
And User has pulse app		16.03s
Then I wait for 2 sec		2.00s
And user click on "CONTINUE WITH EMAIL" with Email button		24.51s
Then I change the country as required on registration page		12.18s
Then I wait for 5 sec		5.00s
Then I navigate to pulse registration page and select the lang on toggle bar then click on continue with email button		7.77s
Then I wait for 2 sec		2.00s
When user enters registration details		7.15s
FirstName	testAutomation	

LastName	testAutomation	
Email	\${PULSE_EMAIL}	
Password	Pas\$1234	
And taps on continue "Sign_Up" button		0.70s
Then I enter OTP in one pulse app for user email "\${PULSE_EMAIL}"		29.98s
Then I wait for 10 sec		10.00s
Then I wait for 5 sec		5.00s
And I enter the "mobile number" in welcome to pulse		9.68s
mobileNumber	\${registration.mobile.number}	
And I click the continue button		0.41s
And I choose my wellness goals under wellness plan screen		1.75s
And I click the continue button		0.90s
And I click the date in Date of Birth field		7.06s
And I click the Done icon		3.29s
And I click the continue button		1.28s
And I select the Male icon		6.46s
And I click the continue button		1.10s
Then I wait for 5 sec		5.00s
And I click the continue button		0.97s
And I click on Calculate BMI button		1.70s
And I click the continue button		1.24s
And I select the "How active are you?" in doing exercise		2.13s
And I click the continue button		0.97s
And I select my favorite food dietary		2.25s
And I click the continue button		1.32s
And I answer as "Yes" to "Any Food allergies?"		4.18s
And I click the continue button		1.02s
Then I wait for 3 sec		3.00s
And I verify that "Tracking your activity is trending" is displayed		0.88s
And I click the continue button		0.88s
And I see that "Welcome to Pulse" text is displayed		2.48s
And I click the continue button		2.40s
And I see that fitness subscription exclusive offers screen is displayed		2.88s
And I click on close icon		3.33s
And I enter NRIC number last 4 digits "122F"		7.64s
Then I click skip buttons		4.95s
Then user should be landed to "Home" screen		7.58s
And I click the Account icon in Home screen		1.10s
And I click the sign out from pulse app		20.48s
Then I wait for 2 sec		2.00s
Then I enter invalid password on login screen and verify the error message		39.29s
Pas\$123##\${invalid.credential.message}		
Pas\$123##\${invalid.credential.message}		
Pas\$123##\${invalid.credential.message}		



	Pas\$123##\${invalid.credential.message}	
	Pas\$123##\${invalid.credential.message}	
	Pas\$123##\${invalid.credential.message}	
	Pas\$123##\${invalid.credential.message}	
	Pas\$123##\${account.locked.message}	
After		0.00s
<a href="#">Back to Table of Contents</a>		
Feature: <b>Verify registration functionality on one pulse App</b>		
Passed: 8	Failed: 1	Undefined: 0
Duration: 727.86s		
Scenario: <b>User should be able to register on app with correct credentials using "Continue with Email"</b>		
Passed: 14	Failed: 1	Undefined: 34
Duration: 144.69s		
Before		0.00s
Given I generate random number and assign to variable "RANDOM_NUMBER"		0.16s
And I assign "pulse\${RANDOM_NUMBER}@mailsac.com" to variable "PULSE_EMAIL"		0.00s
And User has pulse app		19.25s
Then I wait for 2 sec		2.01s
And user click on "CONTINUE WITH EMAIL" with Email button		24.80s
Then I wait for 2 sec		2.00s
Then I change the country as required on registration page		11.15s
Then I wait for 2 sec		2.00s
Then I navigate to pulse registration page and select the lang on toggle bar then click on continue with email button		8.03s
Then I wait for 2 sec		2.00s
When user enters registration details		8.72s
FirstName	testAutomation	
LastName	testAutomation	
Email	\${PULSE_EMAIL}	
Password	Pas\$1234	
And taps on continue "Sign_Up" button		0.64s
And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}"		30.55s
Then I wait for 2 sec		2.00s
And I enter the "mobile number" in welcome to pulse		31.39s
mobileNumber	\${registration.mobile.number}	
org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters. For documentation on this error, please visit: <a href="http://seleniumhq.org/exceptions/no_such_element.html">http://seleniumhq.org/exceptions/no_such_element.html</a> Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z' System info: host: 'RISHANI-PC', ip: '192.168.0.101', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.10'		

Driver info: io.appium.java\_client.android.AndroidDriver  
 Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel: SM-N770F, deviceName: RF8N31EE5JX, deviceScreenDensity: 420, deviceScreenSize: 1080x2400, deviceUDID: RF8N31EE5JX, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.625, platform: LINUX, platformName: Android, platformVersion: 10, statBarHeight: 85, takesScreenshot: true, viewportRect: {height: 2104, left: 0, top: 85, width: 1080}, warnings: {}, webStorageEnabled: false}

Session ID: de943321-37cb-46f1-8773-0a52a8605d37

\*\*\* Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,'Please start by entering your mobile phone number')]/following::android.widget.EditText[2]}  
 atjdk.internal.reflect.GeneratedConstructorAccessor22.newInstance(Unknown Source)  
 at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  
 at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)  
 at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)  
 at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)  
 at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)  
 at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)  
 at io.appium.java\_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:231)  
 at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)  
 at io.appium.java\_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:42)  
 at io.appium.java\_client.AppiumDriver.execute(AppiumDriver.java:1)  
 at io.appium.java\_client.android.AndroidDriver.execute(AndroidDriver.java:1)  
 at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)  
 at io.appium.java\_client.DefaultGenericMobileDriver.findElement(DefaultGenericMobileDriver.java:62)  
 at io.appium.java\_client.AppiumDriver.findElement(AppiumDriver.java:1)  
 at io.appium.java\_client.android.AndroidDriver.findElement(AndroidDriver.java:1)  
 at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:419)  
 at io.appium.java\_client.DefaultGenericMobileDriver.findElementByXPath(DefaultGenericMobileDriver.java:152)  
 at io.appium.java\_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)  
 at io.appium.java\_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)  
 at org.openqa.selenium.By\$ByXPath.findElement(By.java:353)  
 at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)  
 at io.appium.java\_client.DefaultGenericMobileDriver.findElement(DefaultGenericMobileDriver.java:58)  
 at io.appium.java\_client.AppiumDriver.findElement(AppiumDriver.java:1)  
 at io.appium.java\_client.android.AndroidDriver.findElement(AndroidDriver.java:1)

at com.prudential.tap.selenium.Commands\$16.executeCommand(Commands.java:148)  
 at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19)  
 at com.onepulse.app.screens.TestBasePage.setTextWithTab(TestBasePage.java:263)  
 at com.onepulse.app.screens.PulseRegistrationScreen.enterMobileNumber  
 (PulseRegistrationScreen.java:484)  
 at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.enterMobileNumber  
 (RegistrationSteps.java:162)  
 at .And I enter the "mobile number" in welcome to pulse(features/PulseRegistrationTest.  
 feature:25)

And I click the continue button	0.00s		
And I choose my wellness goals under wellness plan screen	0.00s		
And I click the continue button	0.00s		
And I click the date in Date of Birth field	0.00s		
And I click the Done icon	0.00s		
And I click the continue button	0.00s		
And I select the Male icon	0.00s		
And I click the continue button	0.00s		
And I enter my height and weight details	0.00s		
And I click on Calculate BMI button	0.00s		
And I click the continue button	0.00s		
And I select the "How active are you?" in doing exercise	0.00s		
And I click the continue button	0.00s		
And I select my favorite food dietary	0.00s		
And I click the continue button	0.00s		
And I answer as "\${option.yes.text}" to "Any Food allergies?"	0.00s		
And I click the continue button	0.00s		
And I verify that "Tracking your activity is trending" is displayed	0.00s		
And I click on connect Later button	0.00s		
And I see that "Welcome to Pulse" text is displayed	0.00s		
And I click the continue button	0.00s		
And I see that fitness subscription exclusive offers screen is displayed	0.00s		
And I click on close icon	0.00s		
And I enter NRIC number last 4 digits "122F"	0.00s		
Then I click skip buttons	0.00s		
Then user should be landed to "Home" screen	0.00s		
Then I wait for 4 sec	0.00s		
And I click the Account icon in Home screen	0.00s		
And I click the sign out from pulse app	0.00s		
Then I wait for 4 sec	0.00s		
When user enters password credentials in signin screen	0.00s		
<table border="1"> <tr> <td>Password</td> <td>Pas\$1234</td> </tr> </table>	Password	Pas\$1234	
Password	Pas\$1234		
And User clicks on signin button	0.00s		
Then I wait for 8 sec	0.00s		
Then user should be landed to "Home" screen	0.00s		

After		0.00s								
<a href="#">Back to Table of Contents</a>										
Scenario: <b>verify the field label on registration screen</b>										
Passed: 9	Failed: 0	Undefined: 0	Duration: 68.59s							
Before		0.00s								
Given User has pulse app		16.48s								
Then I wait for 2 sec		2.00s								
And user click on "CONTINUE WITH EMAIL" with Email button		24.15s								
Then I wait for 2 sec		2.00s								
Then I change the country as required on registration page		11.06s								
Then I wait for 2 sec		2.00s								
Then I navigate to pulse registration page and select the lang on toggle bar then click on continue with email button		7.63s								
Then I wait for 2 sec		2.00s								
Then I verify following field label should be displayed on registration screen		1.28s								
	<table><tr><td>{firstname.label.text}</td></tr><tr><td>{lastname.label.text}</td></tr><tr><td>{email.text}</td></tr><tr><td>{password.text}</td></tr></table>	{firstname.label.text}	{lastname.label.text}	{email.text}	{password.text}					
{firstname.label.text}										
{lastname.label.text}										
{email.text}										
{password.text}										
After		0.00s								
<a href="#">Back to Table of Contents</a>										
Scenario: <b>verify the validation message for mandatory fields</b>										
Passed: 2	Failed: 0	Undefined: 0	Duration: 2.27s							
Before		0.00s								
Given taps on continue "Sign_Up" button		0.38s								
Then I verify the validation error message is displayed for following field on registration page		1.89s								
	<table><tr><td>FirstName</td><td>{firstname.mandatoryField.message}</td></tr><tr><td>LastName</td><td>{lastname.mandatoryField.message}</td></tr><tr><td>Email</td><td>{email.mandatoryField.message}</td></tr><tr><td>Password</td><td>{password.validation.message}</td></tr></table>	FirstName	{firstname.mandatoryField.message}	LastName	{lastname.mandatoryField.message}	Email	{email.mandatoryField.message}	Password	{password.validation.message}	
FirstName	{firstname.mandatoryField.message}									
LastName	{lastname.mandatoryField.message}									
Email	{email.mandatoryField.message}									
Password	{password.validation.message}									
After		0.00s								
<a href="#">Back to Table of Contents</a>										
Scenario Outline: <b>verify validation message when user enters Invalid password: Pulse@1 on registration page</b>										
Passed: 3	Failed: 0	Undefined: 0	Duration: 3.55s							
Before		0.00s								
When user enters registration details		2.05s								
	<table><tr><td>Password</td><td>Pulse@1</td></tr></table>	Password	Pulse@1							
Password	Pulse@1									
And taps on continue "Sign_Up" button		0.59s								
Then I verify the validation error message is displayed for following field on registration page		0.92s								
	<table><tr><td>Password</td><td>{password.validation.message}</td></tr></table>	Password	{password.validation.message}							
Password	{password.validation.message}									

After		0.00s
<a href="#">Back to Table of Contents</a>		
<b>Scenario Outline: verify validation message when user enters Invalid password: Pulse123 on registration page</b>		
Passed: 3	Failed: 0	Duration: 3.61s
Before		0.00s
When user enters registration details		2.02s
Password	Pulse123	
And taps on continue "Sign_Up" button		0.65s
Then I verify the validation error message is displayed for following field on registration page		0.95s
Password	\${password.validation.message}	
After		0.00s
<a href="#">Back to Table of Contents</a>		
<b>Scenario: Verify the validation message when user enter already registered email id on registration page</b>		
Passed: 11	Failed: 0	Duration: 77.46s
Before		0.00s
Given User has pulse app		15.55s
Then I wait for 2 sec		2.00s
And user click on "CONTINUE WITH EMAIL" with Email button		24.10s
Then I wait for 2 sec		2.00s
Then I change the country as required on registration page		11.37s
Then I wait for 2 sec		2.00s
Then I navigate to pulse registration page and select the lang on toggle bar then click on continue with email button		7.65s
Then I wait for 2 sec		2.00s
When user enters registration details		8.67s
FirstName	testAutomation	
LastName	testAutomation	
Email	\${login.email.id}	
Password	Pas\$1234	
And taps on continue "Sign_Up" button		0.81s
Then I verify the validation error message is displayed for following field on registration page		1.31s
Email	\${user.exist.text}	
After		0.00s
<a href="#">Back to Table of Contents</a>		
<b>Scenario: Verify the mobile number screen validation using "Continue with Email"</b>		
Passed: 19	Failed: 0	Duration: 142.74s
Before		0.00s
Given I generate random number and assign to variable "RANDOM_NUMBER"		0.02s



And I assign "pulse\${RANDOM_NUMBER}@mailsac.com" to variable "PULSE_EMAIL"	0.00s								
Given User has pulse app	16.88s								
Then I wait for 2 sec	2.00s								
And user click on "CONTINUE WITH EMAIL" with Email button	24.64s								
Then I wait for 2 sec	2.00s								
Then I change the country as required on registration page	12.06s								
Then I wait for 2 sec	2.00s								
Then I navigate to pulse registration page and select the lang on toggle bar then click on continue with email button	9.30s								
Then I wait for 2 sec	2.00s								
When user enters registration details	8.72s								
<table border="1"> <tr> <td>FirstName</td><td>NewAutomation</td></tr> <tr> <td>LastName</td><td>NewAutomation</td></tr> <tr> <td>Email</td><td>\${PULSE_EMAIL}</td></tr> <tr> <td>Password</td><td>Pas\$1234</td></tr> </table>	FirstName	NewAutomation	LastName	NewAutomation	Email	\${PULSE_EMAIL}	Password	Pas\$1234	
FirstName	NewAutomation								
LastName	NewAutomation								
Email	\${PULSE_EMAIL}								
Password	Pas\$1234								
And taps on continue "Sign_Up" button	1.33s								
And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}"	30.83s								
Then I wait for 10 sec	10.00s								
Then I verify the country code should be displayed correctly on phone number screen	0.19s								
And I enter the "mobile number" in welcome to pulse	10.02s								
<table border="1"> <tr> <td>mobileNumber</td><td>917670</td></tr> </table>	mobileNumber	917670							
mobileNumber	917670								
And I click the continue button	0.34s								
Then I wait for 10 sec	10.00s								
Then verify Again invalid Mobile message "\${invalid.mobile.text}"	0.40s								
After	0.00s								
<a href="#">Back to Table of Contents</a>									
<b>Scenario: Verify the Gender screen validation using "Continue with Email"</b>									
Passed: 31	Failed: 0								
Undefined: 0	Duration: 70.52s								
Before	0.00s								
Given I enter the "mobile number" in welcome to pulse	9.78s								
<table border="1"> <tr> <td>mobileNumber</td><td>\${registration.mobile.number}</td></tr> </table>	mobileNumber	\${registration.mobile.number}							
mobileNumber	\${registration.mobile.number}								
And I click the continue button	0.31s								
Then I wait for 1 sec	1.00s								
And I click the continue button	0.71s								
Then verify validation message "\${wellness.goal.alert.text}" on registration workflow screen	3.66s								
And I choose my wellness goals under wellness plan screen	0.56s								
And I click the continue button	0.93s								
Then I wait for 1 sec	1.00s								
And I click the continue button	1.38s								
Then verify validation message "\${dob.alert.text}" on registration workflow screen	3.56s								

And I click the date in Date of Birth field	5.44s
And I click the Done icon	3.28s
And I click the continue button	1.45s
Then I wait for 1 sec	1.00s
And I click the continue button	0.98s
Then verify validation message "\${gender.alert.text}" on registration workflow screen	3.51s
And I select the Male icon	6.21s
And I click the continue button	1.12s
Then I wait for 1 sec	1.00s
And I click the continue button	1.55s
Then verify BMI validation message "\${bmi.alert.text}" on registration workflow screen	3.33s
And I click on Calculate BMI button	0.67s
And I click the continue button	1.27s
Then I wait for 1 sec	1.00s
And I click the continue button	1.43s
Then verify validation message "\${activity.level.alert.text}" on registration workflow screen	3.71s
And I select the "How active are you?" in doing exercise	0.81s
And I click the continue button	0.98s
Then I wait for 1 sec	1.00s
And I click the continue button	2.63s
Then verify validation message "\${diet.preference.alert.text}" on registration workflow screen	5.28s
After	0.00s
<a href="#">Back to Table of Contents</a>	
<b>Scenario: Verify the resend OTP functionality on Enter OTP Screen using "Continue with Email"</b>	
Passed: 17	Failed: 0
Undefined: 0	Duration: 214.43s
Before	0.00s
Given I generate random number and assign to variable "RANDOM_NUMBER"	0.01s
And I assign "pulse\${RANDOM_NUMBER}@mailsac.com" to variable "PULSE_EMAIL"	0.00s
And User has pulse app	15.98s
Then I wait for 2 sec	2.00s
And user click on "CONTINUE WITH EMAIL" with Email button	23.90s
Then I wait for 2 sec	2.00s
Then I change the country as required on registration page	10.62s
Then I wait for 2 sec	2.00s
Then I navigate to pulse registration page and select the lang on toggle bar then click on continue with email button	7.64s
Then I wait for 2 sec	2.00s
When user enters registration details	8.17s

	FirstName	testAutomation	
	LastName	testAutomation	
	Email	\${PULSE_EMAIL}	
	Password	Pas\$1234	
And taps on continue "Sign_Up" button			0.53s
Then I wait for 90 sec			90.00s
Then I click the Resend button in OTP screen			3.62s
And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}"			29.85s
And I wait for 8 sec			8.00s
And I verify enter otp screen is not displayed			8.12s
After			0.00s
<a href="#">Back to Table of Contents</a>			

### Feature: Verify Edit Profile functionality on Pulse Health & Wealth app


Passed: 9		Failed: 0		Undefined: 0		Duration: 258.67s	
Scenario: Launch the app and select the country as per specified Ibu							
Passed: 6		Failed: 0		Undefined: 0		Duration: 66.0s	
Before							0.00s
		Given User has pulse app					18.95s
		And I assign "\${onpulse.login.edit.profile}" to variable "PULSE_EMAIL"					0.02s
		And user click on "CONTINUE WITH EMAIL" with Email button					24.87s
		Then I change the country as required on registration page					12.39s
		Then I wait for 5 sec					5.03s
		And I click the Sign in link					4.73s
After							0.01s
<a href="#">Back to Table of Contents</a>							
Scenario: login to the app with correct credentials using "Continue with Email"							
Passed: 6		Failed: 0		Undefined: 0		Duration: 45.8s	
Before							0.00s
		Given I select the language option on toggle bar as required on login page					3.65s
		When user enters credentials					19.15s
		UserName		\${PULSE_EMAIL}			
		Password		\${pulse.edit}			
		And User clicks on signin button					0.57s
		And I wait for 5 sec					5.00s
		And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}"					9.00s
		Then user should be landed to "Home" screen					8.43s
After							0.00s
<a href="#">Back to Table of Contents</a>							
Scenario: Verify User should be able to navigate to Edit profile screen							
Passed: 3		Failed: 0		Undefined: 0		Duration: 26.22s	
Before							0.00s
		Given user navigate to account page					16.07s
		And user click on Edit profile link					5.15s

	Then I wait for 5 sec	5.00s
After		0.00s
<a href="#">Back to Table of Contents</a>		
<b>Scenario: Verify User should be able to change the profile picture in edit profile screen</b>		
Passed: 2	Failed: 0	Undefined: 0
Duration: 28.32s		
Before		0.00s
	Then I give manage profile camera permission	22.55s
	Then I take picture from Camera	5.77s
After		0.00s
<a href="#">Back to Table of Contents</a>		
<b>Scenario: Verify the email,country code and COR fields are non-editable in edit profile screen</b>		
Passed: 3	Failed: 0	Undefined: 0
Duration: 4.79s		
Before		0.00s
	And verify email field is non-editable	2.50s
	And verify country code field is non-editable and country code is "\${country.code}"	1.21s
	And verify country of Residence is "\${country.name}" and non-editable	1.09s
After		0.00s
<a href="#">Back to Table of Contents</a>		
<b>Scenario: Verify user can able to change the details in edit profile screen</b>		
Passed: 4	Failed: 0	Undefined: 0
Duration: 17.23s		
Before		0.00s
	Given I generate random number and assign to variable "RANDOM_NUMBER"	0.02s
	And I assign value to following variables	0.00s
	First Name Automation-\${RANDOM_NUMBER}	
	Last Name Testing-\${RANDOM_NUMBER}	
	Then I update following profile details in edit profile screen	4.46s
	FirstName \${First Name}	
	LastName \${Last Name}	
	And I click on update button in edit profile screen	12.75s
After		0.00s
<a href="#">Back to Table of Contents</a>		
<b>Scenario: Verify Details updated during pulse profile registration should be reflected in edit profile screen</b>		
Passed: 2	Failed: 0	Undefined: 0
Duration: 20.56s		
Before		0.00s
	Given user click on Edit profile link	16.97s
	Then I verify following values in edit profile screen	3.60s
	FirstName \${First Name}	
	LastName \${Last Name}	
	Email \${onpulse.login.edit.profile}	
	Gender \${pulse.edit.gender}	

	PhoneNumber	{pulse.edit.number}	
After			0.00s
<a href="#">Back to Table of Contents</a>			
Scenario: verify the user details should be correctly on babylon screen			
Passed: 6	Failed: 0	Undefined: 0	Duration: 40.02s
Before			0.00s
Given I navigate to Home page from edit profile screen			4.68s
Then I navigate to Babylon health Assessment and Accept TermsAndCondition			29.46s
Then I wait for 2 sec			2.04s
Then I verify the default values in babylon registration page is updated as below			2.53s
	Gender	{pulse.edit.gender}	
	FirstName	{First Name}	
	LastName	{Last Name}	
	Email	{onepulse.login.edit.profile}	
And verify email field is non-editable			0.45s
And verify country of Residence is "{country.name}" and non-editable			0.86s
After			0.00s
<a href="#">Back to Table of Contents</a>			
Scenario: navigate back to health screen			
Passed: 2	Failed: 0	Undefined: 0	Duration: 9.74s
Before			0.00s
Given I navigate to health page from babylon registration screen			4.74s
And I wait for 5 sec			5.00s
After			0.00s
<a href="#">Back to Table of Contents</a>			
Feature: Verify that user can locate near by Hospitals,clinics using PruShoppe Location feature			
Passed: 6	Failed: 8	Undefined: 0	Duration: 294.89s
Scenario: Launch the app and select the country as per specified Ibu			
Passed: 6	Failed: 0	Undefined: 0	Duration: 60.39s
Before			0.00s
Given User has pulse app			16.72s
And I assign "{login.email.id}" to variable "PULSE_EMAIL"			0.00s
And user click on "CONTINUE WITH EMAIL" with Email button			24.48s
Then I change the country as required on registration page			11.66s
Then I wait for 2 sec			2.00s
And I click the Sign in link			5.53s
After			0.00s
<a href="#">Back to Table of Contents</a>			
Scenario: login to the app with correct credentials using "Continue with Email"			
Passed: 6	Failed: 0	Undefined: 0	Duration: 44.35s
Before			0.00s
Given I select the language option on toggle bar as required on login page			3.86s



When user enters credentials			19.08s
UserName		{PULSE_EMAIL}	
Password		{login.password}	
And User clicks on signin button			0.37s
And I wait for 5 sec			5.00s
And I enter OTP in one pulse app for user email "{PULSE_EMAIL}"			8.44s
Then user should be landed to "Home" screen			7.60s
After			0.00s
<a href="#">Back to Table of Contents</a>			
Scenario: User should be able to locate Hospitals using PruShoppe location			
Passed: 5	Failed: 1	Undefined: 0	Duration: 65.16s
Before			0.00s
When I clicks on Health button			17.22s
Then I clicks on Location button			33.74s
When I clicks on Search here text field			7.25s
And I clicks on "Hospitals" under Pulse Search			1.39s
Then User can see the list of "Hospitals" near by to user's current location			3.13s
And User can see that Call, Navigate and See Details links are displayed under "Hospitals" search results			2.43s
<p>java.lang.AssertionError: The following asserts failed:</p> <p>Near youHospitals are not displayed</p> <p>at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)</p> <p>at com.onepulse.app.screens.LocationScreen.verifySearchResults(LocationScreen.java:100)</p> <p>at com.onepulse.app.stepdefinitions.mobilesteps.LocationSteps.userCanSeeThatCallNavigateAndSeeDetailsLinksAreDisplayedUnderSearchResults(LocationSteps.java:51)</p> <p>at .And User can see that Call, Navigate and See Details links are displayed under "Hospitals" search results(features/health/Hospital_Clinic_Locator.feature:30)</p>			



After		0.00s
-------	--	-------

[Back to Table of Contents](#)

**Scenario: User can see details of listed hospitals in detail**


Passed: 1	Failed: 1	Undefined: 0	Duration: 27.74s
-----------	-----------	--------------	------------------

Before		0.00s
--------	--	-------

When I clicks on See Details button on First result	2.60s
---	-------

Then I can see the "Hospital" Information screen with Navigate and Call Now buttons	25.15s
---	--------

java.lang.AssertionError: The following asserts failed:  
 Near youHospitals are not displayed ,  
 Near you search results are not displayed ,  
 Call Now button is not displayed for the firstHospital tile See Details screen expected [true] but found [false],  
 Navigate link is not displayed for the firstHospital tile See Details screen expected [true] but found [false],  
 hospital address is not displayed for the first Hospital tile See Details screen expected [true] but found [false]  
 at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)  
 at com.onepulse.app.screens.LocationScreen.verifyHospitalInformationScreen(LocationScreen.java:147)  
 at com.onepulse.app.stepdefinitions.mobilesteps.LocationSteps.  
 iCanSeeTheInformationScreenWithNavigateAndCallNowButtons(LocationSteps.java:81)  
 at .Then I can see the "Hospital" Information screen with Navigate and Call Now buttons  
 (features/health/Hospital\_Clinic\_Locator.feature:34)



After		0.00s
<a href="#">Back to Table of Contents</a>		
Scenario: <b>User can see the details in speciality tab</b>		
Passed: 0	Failed: 1	Undefined: 1
Duration: 8.32s		
Before		0.00s
When I clicks on "Speciality" tab		8.32s
<p>org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.  For documentation on this error, please visit: <a href="http://seleniumhq.org/exceptions/no_such_element.html">http://seleniumhq.org/exceptions/no_such_element.html</a>  Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'  System info: host: 'RISHANI-PC', ip: '192.168.0.101', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.10'  Driver info: io.appium.java_client.android.AndroidDriver  Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel: SM-N770F, deviceName: RF8N31EE5JX, deviceScreenDensity: 420, deviceScreenSize: 1080x2400, deviceUDID: RF8N31EE5JX, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.625, platform: LINUX, platformName: Android, platformVersion: 10, statBarHeight: 85, takesScreenshot: true, viewportRect: {height: 2104, left: 0, top: 85, width: 1080}, warnings: {}, webStorageEnabled: false}  Session ID: 2b79382d-e830-4723-9d8e-7641f827df07</p>		


```

*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,"
Speciality")]}
at jdk.internal.reflect.GeneratedConstructorAccessor22.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:166)
at com.onepulse.app.screens.LocationScreen.clickOnHospitalTab(LocationScreen.java:136)
at com.onepulse.app.stepdefinitions.mobilesteps.LocationSteps.iClicksOnTab(LocationSteps.
java:61)
at .When I clicks on "Speciality" tab(features/health/Hospital_Clinic_Locator.feature:37)

```

Then I verify the Speciality screen is displayed

0.00s



After		0.00s
<a href="#">Back to Table of Contents</a>		
Scenario: <b>User can see the details in doctor's tab</b>		
Passed: 0	Failed: 1	Undefined: 1
Duration: 9.05s		
Before		0.00s
When I clicks on "Doctors" tab		9.05s
<p>org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.  For documentation on this error, please visit: <a href="http://seleniumhq.org/exceptions/no_such_element.html">http://seleniumhq.org/exceptions/no_such_element.html</a>  Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'  System info: host: 'RISHANI-PC', ip: '192.168.0.101', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.10'  Driver info: io.appium.java_client.android.AndroidDriver  Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel: SM-N770F, deviceName: RF8N31EE5JX, deviceScreenDensity: 420, deviceScreenSize: 1080x2400, deviceUDID: RF8N31EE5JX, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.625, platform: LINUX, platformName: Android, platformVersion: 10, statBarHeight: 85, takesScreenshot: true, viewportRect: {height: 2104, left: 0, top: 85, width: 1080}, warnings: {}, webStorageEnabled: false}</p> <p>Session ID: 2b79382d-e830-4723-9d8e-7641f827df07</p>		




```

*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,"
Doctors")]}
at jdk.internal.reflect.GeneratedConstructorAccessor22.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:166)
at com.onepulse.app.screens.LocationScreen.clickOnHospitalTab(LocationScreen.java:136)
at com.onepulse.app.stepdefinitions.mobilesteps.LocationSteps.iClicksOnTab(LocationSteps.
java:61)
at .When I clicks on "Doctors" tab(features/health/Hospital_Clinic_Locator.feature:41)

```

Then I verify the Doctors screen is displayed

0.00s



After		0.00s
-------	--	-------

[Back to Table of Contents](#)

Scenario: **User can see the details in rooms tab**

Passed: 0	Failed: 1	Undefined: 1	Duration: 8.13s
-----------	-----------	--------------	-----------------

Before		0.00s
--------	--	-------

When I clicks on "Rooms" tab	8.13s
------------------------------	-------

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.

For documentation on this error, please visit: [http://seleniumhq.org/exceptions/no\\_such\\_element.html](http://seleniumhq.org/exceptions/no_such_element.html)

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'RISHANI-PC', ip: '192.168.0.101', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.10'

Driver info: io.appium.java\_client.android.AndroidDriver

Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel: SM-N770F, deviceName: RF8N31EE5JX, deviceScreenDensity: 420, deviceScreenSize: 1080x2400, deviceUDID: RF8N31EE5JX, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.625, platform: LINUX, platformName: Android, platformVersion: 10, statBarHeight: 85, takesScreenshot: true, viewportRect: {height: 2104, left: 0, top: 85, width: 1080}, warnings: {}, webStorageEnabled: false}

Session ID: 2b79382d-e830-4723-9d8e-7641f827df07


```

*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,"Rooms")]}
at jdk.internal.reflect.GeneratedConstructorAccessor22.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:166)
at com.onepulse.app.screens.LocationScreen.clickOnHospitalTab(LocationScreen.java:136)
at com.onepulse.app.stepdefinitions.mobilesteps.LocationSteps.iClicksOnTab(LocationSteps.
java:61)
at .When I clicks on "Rooms" tab(features/health/Hospital_Clinic_Locator.feature:45)

```

Then I verify the Rooms screen is displayed

0.00s



After		0.00s
-------	--	-------

[Back to Table of Contents](#)

**Scenario: User can navigate out of the hospital details screen**

Passed: 1	Failed: 0	Undefined: 0	Duration: 1.68s
-----------	-----------	--------------	-----------------

Before		0.00s
--------	--	-------

When I clicks on back button in See Details screen	1.68s
--	-------

After		0.00s
-------	--	-------

[Back to Table of Contents](#)

**Scenario: User should be able to locate cli using PruShoppe location**

Passed: 3	Failed: 1	Undefined: 0	Duration: 27.8s
-----------	-----------	--------------	-----------------

Before		0.00s
--------	--	-------

And I clicks on back button in "Hospitals" screen	10.43s
---	--------

When I clicks on Search here text field	13.52s
---	--------

And I clicks on "Clinics" under Pulse Search	1.45s
--	-------

Then User can see the list of "Clinics" near by to user's current location	2.40s
--	-------

java.lang.AssertionError: The following asserts failed:

Near youHospitals are not displayed ,

Near you search results are not displayed ,

Call Now button is not displayed for the firstHospital tile See Details screen expected [true] but found [false],

Navigate link is not displayed for the firstHospital tile See Details screen expected [true] but found [false],


hospital address is not displayed for the first Hospital tile See Details screen expected [true] but found [false],

Back button is not in the Hospitalscreen

```


at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)
at com.onepulse.app.screens.LocationScreen.verifyHospitalScreenLaunch(LocationScreen.java:83)
at com.onepulse.app.stepdefinitions.mobilesteps.LocationSteps.
userCanSeeTheListOfNearByToUserSCurrentLocation(LocationSteps.java:46)
at .Then User can see the list of "Clinics" near by to user's current location(features/health
/Hospital_Clinic_Locator.feature:56)

```



After		0.00s
<a href="#">Back to Table of Contents</a>		
Scenario: <b>User can verify the clinic page</b>		
Passed: 0	Failed: 1	Undefined: 0
Duration: 2.55s		
Before		0.00s
And User can see that Call, Navigate and See Details links are displayed under "Clinics" search results		2.55s
<pre> java.lang.AssertionError: The following asserts failed: Near youHospitals are not displayed , Near you search results are not displayed , Call Now button is not displayed for the firstHospital tile See Details screen expected [true] but found [false], Navigate link is not displayed for the firstHospital tile See Details screen expected [true] but found [false], hospital address is not displayed for the first Hospital tile See Details screen expected [true] but found [false], Back button is not in the Hospitalsscreen, Near youClinics are not displayed at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43) at com.onepulse.app.screens.LocationScreen.verifySearchResults(LocationScreen.java:100) </pre>		

at com.onepulse.app.stepdefinitions.mobilesteps.LocationSteps.  
 userCanSeeThatCallNavigateAndSeeDetailsLinksAreDisplayedUnderSearchResults  
 (LocationSteps.java:51)  
 at .And User can see that Call, Navigate and See Details links are displayed under "Clinics"  
 search results(features/health/Hospital\_Clinic\_Locator.feature:59)



After		0.00s
-------	--	-------

[Back to Table of Contents](#)

### Scenario: User can view listed clinic details

Passed: 1	Failed: 0	Undefined: 0	Duration: 2.65s
-----------	-----------	--------------	-----------------

Before		0.00s
--------	--	-------

When I clicks on See Details button on First result	2.65s
---	-------

After		0.00s
-------	--	-------

[Back to Table of Contents](#)

### Scenario: User can view listed clinic info

Passed: 0	Failed: 1	Undefined: 0	Duration: 25.81s
-----------	-----------	--------------	------------------


Before		0.00s
--------	--	-------

Then I can see the "Clinic" Information screen with Navigate and Call Now buttons 25.81s

java.lang.AssertionError: The following asserts failed:  
 Near youHospitals are not displayed ,  
 Near you search results are not displayed ,  
 Call Now button is not displayed for the firstHospital tile See Details screen expected [true] but found [false],  
 Navigate link is not displayed for the firstHospital tile See Details screen expected [true] but found [false],  
 hospital address is not displayed for the first Hospital tile See Details screen expected [true]



but found [false],  
 Back button is not in the Hospitals screen,  
 Near you Clinics are not displayed ,  
 Near you search results are not displayed ,  
 Call Now button is not displayed for the first Clinic tile See Details screen expected [true] but found [false],  
 Navigate link is not displayed for the first Clinic tile See Details screen expected [true] but found [false],  
 hospital address is not displayed for the first Clinic tile See Details screen expected [true] but found [false]  
 at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)  
 at com.onepulse.app.screens.LocationScreen.verifyHospitalInformationScreen(LocationScreen.java:147)  
 at com.onepulse.app.stepdefinitions.mobilesteps.LocationSteps.  
 iCanSeeTheInformationScreenWithNavigateAndCallNowButtons(LocationSteps.java:81)  
 at .Then I can see the "Clinic" Information screen with Navigate and Call Now buttons  
 (features/health/Hospital\_Clinic\_Locator.feature:65)



After		0.00s
<a href="#">Back to Table of Contents</a>		
Scenario: User can view listed clinic info details		
Passed: 1	Failed: 0	Duration: .67s
Before		0.00s
When I clicks on back button in See Details screen		0.67s
After		0.00s
<a href="#">Back to Table of Contents</a>		
Scenario: User can navigate back to clinics screen		
Passed: 1	Failed: 0	Duration: 10.59s


Before		0.00s								
And I clicks on back button in "Clinic" screen		10.59s								
After		0.00s								
<a href="#">Back to Table of Contents</a>										
Feature: Verify Medicine Reminder Positive Flow functionality on one pulse App										
Passed: 1	Failed: 9	Undefined: 0								
Duration: 536.37s										
Scenario: User should be able to register on app with correct credentials using "Continue with Email"										
Passed: 12	Failed: 1	Undefined: 2								
Duration: 187.0s										
Before		0.00s								
Given I generate random number and assign to variable "RANDOM_NUMBER"		0.01s								
And I assign "pulse\${RANDOM_NUMBER}@mailsac.com" to variable "PULSE_EMAIL"		0.00s								
And User has pulse app		16.32s								
And user click on "CONTINUE WITH EMAIL" with Email button		23.86s								
Then I wait for 2 sec		2.00s								
Then I change the country as required on registration page		11.97s								
Then I wait for 2 sec		2.00s								
Then I navigate to pulse registration page and select the lang on toggle bar then click on continue with email button		7.74s								
When user enters registration details		9.49s								
	<table><tr><td>FirstName</td><td>medicine</td></tr><tr><td>LastName</td><td>reminder</td></tr><tr><td>Email</td><td>\${PULSE_EMAIL}</td></tr><tr><td>Password</td><td>Pas\$1234</td></tr></table>	FirstName	medicine	LastName	reminder	Email	\${PULSE_EMAIL}	Password	Pas\$1234	
FirstName	medicine									
LastName	reminder									
Email	\${PULSE_EMAIL}									
Password	Pas\$1234									
And taps on continue "Sign_Up" button		0.75s								
And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}"		31.09s								
Then I wait for 2 sec		2.00s								
Then I click skip button		79.77s								
<div>org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters. For documentation on this error, please visit: <a href="http://seleniumhq.org/exceptions/no_such_element.html">http://seleniumhq.org/exceptions/no_such_element.html</a> Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z' System info: host: 'RISHANI-PC', ip: '192.168.0.101', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.10' Driver info: io.appium.java_client.android.AndroidDriver Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel: SM-N770F, deviceName: RF8N31EE5JX, deviceScreenDensity: 420, deviceScreenSize: 1080x2400, deviceUDID: RF8N31EE5JX,</div>										

```

javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.625, platform: LINUX,
platformName: Android, platformVersion: 10, statBarHeight: 85, takesScreenshot: true,
viewportRect: {height: 2104, left: 0, top: 85, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: 3a1e65a8-cbbc-46e7-8508-3a60f82053ea
*** Element info: {Using=xpath, value=//android.view.ViewGroup[2]/android.view.ViewGroup
/android.view.ViewGroup/android.widget.ImageView}
at jdk.internal.reflect.GeneratedConstructorAccessor22.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:166)
at com.onepulse.app.screens.PulseRegistrationScreen.clickSkipButton
(PulseRegistrationScreen.java:1087)
at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.iClickSkipButton

```

(RegistrationSteps.java:374) at .Then I click skip button(features/health/MedicineReminder.feature:22)							
Then user should be landed to "Home" screen			0.00s				
Then I wait for 4 sec			0.00s				
After			0.00s				
<a href="#">Back to Table of Contents</a>							
Scenario: <a href="#">Verify User should be able to navigate to medical reminder page</a>							
Passed: 4		Failed: 0	Undefined: 0	Duration: 134.35s			
Before				0.00s			
	Then I click the Health icon in Home screen			28.63s			
	And I wait for 2 sec			2.23s			
	And I clicks on click here icon in medical Reminder			101.47s			
	Then I wait for 2 sec			2.00s			
After			0.01s				
<a href="#">Back to Table of Contents</a>							
Scenario: <a href="#">verify the static text on medicine reminder screen</a>							
Passed: 0		Failed: 1	Undefined: 2	Duration: 30.24s			
Before				0.00s			
	And I verify following text displayed in Add medicine screen			30.24s			
	<table><tr><td>  \${no.medicine.text}</td></tr><tr><td>  \${Medicalremainder.text}</td></tr><tr><td>  \${track.medicine.text}</td></tr><tr><td>  \${important.dose.text}</td></tr></table>			\${no.medicine.text}	\${Medicalremainder.text}	\${track.medicine.text}	\${important.dose.text}
				\${no.medicine.text}			
				\${Medicalremainder.text}			
				\${track.medicine.text}			
	\${important.dose.text}						
	java.lang.AssertionError: The following asserts failed: No medicine added! text is displayed on page expected [true] but found [false], Medicine Reminder text is displayed on page expected [true] but found [false], Track the medicine and set reminder text is displayed on page expected [true] but found [false], before for important dose text is displayed on page expected [true] but found [false] at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43) at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.VerifyAddMedicine(MyDocSteps.java:885) at .And I verify following text displayed in Add medicine screen(features/health/MedicineReminder.feature:34)						
And I clicks on "\${add.new.reminder}" in app screens			0.00s				
And I wait for 2 sec			0.00s				



After	0.00s
-------	-------

[Back to Table of Contents](#)

**Scenario: verify add medicine screen is launched and user can enter the required info on medical info screen**

Passed: 0	Failed: 1	Undefined: 3	Duration: 22.75s
-----------	-----------	--------------	------------------

Before	0.00s
--------	-------

And I verify following text displayed in Add medicine screen	22.75s
--	--------

{medicine.info.field}
{schedule.field}
{more.setting.field}


java.lang.AssertionError: The following asserts failed:  
 Medicine Info text is displayed on page expected [true] but found [false],  
 Schedule text is displayed on page expected [true] but found [false],  
 More Setting text is displayed on page expected [true] but found [false]  
 at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)  
 at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.VerifyAddMedicine(MyDocSteps.java:885)  
 at .And I verify following text displayed in Add medicine screen(features/health /MedicineReminder.feature:44)

And I assign "Paracetamol" to variable "Medicine_Info"	0.00s
--	-------

And I enter following details in add medicine screen	0.00s
--	-------


Medicine Info	{Medicine_Info}
Unit	Tablet (unit)
Quantity	2

And I clicks on Next icon in app screens	0.00s
--	-------



After		0.00s					
<a href="#">Back to Table of Contents</a>							
Scenario: <b>verify user navigated to schedule screen and user can enter the required info</b>							
Passed: 0	Failed: 1	Undefined: 4					
Duration: 38.82s							
Before		0.00s					
And I verify following text displayed in Add medicine screen		38.82s					
<table><tr><td><code>\${frequency.text}</code></td></tr><tr><td><code>\${dosage.timing.text}</code></td></tr><tr><td><code>\${start.date.text}</code></td></tr><tr><td><code>\${end.date.text}</code></td></tr><tr><td><code>\${dose.intake.text}</code></td></tr></table>		<code>\${frequency.text}</code>	<code>\${dosage.timing.text}</code>	<code>\${start.date.text}</code>	<code>\${end.date.text}</code>	<code>\${dose.intake.text}</code>	
<code>\${frequency.text}</code>							
<code>\${dosage.timing.text}</code>							
<code>\${start.date.text}</code>							
<code>\${end.date.text}</code>							
<code>\${dose.intake.text}</code>							
<pre>java.lang.AssertionError: The following asserts failed: Frequency text is displayed on page expected [true] but found [false], Dosage Timing text is displayed on page expected [true] but found [false], Start Date text is displayed on page expected [true] but found [false], End Date text is displayed on page expected [true] but found [false], Dose Intake text is displayed on page expected [true] but found [false] at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43) at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.VerifyAddMedicine(MyDocSteps.java:885) at .And I verify following text displayed in Add medicine screen(features/health/MedicineReminder.feature:57)</pre>							
And I enter following details in add medicine screen		0.00s					
<table><tr><td>Frequency</td><td>Once</td></tr></table>		Frequency	Once				
Frequency	Once						
And I clicks on Timing in Add medicine screen		0.00s					



And I clicks on "\${before.meal.text}" in app screens			0.00s				
And I clicks on Next icon in app screens			0.00s				
							
After			0.00s				
<a href="#">Back to Table of Contents</a>							
Scenario: <b>Verify User should be able to navigate to More Setting page</b>							
Passed: 1		Failed: 1	Undefined: 2				
Duration: 19.6s							
Before			0.00s				
Given I wait for 2 sec			2.09s				
And I enter following details in add medicine screen			17.51s				
<table><tr><td>Medication For</td><td>fever</td></tr><tr><td>Medicine Stock</td><td>5</td></tr></table>				Medication For	fever	Medicine Stock	5
Medication For	fever						
Medicine Stock	5						
<p>org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters. For documentation on this error, please visit: <a href="http://seleniumhq.org/exceptions/no_such_element.html">http://seleniumhq.org/exceptions/no_such_element.html</a> Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z' System info: host: 'RISHANI-PC', ip: '192.168.0.101', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.10' Driver info: io.appium.java_client.android.AndroidDriver Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel: SM-N770F, deviceName: RF8N31EE5JX, deviceScreenDensity: 420, deviceScreenSize: 1080x2400, deviceUDID: RF8N31EE5JX,</p>							

```

javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.625, platform: LINUX,
platformName: Android, platformVersion: 10, statBarHeight: 85, takesScreenshot: true,
viewportRect: {height: 2104, left: 0, top: 85, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: 3a1e65a8-cbbc-46e7-8508-3a60f82053ea
*** Element info: {Using=xpath, value=//android.widget.TextView[@text='What are you
taking this medication for?']/following::android.widget.EditText}
at jdk.internal.reflect.GeneratedConstructorAccessor22.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$16.executeCommand(Commands.java:148)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.setTextWithTab(TestBasePage.java:263)
at com.onepulse.app.screens.PulseHealthScreen.enterDetailsInAddMedScreen
(PulseHealthScreen.java:327)
at com.onepulse.app.stepdefinitions.mobilesteps.MedicineReminderSteps.
enterInfoInAddMedicineScreen(MedicineReminderSteps.java:30)

```

at .And I enter following details in add medicine screen(features/health/MedicineReminder. feature:71)


And I clicks the Done button in Add medicine screen

0.00s

And I verify following texts are displayed

0.00s

`${Medicine_Info}` added successfully!



After

0.00s

[Back to Table of Contents](#)

Scenario: **verify Add medicine screen is displayed when user click on add new reminder on success popup**

Passed: 0

Failed: 1

Undefined: 9

Duration: 22.49s

Before

0.00s

And I clicks on "`${add.another.med}`" in app screens

22.49s

org.openqa.selenium.InvalidElementStateException: Swipe action cannot be performed

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'RISHANI-PC', ip: '192.168.0.101', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.10'

Driver info: io.appium.java\_client.android.AndroidDriver

Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel: SM-N770F, deviceName: RF8N31EE5JX, deviceScreenDensity: 420, deviceScreenSize: 1080x2400, deviceUDID: RF8N31EE5JX, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.625, platform: LINUX,

platformName: Android, platformVersion: 10, statBarHeight: 85, takesScreenshot: true, viewportRect: {height: 2104, left: 0, top: 85, width: 1080}, warnings: {}, webStorageEnabled: false}

Session ID: 3a1e65a8-cbbc-46e7-8508-3a60f82053ea

at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)

at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)

at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)

at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)

at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)

at io.appium.java\_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:231)

at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)

at io.appium.java\_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:42)

at io.appium.java\_client.AppiumDriver.execute(AppiumDriver.java:1)

at io.appium.java\_client.android.AndroidDriver.execute(AndroidDriver.java:1)

at io.appium.java\_client.PerformsTouchActions.performTouchAction(PerformsTouchActions.java:41)

at io.appium.java\_client.TouchAction.perform(TouchAction.java:187)

at com.prudential.tap.appium.AppiumCommands.swipe(AppiumCommands.java:485)


at com.onepulse.app.screens.TestBasePage.scrollPageDown(TestBasePage.java:207)


at com.onepulse.app.screens.DieticianScreen.clickMedicalRemainder(DieticianScreen.java:339)

at com.onepulse.app.stepdefinitions.mobilesteps.DieticianSteps.clickDietician(DieticianSteps.java:157)

at .And I clicks on "\${add.another.med}" in app screens(features/health/MedicineReminder.feature:81)

And I assign "cold" to variable "Medicine_Info"	0.00s						
And I enter following details in add medicine screen	0.00s						
<table> <tr> <td>Medicine Info</td><td>\${Medicine_Info}</td></tr> <tr> <td>Unit</td><td>Tablet (unit)</td></tr> <tr> <td>Quantity</td><td>5</td></tr> </table>	Medicine Info	\${Medicine_Info}	Unit	Tablet (unit)	Quantity	5	
Medicine Info	\${Medicine_Info}						
Unit	Tablet (unit)						
Quantity	5						
And I clicks on Next icon in app screens	0.00s						
And I enter following details in add medicine screen	0.00s						
<table> <tr> <td>Frequency</td><td>Daily</td></tr> </table>	Frequency	Daily					
Frequency	Daily						
And I clicks on Timing in Add medicine screen	0.00s						
And I clicks on "After meal" in app screens	0.00s						
And I clicks on Next icon in app screens	0.00s						
And I enter following details in add medicine screen	0.00s						
<table> <tr> <td></td><td></td></tr> </table>							

Medication For Cold		
Medicine Stock 5		
And I clicks the Done button in Add medicine screen		0.00s
		
After		0.00s
<a href="#">Back to Table of Contents</a>		
<b>Scenario: verify medicine reminder home screen is displayed when user click on not now button on success popup</b>		
Passed: 1	Failed: 1	Undefined: 0
Duration: 44.7s		
Before		0.00s
And I clicks on Not now icon in app screen		36.80s
And I verify following text displayed in Add medicine screen		7.90s
<code>\${Medicalremainder.text}</code>		
<p>java.lang.AssertionError: The following asserts failed:          Medicine Reminder text is displayed on page expected [true] but found [false]          at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)          at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.VerifyAddMedicine(MyDocSteps.java:885)          at .And I verify following text displayed in Add medicine screen(features/health/MedicineReminder.feature:100)</p>		



After	0.00s
-------	-------

[Back to Table of Contents](#)

Scenario: [navigate to health screen](#)

Passed: 0	Failed: 1	Undefined: 0	Duration: 7.72s
-----------	-----------	--------------	-----------------

Before	0.00s
--------	-------

And I click the Back button in medical remainder	7.72s
--	-------

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.

For documentation on this error, please visit: [http://seleniumhq.org/exceptions/no\\_such\\_element.html](http://seleniumhq.org/exceptions/no_such_element.html)

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'RISHANI-PC', ip: '192.168.0.101', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.10'

Driver info: io.appium.java\_client.android.AndroidDriver

Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel: SM-N770F, deviceName: RF8N31EE5JX, deviceScreenDensity: 420, deviceScreenSize: 1080x2400, deviceUDID: RF8N31EE5JX, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.625, platform: LINUX, platformName: Android, platformVersion: 10, statBarHeight: 85, takesScreenshot: true, viewportRect: {height: 2104, left: 0, top: 85, width: 1080}, warnings: {}, webStorageEnabled: false}


Session ID: 3a1e65a8-cbbc-46e7-8508-3a60f82053ea

```

*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,'Medicine
Reminder')]/preceding::android.widget.ImageView[1]}
at jdk.internal.reflect.GeneratedConstructorAccessor22.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:166)
at com.onepulse.app.screens.DieticianScreen.SelectBack_Icon(DieticianScreen.java:408)
at com.onepulse.app.stepdefinitions.mobilesteps.DieticianSteps.Back_MedicalRemainder
(DieticianSteps.java:195)
at .And I click the Back button in medical remainder(features/health/MedicineReminder.
feature:104)

```





After	0.00s
-------	-------

[Back to Table of Contents](#)

Scenario: **Verify User should be able to navigate to calendar page**

Passed: 2	Failed: 1	Undefined: 1	Duration: 28.72s
-----------	-----------	--------------	------------------

Before	0.00s
--------	-------

Given I wait for 2 sec	2.00s
When I scroll down	4.96s
Then I click on Calendar tile	21.76s

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.

For documentation on this error, please visit: [http://seleniumhq.org/exceptions/no\\_such\\_element.html](http://seleniumhq.org/exceptions/no_such_element.html)

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'RISHANI-PC', ip: '192.168.0.101', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.10'

Driver info: io.appium.java\_client.android.AndroidDriver

Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel: SM-N770F, deviceName: RF8N31EE5JX, deviceScreenDensity: 420, deviceScreenSize: 1080x2400, deviceUDID: RF8N31EE5JX, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.625, platform: LINUX, platformName: Android, platformVersion: 10, statBarHeight: 85, takesScreenshot: true, viewportRect: {height: 2104, left: 0, top: 85, width: 1080}, warnings: {}, webStorageEnabled:

```


false}
Session ID: 3a1e65a8-cbbc-46e7-8508-3a60f82053ea
*** Element info: {Using=xpath, value=//android.widget.TextView[@text='Medicine
Reminder']/../..../parent::android.view.ViewGroup/preceding::android.view.ViewGroup[1]}
at jdk.internal.reflect.GeneratedConstructorAccessor22.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:166)
at com.onepulse.app.screens.PulseHealthScreen.clickCalendarTile(PulseHealthScreen.java:
243)
at com.onepulse.app.stepdefinitions.mobilesteps.LocationSteps.iClicksOnCalendarButton
(LocationSteps.java:96)
at .Then I click on Calendar tile(features/health/MedicineReminder.feature:109)

```

And I verify following text displayed in Add medicine screen

0.00s

#{Medicalremainder.text}



After	0.00s
-------	-------

[Back to Table of Contents](#)

### Feature: Verify MY Event channel functionality on one pulse App

Passed: 5	Failed: 0	Undefined: 0	Duration: 175.74s
-----------	-----------	--------------	-------------------

#### Scenario: Launch the app and select the country as per specified Ibu

Passed: 7	Failed: 0	Undefined: 0	Duration: 79.18s
-----------	-----------	--------------	------------------

Before	0.00s
--------	-------

Given User has pulse app	20.88s
And I assign "\${onepulse.events.user}" to variable "PULSE_EMAIL"	0.02s
And user click on "CONTINUE WITH EMAIL" with Email button	24.37s
Then I change the country as required on registration page	11.86s
Then I wait for 5 sec	5.01s
Then I change the language as required on registration page	11.55s
And I click the Sign in link	5.50s

After	0.00s
-------	-------

[Back to Table of Contents](#)

#### Scenario: login to the app with correct credentials using "Continue with Email"

Passed: 6	Failed: 0	Undefined: 0	Duration: 44.8s
-----------	-----------	--------------	-----------------

Before	0.00s
--------	-------

Given I select the language option on toggle bar as required on login page	3.81s				
When user enters credentials	18.94s				
<table border="1"> <tr> <td>UserName</td> <td>\${PULSE_EMAIL}</td> </tr> <tr> <td>Password</td> <td>\${pulse.password}</td> </tr> </table>	UserName	\${PULSE_EMAIL}	Password	\${pulse.password}	
UserName	\${PULSE_EMAIL}				
Password	\${pulse.password}				

	And User clicks on signin button	0.60s	
	And I wait for 5 sec	5.00s	
	And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}"	8.40s	
	Then user should be landed to "Home" screen	8.05s	
After		0.00s	
<a href="#">Back to Table of Contents</a>			
Scenario: <b>Verify MyEvent Functionality in Home screen</b>			
Passed: 3	Failed: 0	Undefined: 0	Duration: 26.64s
Before			0.00s
	And I click the MyEvent icons	20.72s	
	And I wait for 5 sec	5.00s	
	And I verify following texts are displayed	0.92s	
	<div>You do not have any events enrolled yet</div> <div>Please choose from the open events and get started</div>		
After		0.00s	
<a href="#">Back to Table of Contents</a>			
Scenario: <b>Verify Open Events tab</b>			
Passed: 2	Failed: 0	Undefined: 0	Duration: 13.07s
Before			0.00s
	And I click the Open Events icon	9.74s	
	And I verify following texts are displayed	3.34s	
	<div>There are no events available at the moment</div> <div>Stay tuned for events on health and fitness</div>		
	After		0.00s
<a href="#">Back to Table of Contents</a>			
Scenario: <b>Verify Events Archive tab</b>			
Passed: 2	Failed: 0	Undefined: 0	Duration: 12.04s
Before			0.00s
	And I click the Events Archive icon	9.04s	
	And I verify following texts are displayed	3.00s	
	<div>You do not have any events in your archive.</div>		
	After		0.00s
<a href="#">Back to Table of Contents</a>			
Feature: <b>Verify My Health Content functionality on one pulse App</b>			
Passed: 5	Failed: 3	Undefined: 0	Duration: 244.31s
Scenario: <b>Launch the app and select the country as per specified Ibu</b>			
Passed: 6	Failed: 0	Undefined: 0	Duration: 61.34s
Before			0.00s
	Given User has pulse app	16.16s	
	And Logout of pulse app if user is logged in	0.01s	
	And user click on "CONTINUE WITH EMAIL" with Email button	24.93s	
	Then I change the country as required on registration page	12.11s	


	Then I wait for 3 sec		3.01s
	And I click the Sign in link		5.12s
After			0.00s
<a href="#">Back to Table of Contents</a>			
Scenario: User should be able to login on app with correct credentials using "Continue with Email"			
Passed: 7	Failed: 0	Undefined: 0	Duration: 50.8s
Before			0.00s
	And I assign "\${login.email.id}" to variable "PULSE_EMAIL"		0.00s
	Given I select the language option on toggle bar as required on login page		3.85s
	When user enters credentials		19.09s
	UserName	\${PULSE_EMAIL}	
	Password	\${login.password}	
	And User clicks on signin button		0.77s
	Then I wait for 10 sec		10.00s
	And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}"		8.45s
	Then user should be landed to "Home" screen		8.61s
After			0.02s
<a href="#">Back to Table of Contents</a>			
Scenario: Verify User should be able to navigate to Health page			
Passed: 4	Failed: 0	Undefined: 0	Duration: 52.51s
Before			0.00s
	Then I navigate to Health Content screen		23.13s
	Then I wait for 8 sec		8.00s
	And I verify following texts are displayed		0.92s
	Health Channels		
	And I verify the following texts "My Health Content" in Screen		20.46s
	Category		
	Like		
	Share		
	Comment		
After			0.00s
<a href="#">Back to Table of Contents</a>			
Scenario: Verify User should be able to view the full page article post			
Passed: 2	Failed: 0	Undefined: 0	Duration: 18.01s
Before			0.00s
	Then I click on "Health Channels" topic for details full view		8.01s
	Then I wait for 10 sec		10.00s
After			0.00s
<a href="#">Back to Table of Contents</a>			
Scenario: Verify User should be able to see the Like, Share, Comment options on full page article post			
Passed: 1	Failed: 0	Undefined: 0	Duration: 14.73s

Before		0.00s
And I verify the following texts "My Health Content" in Screen		14.73s
Like		
After		0.00s
<a href="#">Back to Table of Contents</a>		
Scenario: <b>Verify User should be able to Like the post in full article view screen</b>		
Passed: 1	Failed: 1	Undefined: 0
Duration: 13.75s		
Before		0.00s
And I Like the post		5.72s
And I Like the post		8.03s
<p>org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.</p> <p>For documentation on this error, please visit: <a href="http://seleniumhq.org/exceptions/no_such_element.html">http://seleniumhq.org/exceptions/no_such_element.html</a></p> <p>Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'</p> <p>System info: host: 'RISHANI-PC', ip: '192.168.0.101', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.10'</p> <p>Driver info: io.appium.java_client.android.AndroidDriver</p> <p>Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel: SM-N770F, deviceName: RF8N31EE5JX, deviceScreenDensity: 420, deviceScreenSize: 1080x2400, deviceUDID: RF8N31EE5JX, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.625, platform: LINUX, platformName: Android, platformVersion: 10, statBarHeight: 85, takesScreenshot: true, viewportRect: {height: 2104, left: 0, top: 85, width: 1080}, warnings: {}, webStorageEnabled: false}</p> <p>Session ID: 43c77e23-3fe7-42f2-8a3f-b00333a56738</p> <p>*** Element info: {Using=xpath, value=//android.widget.TextView[@text='Like']}</p> <p>at jdk.internal.reflect.GeneratedConstructorAccessor22.newInstance(Unknown Source)</p> <p>at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)</p> <p>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)</p> <p>at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)</p> <p>at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)</p> <p>at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)</p> <p>at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:231)</p>		

```

at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:166)
at com.onepulse.app.screens.WealthScreen.clickLikeButton(WealthScreen.java:170)
at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.iLikeThePost(WealthSteps.java:
75)
at .And I Like the post(features/home/MyHealthContent.feature:73)

```





After		0.00s
<a href="#">Back to Table of Contents</a>		
Scenario: <b>Verify User should be able to Share the post in full article view screen</b>		
Passed: 0	Failed: 1	Duration: 13.42s
Before		0.00s
And I share the post		13.42s
<p>org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.</p> <p>For documentation on this error, please visit: <a href="http://seleniumhq.org/exceptions/no_such_element.html">http://seleniumhq.org/exceptions/no_such_element.html</a></p> <p>Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'</p> <p>System info: host: 'RISHANI-PC', ip: '192.168.0.101', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.10'</p> <p>Driver info: io.appium.java_client.android.AndroidDriver</p> <p>Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel: SM-N770F, deviceName: RF8N31EE5JX, deviceScreenDensity: 420, deviceScreenSize: 1080x2400, deviceUDID: RF8N31EE5JX, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.625, platform: LINUX, platformName: Android, platformVersion: 10, statBarHeight: 85, takesScreenshot: true, viewportRect: {height: 2104, left: 0, top: 85, width: 1080}, warnings: {}, webStorageEnabled: false}</p> <p>Session ID: 43c77e23-3fe7-42f2-8a3f-b00333a56738</p> <p>*** Element info: {Using=xpath, value=//android.widget.TextView[@text='Share']}</p> <p>at jdk.internal.reflect.GeneratedConstructorAccessor22.newInstance(Unknown Source)</p> <p>at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)</p> <p>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)</p> <p>at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)</p> <p>at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)</p> <p>at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)</p> <p>at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:231)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)</p> <p>at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:42)</p> <p>at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)</p> <p>at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)</p> <p>at io.appium.java_client.DefaultGenericMobileDriver.findElement</p>		


```

(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:166)
at com.onepulse.app.screens.WealthScreen.clickShareButton(WealthScreen.java:208)
at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.iShareThePost(WealthSteps.java:90)
at .And I share the post(features/home/MyHealthContent.feature:76)

```

Then I navigate back to previous page

0.00s



After

0.00s

[Back to Table of Contents](#)
**Scenario: Verify User can navigate to Health homepage**

Passed: 0

Failed: 1

Undefined: 0


Duration: 19.75s

Before		0.00s
	Then I navigate to story post page	19.75s
	<pre> org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters. For documentation on this error, please visit: http://seleniumhq.org/exceptions /no_such_element.html Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z' System info: host: 'RISHANI-PC', ip: '192.168.0.101', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.10' Driver info: io.appium.java_client.android.AndroidDriver Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel: SM-N770F, deviceName: RF8N31EE5JX, deviceScreenDensity: 420, deviceScreenSize: 1080x2400, deviceUDID: RF8N31EE5JX, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.625, platform: LINUX, platformName: Android, platformVersion: 10, statBarHeight: 85, takesScreenshot: true, viewportRect: {height: 2104, left: 0, top: 85, width: 1080}, warnings: {}, webStorageEnabled: false} Session ID: 43c77e23-3fe7-42f2-8a3f-b00333a56738 *** Element info: {Using=xpath, value=//android.view.View[contains(@text,'First Steps')] /preceding::android.widget.ImageView} at jdk.internal.reflect.GeneratedConstructorAccessor22.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java: 158) at io.appium.java_client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:231) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver. java:42) at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1) at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317) at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:62) at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1) at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1) at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver. </pre>	

```

java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:166)
at com.onepulse.app.screens.WealthScreen.clickFullViewBackButton(WealthScreen.java:161)
at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.iNavigateToStoryPostPage
(WealthSteps.java:70)
at .Then I navigate to story post page(features/home/MyHealthContent.feature:80)

```



After	0.00s
-------	-------

[Back to Table of Contents](#)

### Feature: **Verify Notification Center functionality on one pulse App**


Passed: 2	Failed: 1	Undefined: 0	Duration: 213.48s
-----------	-----------	--------------	-------------------

**Scenario: User should be able to register on app with correct credentials using "Continue with Email"**

Passed: 17	Failed: 0	Undefined: 0	Duration: 202.33s
------------	-----------	--------------	-------------------

Before	0.00s
--------	-------

Given I generate random number and assign to variable "RANDOM_NUMBER"	0.01s								
And I assign "pulse\${RANDOM_NUMBER}@mailsac.com" to variable "PULSE_EMAIL"	0.00s								
And User has pulse app	18.51s								
Then I wait for 2 sec	2.00s								
And user click on "CONTINUE WITH EMAIL" with Email button	24.32s								
Then I wait for 2 sec	2.00s								
Then I change the country as required on registration page	12.23s								
Then I wait for 2 sec	2.00s								
Then I navigate to pulse registration page and select the lang on toggle bar then click on continue with email button	7.96s								
Then I wait for 2 sec	2.00s								
When user enters registration details	8.18s								
<table border="1"> <tr> <td>FirstName</td><td>testAutomation</td></tr> <tr> <td>LastName</td><td>testAutomation</td></tr> <tr> <td>Email</td><td>\${PULSE_EMAIL}</td></tr> <tr> <td>Password</td><td>Pas\$1234</td></tr> </table>	FirstName	testAutomation	LastName	testAutomation	Email	\${PULSE_EMAIL}	Password	Pas\$1234	
FirstName	testAutomation								
LastName	testAutomation								
Email	\${PULSE_EMAIL}								
Password	Pas\$1234								
And taps on continue "Sign_Up" button	0.39s								
And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}"	31.35s								
Then I wait for 2 sec	2.00s								
Then I click skip button	78.03s								
Then user should be landed to "Home" screen	7.34s								
Then I wait for 4 sec	4.00s								
After	0.00s								
<a href="#">Back to Table of Contents</a>									
<b>Scenario: Navigate to notification screen via home screen</b>									
Passed: 2	Failed: 0								
Undefined: 0	Duration: 2.82s								
Before	0.00s								
Given I navigate to notification screen from home page	0.82s								
Then I wait for 2 sec	2.00s								
After	0.00s								
<a href="#">Back to Table of Contents</a>									
<b>Scenario: Verify User should be able to see the Notification screen texts</b>									
Passed: 0	Failed: 1								
Undefined: 0	Duration: 8.33s								
Before	0.00s								
And I verify following texts are displayed	8.33s								
<pre> \${notification.msg}  java.lang.AssertionError: The following asserts failed: Notification Center text is displayed on page expected [true] but found [false] at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43) at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnScreen(MyDocSteps.java:717) at .And I verify following texts are displayed(features/home/NotificationCenter.feature:35) </pre>									

	
After	0.00s
<a href="#">Back to Table of Contents</a>	

### Feature: Verify My Challenges on One Pulse App

Passed: 4		Failed: 0		Undefined: 0		Duration: 143.36s	
Scenario: Launch the app and select the country as per specified Ibu							
Passed: 6		Failed: 0		Undefined: 0		Duration: 61.7s	
Before							0.00s
		Given User has pulse app					16.47s
		And Logout of pulse app if user is logged in					0.00s
		And user click on "CONTINUE WITH EMAIL" with Email button					23.83s
		Then I change the country as required on registration page					13.20s
		Then I wait for 3 sec					3.00s
		And I click the Sign in link					5.19s
After							0.00s
<a href="#">Back to Table of Contents</a>							
Scenario: User should be able to login on app with correct credentials using "Continue with Email"							
Passed: 7		Failed: 0		Undefined: 0		Duration: 49.57s	
Before							0.00s
		And I assign "\${login.email.id}" to variable "PULSE_EMAIL"					0.00s
		Given I select the language option on toggle bar as required on login page					3.95s
		When user enters credentials					18.90s

And User clicks on signin button		1.23s				
Then I wait for 10 sec		10.00s				
And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}"		8.26s				
Then user should be landed to "Home" screen		7.24s				
After		0.00s				
<a href="#">Back to Table of Contents</a>						
Scenario: <a href="#">Verify My Challenges texts</a>						
Passed: 3	Failed: 0	Undefined: 0				
Duration: 19.9s						
Before		0.00s				
And I click on My Challenges tile on one pulse app		13.78s				
And I verify following texts are displayed		1.68s				
<table><tr><td><code>\${my.challenges.text}</code></td></tr><tr><td><code>\${do.not.have.challenges}</code></td></tr><tr><td><code>\${challenge.getstarted}</code></td></tr><tr><td><code>\${do.not.have.challenges}</code></td></tr></table>		<code>\${my.challenges.text}</code>	<code>\${do.not.have.challenges}</code>	<code>\${challenge.getstarted}</code>	<code>\${do.not.have.challenges}</code>	
<code>\${my.challenges.text}</code>						
<code>\${do.not.have.challenges}</code>						
<code>\${challenge.getstarted}</code>						
<code>\${do.not.have.challenges}</code>						
And I verify the following texts "My challenges" in Screen		4.44s				
<table><tr><td><code>\${all.challenges.text}</code></td></tr></table>		<code>\${all.challenges.text}</code>				
<code>\${all.challenges.text}</code>						
After		0.00s				
<a href="#">Back to Table of Contents</a>						
Scenario: <a href="#">Click on All challenges and and verify texts</a>						
Passed: 4	Failed: 0	Undefined: 0				
Duration: 12.19s						
Before		0.00s				
And I clicks on "\${all.challenges.text}" in app screen		0.41s				
And I verify the following texts "My challenges" in Screen		9.79s				
<table><tr><td><code>\${my.challenges.text}</code></td></tr><tr><td><code>\${all.challenges.text}</code></td></tr></table>		<code>\${my.challenges.text}</code>	<code>\${all.challenges.text}</code>			
<code>\${my.challenges.text}</code>						
<code>\${all.challenges.text}</code>						
And I verify following texts are displayed		1.48s				
<table><tr><td><code>\${no.challenges.available}</code></td></tr><tr><td><code>\${notify.challenge}</code></td></tr></table>		<code>\${no.challenges.available}</code>	<code>\${notify.challenge}</code>			
<code>\${no.challenges.available}</code>						
<code>\${notify.challenge}</code>						
And I clicks on "\${back.home}" in app screen		0.51s				
After		0.00s				
<a href="#">Back to Table of Contents</a>						

Feature: <a href="#">Verify My Communities on One Pluse App</a>			
Passed: 10	Failed: 0	Undefined: 0	Duration: 373.25s
Scenario: <a href="#">Launch the app and select the country as per specified lbu</a>			
Passed: 5	Failed: 0	Undefined: 0	Duration: 59.61s
Before			0.00s
Given User has pulse app		16.91s	
And user click on "CONTINUE WITH EMAIL" with Email button		23.73s	
Then I change the country as required on registration page		10.89s	
Then I wait for 3 sec		3.00s	
And I click the Sign in link		5.09s	



After		0.00s
<a href="#">Back to Table of Contents</a>		
<b>Scenario: User should be able to login on app with correct credentials using "Continue with Gmail"</b>		
Passed: 7	Failed: 0	Duration: 49.43s
Before		0.00s
And I assign "\${onepulse.login.global.id}" to variable "PULSE_EMAIL"		0.05s
Given I select the language option on toggle bar as required on login page		4.44s
When user enters credentials		18.22s
UserName \${PULSE_EMAIL}		
Password \${pulse.password}		
And User clicks on signin button		0.75s
Then I wait for 10 sec		10.00s
And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}"		8.47s
Then user should be landed to "Home" screen		7.51s
After		0.00s
<a href="#">Back to Table of Contents</a>		
<b>Scenario: User should be able to login on app with correct credentials using "Continue with Email" and Verify the Mycommunities screen</b>		
Passed: 5	Failed: 0	Duration: 30.29s
Before		0.00s
Then I wait for 6 sec		6.00s
And I click the MyCommunities icon		7.70s
Then I wait for 6 sec		6.00s
And I verify following texts are displayed		0.70s
\${icon.communities}		
And I verify the following texts "All Communities" in Screen		9.89s
\${my.communities.text}		
\${All.Communities.text}		
After		0.00s
<a href="#">Back to Table of Contents</a>		
<b>Scenario: Leave the community if already joined</b>		
Passed: 4	Failed: 0	Duration: 14.22s
Before		0.00s
And I clicks on "\${my.communities.text}" in app screen		1.42s
And I scroll down		4.32s
When I click on joined community three dots menu icon		0.33s
And I click on leave button for joined community		8.15s
After		0.00s
<a href="#">Back to Table of Contents</a>		
<b>Scenario: Verify the All Communities Post screen</b>		
Passed: 9	Failed: 0	Duration: 45.01s
Before		0.00s

Then I wait for 5 sec	5.00s
And I clicks on "\${All.Communities.text}" in app screen	0.59s
And I click the Join button in Communties tab	3.99s
And I click the static Active icon in community screen	5.10s
And I click Edit icon in stay Active icon	16.38s
And Enter the post in community screen	4.17s
POST TEST1	
And Enter the post in community large text screen	4.51s
POST welcome	
And I click the Post icon in create post screen	1.96s
Then I verify the following text "TEST1" in post Screen	3.31s
TEST1 welcome	
After	0.00s
<a href="#">Back to Table of Contents</a>	
Scenario: <b>Verify the Likes and comments counts in All communities tab</b>	
Passed: 8	Failed: 0
Undefined: 0	Duration: 43.36s
Before	0.00s
And I click the Post icon in My communities	9.55s
And I wait for 5 sec	5.00s
And I click the like button in Post screen	9.23s
And Verify the like count in Post screen " 1 Likes" likes	3.28s
And I click the Comment icon in feed screen	5.12s
And Enter the comments in Feeds screen	1.55s
Comments TEST1	
And I click the submit icon in feeds screen	1.31s
And Verify the comments count in Feeds screen " 0 Comments" comments	8.33s
After	0.00s
<a href="#">Back to Table of Contents</a>	
Scenario: <b>Verify the Share with Friends Functionality in All communities tab</b>	
Passed: 4	Failed: 0
Undefined: 0	Duration: 25.17s
Before	0.00s
And I click the share icon in Post screen	5.32s
And Verify the pop up in "Share with Friends"	4.20s
And I click the phone icon in share with friends	4.34s
And I give camera permission	11.31s
After	0.00s
<a href="#">Back to Table of Contents</a>	
Scenario: <b>Verify the Post Functionality in All communities</b>	
Passed: 12	Failed: 0
Undefined: 0	Duration: 60.26s
Before	0.00s
Then I click skip button in feeds screen	1.19s
Then I wait for 2 sec	2.00s

And I click the Back icon in Stay Active screen		3.66s
Then I wait for 3 sec		3.00s
And I click Edit icon in stay Active icon		15.96s
And I click the Camera icon in create post screen		4.41s
And I click the Upload Image icon		4.53s
And I give camera permission		10.29s
Then I take picture from Camera		5.79s
And Enter the post in community screen		4.80s
POSTTEST1		
And Enter the post in community large text screen		3.59s
POSTwelcome		
And I click the Post icon in create post screen		1.05s
After		0.00s
<a href="#">Back to Table of Contents</a>		
Scenario: <b>Verify the Category list and search feature</b>		
Passed: 7	Failed: 0	Undefined: 0
Duration: 37.59s		
Before		0.00s
	Then I wait for 15 sec	15.01s
	And I clicks on "\${category.text}" in app screen	0.66s
	And I verify the following texts "Category" in Screen	17.65s
	COVID-19	
	Fitness	
	Global Awareness Days	
	Mental Health	
	And I clicks on "Mental Health" in app screen	1.01s
	And I clicks on "\${apply.button}" in app screen	1.04s
	And I verify following texts are displayed	1.69s
	{no.post.found.text}	
	And I click the Back icon in Stay Active screen	0.53s
After		0.00s
<a href="#">Back to Table of Contents</a>		
Scenario: <b>Leave the community if already joined</b>		
Passed: 4	Failed: 0	Undefined: 0
Duration: 8.31s		
Before		0.00s
	And I clicks on "\${my.communities.text}" in app screen	2.42s
	And I scroll down	3.94s
	When I click on joined community three dots menu icon	0.16s
	And I click on leave button for joined community	1.78s
After		0.00s
<a href="#">Back to Table of Contents</a>		
Feature: <b>Verify Private My Communities on One Pluse App</b>		
Passed: 4	Failed: 0	Undefined: 0
Duration: 189.21s		

Scenario: Launch the app and select the country as per specified lbu							
Passed: 5		Failed: 0	Undefined: 0				
Duration: 60.27s							
Before		0.00s					
Given User has pulse app		17.91s					
And user click on "CONTINUE WITH EMAIL" with Email button		23.84s					
Then I change the country as required on registration page		10.98s					
Then I wait for 3 sec		3.00s					
And I click the Sign in link		4.53s					
After		0.00s					
<a href="#">Back to Table of Contents</a>							
Scenario: User should be able to login on app with correct credentials using "Continue with Gmail"							
Passed: 7		Failed: 0	Undefined: 0				
Duration: 49.69s							
Before		0.00s					
And I assign "pulse123456@mailsac.com" to variable "PULSE_EMAIL"		0.01s					
Given I select the language option on toggle bar as required on login page		3.91s					
When user enters credentials		19.01s					
<table><tr><td>UserName</td><td>\${PULSE_EMAIL}</td></tr><tr><td>Password</td><td>\${login.password}</td></tr></table>		UserName	\${PULSE_EMAIL}	Password	\${login.password}		
UserName	\${PULSE_EMAIL}						
Password	\${login.password}						
And User clicks on signin button		0.35s					
Then I wait for 10 sec		10.00s					
And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}"		7.97s					
Then user should be landed to "Home" screen		8.44s					
After		0.00s					
<a href="#">Back to Table of Contents</a>							
Scenario: User should be able to login on app with correct credentials using "Continue with Gmail" and Verify the Mycommunities screen							
Passed: 5		Failed: 0	Undefined: 0				
Duration: 28.57s							
Before		0.00s					
And I click the MyCommunities icon		13.36s					
Then I wait for 3 sec		3.00s					
And I verify following texts are displayed		0.30s					
<table><tr><td>\${icon.communities}</td></tr></table>		\${icon.communities}					
\${icon.communities}							
And I verify the following texts "All Communities" in Screen		8.91s					
<table><tr><td>\${my.communities.text}</td></tr><tr><td>\${All.Communities.text}</td></tr></table>		\${my.communities.text}	\${All.Communities.text}				
\${my.communities.text}							
\${All.Communities.text}							
Then I wait for 3 sec		3.00s					
After		0.00s					
<a href="#">Back to Table of Contents</a>							
Scenario: Verify the Private Communities in communities screen							
Passed: 12		Failed: 0	Undefined: 0				
Duration: 50.68s							
Before		0.00s					
And I click the Private "\${All.Communities.text}" in Communties screen		5.08s					

And I Enter the "e.g. Be Healthy content, Challenges etc." in "Test" in home screen		3.17s
And I Enter the "e.g. Healthy content, forum for celebrities etc." in "2020" in home new screen		4.34s
And I clicks on "Take a Picture" in app screen		1.06s
And I click the Upload Image icon		4.24s
And I give camera permission		13.54s
Then I take picture from Camera		7.21s
Then I wait for 3 sec		3.00s
And I scroll down		3.79s
And I click the continue button		0.57s
Then I click skip button in feeds screen		2.06s
And I clicks on "OK" in app screen		2.61s
After		0.00s
<a href="#">Back to Table of Contents</a>		

Feature: <a href="#">Verify legal and legacy on One pulse App</a>			
Passed: 7	Failed: 0	Undefined: 0	Duration: 182.2s

Scenario: <a href="#">Launch the app and select the country as per specified Ibu</a>			
Passed: 6	Failed: 0	Undefined: 0	Duration: 64.54s
Before			0.00s
	Given User has pulse app		19.19s
	And I assign "\${pulse.legal.privacy.login.id}" to variable "PULSE_EMAIL"		0.06s
	And user click on "CONTINUE WITH EMAIL" with Email button		24.01s
	Then I change the country as required on registration page		11.30s
	Then I wait for 5 sec		5.00s
	And I click the Sign in link		4.98s
After			0.00s
<a href="#">Back to Table of Contents</a>			

Scenario: <a href="#">login to the app with correct credentials using "Continue with Email"</a>			
Passed: 6	Failed: 0	Undefined: 0	Duration: 45.56s
Before			0.00s
	Given I select the language option on toggle bar as required on login page		3.78s
	When user enters credentials		19.51s
	UserName	\${PULSE_EMAIL}	
	Password	\${pulse.edit}	
	And User clicks on signin button		0.81s
	And I wait for 5 sec		5.00s
	And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}"		8.04s
	Then user should be landed to "Home" screen		8.43s
After			0.00s
<a href="#">Back to Table of Contents</a>			

Scenario: <a href="#">Navigate to account screen</a>			
Passed: 1	Failed: 0	Undefined: 0	Duration: 12.43s

Before		0.00s
	Given user navigate to account page	12.43s
After		0.00s
<a href="#">Back to Table of Contents</a>		
Scenario: <b>Verify the Legacy and Privacy should be displayed</b>		
Passed: 2	Failed: 0	Undefined: 0
Duration: 8.43s		
Before		0.00s
	And I click the Legacy and Privacy in Account screen	4.74s
	Then I verify following texts are displayed in terms and condition screen	3.69s
	\${Terms.conditions.text}	
	\${icon.privacyNotice}	
	\${icon.regulatory}	
	\${app.version.text}	
After		0.00s
<a href="#">Back to Table of Contents</a>		
Scenario: <b>Verify the Terms and condition screen should be displayed</b>		
Passed: 4	Failed: 0	Undefined: 0
Duration: 19.26s		
Before		0.00s
	And I click on "\${Terms.conditions.text}" link in Account screen	0.62s
	And I click the pulse icon in Account screen	14.21s
	And I click the Back icon in pulse screen	2.85s
	And I click the Back icon in Terms and conditions screen	1.58s
After		0.00s
<a href="#">Back to Table of Contents</a>		
Scenario: <b>Verify the Privacy screen should be displayed</b>		
Passed: 4	Failed: 0	Undefined: 0
Duration: 22.23s		
Before		0.00s
	And I click the Privacy icon in legal screen	2.86s
	And I click the pulse icon in Account screen	14.30s
	And I click the Back icon in pulse screen	2.49s
	And I click the Back icon in Privacy Notice	2.57s
After		0.00s
<a href="#">Back to Table of Contents</a>		
Scenario: <b>Verify the Regulator screen should be displayed</b>		
Passed: 4	Failed: 0	Undefined: 0
Duration: 9.75s		
Before		0.00s
	Given I wait for 2 sec	2.01s
	And I click the Regulatory icon in legal screen	0.86s
	And I click the Babylons icon in Account screen	2.06s
	Then I verify following texts are displayed in terms and condition screen	4.81s
	\${clinicalSafety.text}	
	\${ai.healthcare.text}	






And I click on "\${my.rewards.text}" link in Account screen		0.92s
Then I wait for 2 sec		2.00s
Then User verify following texts are displayed in My Rewards screen		6.96s
	{myRewards.title}	
	{myRewards.badges}	
	{myRewards.vouchers}	
	{myRewards.discover}	
	{my.rewards.text}	
After		0.00s
<a href="#">Back to Table of Contents</a>		
Scenario: User access My Rewards FAQ		
Passed: 3	Failed: 0	Undefined: 0
Duration: 7.22s		
Before		0.00s
	When I scroll down	
	Then I wait for 2 sec	
	Then User verify following texts are displayed in My Rewards screen	
	{myRewards.faq.title}	
After		0.00s
<a href="#">Back to Table of Contents</a>		
Scenario Outline: Verify the FAQ on my rewards screen		
Passed: 4	Failed: 0	Undefined: 0
Duration: 3.05s		
Before		0.00s
	Then User verify following faqs and answers "\${myRewards.faq.1}" are displayed in My Rewards screen	
	{myRewards.faq.1}	
	And I expand faq "\${myRewards.faq.1}" in My Rewards screen	
	Then User verify following faqs and answers "\${myRewards.faq.1.ans}" are displayed in My Rewards screen	
	{myRewards.faq.1.ans}	
	And I expand faq "\${myRewards.faq.1}" in My Rewards screen	
	0.86s	
	0.72s	
After		0.00s
<a href="#">Back to Table of Contents</a>		
Scenario Outline: Verify the FAQ on my rewards screen		
Passed: 4	Failed: 0	Undefined: 0
Duration: 5.08s		
Before		0.00s
	Then User verify following faqs and answers "\${myRewards.faq.2}" are displayed in My Rewards screen	
	{myRewards.faq.2}	
	And I expand faq "\${myRewards.faq.2}" in My Rewards screen	
	Then User verify following faqs and answers "\${myRewards.faq.2.ans}" are displayed in My Rewards screen	
	{myRewards.faq.2.ans}	
	And I expand faq "\${myRewards.faq.2}" in My Rewards screen	
	2.22s	
After		0.00s
<a href="#">Back to Table of Contents</a>		
Scenario Outline: Verify the FAQ on my rewards screen		
Passed: 4	Failed: 0	Undefined: 0
Duration: 5.08s		
Before		0.00s
	Then User verify following faqs and answers "\${myRewards.faq.2}" are displayed in My Rewards screen	
	{myRewards.faq.2}	
	And I expand faq "\${myRewards.faq.2}" in My Rewards screen	
	Then User verify following faqs and answers "\${myRewards.faq.2.ans}" are displayed in My Rewards screen	
	{myRewards.faq.2.ans}	
	And I expand faq "\${myRewards.faq.2}" in My Rewards screen	
	0.72s	
After		0.00s
<a href="#">Back to Table of Contents</a>		
Scenario Outline: Verify the FAQ on my rewards screen		
Passed: 4	Failed: 0	Undefined: 0
Duration: 5.08s		
Before		0.00s
	Then User verify following faqs and answers "\${myRewards.faq.2}" are displayed in My Rewards screen	
	{myRewards.faq.2}	
	And I expand faq "\${myRewards.faq.2}" in My Rewards screen	
	Then User verify following faqs and answers "\${myRewards.faq.2.ans}" are displayed in My Rewards screen	
	{myRewards.faq.2.ans}	
	And I expand faq "\${myRewards.faq.2}" in My Rewards screen	
	1.48s	
After		0.00s
<a href="#">Back to Table of Contents</a>		
Scenario Outline: Verify the FAQ on my rewards screen		
Passed: 4	Failed: 0	Undefined: 0
Duration: 5.08s		
Before		0.00s
	Then User verify following faqs and answers "\${myRewards.faq.2}" are displayed in My Rewards screen	
	{myRewards.faq.2}	
	And I expand faq "\${myRewards.faq.2}" in My Rewards screen	
	Then User verify following faqs and answers "\${myRewards.faq.2.ans}" are displayed in My Rewards screen	
	{myRewards.faq.2.ans}	
	And I expand faq "\${myRewards.faq.2}" in My Rewards screen	
	0.66s	

After		0.00s
<a href="#">Back to Table of Contents</a>		
Scenario Outline: <a href="#">Verify the FAQ on my rewards screen</a>		
Passed: 4	Failed: 0	Undefined: 0
Duration: 4.5s		
Before		0.00s
Then User verify following faqs and answers "\${myRewards.faq.3}" are displayed in My Rewards screen		1.16s
<a href="#">\${myRewards.faq.3}</a>		
And I expand faq "\${myRewards.faq.3}" in My Rewards screen		1.82s
Then User verify following faqs and answers "\${myRewards.faq.3.ans.subtext}" are displayed in My Rewards screen		0.73s
<a href="#">\${myRewards.faq.3.ans.1}##\${myRewards.faq.3.ans.2}##\${myRewards.faq.3.ans.3}##\${myRewards.faq.3.ans.4}##\${myRewards.faq.3.ans.5}##\${myRewards.faq.3.ans.6}##\${myRewards.faq.3.ans.7}</a>		
And I expand faq "\${myRewards.faq.3}" in My Rewards screen		0.79s
After		0.00s
<a href="#">Back to Table of Contents</a>		
Scenario Outline: <a href="#">Verify the FAQ on my rewards screen</a>		
Passed: 4	Failed: 0	Undefined: 0
Duration: 5.35s		
Before		0.00s
Then User verify following faqs and answers "\${myRewards.faq.5}" are displayed in My Rewards screen		1.54s
<a href="#">\${myRewards.faq.5}</a>		
And I expand faq "\${myRewards.faq.5}" in My Rewards screen		0.54s
Then User verify following faqs and answers "\${myRewards.faq.5.ans.subtext}" are displayed in My Rewards screen		1.31s
<a href="#">\${myRewards.faq.5.ans.1}##\${myRewards.faq.5.ans.2}##\${myRewards.faq.5.ans.3}##\${myRewards.faq.5.ans.4}</a>		
And I expand faq "\${myRewards.faq.5}" in My Rewards screen		1.95s
After		0.00s
<a href="#">Back to Table of Contents</a>		
Scenario Outline: <a href="#">Verify the FAQ on my rewards screen</a>		
Passed: 4	Failed: 0	Undefined: 0
Duration: 5.14s		
Before		0.00s
Then User verify following faqs and answers "\${myRewards.faq.6}" are displayed in My Rewards screen		1.15s
<a href="#">\${myRewards.faq.6}</a>		
And I expand faq "\${myRewards.faq.6}" in My Rewards screen		0.77s
Then User verify following faqs and answers "\${myRewards.faq.6.ans}" are displayed in My Rewards screen		1.28s
<a href="#">\${myRewards.faq.6.ans}</a>		
And I expand faq "\${myRewards.faq.6}" in My Rewards screen		1.93s
After		0.01s

[Back to Table of Contents](#)**Scenario Outline: Verify the FAQ on my rewards screen**

Passed: 4		Failed: 0	Undefined: 0	Duration: 4.49s
Before				0.00s
	Then User verify following faqs and answers "\${myRewards.faq.7}" are displayed in My Rewards screen			1.04s
	<div><div></div><div>\${myRewards.faq.7}</div></div>			
	And I expand faq "\${myRewards.faq.7}" in My Rewards screen			0.81s
	Then User verify following faqs and answers "\${myRewards.faq.7.ans}" are displayed in My Rewards screen			1.66s
	<div><div></div><div>\${myRewards.faq.7.ans}</div></div>			
	And I expand faq "\${myRewards.faq.7}" in My Rewards screen			0.98s
After				0.00s

[Back to Table of Contents](#)**Scenario Outline: Verify the FAQ on my rewards screen**

Passed: 4	Failed: 0	Undefined: 0	Duration: 5.25s
Before			0.00s
	Then User verify following faqs and answers "\${myRewards.faq.8}" are displayed in My Rewards screen		1.84s
	<a href="#">\${myRewards.faq.8}</a>		
	And I expand faq "\${myRewards.faq.8}" in My Rewards screen		0.73s
	Then User verify following faqs and answers "\${myRewards.faq.8.ans.subtext}" are displayed in My Rewards screen		1.79s
	<a href="#">\${myRewards.faq.8.ans.1}##\${myRewards.faq.8.ans.2}##\${myRewards.faq.8.ans.3}</a>		
	And I expand faq "\${myRewards.faq.8}" in My Rewards screen		0.90s
	After		

[Back to Table of Contents](#)**Scenario Outline: Verify the FAQ on my rewards screen**

Passed: 4	Failed: 0	Undefined: 0	Duration: 5.88s
Before			0.00s
Then User verify following faqs and answers "\${myRewards.faq.9}" are displayed in My Rewards screen			2.09s
<a href="#">\${myRewards.faq.9}</a>			
And I expand faq "\${myRewards.faq.9}" in My Rewards screen			1.06s
Then User verify following faqs and answers "\${myRewards.faq.9.ans}" are displayed in My Rewards screen			1.88s
<a href="#">\${myRewards.faq.9.ans}</a>			
And I expand faq "\${myRewards.faq.9}" in My Rewards screen			0.86s
After			0.00s

[Back to Table of Contents](#)**Scenario: navigate back to account screen from my rewards screen**

Passed: 2	Failed: 0	Undefined: 0	Duration: 42.35s
Before			0.00s




Then I enter feedback			3.33s
Feedback Test_12345			
And I click the Submit icon in Feedback Screen			5.40s
And I wait for 2 sec			2.00s
After			0.00s
<a href="#">Back to Table of Contents</a>			
Scenario: <b>Verify the Pulse Personalised tab</b>			
Passed: 4	Failed: 0	Undefined: 0	Duration: 9.25s
Before			0.00s
And I click on "\${pulsePersonalised.text}" link in Account screen			1.60s
And I wait for 2 sec			2.00s
Then User verify following texts are displayed in pulse personalised screen			1.26s
<div> <div>\${pulsePersonalised.text}</div> <div>\${data.privacy.text}</div> </div>			
Then I verify data and privacy consent in pulse personalised screen			4.39s
<div> <div>\${pulse.personalised.consent.text1}</div> <div>\${pulse.personalised.consent.text2}</div> <div>\${pulse.personalised.consent.text3}</div> <div>\${pulse.personalised.consent.text4}</div> <div>\${pulse.personalised.consent.text5}</div> <div>\${pulse.personalised.consent.text6}</div> <div>\${pulse.personalised.consent.text7}</div> </div>			
After			0.00s
<a href="#">Back to Table of Contents</a>			
Scenario: <b>Save the consent with data privacy check</b>			
Passed: 4	Failed: 0	Undefined: 0	Duration: 16.61s
Before			0.00s
Given I select the data privacy checkbox			0.86s
And I click the save button in pulse personalised icons			4.24s
Then User verify following texts are displayed in pulse personalised screen			1.99s
<div> <div>\${consent.success.msg.text}</div> </div>			
And I click the Ok button in pulse personalised screen			9.52s
After			0.00s
<a href="#">Back to Table of Contents</a>			
Scenario: <b>Save the consent without data privacy check</b>			
Passed: 4	Failed: 0	Undefined: 0	Duration: 17.72s
Before			0.00s
Given I select the data privacy checkbox			1.27s
And I click the save button in pulse personalised icons			4.69s
Then User verify following texts are displayed in pulse personalised screen			1.90s
<div> <div>\${consent.success.msg.text}</div> </div>			
And I click the Ok button in pulse personalised screen			9.87s

After		0.00s
<a href="#">Back to Table of Contents</a>		
<b>Scenario: navigate back to account screen from pulse personalised screen</b>		
Passed: 2	Failed: 0	Undefined: 0
Before		0.00s
And I click the Back icon in pulse personalised screen		9.87s
And I wait for 2 sec		2.00s
After		0.00s
<a href="#">Back to Table of Contents</a>		
<b>Feature: Verify MySettings functionality in Account screen</b>		
Passed: 5	Failed: 0	Undefined: 0
Duration: 144.73s		
<b>Scenario: Launch the app and select the country as per specified lbu</b>		
Passed: 6	Failed: 0	Undefined: 0
Duration: 78.88s		
Before		0.00s
Given User has pulse app		32.70s
And I assign "\${onepulse.login.edit.profile}" to variable "PULSE_EMAIL"		0.02s
And user click on "CONTINUE WITH EMAIL" with Email button		24.85s
Then I change the country as required on registration page		11.57s
Then I wait for 5 sec		5.01s
And I click the Sign in link		4.72s
After		0.00s
<a href="#">Back to Table of Contents</a>		
<b>Scenario: login to the app with correct credentials using "Continue with Email"</b>		
Passed: 6	Failed: 0	Undefined: 0
Duration: 45.93s		
Before		0.00s
Given I select the language option on toggle bar as required on login page		4.26s
When user enters credentials		19.70s
UserName \${PULSE_EMAIL}		
Password \${pulse.edit}		
And User clicks on signin button		0.53s
And I wait for 5 sec		5.00s
And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}"		8.50s
Then user should be landed to "Home" screen		7.94s
After		0.00s
<a href="#">Back to Table of Contents</a>		
<b>Scenario: Navigate to account screen</b>		
Passed: 1	Failed: 0	Undefined: 0
Duration: 12.39s		
Before		0.00s
Given user navigate to account page		12.39s
After		0.00s
<a href="#">Back to Table of Contents</a>		
<b>Scenario: Verify my setting screen in Account tab</b>		



Passed: 3	Failed: 0	Undefined: 0	Duration: 4.69s
Before			0.00s
Given I wait for 2 sec			2.00s
And I click on "\${icon.mySettings}" link in Account screen			0.69s
Then I wait for 2 sec			2.00s
After			0.00s
<a href="#">Back to Table of Contents</a>			
Scenario: navigate back to account screen from my setting screen			
Passed: 2	Failed: 0	Undefined: 0	Duration: 2.84s
Before			0.00s
Then I click on back button on my settings screen to navigate to account screen			0.84s
And I wait for 2 sec			2.00s
After			0.00s
<a href="#">Back to Table of Contents</a>			
Feature: Verify My wearable functionality via fitness tab on Pulse Health & Wealth app			
Passed: 2	Failed: 1	Undefined: 0	Duration: 156.43s
Scenario: Launch the app and select the country as per specified Ibu			
Passed: 6	Failed: 0	Undefined: 0	Duration: 69.01s
Before			0.00s
Given User has pulse app			21.39s
And I assign "\${login.email.id}" to variable "PULSE_EMAIL"			0.01s
And user click on "CONTINUE WITH EMAIL" with Email button			25.74s
Then I change the country as required on registration page			12.18s
Then I wait for 5 sec			5.01s
And I click the Sign in link			4.67s
After			0.00s
<a href="#">Back to Table of Contents</a>			
Scenario: login to the app with correct credentials using "Continue with Email"			
Passed: 6	Failed: 0	Undefined: 0	Duration: 45.28s
Before			0.00s
Given I select the language option on toggle bar as required on login page			4.25s
When user enters credentials			18.97s
UserName \${PULSE_EMAIL}			
Password \${login.password}			
And User clicks on signin button			0.48s
And I wait for 5 sec			5.01s
And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}"			8.22s
Then user should be landed to "Home" screen			8.36s
After			0.00s
<a href="#">Back to Table of Contents</a>			
Scenario: Verify the user can access My Wearables via Fitness			
Passed: 3	Failed: 1	Undefined: 0	Duration: 42.15s

<b>Before</b>		<b>0.00s</b>
<b>When User clicks on Fitness tab</b>		<b>17.57s</b>
<b>Then I verify My Wearables tile on Fitness screen</b>		<b>1.54s</b>
<div style="border: 1px solid black; padding: 5px;"> <div style="background-color: #e6f2ff; padding: 2px;"><b>\${fitness.myWearables}</b></div> <div style="background-color: #fff9c4; padding: 2px;"><b>\${fitness.myWearables.description}</b></div> </div>		
<b>When I click on Connect Now button on Fitness screen</b>		<b>1.13s</b>
<b>Then I verify following text are displayed under My Wearables screen</b>		<b>21.90s</b>
<div style="border: 1px solid black; padding: 5px;"> <div style="background-color: #ffe0b2; padding: 2px;"><b>\${wearables.title}</b></div> <div style="background-color: #ffe0b2; padding: 2px;"><b>\${wearables.subTitle}</b></div> <div style="background-color: #ffe0b2; padding: 2px;"><b>\${wearables.description}</b></div> <div style="background-color: #ffe0b2; padding: 2px;"><b>\${wearables.fitbit}</b></div> <div style="background-color: #ffe0b2; padding: 2px;"><b>\${wearables.garmin}</b></div> <div style="background-color: #ffe0b2; padding: 2px;"><b>\${wearables.googleFit}</b></div> </div> <p>java.lang.AssertionError: The following asserts failed:  the expected text is: //android.widget.TextView[contains(@text,'Fitbit')]/following::android.view.ViewGroup[1] expected [true] but found [false],  the expected text is: //android.widget.TextView[contains(@text,'Garmin')]/following::android.view.ViewGroup[1] expected [true] but found [false]  at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)  at com.onepulse.app.stepdefinitions.mobilesteps.ManageProfileSteps.  verifyStaticTextOnMyWearablesScreen(ManageProfileSteps.java:172)  at .Then I verify following text are displayed under My Wearables screen(features/my  /MyWearable.feature:29)</p> 		
<b>After</b>		<b>0.00s</b>
<a href="#">Back to Table of Contents</a>		

## Feature: Verify the Babylon Registration via HRA journey

Passed: 1	Failed: 0	Undefined: 0	Duration: 246.71s
Scenario: User should be able to Register for Babylon HRA			
Passed: 44	Failed: 0	Undefined: 0	Duration: 246.71s
Before			0.00s
Given I generate random number and assign to variable "RANDOM_NUMBER"			0.05s
And I assign "pulse\${RANDOM_NUMBER}@mailsac.com" to variable "PULSE_EMAIL"			0.00s
And User has pulse app			19.25s
Then I wait for 2 sec			2.00s
And user click on "CONTINUE WITH EMAIL" with Email button			23.83s
Then I wait for 2 sec			2.00s
Then I change the country as required on registration page			12.70s
Then I wait for 2 sec			2.00s
Then I navigate to pulse registration page and select the lang on toggle bar then click on continue with email button			7.70s
Then I wait for 2 sec			2.00s
When user enters registration details			7.84s
FirstName	testAutomation		
LastName	testAutomation		
Email	\${PULSE_EMAIL}		
Password	Pas\$1234		
And taps on continue "Sign_Up" button			0.44s
And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}"			32.00s
Then I wait for 2 sec			2.00s
And I enter the "mobile number" in welcome to pulse			11.34s
mobileNumber	\${registration.mobile.number}		
And I click the continue button			0.32s
And I choose my wellness goals under wellness plan screen			1.51s
And I click the continue button			0.99s
And I click the date in Date of Birth field			7.42s
And I click the Done icon			3.39s
And I click the continue button			1.17s
And I select the Male icon			6.65s
And I click the continue button			1.98s
And I click on Calculate BMI button			2.72s
And I click the continue button			0.95s
And I select the "How active are you?" in doing exercise			2.39s
And I click the continue button			1.00s
And I select my favorite food dietary			2.15s
And I click the continue button			1.02s
And I answer as "Yes" to "Any Food allergies?"			4.19s

And I click the continue button	1.21s				
And I verify that "Tracking your activity is trending" is displayed	3.01s				
And I click on connect Later button	0.63s				
And I see that "Welcome to Pulse" text is displayed	2.33s				
And I click the continue button	0.59s				
And I see that fitness subscription exclusive offers screen is displayed	3.95s				
And I click on close icon	0.82s				
Then I click skip buttons	4.81s				
Then user should be landed to "Home" screen	7.81s				
When I clicks on Health button	15.66s				
And I navigate to Babylon health Assessment and Accept TermsAndCondition	21.00s				
And I confirm the registration	10.76s				
And I click on Babylon Health Assessment Get Started button	7.79s				
Then I verify following options are present for assessment	3.33s				
<table><tr><td>Full Assessment</td></tr><tr><td>Nutrition</td></tr><tr><td>Activity</td></tr><tr><td>Mood</td></tr></table>	Full Assessment	Nutrition	Activity	Mood	
Full Assessment					
Nutrition					
Activity					
Mood					
After	0.00s				
<a href="#">Back to Table of Contents</a>					

### Feature: **Verify the BabyLon HRA Report - Nutrition, Body, Activity**

Passed: 2      Failed: 10      Undefined: 0      Duration: 1403.33s

Scenario: Launch the app and select the country as per specified Ibu								
Passed: 6		Failed: 0	Undefined: 0	Duration: 67.33s				
Before				0.00s				
	Given User has pulse app			20.41s				
	And I assign "\${hra.report.email.id}" to variable "PULSE_EMAIL"			0.06s				
	And user click on "CONTINUE WITH EMAIL" with Email button			24.41s				
	Then I change the country as required on registration page			12.77s				
	Then I wait for 5 sec			5.02s				
	And I click the Sign in link			4.67s				
After				0.00s				
<a href="#">Back to Table of Contents</a>								
Scenario: login to the app with correct credentials using "Continue with Email"								
Passed: 8		Failed: 0	Undefined: 0	Duration: 100.92s				
Before				0.00s				
	Given I select the language option on toggle bar as required on login page			3.77s				
	When user enters credentials			18.37s				
	<table><tr><td>UserName</td><td>\${PULSE_EMAIL}</td></tr><tr><td>Password</td><td>\${hra.password}</td></tr></table>			UserName	\${PULSE_EMAIL}	Password	\${hra.password}	
	UserName	\${PULSE_EMAIL}						
	Password	\${hra.password}						
	And User clicks on signin button			0.28s				
And I wait for 5 sec			5.00s					

	And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}"	8.29s
	Then user should be landed to "Home" screen	8.07s
	When I clicks on Health button	16.17s
	And I navigate to Babylon health Assessment and Accept TermsAndCondition	40.97s
After		0.00s
Back to Table of Contents		
Scenario: User should be able to access Babylon Health Risk Assessment Report		
Passed: 1	Failed: 1	Undefined: 0 Duration: 125.53s
Before		0.00s
	When I click on "Report" link on digital twin screen	5.43s
	Then I verify the HRA Results are displayed	120.10s
<p>java.lang.AssertionError: The following asserts failed: the expected text is: Your Health Check score expected [true] but found [false], the expected text is: Based on the information you have completed expected [true] but found [false], the expected text is: 78.57% expected [true] but found [false], the expected text is: 78.57% of your results are either meeting the national guidelines or are better than average expected [true] but found [false], the expected text is: 7.14% of your results suggest you are at risk expected [true] but found [false], the expected text is: 14.29% of your result is at moderate expected [true] but found [false] at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43) at com.onepulse.app.stepdefinitions.mobilesteps.BabylonSteps.verifyHRAResult(BabylonSteps.java:613) at .Then I verify the HRA Results are displayed(features/my/health/BabylonHRA_Report.feature:29)</p>		



After	0.00s
-------	-------

[Back to Table of Contents](#)

Scenario: **Verify the HRA Activity Report**

Passed: 0	Failed: 1	Undefined: 0	Duration: 268.16s
-----------	-----------	--------------	-------------------

Before	0.00s
--------	-------

Then I verify the HRA Results are displayed	268.16s
---	---------

<code>\${babylon.hraReport.summary.title}</code>
<code>\${babylon.hraReport.summary.description}</code>
<code>\${babylon.hraReport.summary.deseaseRisk}</code>
<code>\${babylon.hraReport.summary.deseaseRiskDescription}</code>
<code>\${babylon.hraReport.summary.deseaseRisk.statement1}</code>
<code>\${babylon.hraReport.summary.deseaseRisk.statement2}</code>
<code>\${babylon.hraReport.summary.deseaseRisk.statement3}</code>
<code>\${babylon.hraReport.summary.organ.title}</code>
<code>\${babylon.hraReport.summary.organDescription}</code>
<code>\${babylon.hraReport.summary.organ.statement1}</code>
<code>\${babylon.hraReport.summary.organ.statement2}</code>
<code>\${babylon.hraReport.summary.organ.statement3}</code>
<code>\${babylon.hraReport.summary.organ.statement4}</code>

java.lang.AssertionError: The following asserts failed:  
the expected text is: 01. SUMMARY expected [true] but found [false],  
the expected text is: Your result will go through these areas in more detail expected [true] but found [false],  
the expected text is: Disease Risk expected [true] but found [false],

the expected text is: Out of 15 common condition covered, your result compared to other people of your age and gender as shown: expected [true] but found [false],  
the expected text is: 14 below average expected [true] but found [false],  
the expected text is: 1 above average expected [true] but found [false],  
the expected text is: Incomplete health assessment expected [true] but found [false],  
the expected text is: Organ Health expected [true] but found [false],  
the expected text is: Out of all the systems evaluated, your results show: expected [true] but found [false],  
the expected text is: 11 normal to low risk expected [true] but found [false],  
the expected text is: 3 unknown status expected [true] but found [false],  
the expected text is: 1 reported to medical condition expected [true] but found [false],  
the expected text is: Incomplete health assessment expected [true] but found [false]  
at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)  
at com.onepulse.app.stepdefinitions.mobilesteps.BabylonSteps.verifyHRAResult(BabylonSteps.java:613)  
at .Then I verify the HRA Results are displayed(features/my/health/BabylonHRA\_Report.feature:39)



After	0.00s
-------	-------

[Back to Table of Contents](#)

**Scenario: Verify the HRA Activity Report**

Passed: 0	Failed: 1	Undefined: 0	Duration: 84.73s
-----------	-----------	--------------	------------------

Before	0.00s
--------	-------

Then I verify the HRA Results are displayed		84.73s
	#{babylon.hraReport.activity.title}	
	#{babylon.hraReport.activity.subTitle}	
	#{babylon.hraReport.activity.statement1}	
	#{babylon.hraReport.activity.statement2}	



java.lang.AssertionError: The following asserts failed:  
 the expected text is: 02.Activity expected [true] but found [false],  
 the expected text is: This category is currently not relevant to you. expected [true] but found [false],  
 the expected text is: Strength expected [true] but found [false],  
 the expected text is: Cardio expected [true] but found [false]  
 at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)  
 at com.onepulse.app.stepdefinitions.mobilesteps.BabylonSteps.verifyHRAResult(BabylonSteps.java:613)  
 at .Then I verify the HRA Results are displayed(features/my/health/BabylonHRA\_Report.feature:55)



After		0.00s
-------	--	-------

[Back to Table of Contents](#)

### Scenario: [Verify the HRA Nutrition Report](#)

Passed: 0	Failed: 1	Undefined: 0	Duration: 238.47s
-----------	-----------	--------------	-------------------

Before		0.00s
--------	--	-------

Then I verify the HRA Results are displayed	238.47s
---	---------

<code>\${babylon.hraReport.nutrition.title}</code>
<code>\${babylon.hraReport.nutrition.subTitle}</code>
<code>\${babylon.hraReport.nutrition.statement1}</code>
<code>\${babylon.hraReport.nutrition.statement2}</code>
<code>\${babylon.hraReport.nutrition.statement3}</code>
<code>\${babylon.hraReport.nutrition.statement4}</code>
<code>\${babylon.hraReport.nutrition.statement5}</code>
<code>\${babylon.hraReport.nutrition.statement6}</code>

`${babylon.hraReport.nutrition.statement7}``${babylon.hraReport.nutrition.statement8}``${babylon.hraReport.nutrition.statement9}`

java.lang.AssertionError: The following asserts failed:  
 the expected text is: 03.Nutrition expected [true] but found [false],  
 the expected text is: Unfortunately, you're far from hitting healthy diet targets. Scroll down to see the main areas you can quickly and easily improve on. expected [true] but found [false],  
 the expected text is: Alcohol expected [true] but found [false],  
 the expected text is: BMI expected [true] but found [false],  
 the expected text is: Caffeine expected [true] but found [false],  
 the expected text is: Fat expected [true] but found [false],  
 the expected text is: Fruit and vegetables expected [true] but found [false],  
 the expected text is: Hydration expected [true] but found [false],  
 the expected text is: Protein expected [true] but found [false],  
 the expected text is: Red meat expected [true] but found [false],  
 the expected text is: Whole grains expected [true] but found [false]  
 at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)  
 at com.onepulse.app.stepdefinitions.mobilesteps.BabylonSteps.verifyHRAResult(BabylonSteps.java:613)  
 at .Then I verify the HRA Results are displayed(features/my/health/BabylonHRA\_Report.feature:62)



After		0.00s
<a href="#">Back to Table of Contents</a>		
Scenario: <a href="#">Verify the HRA Report - Keep It Up</a> sub-section		
Passed: 0	Failed: 1	Undefined: 0
Before		0.00s

Then I verify the HRA Results are displayed	188.08s									
<table><tr><td><code>\${babylon.hraReport.keepItUp}</code></td></tr><tr><td><code>\${babylon.hraReport.lowFat}</code></td></tr><tr><td><code>\${babylon.hraReport.lowFat.description}</code></td></tr><tr><td><code>\${babylon.hraReport.lowAlcohol}</code></td></tr><tr><td><code>\${babylon.hraReport.lowAlcohol.description}</code></td></tr><tr><td><code>\${babylon.hraReport.lowCaffeine}</code></td></tr><tr><td><code>\${babylon.hraReport.lowCaffeine.description}</code></td></tr><tr><td><code>\${babylon.hraReport.redMeat}</code></td></tr><tr><td><code>\${babylon.hraReport.redMeat.description}</code></td></tr></table>	<code>\${babylon.hraReport.keepItUp}</code>	<code>\${babylon.hraReport.lowFat}</code>	<code>\${babylon.hraReport.lowFat.description}</code>	<code>\${babylon.hraReport.lowAlcohol}</code>	<code>\${babylon.hraReport.lowAlcohol.description}</code>	<code>\${babylon.hraReport.lowCaffeine}</code>	<code>\${babylon.hraReport.lowCaffeine.description}</code>	<code>\${babylon.hraReport.redMeat}</code>	<code>\${babylon.hraReport.redMeat.description}</code>	
<code>\${babylon.hraReport.keepItUp}</code>										
<code>\${babylon.hraReport.lowFat}</code>										
<code>\${babylon.hraReport.lowFat.description}</code>										
<code>\${babylon.hraReport.lowAlcohol}</code>										
<code>\${babylon.hraReport.lowAlcohol.description}</code>										
<code>\${babylon.hraReport.lowCaffeine}</code>										
<code>\${babylon.hraReport.lowCaffeine.description}</code>										
<code>\${babylon.hraReport.redMeat}</code>										
<code>\${babylon.hraReport.redMeat.description}</code>										
<p>java.lang.AssertionError: The following asserts failed: the expected text is: KEEP IT UP expected [true] but found [false], the expected text is: Low fat diet expected [true] but found [false], the expected text is: Keeping fats low will help lower your risk of heart disease. expected [true] but found [false], the expected text is: Low alcohol expected [true] but found [false], the expected text is: You're within guidelines for alcohol - keep up the good work! expected [true] but found [false], the expected text is: Low caffeine expected [true] but found [false], the expected text is: You're in the top group for caffeine, which will be helping your sleep quality. expected [true] but found [false], the expected text is: Not too much red meat expected [true] but found [false], the expected text is: Keep limiting how much red meat you eat and you'll be helping to reduce your risks. expected [true] but found [false] at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43) at com.onepulse.app.stepdefinitions.mobilesteps.BabylonSteps.verifyHRAResult(BabylonSteps.java:613) at .Then I verify the HRA Results are displayed(features/my/health/BabylonHRA_Report.feature:77)</p>										



After	0.00s
-------	-------

[Back to Table of Contents](#)

### Scenario: [Verify the HRA Report - Make a Change sub-section](#)

Passed: 0	Failed: 1	Undefined: 0	Duration: 122.38s
-----------	-----------	--------------	-------------------

Before	0.00s
--------	-------

Then I verify the HRA Results are displayed	122.38s
---	---------

<code>\${babylon.hraReport.makeAChange}</code>
<code>\${babylon.hraReport.change1}</code>
<code>\${babylon.hraReport.change2}</code>
<code>\${babylon.hraReport.change3}</code>
<code>\${babylon.hraReport.change4}</code>
<code>\${babylon.hraReport.change5}</code>

java.lang.AssertionError: The following asserts failed:  
the expected text is: MAKE A CHANGE expected [true] but found [false],  
the expected text is: Lower your BMI expected [true] but found [false],  
the expected text is: Eat more fruit and vegetables expected [true] but found [false],  
the expected text is: Drink more fluid expected [true] but found [false],  
the expected text is: Increase lean protein expected [true] but found [false],  
the expected text is: Have more whole grains expected [true] but found [false]  
at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)  
at com.onepulse.app.stepdefinitions.mobilesteps.BabylonSteps.verifyHRAResult(BabylonSteps.java:613)  
at .Then I verify the HRA Results are displayed(features/my/health/BabylonHRA\_Report.feature:90)



After		0.00s
-------	--	-------

[Back to Table of Contents](#)

**Scenario: User should be able to access Babylon HRA - Healthcheck - Body**

Passed: 2	Failed: 1	Undefined: 1	Duration: 111.97s
-----------	-----------	--------------	-------------------

Before		0.00s
--------	--	-------

When I click on "Healthcheck" link on digital twin screen	5.31s
---	-------

When I click on "Body" link on digital twin screen	3.36s
--	-------

Then I verify the HRA Results are displayed	103.31s
---	---------


<code>\${babylon.hraReport.bodyButtton}</code>
<code>\${babylon.hraReport.body.blood}</code>
<code>\${babylon.hraReport.body.bones}</code>
<code>\${babylon.hraReport.body.brain}</code>
<code>\${babylon.hraReport.body.liver}</code>
<code>\${babylon.hraReport.body.thyroid}</code>


java.lang.AssertionError: The following asserts failed:  
the expected text is: Blood expected [true] but found [false],  
the expected text is: Bones expected [true] but found [false],  
the expected text is: Brain expected [true] but found [false],  
the expected text is: Liver expected [true] but found [false],  
the expected text is: Thyroid expected [true] but found [false]  
at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)  
at com.onepulse.app.stepdefinitions.mobilesteps.BabylonSteps.verifyHRAResult(BabylonSteps.java:613)  
at .Then I verify the HRA Results are displayed(features/my/health/BabylonHRA\_Report.feature:101)







<b>And I click on "Back" link on digital twin screen</b>		0.00s
		
<b>After</b>		0.00s
<a href="#">Back to Table of Contents</a>		
<b>Scenario: User should be able to access Babylon HRA - Healthcheck - Mood</b>		
Passed: 1	Failed: 1	Undefined: 3
		Duration: 45.88s
<b>Before</b>		0.00s
<b>When I click on "Mood" link on digital twin screen</b>		4.26s
<b>Then I verify the HRA Results are displayed</b>		41.62s
<b>And I start the assessment</b>		0.00s
<b>Then I verify the HRA Results are displayed</b>		0.00s
<b>And I click on "Back" link on digital twin screen</b>		0.00s
<p><b>java.lang.AssertionError: The following asserts failed:</b>  the expected text is: START ASSESSMENT expected [true] but found [false],  the expected text is: 5 Min expected [true] but found [false]  at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)  at com.onepulse.app.stepdefinitions.mobilesteps.BabylonSteps.verifyHRAResult(BabylonSteps.java:613)  at .Then I verify the HRA Results are displayed(features/my/health/BabylonHRA_Report.feature:143)</p>		



After		0.00s
-------	--	-------

[Back to Table of Contents](#)

### Feature: Verify that user can access calendar under health section

Passed: 3	Failed: 0	Undefined: 0	Duration: 173.2s
-----------	-----------	--------------	------------------

#### Scenario: Launch the app and select the country as per specified Ibu

Passed: 6	Failed: 0	Undefined: 0	Duration: 59.57s
-----------	-----------	--------------	------------------

Before		0.00s
--------	--	-------

Given User has pulse app	17.12s
And I assign "\${login.email.id}" to variable "PULSE_EMAIL"	0.00s
And user click on "CONTINUE WITH EMAIL" with Email button	24.24s
Then I change the country as required on registration page	11.80s
Then I wait for 2 sec	2.01s
And I click the Sign in link	4.40s

After		0.00s
-------	--	-------

[Back to Table of Contents](#)

#### Scenario: login to the app with correct credentials using "Continue with Email"

Passed: 6	Failed: 0	Undefined: 0	Duration: 43.96s
-----------	-----------	--------------	------------------

Before		0.00s
--------	--	-------

Given I select the language option on toggle bar as required on login page	3.77s				
When user enters credentials	18.62s				
<table border="1"> <tr> <td>UserName</td><td>\${PULSE_EMAIL}</td></tr> <tr> <td>Password</td><td>\${pulse.password}</td></tr> </table>	UserName	\${PULSE_EMAIL}	Password	\${pulse.password}	
UserName	\${PULSE_EMAIL}				
Password	\${pulse.password}				
And User clicks on signin button	0.29s				
And I wait for 5 sec	5.00s				




Then I wait for 2 sec	2.00s								
When user enters registration details	8.37s								
<table> <tr> <td>FirstName</td><td>TestFirstName</td></tr> <tr> <td>LastName</td><td>testAutomation</td></tr> <tr> <td>Email</td><td>\${PULSE_EMAIL}</td></tr> <tr> <td>Password</td><td>Pas\$1234</td></tr> </table>	FirstName	TestFirstName	LastName	testAutomation	Email	\${PULSE_EMAIL}	Password	Pas\$1234	
FirstName	TestFirstName								
LastName	testAutomation								
Email	\${PULSE_EMAIL}								
Password	Pas\$1234								
And taps on continue "Sign_Up" button	0.54s								
And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}"	31.85s								
Then I wait for 2 sec	2.00s								
And I enter the "mobile number" in welcome to pulse	10.31s								
<table> <tr> <td>mobileNumber</td><td>\${registration.mobile.number}</td></tr> </table>	mobileNumber	\${registration.mobile.number}							
mobileNumber	\${registration.mobile.number}								
And I click the continue button	0.26s								
And I choose my wellness goals under wellness plan screen	1.61s								
And I click the continue button	0.87s								
And I click the date in Date of Birth field	6.91s								
And I click the Done icon	3.26s								
And I click the continue button	1.37s								
And I select the Male icon	6.40s								
And I click the continue button	1.01s								
And I enter my height and weight details	2.61s								
And I click on Calculate BMI button	0.74s								
And I click the continue button	1.51s								
And I select the "How active are you?" in doing exercise	2.31s								
And I click the continue button	0.93s								
And I select my favorite food dietary	2.13s								
And I click the continue button	2.12s								
And I answer as "Yes" to "Any Food allergies?"	3.44s								
And I click the continue button	1.89s								
And I verify that "Tracking your activity is trending" is displayed	3.10s								
And I click on connect Later button	0.38s								
And I see that "Welcome to Pulse" text is displayed	2.46s								
And I click the continue button	0.55s								
And I see that fitness subscription exclusive offers screen is displayed	3.57s								
And I click on close icon	0.67s								
Then I click skip buttons	5.05s								
Then user should be landed to "Home" screen	7.40s								
After	0.00s								
<a href="#">Back to Table of Contents</a>									
<b>Scenario: User should be able to access Chinese Medicine screen</b>									
Passed: 2	Failed: 1								
Undefined: 1	Duration: 29.58s								
Before	0.00s								
When I clicks on Health button	13.70s								
And I click on Chinese Medicine button	4.78s								
Then User verify following texts are displayed in Chinese Medicine screen	11.10s								



java.lang.AssertionError: The following asserts failed:  
 the expected text is: Chinese Constitution research statistics have found that there is a correlation between certain constitutions and some diseases, so to maintain your body, you must first understand your own constitution condition. expected [true] but found [false],  
 the expected text is: Skip expected [true] but found [false]  
 at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)  
 at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.  
 verifyFollowingTextsDisplayedInChineseMedScreen(ChineseMedicineSteps.java:50)  
 at .Then User verify following texts are displayed in Chinese Medicine screen(features/my/health/ChineseMedicine.feature:67)

When I swipe to Right for chinese medicine on carousal "\${chineseMedicine.page1.partialText}"

0.00s



After

0.00s

[Back to Table of Contents](#)

Scenario Outline: [Verify the carousel on Chinese Medicine journey](#)

Passed: 0

Failed: 1

Undefined: 1

Duration: 16.46s

Before

0.00s

Then User verify following texts are displayed in Chinese Medicine screen

16.46s

`${chineseMedicine.page2.text}`


`${chineseMedicine.skipButton}`

java.lang.AssertionError: The following asserts failed:  
 the expected text is: You can easily know your body constitution through AI big data analytics and get appropriate daily health related advice. If the result of the assessment turns out to be serious, it is recommended to improve your daily diets and lifestyle to prevent diseases. expected [true] but found [false],  
 the expected text is: Skip expected [true] but found [false]

at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)  
 at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.  
 verifyFollowingTextsDisplayedInChineseMedScreen(ChineseMedicineSteps.java:50)  
 at .Then User verify following texts are displayed in Chinese Medicine screen(features/my  
 /health/ChineseMedicine.feature:67)

When I swipe to Right for chinese medicine on carousal "\${chineseMedicine.  
 page2.partialText}"

0.00s



After

0.00s

[Back to Table of Contents](#)

Scenario Outline: **Verify the carousel on Chinese Medicine journey**

Passed: 0

Failed: 1

Undefined: 1

Duration: 16.08s

Before

0.00s

Then User verify following texts are displayed in Chinese Medicine screen

16.08s

`\${chineseMedicine.page3.text}`

`\${chineseMedicine.startAssessmentBtn}`

java.lang.AssertionError: The following asserts failed:

the expected text is: Your body constitution will change based on your diets, lifestyle, and environment. It is recommended to do the Chinese Constitution Assessment at least every three months to know whether your constitution has improved so as to master your own health!  
 expected [true] but found [false],

the expected text is: Start Assessment expected [true] but found [false]


at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)

at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.

verifyFollowingTextsDisplayedInChineseMedScreen(ChineseMedicineSteps.java:50)

at .Then User verify following texts are displayed in Chinese Medicine screen(features/my  
 /health/ChineseMedicine.feature:67)



When I swipe to Right for chinese medicine on carousal "\${chineseMedicine.page3.partialText}"	0.00s
	
After	0.00s
<a href="#">Back to Table of Contents</a>	
Scenario: <b>User should be able to complete Chinese Medicine profile</b>	
Passed: 0	Failed: 1    Undefined: 5    Duration: 11.06s
Before	0.00s
When I click on Start Assessment button on Chinese Medicine screen	11.06s
<p>org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.</p> <p>For documentation on this error, please visit: <a href="http://seleniumhq.org/exceptions/no_such_element.html">http://seleniumhq.org/exceptions/no_such_element.html</a></p> <p>Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'</p> <p>System info: host: 'RISHANI-PC', ip: '192.168.0.101', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.10'</p> <p>Driver info: io.appium.java_client.android.AndroidDriver</p> <p>Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel: SM-N770F, deviceName: RF8N31EE5JX, deviceScreenDensity: 420, deviceScreenSize: 1080x2400, deviceUDID: RF8N31EE5JX, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.625, platform: LINUX, platformName: Android, platformVersion: 10, statBarHeight: 85, takesScreenshot: true, viewportRect: {height: 2104, left: 0, top: 85, width: 1080}, warnings: {}, webStorageEnabled:</p>	

```

false}
Session ID: 78a5550b-28f5-4402-846e-1bd645443b0e
*** Element info: {Using=xpath, value=//android.widget.TextView[@text="Start
Assessment"]}
at jdk.internal.reflect.GeneratedConstructorAccessor22.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:166)
at com.onepulse.app.screens.ChineseMedicineScreen.clickStartAssessmentButton
(ChineseMedicineScreen.java:53)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.
clickOnStartAssessment(ChineseMedicineSteps.java:77)
at .When I click on Start Assessment button on Chinese Medicine screen(features/my/health
/ChineseMedicine.feature:79)


```

And I wait for 5 sec


0.00s




```
java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains
(@text,"Based on your experience in past 3 months")] and Answer //android.widget.TextView
[contains(@text,"Occasionally")]
at org.testng.Assert.fail(Assert.java:94)
at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:
158)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA
(ChineseMedicineSteps.java:105)
at .And user selects "${chineseMedicine.answer.1}" for the question "${chineseMedicine.
question.1}"(features/my/health/ChineseMedicine.feature:103)
```




After		0.00s
<a href="#">Back to Table of Contents</a>		
Scenario Outline: <b>Verify the Q&amp;A on Chinese Medicine journey</b>		
Passed: 0	Failed: 1	Undefined: 0
Duration: 9.89s		
Before		0.00s
And user selects "\${chineseMedicine.answer.2}" for the question "\${chineseMedicine.question.2}"		9.89s
<pre>java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains (@text,"I get fatigued or tired easily.") and Answer //android.widget.TextView[contains (@text,"Occasionally")] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java: 158) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:105) at .And user selects "\${chineseMedicine.answer.2}" for the question "\${chineseMedicine. question.2}"(features/my/health/ChineseMedicine.feature:103)</pre>		



After		0.00s
<a href="#">Back to Table of Contents</a>		
Scenario Outline: <a href="#">Verify the Q&amp;A on Chinese Medicine journey</a>		
Passed: 0	Failed: 1	Undefined: 0
Duration: 10.14s		
Before		0.00s
And user selects "\${chineseMedicine.answer.3}" for the question "\${chineseMedicine.question.3}"		10.14s
<pre> java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains(@text,"I suffer from insomnia")] and Answer //android.widget.TextView[contains(@text,"Disagree")] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:158) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA(ChineseMedicineSteps.java:105) at .And user selects "\${chineseMedicine.answer.3}" for the question "\${chineseMedicine.question.3}"(features/my/health/ChineseMedicine.feature:103) </pre>		




After		0.00s
<a href="#">Back to Table of Contents</a>		
Scenario Outline: <a href="#">Verify the Q&amp;A on Chinese Medicine journey</a>		
Passed: 0	Failed: 1	Undefined: 0
Duration: 9.35s		
Before		0.00s
And user selects "\${chineseMedicine.answer.4}" for the question "\${chineseMedicine.question.4}"		9.35s
<pre> java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains (@text,"I adapt quickly to changes in the weather or the surrounding environment.") and Answer //android.widget.TextView[contains(@text,"Strongly Disagree")] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java: 158) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:105) at .And user selects "\${chineseMedicine.answer.4}" for the question "\${chineseMedicine. question.4}"(features/my/health/ChineseMedicine.feature:103) </pre>		




After		0.00s
<a href="#">Back to Table of Contents</a>		
Scenario Outline: <a href="#">Verify the Q&amp;A on Chinese Medicine journey</a>		
Passed: 0	Failed: 1	Undefined: 0
Duration: 10.09s		
Before		0.00s
And user selects "\${chineseMedicine.answer.5}" for the question "\${chineseMedicine.question.5}"		10.09s
<pre> java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains(@text,"I am prone to catch a cold more often than most people.")] and Answer //android.widget.TextView[contains(@text,"Strongly Agree")] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:158) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA(ChineseMedicineSteps.java:105) at .And user selects "\${chineseMedicine.answer.5}" for the question "\${chineseMedicine.question.5}"(features/my/health/ChineseMedicine.feature:103) </pre>		







After		0.00s
<a href="#">Back to Table of Contents</a>		
Scenario Outline: <a href="#">Verify the Q&amp;A on Chinese Medicine journey</a>		
Passed: 0	Failed: 1	Undefined: 0
Duration: 10.59s		
Before		0.00s
And user selects "\${chineseMedicine.answer.6}" for the question "\${chineseMedicine.question.6}"		10.59s
<pre> java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains (@text,"I feel tense in my torso or lower body.")] and Answer //android.widget.TextView [contains(@text,"Agree")] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java: 158) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:105) at .And user selects "\${chineseMedicine.answer.6}" for the question "\${chineseMedicine. question.6}"(features/my/health/ChineseMedicine.feature:103) </pre>		



After		0.00s
<a href="#">Back to Table of Contents</a>		
Scenario Outline: <a href="#">Verify the Q&amp;A on Chinese Medicine journey</a>		
Passed: 0	Failed: 1	Undefined: 0
Duration: 10.65s		
Before		0.00s
And user selects "\${chineseMedicine.answer.7}" for the question "\${chineseMedicine.question.7}"		10.65s
<pre> java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains (@text,"I cough or get asmethic symptoms due to changes in seasons'')] and Answer //android.widget.TextView[contains (@text,"Occasionally'')] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:158) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA(ChineseMedicineSteps.java:105) at .And user selects "\${chineseMedicine.answer.7}" for the question "\${chineseMedicine.question.7}"(features/my/health/ChineseMedicine.feature:103) </pre>		



After		0.00s
<a href="#">Back to Table of Contents</a>		
Scenario Outline: <a href="#">Verify the Q&amp;A on Chinese Medicine journey</a>		
Passed: 0	Failed: 1	Undefined: 0
Duration: 9.96s		
Before		0.00s
And user selects "\${chineseMedicine.answer.8}" for the question "\${chineseMedicine.question.8}"		9.96s
<pre> java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains(@text,"I am allergic to drugs")] and Answer //android.widget.TextView[contains(@text,"Occasionally")] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:158) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA(ChineseMedicineSteps.java:105) at .And user selects "\${chineseMedicine.answer.8}" for the question "\${chineseMedicine.question.8}"(features/my/health/ChineseMedicine.feature:103) </pre>		



After	0.00s
-------	-------


[Back to Table of Contents](#)

Scenario Outline: **Verify the Q&A on Chinese Medicine journey**

Passed: 0	Failed: 1	Undefined: 0	Duration: 10.78s
-----------	-----------	--------------	------------------

Before	0.00s
--------	-------

And user selects "\${chineseMedicine.answer.9}" for the question "\${chineseMedicine.question.9}"	10.78s
<pre> java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains (@text,"I frequently catch a chill")] and Answer //android.widget.TextView[contains(@text," Occassionally")] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java: 158) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:105) at .And user selects "\${chineseMedicine.answer.9}" for the question "\${chineseMedicine. question.9}"(features/my/health/ChineseMedicine.feature:103) </pre>	



After	0.00s
-------	-------


[Back to Table of Contents](#)

Scenario Outline: **Verify the Q&A on Chinese Medicine journey**


Passed: 0	Failed: 1	Undefined: 0	Duration: 10.04s
-----------	-----------	--------------	------------------

Before	0.00s
--------	-------

And user selects "\${chineseMedicine.answer.10}" for the question "\${chineseMedicine.question.10}"	10.04s
<pre> java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains (@text,"I can't stand feeling cold")] and Answer //android.widget.TextView[contains(@text," Occasionally")] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java: 158) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:105) at .And user selects "\${chineseMedicine.answer.10}" for the question "\${chineseMedicine. question.10}"(features/my/health/ChineseMedicine.feature:103) </pre>	




After		0.00s
<a href="#">Back to Table of Contents</a>		
Scenario Outline: <a href="#">Verify the Q&amp;A on Chinese Medicine journey</a>		
Passed: 0	Failed: 1	Undefined: 0
Duration: 9.99s		
Before		0.00s
And user selects "\${chineseMedicine.answer.11}" for the question "\${chineseMedicine.question.11}"		9.99s
<pre> java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains (@text,"I feel uncomfortable after consuming cold food or beverages.")] and Answer //android. widget.TextView[contains(@text,"Occasionally")] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java: 158) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:105) at .And user selects "\${chineseMedicine.answer.11}" for the question "\${chineseMedicine. question.11}"(features/my/health/ChineseMedicine.feature:103) </pre>		




After		0.00s
<a href="#">Back to Table of Contents</a>		
Scenario Outline: <a href="#">Verify the Q&amp;A on Chinese Medicine journey</a>		
Passed: 0	Failed: 1	Undefined: 0
Duration: 10.1s		
Before		0.00s
And user selects "\${chineseMedicine.answer.12}" for the question "\${chineseMedicine.question.12}"		10.10s
<pre> java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains (@text,"I feel my face")] and Answer //android.widget.TextView[contains(@text," Occasionally")] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java: 158) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:105) at .And user selects "\${chineseMedicine.answer.12}" for the question "\${chineseMedicine. question.12}"(features/my/health/ChineseMedicine.feature:103) </pre>		





After		0.00s
<a href="#">Back to Table of Contents</a>		
Scenario Outline: <a href="#">Verify the Q&amp;A on Chinese Medicine journey</a>		
Passed: 0	Failed: 1	Undefined: 0
Duration: 10.04s		
Before		0.00s
And user selects "\${chineseMedicine.answer.13}" for the question "\${chineseMedicine.question.13}"		10.04s
<pre> java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains (@text,"My hands and legs sweat even if the weather is not hot or when I'm not doing intense exercise.")) and Answer //android.widget.TextView[contains(@text,"Occasionally")] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java: 158) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:105) at .And user selects "\${chineseMedicine.answer.13}" for the question "\${chineseMedicine. question.13}"(features/my/health/ChineseMedicine.feature:103) </pre>		



After	0.00s
-------	-------

[Back to Table of Contents](#)


Scenario Outline: **Verify the Q&A on Chinese Medicine journey**

Passed: 0	Failed: 1	Undefined: 0	Duration: 10.02s
-----------	-----------	--------------	------------------


Before	0.00s
--------	-------

And user selects "\${chineseMedicine.answer.14}" for the question "\${chineseMedicine.question.14}"	10.02s
---	--------


```
java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains (@text,"I feel that I have a weak voice.") and Answer //android.widget.TextView[contains (@text,"Occasionally")]
at org.testng.Assert.fail(Assert.java:94)
at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:158)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA(ChineseMedicineSteps.java:105)
at .And user selects "${chineseMedicine.answer.14}" for the question "${chineseMedicine.question.14}"(features/my/health/ChineseMedicine.feature:103)
```




After		0.00s
<a href="#">Back to Table of Contents</a>		
Scenario Outline: <a href="#">Verify the Q&amp;A on Chinese Medicine journey</a>		
Passed: 0	Failed: 1	Undefined: 0
Duration: 10.59s		
Before		0.00s
And user selects "\${chineseMedicine.answer.15}" for the question "\${chineseMedicine.question.15}"		10.59s
<pre> java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains(@text,"In general")] and Answer //android.widget.TextView[contains(@text,"Occasionally")] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:158) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA(ChineseMedicineSteps.java:105) at .And user selects "\${chineseMedicine.answer.15}" for the question "\${chineseMedicine.question.15}"(features/my/health/ChineseMedicine.feature:103) </pre>		




After		0.00s
<a href="#">Back to Table of Contents</a>		
Scenario Outline: <a href="#">Verify the Q&amp;A on Chinese Medicine journey</a>		
Passed: 0	Failed: 1	Undefined: 0
Duration: 9.77s		
Before		0.00s
And user selects "\${chineseMedicine.answer.16}" for the question "\${chineseMedicine.question.16}"		9.77s
<pre> java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains (@text,"I feel that my skin and lips are dry.")] and Answer //android.widget.TextView[contains (@text,"Occasionally")] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java: 158) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:105) at .And user selects "\${chineseMedicine.answer.16}" for the question "\${chineseMedicine. question.16}"(features/my/health/ChineseMedicine.feature:103) </pre>		




After		0.00s
<a href="#">Back to Table of Contents</a>		
Scenario Outline: <a href="#">Verify the Q&amp;A on Chinese Medicine journey</a>		
Passed: 0	Failed: 1	Undefined: 0
Duration: 9.92s		
Before		0.00s
And user selects "\${chineseMedicine.answer.17}" for the question "\${chineseMedicine.question.17}"		9.92s
<pre> java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains (@text,"I get bruises easily for no reason.")] and Answer //android.widget.TextView[contains (@text,"Occasionally")] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java: 158) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:105) at .And user selects "\${chineseMedicine.answer.17}" for the question "\${chineseMedicine. question.17}"(features/my/health/ChineseMedicine.feature:103) </pre>		



After		0.00s
<a href="#">Back to Table of Contents</a>		
Scenario Outline: <a href="#">Verify the Q&amp;A on Chinese Medicine journey</a>		
Passed: 0	Failed: 1	Undefined: 0
Duration: 9.81s		
Before		0.00s
And user selects "\${chineseMedicine.answer.18}" for the question "\${chineseMedicine.question.18}"		9.81s
<pre> java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains (@text,"I have broken out in hives (outbreak of swollen'')] and Answer //android.widget. TextView[contains(@text,"Occasionally'')] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java: 158) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:105) at .And user selects "\${chineseMedicine.answer.18}" for the question "\${chineseMedicine. question.18}"(features/my/health/ChineseMedicine.feature:103) </pre>		




After		0.00s
<a href="#">Back to Table of Contents</a>		
Scenario Outline: <a href="#">Verify the Q&amp;A on Chinese Medicine journey</a>		
Passed: 0	Failed: 1	Undefined: 0
Duration: 9.66s		
Before		0.00s
And user selects "\${chineseMedicine.answer.19}" for the question "\${chineseMedicine.question.19}"		9.66s
<pre> java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains (@text,"I get purple rashes on my skin (purple blood spots)"] and Answer //android.widget. TextView[contains(@text,"Occasionally")] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java: 158) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:105) at .And user selects "\${chineseMedicine.answer.19}" for the question "\${chineseMedicine. question.19}"(features/my/health/ChineseMedicine.feature:103) </pre>		



After		0.00s
<a href="#">Back to Table of Contents</a>		
Scenario Outline: <a href="#">Verify the Q&amp;A on Chinese Medicine journey</a>		
Passed: 0	Failed: 1	Undefined: 0
Duration: 10.69s		
Before		0.00s
And user selects "\${chineseMedicine.answer.20}" for the question "\${chineseMedicine.question.20}"		10.69s
<pre> java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains (@text,"I easily get scratch marks on my skin.")] and Answer //android.widget.TextView [contains(@text,"Occasionally")] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java: 158) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:105) at .And user selects "\${chineseMedicine.answer.20}" for the question "\${chineseMedicine. question.20}"(features/my/health/ChineseMedicine.feature:103) </pre>		





After	0.00s
-------	-------

[Back to Table of Contents](#)


Scenario Outline: [Verify the Q&A on Chinese Medicine journey](#)

Passed: 0	Failed: 1	Undefined: 0	Duration: 10.64s
-----------	-----------	--------------	------------------


Before	0.00s
--------	-------

And user selects "\${chineseMedicine.answer.21}" for the question "\${chineseMedicine.question.21}"	10.64s
---	--------


```
java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains (@text,"I tend to feel depressed and moody.")] and Answer //android.widget.TextView [contains (@text,"Occasionally")]
at org.testng.Assert.fail(Assert.java:94)
at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:158)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA(ChineseMedicineSteps.java:105)
at .And user selects "${chineseMedicine.answer.21}" for the question "${chineseMedicine.question.21}"(features/my/health/ChineseMedicine.feature:103)
```




After		0.00s
<a href="#">Back to Table of Contents</a>		
Scenario Outline: <a href="#">Verify the Q&amp;A on Chinese Medicine journey</a>		
Passed: 0	Failed: 1	Undefined: 0
Duration: 10.12s		
Before		0.00s
And user selects "\${chineseMedicine.answer.22}" for the question "\${chineseMedicine.question.22}"		10.12s
<pre> java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains(@text,"I easily forget things.")] and Answer //android.widget.TextView[contains(@text,"Occasionally")] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:158) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA(ChineseMedicineSteps.java:105) at .And user selects "\${chineseMedicine.answer.22}" for the question "\${chineseMedicine.question.22}"(features/my/health/ChineseMedicine.feature:103) </pre>		




After		0.00s
<a href="#">Back to Table of Contents</a>		
Scenario Outline: <a href="#">Verify the Q&amp;A on Chinese Medicine journey</a>		
Passed: 0	Failed: 1	Undefined: 0
Duration: 10.35s		
Before		0.00s
And user selects "\${chineseMedicine.answer.23}" for the question "\${chineseMedicine.question.23}"		10.35s
<pre> java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains(@text,"I tend to feel tense and")] and Answer //android.widget.TextView[contains(@text,"Occasionally")] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:158) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA(ChineseMedicineSteps.java:105) at .And user selects "\${chineseMedicine.answer.23}" for the question "\${chineseMedicine.question.23}"(features/my/health/ChineseMedicine.feature:103) </pre>		




After		0.00s
<a href="#">Back to Table of Contents</a>		
Scenario Outline: <a href="#">Verify the Q&amp;A on Chinese Medicine journey</a>		
Passed: 0	Failed: 1	Undefined: 0
Duration: 9.51s		
Before		0.00s
And user selects "\${chineseMedicine.answer.24}" for the question "\${chineseMedicine.question.24}"		9.51s
<pre> java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains (@text,"I am sentimental and my feelings get hurt easily.")] and Answer //android.widget. TextView[contains(@text,"Occasionally")] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java: 158) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:105) at .And user selects "\${chineseMedicine.answer.24}" for the question "\${chineseMedicine. question.24}"(features/my/health/ChineseMedicine.feature:103) </pre>		




After		0.00s
<a href="#">Back to Table of Contents</a>		
Scenario Outline: <a href="#">Verify the Q&amp;A on Chinese Medicine journey</a>		
Passed: 0	Failed: 1	Undefined: 0
Duration: 9.98s		
Before		0.00s
And user selects "\${chineseMedicine.answer.25}" for the question "\${chineseMedicine.question.25}"		9.98s
<pre> java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains(@text,"I feel fearful")] and Answer //android.widget.TextView[contains(@text,"Occasionally")] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:158) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA(ChineseMedicineSteps.java:105) at .And user selects "\${chineseMedicine.answer.25}" for the question "\${chineseMedicine.question.25}"(features/my/health/ChineseMedicine.feature:103) </pre>		



After		0.00s
<a href="#">Back to Table of Contents</a>		
Scenario Outline: <a href="#">Verify the Q&amp;A on Chinese Medicine journey</a>		
Passed: 0	Failed: 1	Undefined: 0
Duration: 9.87s		
Before		0.00s
And user selects "\${chineseMedicine.answer.26}" for the question "\${chineseMedicine.question.26}"		9.87s
<pre> java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains (@text,"I sigh often for no reason.") and Answer //android.widget.TextView[contains(@text," Occasionally")] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java: 158) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:105) at .And user selects "\${chineseMedicine.answer.26}" for the question "\${chineseMedicine. question.26}"(features/my/health/ChineseMedicine.feature:103) </pre>		



After		0.00s
<a href="#">Back to Table of Contents</a>		
Scenario Outline: <a href="#">Verify the Q&amp;A on Chinese Medicine journey</a>		
Passed: 0	Failed: 1	Undefined: 0
Duration: 10.07s		
Before		0.00s
And user selects "\${chineseMedicine.answer.27}" for the question "\${chineseMedicine.question.27}"		10.07s
<pre> java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains (@text,"I get dizzy when changing posture.")] and Answer //android.widget.TextView[contains (@text,"Occasionally")] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java: 158) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:105) at .And user selects "\${chineseMedicine.answer.27}" for the question "\${chineseMedicine. question.27}"(features/my/health/ChineseMedicine.feature:103) </pre>		



After	0.00s
-------	-------

[Back to Table of Contents](#)

Scenario Outline: [Verify the Q&A on Chinese Medicine journey](#)


Passed: 0	Failed: 1	Undefined: 0	Duration: 10.31s
-----------	-----------	--------------	------------------

Before	0.00s
--------	-------


And user selects "\${chineseMedicine.answer.28}" for the question "\${chineseMedicine.question.28}"	10.32s
---	--------

```
java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains(@text,"I have a pale or anemic complexion.")] and Answer //android.widget.TextView[contains(@text,"Occasionally")]
at org.testng.Assert.fail(Assert.java:94)
at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:158)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA(ChineseMedicineSteps.java:105)
at .And user selects "${chineseMedicine.answer.28}" for the question "${chineseMedicine.question.28}"(features/my/health/ChineseMedicine.feature:103)
```





After		0.00s
<a href="#">Back to Table of Contents</a>		
Scenario Outline: <a href="#">Verify the Q&amp;A on Chinese Medicine journey</a>		
Passed: 0	Failed: 1	Undefined: 0
Duration: 9.57s		
Before		0.00s
And user selects "\${chineseMedicine.answer.29}" for the question "\${chineseMedicine.question.29}"		9.57s
<pre> java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains(@text,"I have rosy cheeks.")] and Answer //android.widget.TextView[contains(@text,"Occasionally")] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:158) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA(ChineseMedicineSteps.java:105) at .And user selects "\${chineseMedicine.answer.29}" for the question "\${chineseMedicine.question.29}"(features/my/health/ChineseMedicine.feature:103) </pre>		



After	0.00s
-------	-------

[Back to Table of Contents](#)


Scenario Outline: [Verify the Q&A on Chinese Medicine journey](#)

Passed: 0	Failed: 1	Undefined: 0	Duration: 10.15s
-----------	-----------	--------------	------------------


Before	0.00s
--------	-------

And user selects "\${chineseMedicine.answer.30}" for the question "\${chineseMedicine.question.30}"	10.15s
---	--------

```
java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains(@text,"I have visible blood veins on my cheeks")] and Answer //android.widget.TextView[contains(@text,"Occasionally")]
at org.testng.Assert.fail(Assert.java:94)
at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:158)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA(ChineseMedicineSteps.java:105)
at .And user selects "${chineseMedicine.answer.30}" for the question "${chineseMedicine.question.30}"(features/my/health/ChineseMedicine.feature:103)
```



After		0.00s
<a href="#">Back to Table of Contents</a>		
Scenario Outline: <a href="#">Verify the Q&amp;A on Chinese Medicine journey</a>		
Passed: 0	Failed: 1	Undefined: 0
Duration: 9.88s		
Before		0.00s
And user selects "\${chineseMedicine.answer.31}" for the question "\${chineseMedicine.question.31}"		9.88s
<pre> java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains (@text,"I have a darker complexion and have pigmentation on my cheeks")] and Answer //android.widget.TextView[contains(@text,"Occasionally")] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java: 158) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:105) at .And user selects "\${chineseMedicine.answer.31}" for the question "\${chineseMedicine. question.31}"(features/my/health/ChineseMedicine.feature:103) </pre>		



After	0.00s
-------	-------

[Back to Table of Contents](#)


Scenario Outline: [Verify the Q&A on Chinese Medicine journey](#)

Passed: 0	Failed: 1	Undefined: 0	Duration: 10.03s
-----------	-----------	--------------	------------------


Before	0.00s
--------	-------

And user selects "\${chineseMedicine.answer.32}" for the question "\${chineseMedicine.question.32}"	10.03s
---	--------


```
java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains(@text,"My nose and forehead frequently get oily")] and Answer //android.widget.TextView[contains(@text,"Occasionally")]
at org.testng.Assert.fail(Assert.java:94)
at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:158)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA(ChineseMedicineSteps.java:105)
at .And user selects "${chineseMedicine.answer.32}" for the question "${chineseMedicine.question.32}"(features/my/health/ChineseMedicine.feature:103)
```




After		0.00s
<a href="#">Back to Table of Contents</a>		
Scenario Outline: <a href="#">Verify the Q&amp;A on Chinese Medicine journey</a>		
Passed: 0	Failed: 1	Undefined: 0
Duration: 10.43s		
Before		0.00s
And user selects "\${chineseMedicine.answer.33}" for the question "\${chineseMedicine.question.33}"		10.43s
<pre> java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains (@text,"I get pimples easily")] and Answer //android.widget.TextView[contains(@text," Occasionally")] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java: 158) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:105) at .And user selects "\${chineseMedicine.answer.33}" for the question "\${chineseMedicine. question.33}"(features/my/health/ChineseMedicine.feature:103) </pre>		



After		0.00s
<a href="#">Back to Table of Contents</a>		
Scenario Outline: <a href="#">Verify the Q&amp;A on Chinese Medicine journey</a>		
Passed: 0	Failed: 1	Undefined: 0
Duration: 9.59s		
Before		0.00s
And user selects "\${chineseMedicine.answer.34}" for the question "\${chineseMedicine.question.34}"		9.59s
<pre> java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains(@text,"I get panda eyes (dark eye bags) easily")] and Answer //android.widget.TextView[contains(@text,"Occasionally")] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:158) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA(ChineseMedicineSteps.java:105) at .And user selects "\${chineseMedicine.answer.34}" for the question "\${chineseMedicine.question.34}"(features/my/health/ChineseMedicine.feature:103) </pre>		




After		0.00s
<a href="#">Back to Table of Contents</a>		
Scenario Outline: <a href="#">Verify the Q&amp;A on Chinese Medicine journey</a>		
Passed: 0	Failed: 1	Undefined: 0
Duration: 10.01s		
Before		0.00s
And user selects "\${chineseMedicine.answer.35}" for the question "\${chineseMedicine.question.35}"		10.01s
<pre> java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains (@text,"My lip color is generally gloomy / purplish / blueish")] and Answer //android.widget. TextView[contains(@text,"Occasionally")] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java: 158) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:105) at .And user selects "\${chineseMedicine.answer.35}" for the question "\${chineseMedicine. question.35}"(features/my/health/ChineseMedicine.feature:103) </pre>		



After		0.00s
<a href="#">Back to Table of Contents</a>		
Scenario Outline: <a href="#">Verify the Q&amp;A on Chinese Medicine journey</a>		
Passed: 0	Failed: 1	Undefined: 0
Duration: 9.94s		
Before		0.00s
And user selects "\${chineseMedicine.answer.36}" for the question "\${chineseMedicine.question.36}"		9.94s
<pre> java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains(@text,"My lip color is reddish")] and Answer //android.widget.TextView[contains(@text,"Occasionally")] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:158) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA(ChineseMedicineSteps.java:105) at .And user selects "\${chineseMedicine.answer.36}" for the question "\${chineseMedicine.question.36}"(features/my/health/ChineseMedicine.feature:103) </pre>		





After	0.00s
-------	-------

[Back to Table of Contents](#)


Scenario Outline: **Verify the Q&A on Chinese Medicine journey**

Passed: 0	Failed: 1	Undefined: 0	Duration: 10.56s
-----------	-----------	--------------	------------------


Before	0.00s
--------	-------

And user selects "\${chineseMedicine.answer.37}" for the question "\${chineseMedicine.question.37}"	10.56s
---	--------


```
java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains (@text,"My lip color is slightly pale or whiteish")] and Answer //android.widget.TextView [contains (@text,"Occasionally")]
at org.testng.Assert.fail(Assert.java:94)
at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:158)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA(ChineseMedicineSteps.java:105)
at .And user selects "${chineseMedicine.answer.37}" for the question "${chineseMedicine.question.37}"(features/my/health/ChineseMedicine.feature:103)
```



After		0.00s
<a href="#">Back to Table of Contents</a>		
Scenario Outline: <a href="#">Verify the Q&amp;A on Chinese Medicine journey</a>		
Passed: 0	Failed: 1	Undefined: 0
Duration: 10.47s		
Before		0.00s
And user selects "\${chineseMedicine.answer.38}" for the question "\${chineseMedicine.question.38}"		10.47s
<pre> java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains (@text,"I have puffy eyelids")] and Answer //android.widget.TextView[contains(@text," Occasionally")] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java: 158) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:105) at .And user selects "\${chineseMedicine.answer.38}" for the question "\${chineseMedicine. question.38}"(features/my/health/ChineseMedicine.feature:103) </pre>		



After		0.00s
<a href="#">Back to Table of Contents</a>		
Scenario Outline: <b>Verify the Q&amp;A on Chinese Medicine journey</b>		
Passed: 0	Failed: 1	Undefined: 0
Duration: 9.85s		
Before		0.00s
And user selects "\${chineseMedicine.answer.39}" for the question "\${chineseMedicine.question.39}"		9.85s
<pre> java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains (@text,"I have dry eyes or blurry vision")] and Answer //android.widget.TextView[contains (@text,"Occasionally")] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java: 158) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:105) at .And user selects "\${chineseMedicine.answer.39}" for the question "\${chineseMedicine. question.39}"(features/my/health/ChineseMedicine.feature:103) </pre>		



After	0.00s
-------	-------

[Back to Table of Contents](#)


Scenario Outline: **Verify the Q&A on Chinese Medicine journey**

Passed: 0	Failed: 1	Undefined: 0	Duration: 9.49s
-----------	-----------	--------------	-----------------


Before	0.00s
--------	-------

And user selects "\${chineseMedicine.answer.40}" for the question "\${chineseMedicine.question.40}"	9.49s
---	-------


```
java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains(@text,"I tend to sneeze even if I am not sick")] and Answer //android.widget.TextView[contains(@text,"Occasionally")]
at org.testng.Assert.fail(Assert.java:94)
at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:158)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA(ChineseMedicineSteps.java:105)
at .And user selects "${chineseMedicine.answer.40}" for the question "${chineseMedicine.question.40}"(features/my/health/ChineseMedicine.feature:103)
```




After		0.00s
<a href="#">Back to Table of Contents</a>		
Scenario Outline: <a href="#">Verify the Q&amp;A on Chinese Medicine journey</a>		
Passed: 0	Failed: 1	Undefined: 0
Duration: 10.04s		
Before		0.00s
And user selects "\${chineseMedicine.answer.41}" for the question "\${chineseMedicine.question.41}"		10.04s
<pre> java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains (@text,"My nose gets clogged or runny even if I am not sick")] and Answer //android.widget. TextView[contains(@text,"Occasionally")] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java: 158) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:105) at .And user selects "\${chineseMedicine.answer.41}" for the question "\${chineseMedicine. question.41}"(features/my/health/ChineseMedicine.feature:103) </pre>		



After		0.00s
<a href="#">Back to Table of Contents</a>		
Scenario Outline: <a href="#">Verify the Q&amp;A on Chinese Medicine journey</a>		
Passed: 0	Failed: 1	Undefined: 0
Duration: 10.21s		
Before		0.00s
And user selects "\${chineseMedicine.answer.42}" for the question "\${chineseMedicine.question.42}"		10.21s
<pre> java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains(@text,"I have a dry tongue")] and Answer //android.widget.TextView[contains(@text,"Occasionally")] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:158) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA(ChineseMedicineSteps.java:105) at .And user selects "\${chineseMedicine.answer.42}" for the question "\${chineseMedicine.question.42}"(features/my/health/ChineseMedicine.feature:103) </pre>		



After		0.00s
<a href="#">Back to Table of Contents</a>		
Scenario Outline: <a href="#">Verify the Q&amp;A on Chinese Medicine journey</a>		
Passed: 0	Failed: 1	Undefined: 0
Duration: 11.57s		
Before		0.00s
And user selects "\${chineseMedicine.answer.43}" for the question "\${chineseMedicine.question.43}"		11.57s
<pre> java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains (@text,"I have sticky saliva")] and Answer //android.widget.TextView[contains(@text," Occasionally")] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java: 158) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:105) at .And user selects "\${chineseMedicine.answer.43}" for the question "\${chineseMedicine. question.43}"(features/my/health/ChineseMedicine.feature:103) </pre>		

			
After			0.00s
<a href="#">Back to Table of Contents</a>			
Scenario Outline: <a href="#">Verify the Q&amp;A on Chinese Medicine journey</a>			
Passed: 0	Failed: 1	Undefined: 0	Duration: 10.26s
Before			0.00s
And user selects "\${chineseMedicine.answer.44}" for the question "\${chineseMedicine.question.44}"			10.26s
<pre>java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains (@text,"I tend to have a bitter taste in my mouth")] and Answer //android.widget.TextView [contains(@text,"Occassionally")] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:158) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA(ChineseMedicineSteps.java:105) at .And user selects "\${chineseMedicine.answer.44}" for the question "\${chineseMedicine.question.44}"(features/my/health/ChineseMedicine.feature:103)</pre>			





100%  
Fully charged

After	0.00s
-------	-------

[Back to Table of Contents](#)


Scenario Outline: **Verify the Q&A on Chinese Medicine journey**

Passed: 0	Failed: 1	Undefined: 0	Duration: 10.84s
-----------	-----------	--------------	------------------

Before	0.00s
--------	-------

And user selects "\${chineseMedicine.answer.45}" for the question "\${chineseMedicine.question.45}"	10.84s
---	--------

```
java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains
(@text,"The surface of my tongue feels sticky")] and Answer //android.widget.TextView
[contains(@text,"Occassionally")]
at org.testng.Assert.fail(Assert.java:94)
at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:
158)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA
(ChineseMedicineSteps.java:105)
at .And user selects "${chineseMedicine.answer.45}" for the question "${chineseMedicine.
question.45}"(features/my/health/ChineseMedicine.feature:103)
```



After	0.00s
-------	-------

[Back to Table of Contents](#)

Scenario Outline: **Verify the Q&A on Chinese Medicine journey**

Passed: 0	Failed: 1	Undefined: 0	Duration: 10.69s
-----------	-----------	--------------	------------------

Before	0.00s
--------	-------

And user selects "\${chineseMedicine.answer.46}" for the question "\${chineseMedicine.question.46}"	10.69s
---	--------

```
java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains
(@text,"I tend to have phlegm in my throat even if I am not sick")] and Answer //android.
widget.TextView[contains(@text,"Occasionally")]
at org.testng.Assert.fail(Assert.java:94)
at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:
158)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA
(ChineseMedicineSteps.java:105)
at .And user selects "${chineseMedicine.answer.46}" for the question "${chineseMedicine.
question.46}" (features/my/health/ChineseMedicine.feature:103)
```



100%  
Fully charged

After	0.00s
-------	-------

[Back to Table of Contents](#)


Scenario Outline: **Verify the Q&A on Chinese Medicine journey**

Passed: 0	Failed: 1	Undefined: 0	Duration: 10.46s
-----------	-----------	--------------	------------------

Before	0.00s
--------	-------

And user selects "\${chineseMedicine.answer.47}" for the question "\${chineseMedicine.question.47}"	10.46s
---	--------

```
java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains
(@text,"I tend to have throat irritating even if I am not sick")] and Answer //android.widget.
TextView[contains(@text,"Occasionally")]
at org.testng.Assert.fail(Assert.java:94)
at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:
158)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA
(ChineseMedicineSteps.java:105)
at .And user selects "${chineseMedicine.answer.47}" for the question "${chineseMedicine.
question.47}"(features/my/health/ChineseMedicine.feature:103)
```

			
After			0.00s
<a href="#">Back to Table of Contents</a>			
Scenario Outline: <a href="#">Verify the Q&amp;A on Chinese Medicine journey</a>			
Passed: 0	Failed: 1	Undefined: 0	Duration: 10.26s
Before			0.00s
And user selects "\${chineseMedicine.answer.48}" for the question "\${chineseMedicine.question.48}"			10.26s
<pre>java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains (@text,"I have tightness in my chest")] and Answer //android.widget.TextView[contains (@text,"Occassionally")] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:158) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA(ChineseMedicineSteps.java:105) at .And user selects "\${chineseMedicine.answer.48}" for the question "\${chineseMedicine.question.48}"(features/my/health/ChineseMedicine.feature:103)</pre>			



After		0.00s
-------	--	-------

[Back to Table of Contents](#)


Scenario Outline: [Verify the Q&A on Chinese Medicine journey](#)

Passed: 0	Failed: 1	Undefined: 0	Duration: 10.36s
-----------	-----------	--------------	------------------

Before		0.00s
--------	--	-------

And user selects "\${chineseMedicine.answer.49}" for the question "\${chineseMedicine.question.49}"	10.36s
---	--------

```
java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains
(@text,"I have asthma or feel the need to occasionally take deep breaths")] and Answer
//android.widget.TextView[contains(@text,"Occasionally")]
at org.testng.Assert.fail(Assert.java:94)
at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:
158)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA
(ChineseMedicineSteps.java:105)
at .And user selects "${chineseMedicine.answer.49}" for the question "${chineseMedicine.
question.49}"(features/my/health/ChineseMedicine.feature:103)
```

			
After			0.00s
<a href="#">Back to Table of Contents</a>			
Scenario Outline: <b>Verify the Q&amp;A on Chinese Medicine journey</b>			
Passed: 0	Failed: 1	Undefined: 0	Duration: 10.3s
Before			0.00s
And user selects "\${chineseMedicine.answer.50}" for the question "\${chineseMedicine.question.50}"			10.30s
<pre>java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains(@text,"I feel conscious of sudden heart palpitations or increased heartbeat")] and Answer //android.widget.TextView[contains(@text,"Occassionally")] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:158) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA(ChineseMedicineSteps.java:105) at .And user selects "\${chineseMedicine.answer.50}" for the question "\${chineseMedicine.question.50}"(features/my/health/ChineseMedicine.feature:103)</pre>			



100%  
Fully charged

After	0.00s
-------	-------

[Back to Table of Contents](#)

Scenario Outline: **Verify the Q&A on Chinese Medicine journey**

Passed: 0	Failed: 1	Undefined: 0	Duration: 10.71s
-----------	-----------	--------------	------------------

Before	0.00s
--------	-------

And user selects "\${chineseMedicine.answer.51}" for the question "\${chineseMedicine.question.51}"	10.71s
---	--------

```
java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains
(@text,"I feel pain at the side of my chest or breasts")] and Answer //android.widget.TextView
[contains(@text,"Occassionally")]
at org.testng.Assert.fail(Assert.java:94)
at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:
158)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA
(ChineseMedicineSteps.java:105)
at .And user selects "${chineseMedicine.answer.51}" for the question "${chineseMedicine.
question.51}"(features/my/health/ChineseMedicine.feature:103)
```



100%  
Fully charged

After		0.00s
-------	--	-------

[Back to Table of Contents](#)

Scenario Outline: [Verify the Q&A on Chinese Medicine journey](#)


Passed: 0	Failed: 1	Undefined: 0	Duration: 10.9s
-----------	-----------	--------------	-----------------

Before		0.00s
--------	--	-------

And user selects "\${chineseMedicine.answer.52}" for the question "\${chineseMedicine.question.52}"	10.90s
---	--------

```
java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains
(@text,"My stomach fat is tender")] and Answer //android.widget.TextView[contains(@text,"
Occassionally")]
at org.testng.Assert.fail(Assert.java:94)
at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:
158)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA
(ChineseMedicineSteps.java:105)
at .And user selects "${chineseMedicine.answer.52}" for the question "${chineseMedicine.
question.52}"(features/my/health/ChineseMedicine.feature:103)
```



			
After			0.00s
<a href="#">Back to Table of Contents</a>			
Scenario Outline: <a href="#">Verify the Q&amp;A on Chinese Medicine journey</a>			
Passed: 0	Failed: 1	Undefined: 0	Duration: 10.44s
Before			0.00s
And user selects "\${chineseMedicine.answer.53}" for the question "\${chineseMedicine.question.53}"			10.45s
<pre>java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains(@text,"My abdomen")] and Answer //android.widget.TextView[contains(@text,"Occassionally")] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:158) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA(ChineseMedicineSteps.java:105) at .And user selects "\${chineseMedicine.answer.53}" for the question "\${chineseMedicine.question.53}"(features/my/health/ChineseMedicine.feature:103)</pre>			



100%  
Fully charged

After	0.00s
-------	-------

[Back to Table of Contents](#)


Scenario Outline: **Verify the Q&A on Chinese Medicine journey**


Passed: 0	Failed: 1	Undefined: 0	Duration: 10.82s
-----------	-----------	--------------	------------------

Before	0.00s
--------	-------

And user selects "\${chineseMedicine.answer.54}" for the question "\${chineseMedicine.question.54}"	10.82s
---	--------

```
java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains
(@text,"I frequently get diarrhea or stomach pains after consuming cold food or beverages")]
and Answer //android.widget.TextView[contains(@text,"Occasionally")]
at org.testng.Assert.fail(Assert.java:94)
at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:
158)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA
(ChineseMedicineSteps.java:105)
at .And user selects "${chineseMedicine.answer.54}" for the question "${chineseMedicine.
question.54}"(features/my/health/ChineseMedicine.feature:103)
```

			
After			0.00s
<a href="#">Back to Table of Contents</a>			
Scenario Outline: <a href="#">Verify the Q&amp;A on Chinese Medicine journey</a>			
Passed: 0	Failed: 1	Undefined: 0	Duration: 10.76s
Before			0.00s
And user selects "\${chineseMedicine.answer.55}" for the question "\${chineseMedicine.question.55}"			10.76s
<pre>java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains(@text,"I get constipations")] and Answer //android.widget.TextView[contains(@text,"Occassionally")] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:158) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA(ChineseMedicineSteps.java:105) at .And user selects "\${chineseMedicine.answer.55}" for the question "\${chineseMedicine.question.55}"(features/my/health/ChineseMedicine.feature:103)</pre>			

			
After			0.00s
<a href="#">Back to Table of Contents</a>			
Scenario Outline: <a href="#">Verify the Q&amp;A on Chinese Medicine journey</a>			
Passed: 0	Failed: 1	Undefined: 0	Duration: 10.61s
Before			0.00s
And user selects "\${chineseMedicine.answer.56}" for the question "\${chineseMedicine.question.56}"			10.61s
<pre>java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains (@text,"I feel that my feces are sticky and not clean")] and Answer //android.widget.TextView [contains(@text,"Occassionally")] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:158) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA(ChineseMedicineSteps.java:105) at .And user selects "\${chineseMedicine.answer.56}" for the question "\${chineseMedicine.question.56}" (features/my/health/ChineseMedicine.feature:103)</pre>			



After	0.00s
-------	-------

[Back to Table of Contents](#)


Scenario Outline: **Verify the Q&A on Chinese Medicine journey**

Passed: 0	Failed: 1	Undefined: 0	Duration: 10.28s
-----------	-----------	--------------	------------------

Before	0.00s
--------	-------

And user selects "\${chineseMedicine.answer.57}" for the question "\${chineseMedicine.question.57}"	10.28s
---	--------

```
java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains
(@text,"Apart from the first urination in the morning")] and Answer //android.widget.
TextView[contains(@text,"Occasionally")]
at org.testng.Assert.fail(Assert.java:94)
at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:
158)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA
(ChineseMedicineSteps.java:105)
at .And user selects "${chineseMedicine.answer.57}" for the question "${chineseMedicine.
question.57}"(features/my/health/ChineseMedicine.feature:103)
```



After	0.00s
-------	-------

[Back to Table of Contents](#)


Scenario Outline: **Verify the Q&A on Chinese Medicine journey**


Passed: 0	Failed: 1	Undefined: 0	Duration: 10.52s
-----------	-----------	--------------	------------------

Before	0.00s
--------	-------


And user selects "\${chineseMedicine.answer.58}" for the question "\${chineseMedicine.question.58}"	10.52s
---	--------

```
java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains
(@text,"I feel feverish on my hands")] and Answer //android.widget.TextView[contains
(@text,"Occassionally")]
at org.testng.Assert.fail(Assert.java:94)
at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:
158)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA
(ChineseMedicineSteps.java:105)
at .And user selects "${chineseMedicine.answer.58}" for the question "${chineseMedicine.
question.58}"(features/my/health/ChineseMedicine.feature:103)
```

			
After			0.00s
<a href="#">Back to Table of Contents</a>			
Scenario Outline: <a href="#">Verify the Q&amp;A on Chinese Medicine journey</a>			
Passed: 0	Failed: 1	Undefined: 0	Duration: 10.36s
Before			0.00s
And user selects "\${chineseMedicine.answer.59}" for the question "\${chineseMedicine.question.59}"			10.36s
<pre>java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains (@text,"My feet and hands get cold easily")] and Answer //android.widget.TextView[contains (@text,"Occassionally")] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:158) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA(ChineseMedicineSteps.java:105) at .And user selects "\${chineseMedicine.answer.59}" for the question "\${chineseMedicine.question.59}"(features/my/health/ChineseMedicine.feature:103)</pre>			

			
After			0.00s
<a href="#">Back to Table of Contents</a>			
Scenario Outline: <a href="#">Verify the Q&amp;A on Chinese Medicine journey</a>			
Passed: 0	Failed: 1	Undefined: 0	Duration: 10.06s
Before			0.00s
And user selects "\${chineseMedicine.answer.60}" for the question "\${chineseMedicine.question.60}"			10.06s
<pre>java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains (@text,"My body and limbs feel numb")] and Answer //android.widget.TextView[contains (@text,"Occassionally")] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:158) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA(ChineseMedicineSteps.java:105) at .And user selects "\${chineseMedicine.answer.60}" for the question "\${chineseMedicine.question.60}"(features/my/health/ChineseMedicine.feature:103)</pre>			



			
After			0.00s
<a href="#">Back to Table of Contents</a>			
Scenario Outline: <a href="#">Verify the Q&amp;A on Chinese Medicine journey</a>			
Passed: 0	Failed: 1	Undefined: 0	Duration: 10.73s
Before			0.00s
And user selects "\${chineseMedicine.answer.61}" for the question "\${chineseMedicine.question.61}"			10.73s
<pre>java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains(@text,"My face")] and Answer //android.widget.TextView[contains(@text,"Occasionally")] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:158) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA(ChineseMedicineSteps.java:105) at .And user selects "\${chineseMedicine.answer.61}" for the question "\${chineseMedicine.question.61}"(features/my/health/ChineseMedicine.feature:103)</pre>			



After	0.00s
-------	-------

[Back to Table of Contents](#)


Scenario Outline: **Verify the Q&A on Chinese Medicine journey**

Passed: 0	Failed: 1	Undefined: 0	Duration: 11.05s
-----------	-----------	--------------	------------------

Before	0.00s
--------	-------

And user selects "\${chineseMedicine.answer.62}" for the question "\${chineseMedicine.question.62}"	11.05s
---	--------

```
java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains
(@text,"My body feels pain easily")] and Answer //android.widget.TextView[contains(@text,"
Occassionally")]
at org.testng.Assert.fail(Assert.java:94)
at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:
158)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA
(ChineseMedicineSteps.java:105)
at .And user selects "${chineseMedicine.answer.62}" for the question "${chineseMedicine.
question.62}"(features/my/health/ChineseMedicine.feature:103)
```

			
After		0.00s	
<a href="#">Back to Table of Contents</a>			
Scenario Outline: <a href="#">Verify the Q&amp;A on Chinese Medicine journey</a>			
Passed: 0		Failed: 1	Undefined: 0
Duration: 10.83s			
Before		0.00s	
And user selects "\${chineseMedicine.answer.63}" for the question "\${chineseMedicine.question.63}"		10.83s	
<pre>java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains (@text,"My scrotum feels hot (Limited to men answer)") and Answer //android.widget.TextView[contains(@text,"Occassionally")] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:158) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA(ChineseMedicineSteps.java:105) at .And user selects "\${chineseMedicine.answer.63}" for the question "\${chineseMedicine.question.63}"(features/my/health/ChineseMedicine.feature:103)</pre>			



After	0.00s
-------	-------

[Back to Table of Contents](#)

Scenario: **Verify the Assessment completion screen**

Passed: 0	Failed: 1	Undefined: 0	Duration: 34.68s
-----------	-----------	--------------	------------------

Before	0.00s
--------	-------

Then User verify following texts are displayed in Chinese Medicine screen	34.68s
---	--------

<code>\${chineseMedicine.viewAssessment.header}</code>
<code>\${chineseMedicine.viewAssessment.subTitle}</code>
<code>\${chineseMedicine.viewAssessment.description1}</code>
<code>\${chineseMedicine.viewAssessment.description2}</code>

java.lang.AssertionError: The following asserts failed:  
the expected text is: Great!! expected [true] but found [false],  
the expected text is: You've completed the assessment expected [true] but found [false],  
the expected text is: This assessment and health related advice are provided by 'Research Center of Big Data, College of Management, Taipei Medical University' in cooperation with medical doctors. It is only for personal health management reference and does not represent a medical diagnosis. If you feel unwell, please seek the medical doctor's advice for any health conditions! expected [true] but found [false],  
the expected text is: Your body constitution will change based on your diets, lifestyle, and environment. It is recommended to do the Chinese Constitution Assessment at least every three months to know whether your constitution has improved so as to master your own health! expected [true] but found [false]  
at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)  
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.  
verifyFollowingTextsDisplayedInChineseMedScreen(ChineseMedicineSteps.java:50)

at .Then User verify following texts are displayed in Chinese Medicine screen(features/my/health/ChineseMedicine.feature:172)



After		0.00s
-------	--	-------

[Back to Table of Contents](#)

Scenario: **Verify the user can view the Assessment Record**

Passed: 0	Failed: 1	Undefined: 1	Duration: 8.72s
-----------	-----------	--------------	-----------------

Before		0.00s
--------	--	-------

When user clicks on View Results button on Chinese Medicine Assessment screen	8.72s
---	-------

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.

For documentation on this error, please visit: [http://seleniumhq.org/exceptions/no\\_such\\_element.html](http://seleniumhq.org/exceptions/no_such_element.html)

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'RISHANI-PC', ip: '192.168.0.101', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.10'

Driver info: io.appium.java\_client.android.AndroidDriver

Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel: SM-N770F, deviceName: RF8N31EE5JX, deviceScreenDensity: 420, deviceScreenSize: 1080x2400, deviceUDID: RF8N31EE5JX, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.625, platform: LINUX, platformName: Android, platformVersion: 10, statBarHeight: 85, takesScreenshot: true,

```

viewportRect: {height: 2104, left: 0, top: 85, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: 78a5550b-28f5-4402-846e-1bd645443b0e
*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,"View
Results")]}
at jdk.internal.reflect.GeneratedConstructorAccessor22.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:166)
at com.onepulse.app.screens.ChineseMedicineScreen.clickViewResultsButton
(ChineseMedicineScreen.java:67)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.clickOnViewResults
(ChineseMedicineSteps.java:122)
at .When user clicks on View Results button on Chinese Medicine Assessment screen(features
/my/health/ChineseMedicine.feature:180)


```

	Then User verify folowing texts are displayed in Chinese Medicine screen	0.00s
	<div> <div> <div>\$\{chineseMedicine.assessment.header\}</div> <div>\$\{chineseMedicine.assessment.subHeader\}</div> <div>\$\{chineseMedicine.assessment.status\}</div> <div>\$\{chineseMedicine.assessment.subStatus\}</div> <div>\$\{chineseMedicine.assessment.status1\}</div> <div>\$\{chineseMedicine.assessment.status2\}</div> <div>\$\{chineseMedicine.assessment.status3\}</div> <div>\$\{chineseMedicine.assessment.constitution.advice\}</div> </div> </div>	
After		0.00s
<a href="#">Back to Table of Contents</a>		
Scenario: Verify the Assessment Summary		
Passed: 0	Failed: 1	Duration: 17.29s
Before		0.00s
	Then User verify following texts are displayed in Chinese Medicine screen	17.29s
	<div> <div> <div>\$\{chineseMedicine.assessment.summary.title\}</div> <div>\$\{chineseMedicine.assessment.summary.description\}</div> </div> <p>java.lang.AssertionError: The following asserts failed: the expected text is: Assessment Summary expected [true] but found [false], the expected text is: Your body has moderate deficiency of yang qi. You may easily feel weak and chills, and have cold limbs. This is a symptom of moderate yang deficiency.It is recommended that your eating habits be based on the principle of warmth, and you should eat more glutinous rice, black beans, yams, ginger and other foods, maintain the long-term regular habit of medium intensity exercise, and have daily care and acupoint care matching with four seasons, so that you can gradually improve your body constitution. expected [true] but found</p> </div>	

```
[false]
at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.
verifyFollowingTextsDisplayedInChineseMedScreen(ChineseMedicineSteps.java:50)
at .Then User verify following texts are displayed in Chinese Medicine screen(features/my
/health/ChineseMedicine.feature:193)
```

When user clicks on View More button on Assessment Record screen

0.00s



After

0.00s

[Back to Table of Contents](#)
Scenario Outline: **Verify the "Constitution" Details of the Assessment**

Passed: 0

Failed: 1

Undefined: 0

Duration: 8.57s

Before

0.00s

```
Then User verify Assessment Details for the "${chineseMedicine.assessment.
details.constitution}" and "${chineseMedicine.assessment.details.
constitutionDescription}"
```

8.57s

```
java.lang.AssertionError: Unable to find the Condition Meaning of Yang-deficiency
constitution.
```

```
at org.testng.Assert.fail(Assert.java:94)
```

```
at com.onepulse.app.screens.ChineseMedicineScreen.verifyAssessmentDetails
(ChineseMedicineScreen.java:189)
```

```
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.
verifyAssessmentDetails(ChineseMedicineSteps.java:134)
```

```
at .Then User verify Assessment Details for the "${chineseMedicine.assessment.details.
constitution}" and "${chineseMedicine.assessment.details.constitutionDescription}"(features
/my/health/ChineseMedicine.feature:200)
```

After

0.00s



<a href="#">Back to Table of Contents</a>			
Scenario Outline: <b>Verify the "Change In Tongue" Details of the Assessment</b>			
Passed: 0	Failed: 1	Undefined: 0	Duration: 11.21s
Before			0.00s
Then User verify Assessment Details for the "\${chineseMedicine.assessment.details.changeInTongue}" and "\${chineseMedicine.assessment.details.changeInTongueDescription}"			11.21s
<div>java.lang.AssertionError: Unable to find the Condition Change in the tongue of Yang-deficiency constitution. at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.verifyAssessmentDetails (ChineseMedicineScreen.java:189) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.verifyAssessmentDetails(ChineseMedicineSteps.java:134) at .Then User verify Assessment Details for the "\${chineseMedicine.assessment.details.changeInTongue}" and "\${chineseMedicine.assessment.details.changeInTongueDescription}" (features/my/health/ChineseMedicine.feature:200)</div>			
After			0.00s
<a href="#">Back to Table of Contents</a>			

Feature: Verify Dietician Positive Flow for Doctor functionality on one pulse App						
Passed: 10		Failed: 2		Undefined: 0		
Duration: 390.9s						
Scenario: Verify the Home screen validation using "Continue with Email"						
Passed: 15		Failed: 0		Undefined: 0		
Duration: 219.36s						
Before		0.00s				
Given I generate random number and assign to variable "RANDOM_NUMBER"					0.07s	
And I assign "pulse\${RANDOM_NUMBER}@mailsac.com" to variable "PULSE_EMAIL"					0.00s	
And User has pulse app					30.02s	
And user click on "CONTINUE WITH EMAIL" with Email button					25.23s	
Then I wait for 2 sec					2.02s	
Then I change the country as required on registration page					11.98s	
Then I wait for 2 sec					2.00s	
Then I navigate to pulse registration page and select the lang on toggle bar then click on continue with email button					9.82s	
When user enters registration details					10.95s	
	FirstName	Diet				
	LastName	Test				
	Email	\${PULSE_EMAIL}				
	Password	Pas\$1234				
And taps on continue "Sign_Up" button					0.37s	
And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}"					33.10s	
Then I wait for 2 sec					2.02s	
		Then I click skip button				
		80.32s				

Then user should be landed to "Home" screen			7.42s						
Then I wait for 4 sec			4.05s						
After			0.01s						
<a href="#">Back to Table of Contents</a>									
Scenario: <a href="#">Verify User should be able to navigate to Dietician page</a>									
Passed: 2	Failed: 0	Undefined: 0	Duration: 24.36s						
Before			0.01s						
Then I click the Health icon in Home screen			13.82s						
Then I click the Dietician in Health Screen			10.53s						
After			0.00s						
<a href="#">Back to Table of Contents</a>									
Scenario: <a href="#">Select the expert type as doctor and navigate to next screen</a>									
Passed: 10	Failed: 0	Undefined: 0	Duration: 19.13s						
Before			0.00s						
Then I verify following text is displayed in dietician screen			4.20s						
<table><tr><td><div><div></div><div><div></div></div></div></td><td></td></tr><tr><td><div><div></div><div><div></div></div></div></td><td></td></tr><tr><td><div><div></div><div><div></div></div></div></td><td></td></tr></table>			<div><div></div><div><div></div></div></div>		<div><div></div><div><div></div></div></div>		<div><div></div><div><div></div></div></div>		
<div><div></div><div><div></div></div></div>									
<div><div></div><div><div></div></div></div>									
<div><div></div><div><div></div></div></div>									
And I clicks on "\${doc.txt}" in app screen			1.08s						
And I click the continue button			0.29s						
Then I wait for 2 sec			2.01s						
Then I verify following text is displayed in dietician screen			3.58s						
<table><tr><td><div><div></div><div><div></div></div></div></td><td></td></tr><tr><td><div><div></div><div><div></div></div></div></td><td></td></tr></table>			<div><div></div><div><div></div></div></div>		<div><div></div><div><div></div></div></div>				
<div><div></div><div><div></div></div></div>									
<div><div></div><div><div></div></div></div>									
Then I verify following edit field sample text in dietician screen			0.55s						
<table><tr><td><div><div></div><div><div></div></div></div></td><td></td></tr><tr><td><div><div></div><div><div></div></div></div></td><td></td></tr></table>			<div><div></div><div><div></div></div></div>		<div><div></div><div><div></div></div></div>				
<div><div></div><div><div></div></div></div>									
<div><div></div><div><div></div></div></div>									
And I assign value to following variables			0.01s						
<table><tr><td>service num</td><td>05</td></tr><tr><td>issuing org</td><td>test org</td></tr></table>			service num	05	issuing org	test org			
service num	05								
issuing org	test org								
And I enter following details in dietician screen			6.18s						
<table><tr><td><div><div></div><div><div></div></div></div></td><td><div><div></div><div><div></div></div></div></td></tr><tr><td><div><div></div><div><div></div></div></div></td><td><div><div></div><div><div></div></div></div></td></tr><tr><td><div><div></div><div><div></div></div></div></td><td>01-01-2030</td></tr></table>			<div><div></div><div><div></div></div></div>	<div><div></div><div><div></div></div></div>	<div><div></div><div><div></div></div></div>	<div><div></div><div><div></div></div></div>	<div><div></div><div><div></div></div></div>	01-01-2030	
<div><div></div><div><div></div></div></div>	<div><div></div><div><div></div></div></div>								
<div><div></div><div><div></div></div></div>	<div><div></div><div><div></div></div></div>								
<div><div></div><div><div></div></div></div>	01-01-2030								
And I click on field label "\${valid.till.text}" to close keyboard on dietician screen			0.89s						
And I click the continue button			0.35s						
After			0.00s						
<a href="#">Back to Table of Contents</a>									
Scenario: <a href="#">Verify User should be able to navigate to specialisation page</a>									
Passed: 9	Failed: 0	Undefined: 0	Duration: 14.02s						
Before			0.00s						
Then I verify following text is displayed in dietician screen			2.69s						

	{what.is.your.specialisation}	
	{specility.to.provide}	
	{choose.list.text}	
Then I verify following specialisation options are displayed in dietician screen		2.27s
	{mental.health.text}	
	{psychologist.text}	
	{general.physician.text}	
Then I enter "{physician.text}" speciality on specilisation screen And select "{general.physician.text}"		3.55s
And I click the continue button		1.67s
And I verify following text is displayed in dietician screen		1.39s
	{enter.super.specialisation.text}	
	{other.specialisation.text}	
And I assign value to following variables		0.00s
	specialisationHypertension	
And I enter following details in dietician screen		1.16s
	{enter.super.specialisation.text}{specialisation}	
And I click on field label "{enter.super.specialisation.text}" to close keyboard on dietician screen		0.93s
And I click the continue button		0.36s
After		0.00s

[Back to Table of Contents](#)

**Scenario:** Verify User should be able to navigate to Educational Details page

Passed: 6	Failed: 0	Undefined: 0	Duration: 14.38s
Before			0.00s

And I verify following text is displayed in dietician screen			2.22s
	<b>{education.details.text}</b>		
	<b>{add.degree.text}</b>		
And I verify following edit field sample text in dietician screen			1.92s
	<b>{enter.degree.name.text}</b>		
	<b>{enter.field.of.study.text}</b>		
	<b>{institution.name.enter.text}</b>		
And I enter following details in dietician screen			5.69s
	<b>{degree1.text}</b>	<b>MBBS</b>	
	<b>{year.text}</b>	<b>2001</b>	
	<b>{university.text}</b>	<b>test university</b>	
Then I enter following details in edit text field in dietician screen			2.25s
	<b>{enter.field.of.study.text}</b>	<b>physician</b>	
And I click on field label "{education.details.text}" to close keyboard on dietician screen			1.68s
And I click the continue button			0.63s
Enter			0.00s

**Back to Table of Contents**

**Scenario: Verify User should be able to navigate to Add experience page**

Passed: 10	Failed: 0	Undefined: 0	Duration: 16.22s
Before			0.00s
And I verify following text is displayed in dietician screen			1.58s
<div> <div>{add.experience.txt}</div> <div>{share.experience.details}</div> </div>			
And I verify following edit field sample text in dietician screen			0.67s
{enterHospital.text}			
Then I enter following details in edit text field in dietician screen			1.76s
{profile.title.text} Test			
And I enter following details in dietician screen			2.50s
{experience1.text} Test University			
Then I enter following details in edit text field in dietician screen			1.88s
{enterLocation.text} {country.name}			
And I Enter the "Start Date" in "10" in dynamic start date Experience screen			2.98s
And I Enter the "Start Date" in "2010" in dynamic start years Experience screen			2.36s
And I click on field label "{add.experience.txt}" to close keyboard on dietician screen			1.01s
Then I click on checkbox next to text "{currently.praticing.here}" in dietician screen			0.46s
And I click the continue button			1.01s
After			0.00s

[Back to Table of Contents](#)
**Scenario: Verify User should be able to navigate to Services Offered page**

Passed: 5	Failed: 0	Undefined: 0	Duration: 3.9s
Before			0.00s
And I verify following text is displayed in dietician screen			1.34s
{public.profile.tex}			
And I assign value to following variables			0.01s
service offered MBBS DOCTOR			
And I enter following details in dietician screen			1.40s
{service.offered.text} {service offered}			
And I click on field label "{service.offered.text}" to close keyboard on dietician screen			0.84s
And I click the continue button			0.31s
After			0.00s


[Back to Table of Contents](#)
**Scenario: Verify User should be able to navigate to achievement and awards screen**

Passed: 5	Failed: 0	Undefined: 0	Duration: 10.65s
Before			0.00s
And I verify following text is displayed in dietician screen			3.40s
{achievement.award.text}			

{add.seminar.details.text}			
And I enter following details in edit text field in dietician screen			2.94s
{enter.title.award.text}		TEST award	
{enter.org.name.text}		Test	
And I enter following details in dietician screen			2.87s
{year.text}		2020	
And I click on field label "{add.seminar.details.text}" to close keyboard on dietician screen			1.05s
And I click the continue button			0.40s
After			0.00s
<a href="#">Back to Table of Contents</a>			
Scenario: Verify User should be able to navigate to Seminar(s) Attended page			
Passed: 5		Failed: 0	Duration: 10.62s
Before		Undefined: 0	
And I verify following text is displayed in dietician screen			0.00s
{seminar.attended.text}		{add.seminar.details}	
And I enter following details in edit text field in dietician screen			4.20s
{enter.seminar.title}		TEST seminar	
{enterLocation.text}		SINGAPORE	
And I enter following details in dietician screen			2.49s
{year.text}		2020	
And I click on field label "{seminar.attended.text}" to close keyboard on dietician screen			1.09s
And I click the continue button			1.18s
After			0.00s
<a href="#">Back to Table of Contents</a>			
Scenario: Verify User should be able to navigate to linked clinic page			
Passed: 4		Failed: 0	Duration: 10.22s
Before		Undefined: 0	
Given I verify following text is displayed in dietician screen			1.48s
{linked.clinic.text}		{add.clinic.info.text}	
And I enter following details in edit text field in dietician screen			5.93s
{enter.name.of.clinic}		clinic1	
{enterLocation.text}		SINGAPORE	
And I click on field label "{linked.clinic.text}" to close keyboard on dietician screen			2.39s
And I click the continue button			0.43s
After			0.00s
<a href="#">Back to Table of Contents</a>			
Scenario: Verify User should be able to navigate to Take a Picture page			
Passed: 0		Failed: 1	Duration: 25.98s
		Undefined: 11	

Before		0.00s							
Given I verify following text is displayed in dietician screen		25.97s							
<table><tr><td>#{about.you.text}</td><td rowspan="3"></td></tr><tr><td>#{profile.photo.text}</td></tr><tr><td>#{takephoto.instruction.text}</td></tr></table>		#{about.you.text}		#{profile.photo.text}	#{takephoto.instruction.text}				
#{about.you.text}									
#{profile.photo.text}									
#{takephoto.instruction.text}									
java.lang.AssertionError: The following asserts failed: About You text is displayed on page expected [true] but found [false], Profile Photo text is displayed on page expected [true] but found [false], Please take/upload your profile photo text is displayed on page expected [true] but found [false] at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43) at com.onepulse.app.stepdefinitions.mobilesteps.DieticianSteps. VerifyStaticTextInDieticianScreen(DieticianSteps.java:263) at .Given I verify following text is displayed in dietician screen(features/my/health /Dietician_Doctor.feature:155)									
Then I verify following profile photo options are displayed in Dietician Screen		0.00s							
<table><tr><td>#{uploadfile.text}</td><td rowspan="2"></td></tr><tr><td>#{takepicture.text}</td></tr></table>		#{uploadfile.text}		#{takepicture.text}					
#{uploadfile.text}									
#{takepicture.text}									
And I clicks on " #{takepicture.text} " in app screen		0.00s							
And I give camera permission		0.00s							
Then I take picture from Camera		0.00s							
And I click the continue button		0.00s							
Then I wait for 3 sec		0.00s							
Then I verify following text is displayed in dietician screen		0.00s							
<table><tr><td>#{confirmdetails.text}</td><td rowspan="6"></td></tr><tr><td>#{confirmdetails.text2}</td></tr><tr><td>#{service num}</td></tr><tr><td>#{issuing org}</td></tr><tr><td>#{specialisation}</td></tr><tr><td>#{service offered}</td></tr></table>		#{confirmdetails.text}		#{confirmdetails.text2}	#{service num}	#{issuing org}	#{specialisation}	#{service offered}	
#{confirmdetails.text}									
#{confirmdetails.text2}									
#{service num}									
#{issuing org}									
#{specialisation}									
#{service offered}									
And I scroll down		0.00s							
Then I wait for 2 sec		0.00s							
And I click Agree button "Terms and Conditions" confirm screen		0.00s							
And I clicks on "Terms and Conditions" text in app screen		0.00s							





After	0.00s
-------	-------

[Back to Table of Contents](#)

### Feature: Verify that user can manage events via the Family Vaccine Vaccine Calendar feature

Passed: 1	Failed: 4	Undefined: 0	Duration: 290.59s
-----------	-----------	--------------	-------------------

**Scenario: User should be able to register on app with correct credentials using "Continue with Email"**


Passed: 17	Failed: 0	Undefined: 0	Duration: 210.42s
------------	-----------	--------------	-------------------

Before	0.00s
--------	-------

Given I generate random number and assign to variable "RANDOM_NUMBER"	0.09s						
And I assign "pulse\${RANDOM_NUMBER}@mailsac.com" to variable "PULSE_EMAIL"	0.00s						
And User has pulse app	25.41s						
Then I wait for 2 sec	2.03s						
And user click on "CONTINUE WITH EMAIL" with Email button	25.68s						
Then I wait for 2 sec	2.02s						
Then I change the country as required on registration page	12.37s						
Then I wait for 2 sec	2.00s						
Then I navigate to pulse registration page and select the lang on toggle bar then click on continue with email button	7.79s						
Then I wait for 2 sec	2.00s						
When user enters registration details	10.34s						
<table> <tr> <td>FirstName</td><td>testAutomation</td></tr> <tr> <td>LastName</td><td>testAutomation</td></tr> <tr> <td>Email</td><td>\${PULSE_EMAIL}</td></tr> </table>	FirstName	testAutomation	LastName	testAutomation	Email	\${PULSE_EMAIL}	
FirstName	testAutomation						
LastName	testAutomation						
Email	\${PULSE_EMAIL}						



Password		Pas\$1234		
And taps on continue "Sign_Up" button			0.38s	
And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}"			32.24s	
Then I wait for 2 sec			2.00s	
Then I click skip button			74.77s	
Then user should be landed to "Home" screen			7.30s	
Then I wait for 4 sec			4.00s	
After			0.00s	
<a href="#">Back to Table of Contents</a>				
Scenario: <a href="#">User should be able to access my family vaccination calendar</a>				
Passed: 4		Failed: 1	Undefined: 0	
Duration: 37.56s				
Before			0.00s	
	Given I clicks on Health button			16.97s
	Then I wait for 2 sec			2.00s
	Then I click on vaccine calendar tile			1.22s
	Then I wait for 2 sec			2.00s
	Then User verifies following texts are displayed in Vaccine Calendar screen			15.36s
	<div><div><div><div><div><div></div></div></div><div><div></div></div></div><div><div></div></div></div><div><div></div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div></div></div> <div><div>&lt;/</div></div>			



After	0.00s
-------	-------

[Back to Table of Contents](#)

Scenario: **Verify the user can Add Vaccine Information**

Passed: 0	Failed: 1	Undefined: 3	Duration: 7.54s
-----------	-----------	--------------	-----------------

Before	0.00s
--------	-------

When I click on Add more button in Vaccine Calendar screen	7.54s
--	-------

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.

For documentation on this error, please visit: [http://seleniumhq.org/exceptions/no\\_such\\_element.html](http://seleniumhq.org/exceptions/no_such_element.html)

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'


System info: host: 'RISHANI-PC', ip: '192.168.0.101', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.10'

Driver info: io.appium.java\_client.android.AndroidDriver

Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel: SM-N770F, deviceName: RF8N31EE5JX, deviceScreenDensity: 420, deviceScreenSize: 1080x2400, deviceUDID: RF8N31EE5JX, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.625, platform: LINUX, platformName: Android, platformVersion: 10, statBarHeight: 85, takesScreenshot: true, viewportRect: {height: 2104, left: 0, top: 85, width: 1080}, warnings: {}, webStorageEnabled: false}

Session ID: 71b5cdcb-5526-4184-a562-1c496d14ab82



	<code>\${vaccineCalendar.addMore.name}</code>		
	<code>\${vaccineCalendar.addMore.dob}</code>		
Then User verifies following buttons are displayed in Vaccine Calendar screen			0.00s
	<code>\${vaccineCalendar.addMore.cancelButton}</code>		
	<code>\${vaccineCalendar.addMore.saveButton}</code>		
			
After			0.00s
<a href="#">Back to Table of Contents</a>			
Scenario: enter information on add vaccination popup			
Passed: 1	Failed: 1	Undefined: 2	Duration: 17.55s
Before			0.00s
And I assign value to following variables			0.00s
	relation	Child	
	name	testing_one	
Then I add following information in Vaccine Calendar add information screen			17.55s
	Name	<code>\${name}</code>	
	Relation	<code>\${relation}</code>	
<p>org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.</p> <p>For documentation on this error, please visit: <a href="http://seleniumhq.org/exceptions/no_such_element.html">http://seleniumhq.org/exceptions/no_such_element.html</a></p> <p>Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'</p> <p>System info: host: 'RISHANI-PC', ip: '192.168.0.101', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.10'</p> <p>Driver info: io.appium.java_client.android.AndroidDriver</p> <p>Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.</p>			

```

uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29,
deviceManufacturer: samsung, deviceModel: SM-N770F, deviceName: RF8N31EE5JX,
deviceScreenDensity: 420, deviceScreenSize: 1080x2400, deviceUDID: RF8N31EE5JX,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.625, platform: LINUX,
platformName: Android, platformVersion: 10, statBarHeight: 85, takesScreenshot: true,
viewportRect: {height: 2104, left: 0, top: 85, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: 71b5cdcb-5526-4184-a562-1c496d14ab82
*** Element info: {Using=xpath, value=(//android.widget.TextView[@text='Name']/following::
android.widget.EditText)[1]}
at jdk.internal.reflect.GeneratedConstructorAccessor22.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$16.executeCommand(Commands.java:148)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:

```

19)

at com.onepulse.app.screens.TestBasePage.setTextWithTab(TestBasePage.java:263)

at com.onepulse.app.screens.PulseHealthScreen.enterAddInformationForm

(PulseHealthScreen.java:275)

at com.onepulse.app.stepdefinitions.mobilesteps.VaccineCalendarSteps.

enterAddInformationDetails(VaccineCalendarSteps.java:49)


at .Then I add following information in Vaccine Calendar add information screen(features/my/health/FamilyVaccineCalendar.feature:54)

Then I wait for 2 sec

0.00s

And I click on "\${vaccineCalendar.addMore.saveButton}" button in Vaccine Calendar screen

0.00s



After

0.00s

[Back to Table of Contents](#)Scenario: **Verify the added item displayed on the Vaccine Schedule screen**

Passed: 1

Failed: 1

Undefined: 5

Duration: 17.52s

Before

0.00s

Given I wait for 2 sec

2.00s

Then User verifies following dynamic texts are displayed in Vaccine Calendar screen

15.52s

**\${relation}****\${name}**


java.lang.AssertionError: The following asserts failed:

Child is present as expected expected [true] but found [false],

testing\_one is present as expected expected [true] but found [false]

at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)

at com.onepulse.app.stepdefinitions.mobilesteps.VaccineCalendarSteps.

verifyDynamicTextOnVaccineCal(VaccineCalendarSteps.java:77) at .Then User verifies following dynamic texts are displayed in Vaccine Calendar screen (features/my/health/FamilyVaccineCalendar.feature:63)			
Then I click on "\${name} \${relation}" button in Vaccine Calendar screen			0.00s
And I click on "\${vaccineCalendar.continue.button}" button in Vaccine Calendar screen			0.00s
Then I wait for 2 sec			0.00s
Then User verifies following texts are displayed in Vaccine Calendar screen			0.00s
<div> <div> <div></div> <div></div> </div> <div> <div></div> <div></div> </div> </div>			
Then User verifies following dynamic texts are displayed in Vaccine Calendar screen			0.00s
<div> <div></div> <div></div> </div>			
			
After			0.00s
<a href="#">Back to Table of Contents</a>			
<b>Feature: Verify that user can access Dengue Alert feature</b>			
Passed: 5	Failed: 0	Undefined: 0	Duration: 270.12s
<b>Scenario: Launch the app and select the country as per specified Ibu</b>			
Passed: 6	Failed: 0	Undefined: 0	Duration: 68.96s
Before			0.00s
Given User has pulse app			16.34s
And I assign "\${login.email.id}" to variable "PULSE_EMAIL"			0.00s
And user click on "CONTINUE WITH EMAIL" with Email button			25.59s
Then I change the country as required on registration page			11.98s
Then I wait for 10 sec			10.01s

	And I click the Sign in link			5.04s
After				0.00s
<a href="#">Back to Table of Contents</a>				
Scenario: login to the app with correct credentials using "Continue with Email"				
Passed: 6		Failed: 0	Undefined: 0	Duration: 44.64s
Before				0.00s
	Given I select the language option on toggle bar as required on login page			3.88s
	When user enters credentials			18.97s
	UserName	\${PULSE_EMAIL}		
	Password	\${pulse.password}		
	And User clicks on signin button			0.58s
	And I wait for 5 sec			5.00s
	And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}"			8.21s
	Then user should be landed to "Home" screen			8.01s
After				0.00s
<a href="#">Back to Table of Contents</a>				
Scenario: Verify the map can be expanded				
Passed: 3		Failed: 0	Undefined: 0	Duration: 20.08s
Before				0.00s
	And I clicks on Dengue Alert tile			16.82s
	And I click on the mapImage			2.10s
	And I click on map back button			1.16s
After				0.00s
<a href="#">Back to Table of Contents</a>				
Scenario: User should be able to vew the Dengue Outbreak - Malaysia				
Passed: 7		Failed: 0	Undefined: 0	Duration: 58.61s
Before				0.00s
	Then I verify the following texts "Dengue Alert" in Screen			36.05s
	<div>Malaysia</div> <div>Outbreaks</div> <div>\${dengueAlert.outbreak.new}</div> <div>\${dengueAlert.outbreak.thisWeek}</div> <div>\${dengueAlert.outbreak.total}</div> <div>\${dengueAlert.outbreak.deaths}</div> <div>\${dengueAlert.outbreak.thisWeek}</div>			
	Then I verify following texts are displayed			1.08s
	<div>\${dengueAlert.outbreak.total.title}</div>			
	When I scroll down			3.77s
	Then I verify following texts are displayed			1.36s
	<div>\${dengueAlert.zonal.title}</div> <div>\${dengueAlert.zonal.country}</div>			
	Then I verify following texts are displayed			5.07s
<div>\${dengueAlert.zone1}</div>				



[illegible]

Then I verify following texts are displayed			7.81s																				
<table><tr><td colspan="2">\${dengueAlert.zone7}</td></tr><tr><td colspan="2">\${dengueAlert.zone8}</td></tr><tr><td colspan="2">\${dengueAlert.zone9}</td></tr><tr><td colspan="2">\${dengueAlert.zone10}</td></tr><tr><td colspan="2">\${dengueAlert.zone11}</td></tr><tr><td colspan="2">\${dengueAlert.zone12}</td></tr><tr><td colspan="2">\${dengueAlert.zone13}</td></tr><tr><td colspan="2">\${dengueAlert.zone14}</td></tr><tr><td colspan="2">\${dengueAlert.zone15}</td></tr><tr><td colspan="2">\${dengueAlert.zone16}</td></tr></table>			\${dengueAlert.zone7}		\${dengueAlert.zone8}		\${dengueAlert.zone9}		\${dengueAlert.zone10}		\${dengueAlert.zone11}		\${dengueAlert.zone12}		\${dengueAlert.zone13}		\${dengueAlert.zone14}		\${dengueAlert.zone15}		\${dengueAlert.zone16}		
\${dengueAlert.zone7}																							
\${dengueAlert.zone8}																							
\${dengueAlert.zone9}																							
\${dengueAlert.zone10}																							
\${dengueAlert.zone11}																							
\${dengueAlert.zone12}																							
\${dengueAlert.zone13}																							
\${dengueAlert.zone14}																							
\${dengueAlert.zone15}																							
\${dengueAlert.zone16}																							
After			0.00s																				
<a href="#">Back to Table of Contents</a>																							
Feature: <a href="#">Verify Pru Safe Covid-19 Cover functionality on one pulse App</a>																							
Passed: 4	Failed: 0	Undefined: 0	Duration: 267.6s																				
Scenario: <a href="#">User should be able to register on app with correct credentials using "Continue with Email"</a>																							
Passed: 17	Failed: 0	Undefined: 0	Duration: 202.46s																				
Before			0.00s																				
Given I generate random number and assign to variable "RANDOM_NUMBER"			0.11s																				
And I assign "pulse\${RANDOM_NUMBER}@mailsac.com" to variable "PULSE_EMAIL"			0.00s																				
And User has pulse app			16.38s																				
Then I wait for 2 sec			2.00s																				
And user click on "CONTINUE WITH EMAIL" with Email button			24.64s																				
Then I wait for 2 sec			2.00s																				
Then I change the country as required on registration page			12.60s																				
Then I wait for 2 sec			2.00s																				
Then I navigate to pulse registration page and select the lang on toggle bar then click on continue with email button			7.82s																				
Then I wait for 2 sec			2.00s																				
When user enters registration details			8.99s																				
<table><tr><td>FirstName</td><td>testAutomation</td></tr><tr><td>LastName</td><td>testAutomation</td></tr><tr><td>Email</td><td>\${PULSE_EMAIL}</td></tr><tr><td>Password</td><td>Pas\$1234</td></tr></table>			FirstName	testAutomation	LastName	testAutomation	Email	\${PULSE_EMAIL}	Password	Pas\$1234													
FirstName	testAutomation																						
LastName	testAutomation																						
Email	\${PULSE_EMAIL}																						
Password	Pas\$1234																						
And taps on continue "Sign_Up" button			0.53s																				
And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}"			31.17s																				
Then I wait for 2 sec			2.00s																				
Then I click skip button			77.56s																				
Then user should be landed to "Home" screen			8.66s																				
Then I wait for 4 sec			4.00s																				

After		0.00s
<a href="#">Back to Table of Contents</a>		
<b>Scenario: Verify User should be able to see the PRU Shoppe screen</b>		
Passed: 3	Failed: 0	Undefined: 0
Duration: 21.38s		
Before		0.00s
And I click on pru shoppe button on the home page		12.10s
And I verify following texts are displayed		0.71s
{pru.shoppe.my.receiving.service.text}		
{pru.shopee.privacy.policy.text}		
{pru.shopee.term.conditions.text}		
And I verify the following texts "Pru Shopee Screen" in Screen		8.56s
{myCoverage.policyNumber.cancelButton}		
{prushoppe.proceed.txt}		
After		0.00s
<a href="#">Back to Table of Contents</a>		
<b>Scenario: Verify User should be able to see the PRUSafe COVIDCover screen options</b>		
Passed: 9	Failed: 0	Undefined: 0
Duration: 29.04s		
Before		0.00s
Then I click on Proceed button on prushoppe screen		0.23s
Then I wait for 5 sec		5.00s
Then I click on pru covid19 campaign tile on prushoppe screen for malaysia		0.50s
Then I wait for 5 sec		5.00s
And I verify following texts are displayed		1.51s
{my.covid19.hospitalization.text}		
{my.covid19.for.pru.malaysia.customer}		
{my.covid.19.benefit.offered}		
{my.covid19.hospital.assistance}		
And I verify the following texts "Covid 19" in Screen		9.05s
{my.self.text}		
{family.text}		
And I verify following texts are displayed		2.49s
{my.covid19.disclosure.text.1}		
{my.covid19.disclosure.text.2}		
{my.covid19.disclosure.text.3}		
{my.covid19.disclosure.text.4}		
{my.covid19.disclosure.text.5}		
{my.covid19.disclosure.text.6}		
{my.covid19.disclosure.text.7}		
And I scroll down		3.70s
And I verify following texts are displayed		1.57s
{my.name.as.nric.text}		
{my.prushoppee.gender.text}		
{my.covid19.dob}		

After		0.00s						
<a href="#">Back to Table of Contents</a>								
Scenario: <a href="#">Verify User should be able to see the PRUSafe COVIDCover screen options</a>								
Passed: 5	Failed: 0	Undefined: 0	Duration: 14.72s					
Before		0.00s						
And I scroll down			3.84s					
And I verify following texts are displayed			3.01s					
<table><tr><td>{my.residential.text}</td><td rowspan="4"></td></tr><tr><td>{my.country.of.residence}</td></tr><tr><td>{my.residential.status}</td></tr><tr><td>{email.text}</td></tr></table>			{my.residential.text}		{my.country.of.residence}	{my.residential.status}	{email.text}	
{my.residential.text}								
{my.country.of.residence}								
{my.residential.status}								
{email.text}								
And I scroll down			3.91s					
And I verify following texts are displayed			2.62s					
<table><tr><td>{my.country.code}</td><td rowspan="4"></td></tr><tr><td>{my.mobile.phone.number}</td></tr><tr><td>{my.referral.code}</td></tr><tr><td>{my.covid19.agreement.text}</td></tr></table>			{my.country.code}		{my.mobile.phone.number}	{my.referral.code}	{my.covid19.agreement.text}	
{my.country.code}								
{my.mobile.phone.number}								
{my.referral.code}								
{my.covid19.agreement.text}								
And I verify proceed button is displayed on pru shoppe screen			1.35s					
After		0.00s						
<a href="#">Back to Table of Contents</a>								

Feature: <a href="#">Verify Pru infectious disease cover functionality on one pulse App</a>										
Passed: 9	Failed: 0	Undefined: 0	Duration: 270.34s							
Scenario: <a href="#">User should be able to register on app with correct credentials using "Continue with Email"</a>										
Passed: 17	Failed: 0	Undefined: 0	Duration: 199.39s							
Before		0.00s								
Given I generate random number and assign to variable "RANDOM_NUMBER"			0.06s							
And I assign "pulse\${RANDOM_NUMBER}@mailsac.com" to variable "PULSE_EMAIL"			0.00s							
And User has pulse app			16.52s							
Then I wait for 2 sec			2.00s							
And user click on "CONTINUE WITH EMAIL" with Email button			23.84s							
Then I wait for 2 sec			2.00s							
Then I change the country as required on registration page			11.28s							
Then I wait for 2 sec			2.00s							
Then I navigate to pulse registration page and select the lang on toggle bar then click on continue with email button			8.06s							
Then I wait for 2 sec			2.00s							
When user enters registration details			8.80s							
<table><tr><td>FirstName</td><td>testAutomation</td><td rowspan="3"></td></tr><tr><td>LastName</td><td>testAutomation</td></tr><tr><td>Email</td><td>{PULSE_EMAIL}</td></tr></table>			FirstName	testAutomation		LastName	testAutomation	Email	{PULSE_EMAIL}	
FirstName	testAutomation									
LastName	testAutomation									
Email	{PULSE_EMAIL}									

	Password	Pas\$1234	
And taps on continue "Sign_Up" button			0.63s
And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}"			30.38s
Then I wait for 2 sec			2.00s
Then I click skip button			78.22s
Then user should be landed to "Home" screen			7.61s
Then I wait for 4 sec			4.00s
After			0.00s
<a href="#">Back to Table of Contents</a>			
Scenario: <a href="#">Navigate to PRU Shoppe screen</a>			
Passed: 1		Failed: 0	Undefined: 0
Duration: 12.03s			
Before			0.00s
And I click on pru shoppe button on the home page			12.03s
After			0.00s
<a href="#">Back to Table of Contents</a>			
Scenario: <a href="#">Verify User should be able to see the infectious disease cover screen options</a>			
Passed: 12		Failed: 0	Undefined: 0
Duration: 29.96s			
Before			0.00s
Then I click on Proceed button on prushoppe screen			0.34s
Then I wait for 5 sec			5.00s
Then I click on pru infectious disease cover tile on prushoppe screen			1.07s
Then I wait for 5 sec			5.00s
And I verify following texts are displayed			3.26s
And user click on following button "\${show.more.text}" on prushoppe screen			0.54s
And I verify following texts are displayed			2.73s
And user click on following button "\${show.less.text}" on prushoppe screen			0.59s
And I verify following texts are displayed			4.17s
And I verify following texts are displayed			1.23s

And I scroll down			3.79s		
And I verify following texts are displayed			2.23s		
After			0.00s		
<a href="#">Back to Table of Contents</a>					
Scenario: <b>Verify User should be able to see the infectious disease cover Screen options</b>					
Passed: 4	Failed: 0	Undefined: 0	Duration: 13.21s		
Before			0.00s		
	And I verify following texts are displayed			4.23s	
	And I scroll down			3.74s	
	And I verify following texts are displayed			1.45s	
	And I scroll down			3.79s	
	After			0.00s	
<a href="#">Back to Table of Contents</a>					
Scenario Outline: <b>Verify User should be able to see the infectious disease cover term and condition</b>					
Passed: 1	Failed: 0	Undefined: 0	Duration: 2.52s		
Before			0.00s		
	Given User accept the term and conitions "\${infectious.disease.tnc.1}" in infectious disease cover Screen			2.52s	
After			0.00s		
<a href="#">Back to Table of Contents</a>					
Scenario Outline: <b>Verify User should be able to see the infectious disease cover term and condition</b>					
Passed: 1	Failed: 0	Undefined: 0	Duration: 2.68s		
Before			0.00s		
	Given User accept the term and conitions "\${infectious.disease.tnc.2}" in infectious disease cover Screen			2.68s	
After			0.00s		
<a href="#">Back to Table of Contents</a>					
Scenario Outline: <b>Verify User should be able to see the infectious disease cover term and condition</b>					
Passed: 1	Failed: 0	Undefined: 0	Duration: 2.64s		
Before			0.00s		




Passed: 6	Failed: 0	Undefined: 0	Duration: 43.78s
Before			0.00s
Given I select the language option on toggle bar as required on login page			3.94s
When user enters credentials			17.60s
UserName	\${PULSE_EMAIL}		
Password	\${login.password}		
And User clicks on signin button			0.49s
And I wait for 5 sec			5.00s
And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}"			8.44s
Then user should be landed to "Home" screen			8.31s
After			0.00s
<a href="#">Back to Table of Contents</a>			
Scenario: Verify user can access his policies from Pru Shoppe My Policies screen			
Passed: 5	Failed: 0	Undefined: 0	Duration: 24.38s
Before			0.00s
And I click on pru shoppe button on the home page			12.75s
And I wait for 5 sec			5.00s
And I click on my policies tile on prushoppe screen			0.64s
And I wait for 2 sec			2.00s
And I verify following texts are displayed			3.99s
	\${myCoverage.title}		
	\${myCoverage.information}		
	\${myCoverage.InformationDescription}		
After			0.00s
<a href="#">Back to Table of Contents</a>			
Scenario: Click on Link policy and verify screen to add policy number			
Passed: 4	Failed: 0	Undefined: 0	Duration: 6.77s
Before			0.00s
And I clicks on "\${myCoverage.linkPolicyButton}" in app screen			0.43s
And I wait for 2 sec			2.00s
And I hide one pulse app mobile keyboard			1.81s
And I verify following texts are displayed			2.53s
	\${myCoverage.policyNumber.title}		
	\${myCoverage.policyNumber.description}		
	\${myCoverage.policyNumber.description1}		
After			0.00s
<a href="#">Back to Table of Contents</a>			
Scenario: Verify the error message when the Policy Number is blank			
Passed: 2	Failed: 1	Undefined: 0	Duration: 10.37s
Before			0.00s
Then I click on policy number save button on my policies screen			0.44s
Then I click on policy number save button on my policies screen			0.40s
Then I verify following texts are displayed			9.54s




**`\${myCoverage.policyNumber.errorMessage}`**

**java.lang.AssertionError: The following asserts failed:**  
**Policy number not found text is displayed on page expected [true] but found [false]**  
**at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)**  
**at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnScreen**  
**(MyDocSteps.java:717)**  
**at .Then I verify following texts are displayed(features/my/home/prushopee**  
**/PruShoppeCoverage.feature:46)**



After		0.00s
<a href="#">Back to Table of Contents</a>		
<b>Scenario: Verify the error message when the Policy Number is invalid or incorrect</b>		
Passed: 4	Failed: 1	Undefined: 0
Duration: 14.49s		
Before		0.00s
When I enter "1234" as the Policy number		2.00s
And I hide one pulse app mobile keyboard		0.47s
Then I click on policy number save button on my policies screen		1.17s
And I wait for 2 sec		2.00s
Then I verify following texts are displayed		8.86s
<b>`\${myCoverage.policyNumber.errorMessage}`</b>		
<b>java.lang.AssertionError: The following asserts failed:</b> <b>Policy number not found text is displayed on page expected [true] but found [false]</b> <b>at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)</b> <b>at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnScreen</b> <b>(MyDocSteps.java:717)</b>		

at .Then I verify following texts are displayed(features/my/home/prushopee/PruShoppeCoverage.feature:54)



After		0.00s
-------	--	-------

[Back to Table of Contents](#)

**Scenario: Verify the error message when the Cancel Button**


Passed: 1	Failed: 1	Undefined: 0	Duration: 22.65s
-----------	-----------	--------------	------------------

Before		0.00s
--------	--	-------

Then I click on policy number cancel button on my policies screen	0.59s
---	-------

Then user should be landed to "Home" screen	22.06s
---	--------

```
java.lang.AssertionError: expected [true] but found [false]
at org.testng.Assert.fail(Assert.java:94)
at org.testng.Assert.failNotEquals(Assert.java:513)
at org.testng.Assert.assertTrue(Assert.java:42)
at org.testng.Assert.assertTrue(Assert.java:52)
at com.onepulse.app.stepdefinitions.mobilesteps.LoginSteps.landingPageValidation(LoginSteps.java:92)
at .Then user should be landed to "Home" screen(features/my/home/prushopee/PruShoppeCoverage.feature:59)
```



After	0.00s
-------	-------

[Back to Table of Contents](#)

### Feature: Verify Pru critical illness functionality on one pulse App

Passed: 3	Failed: 8	Undefined: 0	Duration: 372.18s
-----------	-----------	--------------	-------------------

**Scenario: User should be able to register on app with correct credentials using "Continue with Email"**

Passed: 17	Failed: 0	Undefined: 0	Duration: 201.71s
------------	-----------	--------------	-------------------

Before	0.00s
--------	-------

Given I generate random number and assign to variable "RANDOM_NUMBER"	0.03s						
And I assign "pulse\${RANDOM_NUMBER}@mailsac.com" to variable "PULSE_EMAIL"	0.00s						
And User has pulse app	15.93s						
Then I wait for 2 sec	2.00s						
And user click on "CONTINUE WITH EMAIL" with Email button	24.43s						
Then I wait for 2 sec	2.00s						
Then I change the country as required on registration page	11.67s						
Then I wait for 2 sec	2.00s						
Then I navigate to pulse registration page and select the lang on toggle bar then click on continue with email button	7.80s						
Then I wait for 2 sec	2.00s						
When user enters registration details	8.30s						
<table> <tr> <td>FirstName</td><td>testAutomation</td></tr> <tr> <td>LastName</td><td>testAutomation</td></tr> <tr> <td>Email</td><td>\${PULSE_EMAIL}</td></tr> </table>	FirstName	testAutomation	LastName	testAutomation	Email	\${PULSE_EMAIL}	
FirstName	testAutomation						
LastName	testAutomation						
Email	\${PULSE_EMAIL}						

	<div> <div> <input type="password"/> </div> <div>Pas\$1234</div> </div>	
	And taps on continue "Sign_Up" button	0.68s
	And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}"	30.18s
	Then I wait for 2 sec	2.00s
	Then I click skip button	81.46s
	Then user should be landed to "Home" screen	7.25s
	Then I wait for 4 sec	4.00s
After		0.00s
<a href="#">Back to Table of Contents</a>		
Scenario: Navigate to PRU Shoppe screen		
Passed: 1	Failed: 0	Undefined: 0
Before		Duration: 11.95s
		0.00s
	And I click on pru shoppe button on the home page	11.95s
After		0.00s
<a href="#">Back to Table of Contents</a>		
Scenario: Verify User should be able to see the icritical illness screen options		
Passed: 5	Failed: 1	Undefined: 6
Before		Duration: 37.76s
		0.00s
	Then I click on Proceed button on prushoppe screen	0.34s
	Then I wait for 5 sec	5.00s
	Then I click on pru simple care critical illness tile on prushoppe screen	12.85s
	Then I wait for 5 sec	5.00s
	And I verify following texts are displayed	5.47s
	<div> <div> <div>\${critical.illness.text}</div> <div>\${critical.illness.info.1}</div> <div>\${critical.illness.info.2}</div> <div>\${critical.illness.info.3}</div> <div>\${critical.illness.info.4}</div> </div> </div>	
	And user click on following button "\${show.more.text}" on prushoppe screen	9.10s
<p>org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.</p> <p>For documentation on this error, please visit: <a href="http://seleniumhq.org/exceptions/no_such_element.html">http://seleniumhq.org/exceptions/no_such_element.html</a></p> <p>Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'</p> <p>System info: host: 'RISHANI-PC', ip: '192.168.0.101', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.10'</p> <p>Driver info: io.appium.java_client.android.AndroidDriver</p> <p>Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel: SM-N770F, deviceName: RF8N31EE5JX, deviceScreenDensity: 420, deviceScreenSize: 1080x2400, deviceUDID: RF8N31EE5JX,</p>		


```

javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.625, platform: LINUX,
platformName: Android, platformVersion: 10, statBarHeight: 85, takesScreenshot: true,
viewportRect: {height: 2104, left: 0, top: 85, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: e0fe5d94-5b5d-40f3-b1fc-66d2ac0712c4
*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,"Show
More")]}
at jdk.internal.reflect.GeneratedConstructorAccessor22.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:166)
at com.onepulse.app.screens.PruShoppeScreen.clickButtonOnPruShoppeScreen
(PruShoppeScreen.java:190)
at com.onepulse.app.stepdefinitions.mobilesteps.PruShoppeSteps.
clickButtonOnPruShoppeScreen(PruShoppeSteps.java:141)

```



After		0.00s								
<a href="#">Back to Table of Contents</a>										
Scenario: <b>Verify User should be able to see the critical illness Screen options</b>										
Passed: 0		Failed: 1	Undefined: 2							
Duration: 63.47s										
Before		0.00s								
And I verify following texts are displayed		63.47s								
<table><tr><td><code>\${my.residential.text}</code></td></tr><tr><td><code>\${my.country.of.residence}</code></td></tr><tr><td><code>\${my.resedential.status}</code></td></tr><tr><td><code>\${email.text}</code></td></tr><tr><td><code>\${my.country.code}</code></td></tr><tr><td><code>\${my.mobile.phone.number}</code></td></tr><tr><td><code>\${my.referral.code}</code></td></tr></table>		<code>\${my.residential.text}</code>	<code>\${my.country.of.residence}</code>	<code>\${my.resedential.status}</code>	<code>\${email.text}</code>	<code>\${my.country.code}</code>	<code>\${my.mobile.phone.number}</code>	<code>\${my.referral.code}</code>		
<code>\${my.residential.text}</code>										
<code>\${my.country.of.residence}</code>										
<code>\${my.resedential.status}</code>										
<code>\${email.text}</code>										
<code>\${my.country.code}</code>										
<code>\${my.mobile.phone.number}</code>										
<code>\${my.referral.code}</code>										
<p>java.lang.AssertionError: The following asserts failed: Residential address text is displayed on page expected [true] but found [false], Country of Residence text is displayed on page expected [true] but found [false], Residential status and Nationality text is displayed on page expected [true] but found [false], Email text is displayed on page expected [true] but found [false], Country Code text is displayed on page expected [true] but found [false], Mobile Phone Number text is displayed on page expected [true] but found [false], Referral code (optional) text is displayed on page expected [true] but found [false] at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43) at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnScreen (MyDocSteps.java:717) at .And I verify following texts are displayed(features/my/home/prushopee /PruSimpleCareCritical_illness.feature:69)</p>										
And I scroll down		0.00s								
And I verify following texts are displayed		0.00s								
<table><tr><td><code>\${payment.summary.text}</code></td></tr><tr><td><code>\${insurance.premium.text}</code></td></tr><tr><td><code>\${total.premium.text}</code></td></tr></table>		<code>\${payment.summary.text}</code>	<code>\${insurance.premium.text}</code>	<code>\${total.premium.text}</code>						
<code>\${payment.summary.text}</code>										
<code>\${insurance.premium.text}</code>										
<code>\${total.premium.text}</code>										



After		0.00s
<a href="#">Back to Table of Contents</a>		
Scenario Outline: <b>Verify User should be able to see the critical illness term and condition</b>		
Passed: 0	Failed: 1	Undefined: 0
Duration: 9.06s		
Before		0.00s
Given User accept the term and conitions "\$critical.illness.tnc.1}" in infectious disease cover Screen		9.06s
<p>org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.</p> <p>For documentation on this error, please visit: <a href="http://seleniumhq.org/exceptions/no_such_element.html">http://seleniumhq.org/exceptions/no_such_element.html</a></p> <p>Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'</p> <p>System info: host: 'RISHANI-PC', ip: '192.168.0.101', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.10'</p> <p>Driver info: io.appium.java_client.android.AndroidDriver</p> <p>Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel: SM-N770F, deviceName: RF8N31EE5JX, deviceScreenDensity: 420, deviceScreenSize: 1080x2400, deviceUDID: RF8N31EE5JX, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.625, platform: LINUX, platformName: Android, platformVersion: 10, statBarHeight: 85, takesScreenshot: true, viewportRect: {height: 2104, left: 0, top: 85, width: 1080}, warnings: {}, webStorageEnabled: false}</p>		




Session ID: e0fe5d94-5b5d-40f3-b1fc-66d2ac0712c4

```

*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,"I declare
that I have never had, or been told that I have")]/parent::android.view.ViewGroup//preceding-
sibling::android.view.ViewGroup[@content-desc="termsandcondition"]}[1]}
at jdk.internal.reflect.GeneratedConstructorAccessor22.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:166)
at com.onepulse.app.screens.PruShopeeScreen.acceptInfectiousDiseaseTerms
(PruShopeeScreen.java:133)
at com.onepulse.app.stepdefinitions.mobilesteps.PruShopeeSteps.
acceptInfectiousDiseaseTerms(PruShopeeSteps.java:111)
at .Given User accept the term and conitions "${critical.illness.tnc.1}" in infectious disease
cover Screen(features/my/home/prushopee/PruSimpleCareCritical_illness.feature:85)

```



After		0.00s
<a href="#">Back to Table of Contents</a>		
<b>Scenario: Scroll the page down</b>		
Passed: 1	Failed: 0	Duration: 3.74s
Before		0.00s
And I scroll down		3.74s
After		0.00s
<a href="#">Back to Table of Contents</a>		
<b>Scenario Outline: Verify User should be able to see the critical illness term and condition</b>		
Passed: 0	Failed: 1	Duration: 8.4s
Before		0.00s
Given User accept the term and conitions "\${critical.illness.tnc.2}" in infectious disease cover Screen		8.40s
<p>org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.  For documentation on this error, please visit: <a href="http://seleniumhq.org/exceptions/no_such_element.html">http://seleniumhq.org/exceptions/no_such_element.html</a>  Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'  System info: host: 'RISHANI-PC', ip: '192.168.0.101', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.10'  Driver info: io.appium.java_client.android.AndroidDriver  Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29,</p>		

deviceManufacturer: samsung, deviceModel: SM-N770F, deviceName: RF8N31EE5JX, deviceScreenDensity: 420, deviceScreenSize: 1080x2400, deviceUDID: RF8N31EE5JX, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.625, platform: LINUX, platformName: Android, platformVersion: 10, statBarHeight: 85, takesScreenshot: true, viewportRect: {height: 2104, left: 0, top: 85, width: 1080}, warnings: {}, webStorageEnabled: false}

Session ID: e0fe5d94-5b5d-40f3-b1fc-66d2ac0712c4

\*\*\* Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,"I have never been hospitalised for more than 5 consecutive days or under medications longer than 2 weeks or awaiting medical consultation or investigation for any conditions. I am currently in good health and am not suffering from any medical conditions or disabilities.")]/parent::android.view.ViewGroup//preceding-sibling::android.view.ViewGroup[@content-desc="termsandcondition"]}[1]}

at jdk.internal.reflect.GeneratedConstructorAccessor22.newInstance(Unknown Source)

at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)

at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)

at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)

at io.appium.java\_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:231)

at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)

at io.appium.java\_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:42)

at io.appium.java\_client.AppiumDriver.execute(AppiumDriver.java:1)

at io.appium.java\_client.android.AndroidDriver.execute(AndroidDriver.java:1)

at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)

at io.appium.java\_client.DefaultGenericMobileDriver.findElement(DefaultGenericMobileDriver.java:62)

at io.appium.java\_client.AppiumDriver.findElement(AppiumDriver.java:1)

at io.appium.java\_client.android.AndroidDriver.findElement(AndroidDriver.java:1)

at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:419)

at io.appium.java\_client.DefaultGenericMobileDriver.findElementByXPath(DefaultGenericMobileDriver.java:152)

at io.appium.java\_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)

at io.appium.java\_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)

at org.openqa.selenium.By\$ByXPath.findElement(By.java:353)

at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)

at io.appium.java\_client.DefaultGenericMobileDriver.findElement(DefaultGenericMobileDriver.java:58)

at io.appium.java\_client.AppiumDriver.findElement(AppiumDriver.java:1)

at io.appium.java\_client.android.AndroidDriver.findElement(AndroidDriver.java:1)

at com.prudential.tap.selenium.Commands\$15.executeCommand(Commands.java:141)

at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:1)

19)

at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:166)

at com.onepulse.app.screens.PruShoppeScreen.acceptInfectiousDiseaseTerms

(PruShoppeScreen.java:133)

at com.onepulse.app.stepdefinitions.mobilesteps.PruShoppeSteps.

acceptInfectiousDiseaseTerms(PruShoppeSteps.java:111)

at .Given User accept the term and conitions "\${critical.illness.tnc.2}" in infectious disease cover Screen(features/my/home/prushopee/PruSimpleCareCritical\_illness.feature:95)

After

0.00s

[Back to Table of Contents](#)Scenario Outline: **Verify User should be able to see the critical illness term and condition**

Passed: 0

Failed: 1

Undefined: 0

Duration: 7.9s

Before

0.00s

Given User accept the term and conitions "\${critical.illness.tnc.3}" in infectious disease cover Screen

7.90s

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.

For documentation on this error, please visit: [http://seleniumhq.org/exceptions/no\\_such\\_element.html](http://seleniumhq.org/exceptions/no_such_element.html)

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'RISHANI-PC', ip: '192.168.0.101', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.10'

Driver info: io.appium.java\_client.android.AndroidDriver

Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,

```

newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29,
deviceManufacturer: samsung, deviceModel: SM-N770F, deviceName: RF8N31EE5JX,
deviceScreenDensity: 420, deviceScreenSize: 1080x2400, deviceUDID: RF8N31EE5JX,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.625, platform: LINUX,
platformName: Android, platformVersion: 10, statBarHeight: 85, takesScreenshot: true,
viewportRect: {height: 2104, left: 0, top: 85, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: e0fe5d94-5b5d-40f3-b1fc-66d2ac0712c4
*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,"I am
aware that the product provides coverage for Death, Stroke, Heart Attack, Serious Coronary
Artery Disease and Cancer.")]/parent::android.view.ViewGroup//preceding-sibling::android.
view.ViewGroup[@content-desc="termsandcondition"]}[1]}
at jdk.internal.reflect.GeneratedConstructorAccessor22.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)

```

at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:166)  
 at com.onepulse.app.screens.PruShopeScreen.acceptInfectiousDiseaseTerms  
 (PruShopeScreen.java:133)  
 at com.onepulse.app.stepdefinitions.mobilesteps.PruShopeSteps.  
 acceptInfectiousDiseaseTerms(PruShopeSteps.java:111)  
 at .Given User accept the term and conitions "\${critical.illness.tnc.3}" in infectious disease  
 cover Screen(features/my/home/prushopee/PruSimpleCareCritical\_illness.feature:95)

After		0.00s
<a href="#">Back to Table of Contents</a>		
Scenario Outline: <b>Verify User should be able to see the critical illness term and condition</b>		
Passed: 0	Failed: 1	Undefined: 0
Duration: 8.89s		
Before		0.00s
Given User accept the term and conitions "\${critical.illness.tnc.4}" in infectious disease cover Screen		8.89s
<p>org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.          For documentation on this error, please visit: <a href="http://seleniumhq.org/exceptions/no_such_element.html">http://seleniumhq.org/exceptions/no_such_element.html</a>          Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'          System info: host: 'RISHANI-PC', ip: '192.168.0.101', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.10'          Driver info: io.appium.java_client.android.AndroidDriver          Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29,</p>		



deviceManufacturer: samsung, deviceModel: SM-N770F, deviceName: RF8N31EE5JX, deviceScreenDensity: 420, deviceScreenSize: 1080x2400, deviceUDID: RF8N31EE5JX, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.625, platform: LINUX, platformName: Android, platformVersion: 10, statBarHeight: 85, takesScreenshot: true, viewportRect: {height: 2104, left: 0, top: 85, width: 1080}, warnings: {}, webStorageEnabled: false}

Session ID: e0fe5d94-5b5d-40f3-b1fc-66d2ac0712c4

```
*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,"I am
aware that the product does not pay out Death Benefit if death is due to suicide. I am also
aware that for benefits other than Death Benefit, the product does not pay out for any pre-
existing conditions or within the stated waiting period.")]/parent::android.view.ViewGroup
//preceding-sibling::android.view.ViewGroup[@content-desc="termsandcondition"]}[1]}
at jdk.internal.reflect.GeneratedConstructorAccessor22.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
```

at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:166)  
 at com.onepulse.app.screens.PruShopeeScreen.acceptInfectiousDiseaseTerms  
 (PruShopeeScreen.java:133)  
 at com.onepulse.app.stepdefinitions.mobilesteps.PruShopeeSteps.  
 acceptInfectiousDiseaseTerms(PruShopeeSteps.java:111)  
 at .Given User accept the term and conitions "\${critical.illness.tnc.4}" in infectious disease  
 cover Screen(features/my/home/prushopee/PruSimpleCareCritical\_illness.feature:95)

19:29

PRUDENTIAL

Butiran Peribadi Anda

Imbas ID anda

NRIC Nombor

No. Kad Pengenalan

Masukkan No. Kad Pengenalan

Nama

testAutomation testAutomation

Jantina: Male Tarikh Lahir: 02-Jun-2003

Alamat Kediaman

Masukkan Alamat.

Negara Tempat Tinggal

Malaysia

Status kediaman dan kewarganegaraan

Malaysian Citizen

Emel

pulse241160611658@mailsac.com

Kod Negara: +60 Nombor Telefon Simbit: 9867841909

After

0.00s

[Back to Table of Contents](#)
**Scenario Outline: Verify User should be able to see the critical illness term and condition**

Passed: 0

Failed: 1

Undefined: 0

Duration: 7.86s

Before

0.00s

Given User accept the term and conitions "\${critical.illness.tnc.5}" in infectious  
 disease cover Screen

7.86s

org.openqa.selenium.NoSuchElementException: An element could not be located on the page  
 using the given search parameters.

For documentation on this error, please visit: [http://seleniumhq.org/exceptions/no\\_such\\_element.html](http://seleniumhq.org/exceptions/no_such_element.html)

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'RISHANI-PC', ip: '192.168.0.101', os.name: 'Windows 10', os.arch:  
 'amd64', os.version: '10.0', java.version: '11.0.10'

Driver info: io.appium.java\_client.android.AndroidDriver

Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.  
 uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,  
 desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,  
 autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,  
 newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29,



```

deviceManufacturer: samsung, deviceModel: SM-N770F, deviceName: RF8N31EE5JX,
deviceScreenDensity: 420, deviceScreenSize: 1080x2400, deviceUDID: RF8N31EE5JX,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.625, platform: LINUX,
platformName: Android, platformVersion: 10, statBarHeight: 85, takesScreenshot: true,
viewportRect: {height: 2104, left: 0, top: 85, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: e0fe5d94-5b5d-40f3-b1fc-66d2ac0712c4
*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,"I am
aware if I change my mind, I have 15 days from the coverage commencement date to cancel my
coverage and I can obtain a refund.")]/parent::android.view.ViewGroup//preceding-sibling::
android.view.ViewGroup[@content-desc="termsandcondition"]}[1]}
at jdk.internal.reflect.GeneratedConstructorAccessor22.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:166)

```

at com.onepulse.app.screens.PruShoppScreen.acceptInfectiousDiseaseTerms  
(PruShoppScreen.java:133)  
at com.onepulse.app.stepdefinitions.mobilesteps.PruShoppSteps.  
acceptInfectiousDiseaseTerms(PruShoppSteps.java:111)  
at .Given User accept the term and conitions "\${critical.illness.tnc.5}" in infectious disease  
cover Screen(features/my/home/prushopee/PruSimpleCareCritical\_illness.feature:95)

After

0.00s

[Back to Table of Contents](#)
**Scenario: verify that user can see agreement and proceed button**

Passed: 1

Failed: 1

Undefined: 2

Duration: 11.45s

Before

0.00s

Given I scroll down

3.79s

Given User accept the term and conitions "\${infectious.disease.tnc.4}" in  
infectious disease cover Screen

7.66s

org.openqa.selenium.NoSuchElementException: An element could not be located on the page  
using the given search parameters.

For documentation on this error, please visit: [http://seleniumhq.org/exceptions  
/no\\_such\\_element.html](http://seleniumhq.org/exceptions/no_such_element.html)

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'RISHANI-PC', ip: '192.168.0.101', os.name: 'Windows 10', os.arch:  
'amd64', os.version: '10.0', java.version: '11.0.10'

Driver info: io.appium.java\_client.android.AndroidDriver

Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.  
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,  
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,  
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,  
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29,

```

deviceManufacturer: samsung, deviceModel: SM-N770F, deviceName: RF8N31EE5JX,
deviceScreenDensity: 420, deviceScreenSize: 1080x2400, deviceUDID: RF8N31EE5JX,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.625, platform: LINUX,
platformName: Android, platformVersion: 10, statBarHeight: 85, takesScreenshot: true,
viewportRect: {height: 2104, left: 0, top: 85, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: e0fe5d94-5b5d-40f3-b1fc-66d2ac0712c4
*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,"I give my
consent to Prudential Assurance Malaysia Berhad")]/parent::android.view.ViewGroup
//preceding-sibling::android.view.ViewGroup[@content-desc="termsandcondition"]}[1]}
at jdk.internal.reflect.GeneratedConstructorAccessor22.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:166)
at com.onepulse.app.screens.PruShoppeScreen.acceptInfectiousDiseaseTerms

```

(PruShoppeScreen.java:133)  
 at com.onepulse.app.stepdefinitions.mobilesteps.PruShoppeSteps.  
 acceptInfectiousDiseaseTerms(PruShoppeSteps.java:111)  
 at .Given User accept the term and conitions "\${infectious.disease.tnc.4}" in infectious disease  
 cover Screen(features/my/home/prushopee/PruSimpleCareCritical\_illness.feature:106)

Given I verify following texts are displayed

0.00s

\${critical.illness.tnc.6}
\${critical.illness.tnc.6.1}
\${critical.illness.tnc.6.2}
\${critical.illness.tnc.6.3}
\${critical.illness.agreement.text.1}
\${critical.illness.agreement.text.2}
\${critical.illness.agreement.text.3}
\${critical.illness.agreement.text.4}
\${critical.illness.agreement.text.5}
\${critical.illness.agreement.text.6}
\${critical.illness.agreement.text.7}

And I verify proceed button is displayed on pru shoppe screen

0.00s

19:29

PRUDENTIAL

Malaysian Citizen

Email  
pulse241160611658@mailsac.com

Kod Negara Nombor Telefon Bimbit  
+60 9867841909

Kod Rujukan (opsyenal)  
Masukkan Kod Rujukan.

Payment Summary

Insurance Premium	RM6.00
Total Premium	RM6.00

☐ I declare that I have never had, or been told that I have, or been advised to undergo any diagnostic or investigation due to early cancer, cancer (including blood cancer), tumour, lump or growth, disorder of the heart (e.g. heart attack, heart disease), lungs, brain (e.g. stroke), nervous system, digestive system, urinary system, respiratory system or conditions such as abnormal blood sugar, diabetes, high blood pressure, sexually transmitted diseases (e.g. HIV, AIDS or AIDS related complex), physical deformity or congenital condition, or any other disease or disorder not mentioned here. I also confirm that I have never had or have any symptoms such as unexplained weight loss or unexplained bleeding; and

☐ I have never been hospitalized for more than 5

III

After

0.00s

[Back to Table of Contents](#)

### Feature: Verify Pru accidental package functionality on one pulse App

Passed: 2

Failed: 7

Undefined: 0

Duration: 241.81s

**Scenario: User should be able to register on app with correct credentials using "Continue with Email"**

Passed: 17

Failed: 0

Undefined: 0

Duration: 204.99  
s

Before		0.00s									
Given I generate random number and assign to variable "RANDOM_NUMBER"		0.13s									
And I assign "pulse\${RANDOM_NUMBER}@mailsac.com" to variable "PULSE_EMAIL"		0.00s									
And User has pulse app		17.68s									
Then I wait for 2 sec		2.00s									
And user click on "CONTINUE WITH EMAIL" with Email button		24.32s									
Then I wait for 2 sec		2.00s									
Then I change the country as required on registration page		12.07s									
Then I wait for 2 sec		2.00s									
Then I navigate to pulse registration page and select the lang on toggle bar then click on continue with email button		7.80s									
Then I wait for 2 sec		2.00s									
When user enters registration details		8.56s									
	<table><tr><td>FirstName</td><td>testAutomation</td></tr><tr><td>LastName</td><td>testAutomation</td></tr><tr><td>Email</td><td>\${PULSE_EMAIL}</td></tr><tr><td>Password</td><td>Pas\$1234</td></tr></table>	FirstName	testAutomation	LastName	testAutomation	Email	\${PULSE_EMAIL}	Password	Pas\$1234		
FirstName	testAutomation										
LastName	testAutomation										
Email	\${PULSE_EMAIL}										
Password	Pas\$1234										
And taps on continue "Sign_Up" button		0.57s									
And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}"		32.11s									
Then I wait for 2 sec		2.00s									
Then I click skip button		80.22s									
Then user should be landed to "Home" screen		7.53s									
Then I wait for 4 sec		4.00s									
After		0.00s									
<a href="#">Back to Table of Contents</a>											
Scenario: <a href="#">Navigate to PRU Shoppe screen</a>											
Passed: 1		Failed: 0	Undefined: 0								
Duration: 11.59s											
Before		0.00s									
	And I click on pru shoppe button on the home page	11.59s									
After		0.00s									
<a href="#">Back to Table of Contents</a>											
Scenario: <a href="#">Verify User should be able to see the accidental package screen options</a>											
Passed: 4		Failed: 1	Undefined: 7								
Duration: 23.43s											
Before		0.00s									
	Then I click on Proceed button on prushoppe screen	0.28s									
	Then I wait for 5 sec	5.00s									
	Then I click on pru simple care accidental package tile on prushoppe screen	12.74s									
	Then I wait for 5 sec	5.00s									
	And I verify following texts are displayed	0.40s									
	<table><tr><td>\${accident.package.text}</td></tr><tr><td>\${accident.package.info.1}</td></tr><tr><td>\${accident.package.info.2}</td></tr></table>	\${accident.package.text}	\${accident.package.info.1}	\${accident.package.info.2}							
\${accident.package.text}											
\${accident.package.info.1}											
\${accident.package.info.2}											

<b>\${accident.package.info.3}</b>																															
<b>java.lang.AssertionError: The following asserts failed:</b> <b>PRUSimple Care - Accident Package text is displayed on page expected [true] but found [false],</b> <b>Choose Lite, Mid or Advance plan that best suits your needs: text is displayed on page expected [true] but found [false],</b> <b>Death Benefit and Total Permanent Disability Benefit up to RM3,000. text is displayed on page expected [true] but found [false],</b> <b>Death due to Accident Benefit of up to RM15,000 text is displayed on page expected [true] but found [false]</b> <b>at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)</b> <b>at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnScreen (MyDocSteps.java:717)</b> <b>at .And I verify following texts are displayed(features/my/home/prushopee /PruSimpleCare_accidentalPackage.feature:35)</b>																															
And user click on following button "\${show.more.text}" on prushoppe screen			0.00s																												
And I verify following texts are displayed			0.00s																												
<table border="1"> <tr><td colspan="4"><b>\${accident.package.info.4}</b></td></tr> <tr><td colspan="4"><b>\${accident.package.info.5}</b></td></tr> <tr><td colspan="4"><b>\${accident.package.info.6}</b></td></tr> <tr><td colspan="4"><b>\${accident.package.info.7}</b></td></tr> <tr><td colspan="4"><b>\${accident.package.info.8}</b></td></tr> </table>				<b>\${accident.package.info.4}</b>				<b>\${accident.package.info.5}</b>				<b>\${accident.package.info.6}</b>				<b>\${accident.package.info.7}</b>				<b>\${accident.package.info.8}</b>											
<b>\${accident.package.info.4}</b>																															
<b>\${accident.package.info.5}</b>																															
<b>\${accident.package.info.6}</b>																															
<b>\${accident.package.info.7}</b>																															
<b>\${accident.package.info.8}</b>																															
And user click on following button "\${show.less.text}" on prushoppe screen			0.00s																												
And I verify following texts are displayed			0.00s																												
<table border="1"> <tr><td colspan="4"><b>\${infectious.disease.disclosure.text.1}</b></td></tr> <tr><td colspan="4"><b>\${infectious.disease.disclosure.text.2}</b></td></tr> <tr><td colspan="4"><b>\${infectious.disease.disclosure.text.3}</b></td></tr> <tr><td colspan="4"><b>\${infectious.disease.disclosure.text.4}</b></td></tr> <tr><td colspan="4"><b>\${infectious.disease.disclosure.text.5}</b></td></tr> <tr><td colspan="4"><b>\${infectious.disease.disclosure.text.6}</b></td></tr> <tr><td colspan="4"><b>\${infectious.disease.disclosure.text.7}</b></td></tr> </table>				<b>\${infectious.disease.disclosure.text.1}</b>				<b>\${infectious.disease.disclosure.text.2}</b>				<b>\${infectious.disease.disclosure.text.3}</b>				<b>\${infectious.disease.disclosure.text.4}</b>				<b>\${infectious.disease.disclosure.text.5}</b>				<b>\${infectious.disease.disclosure.text.6}</b>				<b>\${infectious.disease.disclosure.text.7}</b>			
<b>\${infectious.disease.disclosure.text.1}</b>																															
<b>\${infectious.disease.disclosure.text.2}</b>																															
<b>\${infectious.disease.disclosure.text.3}</b>																															
<b>\${infectious.disease.disclosure.text.4}</b>																															
<b>\${infectious.disease.disclosure.text.5}</b>																															
<b>\${infectious.disease.disclosure.text.6}</b>																															
<b>\${infectious.disease.disclosure.text.7}</b>																															
And I verify following texts are displayed			0.00s																												
<b>\${your.details.text}</b>																															
And I scroll down			0.00s																												
And I verify following texts are displayed			0.00s																												
<table border="1"> <tr><td colspan="4"><b>\${id.no.text}</b></td></tr> <tr><td colspan="4"><b>\${my.name.as.nric.text}</b></td></tr> <tr><td colspan="4"><b>\${infectious.disease.gender.text}</b></td></tr> <tr><td colspan="4"><b>\${infectious.disease.dob}</b></td></tr> </table>				<b>\${id.no.text}</b>				<b>\${my.name.as.nric.text}</b>				<b>\${infectious.disease.gender.text}</b>				<b>\${infectious.disease.dob}</b>															
<b>\${id.no.text}</b>																															
<b>\${my.name.as.nric.text}</b>																															
<b>\${infectious.disease.gender.text}</b>																															
<b>\${infectious.disease.dob}</b>																															
<b>After</b>			<b>0.00s</b>																												
<a href="#">Back to Table of Contents</a>																															
<b>Scenario: Verify User should be able to see the accidental package Screen options</b>																															
Passed: 0	Failed: 1	Undefined: 3	Duration: .63s																												
<b>Before</b>			<b>0.00s</b>																												
And I verify following texts are displayed			0.63s																												

	{my.residential.text}			
	{my.country.of.residence}			
	{my.residential.status}			
	{email.text}			
	{my.country.code}			
	{my.mobile.phone.number}			
	{my.referral.code}			
java.lang.AssertionError: The following asserts failed: Residential address text is displayed on page expected [true] but found [false], Country of Residence text is displayed on page expected [true] but found [false], Residential status and Nationality text is displayed on page expected [true] but found [false], Email text is displayed on page expected [true] but found [false], Country Code text is displayed on page expected [true] but found [false], Mobile Phone Number text is displayed on page expected [true] but found [false], Referral code (optional) text is displayed on page expected [true] but found [false] at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43) at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnScreen (MyDocSteps.java:717) at .And I verify following texts are displayed(features/my/home/prushopee /PruSimpleCare_accidentalPackage.feature:68)				
And I scroll down			0.00s	
Then User accept the term and conitions "\${accident.package.tnc.1}" in infectious disease cover Screen			0.00s	
And I scroll down			0.00s	
After			0.00s	
<a href="#">Back to Table of Contents</a>				
Scenario Outline: <b>Verify User should be able to see the accidental package term and condition</b>				
Passed: 0		Failed: 1	Undefined: 0	Duration: .06s
Before				0.00s
Given User accept the term and conitions "\${accident.package.tnc.2}" in infectious disease cover Screen			0.06s	
org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z' System info: host: 'RISHANI-PC', ip: '192.168.0.101', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.10' Driver info: io.appium.java_client.android.AndroidDriver Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel: SM-N770F, deviceName: RF8N31EE5JX, deviceScreenDensity: 420, deviceScreenSize: 1080x2400, deviceUDID: RF8N31EE5JX, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,				



```

newCommandTimeout: 10000, noReset: true, pixelRatio: 2.625, platform: LINUX,
platformName: Android, platformVersion: 10, statBarHeight: 85, takesScreenshot: true,
viewportRect: {height: 2104, left: 0, top: 85, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: 3940ebf8-0cb1-4572-89e7-17635b737945
*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,"I am
aware that the product provides coverage for Death, Total & Permanent Disability (TPD) and
Death due to accident.")]/parent::android.view.ViewGroup//preceding-sibling::android.view.
ViewGroup[@content-desc="termsandcondition"]}[1]}
at jdk.internal.reflect.GeneratedConstructorAccessor60.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:166)
at com.onepulse.app.screens.PruShoppScreen.acceptInfectiousDiseaseTerms
(PruShoppScreen.java:133)
at com.onepulse.app.stepdefinitions.mobilesteps.PruShoppSteps.

```



acceptInfectiousDiseaseTerms(PruShopeSteps.java:111) at .Given User accept the term and conitions "\${accident.package.tnc.2}" in infectious disease cover Screen(features/my/home/prushopee/PruSimpleCare_accidentalPackage.feature:82)			
After			0.00s
<a href="#">Back to Table of Contents</a>			
Scenario Outline: <b>Verify User should be able to see the accidental package term and condition</b>			
Passed: 0	Failed: 1	Undefined: 0	Duration: .05s
Before			0.00s
Given User accept the term and conitions "\${accident.package.tnc.3}" in infectious disease cover Screen			0.05s
<div>org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z' System info: host: 'RISHANI-PC', ip: '192.168.0.101', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.10' Driver info: io.appium.java_client.android.AndroidDriver Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel: SM-N770F, deviceName: RF8N31EE5JX, deviceScreenDensity: 420, deviceScreenSize: 1080x2400, deviceUDID: RF8N31EE5JX, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.625, platform: LINUX, platformName: Android, platformVersion: 10, statBarHeight: 85, takesScreenshot: true, viewportRect: {height: 2104, left: 0, top: 85, width: 1080}, warnings: {}, webStorageEnabled: false} Session ID: 3940ebf8-0cb1-4572-89e7-17635b737945 *** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,"I am aware that the product does not provide/pay out Death Benefit if death is due to suicide.")]/parent::android.view.ViewGroup//preceding-sibling::android.view.ViewGroup[@content-desc="termsandcondition"]}[1]} at jdk.internal.reflect.GeneratedConstructorAccessor60.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:231) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)</div>			

```

at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:166)
at com.onepulse.app.screens.PruShopeeScreen.acceptInfectiousDiseaseTerms(PruShopeeScreen.java:133)
at com.onepulse.app.stepdefinitions.mobilesteps.PruShopeeSteps.acceptInfectiousDiseaseTerms(PruShopeeSteps.java:111)
at .Given User accept the term and conitions "${accident.package.tnc.3}" in infectious disease cover Screen(features/my/home/prushopee/PruSimpleCare_accidentalPackage.feature:82)

```

After		0.00s
-------	--	-------

[Back to Table of Contents](#)

Scenario Outline: **Verify User should be able to see the accidental package term and condition**

Passed: 0	Failed: 1	Undefined: 0	Duration: .06s
-----------	-----------	--------------	----------------

Before		0.00s
--------	--	-------

Given User accept the term and conitions "\${accident.package.tnc.4}" in infectious disease cover Screen	0.06s
<p>org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up</p> <p>Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'</p> <p>System info: host: 'RISHANI-PC', ip: '192.168.0.101', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.10'</p> <p>Driver info: io.appium.java_client.android.AndroidDriver</p> <p>Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,</p>	

```

newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29,
deviceManufacturer: samsung, deviceModel: SM-N770F, deviceName: RF8N31EE5JX,
deviceScreenDensity: 420, deviceScreenSize: 1080x2400, deviceUDID: RF8N31EE5JX,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.625, platform: LINUX,
platformName: Android, platformVersion: 10, statBarHeight: 85, takesScreenshot: true,
viewportRect: {height: 2104, left: 0, top: 85, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: 3940ebf8-0cb1-4572-89e7-17635b737945
*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,"I am
aware if I change my mind, I have 15 days from the coverage commencement date to cancel my
coverage and I can obtain a refund.")]/parent::android.view.ViewGroup//preceding-sibling::
android.view.ViewGroup[@content-desc="termsandcondition"]}[1]}
at jdk.internal.reflect.GeneratedConstructorAccessor60.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)

```

at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:166) at com.onepulse.app.screens.PruShopeeScreen.acceptInfectiousDiseaseTerms (PruShopeeScreen.java:133) at com.onepulse.app.stepdefinitions.mobilesteps.PruShopeeSteps. acceptInfectiousDiseaseTerms(PruShopeeSteps.java:111) at .Given User accept the term and conitions "\${accident.package.tnc.4}" in infectious disease cover Screen(features/my/home/prushopee/PruSimpleCare_accidentalPackage.feature:82)			
After			0.00s
<a href="#">Back to Table of Contents</a>			
Scenario Outline: <b>Verify User should be able to see the accidental package term and condition</b>			
Passed: 0		Failed: 1	Undefined: 0
Duration: .06s			
Before			0.00s
Given User accept the term and conitions "\${infectious.disease.tnc.4}" in infectious disease cover Screen			0.06s
<p>org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up</p> <p>Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'</p> <p>System info: host: 'RISHANI-PC', ip: '192.168.0.101', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.10'</p> <p>Driver info: io.appium.java_client.android.AndroidDriver</p> <p>Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel: SM-N770F, deviceName: RF8N31EE5JX, deviceScreenDensity: 420, deviceScreenSize: 1080x2400, deviceUDID: RF8N31EE5JX, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.625, platform: LINUX, platformName: Android, platformVersion: 10, statBarHeight: 85, takesScreenshot: true, viewportRect: {height: 2104, left: 0, top: 85, width: 1080}, warnings: {}, webStorageEnabled: false}</p> <p>Session ID: 3940ebf8-0cb1-4572-89e7-17635b737945</p> <p>*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,"I give my consent to Prudential Assurance Malaysia Berhad")]/parent::android.view.ViewGroup//preceding-sibling::android.view.ViewGroup[@content-desc="termsandcondition"]}[1]}</p> <p>at jdk.internal.reflect.GeneratedConstructorAccessor60.newInstance(Unknown Source)</p> <p>at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)</p> <p>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)</p> <p>at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)</p> <p>at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)</p> <p>at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)</p>			

```

at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:166)
at com.onepulse.app.screens.PruShoppeScreen.acceptInfectiousDiseaseTerms
(PruShoppeScreen.java:133)
at com.onepulse.app.stepdefinitions.mobilesteps.PruShoppeSteps.
acceptInfectiousDiseaseTerms(PruShoppeSteps.java:111)
at .Given User accept the term and conitions "${infectious.disease.tnc.4}" in infectious disease
cover Screen(features/my/home/prushopee/PruSimpleCare_accidentalPackage.feature:82)

```

After	0.00s
-------	-------

[Back to Table of Contents](#)

Scenario: [verify that user can see agreement and proceed button](#)

Passed: 0	Failed: 1	Undefined: 1	Duration: .94s
-----------	-----------	--------------	----------------

Before	0.00s
--------	-------

Given I verify following texts are displayed	0.94s									
<table border="1"> <tr><td>\${accident.package.tnc.5}</td></tr> <tr><td>\${accident.package.tnc.5.1}</td></tr> <tr><td>\${accident.package.tnc.5.2}</td></tr> <tr><td>\${accident.package.tnc.5.3}</td></tr> <tr><td>\${accident.package.tnc.5.4}</td></tr> <tr><td>\${accident.package.tnc.5.5}</td></tr> <tr><td>\${accident.package.tnc.5.6}</td></tr> <tr><td>\${infectious.disease.tnc.4.1}</td></tr> <tr><td>\${infectious.disease.tnc.4.2}</td></tr> </table>	\${accident.package.tnc.5}	\${accident.package.tnc.5.1}	\${accident.package.tnc.5.2}	\${accident.package.tnc.5.3}	\${accident.package.tnc.5.4}	\${accident.package.tnc.5.5}	\${accident.package.tnc.5.6}	\${infectious.disease.tnc.4.1}	\${infectious.disease.tnc.4.2}	
\${accident.package.tnc.5}										
\${accident.package.tnc.5.1}										
\${accident.package.tnc.5.2}										
\${accident.package.tnc.5.3}										
\${accident.package.tnc.5.4}										
\${accident.package.tnc.5.5}										
\${accident.package.tnc.5.6}										
\${infectious.disease.tnc.4.1}										
\${infectious.disease.tnc.4.2}										





"RANDOM_NUMBER"	0.03s								
And I assign "pulse\${RANDOM_NUMBER}@mailsac.com" to variable "PULSE_EMAIL"	0.00s								
And User has pulse app	16.10s								
Then I wait for 2 sec	2.00s								
And user click on "CONTINUE WITH EMAIL" with Email button	24.13s								
Then I wait for 2 sec	2.00s								
Then I change the country as required on registration page	12.06s								
Then I wait for 2 sec	2.00s								
Then I navigate to pulse registration page and select the lang on toggle bar then click on continue with email button	7.84s								
Then I wait for 2 sec	2.00s								
When user enters registration details	8.11s								
<table> <tr> <td>FirstName</td><td>testAutomation</td></tr> <tr> <td>LastName</td><td>testAutomation</td></tr> <tr> <td>Email</td><td>\${PULSE_EMAIL}</td></tr> <tr> <td>Password</td><td>Pas\$1234</td></tr> </table>	FirstName	testAutomation	LastName	testAutomation	Email	\${PULSE_EMAIL}	Password	Pas\$1234	
FirstName	testAutomation								
LastName	testAutomation								
Email	\${PULSE_EMAIL}								
Password	Pas\$1234								
And taps on continue "Sign_Up" button	0.61s								
And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}"	30.13s								
<p>org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up  Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'  System info: host: 'RISHANI-PC', ip: '192.168.0.101', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.10'  Driver info: io.appium.java_client.android.AndroidDriver  Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel: SM-N770F, deviceName: RF8N31EE5JX, deviceScreenDensity: 420, deviceScreenSize: 1080x2400, deviceUDID: RF8N31EE5JX, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.625, platform: LINUX, platformName: Android, platformVersion: 10, statBarHeight: 85, takesScreenshot: true, viewportRect: {height: 2104, left: 0, top: 85, width: 1080}, warnings: {}, webStorageEnabled: false}  Session ID: 888e55c3-05cb-4ed5-b7ff-6d60636f154b  *** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,'We sent a verification code to')]/following::android.view.ViewGroup[1]//android.widget.EditText}  at jdk.internal.reflect.GeneratedConstructorAccessor60.newInstance(Unknown Source)  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)  at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)  at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode</p>									

```

(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$16.executeCommand(Commands.java:148)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.setTextWithTab(TestBasePage.java:263)
at com.onepulse.app.screens.PulseRegistrationScreen.enterOTP(PulseRegistrationScreen.java:
268)
at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.enterOTPInPulse
(RegistrationSteps.java:294)
at .And I enter OTP in one pulse app for user email "${PULSE_EMAIL}"(features/my/home
/prushopee/PruSimpleCare_heartHealthPackage.feature:21)

```

Then I wait for 2 sec	0.00s
Then I click skip button	0.00s
Then user should be landed to "Home" screen	0.00s
Then I wait for 4 sec	0.00s

After	0.00s
-------	-------

[Back to Table of Contents](#)

### Scenario: Navigate to PRU Shoppe screen

Passed: 1	Failed: 0	Undefined: 0	Duration: .05s
Before	0.00s		
And I click on pru shoppe button on the home page	0.05s		



After		0.00s
<a href="#">Back to Table of Contents</a>		
Scenario: <b>Verify User should be able to see the heart health screen options</b>		
Passed: 0	Failed: 1	Duration: .05s
Before		0.00s
Then I click on Proceed button on prushoppe screen		0.05s
<p>org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up</p> <p>Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'</p> <p>System info: host: 'RISHANI-PC', ip: '192.168.0.101', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.10'</p> <p>Driver info: io.appium.java_client.android.AndroidDriver</p> <p>Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel: SM-N770F, deviceName: RF8N31EE5JX, deviceScreenDensity: 420, deviceScreenSize: 1080x2400, deviceUDID: RF8N31EE5JX, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.625, platform: LINUX, platformName: Android, platformVersion: 10, statBarHeight: 85, takesScreenshot: true, viewportRect: {height: 2104, left: 0, top: 85, width: 1080}, warnings: {}, webStorageEnabled: false}</p> <p>Session ID: 888e55c3-05cb-4ed5-b7ff-6d60636f154b</p> <p>*** Element info: {Using=xpath, value=//android.widget.TextView[@text="Proceed"]}</p> <p>at jdk.internal.reflect.GeneratedConstructorAccessor60.newInstance(Unknown Source)</p> <p>at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)</p> <p>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)</p> <p>at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)</p> <p>at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)</p> <p>at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)</p> <p>at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:231)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)</p> <p>at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:42)</p> <p>at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)</p> <p>at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)</p> <p>at io.appium.java_client.DefaultGenericMobileDriver.findElement(DefaultGenericMobileDriver.java:62)</p>		

```

at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:166)
at com.onepulse.app.screens.PruShopheScreen.clickProceedBtn(PruShopheScreen.java:124)
at com.onepulse.app.stepdefinitions.mobilesteps.PruShopheSteps.clickOnProceedBtn
(PruShopheSteps.java:101)
at .Then I click on Proceed button on prushophe screen(features/my/home/prushophe
/PruSimpleCare_heartHealthPackage.feature:31)

```

Then I wait for 5 sec		0.00s							
Then I click on pru simple care heart health package tile on prushoppe screen		0.00s							
Then I wait for 5 sec		0.00s							
And I verify following texts are displayed		0.00s							
	<table><tr><td>#{heart.health.package.text}</td></tr><tr><td>#{heart.health.info.1}</td></tr><tr><td>#{heart.health.info.2}</td></tr><tr><td>#{heart.health.info.3}</td></tr><tr><td>#{heart.health.info.4}</td></tr></table>	#{heart.health.package.text}	#{heart.health.info.1}	#{heart.health.info.2}	#{heart.health.info.3}	#{heart.health.info.4}			
#{heart.health.package.text}									
#{heart.health.info.1}									
#{heart.health.info.2}									
#{heart.health.info.3}									
#{heart.health.info.4}									
And user click on following button "#{show.more.text}" on prushoppe screen		0.00s							
And I verify following texts are displayed		0.00s							
	<table><tr><td>#{heart.health.info.5}</td></tr><tr><td>#{heart.health.info.6}</td></tr><tr><td>#{heart.health.info.7}</td></tr><tr><td>#{heart.health.info.8}</td></tr><tr><td>#{heart.health.info.9}</td></tr></table>	#{heart.health.info.5}	#{heart.health.info.6}	#{heart.health.info.7}	#{heart.health.info.8}	#{heart.health.info.9}			
#{heart.health.info.5}									
#{heart.health.info.6}									
#{heart.health.info.7}									
#{heart.health.info.8}									
#{heart.health.info.9}									
And user click on following button "#{show.less.text}" on prushoppe screen		0.00s							
And I verify following texts are displayed		0.00s							
	<table><tr><td>#{infectious.disease.disclosure.text.1}</td></tr><tr><td>#{infectious.disease.disclosure.text.2}</td></tr><tr><td>#{infectious.disease.disclosure.text.3}</td></tr><tr><td>#{infectious.disease.disclosure.text.4}</td></tr><tr><td>#{infectious.disease.disclosure.text.5}</td></tr><tr><td>#{infectious.disease.disclosure.text.6}</td></tr><tr><td></td></tr></table>	#{infectious.disease.disclosure.text.1}	#{infectious.disease.disclosure.text.2}	#{infectious.disease.disclosure.text.3}	#{infectious.disease.disclosure.text.4}	#{infectious.disease.disclosure.text.5}	#{infectious.disease.disclosure.text.6}		
#{infectious.disease.disclosure.text.1}									
#{infectious.disease.disclosure.text.2}									
#{infectious.disease.disclosure.text.3}									
#{infectious.disease.disclosure.text.4}									
#{infectious.disease.disclosure.text.5}									
#{infectious.disease.disclosure.text.6}									

[illegible]

```

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while
processing the command. Original error: Could not proxy command to the remote server.
Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'RISHANI-PC', ip: '192.168.0.101', os.name: 'Windows 10', os.arch:
'amd64', os.version: '10.0', java.version: '11.0.10'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29,
deviceManufacturer: samsung, deviceModel: SM-N770F, deviceName: RF8N31EE5JX,
deviceScreenDensity: 420, deviceScreenSize: 1080x2400, deviceUDID: RF8N31EE5JX,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.625, platform: LINUX,
platformName: Android, platformVersion: 10, statBarHeight: 85, takesScreenshot: true,
viewportRect: {height: 2104, left: 0, top: 85, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: 888e55c3-05cb-4ed5-b7ff-6d60636f154b
*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,"I declare
that I have never had or been told that I have or been advised to undergo any diagnostic or
investigation due to any disease or disorder of the heart ")]/parent::android.view.ViewGroup
//preceding-sibling::android.view.ViewGroup[@content-desc="termsandcondition"][[1]]}
at jdk.internal.reflect.GeneratedConstructorAccessor60.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)

```

```

at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:166)
at com.onepulse.app.screens.PruShopeeScreen.acceptInfectiousDiseaseTerms
(PruShopeeScreen.java:133)
at com.onepulse.app.stepdefinitions.mobilesteps.PruShopeeSteps.
acceptInfectiousDiseaseTerms(PruShopeeSteps.java:111)
at .Given User accept the term and conitions "${heart.health.tnc.1}" in infectious disease cover
Screen(features/my/home/prushopee/PruSimpleCare_heartHealthPackage.feature:84)

```

After		0.00s
<a href="#">Back to Table of Contents</a>		
Scenario Outline: <b>Verify User should be able to see the heart health term and condition</b>		
Passed: 0	Failed: 1	Undefined: 0
Before		0.00s

Given User accept the term and conitions "\${heart.health.tnc.2}" in infectious disease cover Screen	0.08s
<p>org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up</p> <p>Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'</p> <p>System info: host: 'RISHANI-PC', ip: '192.168.0.101', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.10'</p> <p>Driver info: io.appium.java_client.android.AndroidDriver</p> <p>Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel: SM-N770F, deviceName: RF8N31EE5JX, deviceScreenDensity: 420, deviceScreenSize: 1080x2400, deviceUDID: RF8N31EE5JX, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.625, platform: LINUX, platformName: Android, platformVersion: 10, statBarHeight: 85, takesScreenshot: true, viewportRect: {height: 2104, left: 0, top: 85, width: 1080}, warnings: {}, webStorageEnabled: false}</p> <p>Session ID: 888e55c3-05cb-4ed5-b7ff-6d60636f154b</p> <p>*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,"I have never been hospitalised for more than 5 consecutive days or under medications longer than 2 weeks or awaiting medical consultation or investigation for any conditions. I am currently in good health and am not suffering from any medical conditions or disabilities.")]/parent::</p>	

```

android.view.ViewGroup//preceding-sibling::android.view.ViewGroup[@content-desc="
termsandcondition"]}[1]}
at jdk.internal.reflect.GeneratedConstructorAccessor60.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:166)
at com.onepulse.app.screens.PruShoppeScreen.acceptInfectiousDiseaseTerms
(PruShoppeScreen.java:133)
at com.onepulse.app.stepdefinitions.mobilesteps.PruShoppeSteps.
acceptInfectiousDiseaseTerms(PruShoppeSteps.java:111)
at .Given User accept the term and conitions "${heart.health.tnc.2}" in infectious disease cover
Screen(features/my/home/prushopee/PruSimpleCare_heartHealthPackage.feature:84)

```

**After****0.00s**[Back to Table of Contents](#)**Scenario: scroll the page down**



Passed: 0	Failed: 1	Undefined: 0	Duration: .03s
Before			0.00s
Given I scroll down			0.03s
<p>org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up</p> <p>Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'</p> <p>System info: host: 'RISHANI-PC', ip: '192.168.0.101', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.10'</p> <p>Driver info: io.appium.java_client.android.AndroidDriver</p> <p>Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel: SM-N770F, deviceName: RF8N31EE5JX, deviceScreenDensity: 420, deviceScreenSize: 1080x2400, deviceUDID: RF8N31EE5JX, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.625, platform: LINUX, platformName: Android, platformVersion: 10, statBarHeight: 85, takesScreenshot: true, viewportRect: {height: 2104, left: 0, top: 85, width: 1080}, warnings: {}, webStorageEnabled: false}</p> <p>Session ID: 888e55c3-05cb-4ed5-b7ff-6d60636f154b</p> <p>at jdk.internal.reflect.GeneratedConstructorAccessor60.newInstance(Unknown Source)</p> <p>at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)</p> <p>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)</p> <p>at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)</p> <p>at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)</p> <p>at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)</p> <p>at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:231)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)</p> <p>at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:46)</p> <p>at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)</p> <p>at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver\$RemoteWebDriverOptions\$RemoteWindow.getSize(RemoteWebDriver.java:804)</p> <p>at com.prudential.tap.appium.AppiumCommands.swipe(AppiumCommands.java:432)</p> <p>at com.onepulse.app.screens.TestBasePage.scrollPageDown(TestBasePage.java:207)</p> <p>at com.onepulse.app.stepdefinitions.mobilesteps.BaseSteps.scrollDown(BaseSteps.java:52)</p> <p>at .Given I scroll down(features/my/home/prushopee/PruSimpleCare_heartHealthPackage.feature:92)</p>			

After		0.00s
<a href="#">Back to Table of Contents</a>		
Scenario Outline: <b>Verify User should be able to see the heart health term and condition</b>		
Passed: 0	Failed: 1	Undefined: 0
Duration: .05s		
Before		0.00s
Given User accept the term and conitions "\${heart.health.tnc.3}" in infectious disease cover Screen		0.05s
<p>org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up</p> <p>Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'</p> <p>System info: host: 'RISHANI-PC', ip: '192.168.0.101', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.10'</p> <p>Driver info: io.appium.java_client.android.AndroidDriver</p> <p>Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel: SM-N770F, deviceName: RF8N31EE5JX, deviceScreenDensity: 420, deviceScreenSize: 1080x2400, deviceUDID: RF8N31EE5JX, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.625, platform: LINUX, platformName: Android, platformVersion: 10, statBarHeight: 85, takesScreenshot: true, viewportRect: {height: 2104, left: 0, top: 85, width: 1080}, warnings: {}, webStorageEnabled: false}</p> <p>Session ID: 888e55c3-05cb-4ed5-b7ff-6d60636f154b</p> <p>*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,"I am aware that the product provides coverage for Death, Stroke, Heart Attack and Serious Coronary Artery Disease")]/parent::android.view.ViewGroup//preceding-sibling::android.view.ViewGroup[@content-desc="termsandcondition"]}[1]}</p> <p>at jdk.internal.reflect.GeneratedConstructorAccessor60.newInstance(Unknown Source)</p> <p>at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)</p> <p>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)</p> <p>at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)</p> <p>at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)</p> <p>at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)</p> <p>at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:231)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)</p> <p>at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:42)</p> <p>at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)</p>		



```

at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:166)
at com.onepulse.app.screens.PruShoppeScreen.acceptInfectiousDiseaseTerms
(PruShoppeScreen.java:133)
at com.onepulse.app.stepdefinitions.mobilesteps.PruShoppeSteps.
acceptInfectiousDiseaseTerms(PruShoppeSteps.java:111)
at .Given User accept the term and conitions "${heart.health.tnc.3}" in infectious disease cover
Screen(features/my/home/prushopee/PruSimpleCare_heartHealthPackage.feature:95)

```

After	0.00s
-------	-------

[Back to Table of Contents](#)

Scenario Outline: **Verify User should be able to see the heart health term and condition**

Passed: 0	Failed: 1	Undefined: 0	Duration: .07s
-----------	-----------	--------------	----------------

Before	0.00s
--------	-------

Given User accept the term and conitions "\${heart.health.tnc.4}" in infectious disease cover Screen	0.07s
--	-------

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'RISHANI-PC', ip: '192.168.0.101', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.10'

Driver info: io.appium.java\_client.android.AndroidDriver

Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel: SM-N770F, deviceName: RF8N31EE5JX, deviceScreenDensity: 420, deviceScreenSize: 1080x2400, deviceUDID: RF8N31EE5JX,

```

javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.625, platform: LINUX,
platformName: Android, platformVersion: 10, statBarHeight: 85, takesScreenshot: true,
viewportRect: {height: 2104, left: 0, top: 85, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: 888e55c3-05cb-4ed5-b7ff-6d60636f154b
*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,"I am
aware that the product does not pay out Death Benefit if death is due to suicide. I am also
aware that for benefits other than Death Benefit, the product does not pay out for any pre-
existing conditions or within the stated waiting period.")]/parent::android.view.ViewGroup
//preceding-sibling::android.view.ViewGroup[@content-desc="termsandcondition"]}[1]}
at jdk.internal.reflect.GeneratedConstructorAccessor60.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:166)
at com.onepulse.app.screens.PruShoppeScreen.acceptInfectiousDiseaseTerms

```

(PruShoppeScreen.java:133) at com.onepulse.app.stepdefinitions.mobilesteps.PruShoppeSteps. acceptInfectiousDiseaseTerms(PruShoppeSteps.java:111) at .Given User accept the term and conitions "\${heart.health.tnc.4}" in infectious disease cover Screen(features/my/home/prushopee/PruSimpleCare_heartHealthPackage.feature:95)		
After		0.00s
<a href="#">Back to Table of Contents</a>		
Scenario Outline: <b>Verify User should be able to see the heart health term and condition</b>		
Passed: 0	Failed: 1	Undefined: 0
Before		0.00s
Given User accept the term and conitions "\${heart.health.tnc.5}" in infectious disease cover Screen		0.06s
<p>org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z' System info: host: 'RISHANI-PC', ip: '192.168.0.101', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.10' Driver info: io.appium.java_client.android.AndroidDriver Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel: SM-N770F, deviceName: RF8N31EE5JX, deviceScreenDensity: 420, deviceScreenSize: 1080x2400, deviceUDID: RF8N31EE5JX, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.625, platform: LINUX, platformName: Android, platformVersion: 10, statBarHeight: 85, takesScreenshot: true, viewportRect: {height: 2104, left: 0, top: 85, width: 1080}, warnings: {}, webStorageEnabled: false} Session ID: 888e55c3-05cb-4ed5-b7ff-6d60636f154b *** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,"I am aware if I change my mind, I have 15 days from the coverage commencement date to cancel my coverage and I can obtain a refund.")]/parent::android.view.ViewGroup//preceding-sibling::android.view.ViewGroup[@content-desc="termsandcondition"]}[1]} at jdk.internal.reflect.GeneratedConstructorAccessor60.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at io.appium.java_client.remote.AppiumCommandExecutor.execute</p>		

```

(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:166)
at com.onepulse.app.screens.PruShopeeScreen.acceptInfectiousDiseaseTerms
(PruShopeeScreen.java:133)
at com.onepulse.app.stepdefinitions.mobilesteps.PruShopeeSteps.
acceptInfectiousDiseaseTerms(PruShopeeSteps.java:111)
at .Given User accept the term and conitions "${heart.health.tnc.5}" in infectious disease cover
Screen(features/my/home/prushopee/PruSimpleCare_heartHealthPackage.feature:95)

```

After	0.00s
-------	-------

[Back to Table of Contents](#)

Scenario: **verify that user can see agreement and proceed button**

Passed: 0	Failed: 1	Undefined: 3	Duration: .05s
-----------	-----------	--------------	----------------

Before	0.00s
--------	-------

And User accept the term and conitions "\${heart.health.tnc.7}" in infectious disease cover Screen	0.06s
--	-------

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'RISHANI-PC', ip: '192.168.0.101', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.10'

Driver info: io.appium.java\_client.android.AndroidDriver

Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,

desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel: SM-N770F, deviceName: RF8N31EE5JX, deviceScreenDensity: 420, deviceScreenSize: 1080x2400, deviceUDID: RF8N31EE5JX, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.625, platform: LINUX, platformName: Android, platformVersion: 10, statBarHeight: 85, takesScreenshot: true, viewportRect: {height: 2104, left: 0, top: 85, width: 1080}, warnings: {}, webStorageEnabled: false}

Session ID: 888e55c3-05cb-4ed5-b7ff-6d60636f154b

```
*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,"I give my
consent to Prudential Assurance Malaysia Berhad")]/parent::android.view.ViewGroup
//preceding-sibling::android.view.ViewGroup[@content-desc="termsandcondition"]}[1]}
at jdk.internal.reflect.GeneratedConstructorAccessor60.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
```



19) at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:166) at com.onepulse.app.screens.PruShoppeScreen.acceptInfectiousDiseaseTerms (PruShoppeScreen.java:133) at com.onepulse.app.stepdefinitions.mobilesteps.PruShoppeSteps. acceptInfectiousDiseaseTerms(PruShoppeSteps.java:111) at .And User accept the term and conitions "\${heart.health.tnc.7}" in infectious disease cover Screen(features/my/home/prushopee/PruSimpleCare_heartHealthPackage.feature:104)																				
And I scroll down			0.00s																	
Given I verify following texts are displayed			0.00s																	
<table><tr><td>\${heart.health.tnc.6}</td></tr><tr><td>\${heart.health.tnc.6.1}</td></tr><tr><td>\${heart.health.tnc.6.2}</td></tr><tr><td>\${heart.health.tnc.6.3}</td></tr><tr><td>\${heart.health.tnc.6.4}</td></tr><tr><td>\${heart.health.tnc.6.5}</td></tr><tr><td>\${heart.health.tnc.6.6}</td></tr><tr><td>\${heart.health.tnc.7.1}</td></tr><tr><td>\${heart.health.tnc.7.2}</td></tr><tr><td>\${heart.health.tnc.7.3}</td></tr><tr><td>\${heart.health.agreement.text.1}</td></tr><tr><td>\${heart.health.agreement.text.2}</td></tr><tr><td>\${heart.health.agreement.text.3}</td></tr><tr><td>\${heart.health.agreement.text.4}</td></tr><tr><td>\${heart.health.agreement.text.5}</td></tr><tr><td>\${heart.health.agreement.text.6}</td></tr><tr><td>\${heart.health.agreement.text.7}</td></tr></table>				\${heart.health.tnc.6}	\${heart.health.tnc.6.1}	\${heart.health.tnc.6.2}	\${heart.health.tnc.6.3}	\${heart.health.tnc.6.4}	\${heart.health.tnc.6.5}	\${heart.health.tnc.6.6}	\${heart.health.tnc.7.1}	\${heart.health.tnc.7.2}	\${heart.health.tnc.7.3}	\${heart.health.agreement.text.1}	\${heart.health.agreement.text.2}	\${heart.health.agreement.text.3}	\${heart.health.agreement.text.4}	\${heart.health.agreement.text.5}	\${heart.health.agreement.text.6}	\${heart.health.agreement.text.7}
\${heart.health.tnc.6}																				
\${heart.health.tnc.6.1}																				
\${heart.health.tnc.6.2}																				
\${heart.health.tnc.6.3}																				
\${heart.health.tnc.6.4}																				
\${heart.health.tnc.6.5}																				
\${heart.health.tnc.6.6}																				
\${heart.health.tnc.7.1}																				
\${heart.health.tnc.7.2}																				
\${heart.health.tnc.7.3}																				
\${heart.health.agreement.text.1}																				
\${heart.health.agreement.text.2}																				
\${heart.health.agreement.text.3}																				
\${heart.health.agreement.text.4}																				
\${heart.health.agreement.text.5}																				
\${heart.health.agreement.text.6}																				
\${heart.health.agreement.text.7}																				
And I verify proceed button is displayed on pru shoppe screen			0.00s																	
After			0.00s																	
<a href="#">Back to Table of Contents</a>																				
Feature: Verify Pru theft injury package functionality on one pulse App																				
Passed: 1		Failed: 9	Undefined: 0																	
Duration: 141.35s																				
Scenario: User should be able to register on app with correct credentials using "Continue with Email"																				
Passed: 14		Failed: 1	Undefined: 2																	
Duration: 139.77s																				
Before			0.00s																	
Given I generate random number and assign to variable "RANDOM_NUMBER"			0.00s																	
And I assign "pulse\${RANDOM_NUMBER}@mailsac.com" to variable "PULSE_EMAIL"			0.00s																	
And User has pulse app			14.09s																	
Then I wait for 2 sec			2.00s																	
And user click on "CONTINUE WITH EMAIL" with Email button			23.73s																	
Then I wait for 2 sec			2.00s																	

Then I change the country as required on registration page	11.51s								
Then I wait for 2 sec	2.00s								
Then I navigate to pulse registration page and select the lang on toggle bar then click on continue with email button	7.60s								
Then I wait for 2 sec	2.00s								
When user enters registration details	7.63s								
<table> <tr> <td>FirstName</td><td>testAutomation</td></tr> <tr> <td>LastName</td><td>testAutomation</td></tr> <tr> <td>Email</td><td>\${PULSE_EMAIL}</td></tr> <tr> <td>Password</td><td>Pas\$1234</td></tr> </table>	FirstName	testAutomation	LastName	testAutomation	Email	\${PULSE_EMAIL}	Password	Pas\$1234	
FirstName	testAutomation								
LastName	testAutomation								
Email	\${PULSE_EMAIL}								
Password	Pas\$1234								
And taps on continue "Sign_Up" button	0.48s								
And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}"	31.18s								
Then I wait for 2 sec	2.00s								
Then I click skip button	33.55s								
<p>org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up  Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'  System info: host: 'RISHANI-PC', ip: '192.168.0.101', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.10'  Driver info: io.appium.java_client.android.AndroidDriver  Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel: SM-N770F, deviceName: RF8N31EE5JX, deviceScreenDensity: 420, deviceScreenSize: 1080x2400, deviceUDID: RF8N31EE5JX, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.625, platform: LINUX, platformName: Android, platformVersion: 10, statBarHeight: 85, takesScreenshot: true, viewportRect: {height: 2104, left: 0, top: 85, width: 1080}, warnings: {}, webStorageEnabled: false}  Session ID: 57dd2cdd-7f0c-494a-bc7e-bbc236bbb504  at jdk.internal.reflect.GeneratedConstructorAccessor60.newInstance(Unknown Source)  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)  at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)  at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)  at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)  at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:231)</p>									

```

at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at io.appium.java_client.PerformsTouchActions.performTouchAction(PerformsTouchActions.java:41)
at io.appium.java_client.TouchAction.perform(TouchAction.java:187)
at com.prudential.tap.appium.AppiumCommands.swipe(AppiumCommands.java:485)
at com.onepulse.app.screens.TestBasePage.scrollPageDown(TestBasePage.java:207)
at com.onepulse.app.screens.PulseRegistrationScreen.clickSkipButton
(PulseRegistrationScreen.java:1065)
at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.iClickSkipButton
(RegistrationSteps.java:374)
at .Then I click skip button(features/my/home/prushopee/PruSimpleCare_injuryPackage.
feature:23)

```

Then user should be landed to "Home" screen	0.00s
---	-------

Then I wait for 4 sec	0.00s
-----------------------	-------

After	0.00s
-------	-------

[Back to Table of Contents](#)

### Scenario: Navigate to PRU Shoppe screen

Passed: 1	Failed: 0	Undefined: 0	Duration: .09s
-----------	-----------	--------------	----------------

Before	0.00s
--------	-------

And I click on pru shoppe button on the home page	0.10s
---	-------

After	0.00s
-------	-------

[Back to Table of Contents](#)

### Scenario: Verify User should be able to see the theft injury package screen options

Passed: 0	Failed: 1	Undefined: 11	Duration: .1s
-----------	-----------	---------------	---------------

Before	0.00s
--------	-------

Then I click on Proceed button on prushoppe screen	0.10s
--	-------

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'RISHANI-PC', ip: '192.168.0.101', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.10'

Driver info: io.appium.java\_client.android.AndroidDriver

Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel: SM-N770F, deviceName: RF8N31EE5JX, deviceScreenDensity: 420, deviceScreenSize: 1080x2400, deviceUDID: RF8N31EE5JX, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.625, platform: LINUX, platformName: Android, platformVersion: 10, statBarHeight: 85, takesScreenshot: true,



```

viewportRect: {height: 2104, left: 0, top: 85, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: 57dd2cdd-7f0c-494a-bc7e-bbc236bbb504
*** Element info: {Using=xpath, value=//android.widget.TextView[@text="Proceed"]}
at jdk.internal.reflect.GeneratedConstructorAccessor60.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:166)
at com.onepulse.app.screens.PruShoppeScreen.clickProceedBtn(PruShoppeScreen.java:124)
at com.onepulse.app.stepdefinitions.mobilesteps.PruShoppeSteps.clickOnProceedBtn
(PruShoppeSteps.java:101)
at .Then I click on Proceed button on prushoppe screen(features/my/home/prushopee
/PruSimpleCare_injuryPackage.feature:31)

```

Then I wait for 5 sec

0.00s

Then I click on pru simple care theft injury health package tile on prushoppe

screen		0.00s
Then I wait for 5 sec		0.00s
And I verify following texts are displayed		0.00s
	<div> <div> <div>{injury.package.text}</div> <div>{injury.package.info.1}</div> <div>{injury.package.info.2}</div> <div>{injury.package.info.3}</div> <div>{injury.package.info.4}</div> </div> </div>	
And user click on following button "{show.more.text}" on prushoppe screen		0.00s
And I verify following texts are displayed		0.00s
	<div> <div> <div>{injury.package.info.5}</div> <div>{injury.package.info.6}</div> <div>{injury.package.info.7}</div> <div>{injury.package.info.8}</div> <div>{injury.package.info.9}</div> </div> </div>	
And user click on following button "{show.less.text}" on prushoppe screen		0.00s
And I verify following texts are displayed		0.00s
	<div> <div> <div>{infectious.disease.disclosure.text.1}</div> <div>{infectious.disease.disclosure.text.2}</div> <div>{infectious.disease.disclosure.text.3}</div> <div>{infectious.disease.disclosure.text.4}</div> <div>{infectious.disease.disclosure.text.5}</div> <div>{infectious.disease.disclosure.text.6}</div> <div>{infectious.disease.disclosure.text.7}</div> </div> </div>	
And I verify following texts are displayed		0.00s
	<div> <div>{your.details.text}</div> </div>	
And I scroll down		0.00s
And I verify following texts are displayed		0.00s
	<div> <div> <div>{id.no.text}</div> <div>{my.name.as.nric.text}</div> <div>{infectious.disease.gender.text}</div> <div>{infectious.disease.dob}</div> </div> </div>	
After		0.00s
<a href="#">Back to Table of Contents</a>		
Scenario: Verify User should be able to see the theft injury package Screen options		
Passed: 0	Failed: 1	Undefined: 2
Duration: 1.05s		
Before		0.00s
And I verify following texts are displayed		1.05s
	<div> <div> <div>{my.residential.text}</div> <div>{my.country.of.residence}</div> <div>{my.resedential.status}</div> <div>{email.text}</div> <div>{my.country.code}</div> </div> </div>	

	{\$my.mobile.phone.number}		
	{\$my.referral.code}		
<p>java.lang.AssertionError: The following asserts failed: Residential address text is displayed on page expected [true] but found [false], Country of Residence text is displayed on page expected [true] but found [false], Residential status and Nationality text is displayed on page expected [true] but found [false], Email text is displayed on page expected [true] but found [false], Country Code text is displayed on page expected [true] but found [false], Mobile Phone Number text is displayed on page expected [true] but found [false], Referral code (optional) text is displayed on page expected [true] but found [false] at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43) at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnScreen (MyDocSteps.java:717) at .And I verify following texts are displayed(features/my/home/prushopee /PruSimpleCare_injuryPackage.feature:69)</p>			
And I scroll down			0.00s
And I verify following texts are displayed			0.00s
	{\$payment.summary.text}		
	{\$insurance.premium.text}		
	{\$total.premium.text}		
After			0.00s
<a href="#">Back to Table of Contents</a>			
Scenario Outline: <b>Verify User should be able to see the theft injury package term and condition</b>			
Passed: 0	Failed: 1	Undefined: 0	Duration: .06s
Before			0.00s
Given User accept the term and conitions "{\$injury.package.tnc.1}" in infectious disease cover Screen			0.06s
<p>org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z' System info: host: 'RISHANI-PC', ip: '192.168.0.101', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.10' Driver info: io.appium.java_client.android.AndroidDriver Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel: SM-N770F, deviceName: RF8N31EE5JX, deviceScreenDensity: 420, deviceScreenSize: 1080x2400, deviceUDID: RF8N31EE5JX, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.625, platform: LINUX, platformName: Android, platformVersion: 10, statBarHeight: 85, takesScreenshot: true, viewportRect: {height: 2104, left: 0, top: 85, width: 1080}, warnings: {}, webStorageEnabled: false} Session ID: 57dd2cdd-7f0c-494a-bc7e-bbc236bbb504</p>			

```

*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,"I declare
that during the past 2 years I have not been advised to undergo any diagnostic or investigative
test and I have never been hospitalised for more than 5 consecutive days or under medications
longer than 2 weeks or awaiting medical consultation or investigation for any conditions. I am
currently in good health and am not suffering from any medical conditions or disabilities.")]
/parent::android.view.ViewGroup//preceding-sibling::android.view.ViewGroup[@content-
desc="termsandcondition"]}[1]}
at jdk.internal.reflect.GeneratedConstructorAccessor60.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:166)
at com.onepulse.app.screens.PruShoppeScreen.acceptInfectiousDiseaseTerms
(PruShoppeScreen.java:133)
at com.onepulse.app.stepdefinitions.mobilesteps.PruShoppeSteps.
acceptInfectiousDiseaseTerms(PruShoppeSteps.java:111)

```

at .Given User accept the term and conitions "\${injury.package.tnc.1}" in infectious disease cover Screen(features/my/home/prushopee/PruSimpleCare_injuryPackage.feature:84)			
After			0.00s
<a href="#">Back to Table of Contents</a>			
Scenario Outline: <b>Verify User should be able to see the theft injury package term and condition</b>			
Passed: 0		Failed: 1	Undefined: 0
Duration: .05s			
Before			0.00s
Given User accept the term and conitions "\${injury.package.tnc.2}" in infectious disease cover Screen			0.05s
<div>org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z' System info: host: 'RISHANI-PC', ip: '192.168.0.101', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.10' Driver info: io.appium.java_client.android.AndroidDriver Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel: SM-N770F, deviceName: RF8N31EE5JX, deviceScreenDensity: 420, deviceScreenSize: 1080x2400, deviceUDID: RF8N31EE5JX, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.625, platform: LINUX, platformName: Android, platformVersion: 10, statBarHeight: 85, takesScreenshot: true, viewportRect: {height: 2104, left: 0, top: 85, width: 1080}, warnings: {}, webStorageEnabled: false} Session ID: 57dd2cdd-7f0c-494a-bc7e-bbc236bbb504 *** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,"I am aware that the product provides coverage for Death, Hospitalisation due to Snatch Theft and reimbursement on Daily Room &amp; Board (R&amp;B) and Intensive Care Unit (ICU) charges.")] /parent::android.view.ViewGroup//preceding-sibling::android.view.ViewGroup[@content-desc="termsandcondition"]}[1]} at jdk.internal.reflect.GeneratedConstructorAccessor60.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:231) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)</div>			

```

at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:166)
at com.onepulse.app.screens.PruShopeeScreen.acceptInfectiousDiseaseTerms(PruShopeeScreen.java:133)
at com.onepulse.app.stepdefinitions.mobilesteps.PruShopeeSteps.acceptInfectiousDiseaseTerms(PruShopeeSteps.java:111)
at .Given User accept the term and conitions "${injury.package.tnc.2}" in infectious disease cover Screen(features/my/home/prushopee/PruSimpleCare_injuryPackage.feature:84)

```

After		0.00s
-------	--	-------

[Back to Table of Contents](#)

Scenario: **scroll the page down**

Passed: 0	Failed: 1	Undefined: 0	Duration: .08s
-----------	-----------	--------------	----------------

Before		0.00s
--------	--	-------

Given I scroll down	0.08s
---------------------	-------

```

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server.
Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'RISHANI-PC', ip: '192.168.0.101', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.10'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29,

```



```

deviceManufacturer: samsung, deviceModel: SM-N770F, deviceName: RF8N31EE5JX,
deviceScreenDensity: 420, deviceScreenSize: 1080x2400, deviceUDID: RF8N31EE5JX,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.625, platform: LINUX,
platformName: Android, platformVersion: 10, statBarHeight: 85, takesScreenshot: true,
viewportRect: {height: 2104, left: 0, top: 85, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: 57dd2cdd-7f0c-494a-bc7e-bbc236bbb504
at jdk.internal.reflect.GeneratedConstructorAccessor60.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:46)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.
RemoteWebDriver$RemoteWebDriverOptions$RemoteWindow.getSize(RemoteWebDriver.
java:804)
at com.prudential.tap.appium.AppiumCommands.swipe(AppiumCommands.java:432)
at com.onepulse.app.screens.TestBasePage.scrollPageDown(TestBasePage.java:207)
at com.onepulse.app.stepdefinitions.mobilesteps.BaseSteps.scrollDown(BaseSteps.java:52)
at .Given I scroll down(features/my/home/prushopee/PruSimpleCare_injuryPackage.feature:
92)

```

After	0.00s
-------	-------

[Back to Table of Contents](#)

Scenario Outline: **Verify User should be able to see the theft injury package term and condition**

Passed: 0	Failed: 1	Undefined: 0	Duration: .06s
-----------	-----------	--------------	----------------

Before	0.00s
--------	-------

Given User accept the term and conitions "\${injury.package.tnc.3}" in infectious disease cover Screen	0.06s
--	-------

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'RISHANI-PC', ip: '192.168.0.101', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.10'

Driver info: io.appium.java\_client.android.AndroidDriver

Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel: SM-N770F, deviceName: RF8N31EE5JX, deviceScreenDensity: 420, deviceScreenSize: 1080x2400, deviceUDID: RF8N31EE5JX, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.625, platform: LINUX, platformName: Android, platformVersion: 10, statBarHeight: 85, takesScreenshot: true, viewportRect: {height: 2104, left: 0, top: 85, width: 1080}, warnings: {}, webStorageEnabled: false}

Session ID: 57dd2cdd-7f0c-494a-bc7e-bbc236bbb504

```
*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,"I am
aware that the product does not pay out Death Benefit if death is due to suicide. I am also
aware that for benefits other than Death Benefit, the product does not pay out for any pre-
existing conditions or within the stated waiting period.")]/parent::android.view.ViewGroup
//preceding-sibling::android.view.ViewGroup[@content-desc="termsandcondition"][[1]]
at jdk.internal.reflect.GeneratedConstructorAccessor60.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
```



```

at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:166)
at com.onepulse.app.screens.PruShopeeScreen.acceptInfectiousDiseaseTerms
(PruShopeeScreen.java:133)
at com.onepulse.app.stepdefinitions.mobilesteps.PruShopeeSteps.
acceptInfectiousDiseaseTerms(PruShopeeSteps.java:111)
at .Given User accept the term and conitions "${injury.package.tnc.3}" in infectious disease
cover Screen(features/my/home/prushopee/PruSimpleCare_injuryPackage.feature:95)

```

After	0.00s
-------	-------

[Back to Table of Contents](#)

Scenario Outline: **Verify User should be able to see the theft injury package term and condition**

Passed: 0	Failed: 1	Undefined: 0	Duration: .05s
-----------	-----------	--------------	----------------

Before	0.00s
--------	-------

Given User accept the term and conitions "\${injury.package.tnc.4}" in infectious disease cover Screen	0.05s
--	-------

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'RISHANI-PC', ip: '192.168.0.101', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.10'

Driver info: io.appium.java\_client.android.AndroidDriver

Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel: SM-N770F, deviceName: RF8N31EE5JX, deviceScreenDensity: 420, deviceScreenSize: 1080x2400, deviceUDID: RF8N31EE5JX, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.625, platform: LINUX, platformName: Android, platformVersion: 10, statBarHeight: 85, takesScreenshot: true, viewportRect: {height: 2104, left: 0, top: 85, width: 1080}, warnings: {}, webStorageEnabled: false}

Session ID: 57dd2cdd-7f0c-494a-bc7e-bbc236bbb504

\*\*\* Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,"I am aware if I change my mind, I have 15 days from the coverage commencement date to cancel my coverage and I can obtain a refund.")]/parent::android.view.ViewGroup//preceding-sibling::android.view.ViewGroup[@content-desc="termsandcondition"]}[1]}

at jdk.internal.reflect.GeneratedConstructorAccessor60.newInstance(Unknown Source)

at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)

at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)

```

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:166)
at com.onepulse.app.screens.PruShopeeScreen.acceptInfectiousDiseaseTerms
(PruShopeeScreen.java:133)
at com.onepulse.app.stepdefinitions.mobilesteps.PruShopeeSteps.
acceptInfectiousDiseaseTerms(PruShopeeSteps.java:111)
at .Given User accept the term and conitions "${injury.package.tnc.4}" in infectious disease
cover Screen(features/my/home/prushopee/PruSimpleCare_injuryPackage.feature:95)

```

After		0.00s
<a href="#">Back to Table of Contents</a>		
Scenario: <a href="#">verify that user can see agreement and proceed button</a>		
Passed: 0	Failed: 1	Undefined: 3
Duration: .05s		
Before		0.00s
And User accept the term and conitions "\${injury.package.tnc.6}" in infectious disease cover Screen		0.05s
org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server.		

Original error: socket hang up  
 Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'  
 System info: host: 'RISHANI-PC', ip: '192.168.0.101', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.10'  
 Driver info: io.appium.java\_client.android.AndroidDriver  
 Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel: SM-N770F, deviceName: RF8N31EE5JX, deviceScreenDensity: 420, deviceScreenSize: 1080x2400, deviceUDID: RF8N31EE5JX, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.625, platform: LINUX, platformName: Android, platformVersion: 10, statBarHeight: 85, takesScreenshot: true, viewportRect: {height: 2104, left: 0, top: 85, width: 1080}, warnings: {}, webStorageEnabled: false}  
 Session ID: 57dd2cdd-7f0c-494a-bc7e-bbc236bbb504  
 \*\*\* Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,"I give my consent to Prudential Assurance Malaysia Berhad")]/parent::android.view.ViewGroup//preceding-sibling::android.view.ViewGroup[@content-desc="termsandcondition"]}[1]}  
 at jdk.internal.reflect.GeneratedConstructorAccessor60.newInstance(Unknown Source)  
 at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  
 at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)  
 at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)  
 at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)  
 at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)  
 at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)  
 at io.appium.java\_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:231)  
 at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)  
 at io.appium.java\_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:42)  
 at io.appium.java\_client.AppiumDriver.execute(AppiumDriver.java:1)  
 at io.appium.java\_client.android.AndroidDriver.execute(AndroidDriver.java:1)  
 at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)  
 at io.appium.java\_client.DefaultGenericMobileDriver.findElement(DefaultGenericMobileDriver.java:62)  
 at io.appium.java\_client.AppiumDriver.findElement(AppiumDriver.java:1)  
 at io.appium.java\_client.android.AndroidDriver.findElement(AndroidDriver.java:1)  
 at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:419)  
 at io.appium.java\_client.DefaultGenericMobileDriver.findElementByXPath(DefaultGenericMobileDriver.java:152)  
 at io.appium.java\_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)  
 at io.appium.java\_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)  
 at org.openqa.selenium.By\$ByXPath.findElement(By.java:353)

```

at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:166)
at com.onepulse.app.screens.PruShopperScreen.acceptInfectiousDiseaseTerms
(PruShopperScreen.java:133)
at com.onepulse.app.stepdefinitions.mobilesteps.PruShopperSteps.
acceptInfectiousDiseaseTerms(PruShopperSteps.java:111)
at .And User accept the term and conitions "${injury.package.tnc.6}" in infectious disease
cover Screen(features/my/home/prushopee/PruSimpleCare_injuryPackage.feature:103)

```

And I scroll down	0.00s
-------------------	-------

Given I verify following texts are displayed	0.00s
--	-------

\${injury.package.tnc.5}
\${injury.package.tnc.5.1}
\${injury.package.tnc.5.2}
\${injury.package.tnc.5.3}
\${injury.package.tnc.6.1}
\${injury.package.tnc.6.2}
\${injury.package.tnc.6.3}
\${injury.package.agreement.text.1}
\${injury.package.agreement.text.2}
\${injury.package.agreement.text.3}
\${injury.package.agreement.text.4}
\${injury.package.agreement.text.5}
\${injury.package.agreement.text.6}
\${injury.package.agreement.text.7}

And I verify proceed button is displayed on pru shoppe screen	0.00s
---	-------

After	0.00s
-------	-------

[Back to Table of Contents](#)

### Feature: Verify Pru step up against cancer functionality on one pulse App

Passed: 6	Failed: 0	Undefined: 0	Duration: 272.31s
-----------	-----------	--------------	-------------------

**Scenario: User should be able to register on app with correct credentials using "Continue with Email"**

Passed: 17	Failed: 0	Undefined: 0	Duration: 196.65s
------------	-----------	--------------	-------------------

Before	0.00s
--------	-------

Given I generate random number and assign to variable "RANDOM_NUMBER"	0.00s
---	-------

And I assign "pulse\${RANDOM_NUMBER}@mailsac.com" to variable "PULSE_EMAIL"	0.00s
---	-------

And User has pulse app	14.28s
------------------------	--------

Then I wait for 2 sec		2.00s								
And user click on "CONTINUE WITH EMAIL" with Email button		23.70s								
Then I wait for 2 sec		2.00s								
Then I change the country as required on registration page		11.89s								
Then I wait for 2 sec		2.00s								
Then I navigate to pulse registration page and select the lang on toggle bar then click on continue with email button		8.27s								
Then I wait for 2 sec		2.00s								
When user enters registration details		8.11s								
	<table><tr><td>FirstName</td><td>testAutomation</td></tr><tr><td>LastName</td><td>testAutomation</td></tr><tr><td>Email</td><td>\${PULSE_EMAIL}</td></tr><tr><td>Password</td><td>Pas\$1234</td></tr></table>	FirstName	testAutomation	LastName	testAutomation	Email	\${PULSE_EMAIL}	Password	Pas\$1234	
FirstName	testAutomation									
LastName	testAutomation									
Email	\${PULSE_EMAIL}									
Password	Pas\$1234									
And taps on continue "Sign_Up" button		0.55s								
And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}"		31.05s								
Then I wait for 2 sec		2.00s								
Then I click skip button		77.49s								
Then user should be landed to "Home" screen		7.31s								
Then I wait for 4 sec		4.00s								
After		0.00s								
<a href="#">Back to Table of Contents</a>										
Scenario: <a href="#">Navigate to PRU Shoppe screen</a>										
Passed: 1	Failed: 0	Undefined: 0								
Duration: 12.1s										
Before		0.00s								
	And I click on pru shoppe button on the home page	12.10s								
After		0.00s								
<a href="#">Back to Table of Contents</a>										
Scenario: <a href="#">Verify User should be able to see the step up against cancer screen options</a>										
Passed: 12	Failed: 0	Undefined: 0								
Duration: 44.5s										
Before		0.00s								
	Then I click on Proceed button on prushoppe screen	0.27s								
	Then I wait for 5 sec	5.00s								
	Then I click on pru step up against cancer tile on prushoppe screen	13.41s								
	Then I wait for 5 sec	5.00s								
	And I verify following texts are displayed	2.60s								
	<table><tr><td>\${stepup.against.cancer.text}</td></tr><tr><td>\${against.cancer.challenge}</td></tr><tr><td>\${stepup.against.cancer.info.1}</td></tr><tr><td>\${stepup.against.cancer.info.2}</td></tr><tr><td>\${stepup.against.cancer.info.3}</td></tr></table>	\${stepup.against.cancer.text}	\${against.cancer.challenge}	\${stepup.against.cancer.info.1}	\${stepup.against.cancer.info.2}	\${stepup.against.cancer.info.3}				
\${stepup.against.cancer.text}										
\${against.cancer.challenge}										
\${stepup.against.cancer.info.1}										
\${stepup.against.cancer.info.2}										
\${stepup.against.cancer.info.3}										
	And user click on following button "\${show.more.text}" on prushoppe screen	0.56s								
	And I verify following texts are displayed	4.32s								
	<table><tr><td>\${stepup.against.cancer.info.4}</td></tr><tr><td></td></tr></table>	\${stepup.against.cancer.info.4}								
\${stepup.against.cancer.info.4}										







Then user should be landed to "Home" screen		8.13s
After		0.00s
<a href="#">Back to Table of Contents</a>		
Scenario: Verify User should be able to navigate to wealth page		
Passed: 5	Failed: 0	Undefined: 0
Duration: 25.9s		
Before		0.00s
And I click the Wealth Channel tile for Malaysia		15.55s
Then I verify following texts are displayed		3.60s
Wealth Channels		
Then I verify following tile texts are displayed on wealth channel screen		1.55s
Investing 123		
Equip yourself with the basic investment tools		
First Steps		
The importance of investor education		
And I scroll down		3.77s
Then I verify following tile texts are displayed on wealth channel screen		1.43s
Remove The Weeds		
Dispel investment myths to achieve desired investment outcomes		
Mutual Funds		
Make mutual funds your first investment stop		
After		0.00s
<a href="#">Back to Table of Contents</a>		
Scenario: Verify User should be able to view the story post		
Passed: 3	Failed: 1	Undefined: 1
Duration: 10.79s		
Before		0.00s
Then I click on "Mutual Funds" wealth channel topic		5.50s
Then I wait for 2 sec		2.00s
Then I verify following texts are displayed		2.74s
Mutual Funds		
Then I verify following tile texts are displayed on wealth channel screen		0.56s
Make mutual funds your first investment stop		
java.lang.AssertionError: The following asserts failed: Make mutual funds your first investment stop text is displayed on page expected [true] but found [false] at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43) at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.verifyTileTextsOnScreen (WealthSteps.java:354) at .Then I verify following tile texts are displayed on wealth channel screen(features/my/wealth /WealthChannel.feature:43)		
And I verify following social cite options are displayed		0.00s
Like		
Share		
Comment		



After				0.00s
<a href="#">Back to Table of Contents</a>				
Scenario: <b>Verify User should be able to Like the post</b>				
Passed: 0	Failed: 1	Undefined: 3	Duration: 5.03s	
Before				0.00s
And I read the "Mutual Funds" post like count				5.03s
<div>org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z' System info: host: 'RISHANI-PC', ip: '192.168.0.101', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.10' Driver info: io.appium.java_client.android.AndroidDriver Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel: SM-N770F, deviceName: RF8N31EE5JX, deviceScreenDensity: 420, deviceScreenSize: 1080x2400, deviceUDID: RF8N31EE5JX, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.625, platform: LINUX, platformName: Android, platformVersion: 10, statBarHeight: 85, takesScreenshot: true, viewportRect: {height: 2104, left: 0, top: 85, width: 1080}, warnings: {}, webStorageEnabled: false} Session ID: 8bf52e15-59af-4b29-8c9b-51d31449864c *** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,"Mutual Funds")]/following::android.widget.TextView[contains(@text, 'Likes')]} at jdk.internal.reflect.GeneratedConstructorAccessor60.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:231) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:42) at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1) at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317) at io.appium.java_client.DefaultGenericMobileDriver.findElement</div>				

```
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.onepulse.app.screens.TestBasePage.getElementText(TestBasePage.java:257)
at com.onepulse.app.screens.WealthScreen.readLikeCount(WealthScreen.java:181)
at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.iReadThePostLikeCount
(WealthSteps.java:85)
at .And I read the "Mutual Funds" post like count(features/my/wealth/WealthChannel.feature:
51)
```

And I Like the post	0.00s
Then I verify "Mutual Funds" post like count is increased	0.00s
And I Like the post	0.00s

After	0.00s
-------	-------

[Back to Table of Contents](#)

Scenario: [Verify User should be able to Share the post](#)

Passed: 0	Failed: 1	Undefined: 1	Duration: 5.08s
-----------	-----------	--------------	-----------------

Before	0.00s
--------	-------

And I share the post	5.08s
----------------------	-------

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server.  
Original error: socket hang up

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'RISHANI-PC', ip: '192.168.0.101', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.10'

Driver info: io.appium.java\_client.android.AndroidDriver

Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel: SM-N770F, deviceName: RF8N31EE5JX, deviceScreenDensity: 420, deviceScreenSize: 1080x2400, deviceUDID: RF8N31EE5JX, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.625, platform: LINUX, platformName: Android, platformVersion: 10, statBarHeight: 85, takesScreenshot: true, viewportRect: {height: 2104, left: 0, top: 85, width: 1080}, warnings: {}, webStorageEnabled:

```

false}
Session ID: 8bf52e15-59af-4b29-8c9b-51d31449864c
*** Element info: {Using=xpath, value=//android.widget.TextView[@text='Share']}
at jdk.internal.reflect.GeneratedConstructorAccessor60.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:166)
at com.onepulse.app.screens.WealthScreen.clickShareButton(WealthScreen.java:208)
at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.iShareThePost(WealthSteps.java:
90)
at .And I share the post(features/my/wealth/WealthChannel.feature:57)

```

Then I Verify the share with friends popup

0.00s

After

0.00s

[Back to Table of Contents](#)

Scenario: **Verify User should be able to Comment the post**

Passed: 0	Failed: 1	Undefined: 2	Duration: 5.04s
Before			0.00s
And I read the "Mutual Funds" post comment count			5.04s
<p>org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up</p> <p>Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'</p> <p>System info: host: 'RISHANI-PC', ip: '192.168.0.101', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.10'</p> <p>Driver info: io.appium.java_client.android.AndroidDriver</p> <p>Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel: SM-N770F, deviceName: RF8N31EE5JX, deviceScreenDensity: 420, deviceScreenSize: 1080x2400, deviceUDID: RF8N31EE5JX, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.625, platform: LINUX, platformName: Android, platformVersion: 10, statBarHeight: 85, takesScreenshot: true, viewportRect: {height: 2104, left: 0, top: 85, width: 1080}, warnings: {}, webStorageEnabled: false}</p> <p>Session ID: 8bf52e15-59af-4b29-8c9b-51d31449864c</p> <p>*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,"Mutual Funds")]/following::android.widget.TextView[5]}</p> <p>at jdk.internal.reflect.GeneratedConstructorAccessor60.newInstance(Unknown Source)</p> <p>at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)</p> <p>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)</p> <p>at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)</p> <p>at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)</p> <p>at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)</p> <p>at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:231)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)</p> <p>at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:42)</p> <p>at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)</p> <p>at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)</p> <p>at io.appium.java_client.DefaultGenericMobileDriver.findElement(DefaultGenericMobileDriver.java:62)</p> <p>at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)</p> <p>at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.</p>			

```

java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.onepulse.app.screens.TestBasePage.getText(TestBasePage.java:257)
at com.onepulse.app.screens.WealthScreen.readCommentCount(WealthScreen.java:235)
at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.iReadThePostCommentCount
(WealthSteps.java:100)
at .And I read the "Mutual Funds" post comment count(features/my/wealth/WealthChannel.
feature:61)

```

And I commented in the post "\${wealth.topic.comment}"	0.00s
--	-------

Then I verify "Mutual Funds" post comment count is increased	0.00s
--	-------

After	0.00s
-------	-------

[Back to Table of Contents](#)

Scenario: **Verify User should be able to view the full page article post**

Passed: 0	Failed: 1	Undefined: 0	Duration: 5.06s
-----------	-----------	--------------	-----------------

Before	0.00s
--------	-------

Then I click on "Mutual Funds" topic for details full view	5.06s
--	-------

```

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while
processing the command. Original error: Could not proxy command to the remote server.
Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'RISHANI-PC', ip: '192.168.0.101', os.name: 'Windows 10', os.arch:
'amd64', os.version: '10.0', java.version: '11.0.10'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29,
deviceManufacturer: samsung, deviceModel: SM-N770F, deviceName: RF8N31EE5JX,
deviceScreenDensity: 420, deviceScreenSize: 1080x2400, deviceUDID: RF8N31EE5JX,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.625, platform: LINUX,
platformName: Android, platformVersion: 10, statBarHeight: 85, takesScreenshot: true,
viewportRect: {height: 2104, left: 0, top: 85, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: 8bf52e15-59af-4b29-8c9b-51d31449864c
*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,"Mutual
Funds")]/../following::android.widget.ScrollView[1]/android.view.ViewGroup/android.view.
ViewGroup[2]}
at jdk.internal.reflect.GeneratedConstructorAccessor60.newInstance(Unknown Source)

```



```

at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:166)
at com.onepulse.app.screens.WealthScreen.clickWealthChannelTopicDetailView
(WealthScreen.java:131)
at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.
iClickOnTopicForDetailsFullView(WealthSteps.java:64)
at .Then I click on "Mutual Funds" topic for details full view(features/my/wealth
/WealthChannel.feature:66)

```

After		0.00s
<a href="#">Back to Table of Contents</a>		
Scenario: <b>Verify User should be able to see the Like, Share, Comment options on full page article post</b>		
Passed: 1	Failed: 1	Undefined: 0
		Duration: 3.2s

Before		0.00s
Then I wait for 3 sec		3.00s
And I verify following social cite options are displayed		0.20s
Like		
Share		
Comment		
java.lang.AssertionError: The following asserts failed: Like text is displayed on page expected [true] but found [false], Share text is displayed on page expected [true] but found [false], Comment text is displayed on page expected [true] but found [false] at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43) at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps. iVerifyFollowingSocialCiteOptionsAreDisplayed(WealthSteps.java:318) at .And I verify following social cite options are displayed(features/my/wealth/WealthChannel. feature:70)		
After		0.00s
<a href="#">Back to Table of Contents</a>		
Scenario: <b>Verify User should be able to Like the post in full article view screen</b>		
Passed: 0	Failed: 1	Undefined: 1
		Duration: .06s
Before		0.00s
And I Like the post		0.06s
org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z' System info: host: 'RISHANI-PC', ip: '192.168.0.101', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.10' Driver info: io.appium.java_client.android.AndroidDriver Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel: SM-N770F, deviceName: RF8N31EE5JX, deviceScreenDensity: 420, deviceScreenSize: 1080x2400, deviceUDID: RF8N31EE5JX, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.625, platform: LINUX, platformName: Android, platformVersion: 10, statBarHeight: 85, takesScreenshot: true, viewportRect: {height: 2104, left: 0, top: 85, width: 1080}, warnings: {}, webStorageEnabled: false} Session ID: 8bf52e15-59af-4b29-8c9b-51d31449864c *** Element info: {Using=xpath, value=//android.widget.TextView[@text='Like']} at jdk.internal.reflect.GeneratedConstructorAccessor60.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException		

```

(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:166)
at com.onepulse.app.screens.WealthScreen.clickLikeButton(WealthScreen.java:170)
at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.iLikeThePost(WealthSteps.java:
75)
at .And I Like the post(features/my/wealth/WealthChannel.feature:76)

```

And I Like the post	0.00s
---------------------	-------

After	0.00s
-------	-------

[Back to Table of Contents](#)

Scenario: **Verify User should be able to Share the post in full article view screen**

Passed: 0	Failed: 1	Undefined: 1	Duration: 5.07s
-----------	-----------	--------------	-----------------

Before	0.00s
--------	-------

And I share the post	5.07s
----------------------	-------

```

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while
processing the command. Original error: Could not proxy command to the remote server.
Original error: socket hang up

```



```

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'RISHANI-PC', ip: '192.168.0.101', os.name: 'Windows 10', os.arch:
'amd64', os.version: '10.0', java.version: '11.0.10'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29,
deviceManufacturer: samsung, deviceModel: SM-N770F, deviceName: RF8N31EE5JX,
deviceScreenDensity: 420, deviceScreenSize: 1080x2400, deviceUDID: RF8N31EE5JX,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.625, platform: LINUX,
platformName: Android, platformVersion: 10, statBarHeight: 85, takesScreenshot: true,
viewportRect: {height: 2104, left: 0, top: 85, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: 8bf52e15-59af-4b29-8c9b-51d31449864c
*** Element info: {Using=xpath, value=//android.widget.TextView[@text='Share']}
at jdk.internal.reflect.GeneratedConstructorAccessor60.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)

```

at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1) at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1) at com.prudential.tap.selenium.Commands\$15.executeCommand(Commands.java:141) at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19) at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:166) at com.onepulse.app.screens.WealthScreen.clickShareButton(WealthScreen.java:208) at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.iShareThePost(WealthSteps.java:90) at .And I share the post(features/my/wealth/WealthChannel.feature:80)			
Then I navigate back to previous page			0.00s
After			0.00s
<a href="#">Back to Table of Contents</a>			
Scenario: <b>Verify User should be able to Comment the post in full article view screen</b>			
Passed: 0	Failed: 1	Undefined: 0	Duration: 5.08s
Before			0.00s
And I comment in full view post article "\${wealth.topic.comment}"			5.08s
<div>org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z' System info: host: 'RISHANI-PC', ip: '192.168.0.101', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.10' Driver info: io.appium.java_client.android.AndroidDriver Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel: SM-N770F, deviceName: RF8N31EE5JX, deviceScreenDensity: 420, deviceScreenSize: 1080x2400, deviceUDID: RF8N31EE5JX, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.625, platform: LINUX, platformName: Android, platformVersion: 10, statBarHeight: 85, takesScreenshot: true, viewportRect: {height: 2104, left: 0, top: 85, width: 1080}, warnings: {}, webStorageEnabled: false} Session ID: 8bf52e15-59af-4b29-8c9b-51d31449864c *** Element info: {Using=xpath, value=//android.widget.TextView[@text='Comment']} at jdk.internal.reflect.GeneratedConstructorAccessor60.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:</div>			

```

158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:166)
at com.onepulse.app.screens.WealthScreen.enterCommentOnFullViewPage(WealthScreen.
java:273)
at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.iCommentInFullViewPostArticle
(WealthSteps.java:115)
at .And I comment in full view post article "${wealth.topic.comment}"(features/my/wealth
/WealthChannel.feature:84)

```

After	0.00s
-------	-------

[Back to Table of Contents](#)

Scenario: **Verify User can navigate to wealth homepage**

Passed: 0	Failed: 1	Undefined: 2	Duration: 3.14s
-----------	-----------	--------------	-----------------

Before	0.00s
--------	-------

Then I navigate to story post page	3.14s
------------------------------------	-------

```

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while
processing the command. Original error: Could not proxy command to the remote server.
Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'RISHANI-PC', ip: '192.168.0.101', os.name: 'Windows 10', os.arch:
'amd64', os.version: '10.0', java.version: '11.0.10'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.

```

```

uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29,
deviceManufacturer: samsung, deviceModel: SM-N770F, deviceName: RF8N31EE5JX,
deviceScreenDensity: 420, deviceScreenSize: 1080x2400, deviceUDID: RF8N31EE5JX,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.625, platform: LINUX,
platformName: Android, platformVersion: 10, statBarHeight: 85, takesScreenshot: true,
viewportRect: {height: 2104, left: 0, top: 85, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: 8bf52e15-59af-4b29-8c9b-51d31449864c
*** Element info: {Using=xpath, value=//android.view.View[contains(@text,'First Steps')]
/preceding::android.widget.ImageView}
at jdk.internal.reflect.GeneratedConstructorAccessor60.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:

```

19)			
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:166)			
at com.onepulse.app.screens.WealthScreen.clickFullViewBackButton(WealthScreen.java:161)			
at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.iNavigateToStoryPostPage(WealthSteps.java:70)			
at .Then I navigate to story post page(features/my/wealth/WealthChannel.feature:87)			
Then I click on "Mutual Funds" back button			0.00s
Then I click on "Wealth Channels" back button			0.00s
After			0.00s
<a href="#">Back to Table of Contents</a>			
Feature: <b>Verify share with friends functionality in onepulse app</b>			
Passed: 0	Failed: 7	Undefined: 0	Duration: 47.56s
Scenario: <b>Launch the app and select the country as per specified lbu</b>			
Passed: 4	Failed: 1	Undefined: 2	Duration: 41.39s
Before			0.00s
Given User has pulse app			17.22s
And Logout of pulse app if user is logged in			0.02s
And I assign "\${login.email.id}" to variable "PULSE_EMAIL"			0.01s
And user click on "CONTINUE WITH EMAIL" with Email button			23.76s
Then I change the country as required on registration page			0.38s
<p>org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up</p> <p>Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'</p> <p>System info: host: 'RISHANI-PC', ip: '192.168.0.101', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.10'</p> <p>Driver info: io.appium.java_client.android.AndroidDriver</p> <p>Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel: SM-N770F, deviceName: RF8N31EE5JX, deviceScreenDensity: 420, deviceScreenSize: 1080x2400, deviceUDID: RF8N31EE5JX, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.625, platform: LINUX, platformName: Android, platformVersion: 10, statBarHeight: 85, takesScreenshot: true, viewportRect: {height: 2104, left: 0, top: 85, width: 1080}, warnings: {}, webStorageEnabled: false}</p> <p>Session ID: 8187627b-534a-4f11-b9da-cbe7bd6d695b</p> <p>*** Element info: {Using=xpath, value=//android.widget.Spinner[1]}</p> <p>at jdk.internal.reflect.GeneratedConstructorAccessor60.newInstance(Unknown Source)</p> <p>at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)</p> <p>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)</p> <p>at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)</p>			



```

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:166)
at com.onepulse.app.screens.PulseRegistrationScreen.changeTheCountryName
(PulseRegistrationScreen.java:962)
at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.iSelectTheCountry
(RegistrationSteps.java:306)
at .Then I change the country as required on registration page(features/share
/ShareWithFriends.feature:10)

```

Then I wait for 2 sec	0.00s
-----------------------	-------

And I click the Sign in link	0.00s
------------------------------	-------

After	0.00s
-------	-------

[Back to Table of Contents](#)

Scenario: **login to the app with correct credentials using "Continue with Email"**

Passed: 0	Failed: 1	Undefined: 5	Duration: .14s
-----------	-----------	--------------	----------------

Before	0.00s
--------	-------

And I select the language option on toggle bar as required on login page	0.14s
--	-------

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while

```

processing the command. Original error: Could not proxy command to the remote server.
Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'RISHANI-PC', ip: '192.168.0.101', os.name: 'Windows 10', os.arch:
'amd64', os.version: '10.0', java.version: '11.0.10'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29,
deviceManufacturer: samsung, deviceModel: SM-N770F, deviceName: RF8N31EE5JX,
deviceScreenDensity: 420, deviceScreenSize: 1080x2400, deviceUDID: RF8N31EE5JX,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.625, platform: LINUX,
platformName: Android, platformVersion: 10, statBarHeight: 85, takesScreenshot: true,
viewportRect: {height: 2104, left: 0, top: 85, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: 8187627b-534a-4f11-b9da-cbe7bd6d695b
*** Element info: {Using=xpath, value=//android.widget.TextView[@text="EN"]}
at jdk.internal.reflect.GeneratedConstructorAccessor60.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)

```

```

at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:166)
at com.onepulse.app.screens.PulseRegistrationScreen.selectTheLanguageToggle
(PulseRegistrationScreen.java:1012)
at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.selectTheLangOption
(RegistrationSteps.java:335)
at .And I select the language option on toggle bar as required on login page(features/share
/ShareWithFriends.feature:16)

```

When user enters credentials	0.00s
------------------------------	-------

UserName	\${PULSE_EMAIL}
Password	\${login.password}

And User clicks on signin button	0.00s
----------------------------------	-------

And I wait for 10 sec	0.00s
-----------------------	-------

And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}"	0.00s
---	-------

Then user should be landed to "Home" screen	0.00s
---	-------

After	0.00s
-------	-------

[Back to Table of Contents](#)

**Scenario: Verify User should be able to share the link with Whatsapp**

Passed: 0	Failed: 1	Undefined: 0	Duration: .7s
-----------	-----------	--------------	---------------

Before	0.00s
--------	-------

Then I verify the share with friends links	0.70s
--	-------

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'RISHANI-PC', ip: '192.168.0.101', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.10'

Driver info: io.appium.java\_client.android.AndroidDriver

Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel: SM-N770F, deviceName: RF8N31EE5JX, deviceScreenDensity: 420, deviceScreenSize: 1080x2400, deviceUDID: RF8N31EE5JX, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.625, platform: LINUX, platformName: Android, platformVersion: 10, statBarHeight: 85, takesScreenshot: true, viewportRect: {height: 2104, left: 0, top: 85, width: 1080}, warnings: {}, webStorageEnabled: false}

Session ID: 8187627b-534a-4f11-b9da-cbe7bd6d695b

\*\*\* Element info: {Using=xpath, value=//android.widget.TextView[@text='Invite Your



```

Friends Via']/following::android.view.ViewGroup[3]}
at jdk.internal.reflect.GeneratedConstructorAccessor60.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:166)
at com.onepulse.app.screens.PulseLoginScreen.clickWhatsappIcon(PulseLoginScreen.java:
669)
at com.onepulse.app.stepdefinitions.mobilesteps.LoginSteps.iVerifyTheShareWithFriendsLinks
(LoginSteps.java:296)
at .Then I verify the share with friends links(features/share/ShareWithFriends.feature:27)

```

After		0.00s
<a href="#">Back to Table of Contents</a>		
Scenario: <a href="#">Verify User should be able to share the link with Contacts app</a>		
Passed: 0	Failed: 1	Undefined: 0
		Duration: .06s

Before	0.00s
Then I verify the contacts share icon	0.06s
<pre> org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z' System info: host: 'RISHANI-PC', ip: '192.168.0.101', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.10' Driver info: io.appium.java_client.android.AndroidDriver Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel: SM-N770F, deviceName: RF8N31EE5JX, deviceScreenDensity: 420, deviceScreenSize: 1080x2400, deviceUDID: RF8N31EE5JX, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.625, platform: LINUX, platformName: Android, platformVersion: 10, statBarHeight: 85, takesScreenshot: true, viewportRect: {height: 2104, left: 0, top: 85, width: 1080}, warnings: {}, webStorageEnabled: false} Session ID: 8187627b-534a-4f11-b9da-cbe7bd6d695b *** Element info: {Using=xpath, value=(//android.widget.TextView)[1]} at jdk.internal.reflect.GeneratedConstructorAccessor60.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java: 158) at io.appium.java_client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:231) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver. java:42) at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1) at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317) at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:62) at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1) at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1) at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver. java:419) at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath </pre>	

```
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:166)
at com.onepulse.app.screens.PulseLoginScreen.clickContactsIcon(PulseLoginScreen.java:684)
at com.onepulse.app.stepdefinitions.mobilesteps.LoginSteps.iVerifyTheContactsShareIcon
(LoginSteps.java:301)
at .Then I verify the contacts share icon(features/share/ShareWithFriends.feature:30)
```

After		0.00s
-------	--	-------

[Back to Table of Contents](#)

Scenario: **Verify User should be able to share the link with Messenger app**

Passed: 0	Failed: 1	Undefined: 0	Duration: 5.07s
-----------	-----------	--------------	-----------------

Before		0.00s
--------	--	-------

Then I verify the fb messenger share icon	5.07s
---	-------

```
org.openqa.selenium.WebDriverException: An unknown server-side error occurred while
processing the command. Original error: Could not proxy command to the remote server.
Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'RISHANI-PC', ip: '192.168.0.101', os.name: 'Windows 10', os.arch:
'amd64', os.version: '10.0', java.version: '11.0.10'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29,
deviceManufacturer: samsung, deviceModel: SM-N770F, deviceName: RF8N31EE5JX,
deviceScreenDensity: 420, deviceScreenSize: 1080x2400, deviceUDID: RF8N31EE5JX,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.625, platform: LINUX,
platformName: Android, platformVersion: 10, statBarHeight: 85, takesScreenshot: true,
viewportRect: {height: 2104, left: 0, top: 85, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: 8187627b-534a-4f11-b9da-cbe7bd6d695b
*** Element info: {Using=xpath, value=(//android.widget.TextView)[1]}
at jdk.internal.reflect.GeneratedConstructorAccessor60.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
```

```

(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:166)
at com.onepulse.app.screens.PulseLoginScreen.clickMessengerIcon(PulseLoginScreen.java:
1165)
at com.onepulse.app.stepdefinitions.mobilesteps.LoginSteps.iVerifyTheFbMessengerShareIcon
(LoginSteps.java:417)
at .Then I verify the fb messenger share icon(features/share/ShareWithFriends.feature:33)

```

After		0.00s
<a href="#">Back to Table of Contents</a>		
Scenario: <a href="#">Verify User should be able to share the link with Viber app</a>		
Passed: 0	Failed: 1	Undefined: 0
Duration: .11s		
Before		0.00s
Then I verify the Viber share icon		0.11s
org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up		

```

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'RISHANI-PC', ip: '192.168.0.101', os.name: 'Windows 10', os.arch:
'amd64', os.version: '10.0', java.version: '11.0.10'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29,
deviceManufacturer: samsung, deviceModel: SM-N770F, deviceName: RF8N31EE5JX,
deviceScreenDensity: 420, deviceScreenSize: 1080x2400, deviceUDID: RF8N31EE5JX,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.625, platform: LINUX,
platformName: Android, platformVersion: 10, statBarHeight: 85, takesScreenshot: true,
viewportRect: {height: 2104, left: 0, top: 85, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: 8187627b-534a-4f11-b9da-cbe7bd6d695b
*** Element info: {Using=xpath, value=(//android.widget.TextView)[1]}
at jdk.internal.reflect.GeneratedConstructorAccessor60.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)

```



at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1) at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1) at com.prudential.tap.selenium.Commands\$15.executeCommand(Commands.java:141) at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19) at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:166) at com.onepulse.app.screens.PulseLoginScreen.clickViberIcon(PulseLoginScreen.java:708) at com.onepulse.app.stepdefinitions.mobilesteps.LoginSteps.iVerifyTheViberShareIcon(LoginSteps.java:318) at .Then I verify the Viber share icon(features/share/ShareWithFriends.feature:36)		
After		0.00s
<a href="#">Back to Table of Contents</a>		
Scenario: <b>Verify User should be able to share the link with Line app</b>		
Passed: 0	Failed: 1	Duration: .09s
Before		0.00s
Then I verify the Line share icon		0.09s
<p>org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up  Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'  System info: host: 'RISHANI-PC', ip: '192.168.0.101', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.10'  Driver info: io.appium.java_client.android.AndroidDriver  Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel: SM-N770F, deviceName: RF8N31EE5JX, deviceScreenDensity: 420, deviceScreenSize: 1080x2400, deviceUDID: RF8N31EE5JX, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.625, platform: LINUX, platformName: Android, platformVersion: 10, statBarHeight: 85, takesScreenshot: true, viewportRect: {height: 2104, left: 0, top: 85, width: 1080}, warnings: {}, webStorageEnabled: false}  Session ID: 8187627b-534a-4f11-b9da-cbe7bd6d695b  *** Element info: {Using=xpath, value=(//android.widget.TextView)[1]}  at jdk.internal.reflect.GeneratedConstructorAccessor60.newInstance(Unknown Source)  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)  at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)  at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)  at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)</p>		

```

at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:166)
at com.onepulse.app.screens.PulseLoginScreen.clickLineIcon(PulseLoginScreen.java:702)
at com.onepulse.app.stepdefinitions.mobilesteps.LoginSteps.iVerifyTheLineShareIcon
(LoginSteps.java:313)
at .Then I verify the Line share icon(features/share/ShareWithFriends.feature:39)

```

**After****0.00s**[Back to Table of Contents](#)