

Overview

	Passed	Failed	Known	Undefined	Total	%Passed
Features	1	4	0	0	5	20%
Scenarios	18	10	0	0	28	64%
Steps	129	10	0	48	187	69%

Overall Duration: 0h 20m 32s

Table of Contents

1. Verify login functionality on One pulse App
 1. Launch the app and select the country as per specified Ibu
 2. login to the app with correct credentials using "Continue with Email"
 3. Verify the Invalid Email id in login screen using "Continue with Email"
 4. Verify the User not registered email in login screen using "Continue with Email"
 5. User should be able to retrieve the reset password using forget password link
 6. Verify Account should be locked after entering more than 7 times incorrect passwords
 7. Verify the Login Functionality using "Continue with Facebook"
2. Verify share with friends functionality in OnePulse app
 1. Launch the app and select the country as per specified Ibu
 2. login to the app with correct credentials using "Continue with Email"
 3. Verify User should be able to share the link with Whatsapp
 4. Verify User should be able to share the link with Contacts app
 5. Verify User should be able to share the link with Messenger app
 6. Verify User should be able to share the link with Viber app
 7. Verify User should be able to share the link with Line app
3. Verify MySettings functionality in Account screen
 1. User should be able to login on app with correct credentials using "Continue with Gmail"
 2. Verify the My Feedback screen in Account tab
 3. Verify the submit functionality in My feedback screen
 4. Verify the Pulse Personalised tab
 5. Verify the Marketing Consent in Account tab
4. Verify My Challenges on One Pulse App
 1. Launch the app and select the country as per specified Ibu
 2. login to the app with correct credentials using "Continue with Email"
 3. Verify My Challenges texts
 4. Verify the user can Connect Wearables via My Challenges
 5. Click on All challenges and and verify texts
5. Verify legal and legacy on One Pluse App
 1. User should be able to login on app with correct credentials using "Continue with Gmail"
 2. Verify the Terms and condition should be displayed
 3. Verify the Privacy screen should be displayed
 4. Verify the Regulator screen should be displayed

Detailed Results Report

Feature: Verify login functionality on One pulse App

Passed: 2	Failed: 5	Undefined: 0	Duration: 453.89s
-----------	-----------	--------------	-------------------

Scenario: Launch the app and select the country as per specified Ibu

Passed: 8	Failed: 0	Undefined: 0	Duration: 68.87s
-----------	-----------	--------------	------------------

Before	0.36s
--------	-------

Given User has pulse app	10.22s
And I assign "\${login.email.id}" to variable "PULSE_EMAIL"	0.00s
And user click on "CONTINUE WITH EMAIL" with Email button	17.60s
Then I change the country as required on registration page	22.41s
Then I wait for 2 sec	2.00s
Then I change the language as required on registration page	9.95s
And I click the Sign in link	4.79s
Then I verify below language options on toggle bar as per specified Ibu on login page	1.54s

After	0.00s
-------	-------

[Back to Table of Contents](#)**Scenario: login to the app with correct credentials using "Continue with Email"**

Passed: 6	Failed: 0	Undefined: 0	Duration: 44.32s
-----------	-----------	--------------	------------------

Before	0.00s
--------	-------

Given I select the language option on toggle bar as required on login page	2.30s				
When user enters credentials	10.33s				
<table border="1"> <tr> <td>UserName</td> <td>\${PULSE_EMAIL}</td> </tr> <tr> <td>Password</td> <td>\${login.password}</td> </tr> </table>	UserName	\${PULSE_EMAIL}	Password	\${login.password}	
UserName	\${PULSE_EMAIL}				
Password	\${login.password}				
And User clicks on signin button	0.25s				
And I wait for 5 sec	5.01s				
And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}"	11.64s				
Then user should be landed to "Home" screen	14.79s				

After	0.00s
-------	-------

[Back to Table of Contents](#)**Scenario: Verify the Invalid Email id in login screen using "Continue with Email"**

Passed: 5	Failed: 1	Undefined: 9	Duration: 65.97s
-----------	-----------	--------------	------------------

Before	0.00s
--------	-------

Given User has pulse app	11.79s
Then I wait for 2 sec	2.01s
And user click on "CONTINUE WITH EMAIL" with Email button	14.87s
Then I change the country as required on registration page	22.16s
Then I wait for 2 sec	2.01s
And I click the Sign in link	13.13s

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.

For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'

Driver info: io.appium.java_client.android.AndroidDriver

Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}

Session ID: a3110f2f-2eea-4b2a-8eb2-7eb469f733d4

*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,'Sign In') or contains(@text,'Log Masuk')]}

at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)

at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)

at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)

at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)

at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)

at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:231)

at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)

at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:42)

at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)

at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)

at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)

at io.appium.java_client.DefaultGenericMobileDriver.findElement(DefaultGenericMobileDriver.java:62)

at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)

at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)

at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:419)

at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath(DefaultGenericMobileDriver.java:152)

at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)

at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)

at org.openqa.selenium.By\$ByXPath.findElement(By.java:353)

```

at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.PulseLoginScreen.clickSignIns_InSignUp(PulseLoginScreen.java:
719)
at com.onepulse.app.stepdefinitions.mobilesteps.LoginSteps.clickSignIns_InSignUp
(LoginSteps.java:349)
at .And I click the Sign in link(features/PulseLoginTest.feature:32)

```

Then I wait for 2 sec	0.00s				
And I select the language option on toggle bar as required on login page	0.00s				
When user enters credentials	0.00s				
<table> <tr> <td>UserName</td><td>t@gmail</td></tr> <tr> <td>Password</td><td>Pas\$1234</td></tr> </table>	UserName	t@gmail	Password	Pas\$1234	
UserName	t@gmail				
Password	Pas\$1234				
And User clicks on signin button	0.00s				
Then verify invalid email message "Email is required"	0.00s				
Then User clicks on Forgot Password button	0.00s				
Then enter the email to request the new password	0.00s				
<table> <tr> <td>Email</td><td>t@gmail</td></tr> </table>	Email	t@gmail			
Email	t@gmail				
Then User clicks on Send button	0.00s				
Then verify invalid email message "\${email.invalid.text}"	0.00s				

After	0.00s
-------	-------

[Back to Table of Contents](#)

Scenario: Verify the User not registered email in login screen using "Continue with Email"

Passed: 6	Failed: 1	Undefined: 10	Duration: 64.13s
-----------	-----------	---------------	------------------

Before	0.00s
--------	-------

Given I generate random number and assign to variable "RANDOM_NUMBER"	0.01s				
And I assign value to following variables	0.00s				
<table> <tr> <td>USER_NAME</td><td>taf-\${RANDOM_NUMBER}@mailinator.com</td></tr> <tr> <td>USER_PASSWORD</td><td>Pas\$1234</td></tr> </table>	USER_NAME	taf-\${RANDOM_NUMBER}@mailinator.com	USER_PASSWORD	Pas\$1234	
USER_NAME	taf-\${RANDOM_NUMBER}@mailinator.com				
USER_PASSWORD	Pas\$1234				
Given User has pulse app	10.23s				
And user click on "CONTINUE WITH EMAIL" with Email button	17.13s				
Then I change the country as required on registration page	21.80s				
Then I wait for 2 sec	2.02s				
And I click the Sign in link	12.94s				

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.

For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html

```

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: b442099d-61f2-41c7-8ea4-b5fa02f7151e
*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,'Sign In')
or contains(@text,'Log Masuk')]}
at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native
Method)
at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance
(NativeConstructorAccessorImpl.java:62)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)

```

```

at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.PulseLoginScreen.clickSignIn_InSignUp(PulseLoginScreen.java:
719)
at com.onepulse.app.stepdefinitions.mobilesteps.LoginSteps.clickSignIn_InSignUp
(LoginSteps.java:349)
at .And I click the Sign in link(features/PulseLoginTest.feature:59)

```

Then I wait for 2 sec	0.00s				
And I select the language option on toggle bar as required on login page	0.00s				
When user enters credentials	0.00s				
<table> <tr> <td>UserName</td><td>\${USER_NAME}</td></tr> <tr> <td>Password</td><td>\${USER_PASSWORD}</td></tr> </table>	UserName	\${USER_NAME}	Password	\${USER_PASSWORD}	
UserName	\${USER_NAME}				
Password	\${USER_PASSWORD}				
And I scroll down	0.00s				
And User clicks on signin button	0.00s				
Then verify invalid email message "\${invalid.credential.message}"	0.00s				
Then User clicks on Forgot Password button	0.00s				
Then enter the email to request the new password	0.00s				
<table> <tr> <td>Email</td><td>\${USER_NAME}</td></tr> </table>	Email	\${USER_NAME}			
Email	\${USER_NAME}				
Then User clicks on Send button	0.00s				
Then verify invalid email message "\${invalid.credential.message}"	0.00s				

After	0.00s
-------	-------

[Back to Table of Contents](#)

Scenario: User should be able to retrieve the reset password using forgot password link

Passed: 1	Failed: 1	Undefined: 6	Duration: 12.93s
-----------	-----------	--------------	------------------

Before	0.00s
--------	-------

And I assign "\${forgot.password.email.id}" to variable "PULSE_EMAIL"	0.00s		
Then enter the email to request the new password	12.93s		
<table> <tr> <td>Email</td><td>\${PULSE_EMAIL}</td></tr> </table>	Email	\${PULSE_EMAIL}	
Email	\${PULSE_EMAIL}		

```

com.prudential.tap.exception.TapException: Not able to find element on screen [By.xpath:
//android.widget.EditText[contains(@text,'pulsesgqa')]]
at com.prudential.tap.appium.AppiumCommands.findElementNoWait(AppiumCommands.
java:176)
at com.prudential.tap.appium.AppiumCommands.clearText(AppiumCommands.java:406)
at com.onepulse.app.screens.PulseLoginScreen.enterEmailForgotPassword(PulseLoginScreen.
java:224)
at com.onepulse.app.stepdefinitions.mobilesteps.LoginSteps.enterForgotPasswordEmail
(LoginSteps.java:61)
at .Then enter the email to request the new password(features/PulseLoginTest.feature:77)

```


Then User clicks on Send button	0.00s
And I read the otp for emailid "\${PULSE_EMAIL}" using mailsac api and store into a variable "EMAIL_OTP"	0.00s
Then I wait for 5 sec	0.00s
Then I enter "\${EMAIL_OTP}" reset code	0.00s
Then I wait for 5 sec	0.00s
Then Verify message: "\${password.reset.success.text}" for Reset Password	0.00s
After	0.00s
Back to Table of Contents	
Scenario: Verify Account should be locked after entering more than 7 times incorrect passwords	
Passed: 13	Failed: 1
Undefined: 6	Duration: 150.66s
Before	0.00s
Given I generate random number and assign to variable "RANDOM_NUMBER"	0.00s
And I assign "pulse\${RANDOM_NUMBER}@mailsac.com" to variable "PULSE_EMAIL"	0.00s
And User has pulse app	11.41s
Then I wait for 2 sec	2.01s
And user click on "CONTINUE WITH EMAIL" with Email button	15.44s
Then I change the country as required on registration page	23.11s
Then I wait for 5 sec	5.01s
Then I navigate to pulse registration page and select the lang on toggle bar then click on continue with email button	3.83s
Then I wait for 2 sec	2.01s
When user enters registration details	7.22s


FirstName	testAutomation	
LastName	testAutomation	
Email	\${PULSE_EMAIL}	
Password	Pas\$1234	
And taps on continue "Sign_Up" button		0.30s
Then I wait for otp screen after clicking on signup button		5.89s
Then I enter OTP in one pulse app for user email "\${PULSE_EMAIL}"		31.93s
Then I click skip button		42.52s
<p>org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.</p> <p>For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html</p> <p>Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'</p> <p>System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'</p> <p>Driver info: io.appium.java_client.android.AndroidDriver</p> <p>Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}</p> <p>Session ID: 6f0942a0-9cf6-4598-ba4c-e61bb8dad596</p> <p>*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,'DD-MM-YYYY')]} at jdk.internal.reflect.GeneratedConstructorAccessor18.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:231) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:42) at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)</p>		


```

at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.PulseRegistrationScreen.clickSkipButton
(PulseRegistrationScreen.java:1117)
at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.iClickSkipButton
(RegistrationSteps.java:377)
at .Then I click skip button(features/PulseLoginTest.feature:108)

```

Then user should be landed to "Home" screen	0.00s
Then I wait for 4 sec	0.00s
And I click the Account icon in Home screen	0.00s
And I click the sign out from pulse app	0.00s
Then I wait for 2 sec	0.00s
Then I enter invalid password on login screen and verify the error message	0.00s
Pas\$123##\${invalid.credential.message}	
Pas\$123##\${invalid.credential.message}	
Pas\$123##\${invalid.credential.message}	
Pas\$123##\${invalid.credential.message}	
Pas\$123##\${invalid.credential.message}	
Pas\$123##\${invalid.credential.message}	
Pas\$123##\${invalid.credential.message}	
Pas\$123##\${account.locked.message}	



After	0.00s
-------	-------

[Back to Table of Contents](#)

Scenario: Verify the Login Functionality using "Continue with Facebook"

Passed: 4	Failed: 1	Undefined: 8	Duration: 47.01s
-----------	-----------	--------------	------------------

Before	0.00s
--------	-------

Given User has pulse app	10.47s
Then I wait for 2 sec	2.01s
And user click on "CONTINUE WITH EMAIL" with Email button	15.72s
Then I wait for 2 sec	2.02s
Then I change the country as required on registration page	16.80s

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'

Driver info: io.appium.java_client.android.AndroidDriver

Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,

```

viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: 868a457a-f713-4262-9a75-6b22537e6f9c
at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native
Method)
at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance
(NativeConstructorAccessorImpl.java:62)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at io.appium.java_client.PerformsTouchActions.performTouchAction(PerformsTouchActions.
java:41)
at io.appium.java_client.TouchAction.perform(TouchAction.java:187)
at com.prudential.tap.appium.AppiumCommands.scrollElement(AppiumCommands.java:876)
at com.onepulse.app.screens.TestBasePage.scrollUpTillElementDisplayed(TestBasePage.java:
394)
at com.onepulse.app.screens.PulseRegistrationScreen.changeTheCountryName
(PulseRegistrationScreen.java:1018)
at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.iSelectTheCountry
(RegistrationSteps.java:306)
at .Then I change the country as required on registration page(features/PulseLoginTest.
feature:149)

```

Then I wait for 2 sec	0.00s				
Then I navigate to pulse registration page and select the lang on toggle bar	0.00s				
Then I click on connect with facebook button	0.00s				
Then I wait for 2 sec	0.00s				
And I click the "Email" in Continue with Facebook	0.00s				
<table border="1"> <tr> <td>Emailid</td><td>{emailid.text}</td></tr> <tr> <td>Password</td><td>{password.texts}</td></tr> </table>	Emailid	{emailid.text}	Password	{password.texts}	
Emailid	{emailid.text}				
Password	{password.texts}				
Then I wait for 10 sec	0.00s				
Then user should be landed to "Home" screen	0.00s				
And I logout from onepulse app	0.00s				
After	0.00s				

[Back to Table of Contents](#)

Feature: Verify share with friends functionality in OnePulse app

Passed: 7	Failed: 0	Undefined: 0	Duration: 187.54s
Scenario: Launch the app and select the country as per specified Ibu			
Passed: 8	Failed: 0	Undefined: 0	Duration: 67.36s
Before			0.00s
Given User has pulse app			10.02s
And I assign "\${login.email.id}" to variable "PULSE_EMAIL"			0.00s
And user click on "CONTINUE WITH EMAIL" with Email button			15.05s
Then I change the country as required on registration page			23.10s
Then I wait for 2 sec			2.01s
Then I change the language as required on registration page			10.74s
And I click the Sign in link			4.92s
Then I verify below language options on toggle bar as per specified Ibu on login page			1.52s
After			0.00s
Back to Table of Contents			
Scenario: login to the app with correct credentials using "Continue with Email"			
Passed: 6	Failed: 0	Undefined: 0	Duration: 46.46s
Before			0.00s
Given I select the language option on toggle bar as required on login page			2.24s
When user enters credentials			10.36s
UserName \${PULSE_EMAIL}			
Password \${login.password}			
And User clicks on signin button			0.39s
And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}"			14.77s
And I wait for 5 sec			5.00s
Then user should be landed to "Home" screen			13.69s
After			0.00s
Back to Table of Contents			
Scenario: Verify User should be able to share the link with Whatsapp			
Passed: 1	Failed: 0	Undefined: 0	Duration: 13.77s
Before			0.00s
Then I verify the share with friends links			13.77s
After			0.00s
Back to Table of Contents			
Scenario: Verify User should be able to share the link with Contacts app			
Passed: 1	Failed: 0	Undefined: 0	Duration: 9.22s
Before			0.00s
Then I verify the contacts share icon			9.22s
After			0.00s
Back to Table of Contents			
Scenario: Verify User should be able to share the link with Messenger app			
Passed: 1	Failed: 0	Undefined: 0	Duration: 6.43s

Before		0.00s
Then I verify the fb messenger share icon		6.43s
After		0.00s
Back to Table of Contents		
Scenario: Verify User should be able to share the link with Viber app		
Passed: 1	Failed: 0	Undefined: 0
Duration: 22.86s		
Before		0.00s
Then I verify the Viber share icon		22.87s
After		0.00s
Back to Table of Contents		
Scenario: Verify User should be able to share the link with Line app		
Passed: 1	Failed: 0	Undefined: 0
Duration: 21.45s		
Before		0.00s
Then I verify the Line share icon		21.45s
After		0.00s
Back to Table of Contents		
Feature: Verify MySettings functionality in Account screen		
Passed: 3	Failed: 2	Undefined: 0
Duration: 192.69s		
Scenario: User should be able to login on app with correct credentials using "Continue with Gmail"		
Passed: 12	Failed: 0	Undefined: 0
Duration: 108.87s		
Before		0.00s
Given User has pulse app		10.72s
And I assign "\${onepulse.login.global.idsetting}" to variable "PULSE_EMAIL"		0.00s
And user click on "CONTINUE WITH EMAIL" with Email button		15.32s
Then I change the country as required on registration page		23.51s
Then I wait for 2 sec		2.01s
Then I change the language as required on registration page		12.25s
And I click the Sign in link		4.86s
When user enters credentials		9.88s
UserName \${PULSE_EMAIL}		
Password \${login.mysettings}		
And User clicks on signin button		0.28s
Then I wait for 10 sec		10.01s
And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}"		11.25s
Then user should be landed home screen		8.78s
After		0.00s
Back to Table of Contents		
Scenario: Verify the My Feedback screen in Account tab		
Passed: 5	Failed: 0	Undefined: 0
Duration: 17.12s		
Before		0.00s

Then I wait for 5 sec		5.00s					
And I click the Account icon in Home screen		2.28s					
And I click the My Feedback icon in Account screen		3.73s					
And I click the Feedback start icon in Account screen		4.09s					
Then I verify following texts are Displayed		2.02s					
	<table><tr><td>#{HealthArticles.text}</td><td rowspan="4"></td></tr><tr><td>#{BMI.text}</td></tr><tr><td>#{Wrinkle.text}</td></tr><tr><td>#{Health.Assessment.text}</td></tr></table>	#{HealthArticles.text}		#{BMI.text}	#{Wrinkle.text}	#{Health.Assessment.text}	
#{HealthArticles.text}							
#{BMI.text}							
#{Wrinkle.text}							
#{Health.Assessment.text}							
After		0.00s					
Back to Table of Contents							
Scenario: Verify the submit functionality in My feedback screen							
Passed: 3	Failed: 0	Undefined: 0					
Duration: 23.48s							
Before		0.00s					
	And I click the Health Articles icon in Account screen	3.90s					
	And I enter the "Feedback" in welcome to Feedback Screen	9.03s					
	<table><tr><td>mobileNumber</td><td>98678419</td></tr></table>	mobileNumber	98678419				
mobileNumber	98678419						
	And I click the Submit icon in Feedback Screen	10.56s					
After		0.00s					
Back to Table of Contents							
Scenario: Verify the Pulse Personalised tab							
Passed: 3	Failed: 1	Undefined: 2					
Duration: 35.14s							
Before		0.00s					
	Then I wait for 3 sec	3.01s					
	And I click the Pulse by Personalised icons	10.92s					
	Then I wait for 3 sec	3.01s					
	And I click the save button in pulse personalised icons	18.20s					
<div>org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z' System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2' Driver info: io.appium.java_client.android.AndroidDriver Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:</div>							


```

false}
Session ID: 5bb3ad9a-7610-4cad-804e-6d6f6d7e78f4
*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,'SAVE')]}
at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native
Method)
at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance
(NativeConstructorAccessorImpl.java:62)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.CustomerConnectScreen.clickSaveButtonPersonalised
(CustomerConnectScreen.java:836)
at com.onepulse.app.stepdefinitions.mobilesteps.CustomerConnectSteps.
clickSavebuttonpersonalized(CustomerConnectSteps.java:245)
at .And I click the save button in pulse personalised icons(features/th/PulseMySettings.feature:
42)

```

And I click the Ok button in pulse personalised screen		0.00s
And I click the Back icon in pulse personalised screen		0.00s
After		0.00s
Back to Table of Contents		
Scenario: Verify the Marketing Consent in Account tab		
Passed: 0	Failed: 1	Undefined: 5
Duration: 8.08s		
Before		0.00s
And I click the Marketing content		8.08s
<p>org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up</p> <p>Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'</p> <p>System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'</p> <p>Driver info: io.appium.java_client.android.AndroidDriver</p> <p>Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}</p> <p>Session ID: 5bb3ad9a-7610-4cad-804e-6d6f6d7e78f4</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)</p> <p>at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)</p> <p>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)</p> <p>at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)</p> <p>at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)</p> <p>at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)</p> <p>at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:231)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)</p> <p>at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:46)</p> <p>at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)</p>		

at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1) at org.openqa.selenium.remote. RemoteWebDriver\$RemoteWebDriverOptions\$RemoteWindow.getSize(RemoteWebDriver. java:804) at com.onepulse.app.screens.TestBasePage.scrollPageUP(TestBasePage.java:377) at com.onepulse.app.screens.CustomerConnectScreen.clickMarketContent (CustomerConnectScreen.java:884) at com.onepulse.app.stepdefinitions.mobilesteps.CustomerConnectSteps.clickMarketContent (CustomerConnectSteps.java:261) at .And I click the Marketing content(features/th/PulseMySettings.feature:47)		
	Then I wait for 3 sec	0.00s
	Then I verify the following text "\${Marketing.Consent.text}" Screens	0.00s
	<div style="border: 1px solid black; padding: 2px;">\${Marketing.Consent.text}</div>	
	And I click the save button in pulse personalised icons	0.00s
	And I click the Ok button in pulse personlised screen	0.00s
	And I click the Back icon in pulse Marketing Consent	0.00s
After		0.00s
Back to Table of Contents		

Feature: Verify My Challenges on One Pulse App

Passed: 3	Failed: 2	Undefined: 0	Duration: 138.11s
-----------	-----------	--------------	-------------------

Scenario: Launch the app and select the country as per specified Ibu

Passed: 8	Failed: 0	Undefined: 0	Duration: 66.63s
-----------	-----------	--------------	------------------

Before	0.00s
--------	-------

Given User has pulse app	8.64s
And I assign "\${login.email.id}" to variable "PULSE_EMAIL"	0.00s
And user click on "CONTINUE WITH EMAIL" with Email button	16.02s
Then I change the country as required on registration page	22.53s
Then I wait for 2 sec	2.02s
Then I change the language as required on registration page	10.99s
And I click the Sign in link	4.90s
Then I verify below language options on toggle bar as per specified lbu on login page	1.53s

After		0.00s
-------	--	-------


[Back to Table of Contents](#)

Scenario: login to the app with correct credentials using "Continue with Email"

Passed: 5	Failed: 0	Undefined: 0	Duration: 32.69s
-----------	-----------	--------------	------------------

Before	0.00s
--------	-------

Given I select the language option on toggle bar as required on login page			2.28s
When user enters credentials			10.33s
	UserName	\${PULSE_EMAIL}	
	Password	\${login.password}	
And User clicks on signin button			0.28s
And I wait for 5 sec			5.01s
Then user should be landed to "Home" screen			14.79s

After		0.00s
Back to Table of Contents		
Scenario: Verify My Challenges texts		
Passed: 1	Failed: 1	Duration: 20.86s
Before		0.00s
And I click on My Challenges tile on one pulse app		12.16s
And I verify following texts are displayed		8.70s
<div> <div>\$ {my.challenges.text}</div> <div>\$ {not.connected.wearable}</div> </div> <pre>java.lang.AssertionError: The following asserts failed: You have not connected any wearable text is displayed on page expected [true] but found [false] at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43) at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnScreen(MyDocSteps.java:717) at .And I verify following texts are displayed(features/th/home/PulseMyChallenges.feature:28)</pre> 		
After		0.00s
Back to Table of Contents		
Scenario: Verify the user can Connect Wearables via My Challenges		
Passed: 0	Failed: 1	Duration: 8.3s
Before		0.00s
And I clicks on "\$ {myChallenges.connectWearablesButton}" in app screen		8.30s
org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.		

For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'

Driver info: io.appium.java_client.android.AndroidDriver

Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}

Session ID: cbd976b4-82e2-498b-99d2-06319ac41b4d

*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,"Connect Wearable")]}

at jdk.internal.reflect.GeneratedConstructorAccessor18.newInstance(Unknown Source)

at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)

at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)

at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)

at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:231)

at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)

at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:42)

at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)

at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)

at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)

at io.appium.java_client.DefaultGenericMobileDriver.findElement(DefaultGenericMobileDriver.java:62)

at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)

at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)

at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:419)

at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath(DefaultGenericMobileDriver.java:152)

at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)

at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)

at org.openqa.selenium.By\$ByXPath.findElement(By.java:353)

```

at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.CustomerConnectScreen.clickButton(CustomerConnectScreen.
java:1741)
at com.onepulse.app.stepdefinitions.mobilesteps.CustomerConnectSteps.clickUploadIcon
(CustomerConnectSteps.java:534)
at .And I clicks on "${myChallenges.connectWearablesButton}" in app screen(features/th
/home/PulseMyChallenges.feature:34)

```

And I verify the following texts "My challenges" in Screen

0.00s

`${wearables.title}`

`${wearables.subTitle}`

And I click on Back button of My Wearables screen

0.00s



After

0.00s

[Back to Table of Contents](#)

Scenario: Click on All challenges and and verify texts

Passed: 4

Failed: 0

Undefined: 0

Duration: 9.63s

Before

0.00s

And I clicks on "\${all.challenges.text}" in app screen

0.28s

And I verify the following texts "My challenges" in Screen

8.58s

`${my.challenges.text}`

Passed: 3	Failed: 1	Undefined: 0	Duration: 200.57s
-----------	-----------	--------------	-------------------

Passed: 13	Failed: 0	Undefined: 0	Duration: 114.34s
Before			0.00s

After		0.00s
-------	--	-------

Scenario: Verify the Terms and condition should be displayed

After	0.00s
-------	-------

Scenario: Verify the Privacy screen should be displayed

Passed: 4	Failed: 0	Undefined: 0	Duration: 20.66s
Before			0.00s
And I click the Privacy icon in legal screen			2.32s
And I click the pulse icon in Account screen			13.63s
And I click the Back icon in pulse screen			2.36s
And I click the Back icon in Privacy Notice			2.35s
After			0.00s

[Back to Table of Contents](#)
Scenario: Verify the Regulator screen should be displayed

Passed: 5	Failed: 1	Undefined: 0	Duration: 53.71s						
Before			0.00s						
And I click the Regulatory icon in legal screen			1.41s						
And I click the Babylons icon in Account screen			1.70s						
Then I verify following texts are displayed in terms and condition screen			3.39s						
<table><tr><td>#{Clinicalsafety.text}</td><td rowspan="5"></td></tr><tr><td>#{AI.in.Healthcare.text}</td></tr><tr><td>#{Localisation.text}</td></tr><tr><td>#{Privacy.Data.Protection.text}</td></tr><tr><td>#{Raising.Concerns}</td></tr></table>			#{Clinicalsafety.text}		#{AI.in.Healthcare.text}	#{Localisation.text}	#{Privacy.Data.Protection.text}	#{Raising.Concerns}	
#{Clinicalsafety.text}									
#{AI.in.Healthcare.text}									
#{Localisation.text}									
#{Privacy.Data.Protection.text}									
#{Raising.Concerns}									
And I click the clinical safety icon in Account screen			21.12s						
Then I wait for 8 sec			8.00s						
And I click the Back icons in pulse screen			18.09s						

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server.
Original error: socket hang up

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'

Driver info: io.appium.java_client.android.AndroidDriver

Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}

Session ID: 494962bd-4fa4-4e6c-9110-fa65c0342e09

*** Element info: {Using=xpath, value=(//android.widget.ImageView)[1]}

at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)

```

at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance
(NativeConstructorAccessorImpl.java:62)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.CustomerConnectScreen.clickBackIcon(CustomerConnectScreen.
java:2025)
at com.onepulse.app.stepdefinitions.mobilesteps.CustomerConnectSteps.ClickBackBabylons
(CustomerConnectSteps.java:209)
at .And I click the Back icons in pulse screen(features/th/profile/LegalAndLegacy.feature:52)

```

After

0.00s

[Back to Table of Contents](#)