Software Engineering

HUANG Jie School of Software Engineering Tongji University, 2022



Lesson 4

Agile Development

In Lesson 3, we have learned

- The waterfall process model.
- ✓ The incremental model.
- The prototyping & spiral model in the evolutionary models.
- Component-based development.
- Unified process model.
- ✓ PSP and TSP models.



Lesson 4

Agile Development

In this chapter, we will discuss

- Agile methods in software development process.
- ✓ Agile principles.
- ✓ Extreme programming(XP).
- ✓ Scrum.
- ✓ Kanban.
- ✓ DevOps.



The Manifesto for Agile Software Development

"We are uncovering better ways of developing software by doing it and helping others do it. Through this work we have come to value:

- Individuals and interactions over processes and tools.
- Working software over comprehensive documentation.
- Customer collaboration over contract negotiation.
- Responding to change over following a plan.

That is, while there is value in the items on the right, we value the items on the left more."

Kent Beck et al



What is "Agility"?


- Effective (rapid and adaptive) response to <u>change</u>.
- Effective <u>communication</u> among all stakeholders.
- Drawing the <u>customer onto the team</u>.
- Organizing a team so that it is in <u>control of the work</u> performed.
- Agile means move quickly.

Yielding ...

Rapid, Incremental delivery of software.



Agility and the Cost of Change







The Case for Agile Approach

- Huge number of statistics on <u>FAILED</u> projects.
- Huge amounts of <u>WASTE</u>.
- Systems are often <u>NOT</u> deployed to production.
- Users and software developers are <u>polarized</u>.
- Software is almost always delivered <u>late</u>.
- Research shows clearly that software development IS NOT manufacturing.



An Agile Process

- Is driven by customer descriptions of <u>what is required</u> (scenarios).
- Recognizes that plans are short-lived.
- Develops software <u>iteratively</u> with a heavy emphasis on <u>construction activities</u>.
- Delivers multiple 'software increments'.
- Adapts as <u>changes</u> occur.



Agility Principles - I

- 1. Our highest priority is to satisfy the customer through early and continuous delivery of valuable software.
- 2. Welcome <u>changing requirements</u>, even late in development. Agile processes harness change for the customer's competitive advantage.
- 3. Deliver working software frequently, from a couple of weeks to a couple of months, with **a preference to the shorter timescale**.
- 4. Business people and developers must **work together daily** throughout the project.
- 5. Build projects around **motivated individuals**. Give them the environment and support they need, and trust them to get the job done.
- 6. The most efficient and effective method of conveying information to and within a development team is **face-to-face conversation**.



Agility Principles - II

- 7. Working software is the primary measure of progress.
- 8. Agile processes promote sustainable <u>development</u>. The sponsors, developers, and users should be able to maintain a constant pace indefinitely.
- 9. Continuous attention to technical excellence and good design enhances agility.
- 10. <u>Simplicity</u> the art of maximizing the amount of work not done– is essential.
- 11. The best architectures, requirements, and designs **emerge from self–organizing teams**.
- 12. At regular intervals, the team reflects on how to become more effective, then **tunes and adjusts** its behavior accordingly.




Scrum

- Originally proposed by Schwaber and Beedle.
- Scrum distinguishing features
 - Development work is partitioned into "packets".
 - Testing and documentation are on-going as the product is constructed.
 - Work occurs in "<u>sprints</u>" and is derived from a "<u>backlog</u>" of existing requirements.
 - Meetings are very short and sometimes conducted without chairs.
 - "<u>Demos</u>" are delivered to the customer with the time-box allocated.



Scrum





A piece of Video about Scrum

- Introduction to Scrum7 Minutes.
- Do you remember the keywords of SCRUM?



- Three roles(actors) in Scrum Product Owner, Scrum Master, Team.
- Product Owner Own and prioritizes the Product Backlog.
- Scrum Master Facilitates the Scrum process.
 - NOT a <u>traditional</u> Project Manager !!

Produces Increments of Shippable Product Functionality.



Team

The Product Owner

- Defines and Prioritizes Features
 - Owns the gathering of requirements.
- Agrees to Iteration Ground Rules
 - Set length of calendar time for Sprint.
 - (2,3 or 4 weeks typical)
 - Does not interfere with Sprint(no scope creep).
 - Can pull the plug at any time (has the power).
 - Honors rules and the Scrum process during Sprints.



Scrum Master: A Boundary Manager

- Supports the Team.
- Facilitates the Daily Scrum meeting. Asks each developer:
 - What did you do yesterday?
 - What are you doing today?
 - What is in your way?
 - Listens and watches carefully during Scrum meeting,
 Pays careful attention to non-verbal cues.
- Removes Impediments in Way of Team.
 - Secures resources (monitors, rooms, etc).
- Communicates to Product Owner.



The Team

- Participates in design
 - To gain understanding of problem/solution space.
- Selects subset of prioritized Product Backlog for Sprint commitment
 - Estimates the effort.
 - Fills the timebox with work.
 - Commits to the work as a team.
- Self-Organizes
 - Everyone commits to ALL TASKS necessary during the Sprint.
 - Determines the nature of self-organization.



- The Team
 - Teams select work for each Sprint.
 - Teams self-organize.
 - Teams have a velocity.
- Team Velocity: How much work the team can average per iteration, FOR THAT TEAM.
 - Each time has a personality.
 - Each team is unique.
 - Teams 'velocity' becomes very predictable over time.



- Sprint Planning
- Daily Scrum
- Sprint Review (retrospective追溯)



- Ceremony #1: Sprint Planning Meeting
 - Product Owner reviews
 - Vision, Roadmap, Release Plan.
 - Team reviews
 - Estimates for each item on Backlog that is a candidate for the Sprint.
 - Team pulls the work
 - From the Product Backlog onto the Sprint Backlog.



- Ceremony #2: The Daily Scrum
 - By and for the Team.
 - Other may attend and NOT speak.
 - Team members speak, others listen.
 - Team stays on task with the 3 questions,
 divergences(分歧) are addressed offline outside of this meeting.
 - Visibility, clear understanding on a day-by-day basis.
- Product owners know the score on a daily basis
 - Can pull the plug at ANY time.



- Ceremony #3: Sprint Review Meeting
 - Part 1: Product Demo
 - Led by Product Owner.
 - Part 2: Sprint Retrospective
 - Led by Scrum Master.
 - What worked ?
 - What didn't ?
 - What adjustments can we make now?



Scrum's THREE ARTIFACTS

Artifact #1: Product Backlog

- A list of features, prioritized by business value.
- Each feature has an associated estimate, provided by the ACTUAL team who will do the work.
- Backlog items come in from diverse sources, including the Team.




Scrum's THREE ARTIFACTS

- Artifact #2: Sprint Backlog
 - Topmost subset of the Product Backlog, loaded onto the Sprint's "timebox".
 - Usually has more detail attached, including planned hours and primary person responsible to do the work during the Sprint.
 - Is the list of work the Team is addressing during the current Sprint.



Scrum's THREE ARTIFACTS

- Artifact #3: Burn down Chart
 - Provides visibility into the Sprint.
 - Illustrates progress by the team.
 - Time on the Horizontal, Work on the Vertical.
- Sample BurnDown Chart





Scrum' THREE BEST PRACTICES

- Best Practice #1: User Stories
 - Plain-English requirements, written on common 3 X 5 index cards.
 - Form:

As [a type of user] I want to [perform a specific action] such that [result].

– Example:

"As a web user, I want to make a reservation, such that I may secure my lodging"

- Stories that are big are called EPICS
- Acceptance criteria goes on card back



Scrum' THREE BEST PRACTICES

- Best Practice #2: Planning Poker
 - A way for the team to do estimates.
 - Each participant has cards numbered 1,2,3,5,8,13,21.
 - Values represent 'story points' of effort.
 - Players discuss feature, then throw down a card together.
 - Differences are noted and discussed, then process repeats till a concensus(协议) estimate is formed.



Scrum' THREE BEST PRACTICES

- Best Practice #3: Use of the Scrum Board
 - Scrum Board is a rows-and-columns depictions of workin-progress.
 - Items of work are rows, work status labels are columns.
 - Work is addressed from top to bottom.
 - Work migrates from left to right on the board.



Extreme Programming (XP)

- The most widely used XP programming process, originally proposed by Kent Beck.
- XP Planning
 - Begins with the creation of "user stories".
 - Agile team assesses each story and assigns a <u>cost</u>.
 - Stories are grouped to for a <u>deliverable increment</u>.
 - A <u>commitment</u> is made on delivery date.
 - After the first increment, "project velocity(速度)" is used to help define subsequent delivery dates for other increments.



Extreme Programming (XP)

XP Design

- Follows the KIS principle.
- Encourage the use of <u>CRC cards</u> (see Chapter 8).
- For difficult design problems, suggests the creation of "<u>spike</u> solutions"—a design prototype.
- Encourages "<u>refactoring</u>"— an iterative refinement of the internal program design.


XP Coding

- Recommends the <u>construction of a unit test</u> for a store *before* coding commences.
- Encourages <u>pair programming</u>.

XP Testing

- All <u>unit tests are executed daily</u>.
- <u>"Acceptance tests"</u> are defined by the customer and executed to assess customer visible functionality.

Extreme Programming (XP)





XP process




图 1-11 XP 项目的整体开发过程



XP process




图 1-12 XP 迭代开发过程



Kanban method


Sample Use of Kanban Board

Story	To Do		In Process	To Verify	Done
As a user, I 8 points	Code the 9	Test the	Code the DC 4	Test the SC 6	Code the D Test the
	Code the 2	Code the	Test the SC 8		Test the Test the
	Test the	Test the			Test the SC 6
As a user, I 5 points	Code the	Test the	Code the DC 8		Test the SC Test the
	Code the	Code the			Test the SC 6




Kanban method

Sample Use of Kanban Board







6 essential DevOps roles


















Agile Process

- Each AUP iteration addresses these activities
 - Modeling.
 - Implementation.
 - Testing.
 - Deployment.
 - Configuration and project management.
 - Environment management.



Conclusion

Differences for developers

- Agile: knowledgeable, collocated, collaborative.
- Heavyweight: plan-driven, adequate skills, access to external knowledge.

Differences for customers

- Agile: dedicated, knowledgeable, collocated, collaborative, representative, empowered.
- Heavyweight: access to knowledgeable, collaborative, representative, empowered customers.

Differences for primary objective

- Agile: rapid value.
- Heavyweight: high assurance.



Conclusion

Differences for requirements

- Agile: largely emergent, rapid change.
- Heavyweight: knowable early, largely stable.

Differences for architecture

- Agile: designed for current requirements.
- Heavyweight: designed for current and foreseeable requirements.

Differences for size

- Agile: smaller teams and products.
- Heavyweight: larger teams and products.



Summary

- During the development of any type of software, adherence to a suitable process model has become universally accepted by software development organizations. Adoption of a suitable life cycle model is now accepted as a primary necessity for successful completion of projects.
- We discussed only the central ideas behind some important process models. Good software development organizations carefully and elaborately document the precise process model they follow and typically include the following in the document:
 - Identification of the different phases.
 - Identification of the different activities in each phase and the order in which they are carried out.
 - The phase entry and exit criteria for different phases.
 - The methodology followed to carry out the different activities.



Summary

- Adherence to a software life cycle model encourages the team members to perform various development activities in a systematic and disciplined manner. It also makes management of software development projects easier.
- The principle of detecting errors as close to their point of introduction as possible is known as phase containment of errors. Phase containment minimizes the cost to fix errors.
- The classical waterfall model can be considered as the basic model and all other life cycle models are embellishments of this model. Iterative waterfall model has been the most widely used life cycle model so far, though agile models have gained prominence lately.
- Even though an organization may follow whichever life cycle model that may appear appropriate to a project, the final document should reflect as if the software was developed using the classical waterfall model. This makes it easier for the maintainers to understand the software documents.

Assignment

Different life cycle models have their own advantages and disadvantages. Therefore, an appropriate life cycle model should be chosen for the real problem at hand.

Please, design a table and make comparisons between these software process models, point out the advantage and disadvantages of each model. At least five different models need to be compared.



ASSIGNMENT

Preview

- 《Software Engineering》 by R.S.Pressman
- Chapter 4 Recommended Process Model
- Chapter 5 Human aspect of Software Engineering

