



VISHAL ENTERPRISE & VRISHAL ENGINEERING PRIVATE LIMITED GROUP OF COMPANIES

SURFACE PREPARATION & PRIMER PAINT INSPECTION REPORT

CLIENT	SURAJ ROSHNI	PROJECT	SURYA-25	REPORT NO.	VE/SURYA-25/STR/SP/1
WO/PO NO	898989890000	PROCEDURE NO.	VEPL/DCM/ITP/001	OFFER DATE	20/03/2025

WEATHER CONDITION

ACTIVITY	DATE PERFORMED	START TIME - 09:44				FINISH TIME- 11:44			
		SURFACE OR METAL TEMP °C	DEW POINT °C	RELATIVE HUMIDITY %	AMBIENT TEMP °C	SURFACE OR METAL TEMP °C	DEW POINT °C	RELATIVE HUMIDITY %	AMBIENT TEMP °C
Blasting / Surf. Prep.	20/03/2025	28	25	72	29	34	28	65	32
Primer Application	20/03/2025	35	28	66	33	36	29	62	34

SURFACE CONDITION

ORIGINAL STATUS	NON COATED	METAL CONDITION	SURFACE BEGUN TO RUST	METAL RUST GRADE	B
PAINT SYSTEM NO.	FABRICATED BEAM			BLASTING DATE	20/03/2025

SURFACE PREPARATION

BLASTING METHOD	CU-SLG - MANUAL	PREP. STANDARD	SA 2 1/2	ABRASIVE TYPE	CU-SLG
SURFACE PROFILE REQUIREMENT	40 - 75 microns	ACTUAL SURFACE PROFILE	50 - 70 microns		
DUST LEVEL	01	SALT TEST REQUIRED	Maximum 50 mg/m2	SALT TEST READING	25 mg/m2

PRIMER COATING

PRIMER PAINT/SHADE	Interzinc 22 / Gray	APP. METHOD	SPRAY	PRIMER DATE	20/03/2025
PAINT MANUFACTURER	AKZONOBEL INDIA	DFT RANGE	50 Microns	TIME	12:00 PM
PAINT BATCH NO. (BASE)	AKS345	MANUFACTURE DATE	09/01/2025	SHELF LIFE	6 MONTH
PAINT BATCH NO. (HARDNER)	Q0D4561				

SR. NO.	DRAWING NO.	REV	ASSEMBLY NUMBER	GRID NUMBER	GRID QTY	Average DFT	ACC/REJ
						PRIMER	
1	TCE-13282A-CV-2026-ST-30306-ASS-B4	0	B4	B4	2	50 - 55	ACC
2	TCE-13282A-CV-2026-ST-30306-ASS-B5	0	B5	B5	1	45 - 50	ACC

NOTE	PRIMER DFTs FOUND WITHIN THE REQUIREMENTS.				
	VISHAL QC			CLIENT / TPIA	
SIGN					
NAME	SHIVANG DIWAKAR				
DATE	20/03/2025				



VISHAL ENTERPRISE & VRISHAL ENGINEERING PRIVATE LIMITED GROUP OF COMPANIES

SURFACE PREPARATION & PRIMER PAINT INSPECTION REPORT

CLIENT	SURAJ ROSHNI	PROJECT	SURYA-25	REPORT NO.	VE/SURYA-25/STR/SP/1
WO/PO NO	898989890000	PROCEDURE NO.	VEPL/DCM/ITP/001	OFFER DATE	20/03/2025

WEATHER CONDITION

ACTIVITY	DATE PERFORMED	START TIME - 09:44				FINISH TIME- 11:44			
		SURFACE OR METAL TEMP °C	DEW POINT °C	RELATIVE HUMIDITY %	AMBIENT TEMP °C	SURFACE OR METAL TEMP °C	DEW POINT °C	RELATIVE HUMIDITY %	AMBIENT TEMP °C
Blasting / Surf. Prep.	20/03/2025	28	25	72	29	34	28	65	32
Primer Application	20/03/2025	35	28	66	33	36	29	62	34

SURFACE CONDITION

ORIGINAL STATUS	NON COATED	METAL CONDITION	SURFACE BEGUN TO RUST	METAL RUST GRADE	B
PAINT SYSTEM NO.	FABRICATED BEAM			BLASTING DATE	20/03/2025

SURFACE PREPARATION

BLASTING METHOD	CU-SLG - MANUAL	PREP. STANDARD	SA 2 1/2	ABRASIVE TYPE	CU-SLG
SURFACE PROFILE REQUIREMENT	40 - 75 microns	ACTUAL SURFACE PROFILE	50 - 70 microns		
DUST LEVEL	01	SALT TEST REQUIRED	Maximum 50 mg/m2	SALT TEST READING	25 mg/m2

PRIMER COATING

PRIMER PAINT/SHADE	Interzinc 22 / Gray	APP. METHOD	SPRAY	PRIMER DATE	20/03/2025
PAINT MANUFACTURER	AKZONOBEL INDIA	DFT RANGE	50 Microns	TIME	12:00 PM
PAINT BATCH NO. (BASE)	AKS345	MANUFACTURE DATE	09/01/2025	SHELF LIFE	6 MONTH
PAINT BATCH NO. (HARDNER)	Q0D4561				

SR. NO.	DRAWING NO.	REV	ASSEMBLY NUMBER	GRID NUMBER	GRID QTY	Average DFT	ACC/REJ
						PRIMER	
3	TCE-13282A-CV-2026-ST-30306-ASS-B6	0	B6	B6	1	47 - 60	ACC
4	TCE-13282A-CV-2026-ST-30306-ASS-B7	0	B7	B7	1	51 - 55	ACC

NOTE


PRIMER DFTs FOUND WITHIN THE REQUIREMENTS.

	VISHAL QC	CLIENT / TPIA
SIGN		
NAME	SHIVANG DIWAKAR	



DATE	20/03/2025	
VE-STR-16		

  <div style="text-align: center;"> VISHAL ENTERPRISE & VRISHAL ENGINEERING PRIVATE LIMITED GROUP OF COMPANIES </div>									
SURFACE PREPARATION & PRIMER PAINT INSPECTION REPORT									
CLIENT	SURAJ ROSHNI		PROJECT	SURYA-25		REPORT NO.	VE/SURYA-25/STR/SP/1		
WO/PO NO	898989890000		PROCEDURE NO.	VEPL/DCM/ITP/001		OFFER DATE	20/03/2025		
WEATHER CONDITION									
ACTIVITY	DATE PERFORMED	START TIME - 09:44				FINISH TIME- 11:44			
		SURFACE OR METAL TEMP °C	DEW POINT °C	RELATIVE HUMIDITY %	AMBIENT TEMP °C	SURFACE OR METAL TEMP °C	DEW POINT °C	RELATIVE HUMIDITY %	AMBIENT TEMP °C
Blasting / Surf. Prep.	20/03/2025	28	25	72	29	34	28	65	32
Primer Application	20/03/2025	35	28	66	33	36	29	62	34
SURFACE CONDITION									
ORIGINAL STATUS	NON COATED		METAL CONDITION		SURFACE BEGUN TO RUST	METAL RUST GRADE		B	
PAINT SYSTEM NO.	FABRICATED BEAM					BLASTING DATE		20/03/2025	
SURFACE PREPARATION									
BLASTING METHOD	CU-SLG - MANUAL		PREP. STANDARD		SA 2 1/2	ABRASIVE TYPE		CU-SLG	
SURFACE PROFILE REQUIREMENT	40 - 75 microns		ACTUAL SURFACE PROFILE		50 - 70 microns				
DUST LEVEL	01		SALT TEST REQUIRED		Maximum 50 mg/m2	SALT TEST READING		25 mg/m2	
PRIMER COATING									
PRIMER PAINT/SHADE	Interzinc 22 / Gray		APP. METHOD		SPRAY	PRIMER DATE		20/03/2025	
PAINT MANUFACTURER	AKZONOBEL INDIA		DFT RANGE		50 Microns	TIME		12:00 PM	
PAINT BATCH NO. (BASE)	AKS345		MANUFACTURE DATE		09/01/2025	SHELF LIFE		6 MONTH	
PAINT BATCH NO. (HARDNER)	Q0D4561								
SR. NO.	DRAWING NO.	REV	ASSEMBLY NUMBER	GRID NUMBER	GRID QTY	Average DFT		ACC/REJ	
						PRIMER			
5	TCE-13282A-CV-2026-ST-30306-ASS-B8	0	B8	B8	1	49 - 62		ACC	
6	TCE-13282A-CV-2026-ST-30306-ASS-B9	1	B9	B9-1	1	49 - 58		ACC	
NOTE	PRIMER DFTs FOUND WITHIN THE REQUIREMENTS.								
VISHAL QC					CLIENT / TPIA				
SIGN									



NAME	SHIVANG DIWAKAR	
DATE	20/03/2025	
VE-STR-16		

 		VISHAL ENTERPRISE & VRISHAL ENGINEERING PRIVATE LIMITED GROUP OF COMPANIES							
SURFACE PREPARATION & PRIMER PAINT INSPECTION REPORT									
CLIENT	SURAJ ROSHNI	PROJECT	SURYA-25			REPORT NO.	VE/SURYA-25/STR/SP/1		
WO/PO NO	898989890000	PROCEDURE NO.	VEPL/DCM/ITP/001			OFFER DATE	20/03/2025		
WEATHER CONDITION									
ACTIVITY	DATE PERFORMED	START TIME - 09:44				FINISH TIME- 11:44			
		SURFACE OR METAL TEMP °C	DEW POINT °C	RELATIVE HUMIDITY %	AMBIENT TEMP °C	SURFACE OR METAL TEMP °C	DEW POINT °C	RELATIVE HUMIDITY %	AMBIENT TEMP °C
Blasting / Surf. Prep.	20/03/2025	28	25	72	29	34	28	65	32
Primer Application	20/03/2025	35	28	66	33	36	29	62	34
SURFACE CONDITION									
ORIGINAL STATUS	NON COATED	METAL CONDITION	SURFACE BEGUN TO RUST			METAL RUST GRADE	B		
PAINT SYSTEM NO.	FABRICATED BEAM					BLASTING DATE	20/03/2025		
SURFACE PREPARATION									
BLASTING METHOD	CU-SLG - MANUAL	PREP. STANDARD	SA 2 1/2		ABRASIVE TYPE	CU-SLG			
SURFACE PROFILE REQUIREMENT	40 - 75 microns	ACTUAL SURFACE PROFILE	50 - 70 microns						
DUST LEVEL	01	SALT TEST REQUIRED	Maximum 50 mg/m2		SALT TEST READING	25 mg/m2			
PRIMER COATING									
PRIMER PAINT/SHADE	Interzinc 22 / Gray	APP. METHOD	SPRAY		PRIMER DATE	20/03/2025			
PAINT MANUFACTURER	AKZONOBEL INDIA	DFT RANGE	50 Microns		TIME	12:00 PM			
PAINT BATCH NO. (BASE)	AKS345	MANUFACTURE DATE	09/01/2025		SHELF LIFE	6 MONTH			
PAINT BATCH NO. (HARDNER)	Q0D4561								
SR. NO.	DRAWING NO.	REV	ASSEMBLY NUMBER	GRID NUMBER	GRID QTY	Average DFT		ACC/REJ	
						PRIMER			
7	TCE-13282A-CV-2026-ST-30306-ASS-B9	1	B9	B9-2	1	47 - 57		ACC	
8	TCE-13282A-CV-2026-ST-30306-ASS-B10	0	B10	B10-2	1	47 - 53		ACC	
NOTE	PRIMER DFTs FOUND WITHIN THE REQUIREMENTS.								
VISHAL QC					CLIENT / TPIA				



SIGN		
NAME	SHIVANG DIWAKAR	
DATE	20/03/2025	
VE-STR-16		

  <div style="text-align: center;"> VISHAL ENTERPRISE & VRISHAL ENGINEERING PRIVATE LIMITED GROUP OF COMPANIES </div>									
SURFACE PREPARATION & PRIMER PAINT INSPECTION REPORT									
CLIENT	SURAJ ROSHNI		PROJECT	SURYA-25		REPORT NO.	VE/SURYA-25/STR/SP/1		
WO/PO NO	898989890000		PROCEDURE NO.	VEPL/DCM/ITP/001		OFFER DATE	20/03/2025		
WEATHER CONDITION									
ACTIVITY	DATE PERFORMED	START TIME - 09:44				FINISH TIME- 11:44			
		SURFACE OR METAL TEMP °C	DEW POINT °C	RELATIVE HUMIDITY %	AMBIENT TEMP °C	SURFACE OR METAL TEMP °C	DEW POINT °C	RELATIVE HUMIDITY %	AMBIENT TEMP °C
Blasting / Surf. Prep.	20/03/2025	28	25	72	29	34	28	65	32
Primer Application	20/03/2025	35	28	66	33	36	29	62	34
SURFACE CONDITION									
ORIGINAL STATUS	NON COATED		METAL CONDITION	SURFACE BEGUN TO RUST		METAL RUST GRADE	B		
PAINT SYSTEM NO.	FABRICATED BEAM					BLASTING DATE	20/03/2025		
SURFACE PREPARATION									
BLASTING METHOD	CU-SLG - MANUAL		PREP. STANDARD	SA 2 1/2		ABRASIVE TYPE	CU-SLG		
SURFACE PROFILE REQUIREMENT	40 - 75 microns		ACTUAL SURFACE PROFILE	50 - 70 microns					
DUST LEVEL	01		SALT TEST REQUIRED	Maximum 50 mg/m2		SALT TEST READING	25 mg/m2		
PRIMER COATING									
PRIMER PAINT/SHADE	Interzinc 22 / Gray		APP. METHOD	SPRAY		PRIMER DATE	20/03/2025		
PAINT MANUFACTURER	AKZONOBEL INDIA		DFT RANGE	50 Microns		TIME	12:00 PM		
PAINT BATCH NO. (BASE)	AKS345		MANUFACTURE DATE	09/01/2025		SHELF LIFE	6 MONTH		
PAINT BATCH NO. (HARDNER)	Q0D4561								
SR. NO.	DRAWING NO.	REV	ASSEMBLY NUMBER	GRID NUMBER	GRID QTY	Average DFT		ACC/REJ	
						PRIMER			
9	TCE-13282A-CV-2026-ST-30306-ASS-B10	0	B10	B10-1	8	48 - 60		ACC	
10	TCE-13282A-CV-2026-ST-30306-ASS-B11	2	B11	B11	1	49 - 55		ACC	
NOTE	PRIMER DFTs FOUND WITHIN THE REQUIREMENTS.								



	VISHAL QC	CLIENT / TPIA
SIGN		
NAME	SHIVANG DIWAKAR	
DATE	20/03/2025	
VE-STR-16		

  <div style="text-align: center;"> VISHAL ENTERPRISE & VRISHAL ENGINEERING PRIVATE LIMITED GROUP OF COMPANIES </div>									
SURFACE PREPARATION & PRIMER PAINT INSPECTION REPORT									
CLIENT	SURAJ ROSHNI	PROJECT	SURYA-25	REPORT NO.	VE/SURYA-25/STR/SP/1				
WO/PO NO	898989890000	PROCEDURE NO.	VEPL/DCM/ITP/001	OFFER DATE	20/03/2025				
WEATHER CONDITION									
ACTIVITY	DATE PERFORMED	START TIME - 09:44				FINISH TIME- 11:44			
		SURFACE OR METAL TEMP °C	DEW POINT °C	RELATIVE HUMIDITY %	AMBIENT TEMP °C	SURFACE OR METAL TEMP °C	DEW POINT °C	RELATIVE HUMIDITY %	AMBIENT TEMP °C
Blasting / Surf. Prep.	20/03/2025	28	25	72	29	34	28	65	32
Primer Application	20/03/2025	35	28	66	33	36	29	62	34
SURFACE CONDITION									
ORIGINAL STATUS	NON COATED	METAL CONDITION	SURFACE BEGUN TO RUST		METAL RUST GRADE	B			
PAINT SYSTEM NO.	FABRICATED BEAM				BLASTING DATE	20/03/2025			
SURFACE PREPARATION									
BLASTING METHOD	CU-SLG - MANUAL	PREP. STANDARD	SA 2 1/2		ABRASIVE TYPE	CU-SLG			
SURFACE PROFILE REQUIREMENT	40 - 75 microns	ACTUAL SURFACE PROFILE	50 - 70 microns						
DUST LEVEL	01	SALT TEST REQUIRED	Maximum 50 mg/m2		SALT TEST READING	25 mg/m2			
PRIMER COATING									
PRIMER PAINT/SHADE	Interzinc 22 / Gray	APP. METHOD	SPRAY		PRIMER DATE	20/03/2025			
PAINT MANUFACTURER	AKZONOBEL INDIA	DFT RANGE	50 Microns		TIME	12:00 PM			
PAINT BATCH NO. (BASE)	AKS345	MANUFACTURE DATE	09/01/2025		SHELF LIFE	6 MONTH			
PAINT BATCH NO. (HARDNER)	Q0D4561								
SR. NO.	DRAWING NO.	REV	ASSEMBLY NUMBER	GRID NUMBER	GRID QTY	Average DFT		ACC/REJ	
						PRIMER			
11	TCE-13282A-CV-2026-ST-30306-ASS-B12	2	B12	B12	1	50 - 60		ACC	
12	TCE-13282A-CV-2026-ST-30306-ASS-B13	2	B13	B13	1	48 - 56		ACC	

NOTE	PRIMER DFTs FOUND WITHIN THE REQUIREMENTS.	
	VISHAL QC	CLIENT / TPIA
SIGN		
NAME	SHIVANG DIWAKAR	
DATE	20/03/2025	
VE-STR-16		

  <div style="text-align: center;"> VISHAL ENTERPRISE & VRISHAL ENGINEERING PRIVATE LIMITED GROUP OF COMPANIES </div>									
SURFACE PREPARATION & PRIMER PAINT INSPECTION REPORT									
CLIENT	SURAJ ROSHNI	PROJECT	SURYA-25	REPORT NO.	VE/SURYA-25/STR/SP/1				
WO/PO NO	898989890000	PROCEDURE NO.	VEPL/DCM/ITP/001	OFFER DATE	20/03/2025				
WEATHER CONDITION									
ACTIVITY	DATE PERFORMED	START TIME - 09:44				FINISH TIME- 11:44			
		SURFACE OR METAL TEMP °C	DEW POINT °C	RELATIVE HUMIDITY %	AMBIENT TEMP °C	SURFACE OR METAL TEMP °C	DEW POINT °C	RELATIVE HUMIDITY %	AMBIENT TEMP °C
Blasting / Surf. Prep.	20/03/2025	28	25	72	29	34	28	65	32
Primer Application	20/03/2025	35	28	66	33	36	29	62	34
SURFACE CONDITION									
ORIGINAL STATUS	NON COATED	METAL CONDITION	SURFACE BEGUN TO RUST		METAL RUST GRADE	B			
PAINT SYSTEM NO.	FABRICATED BEAM				BLASTING DATE	20/03/2025			
SURFACE PREPARATION									
BLASTING METHOD	CU-SLG - MANUAL	PREP. STANDARD	SA 2 1/2	ABRASIVE TYPE	CU-SLG				
SURFACE PROFILE REQUIREMENT	40 - 75 microns	ACTUAL SURFACE PROFILE	50 - 70 microns						
DUST LEVEL	01	SALT TEST REQUIRED	Maximum 50 mg/m2	SALT TEST READING	25 mg/m2				
PRIMER COATING									
PRIMER PAINT/SHADE	Interzinc 22 / Gray	APP. METHOD	SPRAY	PRIMER DATE	20/03/2025				
PAINT MANUFACTURER	AKZONOBEL INDIA	DFT RANGE	50 Microns	TIME	12:00 PM				
PAINT BATCH NO. (BASE)	AKS345	MANUFACTURE DATE	09/01/2025	SHELF LIFE	6 MONTH				
PAINT BATCH NO. (HARDNER)	Q0D4561								
SR. NO.	DRAWING NO.	REV	ASSEMBLY NUMBER	GRID NUMBER	GRID QTY	Average DFT		ACC/REJ	
						PRIMER			
13	TCE-13282A-CV-2026-ST-30306-ASS-B14	2	B14	B14-2	1	52 - 59		ACC	



14	TCE-13282A-CV-2026-ST-30306-ASS-B14	2	B14	B14-1	4	55 - 59	ACC
NOTE	PRIMER DFTs FOUND WITHIN THE REQUIREMENTS.						
	VISHAL QC			CLIENT / TPIA			
SIGN							
NAME	SHIVANG DIWAKAR						
DATE	20/03/2025						
VE-STR-16							

  <div style="text-align: center;"> VISHAL ENTERPRISE & VRISHAL ENGINEERING PRIVATE LIMITED GROUP OF COMPANIES </div>									
SURFACE PREPARATION & PRIMER PAINT INSPECTION REPORT									
CLIENT	SURAJ ROSHNI		PROJECT	SURYA-25		REPORT NO.	VE/SURYA-25/STR/SP/1		
WO/PO NO	898989890000		PROCEDURE NO.	VEPL/DCM/ITP/001		OFFER DATE	20/03/2025		
WEATHER CONDITION									
ACTIVITY	DATE PERFORMED	START TIME - 09:44				FINISH TIME- 11:44			
		SURFACE OR METAL TEMP °C	DEW POINT °C	RELATIVE HUMIDITY %	AMBIENT TEMP °C	SURFACE OR METAL TEMP °C	DEW POINT °C	RELATIVE HUMIDITY %	AMBIENT TEMP °C
Blasting / Surf. Prep.	20/03/2025	28	25	72	29	34	28	65	32
Primer Application	20/03/2025	35	28	66	33	36	29	62	34
SURFACE CONDITION									
ORIGINAL STATUS	NON COATED		METAL CONDITION	SURFACE BEGUN TO RUST		METAL RUST GRADE	B		
PAINT SYSTEM NO.	FABRICATED BEAM					BLASTING DATE	20/03/2025		
SURFACE PREPARATION									
BLASTING METHOD	CU-SLG - MANUAL		PREP. STANDARD	SA 2 1/2		ABRASIVE TYPE	CU-SLG		
SURFACE PROFILE REQUIREMENT	40 - 75 microns		ACTUAL SURFACE PROFILE	50 - 70 microns					
DUST LEVEL	01		SALT TEST REQUIRED	Maximum 50 mg/m2		SALT TEST READING	25 mg/m2		
PRIMER COATING									
PRIMER PAINT/SHADE	Interzinc 22 / Gray		APP. METHOD	SPRAY		PRIMER DATE	20/03/2025		
PAINT MANUFACTURER	AKZONOBEL INDIA		DFT RANGE	50 Microns		TIME	12:00 PM		
PAINT BATCH NO. (BASE)	AKS345		MANUFACTURE DATE	09/01/2025		SHELF LIFE	6 MONTH		
PAINT BATCH NO. (HARDNER)	Q0D4561								
SR. NO.	DRAWING NO.	REV	ASSEMBLY NUMBER	GRID NUMBER	GRID QTY	Average DFT		ACC/REJ	
						PRIMER			

15	TCE-13282A-CV-2026-ST-30306-ASS-B14	2	B14	B14-3	3	53 - 59	ACC
16	TCE-13282A-CV-2026-ST-30306-ASS-B21	1	B21	B21-1	5	54 - 62	ACC
NOTE	PRIMER DFTs FOUND WITHIN THE REQUIREMENTS.						
	VISHAL QC			CLIENT / TPIA			
SIGN							
NAME	SHIVANG DIWAKAR						
DATE	20/03/2025						
VE-STR-16							

<div style="display: flex; align-items: center; justify-content: space-between;"> <div style="display: flex; align-items: center;"> </div> <div style="text-align: center;"> <h2 style="margin: 0;">VISHAL ENTERPRISE & VRISHAL ENGINEERING PRIVATE LIMITED</h2> <h3 style="margin: 0;">GROUP OF COMPANIES</h3> </div> </div>									
SURFACE PREPARATION & PRIMER PAINT INSPECTION REPORT									
CLIENT	SURAJ ROSHNI		PROJECT	SURYA-25		REPORT NO.	VE/SURYA-25/STR/SP/1		
WO/PO NO	898989890000		PROCEDURE NO.	VEPL/DCM/ITP/001		OFFER DATE	20/03/2025		
WEATHER CONDITION									
ACTIVITY	DATE PERFORMED	START TIME - 09:44				FINISH TIME- 11:44			
		SURFACE OR METAL TEMP °C	DEW POINT °C	RELATIVE HUMIDITY %	AMBIENT TEMP °C	SURFACE OR METAL TEMP °C	DEW POINT °C	RELATIVE HUMIDITY %	AMBIENT TEMP °C
Blasting / Surf. Prep.	20/03/2025	28	25	72	29	34	28	65	32
Primer Application	20/03/2025	35	28	66	33	36	29	62	34
SURFACE CONDITION									
ORIGINAL STATUS	NON COATED		METAL CONDITION	SURFACE BEGUN TO RUST		METAL RUST GRADE	B		
PAINT SYSTEM NO.	FABRICATED BEAM					BLASTING DATE	20/03/2025		
SURFACE PREPARATION									
BLASTING METHOD	CU-SLG - MANUAL		PREP. STANDARD	SA 2 1/2		ABRASIVE TYPE	CU-SLG		
SURFACE PROFILE REQUIREMENT	40 - 75 microns		ACTUAL SURFACE PROFILE	50 - 70 microns					
DUST LEVEL	01		SALT TEST REQUIRED	Maximum 50 mg/m2		SALT TEST READING	25 mg/m2		
PRIMER COATING									
PRIMER PAINT/SHADE	Interzinc 22 / Gray		APP. METHOD	SPRAY		PRIMER DATE	20/03/2025		
PAINT MANUFACTURER	AKZONOBEL INDIA		DFT RANGE	50 Microns		TIME	12:00 PM		
PAINT BATCH NO. (BASE)	AKS345		MANUFACTURE DATE	09/01/2025		SHELF LIFE	6 MONTH		
PAINT BATCH NO. (HARDNER)	Q0D4561								
SR. NO.	DRAWING NO.		REV	ASSEMBLY NUMBER	GRID NUMBER	GRID QTY	Average DFT		ACC/REJ

						PRIMER	
17	TCE-13282A-CV-2026-ST-30306-ASS-B21	1	B21	B21-2	6	49 - 58	ACC
18	TCE-13282A-CV-2026-ST-30306-ASS-B23	1	B23	B23	2	53 - 60	ACC
NOTE	PRIMER DFTs FOUND WITHIN THE REQUIREMENTS.						
	VISHAL QC			CLIENT / TPIA			
SIGN							
NAME	SHIVANG DIWAKAR						
DATE	20/03/2025						
VE-STR-16							

  <div style="text-align: center;"> VISHAL ENTERPRISE & VRISHAL ENGINEERING PRIVATE LIMITED GROUP OF COMPANIES </div>									
SURFACE PREPARATION & PRIMER PAINT INSPECTION REPORT									
CLIENT	SURAJ ROSHNI		PROJECT	SURYA-25		REPORT NO.	VE/SURYA-25/STR/SP/1		
WO/PO NO	898989890000		PROCEDURE NO.	VEPL/DCM/ITP/001		OFFER DATE	20/03/2025		
WEATHER CONDITION									
ACTIVITY	DATE PERFORMED	START TIME - 09:44				FINISH TIME- 11:44			
		SURFACE OR METAL TEMP °C	DEW POINT °C	RELATIVE HUMIDITY %	AMBIENT TEMP °C	SURFACE OR METAL TEMP °C	DEW POINT °C	RELATIVE HUMIDITY %	AMBIENT TEMP °C
Blasting / Surf. Prep.	20/03/2025	28	25	72	29	34	28	65	32
Primer Application	20/03/2025	35	28	66	33	36	29	62	34
SURFACE CONDITION									
ORIGINAL STATUS	NON COATED	METAL CONDITION	SURFACE BEGUN TO RUST		METAL RUST GRADE	B			
PAINT SYSTEM NO.	FABRICATED BEAM					BLASTING DATE	20/03/2025		
SURFACE PREPARATION									
BLASTING METHOD	CU-SLG - MANUAL	PREP. STANDARD	SA 2 1/2		ABRASIVE TYPE	CU-SLG			
SURFACE PROFILE REQUIREMENT	40 - 75 microns	ACTUAL SURFACE PROFILE	50 - 70 microns						
DUST LEVEL	01	SALT TEST REQUIRED	Maximum 50 mg/m2		SALT TEST READING	25 mg/m2			
PRIMER COATING									
PRIMER PAINT/SHADE	Interzinc 22 / Gray	APP. METHOD	SPRAY		PRIMER DATE	20/03/2025			
PAINT MANUFACTURER	AKZONOBEL INDIA	DFT RANGE	50 Microns		TIME	12:00 PM			
PAINT BATCH NO. (BASE)	AKS345	MANUFACTURE DATE	09/01/2025		SHELF LIFE	6 MONTH			
PAINT BATCH NO. (HARDNER)	Q0D4561								

SR. NO.	DRAWING NO.	REV	ASSEMBLY NUMBER	GRID NUMBER	GRID QTY	Average DFT	ACC/REJ
						PRIMER	
19	TCE-13282A-CV-2026-ST-30306-ASS-B43	1	B43	B43	1	52 - 64	ACC
20	TCE-13282A-CV-2026-ST-30306-ASS-B44	1	B44	B44	1	51 - 57	ACC
NOTE	PRIMER DFTs FOUND WITHIN THE REQUIREMENTS.						
	VISHAL QC			CLIENT / TPIA			
SIGN							
NAME	SHIVANG DIWAKAR						
DATE	20/03/2025						
VE-STR-16							