

# STAT 592: Project 3

Rumil Legaspi, Rumil.legaspi@gmail.com      Efe Umukoro, Eumukoro20@apu.edu  
Solange Ebobisse Mapenya, bebobissemapenya20@apu.edu

4/28/2021

## Contents

<b>Background &amp; Objective</b>	<b>1</b>
Our dataset is comprised of <i>522 total transactions</i> from home sales during the year 2002. . . . .	2
<b>Part 1 - Regression using a Dummy Variable</b>	<b>2</b>
1a. Estimated regression equation from regressing sales price on swimming pool only. . . . .	2
1b. Interpretation of estimated intercept and slope. . . . .	2
Intercept: $B_0 = 272396$ . . . . .	2
Slope: $B_1 = 79724$ . . . . .	2
1c. Hypothesis test on the significance of the slope coefficient. . . . .	3
<b>Part 2 - Fitting a MLR model with the Interaction Term of a Dummy and Continuous Variable</b>	<b>3</b>
2a. Regressing sales price on the (1)swimming pool dummy variable, (2)area of residence, and the (3)interaction between these two variables. . . . .	3
2b. Plotting Fitted regression lines . . . . .	4
2c. Testing if the two regression lines are parallel. . . . .	5
<b>Part 3 - MLR Only with the Interaction of Dummy Variables</b>	<b>5</b>
3a. Fitting a MLR on both Swimming Pool and AC dummy variables and find the estimated regression equation. . . . .	6
3c. Calculating estimated mean sales prices for 4 types of properties: . . . . .	6

## Background & Objective

Given that a city tax assessor is interested in predicting residential home sales prices in a midwestern city with various characteristics, we will be conducting a **multiple linear regression analysis (MLR)** from the Real Estate Sales (APPENC07) dataset from 2002. We aim to observe and predict the relationships using the given features, *square feet*, the absence or presence of a *swimming pool* and *air conditioning*, and our response variable as *house sales price*.

Our dataset is comprised of *522 total transactions* from home sales during the year 2002.

```
## # A tibble: 6 x 4
##   sales_price square_feet swimming_pool air_conditioning
##       <int>      <int>      <int>      <int>
## 1     360000       3032         0         1
## 2     340000       2058         0         1
## 3     250000       1780         0         1
## 4     205500       1638         0         1
## 5     275500       2196         0         1
## 6     248000       1966         1         1
```

## Part 1 - Regression using a Dummy Variable

1a. Estimated regression equation from regressing sales price on swimming pool only.

```
##
## Call:
## lm(formula = sales_price ~ swimming_pool, data = house_data)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -188396  -94396  -46896   52604  647604
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept)    272396      6195   43.97 < 2e-16 ***
## swimming_pool    79724     23589    3.38  0.00078 ***
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 136600 on 520 degrees of freedom
## Multiple R-squared:  0.02149,    Adjusted R-squared:  0.01961
## F-statistic: 11.42 on 1 and 520 DF,  p-value: 0.0007799
```

Estimated Regression model:

$$\hat{Y} = 272396 + 79724X$$

1b. Interpretation of estimated intercept and slope.

**Intercept:**  $B_0 = 272396$

The estimated mean Y-value when  $X = 0$  (reference/baseline group) is 272396. When put in context, the mean sales price of a house when the property **does not** contain a swimming pool is estimated to be \$272,396.

**Slope:**  $B_1 = 79724$

The slope of 79724 in our model indicates the change for the sales price of a property **containing** a swimming pool, **relative** to a property **without** a swimming pool to be \$352,120.

The calculations of these coefficients can be represented in this table.

Table 1: Property Sales Price With & Without Swimming Pool

$\hat{Y} = B_0 + B_1X_1$	Swimming Pool = No	Swimming Pool = Yes
$\hat{Y} = 77.375 + 8.750X$	$\hat{Y} = 272396 + 79724(0)$ $= 272396$	$\hat{Y} = 272396 + 79724(1)$ $= 272396 + 79724$
<b>Estimated Mean Sales Price</b>	<b>\$272,396</b>	<b>\$352,120</b>

### 1c. Hypothesis test on the significance of the slope coefficient.

Using a significance level of  $\alpha = 0.05$ .

**Null Hypothesis:**  $H_0: \beta_j = 0$  (slopes are showing no change),  $X_j$  is not linearly associated with Y, therefore the partial slope is not significant.

**Alternative Hypothesis:**  $H_1: \beta_j \neq 0$  (slopes are showing change),  $X_j$  is linearly associated with Y, therefore the partial slope is significant.

Testing the significance of a property **with** a swimming pool ( $\hat{\beta}_1 = 79724$ )

Conclusion and Decision Rule using p-value:

Because the **p-value** for having a swimming pool is [1] 0.00078 and is significantly smaller than  $\alpha = 0.05$ , we reject our NULL hypothesis and conclude that our partial slope, that a property **containing** a swimming pool in reference to one **without a swimming pool**, shows statistical significance in our model.

## Part 2 - Fitting a MLR model with the Interaction Term of a Dummy and Continuous Variable

2a. Regressing sales price on the (1)swimming pool dummy variable, (2)area of residence, and the (3)interaction between these two variables.

```
##
## Call:
## lm(formula = sales_price ~ swimming_pool + square_feet + swimming_pool *
##     square_feet, data = house_data)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -247193  -40579   -7542   24476  384051
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept)    -88538.996   12063.237   -7.340 8.34e-13 ***
## swimming_pool    105909.972   47262.735    2.241  0.0255 *
## square_feet       161.910     5.168   31.331 < 2e-16 ***
## swimming_pool:square_feet   -37.213     17.102   -2.176  0.0300 *
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 78890 on 518 degrees of freedom
```

```
## Multiple R-squared:  0.6747, Adjusted R-squared:  0.6728
## F-statistic: 358.1 on 3 and 518 DF,  p-value: < 2.2e-16
```

Estimated regression equation for each kind of property:

$$\hat{Y} = -88538.996 + 105909.972X + 161.910Y - 37.213(X * Y)$$

*note variables:*

**X** = Swimming pool

**Y** = Square feet


**X \* Y** = Interaction of swimming pool and square feet

Table 2: Calculating Estimated Regression Equations for Properties With and Without Pools

$\hat{Y} = B_0 + B_1X + B_2Y + B_3(X * Y)$	Swimming Pool = No	Swimming Pool = Yes
$\hat{Y} = -88538.996 + 105909.972X + 161.910Y - 37.213(X * Y)$	$\hat{Y} = -88538.996 + 105909.972(0) + 161.910Y - 37.213(0 * Y)$ $= -88538.996 + 161.910Y$	$\hat{Y} = -88538.996 + 105909.972(1) + 161.910Y - 37.213(1 * Y)$ $= -88538.996 + 105909.972 + 161.910Y - 37.213(Y)$ $= 17370.976 + 124.697Y$
<b>Estimated Regression Equations</b>	$= -88538.996 + 161.910Y$	$= 17370.976 + 124.697Y$

## 2b. Plotting Fitted regression lines

```
## 'geom_smooth()' using formula 'y ~ x'
```



To find the value at which these two lines intersect algebraically by can setting equal to one another, solving for one variable then plugging that back into the equation to get the other variable to obtain the coordinates.

The point of intersection of these two lines are when the values of: **Square feet is 2846.04 and sales price = 372264.58.**

## 2c. Testing if the two regression lines are parallel.

Using a significance level of  $\alpha = 0.05$ .

Null Hypothesis:  $H_0: \beta_c = 0$  Partial slope of the interaction is 0.

Alternative Hypothesis:  $H_1: \beta_c \neq 0$  Partial slope of the interaction is not 0.

Testing the significance of a property **with** a swimming pool ( $\hat{\beta}_3 = -37.213$ )

Conclusion and Decision Rule using p-value:

Looking at our model summary, we see that the p-value of our interaction term is [1]0.0300 which means we **reject** NULL hypothesis and **\*\*\*conclude** with our alternative hypothesis and that our regression lines are not parallel and a relationship exists between the two lines (because the interaction coefficient is not 0).

## Part 3 - MLR Only with the Interaction of Dummy Variables

### 3a. Fitting a MLR on both Swimming Pool and AC dummy variables and find the estimated regression equation.

```
##
## Call:
## lm(formula = sales_price ~ swimming_pool + (air_conditioning) +
##     swimming_pool * air_conditioning, data = house_data)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -181752  -92704  -35504   44546  629546
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept)    189578.2    14087.8   13.457 < 2e-16 ***
## swimming_pool      421.8    132154.9   0.003    0.997
## air_conditioning  100875.8    15548.0   6.488 2.03e-10 ***
## swimming_pool:air_conditioning  65876.5    134169.7   0.491    0.624
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 131400 on 518 degrees of freedom
## Multiple R-squared:  0.09756,    Adjusted R-squared:  0.09233
## F-statistic: 18.67 on 3 and 518 DF,  p-value: 1.642e-11

## # A tibble: 1 x 1
##       n
##   <int>
## 1     36

## # A tibble: 1 x 1
##       n
##   <int>
## 1    486
```

Estimated regression equation for each kind of property:

$$\hat{Y} = 189578.2 + 421.8X + 100875.8Z - 65876.5(X * Z)$$

*note variables:*

**X** = Swimming pool

**Z** = Air conditioning

**X \* Z** = Interaction of swimming pool and air conditioning

### 3c. Calculating estimated mean sales prices for 4 types of properties:

1. No swimming pool and no AC

```
## [1] 189578.2
```

The estimated mean sales price of a property without a swimming pool and AC is \$189,578.2.

2. No swimming pool and has AC

## [1] 290454

The estimated mean sales price of a property without a swimming pool but has AC is \$290,454.

3. Has swimming pool and no AC

## [1] 190000

The estimated mean sales price of a property with a swimming pool and no AC is \$190,000.

4. Has swimming pool and has AC

## [1] 356752.3

The estimated mean sales price of a property with a swimming pool and AC is \$356,752.3.