

Politecnico di Milano  
A.A. 2015-2016  
Software Engineering 2: “TAXInseconds”  
**R**equirements **A**nalysis and **S**pecifications  
**D**ocument

Roberto Clapis, Erica Stella

October 26, 2015

# Contents

<b>1</b>	<b>Introduction</b>	<b>3</b>
1.1	Purpose . . . . .	3
1.2	Actual System . . . . .	3
1.3	Scope . . . . .	3
1.4	Goals . . . . .	4
1.5	Definition and Acronyms . . . . .	4
1.5.1	Definitions . . . . .	4
1.5.2	Acronyms . . . . .	4
1.6	Actors . . . . .	5
1.7	References . . . . .	5
1.8	Overview . . . . .	5
<b>2</b>	<b>Overall description</b>	<b>5</b>
2.1	Product perspective . . . . .	5
2.1.1	System interfaces . . . . .	6
2.1.2	User Interfaces . . . . .	6
2.1.3	Hardware Interfaces . . . . .	6
2.1.4	Software Interfaces . . . . .	6
2.1.5	Communication Interfaces . . . . .	6
2.1.6	Operations . . . . .	6
2.2	Product functions . . . . .	6
2.3	User characteristics . . . . .	6
2.4	Constraints . . . . .	6
2.5	Assumptions and dependencies . . . . .	6
2.5.1	Domain Assumptions . . . . .	6
<b>3</b>	<b>Specific requirements</b>	<b>6</b>
3.1	Functional Requirements . . . . .	6
3.2	Non functional requirements . . . . .	6

# 1 Introduction

## 1.1 Purpose

This document represents the Requirement Analysis and Specification Document (RASD). It aims at explaining the application domain of the system to be developed and the system itself in terms of functional requirements, nonfunctional requirements and constraints. It also provides several models of the system and typical use cases. It is intended for all the developers who will have to implement the system, the testers who will have to determine if the requirements have been met and the system analysts who will have to write specifications for other systems that will relate to this one. It is also intended as a contractual basis thus being legally binding.

## 1.2 Actual System

The government of the city wants to optimise its taxi service with a completely new application. Therefore, we assume there are no previous systems to take into account.

## 1.3 Scope

The aim of the project TAXINSECONDS is to provide a new application to optimise the taxi service of the city.

The application will be available to the users in web and mobile forms and will have public APIs in order to expand and improve the service with additional features.

The city managed by TAXINSECONDS is divided in zones of 2 km and each and every zone has its own queue of taxis. The queues are automatically computed by the system with the information it receives from the GPS of the taxis. When a taxi driver changes her state from not available to available the system automatically adds her to the queue of the zone she is currently in, based on the information of the GPS of the taxi.

Users that are not registered can only see the estimated time of arrival of the nearest taxi with TAXINSECONDS.

Registered users can also request a taxi or make a reservation for a taxi. Reservations can only be made at least two hours before the ride and must be done specifying the starting location, the destination and the meeting time. Requests, instead, only need the starting location and the destination.

When a request is made the first taxi driver of the queue of the starting location's zone is notified for accepting or rejecting the request. If a taxi driver rejects a request her state is put on unavailable until her changes it back to available. [PROMPT FOR CHANGE STATE?] If a taxi driver doesn't accept or refuse a request within 1 minute, the request will be passed on to the next taxi driver in the queue and the first one will be moved to the end of the queue. If there are no available taxis in the zone of the request the system will propa-

gate the request to the closest not empty queue.

When a request is accepted the registered user that has made the request receives a notification from the system informing her of the code of the incoming taxi and the estimated waiting time.

When a reservation is made, the system confirms it to the user and allocates a taxi 10 minutes before the meeting time. If a taxi for that zone is not available the request is then handled by finding the closest available taxi.

If in any kind of call a taxi does not reach the client's location in an amount of time determined by the system using traffic and position information the call is by default cancelled without penalties and both parts are notified.

## **1.4 Goals**

- Provide an easy way to request a taxi.
- Provide an easy way to reserve a taxi.
- Guarantee a fair management of the taxis queue.

## **1.5 Definition and Acronyms**

### **1.5.1 Definitions**

- registered user
- guest
- administrator
- request
- reservation
- state of a taxi driver
- meeting time
- nearest taxi

### **1.5.2 Acronyms**

- ETA: estimated time of arrival: the time, estimated by the system, that the nearest taxi to the location of the call will take to get to the client's position.

## 1.6 Actors

- Taxi drivers: after successfully logging in, taxi drivers are able to set their current state as available or not and to accept or refuse requests.
- Users: user are able to login or to ask the system for an ETA.
- Registered users: after successfully logging in, registered users can request or reserve taxis.

## 1.7 References

## 1.8 Overview

This document is structured in three parts:

- Introduction: gives an high-level description of the software purposes and context.
- Overall Description: gives a general description of the application, focusing on the context of the system, going in details about domain assumptions and constraint. The aim of this section is to provide a context to the whole project and show its integration with the real world.
- Specific Requirements: this section contains all of the software requirements to a level of detail aimed to be enough to design a system to satisfy the said requirements, and testers to test that the system actually satisfies them. It also contains the detailed description of the possible interactions between the system and the world with a simulation and preview of the expected response of the system with given stimulation. (Details are given with Alloy specifications and UML diagrams)

# 2 Overall description

## 2.1 Product perspective

The TAXINSECONDS application will be released as a web application and as a mobile application. There are no existing systems to integrate it with.

It will provide a total of 4 main interfaces:

- for the users in both the
  - registered user mode
  - guest mode
- for taxi drivers
- for administrators
- a lower level interface for APIs

#### **2.1.1 System interfaces**

#### **2.1.2 User Interfaces**

#### **2.1.3 Hardware Interfaces**

#### **DOPO NEI REQUIREMENTS**

#### **2.1.4 Software Interfaces**

#### **2.1.5 Communication Interfaces**

#### **2.1.6 Operations**

### **2.2 Product functions**

### **2.3 User characteristics**

### **2.4 Constraints**

### **2.5 Assumptions and dependencies**

#### **2.5.1 Domain Assumptions**

- All taxi drivers who intend to use the service will have a mobile phone with one of the supported mobile OSs
- All taxi drivers will have a phone with GPS functionality
- The taxi drivers will have to grant the system the rights to handle their taxi codes
- Taxi drivers' phones will have an internet connection
- Clients will have access to the internet and a device with GPS integrated
- When accessing from the website the clients will have to grant permission to the application to read the device's position
- 

## **3 Specific requirements**

### **3.1 Functional Requirements**

- 

### **3.2 Non functional requirements**

-