
## Binary Choice Analysis

Robert Hickman 22 February 2018

```
monkey <- "Ulysses"
today <- "06-Mar-2018"
look_back <- "27-Feb-2018"

start_trial <- 0
stop_trial <- "all"</pre>
```



p2





2018-02-27 2018-02-28 2018-03-01 2018-03-02 2018-03-05 2018-03-06 2 3 5 4 6 1.00 bundle\_position 0.50 0.25 0.00 juice\_ 0.40 0.35 \_offerec Block 0.30 0.25 value 300 • 5 200 100 1.25 water\_offered 1.00 0.75 0.50  $0.00 \quad 0.25 \quad 0.50 \quad 0.75 \quad 1.000.00 \quad 0.25 \quad 0.50 \quad 0.75 \quad 1.000.00 \quad 0.25 \quad 0.50 \quad 0.75$ 1.000.00 0.25 0.50 0.75 1.000.00 0.25 0.50 0.75

bundle\_distance

```
##
## Call:
   glm(formula = fractal_choice ~ bundle_position + water_offered +
       juice_offered + trial + date, family = "binomial", data = task_data)
##
## Deviance Residuals:
##
       Min
                 10
                      Median
                                   3Q
                                           Max
## -2.6769 -0.5648 -0.1797
                               0.5069
                                         2.8728
##
## Coefficients:
                     Estimate Std. Error z value Pr(>|z|)
##
## (Intercept)
                    5.111e+03 6.207e+02
                                           8.235 < 2e-16 ***
## bundle position -1.100e+00
                               1.714e-01
                                          -6.421 1.36e-10 ***
## water_offered
                    5.389e+00
                               3.342e-01
                                          16.123 < 2e-16 ***
## juice_offered
                    1.518e+01
                               1.075e+00
                                          14.113
                                                  < 2e-16 ***
## trial
                   -3.388e-04 1.068e-03
                                          -0.317
                                                     0.751
## date
                   -2.911e-01 3.529e-02 -8.247 < 2e-16 ***
## ---
```

```
## Signif. codes: 0 '***' 0.001 '**' 0.05 '.' 0.1 ' ' 1
##
## (Dispersion parameter for binomial family taken to be 1)
##
       Null deviance: 1641.17 on 1244 degrees of freedom
## Residual deviance: 927.74 on 1239 degrees of freedom
     (564 observations deleted due to missingness)
## AIC: 939.74
## Number of Fisher Scoring iterations: 6
#generate a model of likelihood to choice for the fractal dependent on it's position,
#value and associated water
model <- glm(data = dplyr::filter(task_data, block_no == max(block_no)),</pre>
             fractal_choice ~ bundle_position + water_offered + juice_offered + trial + date,
             family = "binomial")
#summarise the parameters
summary(model)
##
## Call:
## glm(formula = fractal choice ~ bundle position + water offered +
       juice_offered + trial + date, family = "binomial", data = dplyr::filter(task_data,
##
       block_no == max(block_no)))
##
## Deviance Residuals:
       Min
                   1Q
                        Median
                                       30
                                               Max
## -2.04710 -0.31333 -0.06311
                                 0.16525
                                            2.90132
##
## Coefficients: (1 not defined because of singularities)
##
                     Estimate Std. Error z value Pr(>|z|)
## (Intercept)
                               2.376021 -6.761 1.37e-11 ***
                   -16.064051
## bundle_position -1.725178 0.534221 -3.229 0.00124 **
## water_offered
                     9.612820
                               1.436255
                                          6.693 2.19e-11 ***
## juice_offered
                   23.298627
                               3.924487
                                          5.937 2.91e-09 ***
## trial
                     0.005185
                               0.003565
                                          1.454 0.14585
## date
                           NA
                                     NA
                                             NA
                                                      NA
## Signif. codes: 0 '***' 0.001 '**' 0.05 '.' 0.1 ' ' 1
## (Dispersion parameter for binomial family taken to be 1)
##
       Null deviance: 285.77 on 231 degrees of freedom
## Residual deviance: 109.20 on 227 degrees of freedom
     (51 observations deleted due to missingness)
## AIC: 119.2
## Number of Fisher Scoring iterations: 7
рЗ
```





<sub>0.50</sub> <sub>0.75</sub> water offered (ml)


0.50

p5

0.00

0.25

0.50



0.50 0.75 water offered (ml)


0.50

1.00

1.25

р6

Today's Monkey Bundle Choice Binoimial Curves



**p**7

## Monkey Trial Progression and Bias

Ulysses : 27-Feb-2018 - 06-Mar-2018

