
Binary Choice Analysis

Robert Hickman

Data shown for:


date
[1] "11-Dec-2017"
monkey
[1] "Ulysses"
#plot p1
p1

Monkey Bid Positions on Binary Choice Task




Graph of choices for each block. Circles indicate bid selecting the bundle, squares are bid selecting the budget. A fractal bid position of 1 means that the bundle is on the left hand side of the screen. Bids range from -1 (all the way to the left) to 1 (all the way to the right)






Graph showing all choices and how far away they are from the edge of the screen on the bundle side. 0 indicates full movement to the bundle side of the screen and 1 represent full movement away. Count is over all blocks for all values of the fractal (in ml of juice).





11-Dec-2017; Ulysses; 4 blocks



Graphs of various factors against the distance from the bundle side of the screen the monkey bids.


A bundle position of 1 indicates that the bundle is on the left hand side of the screen. A bundle water percentage of 1 indicates that the bundle contains no water [CHECK THIS- PRETTY SURE ITS CORRECT], whereas zero means it contains the full 1.2ml. Offer values of 1, 2, and 3 represent 0.15ml, 0.45ml, and 0.75mls of apple and mango juice (150ml in 950ml of water).

Fit lines use LOESS method.

```
#generate a model of likelihood to bid for the fractal dependent on it's position,
#value and associated water
model <- glm(data = task_data,</pre>
            fractal_bid ~ bundle_position + bundle_water_perc + offer_value + trial,
            family = "binomial")
#summarise the parameters
summary(model)
##
## Call:
## glm(formula = fractal_bid ~ bundle_position + bundle_water_perc +
      offer_value + trial, family = "binomial", data = task_data)
##
## Deviance Residuals:
       Min
##
                        Median
                   1Q
                                       3Q
                                                Max
                       0.04144
## -2.12129
             0.00905
                                 0.15469
                                            1.81141
##
## Coefficients:
##
                      Estimate Std. Error z value Pr(>|z|)
## (Intercept)
                     8.543e+00 2.969e+00
                                           2.877 0.00401 **
## bundle position
                    -3.386e+00 1.171e+00 -2.892 0.00383 **
## bundle_water_perc -1.015e+01 3.246e+00 -3.126
                                                   0.00177 **
## offer value
                     2.549e+00 8.915e-01
                                            2.859
                                                   0.00425 **
## trial
                     2.111e-05 1.835e-02
                                           0.001 0.99908
## Signif. codes: 0 '***' 0.001 '**' 0.05 '.' 0.1 ' ' 1
## (Dispersion parameter for binomial family taken to be 1)
##
       Null deviance: 87.045 on 171 degrees of freedom
##
## Residual deviance: 43.796 on 167 degrees of freedom
     (134 observations deleted due to missingness)
## AIC: 53.796
##
```


Number of Fisher Scoring iterations: 8





Graph showing the number of trials the monkey carried out for each bundle combination. Does not include failed trials.





Graph showing the proportion of bids for the bundle that a monkey makes, separated by the values of the juice offered in the bundles. Fits using a binomial glm model.