Binary Choice Analysis

Robert Hickman

Data shown for:
date


[1] "18-Dec-2017"

monkey

[1] "Ulysses"


#plot p1
p1

Monkey Bid Positions on Binary Choice Task



Graph of choices for each block. Circles indicate bid selecting the bundle, squares are bid selecting the budget. A fractal bid position of 1 means that the bundle is on the left hand side of the screen. Bids range from -1 (all the way to the left) to 1 (all the way to the right)






Graph showing all choices and how far away they are from the edge of the screen on the bundle side. 0 indicates full movement to the bundle side of the screen and 1 represent full movement away. Count is over all blocks for all values of the fractal (in ml of juice).





18-Dec-2017; Ulysses; 2 blocks




Graphs of various factors against the distance from the bundle side of the screen the monkey bids.


A bundle position of 1 indicates that the bundle is on the left hand side of the screen. A bundle water percentage of 1 indicates that the bundle contains no water [CHECK THIS- PRETTY SURE ITS CORRECT], whereas zero means it contains the full 1.2ml. Offer values of 1, 2, and 3 represent 0.15ml, 0.45ml, and 0.75mls of apple and mango juice (150ml in 950ml of water).

Fit lines use LOESS method.

```
#generate a model of likelihood to bid for the fractal dependent on it's position,
#value and associated water
model <- glm(data = task_data,</pre>
             fractal_bid ~ bundle_position + bundle_water_perc + offer_value + trial,
             family = "binomial")
#summarise the parameters
summary(model)
##
## Call:
## glm(formula = fractal_bid ~ bundle_position + bundle_water_perc +
      offer_value + trial, family = "binomial", data = task_data)
##
## Deviance Residuals:
##
      Min
                     Median
                 1Q
                                   3Q
                                           Max
                     0.1511
## -1.9253 -0.5720
                               0.5795
                                        2.7767
##
## Coefficients:
##
                     Estimate Std. Error z value Pr(>|z|)
## (Intercept)
                     -1.306204
                                 0.699588 -1.867
                                                    0.0619 .
## bundle position
                                 0.401649 -0.206
                                                    0.8366
                     -0.082820
## bundle_water_perc -4.940681
                                 0.909552 -5.432 5.57e-08 ***
## offer value
                     2.544267
                                 0.356239
                                           7.142 9.20e-13 ***
## trial
                     -0.008042
                                 0.003751 -2.144
                                                    0.0320 *
## Signif. codes: 0 '***' 0.001 '**' 0.05 '.' 0.1 ' ' 1
## (Dispersion parameter for binomial family taken to be 1)
##
       Null deviance: 279.06 on 201 degrees of freedom
##
## Residual deviance: 158.30 on 197 degrees of freedom
     (123 observations deleted due to missingness)
## AIC: 168.3
##
```


Number of Fisher Scoring iterations: 5





Graph showing the number of trials the monkey carried out for each bundle combination. Does not include failed trials.





Graph showing the proportion of bids for the bundle that a monkey makes, separated by the values of the juice offered in the bundles. Fits using a binomial glm model.