MA2287: Complex Analysis Exam Notes

Robert Davidson

${\bf Contents}$

1	Question 1:	
	1.1 Sketch the region in the complex plane determined by the inequality	
	1.2 Determine all solutions to roots of unity	
	1.3 Determine and sketch the image under the mapping	
	1.4 Find z where the function is 0	
	1.5 Calculate principal value Log(z)	
	1.6 Prove the following	
2	Question 2:	
	2.1 Determine image of the line	
	2.2 State and Use Cauchy-Riemann Equations	
	2.3 Show that	
	2.4 Find Mobius Transformation	
2	Worked Examples - O1	

1 Question 1:

1.1 Sketch the region in the complex plane determined by the inequality

• |z-4| > 3|z+4| 2023 Q1(a)

 $\bullet \ \ \{z \in \mathbb{C}: |2z-1| < 2|2z-i|\} \\ \underline{2022 \ \mathrm{Q1(a)}, \ 2021 \ \mathrm{Q1(d)}, \ 2017 \ \mathrm{Q1(a)}, \ 2016 \ \mathrm{Q1(a)}}$

1.2 Determine all solutions to roots of unity

• $z^6 - 1 = 0$ and factorize $x^6 - 1$ as a product of linear and quadratic factors 2023 Q1(b),

• $z^4 = -81i$ and find a polynomial p(z) with complex coefficients with root w and $p(\overline{w}) \neq 0$ 2022 Q1(b), 2018 Q1(b)

• $z^6 - 1 = 0$ and factorize $x^6 - 1$ as a product of linear and quadratic factors

• $z^3 = 1 + i$, let $n \in \mathbb{N}$ and $w \neq 1$ be an n-th root of unity. Prove $1 + w + w^2 + \ldots + w^{n-1} = 0$ 2016 Q1(c)

1.3 Determine and sketch the image under the mapping

• $w = e^z$, $\{z \in \mathbb{C} : \pi/4 \le \text{Im}(z) \le \pi/2\}$ 2023 Q1(c), 2021 Q1(a), 2017 Q1(d)

• $w = \text{Log}(z), \{z : |z| > 1, 0 \le \text{Arg}(z) \le \pi/2\}$ 2022 Q1(d), 2018 Q1(d), 2016 Q1(d)

1.4 Find z where the function is 0

• $\cos(z) = \frac{e^{iz} + e^{-iz}}{2}$ 2022 Q1(d)

1.5 Calculate principal value Log(z)

• $z = -\frac{1}{\sqrt{2}} + \frac{1}{\sqrt{2}}i$ and prove e^z is the inverse function of Log(z) 2022 Q1(c), 2018 Q1(c), 2017 Q1(c)

1.6 Prove the following

• Define the complex conjugate (\overline{w}) and prove if w is a zero of a polynomial $p(z) = a_0 + a_1 z + \ldots + a_n z^n$ then \overline{w} is also a zero of p(z) 2021 Q1(b), 2018 Q1(a), 2016 Q1(b)

• Define the complex exponential function e^z and prove Eulers Formula $e^{i\theta} = \cos(\theta) + i\sin(\theta)$ 2017 Q1(b)

2 Question 2:

2.1 Determine image of the line

- $f(z) = \frac{1}{z}$ { $z \in \mathbb{C} : \text{Re}(z) = 2$ } 2023 Q2(a), 2021 Q2(b)
- $f(z) = \frac{1}{z}$ $\{z \in \mathbb{C} : \text{Re}(z) = 1\}$ 2022 Q2(a), 2018 Q2(a), 2017 Q2(a)

2.2 State and Use Cauchy-Riemann Equations

- State CRE, and use to prove $f(z) = \frac{1}{z}$ is holomorphic on $\mathbb{C} \setminus \{0\}$ 2023 Q2(a)
- State CRE, and use to prove $f(z)=z^2$ is holomoprhic on $\mathbb C$ 2022 Q2(b)
- State CRE. Let f = u + iv be holomoprhic on $\Omega \subset \mathbb{C}$. Prove ∇u and ∇v are perpendicular of equal length 2016 Q2(b)

2.3 Show that

- If $\overline{f(z)} = f(\overline{z})$ for all $z \in \mathbb{C}$ then f(x) is real for all $x \in \mathbb{R}$. And if in addition f is holomorphic at $x \in \mathbb{R}$ then f'(x) is real.
- Define that is meant for a function g to be harmonic. If f = u + iv is holomorphic on $\Omega \subset \mathbb{C}$, prove that v(x, y) is a harmonic function, and that ∇u and ∇v are perpendicular of equal length. 2022 Q2(c), 2018 Q2(b)
- If $\overline{f(z)} = f(\overline{z})$ for all $z \in \mathbb{C}$ then f(x) is real for all $x \in \mathbb{R}$. And if in addition f is holomorphic at 0 then the function f'(0) is real.
- Let f(z) = u + iv be holomorphic on an open subset Ω of the complex plane and let h(u, v) be a harmonic function of u and v on $f(\Omega)$. Prove that g(x, y) = h(u(x, y), v(x, y)) is harmonic on Ω (You may assume $\nabla u, \nabla v$ are equal length and perpendicular)
- Define what is meant for a function f(z) to be holomorphic at a point $z_0 \in \mathbb{C}$ and prove that $f(z) = z^2$ is holomorphic and find its derivative there. Hence prove that the product uv is harmonic where f = u + iv 2018 Q2(c)
- Define what is meant for a function f(z) to be holomorphic at a point $z_0 \in \mathbb{C}$ and prove that $f(z) = \frac{1}{z}$ is holomorphic on $\mathbb{C}\setminus 0$ and find its derivative there (State any theorems used)
- Let h(u,v) be a harmonic function of u,v on $f(\Omega)$ (See 2016 Q2(b)). Prove that g(x,y)=h(u(x,y),v(x,y)) is harmonic on Ω

2.4 Find Mobius Transformation

- $T(z): (-1,1,\infty) \mapsto (-1,-i,1)$ 2023 Q2(d)
- $T(z):(2,1,-1)\mapsto (1,0,\infty)$ 2022 Q2(d)
- $T(z): (-i, -1, 1) \mapsto (1, 0, \infty)$ and find the inverse Mobius Transformation 2021 Q2(d)
- $T(z): (-i, -1, i) \mapsto (1, 0, \infty)$ and find the inverse Mobius Transformation 2018 Q2(d), 2017 Q2(d)
- $T(z): (-1, \frac{1}{2}, 2) \mapsto (1, 0, \infty)$ and find the inverse Mobius Transformation 2016 Q2(d)

Worked Examples - Q1

Example 2023 Q1(a)

Given |z-4| > 3|z+4|Write z = x + iy

$$\begin{aligned} |x+iy-4| &> 3|x+iy+4| \\ |(x-4)+iy| &> 3|(x+4)+iy| \\ \sqrt{(x-4)^2+y^2} &> 3\sqrt{(x+4)^2+y^2} \end{aligned}$$

Square both sides

$$(x-4)^2 + y^2 > 9((x+4)^2 + y^2)$$

$$(x^2 - 8x + 16 + y^2) > 9x^2 + 72x + 144 + 9y^2$$

$$x^2 - 8x + 16 + y^2 - 9x^2 - 72x - 144 - 9y^2 > 0$$

$$-8x^2 - 80x - 8y^2 - 128 > 0$$

$$x^2 + 10x + y^2 - 16 < 0$$

Moving all terms to one side

Simplify

Dividing by -8 and reversing inequality

Focus on x and complete the square

$$x + bx = \left(x + \frac{b}{2}\right)^2 - \left(\frac{b}{2}\right)^2 \Rightarrow x^2 + 10x = (x+5)^2 - 25$$
$$(x+5)^2 - 25 + y^2 + 16 < 0$$
$$(x+5)^2 + y^2 + 9 < 0$$
$$(x+5)^2 + y^2 < -9$$

 $Complete\ the\ square$

Substitute back into inequality Simplify

 $Subtract\ 9$

Recall the eqation of a circle

$$(x-a)^2 + (y-b)^2 = r^2 \Rightarrow (x+5)^2 + y^2 < -9$$

Therefore the region is all the points inside circle with radius 3 and center at $(-5,\,0)$



Example 2022 Q1(a), 2021 Q1(d), 2017 Q1(a), 2016 Q1(a)

Given $\{z \in \mathbb{C} : |2z - 1| < 2|2z - i|\}$ Write z = x + iy

$$\begin{aligned} |2x+i2y-1| &< 2|2x+i2y-i| \\ |(2x-1)+i2y| &< 2|2x+i(2y-1)| \\ \sqrt{(2x-1)^2+4y^2} &< 2\sqrt{4x^2+(2y-1)^2} \\ (2x-1)^2+4y^2 &< 4[4x^2+(2y-1)^2] \\ 4x^2-4x+1+4y^2 &< 16x^2+16y^2-16y+4 \\ -12x^2-4x-12y^2+16y-3 &< 0 \\ 12x^2+4x+12y^2-16y+3 > 0 \\ x^2+\frac{1}{2}x+y^2-\frac{4}{2}y+\frac{1}{4} &> 0 \end{aligned}$$

Square both sides

Expand

Move all terms to one side

Multiply by -1 and reverse inequality

Divide by 12

Complete square for x

$$x^{2} + bx = \left(x + \frac{b}{2}\right)^{2} - \left(\frac{b}{2}\right)^{2} \Rightarrow x^{2} + \frac{1}{3}x = \left(x + \frac{1}{6}\right)^{2} - \left(\frac{1}{36}\right)^{2}$$

Complete square for y

$$y^2 + by = \left(y - \frac{2}{3}\right)^2 - \left(\frac{4}{9}\right)$$

Substitute back into inequality

$$\left(x + \frac{1}{6}\right)^2 - \left(\frac{1}{36}\right) + \left(y - \frac{2}{3}\right)^2 - \left(\frac{4}{9}\right) + \frac{1}{4} > 0$$
$$\left(x + \frac{1}{6}\right)^2 + \left(y - \frac{2}{3}\right)^2 > \frac{2}{9}$$

Substitute back into inequality

Simplify and move constant across

Recall the eqation of a circle

$$(x-a)^2 + (y-b)^2 = r^2 \Rightarrow \left(x + \frac{1}{6}\right)^2 + \left(y - \frac{2}{3}\right)^2 < \frac{2}{9}$$

Therefore the region is all the points OUTSIDE the circle with radius $\frac{\sqrt{2}}{3}$ and center at $(-\frac{1}{6},\frac{2}{3})$

