Your Name:	
Names of Any Collaborators:	

Instructions

This portion of Exam 1 is worth a total of 24 points and is due at the beginning of class on **Friday, March** 4. Your total combined score on the in-class portion and take-home portion is worth 20% of your overall grade.

I expect your solutions to be *well-written, neat, and organized*. Do not turn in rough drafts. What you turn in should be the "polished" version of potentially several drafts.

Feel free to type up your final version. The LATEX source file of this exam is also available if you are interested in typing up your solutions using LATEX. I'll gladly help you do this if you'd like.

The simple rules for the exam are:

- 1. You may freely use any theorems that we have discussed in class, but you should make it clear where you are using a previous result and which result you are using. For example, if a sentence in your proof follows from Theorem xyz, then you should say so.
- 2. Unless you prove them, you cannot use any results that we have not yet covered.
- 3. You are **NOT** allowed to consult external sources when working on the exam. This includes people outside of the class, other textbooks, and online resources.
- 4. You are **NOT** allowed to copy someone else's work.
- 5. You are **NOT** allowed to let someone else copy your work.
- 6. You are allowed to discuss the problems with each other and critique each other's work.

I will vigorously pursue anyone suspected of breaking these rules.

You should **turn in this cover page** and all of the work that you have decided to submit. **Please** write your solutions and proofs on your own paper.

To convince me that you have read and understand the instructions, sign in the box below.

Signature:		

Good luck and have fun!



Complete any six of following problems. Each problem is worth 4 points. Write your solutions on your own paper and please put the problems in order. Assume F is a field.

- 1. Prove that each of the following is irreducible in the given ring.
 - (a) $8x^7 + 6x^5 9x^3 + 24$ in $\mathbb{Q}[x]$
 - (b) $x^2 + x^3 y^2$ in $\mathbb{C}[x, y]$
- 2. Let *I* be a nonzero ideal of $\mathbb{Z}[i]$. Prove that $\mathbb{Z}[i]/I$ is finite. *Hint*: One approach makes use of the norm given by $N(a+bi)=a^2+b^2$.
- 3. Do **one** of the following.
 - (a) Prove that $\mathbb{Z}[i]/(1+i) \cong \mathbb{Z}/2\mathbb{Z}$.
 - (b) Prove that $\mathbb{Z}[x]/(6,2x-1) \cong \mathbb{Z}/3\mathbb{Z}$.
- 4. Let $\alpha \in F$. Define the ring homomorphism $\phi : F[x] \to F$ via $\phi(p(x)) = p(\alpha)$. Prove that if $f(x) \in \ker(\phi)$ with $\deg(f(x)) = 1$, then $(f(x)) = \ker(\phi)$. *Note*: You may assume that ϕ is a homomorphism.
- 5. Let $f(x) \in F[x]$ and let $c \in F$. Define g(x) = f(x c). Prove that f(x) is irreducible in F iff g(x) is irreducible in F.
- 6. Let K/F be a field extension and let $\alpha, \beta \in K$ such that there does not exist a nonzero polynomial $p(x,y) \in F[x,y]$ such that $p(\alpha,\beta) = 0$. Prove that $F[x,y] \cong F[\alpha,\beta]$.
- 7. Are there any fields F such that $F[x]/(x^2) \cong F[y]/(y^2-1)$? Justify your conclusion.
- 8. Let *R* be a commutative ring with 1 and let *S* be an integral domain. Prove that if ϕ : $R \to S$ is a ring homomorphism, then $\ker(\phi)$ is a prime ideal.
- 9. Let $\alpha \in \mathbb{R}$. Determine whether the ideal $(x \alpha)$ is prime or maximal in $\mathbb{R}[x, y]$. Justify your answer.
- 10. Let K/F and E/K be field extensions. Prove that [E:K][K:F] = [E:F].
- 11. Let K/F be a field extension and let $\alpha, \beta \in K$. Suppose there exists distinct elements $s, t \in F$ such that $F[\alpha + s\beta] = F[\alpha + t\beta]$. Prove that $F[\alpha, \beta] = F[\alpha + s\beta]$.