MA 3110: Logic and Proof (Spring 2009) Exam 3 (take-home portion)

Instructions: Prove any *three* of the following theorems. If you turn in more than three proofs, I will only grade the first three that I see. I expect your proofs to be *well-written*, *neat*, *and organized*. You should write in *complete sentences*. Do not turn in rough drafts. What you turn in should be the "polished" version of potentially several drafts.

This portion of Exam 3 is worth 30 points, where each proof is worth 10 points.

The simple rules for this portion of the exam are:

- 1. You may freely use any theorems that we have discussed in class, but you should make it clear where you are using a previous result and which result you are using.
- 2. You are NOT allowed to copy someone else's work.
- 3. You are NOT allowed to let someone else copy your work.
- 4. You are allowed to discuss the problems with each other and critique each other's work.

This half of Exam 3 is due at the beginning of class on **Monday**, **May 4** (no exceptions). You should turn in this cover page and the three proofs that you have decided to submit.

Good luck and have fun!

Theorem 1: For all $n \in \mathbb{N}$, $\sum_{i=1}^{n} i^2 = \frac{n(n+1)(2n+1)}{6}$.

Theorem 2: Let f_n denote the n^{th} Fibonacci number.* Then for all $n \in \mathbb{N}$, $f_{n+6} = 4f_{n+3} + f_n$.

^{*}Recall that the Fibonacci numbers are defined by $f_1 = f_2 = 1$ and $f_n = f_{n-1} + f_{n-2}$ for $n \ge 3$.

Theorem 3: For any sets A, B, C, and D, if $(A \times B) \cap (C \times D) = \emptyset$, then $A \cap C = \emptyset$ or $B \cap D = \emptyset$.

Theorem 4: If R and S are both equivalence relations on a set A, then $R \cap S$ is an equivalence relation on A.

Theorem 5: Define the relation C on $\mathbb{R} \times \mathbb{R}$ via

$$(x,y)C(z,w)$$
 iff $x^2 + y^2 = z^2 + w^2$.

Then C is an equivalence relation.

 $^{^\}dagger \mathrm{This}$ first sentence is a definition; it is something you should assume in your proof.