

[Tutorials ▼](#)[References ▼](#)[Exercises ▼](#)[Menu ▼](#)[Log in](#)[Website](#)

NEW

[Paid Courses](#)[HTML](#)[CSS](#)[JAVASCRIPT](#)[SQL](#)

HTML `<!--...-->` Tag

[< Previous](#)[Complete HTML Reference](#)[Next >](#)

Example

An HTML comment:

```
<!--This is a comment. Comments are not displayed in the browser-->
```

```
<p>This is a paragraph.</p>
```

[Try it Yourself »](#)

Definition and Usage

The comment tag is used to insert comments in the source code. Comments are not displayed in the browsers.

You can use comments to explain your code, which can help you when you edit the

source code at a later date. This is especially useful if you have a lot of code.

Browser Support

Element					
<!--...-->	Yes	Yes	Yes	Yes	Yes

Tips and Notes

You can use the comment tag to "hide" scripts from browsers without support for scripts (so they don't show them as plain text):

```
<script type="text/javascript">
<!--
function displayMsg() {
    alert("Hello World!")
}
//-->
</script>
```

Note: The two forward slashes at the end of comment line (//) is the JavaScript comment symbol. This prevents JavaScript from executing the --> tag.

Standard Attributes

The comment tag does not support any standard attributes.

More information about [Standard Attributes](#).

Event Attributes


The comment tag does not support any event attributes.

More information about [Event Attributes](#).

[< Previous](#)[Complete HTML Reference](#)[Next >](#)

NEW

We just launched
W3Schools videos



[Explore now](#)

COLOR PICKER



Get certified
by completing
a course today!



Get started

CODE GAME



Play Game

[Report Error](#)

[Forum](#)

[About](#)

[Shop](#)

Top Tutorials

[HTML Tutorial](#)
[CSS Tutorial](#)
[JavaScript Tutorial](#)

Top References

[HTML Reference](#)
[CSS Reference](#)
[JavaScript Reference](#)

[How To Tutorial](#)
[SQL Tutorial](#)
[Python Tutorial](#)
[W3.CSS Tutorial](#)
[Bootstrap Tutorial](#)
[PHP Tutorial](#)
[Java Tutorial](#)
[C++ Tutorial](#)
[jQuery Tutorial](#)

Top Examples

[HTML Examples](#)
[CSS Examples](#)
[JavaScript Examples](#)
[How To Examples](#)
[SQL Examples](#)
[Python Examples](#)
[W3.CSS Examples](#)
[Bootstrap Examples](#)
[PHP Examples](#)
[Java Examples](#)
[XML Examples](#)
[jQuery Examples](#)

[SQL Reference](#)
[Python Reference](#)
[W3.CSS Reference](#)
[Bootstrap Reference](#)
[PHP Reference](#)
[HTML Colors](#)
[Java Reference](#)
[Angular Reference](#)
[jQuery Reference](#)

Web Courses

[HTML Course](#)
[CSS Course](#)
[JavaScript Course](#)
[Front End Course](#)
[SQL Course](#)
[Python Course](#)
[PHP Course](#)
[jQuery Course](#)
[Java Course](#)
[C++ Course](#)
[C# Course](#)
[XML Course](#)

[Get Certified »](#)

W3Schools is optimized for learning and training. Examples might be simplified to improve reading and learning. Tutorials, references, and examples are constantly reviewed to avoid errors, but we cannot warrant full correctness of all content. While using W3Schools, you agree to have read and accepted our [terms of use](#), [cookie and privacy policy](#).

Copyright 1999-2022 by Refsnes Data. All Rights Reserved.
W3Schools is Powered by W3.CSS.

