
Add, Commit, and Push to a Branch

Basil wants you to commit your changes to the Simple_Leaflet_Map branch so the team can review. If he says there are no changes to be made to your branch, then you can merge it with the main branch.

Watch the following video to learn more about Git Branching.





First, we'll check to see if you're in the Simple_Leaflet_Map branch. In the command line, navigate to your Mapping_Earthquakes folder and type <code>gitbranch</code>. If the following output is returned with an asterisk next to the branch name, you're in the Simple_Leaflet_Map branch:

```
* Simple_Leaflet_Map
main
```

Just as we have checked the main branch status of other repositories, we'll do the same with the Simple_Leaflet_Map branch.

After typing git status, the command line should show the following:

```
On branch Simple_Leaflet_Map
Untracked files:
   (use "git add <file>..." to include in what will be committed)
        Simple_Map/

nothing added to commit but untracked files present (use "git add" to track)
```

To see all the folders and files in the Simple_Map folder, type git status - u and press Enter. The output in the command line should look like the following:

```
On branch Simple_Leaflet_Map
Untracked files:
  (use "git add <file>..." to include in what will be committed)
        Simple_Map/index.html
        Simple_Map/static/css/style.css
        Simple_Map/static/js/config.js
        Simple_Map/static/js/logic.js


nothing added to commit but untracked files present (use "git add" to track)
```



We don't want to add <code>config.js</code> file to the repo because our repository is public. This means the Mapbox API key would be available for anyone to copy and use, possibly causing us to incur charges.

If you didn't initialize the repository with a <u>.gitignore</u> file, we'll create one. Then we'll add <u>config.js</u> to the <u>.gitignore</u> file so that GitHub doesn't track that file.

In VS Code, create a new file in the Simple_Map folder and name it <a>.gitignore. Your repository folder should look like the following:



Next, add the following lines to the **__gitignore** file and save the file:

```
# Ignore the config.js file.
config.js
```

In the command line, type <code>git status - u</code> and press Enter. The output should have the <code>.gitignore</code> file and all the files as before, except the <code>config.js</code> file. All the files in red will be tracked when we use <code>git add</code>, with the exception of the <code>config.js</code> file.

Next, we'll add these folders and files to the Simple_Leaflet_Map branch as we did for the main branch.

After typing git push and pressing Enter, the output message will look like the following:

fatal: The current branch Simple_Leaflet_Map has no upstream branch.
To push the current branch and set the remote as upstream, use
 git push --set-upstream origin Simple_Leaflet_Map


To push the folders and files to the Simple_Leaflet_Map branch for the first time, type git push --set-upstream origin Simple_Leaflet_Map in the command line and press Enter.

NOTE

To add any files after this initial push, type git push.

Now all the folders and files are in the Mapping_Earthquakes repository in the Simple_Leaflet_Map branch. Confirm this by navigating to the repository and refreshing the page.

We can see that we have created a new branch, indicated at the top. If we click the dropdown menu "Branch: **main**" in our repository, the Simple_Leaflet_Map branch appears.



To check if our folders and files are in the Simple_Leaflet_Map branch, select the branch from the dropdown menu. You should see all the files we added.



Congratulations on adding your files to a new branch!

© 2020 - 2022 Trilogy Education Services, a 2U, Inc. brand. All Rights Reserved.