```
1 #include <iostream>
2 #include <string.h>
3 #include <vector>
4 #include <sstream>
5 #include <algorithm>
6 #include "A9.h"
7
8
9
  10
11
  void assignment9_1(const std::string & S) {
12
      std::vector <int> V;
13
14
      StoV(S, V);
15
16
      reverse(V);
17 }
18
19
  20
21
  void assignment9_2(const std::string & S) {
22
      std::vector <int> V;
23
24
      StoV(S, V);
25
26
      // Create a container for the Fibonacci sequence and
      // provide the first 2 numbers in the sequence.
27
28
      std::vector<int> F{0, 1};
29
      if (!V.empty()) {
30
31
          int MAX = *max_element(V.begin(), V.end());
32
33
          if (MAX >= 2)
             fib(MAX, F);
34
35
36
          for (auto i : V)
37
             std::cout << F[i] << " ";
38
      }
      else
39
40
          std::cout << "Nothing to print!" << std::endl;</pre>
41 }
42
43
  44
45
   void assignment9_3(const std::string & S) {
46
47
      std::vector <int> V;
48
      StoV(S, V);
49
50
      if (palindrome(V, V.begin(), V.rbegin()))
          std::cout << "yes" << std::endl;</pre>
51
52
      else
53
          std::cout << "no" << std::endl;</pre>
54
  }
55
56
57
```

58

```
59
60
63 // cin behaves strangely with strings so it's safer to use a
64 // stringstream to take in formatted strings.
65 // I suspect it's a problem in the command prompt because on a
66 // different machine simply using cin didn't give me any problem.
67
68 void assignment9_4(const std::string & S) {
69
      std::stringstream stream(S);
70
      std::string s1, s2;
71
72
      stream >> s1;
73
      stream >> s2;
74
75
      std::cout << lev(s1.begin(), s1.end(), s2.begin(), s2.end());</pre>
76 }
77
78
79
  80
81
82 void StoV(const std::string & S, std::vector<int> & V) {
      std::stringstream stream(S);
83
84
      int n;
      while (stream >> n)
85
86
         V.push_back(n);
87 }
```