



ITALMONT SRL

Revision No. 2 - 01/04/2020
Revision date 3 - 07/1/2024
Printed on 07/01/2024

Sheet 011 – LAVABILE NEUTRA

Page No. 1/ 7

Safety Data Sheet

SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Code: LAVABILE12.5BO
Name: LAVABILE NEUTRA

1.2. Relevant identified uses of the substance or mixture and uses advised against
Description/Use: Washable water-based paint

1.3. Details of the supplier of the safety data sheet

Company Name: ITALMONT SRL
Address: Via IV Novembre,13
Location and State: 63078 Pagliare del Tronto (AP) Italy
tel. 0736 899238
fax 0736 899489

e-mail of the competent person,
responsible for the safety data sheet: sdsitalmont@gmail.com

1.4. Emergency telephone number

For urgent information please contact
Italmont srl

Tel. +39 0736 899238 fax +39 0736 899489 office hours

Poison Control Center AORNA Cardarelli Naples
Tel. +39 081 7472870 - 081 5753333 fax +39 081 7472868 Availability

SECTION 2. Hazards identification

2.1. Classification of the substance or mixture

The product is not classified as dangerous according to the provisions of Regulation (EC) 1272/2008 (CLP).
The product, however, contains dangerous substances in concentrations such as to be declared in section 3, and requires a safety data sheet with adequate information, in compliance with Regulation (EU) 2015/830.
Classification and hazard statements:

2.2. Label elements

Hazard labelling pursuant to Regulation (EC) 1272/2008 (CLP) and subsequent amendments and adjustments.

Hazard pictograms: --

Warnings: --

Hazard statements:

EUH210 Safety data sheet available upon request.
EUH208 Contains: Mixture of: 5-chloro-2-methyl-2H-isothiazol-3-one; 2-methyl-2H-isothiazol-3-one, 1,2-benzisothiazol-3(2H)-one
May cause an allergic reaction.

Precautionary advice: --

2.3. Other dangers

Based on available data, the product does not contain PBT or vPvB substances in a percentage greater than 0.1%.

SECTION 3. Composition/information on ingredients

3.1. Substances



ITALMONT SRL

Revision No. 2 - 01/04/2020
Revision date 3 - 07/1/2024
Printed on 07/01/2024

Sheet 011 – LAVABILE NEUTRA

Page No. 2/ 7

Irrelevant information

3.2. Mixtures

Contains:

Identification

x = Conc . %

Classification 1272/2008 (CLP)

1,2-benzisothiazol-3(2 H) -one

CAS 2634-33-5

$0 \leq x < 0,05$

Acute Tox. 2 H330, Acute Tox. 4 H302, Eye Dam. 1 H318, Skin Irrit. 2 H315,
Skin Sens. 1 H317, Aquatic Acute 1 H400 M=1, Aquatic Chronic 2 H411

EC 220-120-9

INDEX 613-088-00-6

Mixture of: 5-chloro-2-methyl-2H-isothiazol-3-one; 2-methyl-2H-isothiazol-3-one

CAS 55965-84-9

$0 \leq x < 0,0015$

Acute Tox. 3 H301, Acute Tox. 3 H311, Acute Tox. 3 H331, Skin Corr. 1B
H314, Eye Dam. 1 H318, Skin Sens. 1 H317, Aquatic Acute 1 H400 M=1,
Aquatic Chronic 1 H410 M=1

THERE IS -

INDEX 613-167-00-5

The full text of the hazard statements (H) is given in section 16 of the sheet.

SECTION 4. First aid measures

4.1. Description of first aid measures

EYES: Remove any contact lenses. Wash immediately with plenty of water for at least 30/60 minutes, holding the eyelids wide open. Consult a doctor immediately.

SKIN: Remove contaminated clothing. Shower immediately. Seek medical attention immediately.

INGESTION: Drink as much water as possible. Seek medical attention immediately. Do not induce vomiting unless directed by a physician.

INHALATION: Call a doctor immediately. Move the person to fresh air, away from the accident site. If breathing stops, perform artificial respiration. Take appropriate precautions for the rescuer.

4.2. Main symptoms and effects, both acute and delayed

There is no specific information available on symptoms and effects caused by the product.

4.3. Indication of any need to immediately consult a doctor and require special treatment

Information not available

SECTION 5. Fire prevention measures

5.1. Extinguishing media

SUITABLE EXTINGUISHING MEANS

The extinguishing means are the traditional ones: carbon dioxide, foam, powder and water spray.

UNSUITABLE EXTINGUISHING MEANS

No one in particular.

5.2. Special hazards arising from the substance or mixture

HAZARDS DUE TO EXPOSURE IN CASE OF FIRE

Avoid breathing combustion products.

5.3 . Recommendations for firefighters

GENERAL INFORMATION

Cool containers with water jets to prevent product decomposition and the development of substances potentially hazardous to health.

Always wear complete fire protection equipment. Collect extinguishing water that must not be discharged into sewers. Dispose of contaminated fire extinguishing water and fire residue according to current regulations.

EQUIPMENT

Normal firefighting clothing, such as open-circuit compressed air breathing apparatus (EN 137), flame-retardant overalls (EN469), flame-retardant gloves (EN 659) and firefighter's boots (HO A29 or A30).

SECTION 6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Stop the leak if it is safe to do so.

Wear appropriate protective equipment (including personal protective equipment as per section 8 of the safety data sheet) to prevent contamination of skin, eyes and personal clothing. These instructions apply to both workers and emergency response personnel.

6.2. Environmental precautions

Prevent the product from entering sewers, surface water or groundwater.

6.3. Methods and materials for containment and remediation

Suck up the spilled product into a suitable container. Assess the compatibility of the container to be used with the product, checking section 10. Absorb the remainder with inert absorbent material.

Ensure adequate ventilation of the area affected by the spill. Disposal of contaminated material must be carried out in accordance with the provisions of point 13.

**Sheet 011 – LAVABILE NEUTRA****6.4. Reference to other sections**

Any information regarding personal protection and disposal is given in sections 8 and 13.

SECTION 7. Handling and storage**7.1. Precautions for safe handling**

Keep away from heat, sparks and naked flames, do not smoke or use matches or lighters. The vapours may ignite with explosion, therefore it is necessary to avoid their accumulation by keeping doors and windows open and ensuring cross ventilation. Without adequate ventilation, vapours may accumulate on the floor and ignite even at a distance, if triggered, with the risk of backfire. Avoid the accumulation of electrostatic charges. Connect to an earth socket in the case of large packages during decanting operations and wear antistatic shoes. The strong agitation and vigorous flow of the liquid in pipes and equipment can cause the formation and accumulation of electrostatic charges. To avoid the risk of fire and explosion, never use compressed air when handling. Open containers with caution, because they may be pressurized. Do not eat, drink or smoke during use. Avoid dispersion of the product in the environment.

7.2. Conditions for safe storage, including any incompatibilities

Store only in the original container. Keep containers closed, in a well-ventilated place, away from direct sunlight. Store in a cool, well-ventilated place, away from heat, open flames, sparks and other sources of ignition. Store containers away from any incompatible materials, see section 10.

7.3. Specific end uses

Information not available

SECTION 8. Exposure controls/personal protection**8.1. Control parameters**

Information not available

8.2. Exposure controls

Considering that the use of appropriate technical measures should always take priority over personal protective equipment, ensure good ventilation in the workplace through effective local extraction.

When choosing personal protective equipment, seek advice from your chemical suppliers.

Personal protective equipment must bear the CE marking which certifies their compliance with current regulations.

HAND PROTECTION

Protect your hands with category III work gloves (ref. standard EN 374).

For the final choice of work glove material, the following must be considered: compatibility, degradation, break-through time and permeation.

In the case of preparations, the resistance of work gloves to chemical agents must be checked before use as it is not predictable. Gloves have a wear time that depends on the duration and method of use .

SKIN PROTECTION

Wear long-sleeved work clothes and category I professional safety footwear (ref. Directive 89/686/EEC and standard EN ISO 20344).

Wash with soap and water after removing protective clothing.

EYE PROTECTION

It is recommended to wear airtight protective glasses (ref. standard EN 166).

RESPIRATORY PROTECTION

If the threshold value (e.g. TLV-TWA) of the substance or one or more of the substances present in the product is exceeded, it is recommended to wear a mask with a type B filter whose class (1, 2 or 3) must be chosen in relation to the limit concentration of use. (ref. standard EN 14387). If gases or vapours of a different nature and/or gases or vapours with particles (aerosols, fumes, mists, etc.) are present, combined type filters must be provided.

The use of respiratory protection devices is necessary if the technical measures adopted are not sufficient to limit the worker's exposure to the threshold values taken into consideration. The protection offered by masks is however limited.

In case the substance in question is odorless or its olfactory threshold is higher than the relevant TLV-TWA and in case of emergency, wear an open-circuit compressed air breathing apparatus (ref. standard EN 137) or an external air-supplied respirator (ref. standard EN 138). For the correct choice of respiratory protection device, refer to standard EN 529.

ENVIRONMENTAL EXPOSURE CONTROLS

Emissions from manufacturing processes, including those from ventilation equipment, should be monitored to comply with environmental protection legislation.

SECTION 9. Physical and chemical properties**9.1. Information on basic physical and chemical properties**

Physical State	pasty liquid
Color	whitish
Odor	characteristic
Olfactory threshold	Not available
pH	8 - 9
Melting or freezing point	0 °C
Initial boiling point	> 100 °C
Boiling range	Not available
Flash point	Not available
Evaporation rate	Not available
Flammability of solids and gases	Not available
Lower flammability limit	Not available
Upper flammability limit	Not available
Lower explosive limit	Not available



Sheet 011 – LAVABILE NEUTRA

Upper explosive limit	Not available
Vapor pressure	Not available
Vapor density	Not available
Relative density	1.44
Solubility	miscible
Partition coefficient: n- octanol /water	Not available
Auto-ignition temperature	Not available
Decomposition temperature	Not available
Viscosity	6500 - 8000 cPs
Explosive properties	non-explosive
Oxidizing properties	non-oxidizing

9.2. Other information

Information not available

SECTION 10. Stability and reactivity**10.1. Reactivity**

There are no particular dangers of reaction with other substances under normal conditions of use.

10.2. Chemical stability

The product is stable under normal conditions of use and storage.

10.3. Possibility of hazardous reactions

Under normal conditions of use and storage, no hazardous reactions are expected.

10.4. Conditions to avoid

None in particular. However, take the usual precautions when handling chemicals.

10.5. Incompatible materials

Information not available

10.6. Hazardous decomposition products

Information not available

SECTION 11. Toxicological information

In the absence of experimental toxicological data on the product itself, the possible health hazards of the product have been assessed on the basis of the properties of the substances contained, according to the criteria established by the reference legislation for classification. Therefore, consider the concentration of any individual hazardous substances mentioned in section 3 to assess the toxicological effects resulting from exposure to the product.

11.1. Information on toxicological effectsMetabolism, kinetics, mechanism of action and other information

Information not available

Information on likely routes of exposure

Information not available

Immediate, delayed and chronic effects resulting from short and long-term exposure

Information not available

Interactive effects

Information not available

ACUTE TOXICITY

LC50 (Inhalation) of the mixture:

Not classified (no relevant components)

LD50 (Oral) of the mixture:

Not classified (no relevant components)

LD50 (Dermal) of the mixture:

Not classified (no relevant components)

Calcium Carbonate

LD50 (Oral) > 5000 mg/kg Rat

1,2-benzisothiazol-3(2 H) -one

LD50 (Oral) 1193 mg/kg Rat

LD50 (Dermal) 4115 mg/kg Rat

Mixture of: 5-chloro-2-methyl-2H-isothiazol-3-one; 2-methyl-2H-isothiazol-3-one

LD50 (Oral) 550 mg/kg Rat

LD50 (Dermal) 1000 mg/kg Rat

LC50 (Inhalation) 0.31 mg/l/4h Rat - Dusts and mists

SKIN CORROSION / SKIN IRRITATION

Does not meet the classification criteria for this hazard class

SERIOUS EYE DAMAGE / EYE IRRITATION

Does not meet the classification criteria for this hazard class

RESPIRATORY OR SKIN SENSITIZATION

allergic reaction . Contains : Mixture of: 5-chloro-2-methyl-2H-isothiazol-3-one; 2-methyl-2H-isothiazol-3-one

1,2-benzisothiazol-3(2 H) -one

GERM CELL MUTAGENICITY

Does not meet the classification criteria for this hazard class

CARCINOGENICITY

Does not meet the classification criteria for this hazard class



ITALMONT SRL

Revision No. 2 - 01/04/2020
Revision date 3 - 07/1/2024
Printed on 07/01/2024

Sheet 011 – LAVABILE NEUTRA

Page No. 5/ 7

REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard class

SPECIFIC TARGET ORGAN TOXICITY (STOT) - SINGLE EXPOSURE

Does not meet the classification criteria for this hazard class

SPECIFIC TARGET ORGAN TOXICITY (STOT) - REPEATED EXPOSURE

Does not meet the classification criteria for this hazard class

DANGER IN CASE OF ASPIRATION

Does not meet the classification criteria for this hazard class

SECTION 12. Ecological information

Since there are no specific data available on the preparation, use according to good working practices, avoiding dispersing the product into the environment. Avoid dispersing the product into the ground or watercourses. Notify the competent authorities if the product has reached watercourses or if it has contaminated the soil or vegetation. Take measures to minimize the effects on the aquifer.

12.1. Toxicity

Mixture of: 5-chloro-2-methyl-2H-isothiazol-3-one; 2-methyl-2H-isothiazol-3-one

Mixture of: 5-chloro-2-methyl-2H-isothiazol-3-one; 2-methyl-2H-isothiazol-3-one

Acute IC50 0.379 mg/l

Pseudokirchneriella subcapitata 72 hours

Calcium Carbonate

LC50 - Fish

> 100000 mg/l/96h Oncorhynchus mykiss (Rainbow Trout)

EC50 - Crustaceans

> 1000 mg/l/48h Daphnia magna

EC50 - Algae / Aquatic Plants

> 200 mg/l/72h Desmodesmus subspicatus

1,2-benzisothiazol-3(2 H) -one

LC50 - Fish

1.6 mg/l/96h Oncorhynchus mykiss (rainbow trout)

EC50 - Crustaceans

3.28 mg/l/48h Daphnia magna

EC50 - Algae / Aquatic Plants

0.11 mg/l/72h Pseudokirchneriella sub-capitalized

EC10 Algae / Aquatic Plants

0.04 mg/l/72h Pseudokirchneriella sub-capitalized

NOEC Chronic Fish

0.21 mg/l Oncorhynchus mykiss

NOEC Chronic Crustaceans

1.2 mg/l Daphnia magna

Mixture of: 5-chloro-2-methyl-2H-isothiazol-3-one; 2-methyl-2H-isothiazol-3-one

LC50 - Fish

0.58 mg/l/96h Zebrafish

EC50 - Crustaceans

1.02 mg/l/48h Daphnia magna

EC10 Algae / Aquatic Plants

0.188 mg/l/72h Pseudokirchneriella sub-capitalized

NOEC Chronic Fish

0.098 mg/l Oncorhynchus mykiss (rainbow trout)

NOEC Chronic Crustaceans

0.004 mg/l Daphnia magna

Chronic NOEC Algae / Aquatic Plants

0.0012 mg/l Pseudokirchneriella sub-capitalized

12.2. Persistence and degradability

1,2-benzisothiazol-3(2 H) -one

Rapidly degradable

> 70 (Dissolved organic carbon)

12.3. Bioaccumulative potential

Mixture of: 5-chloro-2-methyl-2H-isothiazol-3-one; 2-methyl-2H-isothiazol-3-one

Mixture of: 5-chloro-2-methyl-2H-isothiazol-3-one; 2-methyl-2H-isothiazol-3-one

LogPow

- 0.486 to 0.401

12.4. Mobility in soil

Information not available

12.5. Results of PBT and vPvB assessment

Based on available data, the product does not contain PBT or vPvB substances in a percentage greater than 0.1%.

12.6. Other adverse effects

Information not available

SECTION 13. Disposal Considerations

13.1. Waste treatment methods

Reuse if possible. Product residues as is are to be considered non-hazardous special waste.

Disposal must be entrusted to a company authorised to manage waste, in compliance with national and, where applicable, local legislation.

CONTAMINATED PACKAGING

Contaminated packaging must be sent for recovery or disposal in compliance with national waste management regulations.

SECTION 14. Transport information



ITALMONT SRL

Revision No. 2 - 01/04/2020
Revision date 3 - 07/1/2024
Printed on 07/01/2024

Sheet 011 – LAVABILE NEUTRA

Page No. 6/ 7

The product is not to be considered dangerous according to the current provisions regarding the transport of dangerous goods by road (ADR), by rail (RID), by sea (IMDG Code) and by air (IATA).

14.1. UN number

Not applicable

UN proper shipping name

Not applicable

14.3. Transport hazard classes

Not applicable

14.4. Packing group

Not applicable

14.5. Environmental hazards

Not applicable

14.6. Special precautions for users

Not applicable

14.7. Carriage of bulk cargoes according to Annex II of MARPOL and the IBC Code

Irrelevant information

SECTION 15. Regulatory Information

15.1. Legislative and regulatory provisions on health, safety and environment specific for the substance or mixture

Seveso Category - Directive 2012/18/EC: None

Restrictions relating to the product or the substances contained in accordance with Annex XVII of Regulation (EC) 1907/2006

None

Substances in Candidate List (Art. 59 REACH)

Based on available data, the product does not contain SVHC substances in a percentage greater than 0.1%.

Substances subject to authorisation (Annex XIV REACH)

None

Substances subject to export notification obligation Reg. (EC) 649/2012:

None

Substances subject to the Rotterdam Convention:

None

Substances subject to the Stockholm Convention:

None

Health Checks

Information not available

15.2. Chemical safety assessment

A chemical safety assessment has not been carried out for the mixture and the substances it contains.

SECTION 16. Other information

Text of the hazard statements (H) cited in sections 2-3 of the sheet:

Acute Tox . 2	Acute toxicity, category 2
Acute Tox . 3	Acute toxicity, category 3
Acute Tox . 4	Acute toxicity, category 4
Skin Corr. 1B	Skin corrosion, category 1B
Eye Dam. 1	Serious eye damage, category 1
Skin Irrit. 2	Skin irritation, category 2
Skin Sens. 1	Skin sensitization, category 1
Aquatic Acute 1	Hazardous to the aquatic environment , acute toxicity, category 1
Aquatic Chronicle 1	Hazardous to the aquatic environment , chronic toxicity, category 1
Aquatic Chronicle 2	Hazardous to the aquatic environment , chronic toxicity, category 2
H330	Fatal if inhaled.
H301	Toxic if swallowed.
H311	Toxic in contact with skin.
H331	Toxic if inhaled.
H302	Harmful if swallowed.
H314	Causes severe skin burns and serious eye damage.
H318	Causes serious eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H400	Very toxic to aquatic organisms.
H410	Very toxic to aquatic life with long lasting effects.



ITALMONT SRL

Revision No. 2 - 01/04/2020
Revision date 3 - 07/1/2024
Printed on 07/01/2024

Sheet 011 – LAVABILE NEUTRA

Page No. 7/ 7

H411 Toxic to aquatic life with long lasting effects.

EUH210 Safety data sheet available upon request.

LEGEND:

- ADR: European Agreement concerning the carriage of dangerous goods by road
- CAS NUMBER: Chemical Abstract Service number
- EC50: Concentration that produces an effect in 50% of the test population
- CE NUMBER: Identification number in ESIS (European Archive of Existing Substances)
- CLP: EC Regulation 1272/2008
- DNEL: Derived No Effect Level
- EmS : Emergency Schedule
- GHS: Globally Harmonized System of Classification and Labelling of Chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulations
- IC50: Immobilization concentration of 50% of the test population
- IMDG: International Maritime Dangerous Goods Code
- IMO: International Maritime Organization
- INDEX NUMBER: Identification number in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent, bioaccumulative and toxic according to REACH
- PEC: Predicted environmental concentration
- PEL: Predicted Level of Exposure
- PNEC: Predicted No Effect Concentration
- REACH: EC Regulation 1907/2006
- RID: Regulations for the international carriage of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure .
- TWA STEL: Short-term exposure limit
- TWA: Time Weighted Average Exposure Limit
- VOC: Volatile organic compound
- vPvB : Very Persistent and Very Bioaccumulative according to REACH
- WGK: Water hazard class (Germany).

GENERAL BIBLIOGRAPHY:

1. Regulation (EC) 1907/2006 of the European Parliament (REACH)
 2. Regulation (EC) 1272/2008 of the European Parliament and of the Council (CLP)
 3. Regulation (EU) 790/2009 of the European Parliament (I Atp. CLP)
 4. Regulation (EU) 2015/830 of the European Parliament
 5. Regulation (EU) 286/2011 of the European Parliament (II Atp. CLP)
 6. Regulation (EU) 618/2012 of the European Parliament (III Atp. CLP)
 7. Regulation (EU) 487/2013 of the European Parliament (IV Atp. CLP)
 8. Regulation (EU) 944/2013 of the European Parliament (V Atp. CLP)
 9. Regulation (EU) 605/2014 of the European Parliament (VI Atp. CLP)
 10. Regulation (EU) 2015/1221 of the European Parliament (VII Atp. CLP)
 11. Regulation (EU) 2016/918 of the European Parliament (VIII Atp. CLP)
 12. Regulation (EU) 2016/1179 (IX Atp. CLP)
 13. Regulation (EU) 2017/776 (X Atp. CLP)
- The Merck Index. - 10th Edition

Safety Handling

- INRS - Fiche Toxicologique (toxicological sheets)
- Patty - Industrial Hygiene and Toxicology
- NI Sax - Dangerous properties of Industrial Materials-7, 1989 Edition
- IFA GESTIS Website
- ECHA Agency Website
- Database of SDS models of chemical substances - Ministry of Health and Istituto Superiore di Sanità

Note for user:

The information contained in this sheet is based on the knowledge available to us at the date of the last version. The user must ensure the suitability and completeness of the information in relation to the specific use of the product.

This document should not be construed as a guarantee of any specific property of the product.

Since the use of the product is not under our direct control, it is the user's obligation to observe under his own responsibility the laws and provisions in force regarding hygiene and safety. We assume no responsibility for improper use.

Provide adequate training to personnel involved in the use of chemicals.