EU RIA H2020 Proposal Template

ROBHOOT

Abstract

Eco-evolutionary biology reveals how interactions and traits diversify across multiple scales of organization, from neurons to populations and ecosystems. Evolving networks in nature with ever changing traits and connectivity patterns can inspire a new discovery computation for a globalsustainable knowledge-inspired society. Many studies have shown sustainability could be achieved by strengthening transparency, communication, and rapid access to discovery technologies. Sustainability goals, however, depend on global access to discovery-based knowledge. Yet, science-enabled technologies targeting knowledge discovery to reach sustainability goals are not in place. We propose an eco-evolutionary diversification-inspired discovery computation technology for a knowledgeinspired society. We introduce evolutionary diversification-inspired and artificial intelligence solutions for sustainability in natural ecosystems. We validate our approach with a sustainability of the Seas case study in federated networks, where many distinct groups of species, humans and technologies coexist exploiting resources in complex ecosystems. Knowledge discovery running on a federated network encompasses a hybrid-technology to lay out the foundation of an open- and cooperative-science ecosystem for computation discovery in the face of global sustainability challenges. The project summarized here is not only set out to deliver knowledge discovery computation in federated networks, but also to provide fully reproducible open-source software solutions of a science-enabled technology to connect knowledge-inspired societies to global sustainability challenges.

Knowledge discovery in eco-evolutionary diversification-inspired federated networks

ROBHOOT

1 Excellence

1.1 Radical vision of a science-enabled technology

Ecosystems collapse around the globe in the absence of technologies to discover novel ways of sustainable exploitation of complex ecosystems. In this regard, rapid, real time, heterogeneous- and cooperation-based, discovery computation is currently a major issue revolving around data-driven intelligent machines and knowledge inspired societies facing global sustainability challenges. However, diversifying networks are not used for discovery computation yet, despite rapid changes in trait and interaction have been observed in experimental and theoretical systems [15, 17]. Evolving networks are characterized by feedbacks between the ecology and evolution of interacting traits, the eco-evolutionary feedbacks, to produce novel trait changes with new functional properties in ecosystems. This results in new computational properties, like interactions (i.e., cooperation, competition, antagonism, etc), and information processing and learning capabilities. Conventional Artificial Intelligence (AI) computation is rapidly moving towards explainable and discovery pattern inference [21] but often avoids evolutionary diversification for exploring new computing capabilities [26]. The same situation occurs for artificial neural networks that also make limited use of novel computing capabilities as a consequence of the emergence of new interactions and traits [28]. The goal of this project is to implement eco-evolutionary-diversification inspired solutions to make discovery computation based on rapidly evolving traits and interactions. The exploitation of evolving connections and traits will allow us to create novel discovery computation solutions for natural ecosystems facing sustainability challenges like overexploitation of the Seas, where harvesting renewable resources are in the point of diminishing returns for many species, communities and ecosystems (refs ++++). Why should we go deeper into diversifying information processing for discovery computation? With connections and traits represented in a spatially distributed network, as found in natural ecosystems, it is possible to untangle mapping of many spatiotemporal inputs onto many output functions. This allows considering not only evolutionary processes changing traits and agents but the diversification of new entities to decipher new solutions for harvesting renewable resources. This also allows representing real-time solutions for ever changing renewable resources, which is a key problem in many digital and natural ecosystems.

To show the capabilities of the ROBHOOT approach, we will complement novel implementations of evolutionary diversification-AI discovery computation with full reproducibility, automation, visualization and reporting to trigger its citizen science and scalability properties at large-scale (Figure 1). The main impact of ROBHOOT is to provide novel open-source software for reproducible discovery computation solutions to substantially improve ecosystem sustainability relevant for community-rich digital and natural ecosystems. To support this notion, we will perform ecoevolutionary diversification and AI inspired simulations accounting for heterogeneity in data-sources. The central goals of ROBHOOT are:

- 1. To extend existing theories of eco-evolutionary diversification and AI inspired solutions to decipher the factors driving discovery computation in federated networks. This will allow us to identify novel paths of reliable solutions for ecosystem sustainability.
- 2. To investigate how spatiotemporal evolutionary diversification and AI inspired networks can mimic the empirical patterns of natural and socio-technological ecosystems when large and heterogeneous exploiting human groups and species coexist.
- 3. To develop fast, reproducible and automated eco-evolutionary biology-inspired discovery computation prototypes for real-time information processing tasks.
- 4. To arrive at powerful discovery computation principles for forecasting in federated networks when diversification in interactions and traits occur in a large and heterogeneous pool of species, technologies and human groups.

1.2 Science-to-technology breakthrough that addresses this vision

Data knowledge discovery (WP1) Evolutionary biology-inspired mantic algorithms: Most studies of data discovery focus on advanced analytics functions to reveal insights, ignoring the discovery of data-source heterogeneity almost completely. Currently, only a few databases are semantically annotated from many data-sources (e.g., gene ontology database, COVID-19). Ontology development is time-consuming and requires expert knowledge. also ideally paired with data-driven research that iteratively checks the soundness of the ontology as it simultaneously seeks discovery. Thus, software tools for mapping and linking the terms between different ontologies accounting for many data-sources are still not in place [6, 4].

Going beyond ROBHOOT will go beyond state-of-the-art to implement evolutionary-biology inspired semantic algorithms. We will explore insertions and deletions, different types of recombination and crossover, and other




Figure 1: Discovery in evolutionary diversification-inspired federated networks. ROBHOOT target knowledge discovery when heterogeneous groups of species, humans and technologies share ecosystem resources for a sustainable knowledge-inspired society: It introduces three science-enabled technologies: Evolutionary biology-inspired semantic algorithms for ROB-HOOT v1.0 (data knowledge discovery, red), eco-evolutionary diversification-inspired AI models for ROBHOOT v2.0 (causal knowledge discovery, green), and evolutionary neural diversification-inspired federated networks for ROBHOOT v3.0 (discovery in federated networks, blue). ROBHOOT uses the sustainability of the Seas case study in federated networks to offer a compact open-source technology with full reproducibility, automation, visualization and reporting for an open citizen science.

evolutionary-based functions to find datatype properties from ontologies and raw-data from non-semantic databases. ROBHOOT will explore algorithms to gain understanding of the replicability of data heterogeneity contrasting different evolutionary algorithms.

Causal knowledge dicovery (WP2)

Eco-evolutionary diversification-inspired AI algorithms: Causal, explainable or interpretable discovery from observable data has been extensively studied (refs ++). Many of these studies have used symbolic reconstruction of equations by symbolic regressions or evolutionary methods (refs +++). However, a common gap throughout much of the literature is that of reconstruction from partially known models where the parameters represent eco-evolutionary and diversification processes from where explainability of the data can be done efficiently. The classical view on biology-inspired information processing technologies is to consider plasticity without structural changes, or without diversification among many interacting components (refs +++). Recent experimental evolution studies shows that rapid trait changes with new information processing capabilities is far more complex (refs +++). For example, eco-evolutionary dynamics strongly affect feedbacks between ecological and evolutionary processes, which in turn influences trait changes to open new properties with new information capabilities (refs +++). Furthermore, recent studies suggest that the interplay between trait dimensionality and adaptation is key to understand the emergence of new traits and information processing abilities to elaborate new discovery computation strategies in ecosystems (refs +++).

Going beyond ROBHOOT will, for the first time, employ eco-evolutionary diversification-inspired solutions to implement AI process-based methods to represent spatiotemporal causal inference in systems containing large heterogeneity and dimensionality (Figure 2). Eco-evolutionary diversification-inspired models will be extended to deep process-based learning networks including trait and interactions as evolutionary changes to understand patterns in these systems. The search for causal knowledge discovery will be applied to the data knowledge discovery generated in WP1 for the sustainability of the Seas. This database started in 1965 and currently contains 9 mill. entries, 1612 species (i.e., 50 variables and

traits per species), around 20 countries and 11 sampling methods (Figure 2). Our approach will explore broad classes of evolving functions from eco-evolutionary diversification-inspired AI algorithms combining them to automated Bayesian machines ensuring the search, the evaluation of models, trading-off complexity, fitting to the data and quantify resource usage [20, 29].

Discovery in federated networks (WP3) $Evolutionary\ neural\ diversification\hbox{--}inspired$ federated networks: Technologies in digital ecosystems around federated networks are rapidly increasing and mostly focus on decentralization, scalability and security fronts [19, 13, 14, 8, 24, 9]. Yet, the discovery of novel algorithms in diversification-inspired federated networks for forecasting of global sustainability problems when heterogeneous groups change and learn from each other is currently not in place. Recent studies have shown the importance of evolutionary search of mathematical and symbolic operations as building blocks to discover ML algorithms ([26, 20]). In this regard, evolutionary diversificationinspired search for algorithmic discovery can help to decipher how interactions among heterogeneous groups evolve and learn to solve complex sustainability problems. Evolutionary dynamics can explore open-ended language of models with varying trait evolution functions to discover biologically inspired solutions in multidimensional systems ([26],+++). HOOT v.3.0 deploys biology-inspired federated networks accounting for heterogeneous agents to discover novel biology-inspired solutions for the sustainability of the Seas federated network. Going beyond: Our understanding of the outcomes from diversified information processing systems formed by highly heterogeneous groups, a kind of large-scale meta-learning in the federated setting [13], is currently quite Therefore, new science-enabled approaches accounting for diversifying information processing in heterogeneous and highly dimensional systems are required. This allows to develop science-enabled technologies where heterogeneous agents with different interests find (non optimal) solutions for the sustainable exploitation of ecosystems. Federated objects can be seen as "neural networks" containing many types of heterogeneous nodes with varying degrees of learning, connectivity and firing probabilities [22, 23]. ROBHOOT v.3.0 connects




Figure 2: Discovery for Sustainable Ecosystems. ROBHOOT target discovery computation for new sustainability paths in complex ecosystems. The sustainability of the Seas case study [7] will be enriched to validate the technology when many species, human groups and technologies exploit resources (Top left, data-color points represent sampling from different countries. Zoomed in is the Irish ground Fish (IE-IGFS, Orange) and the Spanish survey on the Porcupine Bank (SP-PORC, Blue). Countries produce strong bias in the distributions maps because they use different Gears according to their commercial interest (Megrim, Lepidorhombus whiffiagonis, consumed largely in Spain and France, Center left) and Haddock, Melanogrammus aeglefinus, highly priced in northern Europe, Center right). This generates strong bias for sustainability in natural resources. ROBHOOT integrates evolutionary biology-AI-inspired solutions represented as networks with many layers to discover sustainability paths with many coexisting species, human groups and technologies **Bottom**. Each country, species and gear is composed by many nodes: country contains fishery, environmental agency, stakeholders, etc. Species contains size-classes, habitat preference, species interactions, etc. Red and blue links mean competition and cooperation links connecting each pair of nodes.

knowledge discovery to diversification-inspired federated netwoks to study the properties of cooperative

forecasting in the face of global sustainability challenges.

1.3 Interdisciplinarity and non-incrementality of the research proposed

To succeed with ROBHOOT, it is essential to build an interdisciplinary team that includes scientists from different disciplines, i.e., evolutionary biology, ecology, computational neuroscience, computer science, data science, complex systems and experts in communication and biodiversity sampling methods. Data knowledge discovery gained by the analysis of the computation discovery capabilities of evolutionary-inspired semantic algorithms will be developed by the evolutionary biology, computer science and complex system members of the consortium (EBD-CSIC, IFISC-CSIC, SDSC). Data discovery can be transferred to the causal domain addressed by the other part of the consortium with expertise in ecology, evolutionary biology, data science and causal inference (EAWAG and TARTUR). The whole process will be enriched with full automation, reproducibility and visualization supported by ICREA, SDSC, and our company-partner SCITE, respectively. Conversely, those scientists working on neurobiology and eco-evolutionary dynamics in ecosystems will feed information back on fundamental discovery computational challenges in federated networks (i.e., role of heterogeneity, evolving and diversifying traits and interactions, cooperation, and dimensionality). This allows feedbacks in their implementations to explore to what degree this is reflected also in eco-evolutionary biology-inspired and neurobiology inspired discovery computation models to augmented their models. This cross-fertilizing back-and-forth interaction will allow the project to keep high modularity within the WPs while keeping cross-interactions among the groups to run efficiently the stages of the project. To bring together evolutionary biology-inspired semantic algorithms for data discovery and evolutionary neurobiology-inspired discovery in federated networks require a long stride and this has not been attempted so far. This way, we expect to realize a truly novel, sustainability-driven knowledge-inspired society technology for which there are no predecessors. Thus, ROBHOOT will not be incremental, but a leap opening a new direction for eco-evolutionary diversification-inspired discovery computation.

1.4 High risk, plausibility and flexibility of the research approach

ROBHOOT represents a novel approach for complex, adaptive and multidimensional discovery computation in ecosystems. The transfer of eco-evolutionary diversification-inspired principles onto fully reproducible and automated software, progressing towards a process-based discovery technology, will be a major qualitative step, defining ROBHOOT as a high-risk project, fitting into FET-Open. To achieve the ambitious goals, we will combine expertise from all involved areas, mitigating risk in a gradual way, following a strict line and increasing step-by-step in complexity of the problems addressed. We will start with evolutionary biology-inspired semantic algorithms for data discovery applying them to the sustainability of the Seas case study. This is followed by the implementation of more complex eco-evolutionary diversification-inspired AI modeling to infer causality in our case study. Then, we will advance to more complex situations, where the evolutionary neurobiology-inspired modeling will expand the search along many diversifying and cooperative forecasting schemes to find paths of sustainability in our case study. To keep the project technically feasible, and to be able to identify the mechanisms and their properties from data and causal discovery computation to discovery in federated networks, we will limit methods to three main approaches. All of the above will be done by combining theoretical work and numerical simulations with a real empirical case for the sustainability of the seas. The knowledge gained along these three lines will allow us to compactly represent all the steps into a compact science-enabled open-source technology. We will develop the modeling in fast computing languages implementing low-level Agent Based Models (ABM) along all the theoretical development of the proposal (i.e., Julia, C++). We will contrast the ABM with differential/difference equations methods when a large number of agents, traits, and interactions diversify in time and space. This feature represents a very desirable fallback in case of speed and convergence problems for multidimensional and nonlinear systems (Table 1.4a, Critical risks for the research approach). Our implementation activities are all complemented by numerical investigations contrasted for speed, replicability, and robustness with the sustainability of the Seas case study (Figure 2). The success of ROBHOOT would represent a breakthrough in the current discovery computation with direct application to sustainability of ecosystems

and beyond. The combination of rapid, data heterogeneity and cooperation for discovery computation based on open-source code will lead to fast implementations of the demonstrators with high flexibility that will permit a rapid transit to the public.

Table 1.4a: Critical risks for the research approach

Description of risk	Objective	WP	Proposed risk- mitigation measures
Evolutionary semantic algorithms insufficiently developed: Medium	2	WP1	Use traditional non-semantic genetic algorithms to infer data connections.
Multilayer metrics accounting for spatiotemporal patterns along many datasets insufficiently developed: Low	2	WP1	Implementation of more standard complex networks metrics to characterize data knowledge discovery.
Low number of training data available: Medium	2,3	WP2	Alternative methods focusing on matrix decomposition methods.
Automated evolutionary-inspired expressions for causal knowledge discovery insufficiently developed: Medium	2,3	WP2	Symbolic regression methods to full automation for causal discovery accounting for evolutionary rules.
Eco-evolutionary dynamics of multiple traits in species-rich ecosystems insufficiently developed: Medium	1-4	WP3	Mean-field approximations using classical ODE systems and novel universal differential equations for scientific machine learning.
Evolutionary neurobiology-inspired federated networks insufficiently developed: Medium	1-4	WP3	Spiking neural network models as alternatives to evolutionary neural biology-inspired algorithms in federated networks.
Cooperative forecasting mixing eco- evolutionary dynamics and neu- ral nets in large scale federated networks insufficiently developed: Medium	1-4	WP3	Mix eco-evolutionary dynamics models with less alternative neural nets models working a smaller spatiotemporal scales.

2 Impact

2.1 Expected impact

- Scientific and technological contribution to the foundation of a new future technology: ROBHOOT target discovery of novel evolutionary diversification-inspired algorithms to substantially improve solutions for sustainability in ecosystems. Discovery of novel evolutionary-inspired algorithms in the context of diversifying traits, interactions, technologies and human groups for biodiversity maintenance have been hardly been investigated in this context so far. Therefore, several predictors related to biodiversity, technological and social times series analysis will be tested and further developed to enable robust prediction of sustainability. Altogether, this project will lay the foundation for future sustainability studies.
- Potential for future social or economic impact or market creation: Our approach accounts for heterogeneous sources of data, the evolving mechanisms driving technological, environmental and social changes required to make ecosystems sustainable. This will allow to use the technology in public and private industry, for example, to generate rapid and robust scenarios when facing complex problems including global sustainability challenges (e.g., global health, food and feed production, ecosystems degradation).
- Impact on transparency and reproducibility: Decision making and governance at local, regional and global scales require access to transparent and reproducible information containing

the factors and their plausibility explaining the empirical patterns. ROBHOOT consortium brings together different partners in the fields of computer science, neurobiology, complex system, biology, social sciences, evolutionary ecology and one SME all focusing on reproducibility, automation, visualization and reporting scientific data to different audiences. A reproducible, open-access, and automated tool will be developed accounting for global data-arquitecture and addressing scenarios of future strategies for sustainability.

- Ecosystem health impact: ROBHOOT focus on novel discovery solutions for ecosystems that can be under a varying degree of disturbances (e.g. fires, floods, droughts, overexploitation of natural resources). It uses a case study for overexploited ocean ecosystems with highly heterogeneous social groups and different interests in the exploitation of limited and shared resources. This is a technology designed to provide novel solutions for ecosystem sustainability, improving the underlying discovery paths, thereby connecting ecosystem sustainability and ecosystem health. This feature aligns to the EU Reflection paper towards a Sustainable Europe by 2030 and the UN's Sustainable Development Goals. ROBHOOT can be seen as an horizontal enabler for a scientific-based transition to sustainability based on large amounts of heterogeneous data, artificial intelligence and evolutionary-biology inspired solutions.
- Building leading research and innovation capacity across Europe: This consortium brings together excellent partners from the fields of computer science, machine learning, deep learning networks, neurobiology, complex systems, experimental biology, biology and evolutionary ecology, physics, theory and applications of complex systems in social networks, delivering a highly innovative science-based reproducibility, automation, reporting and communication tool focusing on sustainability solutions. All consortium partners exhibit a long-standing experience in interdisciplinary research across the boundaries of the individual disciplines. A web-based sustainability discovery portal will be produced (WP3), which will allow researchers, NGO, managers and the public to train students in the discovery process to manage over-exploited ecosystems. This will also allow to scale up the number of people participating in the sustainability process thus mobilising forward thinking researchers and excellent young researchers to work together and explore what may become a new discovery technology paradigm in sustainability research.

2.2 Measures to maximize impact

Dissemination and exploitation

A plan for dissemination and exploitation (PDE) will be developed and managed under WP4. It will address the project strategy and concrete actions related to: i) Dissemination: Open Access format; ii) Data Management: how data will be handled; iii) Protection: IPR strategy; iv) Exploitation, namely "business models", and v) Communication, particularly the different action to communicate the project's results and prototypes to key groups of end-users. The PDE will also have a Dissemination and Exploitation Board (DEB).

- Open Access: Project reports and ISI journals publications will be under the Open Access format. Following the Open Science principles, software and scientific publications will be deposited in the online institutional repositories and on the EC Participant Portal. ZENODO (http://zenodo.org), a public repository recommended by the European Research Council and the EC, and supported by EUs OpenAire platform (https://www.openaire.eu/) will be also used for dissemination and communication purposes (publications, presentations, datasets, images, videos/audio and interactive materials such as lectures).
- Open access to research data: recommended data repositories (e.g. PANGAEA, NASA Goddard Earth Sciences Data and Information Services Center) will used to share the generated data and software. Open-source codes and analysis of standardized inputs/outputs and software will be made public through an online platform with the aim of converting it in the Reference Point for any future research in knowledge discovery.
- Data management: Good research data management practice will ensure that data produced or used during ROBHOOT is registered, stored, made accessible for use, managed over time and/or disposed of, according to legal, ethical, funder requirements and good practice. This management

will provide benefits such as reducing the risk of data loss, improving data workflows and data availability and discovery, visibility of research outputs, attracting new collaborators and research partners, strengthening of the research environment and infrastructure. A data management plan (DMP) will be created by Project Coordinator in close cooperation with the partners and approved by the Steering Board at the start of Project. The DMP will follow the FAIR principles. The document will describe how to collect, organize, manage, store, secure, back-up, preserve, and where applicable, share data.

- Innovation and IPR: The Consortium will benefit from the innovation and technology transfer environment in place at EAWAG, which will examine for the individual case if an invention is patentable and if a patent application would be economical reasonable. Support is also available to assist the realization of innovative ideas into efficient business concepts. The necessary precautions will also be taken to protect the IPR of individual institutions. A Consortium Agreement will be signed prior to the beginning of the project to take into account the different interests of the partners, in particular how to treat pre-existing knowhow, the ownership of the results and the intellectual property rights in order to prevent conflicts during the project. The Steering Board will ensure that all innovations and generated data are exploited to the benefit of the involved partners.
- Exploitation, including business models: The project's results will be showcased in trade shows (e.g. WebSummit), by communicating through specialized trade press media, and also to a targeted audience (policy makers, funding agencies, industry and SMEs). A detailed business plan will prepared during the project work in collaboration with the SME and academic partners involved, with the ultimate goal of creating a Start-Up at the end of ROBHOOT. The value proposition of the project is develop computation discovery solutions for rapidly diversifying traits and complex interactions that improve the sustainability of exploited natural ecosystems.

Communication activities

ROBHOOT has very general communication targets, from scientists and decision-makers, to the business community and the public. ROBHOOT's general dissemination measures will focus on project results and stakeholder engagement through the following activities.

- Scientific manuscripts and conference presentation: High-impact scientific manuscripts are expected, together with the presentation of results in scientific conference, as well as organization of special sessions in international scientific and technological meetings.
- Website: A dedicated website and a public git ROBHOOOT repository, which is already available (ROBHOOT git repository), will be used for communicating results and sharing updated versions with all target audiences.
- Hackatons and robhacks: activities to attract multipliers and developers from the open-source community to the community who engage in data analytics and build hybrid evolutionary biology-inspired AI algorithms. Workshop: At the end of the project we will organize a workshop specifically on Next generation evolutionary-biology AI inspired solutions for global sustainability challenges for disseminating our results to a broad set of groups and experts in fields related to global sustainability for assessing future exploitation potential, inviting partners from academia as well as industry.
- Testnet: ROBHOOT will launch a testnet to help disseminate the main results of discovery in federated networks (Section 3.1.3). The launch will have invited NGO's and GO across disciplines and social, economical and technological sectors. The ROBHOOT Open Discovery Network will be launched as a Biodiversity and sustainability open discovery network to offer the solutions for the exploration of the Seas case study and to integrate additional public databases and data collections into the open discovery network to facilitate NGOs, GOs and other organizations transparency, reproducibility, and governance in ecosystem management.

3 Implementation

3.1 Research methodology and work plan, work packages and deliverables

The project consists of five work-packages (WP1-WP3: R&D, WP4: Dissemination and WP5: Management). WP1 deals with evolutionary semantic algorithms for data knowledge discovery, WP2 addresses evolutionary biology-AI-inspired models to infer causal knowledge discovery with an implementation for the exploration of the Seas case study, WP3 addresses evolutionary neural biology-inspired for knowledge discovery to provide cooperative forecasting in federated networks. WP3 also provides a empirical case implementation of cooperative forecasting for the exploration of the Seas.

Demonstrators: The project will create three demonstrators of increasing complexity all containing full reproducibility and automation capabilities:

- \mathcal{RH} v1.0 Software demonstrator with evolutionary semantic algorithms to decipher ontologies along many data-sources for the exploration of the Seas data knowledge discovery case study (MS1);
- \mathcal{RH} v2.0 Software demonstrator with evolutionary biology-AI-inspired modeling for spatiotemporal causal pattern knowledge discovery (MS2);
- \mathcal{RH} v3.0 Software demonstrator using evolutionary neural biology-inspired networks for spatiotemporal discovery in federate networks (MS3).

	Table 3.1a: List of work packages								
Work	Work package title	Lead	Lead Short	PMs	Start	End			
pack-		No.	Name		Month	Month			
age									
No.									
1	Data knowledge discovery	1	CSIC	XX	1	18			
2	Causal knowledge discovery	6	TARTU	XX	7	24			
			ULIKOOL						
3	Discovery in federated networks	9	UNIGRAZ	XX	13	36			
4	Dissemination	10	IEO	XX	1	36			
5	Management	6	EAWAG	XX	1	36			
			Total PMs	XXX					

The inference of causal mechanisms and the discovery of spatiotemporal patterns in federated networks is a generic problem found in e.g. many agents sharing resources, sustainability, eco-evolutionary networks, biodiversity maintenance, or social networks. Thus, the discovery computation of spatiotemporal patterns represents an ubiquitous computational problem in digital and natural ecosystems, where many evolving and heterogeneous agents and interactions share information to reach sustainability goals. In the demonstrators of $\mathcal{ROBHOOT}$, we will consider at least different scenarios for each of the software implementations such that agents contain many evolving traits and interactions can also evolve along different signs and effects (M1, M2 and M3). This allows, for example, finding trait and interaction changes patterns that improve sustainability scenarios with respect to the observed empirical patterns in the exploration of the Seas case study. In the course of the project, more complex context-dependent trait changes of agents and interactions together with different learning functions will be considered to explore how they affect sustainability properties in federated networks.

 $Gantt\ chart: (M=Milestone, D=Deliverable, R=Project\ Reporting, T=Task)$

YEAR		2021				20)22		2023							
MONTH					Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4
MILESTONE												M1		M2		М3
WP	WP Name	PROGRESS	START	END												
WP1	Data knowledge discovery (DKD)															<u> </u>
T1.1	Evolutionary semantic algorithms	17%	1/1/21	31/06/22						D1.1						
T1.2	Multilayer network metrics	34%	1/1/21	31/06/22						D1.2						
T1.3	Automation DKD	51%	1/4/22	1/8/22							D1.3					
T1.4	Reproducibility DKD	68%	1/8/22	1/13/22							D1.4					
T1.5	Visualization DKD	85%	1/2/21	1/4/21							D1.5					
T1.6	Data knowledge discovery EX	100%										D1.6				
WP2	Causal knowledge discovery (CKD)															
T2.1	Eco-Evolutionary AI Algorithms	17%	1/3/21	1/7/21								D2.1				
T2.2	Eco-Evolutionary Deep Learning	34%	1/5/21	1/10/21								D2.2				
T2.3	Automation CKD	51%	1/10/21	1/13/21									D2.3			
T2.4	Reproducibility CKD	68%											D2.4			
T2.5	Visualization CKD	85%	1/10/21	1/12/21									D2.5			
T2.6	Causal knowledge discovery EX	100%	1/10/21	1/13/21										D2.6		
WP3	Discovery in federated networks (DFN)															
T3.1	Sharing federated networks	17%	1/16/21	1/21/21										D3.1		
T3.2	Evolutionary neural networks	34%	1/22/21	1/26/21												D3.2
T3.3	Automation DFN	51%	1/27/21	2/1/21												D3.3
T3.4	Reproducibility DFN	68%	2/2/21	2/6/21												D3.4
T3.5	Visualization DFN	85%	1/27/21	1/31/21												D3.5
T3.6	Discovery in federated networks EX	100%														D3.6
WP4	Dissemination															
T4.1	Dissemination activities	17%	date	date				D4.1				D4.2				D4.5
T4.2	Analysis Exploitables	34%	date	date												
T4.3	Business plan	51%	date	date												D4.6
T4.4	Hackaton Robhoot 1.0	68%	date	date								D4.3				
T4.5	Data management	85%	date	date								D4.4				
T4.6	Exploration of the Seas outreach	100%														D4.7
WP5	Management															
T5.1	Project initiation	50%	date	date												
T5.2	Other management task (R = Reporting)	100%	date	date				R				R				R

Table 3.1b: Work package description Please note that the basic technical considerations for the setups are described in side boxes...

Work package numb	er 1	Lead benefi	ciary	EBD-CSIC			
Work package title	Data knowl	Data knowledge discovery					
Participant number	1	2	3	4	5		
Short name of participant	EBD-CSIC	IFISC-CSIC	ICREA	SDSC	SME		
Person month per participant	9	6	3	3	3		
Start month	1						
End month	24						

- Develop a evolutionary biology-inspired semantic framework for data discovery
- Derive semantic functionality rules required for data computation discovery
- Adaptive learning rules and data discovery properties for the sustainability of the Seas case study

Description of work

Task T1.1: Semantic evolving algorithms (M1-M18) Leader: EBD-CSIC. Contributors: 1 Algorithms with insertions and deletions (i.e., homonymous molecular biology techniques) and other methods used to explore gene and phenotype functions will find classes, object properties and datatype properties from ontologies, and raw data from non-semantic databases. They will infer semantics on the raw data to link them to the ontological terms. We will translate the semantically-annotated databases to a Neo4j graph database by mapping classes to nodes, object properties to links between nodes, and datatype properties to nodes' attributes, despite current software tools to infer semantics have not been fully developed nsf. In addition, the graph database has an architecture flexible enough to get high scalability [4] to accommodate big data and to infer properties using multilayer metrics (T1.2). T1.1 provides semantic evolutionary algorithms that will allow WP2 and WP3 to implement semantics in causal knowledge discovery and discovery in federated

Task T1.2: This task extends T1.1 into multilayer network metrics for general principles of data discovery (M1-M18) Leader: IFISC-CSIC. Contributors: 2

Multilayer network metrics [12, 10] for evolutionary semantic algorithms will focus on large pools of data heterogeneity to explore how data configurations, privacy requirements, formats, dimensions, biases and spatiotemporal resolution affect data discovery [5, 1, 3, 2]. Victor, Emilio: Keep elaborating

Task T1.3: Based on the framework developed in T1.1 and T1.2, ICREA will derive automation rules for data discovery (M15-M21) Leader: ICREA. Contributors: 3 Automation rules [20] for evolutionary semantic algorithms and multilayer network metrics search and rules transformation for data discovery. Roger: Keep elaborating

Task T1.4: Reproduce (M15-M21)

Leader: SDSC. Contributors: In this task the SDSC will merge the work done in T1.1 and T1.2 into reproducible and replicable data knowledge graphs

Task T1.5: Visualize (M15-M21)

Leader: SME. Contributors: In this task the partner SME will apply visualization algorithms to the work done in T1.1 and T1.2 Charles and Miguel: Keep elaborating

Task T1.6: All participants apply results from evolutionary semantic algorithms and multilayer network metrics into a fully automated, reproducible and animated sustainability exploitation of the Seas case study (M15-M24) Leader: EBD-CSIC. Contributors:

Evolutionary semantic algorithms and multilayer network metrics will search and transform many sourcedata (i.e., Fishery data using the (global fishing watch), species interactions, environemental data and social and stakeholders groups with different interests within each of the countries, etc, together with the sustainability of the Seas database started in 1965 contains around 9 million entries, 1612 species, 20 countries and 11 sampling methods (Figure 2).

Deliverables

- D1.1Semantic evolving software for data discovery (M18)
- D1.2Report on definition of multilayer network metrics applied to data discovery (M18)
- D1.3Automated demonstrator of evolutionary semantic rules for data discovery (M21)
- D1.4 Reproducible demonstrator of evolutionary semantic rules for data discovery (M21)
- D1.5Visualization demonstrator of evolutionary semantic rules for data discovery (M21)
- D1.6Demonstrator all parts for the sustainability exploitation of the Seas case study (M24)

Work package num	ber 2 Lead beneficiary	TARTU
Work package title	Causal knowledge discovery	
Participant number	6 7	
Short name of participant	EAWAG	TARTU
Person month per participant	9 (Provisional)	6 (Provisional)
Start month	7	
End month	30	

- Develop a evolutionary-biology-AI inspired framework for causality discovery
- Derive functionality rules required for causality-based computation discovery
- Adaptive learning rules to mimic the empirical patterns for sustainability of the Seas

Description of work

Task T2.1: Develop eco-evolutionary dynamics modeling ... (M7-M24) EAWAG. Contributors: 6

... T2.1 provides computation algorithms with evolving traits and interactions to allow WP2 to implement this feature in causal knowledge discovery. This is particularly relevant in Earth, Ecosystem and Sustainability science. The rapid progress of AI as an automated and explainable technology ([25, 18, 11, 20, 26, 16],+++) will increase our ability to make stronger inferences about future sustainability challenges and solutions [27]. Yet, eco-evolutionary biology-AI-inspired computation discovery solutions will be required to explore a broader range of scenarios with changing functions and Carlos: Keep elaborating

Task T2.2: This task extends T2.1 into evolutionary biology-inspired deep learning networks metrics for general principles of causal discovery (M7-M24) Leader:TARTU. Contributors: 8

Raul:Keep elaborating

Task T2.3: Based on the framework developed in T2.1 and T2.2, ICREA will derive automation rules for data discovery (M21-M27) Leader: ICREA. Contributors: 3 Automation rules [20] for evolutionary semantic algorithms and multilayer network metrics search and rules transformation for data discovery. Roger: Keep elaborating

Task T2.4: Reproduce (M21-M27)

Leader: SDSC. Contributors: 4

Leader:

In this task the SDSC will merge the work done in T2.1 and T2.2 into reproducible data knowledge graphs Christine: Keep elaborating

Task T2.5: Visualize (M21-M27)

Leader: SME. Contributors: 5 In this task the partner SME will apply visualization algorithms to the work done in T2.1 and T2.2 Charles

Task T2.6: All participants apply results from eco-evolutionary AI algorithms and deep learning networks into a fully automated, reproducible and animated sustainability of the Seas case study (M21-M30) Leader: **EAWAG**. Contributors: 6,7,8,3,4,5

0.05 in

Deliverables

- D2.1Report on definition of eco-evolutionary biology-AI-inspired rules for causal discovery (M18)
- D2.2Report on definition of eco-evolutionary process-based deep learning networks applied to causal computation discovery (M18)
- D2.3Automated demonstrator of eco-evolutionary biology-AI-inspired rules for causal discovery (M21)
- D2.4Reproducible demonstrator of eco-evolutionary biology-AI-inspired rules for causal discovery (M21)
- D2.5Visualization demonstrator of evolutionary semantic rules for data discovery (M21)
- D2.6Demonstrator all parts for the sustainability exploitation of the Seas case study (M24)

Work package numb	er 3	Lead benefici	ary UNIGRAZ
Work package title	Disco	very in federated net	works
Participant number	8	9	
Short name of participant	SRC	UNIGRAZ	
Person month per participant	Σ	X	
Start month	13		
End month	36		

- Develop a evolutionary-biology inspired framework for discovery in federated networks
- Derive functionality rules required for computation discovery in federated networks
- Adaptive learning rules to discover novel paths for sustainability of the Seas

Description of work

Task T3.1: Develop eco-evolutionary biology-inspired modeling for discovery in federated networks (M13-M36) Leader: SRC. Contributors: 10

This task extends eco-evolutionary biology-inspired modeling for general principles of discovery in federated networks... Jon:Keep elaborating

Task T3.2: Develop evolutionary neurobiology-inspired algorithms... (M13-M36) Leader: UNIGRAZ. Contributors: 9

... T3.2 provides computation algorithms with evolving neurons with (many) traits and interactions to allow WP3 to implement this feature in discovery in federated networks.... Wolfgang: Keep elaborating

Task T3.3: Based on the framework developed in T3.1 and T3.2, ICREA will derive automation rules for discovery in federated networks (M25-M36) Leader: ICREA. Contributors: 3

Automation rules for eco-evolutionary and neurobiology-inspired modeling for discovery in federated networks Roger: Keep elaborating

Task T3.4: Reproduce (M21-M27)

Leader: SDSC. Contributors: 4 In this task the SDSC will merge the work done in T3.1 and T3.2 into reproducible and replicable discovery in federated networksChristine:Keep elaborating

Task T3.5: Visualize (M21-M27)

In this task the partner SME will apply visualization algorithms to the work done in T3.1 and T3.2Charles:Keep elaborating

Task T3.6: Sustainability of the Seas federated network (M21-M30)

Leader:

Leader: SME. Contributors: 5

UNIGRAZ. Contributors: 6,7,8,9,10

All participants apply results from eco-evolutionary and neurobiology-inspired algorithms into a fully automated, reproducible and animated sustainability of the Seas federated network case study

Deliverables

- D3.1 Demonstrator on eco-evolutionary biology-inspired rules for discovery in federated networks (M30)
- D3.2Demonstrator on evolutionary neurobiology-inspired rules for discovery in federated networks (M36)
- D3.3Automated demonstrator of for evolutionary biology-inspired rules in federated networks (M36)
- D3.4Reproducible demonstrator of evolutionary rules in federated networks (M36)
- D3.5Visualization demonstrator of evolutionary rules for discovery in federated networks (M36)
- D3.6Demonstrator all parts for the sustainability of the Seas federated network case study (M36)

Work package nu	mber 4 Lead beneficiary IEO
Work package title	Dissemination
Participant number	10 11
Short name of participant	IEO SEM
Person month per participant	X X
Start month	1
End month	36

• This WP deals with the system entire scope of dissemination of results in the research community and for the general public. Connection to SME for visualization

for the general public. Connection to SME for visualization	
Description of work Task T4.1: Paco:Keep elaborating (M7-M24)	Leader: IEO. Contributors: 10
Task T4.2: Paco:Keep elaborating (M7-M24)	Leader: IEO. Contributors: 10
Task T4.3: Paco:Keep elaborating (M21-M27)	Leader: IEO. Contributors: 10
Task T4.4: Miguel:Keep elaborating (M21-M27)	Leader: SME. Contributors: 11
Task T4.5: Miguel:Keep elaborating (M21-M27)	Leader: SME. Contributors: 11
Task T4.6: Miguel:Keep elaborating (M21-M30)	Leader: SME. Contributors: 11
Deliverables D4.1 (M18) D4.2 (M18) D4.3 (M21) D4.4 (M21) D4.5 (M21) D4.6 (M24)	

Work package num	ber 5	Lead beneficiary	EAWAG
Work package title	Manage	ment	
Participant number	2	6	
Short name of participant	EAWAG	IFISC-CSIC	
Person month per participant	6	6	
Start month	7		
End month	30		

Objectives

- Management and work process of the project during the contractual period.
- Administrative and financial management of the project.
- Ensure the delivery of the project on time and on budget.
- Co-ordinate the technological and scientific orientation of the project.
- Secure the quality of the work and of the delivered documents and softwar

Description of work

Task T5.1: Carlos: Keep elaborating (M1-M36)

Leader: EAWAG. Contributors: 8

Task T5.2: Victor: Keep elaborating (M36-M27)

Leader: IFISC-CSIC. Contributors: 1

Table 3.1c: Deliverable list

Table 3.1b: Deliverable list

Delive-	Deliverable name	WP	Lead	Na-	Disse-	Delivery
rable		no.	partic-	tu-	mina-	date
num-			ipant	re	tion	(proj.
ber			name		Level	month)
D1.1	Semantic evolving software for data discov-	WP1	EBD-	R	PU	18
	ery		CSIC			
D1.2	Report on definition of multilayer network	WP1	IFICS-	R	PU	18
	metrics applied to data discovery		CSIC			
D2.1	Report on definition of eco-evolutionary	WP2	EAWAG	R	PU	18
	biology-AI-inspired rules for causal discov-					
	ery					
D2.2	Report on definition of eco-evolutionary	WP2	TARTU	R	PU	18
	process-based deep learning networks ap-					
	plied to causal computation discovery					
D4.1		WP4	IEO	R	PU	18
D4.2		WP4	IEO	R	PU	18
D1.3	Automated demonstrator of evolutionary se-	WP1	ICREA	D	PU	21
	mantic rules for data discovery					
D1.4	Reproducible demonstrator of evolutionary	WP1	SDSC	R	PU	21
	semantic rules for data discovery					
D1.5	Visualization demonstrator of evolutionary	WP1	SME	R	PU	21
	semantic rules for data discovery					
D2.3	Automated demonstrator of eco-	WP2	ICREA	D	PU	21
	evolutionary biology-AI-inspired rules					
	for causal discovery					
D2.4	Reproducible demonstrator of eco-	WP2	SDSC	R	PU	21
	evolutionary biology-AI-inspired rules					
	for causal discovery					
D2.5	Visualization demonstrator of evolutionary	WP2	SME	R	PU	21
	semantic rules for data discovery					
D4.3		WP4	SME	D	PU	21
D4.4		WP4	SME	R	PU	21
D4.5		WP4	SME	R	PU	21
D1.6	Demonstrator all parts for the sustainability	WP1	EBD-	R	PU	24
D	exploitation of the Seas case study	****	CSIC	_	DI.	2.4
D2.6	Demonstrator all parts for the sustainability	WP2	EAWAG	R	PU	24
D	exploitation of the Seas case study	TTT :	C) (E)		DIT	
D4.6		WP4	SME	R	PU	24
D3.1	Demonstrator on eco-evolutionary biology-	WP3	SRC	D	PU	30
	inspired rules for discovery in federated net-					
Des	works	TUDO	TINITODAR	D	DI	0.0
D3.2	Demonstrator on evolutionary neurobiology-	WP3	UNIGRAZ	D	PU	36
	inspired rules for discovery in federated net-					
Dea	works	TITE	ICDEA	D	DIT	2.0
D3.3	Automated demonstrator of for evolution-	WP3	ICREA	D	PU	36
	ary biology-inspired rules in federated net-					
	works		<u> </u>	1		
			Continue	on no	ext page	

D3.4	Reproducible demonstrator of evolutionary	WP3	SDSC	D	PU	36
	rules in federated networks					
D3.5	Visualization demonstrator of evolutionary	WP3	SME	D	PU	36
	rules for discovery in federated networks					
D3.6	Demonstrator all parts for the sustainability	WP3	UNIGRAZ	D	PU	36
	of the Seas federated network case study					

Table 3.2a: List of milestones

Milestone number	Milestone name	Related work package(s)	Due data (months)	Verification
M1	Data knowl- edge discovery	WP1	28	OS-Software,Paper/Conf.,Mainwebsite
M2	Causal knowl- edge discovery	WP2	30	OS-Software,Paper/Conf.,Mainwebsite
M3	Discovery in federated networks	WP3	36	OS-Software,Paper/Conf.,Mainwebsite

3.2 Management structure, milestones and procedures

Management procedures and structure:

All partners of ROBHOOT are organized by the Project Manager, with a Steering Board (SB) and an external Scientific Advisory Committee (SAC). The SB, which will consist of one representative from each partner and the Project Manager, will meet at least once a year. The SB will have the overall responsibility for the technical, financial, administrative, legal, dissemination aspects of the project, and risk analysis. The SAC, headed by the Coordinator, will consist of senior experts in the respective fields: Prof. Elisa Thebault, France (expert in theoretical ecology and ecological networks), Mercedes Pascual, USA (expert in complex system modeling, to be confirmed), and Catherine Graham, Switzerland (expert in biogeography and ecological netowrks, to be confirmed)... have agreed to be members of the SAC.

Management activities:

The project coordinator (CJ Melian, EAWAG) will coordinate the work and its scientific input, communicate with EC, and organize the project reviews with the EC. The Project Manager (To be named) will work on administrative, financial and dissemination activities, and risk management. Mention the IPR team... to set-up regulated by a Consortium Agreement. WP leaders will be responsible for WP planning, scientific and WP activities. WP groups will meet for the specific needs of each WP.

Methods for monitoring and reporting progress:

Meeting and reporting schedule is planned as: Every 3 months (oral and video-conferences) WP leaders report to the coordinator. Every 6 months the coordinator summarizes overall status to the SB. Every 6 to 12 months the coordinator setups SB meeting to review the progress of the project and to critically review the outlook for effective communication and deliverables. At months 12, 24 and 36 the SB prepares consolidated management and annual activity reports and also the coordinator and the Project Manager setup SAC meetings to obtain advice and feedback. Keep elaborating about newcomers, gender balance, previous collaborations

Table 3.2b: Critical risks for implementation

(TO BE DONE)

Description of risk	WP	Proposed risk- mitigation mea-
-		sures
Evolutionary semantic algorithms insufficiently developed: Medium	WP1	Consider more developed genetic programming methods to infer data interactions.
Multilayer metrics accounting for spatiotemporal patterns along many datasets insufficiently developed: Low	WP1	Implementation of more standard complex networks metrics to characterize data knowledge discovery.
Low number of training data available: Medium	WP2	Alternative methods focusing on matrix decomposition methods.
Automated evolutionary-inspired expressions for causal knowledge discovery insufficiently developed: Medium	WP2	Symbolic regression methods to full automation for causal discovery accounting for evolutionary rules.
Eco-evolutionary dynamics of multiple traits in species-rich ecosystems insufficiently developed: Medium	WP3	Mean-field approximations using classical ODE systems and novel universal differential equations for scientific machine learning.
Evolutionary neurobiology-inspired federated networks insufficiently developed: Medium	WP3	Spiking neural network models as alternatives to evolutionary neural biology-inspired algorithms in federated networks.
Cooperative forecasting mixing eco- evolutionary dynamics and neu- ral nets in large scale federated networks insufficiently developed: Medium	WP3	Mix eco-evolutionary dynamics models with less alternative neural nets models working a smaller spatiotemporal scales.

3.3 Consortium as a whole

Core Expertise: The ROBHOOT consortium has been designed to represent the four central project requirements and is, thus, composed of groups with long-standing track records in:

IFICS-EBD-CSIC (ROBHOOT v1.0): Data driven modeling expertise of evolutionary processes including adaptation and coevolution and complex networks patterns.

EAWAG and TARTU (ROBHOOT v2.0): Theoretical and numerical expertise in eco-evolutionary dynamics and deep learning networks in heterogeneous and multidimensional systems.

SRC and UNI GRAZ (ROBHOOT v3.0): Theoretical and numerical expertise in eco-evolutionary dynamics of communities and ecosystems and neuronal-cellular processes including synaptic plasticity, heterogeneity and diversification.

SCITE and IEO: Expertise in data collection for the sustainability of the Seas case study and communication strategy for large and complex projects.

Cross-Expertise:

Partner UGOE cooperates formally with INTEL using their LOIHI neuro-chip and is, thus, familiar with the general complexity of parallel, neuromorphic engineering, which is beneficial in the context of the optical implementations in ADOPD.

Partners IFISC-EBD/CSIC have worked extensively in the last years on big data and complex spatiotemporal metrics, as well as in co-evolutionary processes shaping resource-consumer interaction networks allowing linking WP1 with WP2. Partners EAWAG and TARTU complement each other in network approaches. They will build eco-evolutionary process-based deep learning networks for causal knowledge discovery allowing linking WP2 with WP3.

Partner TUG is also completely familiar with abstract neural models allowing linking WP1 with WP4, as needed. Furthermore, UGOE, IFISC-UIB/CSIC, and TUG have led or participated in other integration efforts in EU-projects (FP6: DRIVSCO, FP7: ACAT, FP7: PHOCUS, H2020: Plan4Act, SYNCH, HBP).

ROBHOOT is a science-enabled multi-feature technology designed with a highly modular structure. Modularity allows to gain module functionality while maintaining cross-functional features among the different parts to produce a science-enabled interdisciplinary technology (Figure 1, WP one to three and milestones one to three, red, green and blue, respectively): Data knowledge discovery's team requires skills in evolutionary biology, evolutionary computation, computer science and the physics of complex systems (Section 3.1.1, Table 3.2a). ROBHOOT v.1.0 work mixes expertise in semantic algorithms, evolutionary computation algorithms and multilayer network metrics to create novel evolutionary-biology inspired ontology annotations along heterogeneous data-sources into one data knowledge discovery. EBD-CSIC team takes care of data knowledge graphs introducing novel evolutionary semantic algorithms to decipher ontologies and interactions among many data-sources (D1.1, Tables 3.1a-c). IFISC-CSIC team focuses on multilayer network modularity, community detection and decentralization metrics for pattern detection in data knowledge discovery (D1.2, Tables 3.1a-c). All teams in WP1 will join efforts to merge evolutionary semantic algorithms, multilayer network metrics, automation, reproducibility and visualization to produce the data knowledge discovery graph for the sustainability of the Seas case study (D1.6, Tables 3.1a-c). ROBHOOT v.2.0's team composed by EAWAG, and TARTU ULIKOOL and will merge eco-evolutionary biology-inspired networks to deep learning networks, the "Evolutionary biology-inspired AI algorithms" approach (D2.1 and D2.2, Box 1, Table 3.1a-c and Figure 1, green). The overall goal of this milestone is to connect evolutionary biology mechanisms to deep learning networks to generate a causal knowledge discovery technology to make patterns interpretable (Deliverable D2.2, Section 3.1.2, Table 3.2.a-c and Figure 3). The team for this milestone add inter-module complementarity expertise to ROBHOOT v.1.0's team: Now the skills focus on data-scientists trained in deep learning networks and evolutionary biologists with expertise in evolutionary ecology theory and evolutionary-inspired networks (section 3.1.2 and Figure 1, green). Milestone two generates a causal knowledge discovery for the sustainability of the Seas containing 9 million entries, 1612 species using around 11 sampling methods and more than 15 countries (D2.6, Figures 1, green). Interdisciplinarity in ROBHOOT is achieved not only at the intra-module development stage, but also at the inter-module stage where causal knowledge discovery and evolutionary biology-inspired AI algorithms might form the basis for the interdisciplinarity breakthrough ideas reflected in the highly complementarity skills of the consortium. The first two modules in ROBHOOT contain researchers from Estonia, Spain and Switzerland.

The ROBHOOT consortium wants to advance the rapidly evolving digital ecosystem by making cooperative discovery a fundamental feature of it. For this purpose, a science-enabled data and causal knowledge discovery technology is not enough if they stay isolated from a discovery technology embedded in large-scale networks. To discover novel scenarios for ecosystem sustainability, Discovery in federated networks should learn to learn from heterogeneous data-sources in the context of evolutionary neural biology-inspired algorithms. To achieve scalability for the discovery in federated networks, eco-evolutionary dyamics and neural-inspired protocols in federated networks is the excellency feature of ROBHOOT v.3.0 (section 3.1.3). ROBHOOT v.3.0's team composed by SRC and UNIGRAZ, develop eco-evolutionary dynamics scenarios for ecosystem sustainability and neural biology-inspired

Partic. no. Partic. short $\overline{\mathrm{WP1}}$ $\overline{ ext{WP2}}$ $\overline{ ext{WP3}}$ $\overline{ ext{WP4}}$ $\overline{ ext{WP5}}$ Total person months name 1 UoC 0 0 0 0 0 0 2 UoP2 0 0 0 0 0 0 3 UoP3 0 0 0 0 0 0 0 **Total** 0 0 0 0 0

Table 3.4c: Summary of staff effort

federated networks, respectively (Box 2). The team forming ROBHOOT v.3.0 also requires contrasting skills: First, theoreticians working in eco-evolutionary dynamics guarantee scalable implementation of evolutionary processes in federated networks. Second, neurobiologists in collaboration to developers aiming to explore the role of evolving neural biology-inspired solutions accounting for heterogeneity and dimensionality in federated networks. ROBHOOT v.3.0 is a fundamental stepping-stone for developing "Cooperative Forecasting": it first guarantees proper eco-evolutionary dynamics along species-rich ecosystems is implemented. Then these species-rich ecosystems represent the basis for discovery of novel paths that increase sustainability goals. And these novel paths are searched along many nodes of a network replicating eco-evolutionary dynamics scenarios that interact and learn from each other to find better forecasting scenarios at a global scale. ROBHOOT v.3.0's implements heterogeneous groups of cooperating and competing neurons in federated networks for making cooperative forecasting a standard global property of ROBHOOT (Deliverable D3.2, Tables 3.1a-c). Milestone three generates discovery in federated networks for the sustainability of the Seas to provide populations of scenarios satisfying biodiversity and sustainability maintenance while guaranteeing commercial interest of many interacting groups and stakeholders within and among countries (Deliverable D3.6, Figure 3, blue). ROBHOOT v.3.0 contain researchers from Sweden and Austria. ROBHOOT architecture aims to guarantee strong reproducibility, automation, and visualization-communication along its whole life cycle and development. The team formed by the SDSC (D1.4, D2.4 and 3.4), ICREA (D1.3, d2.3 and D3.3, and SME (D2.5, D3.5 and D4.5), will implement reproducibility, automation, and visualization and reporting, respectively, features crossing all ROBHOOT milestones to secure dissemination along its life cycle (Figure 1 and Gantt chart).

3.4 Resources to be committed

Total Budget: The ROBHOOT project is designed to run over 36 months. The total budget amounts to $X \in$, which is the same as the requested EU contribution. Direct personnel costs are $X \in$, other direct costs $X \in$, and indirect costs $X \in$. The total budget is well balanced over all partners according to their roles in the project, and provides sufficient resources to complete all tasks. Direct cost attributed to staff is of X%. This project is open-source software-heavy, as three full open-source software will be built, which is well connected to the dissemination part from our communication partner SCITE with about X% of the total cost. Other major cost items of Other Cost cover travel and workshops (X% of total cost, mostly for technical meetings and integration/evaluation stages: X €).

References

- [1] Blue-cloud.
- [2] Elixir open data.
- [3] HOT.
- [4] Knowledge Graph COVID-19.
- [5] Openstreet.
- [6] U.S. National Science Foundation's proposed CyberInfrastructure.
- [7] International bottom trawl survey working group (ibtswg). ICES Scientific Reports, 2019.

B] Elli Androulaki, Artem Barger, Vita Bortnikov, Srinivasan Muralidharan, Christian Cachin, Konstantinos Christidis, Angelo De Caro, David Enyeart, Chet Murthy, Christopher Ferris, Gennady Laventman, Yacov Manevich, Binh Nguyen, Manish Sethi, Gari Singh, Keith Smith, Alessandro Sorniotti, Chrysoula Stathakopoulou, Marko Vukolić, Sharon Weed Cocco, and Jason Yellick. Hyperledger Fabric: A Distributed Operating System for Permissioned Blockchains. *Pro-*

- ceedings of the 13th EuroSys Conference, EuroSys 2018, 2018-Janua, 2018.
- BigchainDB GmbH. BigchainDB: The blockchain database. BigchainDB. The blockchain database., (May):1-14, 2018.
- Emanuele Cozzo and Yamir Moreno. Dimensionality reduction and spectral properties of multilayer networks.
- [11] Kyle Cranmer, Johann Brehmer, and Gilles Louppe. The frontier of simulation-based inference. pages 1–10,
- [12] Manlio De Domenico, Albert Solé-Ribalta, Elisa Omodei, Sergio Gómez, and Alex Arenas. Ranking in interconnected multilayer networks reveals versatile nodes. Nature Communications, 6:1-6, 2015.
- [13] Johnny Dilley, Andrew Poelstra, Jonathan Wilkins, Marta Piekarska, Ben Gorlick, and Mark Friedenbach. Strong Federations: An Interoperable Blockchain Solution to Centralized Third-Party Risks. 2016.
- [14] Nikolai Durov. Telegram Open Network. pages 1–132, 2017.
- [15] Fussmann G. F., Loreau M., and Abrams P. A. Ecoevolutionary dynamics of communities and ecosystems. Functional Ecology, 21:465–477, 2007.
- Giuseppe Futia and Antonio Vetrò. On the integration of knowledge graphs into deep learning models for a more comprehensible AI-Three challenges for future research. Information (Switzerland), 11(2), 2020.
- Hairston N. G., Ellner S. P., Geber M. A., Yoshida T., and Fox J. A. Rapid evolution and the convergence of ecological and evolutionary time. Ecology Letters, 8:1114-1127, 2005.
- Yolanda Gil and Bart Selman. A 20-Year Community Roadmap for Artificial Intelligence Research in the US. aug 2019.
- [19] Golem. The Golem Project Crowdfunding Whitepaper.

- Golem. Network, (November): 1–28, 2016.
- [20] Roger Guimerà, Ignasi Reichardt, Antoni Aguilar-Mogas, Francesco A. Massucci, Manuel Miranda, Jordi Pallarès, and Marta Sales-Pardo. A Bayesian machine scientist to aid in the solution of challenging scientific problems. Science Advances, 6(5):eaav6971, 2020.
- Raban Iten, Tony Metger, Henrik Wilming, Lídia Del Rio, and Renato Renner. Discovering Physical Concepts with Neural Networks. Physical Review Letters, 124(1):1-18, 2020.
- [22]Wolfgang Maass. Noise as a resource for computation and learning in networks of spiking neurons. Proceedings of the IEEE, 102(5):860-880, 2014.
- Wolfgang Maass. To Spike or Not to Spike: That Is the Question. Proceedings of the IEEE, 103(12):2219–2224, 2015.
- Ocean Protocol Foundation, BigchainDB GmbH, and DEX Pte. Ltd. Ocean Protocol: A Decentralized Substrate for AI Data & Services Technical Whitepaper. pages 1-51, 2018.
- [25]Anthony O'Hare. Inference in High-Dimensional Parameter Space. Journal of Computational Biology, 22(11):997-1004, 2015.
- [26] Esteban Real, Chen Liang, David R. So, and Quoc V. Le. AutoML-Zero: Evolving Machine Learning Algorithms From Scratch. 2020.
- Markus Reichstein, Gustau Camps-Valls, Stevens, Martin Jung, Joachim Denzler, Nuno Carvalhais, and & Prabhat. Deep learning and process understanding for data-driven Earth system science. Nature.
- [28] Jürgen Schmidhuber. Deep learning in neural networks: An overview. Neural Networks, 61:85–117, jan 2015.
- Christian Steinruecken, Emma Smith, David Janz, [29] James Lloyd, and Zoubin Ghahramani. The Automatic Statistician. pages 161–173. 2019.

4 Members of the consortium

4.1 Participants (applicants)

EAWAG

Dr. Carlos J. Melian will work for EAWAG in ROBHOOT.

Carlos J Melian takes the official coordinator lead of the ROBHOOT project and takes care of all management aspect.

The Swiss Federal Institute for Aquatic Science and Technology (EAWAG) is an independent research institute within the Swiss Federal Institute of Technology (ETH) domain. As such it is an independent partner in a network of exceptionally strong research and education institutions (2 federal universities and 4 federal research institutes). EAWAG is world-leading water research institute. EAWAG hosts over 300 research fellows, postdocs and PhD students, who are supported by technical and support staff.

Contributions to ROBHOOT \dots

Dr. Carlos Melián is a tenured researcher in Theoretical Evolutionary Ecology at EAWAG and associate professor at the University of Bern. Dr. Melián is widely recognized as an expert in Eco-evolutionary networks where he has contributed with novel approaches combining stochastic modeling and empirical patterns to study the interaction between ecological and evolutionary dynamics in multispecies assemblages. Dr. Melian has made important contributions to the fields of Ecological Networks (e.g. De Laender and Melián, 2014, Ecol Lett; Melián and Křivan, 2015, AmNat), Eco-evolutionary networks (e.g. Melián et al., 2011, Adv Ecol Res; Andreazzi and Melián, 2018, PRSB), and Diversification on ecoevolutionary networks (e.g. Melián et al., 2012, PLoS Comput Biol; Leprieur, Melián, Pellissier, 2016, Nat Commun). Most of his contributions combine stochastic modeling, large empirical datasets, and Bayesian approximations, to quantify the impact of intra- and inter-specific trait variation on species interactions, divergence and the macroscopic properties of ecological networks. He has been Principal Investigator in 15 projects obtained in 5 different countries (Spain, USA, UK, Germany and Switzerland) with a total of approx. 1 Million Euro. He has successfully co- supervised 5 PhD students and supervised 7 postdocs. The feasibility of this proposal is firmly established by his track record further reinforced by his solid and active international network of collaborators. Among others he works with Prof. S. Allesina (U Chicago, USA), Dr. A. Eklöf (Linköping U, Sweden), Prof. P. Guimares (U Sao Paulo, Brazil), Prof. M. O'Connor (U Vancouver, Canada), and Dr. F. De Laender (U Namur, Belgium). Dr. Melián has expertise combining skills in networks and experienced in modelling complex multi-scale eco-evolutionary networks. He also has combined basic and applied-oriented research; 2) Integrating a range of methodologies: he is experienced with statistical and mathematical modelling, and has analytical and advanced programming skills; 3) Extensive experience collaborating with theorists and empiricists: he has collaborated with researchers of diverse fields i.e. mathematics, ecology, evolutionary biology, conservation science.

List of publications

- Melián C, et al. 2018. Deciphering the interdependence between ecological and evolutionary networks. Trends in ecology evolution 33,7: 504-512.
- Andreazzi C, Guimaraes P, Melián C. 2018. Eco-evolutionary feedbacks promote fluctuating selection

ROBHOOT 21 May 30, 2020

and long-term stability of antagonistic networks. Proc. R. Soc. B 285: 20172596.

- Melián C, Seehausen O, Eguiluz V, Fortuna M, Deiner K. 2015. Diversification and Biodiversity Dynamics of Hot and Cold Spots. Ecography 38, 393-401.
- Melián C, et al. 2015. Dispersal dynamics in food webs. American Naturalist 185, 2: 157-168.
- Melián C., et al. 2014. Individual trait variation and diversity in food webs. Advances in Ecological Research. Vol. 50. Academic Press, 207-241.

List of relevant projects

2020 Melián, C. J. and Ferrão Filho, Aloysio S. Granted: Brazilian-Swiss Joint Research Programme SNSF, Title: Feedbacks between coevolving predator-prey interactions and the funcitoning of aquatic ecosystems. Period: 24 Months, SFr 228k

2018 Melián, C. J., Andreazzi, C., and Astegiano, J. SNSF, Scientific exchange program, Title: Biodiversity Dynamics in Coevolutionary Metaecosystems. Period: 3 Months, SFr 20k

2016 Melián, C. J., Matthews, B., Seehausen, O., and Harmon, L. J. Granted: Swiss National Science Foundation, International exploratory workshops. Title: Interactions on Trees. Period: 1 Week, SFr 21k.

2015 Kalinkat, G., and Melián, C. J. Granted: German Academic Exchange Service (DAAD). Germany. Title: Analysing the interplay between allometric constraints and intraspecific trait variation to predict food web dynamics. Period: 6 Months, SFr 19k.

2015 Melián, C. J. Granted: Swiss National Science Foundation, Division III. Switzerland. Title: A theory for next-generation food web data. Period: 2 years (Postdoc), SFr 161k.

Infrastructure relevant to the proposed work

EAWAG in Kastanienbaum Lucerne offers excellent office, meeting rooms, laboratory and testing facilities in modern, state-of-the-art buildings. EAWAG provides access to first class research facilities that regularly offer training for the use of equipment, tools and software. Of particular relevance for this research project is the access to two computing clusters "Leonhard" and "Euler" with more than 50 000 processor cores available for scientific computations, and training for their use offered by ETH Zürich.

CSIC

Biological Donana Station (EBD)

Dr. Carlos J. Melian will work for EBD in ROBHOOT v1.0. Miguel A Fortuna takes the leader role in the Milestone 1, Data knowledge discovery. Brief description of EBD ...

Contributions to ROBHOOT ...

Dr. Miguel A. Fortuna is an ecologist and evolutionary biologist turned network scientist who thinks differently about problem solving. He conducts interdisciplinary research by combining mathematical models, computer simulations, and database analysis, to answer questions that go beyond the traditional boundaries among disciplines, merging ecology with evolution, sociology, genetics, software design, and artificial life.

His current research line builds on his previous research and is among the few trying to understand how evolution in complex networks of interactions can help us control human diseases. This research line combines, with a solid methodology, community ecology and evolutionary biology in a new fresh way. It has implications in at least three burgeoning fields of biotechnological and biomedical research: 1) cancer research (i.e., recent advances have shown that tumours—like species striving for survival—harbour intricate population dynamics, which suggests the possibility to exploit the ecology of tumours for treatment), 2) phage therapy (i.e., recent findings are showing the success of using phage cocktails to

fight antibiotic resistance), and 3) human microbiome (i.e., the manipulation of evolving interactions among bacteria to restore unbalanced human microbial ecosystems).

List of publications

List of relevant projects

IFISC-CSIC

The Spanish National Research Council (CSIC) is Spain's largest public research institution and ranks third among Europe's largest research organisations. Attached to the Spanish Ministry of Science and Innovation, the CSIC plays a key role in scientific and technological policy in Spain and worldwide. According to its Statute (Article 4), it has 4 main missions:

- to foster multidisciplinary scientific and technological research,
- knowledge transfer to industry and society,
- education and training of scientific and technical staff,
- creation of Technology Based Companies (spin-offs).

The CSIC has more than 10 000 employees, including nearly 4 000 staff researchers. Currently it has 120 institutes spread across the country, of which 67 of them are fully-owned institutes and 53 are Joint Research Units in partnership with other Spanish universities or research institutions.

The CSIC supports research and training across a wide range of knowledge, from the most basic or fundamental aspects of science to the most complex technological developments; from human and social sciences to food science and technology, including biology, biomedicine, physics, chemistry and materials, natural resources and agricultural sciences. It carries out research in all fields of knowledge, distributed in three global areas: Life, Society and Materia.

The CSIC has a Vice-presidency of International Affairs dedicated to the planning and promotion of international relations, including the participation in international and European programmes, especially the Framework Programme of Research and Innovation of the EU. It also has a delegation in Brussels that holds the institutional representation of the CSIC before the institutions of the EU and other relevant organisations and forums, and fosters and potentiates relationships with the representatives of foreign research organisations similar to the CSIC.

The CSIC produces 20% of the national scientific output (over 10 000 publications in high impact international journals in 2017) and remains the first institution in Spain in the generation of patents, with around 200 patent applications in 2017. The Vice-presidency for Technology Transfer assists the CSIC's researchers with patent evaluation and application processes, commercialization of the CSIC's technology offer and with the creation of start-ups.

The CSIC has also a broad experience managing large and singular infrastructures. For instance, it provides services to the entire scientific community through the management of several Singular Scientific and Technological Infrastructures (ICTS) such as the "Calar Alto" Astronomical Observatory, the "Doñana" Biological Station, the European Synchrotron Radiation Facility, the "Hesperides" Ocean Research Vessel, the Integrated Micro and Nanoelectronics Clean Room, the "Juan Carlos I" Antarctic Base, the "Max Von Laue-Paul Langevin" Institute and the "Sarmiento de Gamboa" Ocean Research Vessel. In addition, the CSIC has a broad experience in conducting RI projects funded by national, European and international public and private entities.

The CSIC is a major player in the development of the European Research Area (ERA) and therefore a significant contributor to the European integration process. Within the 7th Framework Programme the CSIC is listed the 1st organisation in Spain and the 4th in Europe within the research organizations, with a total of 726 signed actions and a contribution of over 264 million euros (E-CORDA).

As of December 2019, the CSIC has obtained 643 projects in H2020, with a total EU financial contribution of 270 million euros and is listed the 1st organisation in Spain and the 4th participant by number of projects (E-CORDA).

The CSIC is a main actor in the ERC programme, with a total of 112 projects signed as Host Institution in all areas of knowledge and is also an active member in the European Institute for Innovation and Technology's (EIT) Knowledge and Innovation Communities (KICs), currently participating in the EIT Raw Materials and EIT Food as core partner. As for European and International Programmes other than H2020, the CSIC has achieved 27 LIFE (2014 – 2020) grants, 42 INTERREG V projects, mainly SUDOE, POCTEP, POCTEFA, MED, ATLANTIC or MAC. Additionally, the CSIC has obtained 30 contracts resulting from call for tenders published by EU institutions, agencies and other bodies (e.g. ESA, EASME, JRC etc.) with a total EU financial contribution of 1,5 million euros. Regarding International projects i.e. those projects which are not financed with funds from the European Commission, in recent years the CSIC has received funds mainly from the following funding entities:

- USA funding entities: The Center for Produce Safety (CPS), the National Institute of Health (NIH), the
 - Michael J. Fox Foundation, the U.S. Department of Energy Office of Science, the Gordon and Betty Moore
 - Foundation and the Muscular Dystrophy Association.
- European funding entities: The University of Southampton, the Research Council of Norway, the Swiss
- National Science Foundation, the Rothschild Foundation and the Novo Nordisk Foundation.
- Iberoamerican funding entities: The Administrative Department of Science, Technology and Innovation of Colombia (Colciencias) and the Ibero-American Programme on Science and Technology for Development (CYTED).

VME...

List of publications

GC Hays et al, Key questions in marine megafauna movement ecology, Trends in Ecology & Evolution 31 (6), 463-475 (2006).

F Vazquez, VM Eguíluz, M San Miguel, Generic absorbing transition in coevolution dynamics, Physical Review Letters 100, 108702 (2006).

A Cózar et al, The Arctic Ocean as a dead end for floating plastics in the North Atlantic branch of the Thermohaline Circulation, Science Advances 3 (4), e1600582 (2017).

AF Rozenfeld et al, Network analysis identifies weak and strong links in a metapopulation system, Proceedings of the National Academy of Sciences 105, 18824-18829 (2008).

N Queiroz et al. Global spatial risk assessment of sharks under the footprint of fisheries Nature 572, 461–466 (2019).

List of relevant projects

Coupled Animal and Artificial Sensing for Sustainable Ecosystems (CAASE). The Red Sea as a CAASE study Project OSR-KAUST. From 2016 to 2020 Coodinator: C. Duarte (KAUST); PI IFISC: V.M. Eguluz.

SPASIMM Spatiotemporality in sociobological interactions, models and methods. Project FIS2016-80067-P of the MINECO (Spain). From 2017 to 2020. PI: V.M. Eguìluz, K. Klemm.

LASAGNE: multi-LAyer SpAtiotemporal Generalized Networks. FP7-ICT-2011-8 Collaborative Project, Grant Agreement 318132. From 2012 to 2015 Coordinator: S. Thurner (Vienna University).

MODASS: Modeling and analysis of social systems: structural evolution, temporal correlations and opinion propagation) Project FIS2011-24785 of the MICINN (Spain). From 2012 to 2015. PI: V.M. Eguíluz.

IBESINC: Network on Dynamics and synchronization in networks. Complementary action FIS2010-09832-E (subprogram FIS) of MCINN (Spain). 2011. PI: J. M. Buldu (U. Rey Juan Carlos); Coordinator IFISC: V.M. Eguíluz.

Infrastructure relevant to the proposed work

4.2 Third parties involved in the project (third party resources)

5 Ethics and Security

- 5.1 Ethics
- 5.2 Security

1

¹Article 37.1 of the Model Grant Agreement: Before disclosing results of activities raising security issues to a third party (including affiliated entities), a beneficiary must inform the coordinator – which must request written approval from the Commission/Agency. Article 37.2: Activities related to "classified deliverables" must comply with the "security requirements" until they are declassified. Action tasks related to classified deliverables may not be subcontracted without prior explicit written approval from the Commission/Agency. The beneficiaries must inform the coordinator – which must immediately inform the Commission/Agency – of any changes in the security context and –if necessary – request for Annex 1 to be amended (see Article 55).