
1st Score:	2nd Score:	3rd Score:					
S & G	S & G	S & G	·				
Grader:	Grader:	Grader:	Final Score				
PLACE LABEL BELOW							
Name:		School:					
SS/ID Number:		City:					
Grade: 4 5 6	7 8 Cla	assification: 1A 2A	3A 4A 5A 6A				



# TMSCA MIDDLE SCHOO CALCULATOR REGIONAL TEST MARCH 2, 2019

#### GENERAL DIRECTIONS

- I. About this test:
  - A. You will be given 30 minutes to take this test. There are 80 problems on this test.
  - B. ALL calculators must be cleared. HP Prime and Casio Prizm calculators are NOT permitted.
- II. How to write the answers:
  - A. For all problems except stated problem as noted below write three significant digits.
    - 1. Examples (\* means correct, but not recommended)

Correct:  $12.3, 123, 123.*, 1.23x10^*, 1.23x10^{0*}, 1.23x10^{1}, 1.23x10^{01}, .0190, 1.90x10^{-2}$ Incorrect: 12.30, 123.0,  $1.23(10)^2$ ,  $1.23\cdot10^2$ ,  $1.230\times10^2$ ,  $1.23*10^2$ , 0.19,  $1.9\times10^{-2}$ ,  $19.0\times10^{-3}$ , 1.90E-02

- 2. Plus or minus one digit error in the third significant digit is permitted.
- B. For stated problems:
  - 1. Except for integer, dollar sign, and significant digit problems, as detailed below, answers to stated problems should be written with three significant digits.
  - 2. Integer problems are indicated by (integer) in the answer blank. Integer problems answers must be exact, no plus or minus one digit, no decimal point or scientific notation.
  - 3. Dollar sign (\$) problems should be answered to the exact cent, but plus or minus one cent error is permitted. The decimal point and cents are required for exact dollar answers.
- III. Some symbols used on the test.
  - A. Angle measure: rad means radians; deg means degrees.
  - B. Inverse trigonometric functions: arcsin for inverse sine, etc.
  - C. Special numbers:  $\pi$  for 3.14159 . . . ; e for 2.71828.
  - D. Logarithms: Log means common (base 10); Ln means natural (base e).

#### IV. Scoring:

A. All problems answered correctly are worth FIVE points. FOUR points will be deducted for all problems answered incorrectly or skipped before the last problem attempted.

# 2018-2019 TMSCA Middle School Calculator Regional Qualifier

4. 
$$\pi - 15 + 7 - 8$$
 ------  $4 =$ 

- 11. Calculate the product of the first two palindrome numbers greater than 100. ------11=\_\_\_\_\_\_\_
- 12. Bamboo is one of the fastest growing plants on earth. Some species can literally grow 10 cm per day. If this plant could structurally support it, calculate how many days it would take to grow a mile high. ------12=\_\_\_\_\_\_days
- 13. Pi is what percent of ten thousand? ------13=\_\_\_\_\_

# 18-19 MSCA Regional Qualifier

Page 2

14. (-262)[660 x 575 x 426] ------14=\_\_\_\_\_

15. 63/[114 x 186 x 193] ------15=

16.  $\left[ \frac{44}{147} \right] [(140/100) - 0.206] ------16 = \underline{\phantom{0}}$ 

17.  $\left\lceil \frac{69}{44} \right\rceil [(32/31) + 0.732]$  ------17=\_\_\_\_\_

18.  $\left[ \frac{(1230/1110) - (1230/980)}{139/(93.1)} \right] ------18 = \underline{\hspace{2cm}}$ 

19.  $\frac{[33.8/(107)]/0.449}{(0.00572 \times 0.0076)(0.00348)}$  -----19=\_\_\_\_\_

20. (1.59)[75/13 x 53/79] - 0.83 ------20=\_\_\_\_\_

21.  $\frac{487}{(246-483)} - \frac{(257-344)}{407} - \dots - 21 = \dots$ 

22.  $\frac{(1230 + 3570 - 1210)}{\{(41 - 48.4)/(0.0999)\}}$  ------22=\_\_\_\_\_

23.  $\left[ \frac{1340 + 1450}{1490 - 1350} \right] \left[ \frac{703}{1470} \right] ------23 = \underline{\hspace{1cm}}$ 

24. Bill purchased two types of fruit, nectarines at \$1.74 per pound and peaches at \$1.29 per pound. If he purchased 5 pounds of each, calculate his change from a \$20 bill. ----------------24=\$\_\_\_\_\_\_

25. Sarah figured that the polygon she drew had 434 distinct diagonals.

Calculate the number of sides the polygon had that she drew. ----25=\_\_\_\_\_INT.

26. Calculate the geometric mean of  $\pi^5$ , log 251,  $e^{27}$ , and ln 82. ----26=\_\_\_\_\_

# 18-19 MSCA Regional Qualifier

Page 3

27.  $(5.85 \times 10^{-4})[[0.534/(0.262)][0.00536/(0.00518)]]$  -----27=\_\_\_\_\_

28. 
$$\frac{(9.12 - 4.91)(53.2 + 43.7)}{(1.71 \times 10^{11})}$$
 ------28=\_\_\_\_\_

29. 
$$\frac{(9.56 \times 10^{10}) + (2.45 \times 10^{10})}{(-2.49)(1.78) - \pi} -------29 = \underline{\hspace{2cm}}$$

30. 
$$(0.0653)\left[\frac{13.5}{(2.10\times10^{11})}\right]$$
 ------30=\_\_\_\_

31. 
$$\frac{1}{32.8} + \frac{1}{(\pi)(19.8 - \pi)}$$
 ------31=\_\_\_\_\_

32. 
$$\frac{1}{-145} + \frac{1}{(46.8 - 93.9)}$$
 ------32=\_\_\_\_

33. 
$$\frac{1}{57.8} - \frac{1}{(355 + 202)}$$
 ------33=\_\_\_\_

36. Calculate the 18<sup>th</sup> pentagonal number. -------36=\_\_\_\_\_INT.


# **SQUARE**

Perimeter = 7272

Diagonal = ?

37=\_

# **EQUILATERAL TRIANGLE**



Height = 2715

Perimeter =?

38=\_\_\_

# 18-19 MSCA Regional Qualifier

39. 
$$\left[ \frac{17.8}{0.978} \right] (28.2 + 42.3)^2 - \dots 39 = \dots 39 = \dots$$

40. 
$$(74.3 + 40)^2(25.9 + 21.3)^2$$
 ------40=\_\_\_\_

41. 
$$\left[ \frac{3630 + (1/(9.57 \times 10^{-4}))}{(2330/6340) - 0.0696} \right]^{2} ------41 = \underline{\phantom{0}}$$

42. 
$$(1/\pi)\sqrt[3]{\frac{1.2 + 0.298}{0.767 - 0.689}}$$
 ------42=\_\_\_\_\_


43. 
$$(1/(0.00766))(1820 - 1630)^3$$
 ------43=\_\_\_\_\_


44. 
$$\sqrt{(2660/3480) + 0.684 - 0.417}$$
 -----44=\_\_\_\_\_

45. 
$$\frac{1}{\sqrt{547 + 636 + 351}} + \left(\frac{1}{\sqrt{0.771}}\right)^4 - \dots + 45 = \dots$$

46. 
$$\left[ \sqrt[4]{(13000/8280)(1.71)} \right]^5 ------46 = \underline{\hspace{1cm}}$$

- 47. Calculate the sum of the exterior angles of a regular nonagon. ---47=\_\_\_\_\_\_°
- 48. The sum of two positive integers is 224. The difference of the two integers is 190. Calculate the smaller of the integers. ------48=\_\_\_\_INT.





51. 
$$\left[ \frac{\sqrt{\sqrt{23.2 - 12.4}}}{-(8.58 - 27.3)} \right]^{2} [351 + 2040] ------51 = \underline{\phantom{0}}$$

52. 
$$\left[\frac{15.9 - 12.4 + \sqrt{2410/224}}{-14.1 + 20.1}\right]^3 -----52 = \underline{\phantom{0}}$$

53. 
$$\left[ \frac{685 + 644 + \sqrt{8.61 \times 10^5 + 7.72 \times 10^5}}{145/118} \right]^3 -----53 = \underline{\hspace{1cm}}$$


54. 
$$\sqrt{\frac{(17700)(32400)}{(4470)(3260)}} - 1.8 + 2.91 - \dots 54 = \dots 54 = \dots$$


55. 
$$0.734 + \sqrt{(3820)/(2340)} - (0.204 + 1.09)^2$$
 ------55=\_\_\_\_

56. 
$$694 + \sqrt{(1230)(689)} - (148 + 1130)$$
 -----56=\_\_\_\_

57. 
$$(\text{deg}) \sin(368^{\circ}) + (1230/676)$$
 ------57=\_\_\_\_\_


- 59. There is a sixty percent chance it will rain this weekend. Calculate the odds of it raining this weekend. ------59=\_\_\_\_\_
- 60. A 10 foot teeter totter is balanced with 120 pound Thomas on one side and 98 pound Sam on the other. Sam sits at the very end of his side of the teeter totter, 5 feet from the fulcrum. Calculate how far Thomas should sit from the fulcrum to balance the teeter totter. ------60=\_\_\_\_\_ft.





the event won't happen. -----71=

#### REGULAR HEXAGON




Edge = 251

Apothem =?

73=

### BASE OF A RIGHT SOLID IS SHOWN



Volume = ?

74=

75. 
$$\frac{(1.49)^{0.807}(3.75)^{0.724}}{(37.6-19)^{-9}}$$
 ------75=\_\_\_\_\_\_

77. 
$$\frac{2500 - 1030}{\log(47.2 + 62.7)}$$
 ------77=\_\_\_\_\_

78. 
$$(1.18)^{\pi}(3.57)^{5}(4.91 - 3.06)^{3}$$
 ------78=\_\_\_\_\_

# 2018-2019 TMSCA Middle School Calculator Regional Qualifier Answer Key

Page 1	Page 2	Page 3	Page 4 .
$1 = -724$ $= -7.24 \times 10^{2}$	$14 = -4.24 \times 10^{10}$	$27 = 0.00123$ $= 1.23 \times 10^{-3}$	39 = 90500 = $9.05 \times 10^4$
2 = -4.00 = $-4.00 \times 10^{0}$	$15 = 1.54 \times 10^{-5}$ $16 = 0.357$	$28 = 2.39 \times 10^{-9}$	$40 = 2.91 \times 10^7$
3 = -1710	$= 3.57 \times 10^{-1}$	$29 = -1.59 \times 10^{10}$	$41 = 2.46 \times 10^8$
$= -1.71 \times 10^{3}$ $4 = -12.9$	$17 = 2.77$ $= 2.77 \times 10^{0}$	$30 = 4.20 \times 10^{-12}$	$42 = 0.852$ $= 8.52 \times 10^{-1}$
$= -1.29 \times 10^{1}$	18 = -0.0985 = $-9.85 \times 10^{-2}$	$31 = 0.0496$ $= 4.96 \times 10^{-2}$	$= 8.52 \times 10^{8}$ $43 = 8.95 \times 10^{8}$
5 = 1460 = $1.46 \times 10^3$	$19 = 4.65 \times 10^6$	32 = -0.0281	44 = 1.02
$6 = 171$ $= 1.71 \times 10^{2}$	20 = 5.32	$= -2.81 \times 10^{-2}$	$= 1.02 \times 10^{0}$
$7 = 0.455$ $= 4.55 \times 10^{-1}$	$= 5.32 \times 10^{0}$ $21 = -1.84$	$33 = 0.0155$ $= 1.55 \times 10^{-2}$	$45 = 1.71$ $= 1.71 \times 10^{0}$
$8 = -1.15$ $= -1.15 \times 10^{0}$	$= -1.84 \times 10^{0}$ $22 = -48.5$	34 = 395000	46 = 3.44
$9 = 4.18 \times 10^6$	$= -4.85 \times 10^{1}$	$= 3.95 \times 10^5$	$= 3.44 \times 10^{0}$
$10 = 1.00 \times 10^{12}$	23 = 9.53 = $9.53 \times 10^{0}$	35 = 1.78×10 <sup>2449</sup>	$47 = 360$ $= 3.60 \times 10^{2}$
$11 = 11200$ $= 1.12 \times 10^{4}$	24 = \$4.85	36 = 477 INT.	48 = 17 INT.
$12 = 16100$ $= 1.61 \times 10^{4}$	25 = 31 INT.	$37 = 2570$ $= 2.57 \times 10^{3}$	$49 = 12.6$ $= 1.26 \times 10^{1}$
$13 = 0.0314$ $= 3.14 \times 10^{-2}$	$26 = 6440$ $= 6.44 \times 10^{3}$	38 = 9410 = $9.41 \times 10^3$	$50 = 7.59 \times 10^8$

# 2018-2019 TMSCA Middle School Calculator Regional Qualifier Answer Key

Page 5	Page 6	Page 7

51	= 22.4
	$= 2.24 \times 10^{1}$

$$52 = 1.44$$
$$= 1.44 \times 10^{0}$$

$$53 = 9.55 \times 10^9$$

$$54 = 7.38$$
  
=  $7.38 \times 10^{0}$ 

$$55 = 0.337$$
  
=  $3.37 \times 10^{-1}$ 

$$56 = 337$$
  
=  $3.37 \times 10^2$ 

$$57 = 1.96$$
  
=  $1.96 \times 10^{0}$ 

$$58 = 0.169$$
  
=  $1.69 \times 10^{-1}$ 

$$59 = 1.50$$
$$= 1.50 \times 10^{0}$$

$$60 = 4.08$$
  
=  $4.08 \times 10^{0}$ 

$$61 = 1.76$$
$$= 1.76 \times 10^{0}$$

$$62 = 0.768$$
$$= 7.68 \times 10^{-1}$$

$$63 = 0.0941$$
$$= 9.41 \times 10^{-2}$$

$$64 = -242$$
$$= -2.42 \times 10^{2}$$

$$65 = 13.2$$
  
=  $1.32 \times 10^{1}$ 

$$66 = 1.64$$
$$= 1.64 \times 10^{0}$$

$$67 = 0.360$$
$$= 3.60 \times 10^{-1}$$

$$68 = 348$$
$$= 3.48 \times 10^{2}$$

$$69 = -17200$$
$$= -1.72 \times 10^{4}$$

$$70 = 22.1$$
  
=  $2.21 \times 10^{1}$ 

$$71 = 0.838$$
  
=  $8.38 \times 10^{-1}$ 

$$73 = 217$$

$$= 2.17 \times 10^{2}$$

$$74 = 1710$$

$$= 1.71 \times 10^{3}$$

$$75 = 9.57 \times 10^{11}$$

$$76 = -16.0$$
  
=  $-1.60 \times 10^{1}$ 

$$77 = 720$$

$$= 7.20 \times 10^{2}$$

$$78 = 6180$$
  
=  $6.18 \times 10^3$ 

$$79 = 57100$$
  
=  $5.71 \times 10^4$ 

$$80 = 795000$$
$$= 7.95 \times 10^{5}$$

12. 
$$\left(1mi \cdot \frac{5280ft}{1mi} \cdot \frac{12in}{1ft} \cdot \frac{2.54cm}{1in}\right) \div 10$$

**13.** 
$$\frac{x}{100} = \frac{\pi}{10000}$$
;  $x = \frac{100\pi}{10000}$ 

**24**. 
$$20 - 5(1.74) - 5(1.29)$$

25. 
$$\frac{n(n-3)}{2} = 434$$
;  $n(n-3) = 434(2)$   $n^2 - 3n - 868 = 0$   $(n-31)(n+28) = 0$   $n = 31$ . You could also use the quadratic formula to solve this.

**26.** 
$$\sqrt[4]{(\pi^5)(log251)(e^{27})(ln82)}$$

(Look at the digits to the left of the decimal. This gives 2449 for the exponent. Write down 2449.) Punch

2449 
$$- 10^{x}$$

(This gives 1.78 EO which is the first part of your answer. This is done on the HP RPN calculator.

**36.** 
$$\frac{18[18(3)-1]}{2}$$

**37.** d = 
$$\left(\frac{7272}{4}\right)\left(\sqrt{2}\right)$$

**38.** Side = 
$$2\left(\frac{2715}{\sqrt{3}}\right)$$
  
Perimeter =  $3\left[2\left(\frac{2715}{\sqrt{3}}\right)\right]$ 

**47**. The sum of the exterior angles is always 360 degrees.

**48.** 
$$x$$
=largest,  $y$  = smallest  $\begin{cases} x + y = 224 \\ x - y = 190 \end{cases}$   $\begin{cases} x + y = 224 \\ -x + y = -190 \end{cases}$   $2y = 34$   $y = 17$ 

**49. b** = base = long leg 
$$31.8 = \frac{5.68b}{2}$$
;  $b = \frac{31.8(2)}{5.68}$  Use Pythagorean Theorem to find x.

$$x = \sqrt{5.68^2 + \left[\frac{31.8(2)}{5.68}\right]^2}$$

**50.** 
$$\frac{\cos 18}{1} = \frac{7.22 \times 10^8}{x}$$
$$x = \frac{7.22 \times 10^8}{\cos 18}$$

**59.** 60% chance it will rain 40% chance it won't rain Odds:  $\frac{60}{40}$ 

**60.** 
$$120x = 5(98)$$

$$x = \frac{5(98)}{120}$$

**61.** Ratio of volume to surface area

$$\frac{\frac{4}{3}\pi r^3}{4\pi r^2} = \frac{1}{3}r = \frac{1}{3}(5.27)$$

**62.** 
$$\frac{6e^2}{e^3} = \frac{6}{e} = \frac{6}{7.81}$$

**71.** 6 ways that it will happen 31 ways it won't happen Probability that it won't happen =  $\frac{31}{37}$ 

**72.** 
$$10000(1.05)^{18}$$

**73.** A hexagon is 6 equilateral triangles. The apothem is the height of one of those triangles.

$$\left(\frac{251}{2}\right)\left(\sqrt{3}\right)$$

$$B = \frac{\pi(10)^2}{2} + \frac{\pi(6)^2}{2} = \frac{136\pi}{2}$$
$$h = 8$$

$$V = \left(\frac{136\pi}{2}\right)(8)$$