
1st Score:	2nd Score:	3rd Score:					
S & G	S & G	S & G	·				
Grader:	Grader:	Grader:	Final Score				
PLACE LABEL BELOW							
Name:		School:					
SS/ID Number:City:							
Grade: 4 5 6	7 8 Cla	ssification: 1A 2A	3A 4A 5A 6A				



TMSCA MIDDLE SCHOOL CALCULATOR

TEST#3 ©

NOVEMBER 2, 2019

GENERAL DIRECTIONS

- I. About this test:
 - A. You will be given 30 minutes to take this test. There are 80 problems on this test.
 - B. ALL calculators must be cleared. HP Prime and Casio Prizm calculators are NOT permitted.
- II. How to write the answers:
- A. For all problems except stated problem as noted below write three significant digits.
 - 1. Examples (* means correct, but not recommended)

Correct: $12.3, 123, 123.*, 1.23x10^*, 1.23x10^0, 1.23x10^1, 1.23x10^{01}, .0190, 1.90x10^{-2}$

Incorrect: 12.30, 123.0, $1.23(10)^2$, $1.23\cdot10^2$, 1.230×10^2 , $1.23*10^2$, 0.19, 1.9×10^{-2} , 19.0×10^{-3} , 1.90E-02

- 2. Plus or minus one digit error in the third significant digit is permitted.
- B. For stated problems:
 - 1. Except for integer, dollar sign, and significant digit problems, as detailed below, answers to stated problems should be written with three significant digits.
 - 2. Integer problems are indicated by (integer) in the answer blank. Integer problems answers must be exact, no plus or minus one digit, no decimal point or scientific notation.
 - 3. Dollar sign (\$) problems should be answered to the exact cent, but plus or minus one cent error is permitted. The decimal point and cents are required for exact dollar answers.
- III. Some symbols used on the test.
 - A. Angle measure: rad means radians; deg means degrees.
 - B. Inverse trigonometric functions: arcsin for inverse sine, etc.
 - C. Special numbers: π for 3.14159 . . . ; e for 2.71828.
 - D. Logarithms: Log means common (base 10); Ln means natural (base e).

IV. Scoring:

A. All problems answered correctly are worth FIVE points. FOUR points will be deducted for all problems answered incorrectly or skipped before the last problem attempted.

2019-2020 TMSCA Middle School Calculator Test #3


4.
$$\pi - 6 - 13 + 15$$
 ----- $4 =$

- 11. Calculate the smallest three-digit term in the Fibonacci Sequence. 11=_____INT.
- 13. Calculate pi to the fifteenth power divided by 15 to the power of
 pi. ------ 13=______

- 14. (61)[68 x 147 x 59] ------ 14=_____
- 15. (102/75)[78 58] ------ 15=_____

- 18. $\frac{(146/135) + (39/39)}{(0.0428 0.121)} ------ 18 = _____$
- 20. $\frac{618}{(509-329)} \frac{(765-688)}{172} \dots 20 = \dots$
- 21. (0.49)[51/119 x 101/66] 0.298 ------ 21=_____
- 22. $\frac{(\pi)(418/551)(641/75)}{(669/527)}$ ------ 22=_____
- 23. $\frac{(0.00312 + 0.00241 0.00141)}{\{(0.0127 0.0047)/(877)\}}$ ------ 23=_____

- 27. $(2.36 \times 10^{-4})[[0.00885/(0.0194)][2.14/(1.69)]]$ ----- 27=_____
- 29. [1170 (1110 + 617)] + [(1.38)(233 485)] ------ 29=____
- 30. $[67.9] \left[\frac{1/48.8}{1/(31.8)} \right]$ ----- 30=____
- 31. $\frac{1}{-3.44} + \frac{1}{(\pi)(2.71 \pi)}$ ------ 31=_____
- 32. $(19.6)[(3.77 \times 10^{-10}) (1.30 \times 10^{-10})]$ ----- 32=_____
- 34. $\frac{1}{5740} \frac{1}{6100} + \frac{1}{1790}$ ----- 34=_____
- 35. The following sequence was put on the board in math class. $\frac{1}{1}$, $\frac{2}{4}$, $\frac{3}{9}$, $\frac{4}{16}$, $\frac{5}{25}$..., calculate the value of the 25th term. ----- 35=_____
- 36. Sara works and completes a task in 1.4 hours. Paula completes the same task in 20 minutes less. If they work together, calculate the number of minutes they would take to complete the task. --- 36=____min.



39.
$$\left[\frac{1240}{0.36} \right] (6.52 + 8.28)^3 ------ 39 = \underline{}$$

40.
$$(47.6 + 45.5 + 160)^2(610 + 1060)^2$$
 ----- $40 =$

42.
$$(1/(0.00533))(67100 - 40600)^2$$
 ----- 42=_____

43.
$$(3290)\sqrt{44.7 + 82.4 + 150}$$
 ----- 43=_____

44.
$$\sqrt{(4.67/10.2) + 0.455 - 0.222}$$
 ----- 44=_____


45.
$$(1770)\sqrt[4]{11300 + 17200 - 14800}$$
 ----- 45=_____

46.
$$\frac{(2860 + 9090)^{1/3}}{(90 - 12)^{1/3}} - \dots 46 = \dots 46 = \dots$$

47. Calculate the x-coordinate of the intersection of the line
$$y = (-5/7)x + 7/11$$
 and the x-axis. ------ 47=_____

48. Calculate the sum of the roots of the following quadratic equation.

$$8x^2 - 7x + 15 = 0$$
 ----- $48 =$



51.
$$\left[\frac{1730 - 1600 + \sqrt{2.69 \times 10^5 / 45.1}}{-317 + 491}\right]^4 - \dots 51 = \dots 51 = \dots$$

53.
$$\left[\frac{\sqrt{\sqrt{1330 - 1260}}}{-(8920 - 8770)} \right]^{2} [527 + 135] ------ 53 = \underline{ }$$

54.
$$(16.1)(8.99\times10^7)^{1/4} - [(943)(1960)]^{1/2} - \dots 54 = \dots 54 = \dots$$


55.
$$16300 + \sqrt{(20400)(6860)} - (17200 + 21700)$$
 ----- 55=_____

56.
$$\sqrt{\frac{1/(32.3 - 30.4)}{(702)(176 + 163)^3}} - \dots 56 = \dots$$


57.
$$\sqrt{\frac{(5.3)(237)}{(4020) + (2370)}} - 0.529$$
 ----- 57=____

58.
$$(rad) \sin(7.73) + (1.21/10.1) ------ 58 =$$

PARALLEL LINES CUT BY A TRANSVERSAL



RECTANGULAR PRISM



Surface Area = ?

62= _____

63.
$$\frac{21!/15!}{32! + 30!}$$
 ----- 63=____

64.
$$(\deg) \frac{\cos 20}{1510}$$
 ----- 64=____

65.
$$(324 - \pi)e^{0.914}$$
 ------ 65=____

66. (rad)
$$\tan \left[\frac{(312)(\pi)}{(0.841)(1.96)} \right]$$
 ------ 66=____


68.
$$(deg) \frac{\sin(0.701^\circ) - \tan(0.701^\circ)}{\sin(0.701^\circ)}$$
 ------ 68=_____

69.
$$(\text{deg}) \frac{\tan(4.84^\circ)}{1.77 + 1.14}$$
 ------ 69=_____

70.
$$\left[(884) \left(\frac{3.18}{(12.2)(\pi)} \right) \right]^{5/2} - \cdots - 70 = \underline{ }$$


- 71. Bethany weighs 78 Pounds and sits 5 feet from the fulcrum of a seesaw. If Sara weighs 112 pounds, calculate how far from the fulcrum Sara must sit to balance the seesaw. ----- 71= ft.
- 72. Carl drops a rock off a cliff. The rock falls 22 seconds before hitting the ground. The acceleration due to gravity is 9.80 meters per second squared. Calculate the speed of the rock the instance it hits the ground. ----- 72=

SQUARE BASED PYRAMID



73=____

PLANE FIGURE WITH CONGRUENT
SEMICIRCLES



74=_____

75. $\frac{\text{Log}(0.483 + 0.794)}{30.2 - 42.3}$ ----- 75=_____

77. $(9850)10^{(0.153)(6.14)}$ ----- 77=_____

78. $\frac{(e^{0.571})(e^{0.532})(e^{0.172})}{\text{Ln}(493 + 161)} ------ 78 = _____$

79. 4 + 6 + 8 + ... + 876 ------ 79=

80. $1 + \frac{(0.449)^4}{2} - \frac{(0.449)^6}{6} + \frac{(0.449)^8}{24} - \frac{(0.449)^{10}}{120} - \dots 80 = \underline{\hspace{1cm}}$

2019-2020 TMSCA Middle School Calculator Test #3 Answer Key

Page 1	Page 2	Page 3	Page 4
$1 = -115$ $= -1.15 \times 10^{2}$	$14 = 3.60 \times 10^7$	$27 = 0.000136$ $= 1.36 \times 10^{-4}$	$39 = 1.12 \times 10^7$
2 = -51.0	$15 = 27.2$ $= 2.72 \times 10^{1}$	$28 = -8.05 \times 10^9$	$40 = 1.79 \times 10^{11}$
$= -5.10 \times 10^{1}$	16 = 0.0846		$41 = 7.21 \times 10^{18}$
3 = 4.59 = 4.59×10^{0}	$= 8.46 \times 10^{-2}$	$29 = -905 = -9.05 \times 10^{2}$	$42 = 1.32 \times 10^{11}$
$4 = -0.858$ $= -8.58 \times 10^{-1}$	$17 = 11.1$ $= 1.11 \times 10^{1}$	30 = 44.2 = 4.42×10^{1}	$43 = 54800$ $= 5.48 \times 10^{4}$
5 = -3450 = -3.45×10^3	$18 = -26.6$ $= -2.66 \times 10^{1}$ $19 = -0.590$	$31 = -1.03$ $= -1.03 \times 10^{0}$	$44 = 0.831$ $= 8.31 \times 10^{-1}$
$6 = 180$ $= 1.80 \times 10^{2}$	$= -5.90 \times 10^{-1}$	$32 = 4.84 \times 10^{-9}$	45 = 19100
7 = 6.61	20 = 2.99 = 2.99×10^{0}	$33 = 1.67 \times 10^6$	$= 1.91 \times 10^4$
$= 6.61 \times 10^{0}$ $8 = -4.38$	$21 = 0.0234$ $= 2.34 \times 10^{-2}$	$34 = 0.000569$ $= 5.69 \times 10^{-4}$	$46 = 5.35$ $= 5.35 \times 10^{0}$
$= -4.38 \times 10^{0}$	- 2.34x10 22 = 16.0	$35 = 0.0400$ $= 4.00 \times 10^{-2}$	$47 = 0.891$ $= 8.91 \times 10^{-1}$
$9 = 1.54 \times 10^6$	$= 1.60 \times 10^{1}$	= 4.00x10 36 = 36.3	$= 8.91 \times 10$ $48 = 0.875$
$10 = 1.33 \times 10^{10}$	$23 = 452$ $= 4.52 \times 10^{2}$	$= 3.63 \times 10^{1}$	$= 8.75 \times 10^{-1}$
11 = 144 INT.	24 = 176 = 1.76x10 ²	$37 = 7.06 \times 10^{13}$	$49 = 7.25 = 7.25 \times 10^{0}$
$12 = 23.1$ $= 2.31 \times 10^{1}$	= 1.76x10 25 = 55 INT.	$38 = 1480$ $= 1.48 \times 10^{3}$	50 = 1160 = 1.16×10^3
$13 = 5790$ $= 5.79 \times 10^{3}$	$26 = 7.13$ $= 7.13 \times 10^{0}$		

2019-2020 TMSCA Middle School Calculator Test #3 Answer Key

Page 5	Page 6	Page 7	
	-		

51 = 2.01 = 2.01×10 ⁰	$61 = 44.6$ $= 4.46 \times 10^{1}$	73 = 577 = 5.77×10^2
52 = 1480 = 1.48×10^3	$62 = 256$ $= 2.56 \times 10^{2}$	74 = 102 = 1.02×10^2
53 = 0.246	$63 = 1.48 \times 10^{-28}$	$75 = -0.00878$ $= -8.78 \times 10^{-3}$
$= 2.46 \times 10^{-1}$	$64 = 0.000622$ $= 6.22 \times 10^{-4}$	$76 = 4.18 \times 10^{10}$
54 = 208 = 2.08×10^2	$65 = 800$ $= 8.00 \times 10^{2}$	
	66 = 1.20	$77 = 85700 = 8.57 \times 10^4$
55 = -10800 = -1.08×10 ⁴	$= 1.20 \times 10^{0}$ $67 = 0.102$ $= 1.02 \times 10^{-1}$	78 = 0.552 = 5.52×10^{-1}
$56 = 4.39 \times 10^{-6}$	$= 1.02 \times 10^{-5}$ $68 = -7.48 \times 10^{-5}$	79 = 192000
57 = -0.0856 = -8.56×10^{-2}	$69 = 0.0291$ $= 2.91 \times 10^{-2}$	= 1.92x10 ⁵
$58 = 1.11$ $= 1.11 \times 10^{0}$	$70 = 46100$ $= 4.61 \times 10^{4}$	$80 = 1.02$ $= 1.02 \times 10^{0}$
$59 = 2.00$ $= 2.00 \times 10^{0}$	71 = 3.48 = 3.48×10^{0}	
60 = 5151 INT.	$72 = 216$ $= 2.16 \times 10^{2}$	

- **11.** Terms in sequence: 1,1,2,3,5,8,13,21,34,55,89,144
- 12. $\frac{379}{2.54^3}$ On the HP calculator there is a key that will convert inches to cm, however you must punch it three times.

13.
$$\frac{\pi^{15}}{15^{\pi}}$$

24. Largest prime less than 50 is 47. Complement is 90-47 = 43. Supplement is 180-47 = 133. 43 + 133

25.
$$\frac{11}{1} = \frac{x}{5}$$
 $x = 11(5)$

26.
$$-8n + 5 = -42$$

$$n = \frac{-57}{-8}$$

35.
$$\frac{1}{25}$$

36. 1.4 hours is 84 minutes. $\frac{84(64)}{84+64}$

37. A =
$$\frac{(1.68x \ 10^7)^2}{4}$$

38. A =
$$\left(\frac{81.32}{2}\right)\left(\frac{23.21}{2}\right)\pi$$

47. On the x-axis,
$$y = 0$$
.

$$0 = \frac{-5}{7}x + \frac{7}{11}$$

$$x = \frac{-7}{11} \div \frac{-5}{7}$$

48. Sum of the roots = $\frac{-b}{a} = \frac{7}{8}$

49.
$$\sqrt{\left(15\frac{3}{11}\right)^2 - \left(13\frac{4}{9}\right)^2}$$

50.
$$\frac{\cos 42}{1} = \frac{x}{1559}$$
;

$$x = 1559 \cos(42)$$

59. 4 numbers are less than 5; 2 numbers not less than 5. Odds: $\frac{4}{2}$

60.
$$\frac{n(4n-2)}{2}$$
 or n(2n-1)

51[2(51) - 1] Integer. Look at all digits.

61. Supplementary angles add to be 180 degrees.

$$2x + 5 + 7x - 3 = 180$$
$$x = \frac{178}{9}$$
Angle A = $2\left(\frac{178}{9}\right) + 5$

62.
$$2(5x12 + 4x5 + 4x12)$$

71. Weight times distance at one end = weight times distance at the other end of see saw.

$$78(5) = 112x; x = \frac{78(5)}{112}$$

72. Final velocity = Initial velocity + acc(time) 9.8(22)

73.
$$V = \frac{1}{3}(3\pi)^2(6.2\pi)$$

74. This figure is just a rectangle with semicircles cut out and pasted in new positions. A = 9.4(2)(5.4)