

# Learning Objectives: String Iteration

---

- Define string iteration
- Identify two ways to iterate over a string
- Explain the inner workings of string iteration

# Iteration: For Loop

---

## Iterating Over Strings

Iterating over a string allows you to deal with each character of a string individually without having to repeat certain commands. You start with the character at index 0 and move through the end of the string.

```
string my_string = "Hello world";

for (int i = 0; i < my_string.length(); i++) {
    cout << my_string.at(i);
}
```

challenge

### What happens if you:

- Change the value of my\_string to `"\u25A3\u25A8\u25D3\u25CC\u25A2"`?
  - **Note:** Some Unicode characters are not compatible with cout and/or endl; commands.
- Change the value of my\_string to `"10, 11, 12, 13, 14"`?
- Change the cout statement to `cout << my_string.at(i) << endl;`?
- Change the cout statement to `cout << my_string;`?

**Note** that you can also use a **range-based** or **enhanced** for loop to iterate over strings. Make sure to cast the iterating variable as char!

```
string my_string = "Hello world";

for (char c : my_string) {
    cout << c;
}
```

# Iteration: While Loop

---

## While Loop

String iteration is most often done with a `for` loop. However, a `while` can be used as well.

```
string my_string = "Calvin and Hobbes";
int i = 0;

while (i < my_string.length()) {
    cout << my_string.at(i);
    i++;
}
```

challenge

### What happens if you:

- Change the loop to `while (i <= my_string.length())?`
- Copy the original code but change the `cout` statement to `cout << i;?`
- Copy the original code but remove `i++;?`

## Comparing While & For Loops

```
string my_string = "C++";

for (int i = 0; i < my_string.length(); i++) {
    cout << my_string.at(i);
}
```

```
string my_string = "C++";  
int i = 0;  
  
while (i < my_string.length()) {  
    cout << my_string.at(i);  
    i++;  
}
```

Above are two ways of iterating through a string. The first way uses the for loop and the second uses a while loop. Both produces the same result. However, the for loop is usually preferred because it requires less code to accomplish the same task. You can also use an enhanced for loop, which requires the least account of code, but an enhanced while loop does not exist.