4 E2920

Roll No. :

Total Printed Pages: 3

3

4E2920

B. Tech. (Sem. IV) (Main / Back) Examination, June/July - 2013 Computer Science & Information Tech. 4CS6.1 Analog & Digital Communication

Time: 3 Hours]

[Total Marks: 80

[Min. Passing Marks: 24

Attempt any five questions. Selecting one question from each unit.

All questions carry equal marks. Schematic diagrams must be shown wherever necessary. Any data you feel missing suitably be assumed and stated clearly. Units of quantities used / calculated must be stated clearly.

Use of following supporting material is permitted during examination. (Mentioned in form No. 205)

NIL

2.

NIL

UNIT - I

With the help of circuit diagram explain the working of ring modulator for generating a DSB-SC signal.

8

An SSB transmission contain 10 kW. This transmission is to be replaced by a standard amplitude modulated signal with the same power content. Determine the power content of the carrier and each of the side bands when the percentage modulation is 80%.

8

OR

1 (a) Explain the square law diode modulation method for AM generation.

1

8

(b) Explain the phase shift method of SSB generation. List its advantages and disadvantages with respect to the other methods.

8

4E2920] |||



加州,由于新加

[Contd...

UNIT - IV

(a) Write short notes on:

- (i) PAM
- (ii) PWM.

(b) Briefly explain unipolar and bipolar transmission.

OR

2

4E2920]

[Contd...

8

8

- 4 (a) Explain the concept of Nyquist criterion for distortion less base band binary transmission in communication system.
 - (b) Discuss PAM-TDM using suitable block diagram.

8

8

UNIT - V

Explain the binary ASK. What are the various techniques to generate ASK? Explain coherent and non-coherent demodulation techniques of ASK.

16

OR

Explain PSK. What are modulation and demodulation technique of PSK? Why coherent demodulation technique cannot be applied for PSK detection?

16

