Data Visualization II

1. Use the inbuilt dataset 'titanic' as used in the above problem. Plot a box plot for distribution of age with respect to each gender along with the information about whether they survived or not. (Column names: 'sex' and 'age'). Write observations on the inference from the above statistics.

Ву,

Vinayak Jalan

TEB74

In [1]:

```
import seaborn as sns
titanic = sns.load_dataset("titanic")
```

In [2]:

titanic

Out[2]:

	survived	pclass	sex	age	sibsp	parch	fare	embarked	class	who	adult
0	0	3	male	22.0	1	0	7.2500	S	Third	man	
1	1	1	female	38.0	1	0	71.2833	С	First	woman	
2	1	3	female	26.0	0	0	7.9250	S	Third	woman	
3	1	1	female	35.0	1	0	53.1000	S	First	woman	
4	0	3	male	35.0	0	0	8.0500	S	Third	man	
886	0	2	male	27.0	0	0	13.0000	S	Second	man	
887	1	1	female	19.0	0	0	30.0000	S	First	woman	
888	0	3	female	NaN	1	2	23.4500	S	Third	woman	
889	1	1	male	26.0	0	0	30.0000	С	First	man	
890	0	3	male	32.0	0	0	7.7500	Q	Third	man	

891 rows × 15 columns

In [3]:

titanic.head(10)

Out[3]:

	survived	pclass	sex	age	sibsp	parch	fare	embarked	class	who	adult_n
0	0	3	male	22.0	1	0	7.2500	S	Third	man	-
1	1	1	female	38.0	1	0	71.2833	С	First	woman	F
2	1	3	female	26.0	0	0	7.9250	S	Third	woman	F
3	1	1	female	35.0	1	0	53.1000	S	First	woman	F
4	0	3	male	35.0	0	0	8.0500	S	Third	man	-
5	0	3	male	NaN	0	0	8.4583	Q	Third	man	-
6	0	1	male	54.0	0	0	51.8625	S	First	man	-
7	0	3	male	2.0	3	1	21.0750	S	Third	child	F
8	1	3	female	27.0	0	2	11.1333	S	Third	woman	F
9	1	2	female	14.0	1	0	30.0708	С	Second	child	F

4

•

In [4]:

titanic.info

Out[4]:

	und method DataFrame.info of					surviv	/ed	pcl	ass	sex	age	sibsp
parc	h f		nbarke		=							
0		0	3	male	22.0	1		0	7.2500)	S	Thir
d					20.0			•	74 2022		_	
1 t		1	1	female	38.0	1		0	71.2833	•	С	Firs
2		1	3	female	26.0	0		0	7.9256	١	S	Thir
d		_	,	i Cilia I C	20.0	Ū		U	7.5256	,	3	111111
3		1	1	female	35.0	1		0	53.1000)	S	Firs
t												
4		0	3	male	35.0	0		0	8.0500)	S	Thir
d												
• •	•	• •	• • •		• • •	• • •	•	• •			• • •	
		•	2	7 -	27.0	0		^	12 0000		_	C
886 d		0	2	male	27.0	0		0	13.0000)	S	Secon
u 887		1	1	female	19.0	0		0	30.0000)	S	Firs
t		_	-	remare	. 13.0	Ū		·	30.0000	,		1 11 3
888		0	3	female	e NaN	1		2	23.4500)	S	Thir
d												
889		1	1	male	26.0	0		0	30.0000)	C	Firs
t			_	_								
890		0	3	male	32.0	0		0	7.7500)	Q	Thir
d												
	who	aduli	t_male	deck	embark_	town al	live	al	one			
0	man		True	NaN	Southam		no		lse			
1	woman		False	C	Cherb		yes	Fa	lse			
2	woman		False	NaN	Southam	pton	yes	Т	rue			
3	woman		False	C	Southam	pton	yes	Fa	lse			
4	man		True	NaN	Southam	pton	no	Т	rue			
• •	• • •		• • •	• • •		• • •	• • •		• • •			
886	man		True	NaN	Southam	-	no		rue			
887	woman		False	В	Southam	•	yes		rue			
888	woman		False	NaN	Southam	•	no		lse			
889	man		True	C	Cherb	_	yes		rue			
890	man		True	NaN	Queens	LOWN	no	ı	rue			

[891 rows x 15 columns]>

In [5]:

titanic.describe()

Out[5]:

	survived	pclass	age	sibsp	parch	fare
count	891.000000	891.000000	714.000000	891.000000	891.000000	891.000000
mean	0.383838	2.308642	29.699118	0.523008	0.381594	32.204208
std	0.486592	0.836071	14.526497	1.102743	0.806057	49.693429
min	0.000000	1.000000	0.420000	0.000000	0.000000	0.000000
25%	0.000000	2.000000	20.125000	0.000000	0.000000	7.910400
50%	0.000000	3.000000	28.000000	0.000000	0.000000	14.454200
75%	1.000000	3.000000	38.000000	1.000000	0.000000	31.000000
max	1.000000	3.000000	80.000000	8.000000	6.000000	512.329200

In [6]:

#Custom Columns with all rows
titanic.loc[:,["survived","alive"]]

Out[6]:

	survived	alive
0	0	no
1	1	yes
2	1	yes
3	1	yes
4	0	no
886	0	no
887	1	yes
888	0	no
889	1	yes
890	0	no


891 rows × 2 columns

In [7]:

```
#Now Plot boxplot
sns.boxplot(x="sex",y="age",data=titanic)
```

Out[7]:

<matplotlib.axes._subplots.AxesSubplot at 0x7f9679321b50>



In [8]:

```
sns.boxplot(x="sex",y="age",data=titanic,hue="survived")
```

Out[8]:

<matplotlib.axes._subplots.AxesSubplot at 0x7f96748b3390>

