

Strings

Working with strings

- `System.String` contains an enormous amount of options to work with strings
 - `Length`
 - `Compare`
 - `Contains`
 - `Equals`
 - `Format`
 - `Insert`
 - `Trim`
 - `ToUpper`
 - `ToLower`
 - `Remove`
 - `Replace`

String concatenation

- Strings can be concatenated using the + operator
 - Internally, this routes to the Concat() method

```
static void StringConcatenation()
{
    Console.WriteLine("=> String concatenation:");
    string s1 = "Programming the ";
    string s2 = "PsychoDrill (PTP)";
    string s3 = s1 + s2;
    Console.WriteLine(s3);
    Console.WriteLine();
}
```

Escape characters

- The escape character `\` (a single backslash) signals to the compiler that the character following the backslash is not an normal character.

<code>\b</code>	Backspace BS
<code>\t</code>	Horizontal tab HT
<code>\n</code>	Linefeed LF
<code>\f</code>	Form feed FF
<code>\r</code>	Carriage return CR
<code>\"</code>	Double quote "
<code>\a</code>	Alarm (beep)
<code>\\</code>	A single backslash \
<code>\0</code>	null character


Verbatim Strings

- @ tells the compiler that the following string should not be escaped
 - Meaning no special processing of the \ character

```
string a = @"c:\temp\newfile.txt";  
    //versus  
string b = "c:\\temp\\newfile.txt";
```

Comparing strings

- Strings are reference types
- BUT: == and != compare the references, not the values for reference types



Strings are immutable

- Strings can't be changed...
 - All methods make copies of the string you're working with, including +
 - We always get back a new string instance
- Net result: string manipulation using the string class can be very inefficient
 - Only use for "small" operations
 - Avoid doing heavy string work in loops!
- The solution...?

StringBuilder

- .NET provides the `StringBuilder` (`System.Text`)
- Works with the “real” string, doesn’t make a copy
- Defines many constructors

Practicing StringBuilder

- Build a string with a StringBuilder.