

Rothamsted long-term liming experiment lime and fertilizer treatments 1962-1996

DOI: <u>10.23637/rcs10-Treatments-01</u>

Prepared by: Margaret J Glendining, CAS Department, Rothamsted Research, Harpenden, Herts,

AL5 2JQ, UK.

Published by: Rothamsted Research

Date: December 2020

Description: Contains details of the lime applications, fertilizer treatments and basal fertilizer applied to the Long-term Liming Experiment at Rothamsted, 1962-1996.

- 1) Details of lime application dates and amounts applied, 1962-1996.
- 2) Details of fertilizer treatments (P, K, Mg, Mn and S), application amounts, dates and forms, 1962-1996.
- 3) Details of basal fertilizer (N, K and Mg), application amounts and forms, 1962-1996.

Site: R/CS/10. Sawyers field 1, Rothamsted Experimental Farm, Rothamsted Research, West Common, Harpenden, Hertfordshire, AL5 2JQ, UK. Latitude 51.8157, Longitude -0.3752

Related Resources:

- Rothamsted long-term liming experiment standard plans, 1962-1996 <u>10.23637/rcs10-Plans</u>
- Refer to website for more details: http://www.era.rothamsted.ac.uk/

Cite as: Glendining M.J. (2020) *Rothamsted long-term liming experiment lime and fertilizer* treatments 1962-1996. Electronic Rothamsted Archive, Rothamsted Research. 10.23637/rcs10-Treatments

Funding: Rothamsted Research receives strategic funding from the UK Biotechnology and Biological Sciences Research Council (BBSRC). The Rothamsted Long-term Experiments National Capability is supported by the BBSRC Grant BBS/E/C/000J0300 and the Lawes Agricultural Trust.

Licence and conditions of re-use:



These plans are published under the Creative Commons Attribution 4.0 International licence. CC BY 4.00

You are free to adapt, copy, redistribute these plans but must provide appropriate credit using the provided citation, including the DOI and indicate any changes made. You must not apply additional restrictions on the licence.

Rothamsted (Sawyers) total lime applied, 1962-1987: Ground chalk (CaCO₃) tha⁻¹

Harvest Year	1962	1963	1979	1982	1983	1987
Date applied	05/03/1962	04/12/1962 & 01/04/1963	29/11/1978	03-07/12/1981	26/11/1982	13/11/1986
Lime Treatment						
None (0)	0	0	0	0	0	0
Low (L)	5	0	2	2	5	1
Medium (M)	10	0	5	5	3	1.5
High (H)	15	2.5 + 2.5	10	10	10	2.5

Summary of total lime applied, 1962-1987, Ground chalk (CaCO₃) tha⁻¹:

Lime Treatment	Rothamsted	Woburn
0	0	0
L	15	9
М	24.5	25.5
Н	52.5	45.5

Lime applied in 1962 and 1963 was local soft cretaceous ground limestone (chalk). It contained 36.2% Ca and 0.2% Mg soluble in HCl (Bolton 1977).

Prepared by Margaret Glendining 2020 from plans and Yield Books.

Please acknowledge e-RA and Rothamsted Research as the data source in any publications.

Bolton, 1977: DOI: https://doi.org/10.1017/S0021859600027222

Ma treatment

K troatmont

R/CS/10	1962-1996
,, -	

						K treatment		Mg treatment	
	P tr	eatmer	its kgP/	ha	Date P, K and	kgK/ha		kgMg/ha	
Year	0		ı	P	Mg applied	0	K	0	Mg
1962	0		27	7.5	15/03/1962	0	104		
1963	0		27	7.5	03/04/1963	0	104		
1964	0			7.5	15/02/1964	0	104		
1965	0			7.5	01/03/1965	0	104		
1966	0			7.5	14/03/1966	0	104		
1967	0			7.5	22/02/1967	0	104		
1968	0			5	04/04/1968	0	156		
1969	0		()	-	0	0		
1970	0			7.5	26/03/1970	0	104		
1971	0			7.5	03/03/1971	0	104		
1972	0			7.5	20/03/1972	0	104		
1973	0			7.5	26/02/1973	0	104		
1974	0			5	24/04/1974	0	156	0	112
1975	0		27	7.5	11/03/1975	0	105	0	0
1976	0			7.5	24/03/1976	0	105	0	112
1977	0		27	7.5	29/03/1977	0	105	0	112
1978	0			7.5	19/04/1978	0	105	0	112
1979	0)	-	0	0		
1980	0		()	-	0	0		
							atment		atment
			P tream		Date P applied	kgMn/ha		kgS/ha	
	P0	P1	P2	P3		0	Mn	0	S
	0	25	25	75	08/12/1980				
1302	0	25	0	25	14/04/1982				
1983	0	0	50	50	11/05/1983				
	0	0	0	0	-				
1985	0	0	0	0	-				
	0	0	0	0	-				
1987	0	0	0	0	-	0	*		
1988	0	25	25	75	14/12/1987	0	0.30		
	0	0	0	0	-	0	0.29		
	0	0	0	0	-	0	0.29		
	0	0	0	0	-			0	30
1992	0	0	0	0	-			0	30
	0	0	0	0	-			0	30
	0	0	0	0	-			0	30
	0	0	0	0	-			0	30
1996	0	0	0	0	-			0	30

Phosphorus (P) treatments:

From 1962-1980 two P treatments (0, P)

1962-1978 Applied as superphosphate. Not applied to fallow (1969, 1979, 1980) 55 kgP/ha to potatoes

1968, 1974 55 kgP/ha to potatoes

From 1981 onwards divided into four P treaments (P0, P1, P2, P3):

1981-83, 1988 Applied as superphosphate

Possibly 50KgP/ha. In most Yield Books P1 and P3 shown as 25kgP/ha, 1982^{\$}

on Field Plans shown as 50kgP/ha

Potassium (K) treatment:

1962-1978 Applied potassium chloride

1981 onwards Basal application to all plots in some years

Magnesium (Mg) treatment:

1974, 1976-78 Applied as Epsom salts (1974, 1976-77) and kieserite (magnesium sulphate) (1978)

1981 onwards Basal application to all plots in some years

Manganese (Mn) treatment:

1987-1990 Applied as two applications of liquid foliar fertilizer at fourth leaf stage (usually May/June)

and before flowering (usually June/July), a total of 0.3kgMn/ha/yr.

*12 litre/ha managnese lignin polycarboxylate in 1987

Sulphur (S) treatment:

1991-1996 Applied as calcium sulphate

Prepared by Margaret Glendining 2020 from plans and Yield Books Please acknowledge e-RA and Rothamsted Research in any publications.

Rothamsted Long-term Liming experiment. R/CS/10 1962-1996

Basal Fertilizer

(applied to all plots, not a treatment factor)

		Fertilizer N		
	kgN/ha	Туре		
Year	Rothamsted	Rothamsted		
1962	0			
1963	0			
1964	32	Nitrochalk		
1965	63	Nitrochalk		
1966	63	Nitrochalk		
1967	94	Nitrochalk		
1968	188	Nitrochalk		
1969	0			
1970	94	Nitrochalk		
1971	94	Nitrochalk		
1972	90	Nitrochalk		
1973	90	Nitrochalk		
1974	190	Nitrochalk		
1975	80	Nitrochalk		
1976	170	Nitrochalk		
1977	80	Nitrochalk		
1978	80	Nitrochalk		
1979	0			
1980	0		Potassium	Magnesium
			kgK/ha	kgMg/ha
1981	80	Nitrochalk	120	100
1982	80	Nitrochalk	120	40
1983	250	Nitrochalk	210	40
1984	0	With Genank	0	0
1985	113	Compound	72	0
1986	170	Nitram	0	0
1987	0		0	0
1988	86	Nitram	80	41
1989	0		0	0
1990	0		0	0
1991	271	Compound & Nitram	32	26
1992	126	Compound & Nitram	32	26
1993	0	•	0	0
1994	0		0	0
1995	150	Nitram	0	0
1996	200	Nitram	0	0

Nitrogen (N) fertilizers:

Nitrochalk = calcium ammonium nitrate

Nitram = ammonium nitrate

Compound = 25:0:16 compound fertilizer (% N:P:K)

Potassium (K) fertilizer

1981 onwards, as potassium chloride or compound (1985, 1991, 1992)

Magnesium (Mg) fertilizer:

1981 onwards, as magnesium sulphate or liquid chelated magnesium (1991, 1992)

Prepared by Margaret Glendining 2020 from plans and Yield Books

Please acknowledge e-RA and Rothamsted Research in any publications.