DBMS SQL

Lesson 04: Aggregate (GROUP) Functions



Lesson Objectives


- ➤ To understand the following topics:
 - Introduction to Functions
 - Aggregate (Group) functions:
 - GROUP BY clause
 - HAVING clause





Types of SQL Functions

- ➤ Single row functions:
 - Operate on single rows only and return one result per row
- Multiple row functions:
 - Manipulates groups of rows to give one result per group of rows.
 Also called as group functions





The Group Functions

- The Group functions are built-in SQL functions that operate on "groups of rows", and return one value for the entire group.
- The results are also based on groups of rows.
- For Example, Group function called "SUM" will help you find the total marks, even if the database stores only individual subject marks.



Syntax: GROUP BY & HAVING clause

➤ Syntax

```
SELECT [column, ] aggregate function(column), ......

FROM table

[WHERE condition]

[GROUP BY column]

[HAVING condition]

[ORDER BY column];
```



Listing of Group Functions

• Given below is a list of Group functions supported by SQL:

Function	Value returned
SUM (expr)	Sum value of expr, ignoring NULL values.
AVG (expr)	Average value of expr, ignoring NULL values.
COUNT (expr)	Number of rows where expr evaluates to something other than NULL. COUNT(*) counts all selected rows, including duplicates and rows with NULLs.
MIN (expr)	Minimum value of expr.
MAX (expr)	Maximum value of expr.

4.1: Introduction to Functions



Examples of using Group Functions

Example 1: Display the total number of records from student_marks.

```
SELECT COUNT( * ) FROM Student_Marks;
```

Example 2: Display average marks from each subject.

```
SELECT AVG(Student_sub1), AVG(Student_sub2), AVG(Student_sub3) FROM Student_Marks;
```



The GROUP BY clause

- ➤ GROUP BY clause is used along with the Group functions to retrieve data that is grouped according to one or more columns.
 - For example: Displays the average staff salary based on every department. The values are grouped based on dept_code

SELECT Dept_Code, AVG(Staff_sal)
FROM Staff_Master
GROUP BY Dept Code;



The HAVING clause

- HAVING clause is used to filter data based on the Group functions.
 - HAVING clause is similar to WHERE condition. However, it is used with Group functions.
- Group functions cannot be used in WHERE clause. However, they can be used in HAVING clause.



Examples – GROUP BY and HAVING clause

For example: Display all department numbers having more than five employees.

```
SELECT Department_Code, Count(*)
FROM Staff_Master
GROUP BY Department_Code
HAVING Count(*)> 5;
```

4.3: Tips and Tricks on using Group Functions GROUP BY & HAVING clause



Quick Guidelines

- ➤ All group functions except COUNT(*) ignores NULL values.
- >To substitute a value for NULL values use NVL functions.
- ➤ DISTINCT clause makes the function consider only non duplicate values.
- The AVG and SUM are used with numerica data.
- The MIN and MAX functions used with any data type.



Quick Guidelines



- ➤ All individual columns included in the SELECT clause other than group functions must be specified in the GROUP BY clause.
- Any column other than selected column can also be placed in GROUP BY clause.
- By default rows are sorted by ascending order of the column included in the GROUP BY list.
- WHERE clause specifies the rows to be considered for grouping.



Quick Guidelines



- Suppose your SELECT statement contains a HAVING clause. Then write your query such that the WHERE clause does most of the work (removing undesired rows) instead of the HAVING clause doing the work of removing undesired rows.
- Use the GROUP BY clause only with an Aggregate function, and not otherwise.
- Since in other cases, you can accomplish the same end result by using the DISTINCT option instead, and it is faster.




Summary

- ➤ In this lesson, you have learnt about:
 - Aggregate (Group functions)
 - GROUP BY clause
 - HAVING clause



Review - Questions

- Question 1: Identify the various group functions from the list given below:
 - Option 1: maximum
 - Option 2: sum
 - Option 3: count
 - Option 4: minimum



- True / False
- ➤ Question 3: Count(*) returns the number of rows in the table, including duplicates and those with NULLs.
 - True / False

