

RugFreeCoins Audit



SunShield Token
Smart Contract Security Audit
October 04, 2021

Contents

Audit details	1
Disclaimer	2
Background	3
About the project	4
Target market and the concept	7
Potential to grow with score points	g
Total Points	g
Contract details	10
Contract code function details	11
Contract description table	12
Security issue checking status	23
Owner privileges	24
Audit conclusion	26

Audit details



Audited project

SunShield Token



Contract Address

https://bscscan.com/token/0xc8412dced6ba127225edc4c17a096ee35f99d296



Client contact

SunShield Team



Blockchain

Binance smart chain



Project website

https://www.sunshield.finance/

Disclaimer

This is a limited report on our findings based on our analysis, in accordance with good industry practice as at the date of this report, in relation to cybersecurity vulnerabilities and issues in the framework and algorithms based on smart contracts, the details of which are set out in this report. In order to get a full view of our analysis, it is crucial for you to read the full report. While we have done our best in conducting our analysis and producing this report, it is important to note that you should not rely on this report and cannot claim against us on the basis of what it says or doesn't say, or how we produced it, and it is important for you to conduct your own independent investigations before making any decisions. We go into more detail on this in the disclaimer below – please make sure to read it in full.

DISCLAIMER: By reading this report or any part of it, you agree to the terms of this disclaimer. If you do not agree to the terms, then please immediately cease reading this report, and delete and destroy any and all copies of this report downloaded and/or printed by you. This report is provided for information purposes only and on a non-reliance basis, and does not constitute investment advice. No one shall have any right to rely on the report or its contents, and Rugfreecoins and its affiliates (including holding companies, shareholders, subsidiaries, employees, directors, officers and other representatives) (Rugfreecoins) owe no duty of care towards you or any other person, nor does Rugfreecoins make any warranty or representation to any person on the accuracy or completeness of the report. The report is provided "as is", without any conditions, warranties or other terms of any kind except as set out in this disclaimer, and Rugfreecoins hereby excludes all representations, warranties, conditions and other terms (including, without limitation, the warranties implied by law of satisfactory quality, fitness for purpose and the use of reasonable care and skill) which, but for this clause, might have effect in relation to the report. Except and only to the extent that it is prohibited by law, Rugfreecoins hereby excludes all liability and responsibility, and neither you nor any other person shall have any claim against Rugfreecoins, for any amount or kind of loss or damage that may result to you or any other person (including without limitation, any direct, indirect, special, punitive, consequential or pure economic loss or damages, or any loss of income, profits, goodwill, data, contracts, use of money, or business interruption, and whether in delict, tort (including without limitation negligence), contract, breach of statutory duty, misrepresentation (whether innocent or negligent) or otherwise under any claim of any nature whatsoever in any jurisdiction) in any way arising from or connected with this report and the use, inability to use or the results of use of this report, and any reliance on this report. The analysis of the security is purely based on the smart contracts alone. No applications or operations were reviewed for security. No product code has been reviewed.

Background

Rugfreecoins was commissioned by SunShield Token to perform an audit of the smart contract.

https://bscscan.com/token/0xc8412dced6ba127225edc4c17a096ee35f99d296

The focus of this audit is to verify that the smart contract is secure, resilient and working according to the specifications.

The information in this report should be used to understand the risk exposure of the smart contract, project feasibility, long term sustainability and as a guide to improve the security posture of the smart contract by remediating the issues that were identified.

About the project

SunShield Token is a token built on the Binance Smart Chain. Each transaction, purchase incurs a 17% fee, and sales incur a 19% fee.

Features

- ❖ The automatic BNB reward of 10% is what SunShield's entire marketing strategy is based around: that tokens will be distributed among every holder proportional to how many tokens each individual holds.
- ❖ The liquidity fee of 1%, which is a redistribution mechanism that ensures the trading pool always has sufficient liquidity. This is a key element for decentralized exchanges like Pancakeswap.
- ❖ SunShield will be exchanging 3% of the tax for Bnb buys back from the supply every minute and burn all tokens bought automatically. An additional 2% will be charged when selling and allocated for buyback and burn.
- ❖ The sustainability fee of 2% marketing is what allows SunShield to hold the aforementioned promise. Tokens will be swapped into BNB and will be sent to a marketing wallet per transaction. This way, SunShield will have enough funds to promote the coin and spend for future development without selling tokens as the traditional way.
- ❖ The fee of 1% will be deducted swapped into BNBs and sent to the Sunshield BNB pool.

Tokenomics

17% fee when buying

- ❖ 10% of trade goes to holders' pockets in BNB.
- ❖ 1% of trade goes to the liquidity pool.
- 3% of trade goes to marketing.
- ❖ 3% of trade goes to buyback & burn.
- ❖ 1% of trade goes to the Sunshield BNB pool.

19% fee when selling

- ❖ 10% of trade goes to holders pockets in BNB.
- 1% of trade goes to the liquidity pool.
- ❖ 3% of trade goes to marketing.
- ❖ 5% of trade goes to buyback & burn.
- ❖ 1% of trade goes to the Sunshield BNB pool.

Roadmap

2021/Q4

- ✓ Rug free coins audit
- ✓ Establish tg group
- ✓ Luanch social media platforms

Dx pre sale

Liquidity locked in dx locker

Pcs launch

Sunshield dapp

1 mil market cap

Large marketing campaign

Apply for coin market cap

Apply for coin gecko

2022/Q1

Earth shield development

Exhange listings

Target market and the concept

Target market

- ❖ Anyone who's interested in the Crypto space with long-term investment plans.
- ❖ Anyone who's ready to earn a passive income in BNB by holding tokens.
- Anyone who's interested in trading tokens.
- All BNB investors and fans out there.
- ❖ Anyone who's interested in taking part in the future plans of SunShield project.
- ❖ Anyone who's interested in making financial transactions with any other party using SunShield tokens or BNB as the currency.

Core concept

The BNB reward system

10% of each transaction gets converted to BNB, and is split amongst all holders. The rewards are sent to holders that have at least 100 billion SunShield tokens, holders will be eligible to receive tokens every 12 hours and rewards are proportional to how many tokens each individual holds.

Sustainable mechanism

The liquidity fee of 1%, which is a redistribution mechanism that ensures the trading pool always has sufficient liquidity.

The **fee of 2% marketing** is what allows SunShield to promote the token and use funds to further the development of the platform. Tokens will be swapped into BNB and will be sent to a marketing wallet per transaction. This way, SunShield will have access to the funds without selling tokens as the traditional way, which will enable them to consume funds without hurting the project.

The buyback and burn mechanism collect 3% tax on when buying and 5% when selling, which is stored inside the contract. Whenever a buy or sell occurs, a fraction of the buyback amount is used to automatically purchase tokens from the liquidity pool. Those tokens are immediately burned after purchase, which keeps the token price stable.

BNB pool

The reserved pool is another BNB pool that starts to fill up when the main BNB pool is full (5000BNB). It improves consistency in the amount of rewards received by all users in times where the volume is low.

When the volume is low, the main pool would normally start to dry out. With the reserved pool, this is not the case since it will be used to refill it.

Anti-dump

The Anti-Dump feature prevents users from selling more than a pre-set amount of tokens within a single transaction.

This prevents users with a very high amount of tokens from affecting the price significantly and further stabilizes the price.

The transaction selling limit is set to 2 Trillion. Any transaction selling an amount higher than the limit will be rejected by the network. This may be changed accordingly as the price of the token fluctuates in the market. Any potential change will be communicated to the community beforehand.

Potential to grow with score points

1.	Project efficiency	8/10
2.	Project uniqueness	8/10
3	Information quality	8/10
4	Service quality	8/10
5	System quality	8/10
6	Impact on the community	8/10
7	Impact on the business	8/10
8	Preparing for the future	7/10
Total Points		7.88/10

Contract details

Token contract details for 04th October 2021

Contract name	SunShield
Contract address	0xc8412dced6ba127225edc4c17a096ee35f99d296
Token supply	2,000,000,000,000
Token ticker	SSHLD
Decimals	9
Token holders	2
Transaction count	2
Marketing wallet address	0xb0f8dd8469dcb6e1eb50a818fe206f0d1299936e
Contract deployer address	0x7Bf7b57346de12a54eBc799444820D94796b9508
Contract's current owner address	0x7bf7b57346de12a54ebc799444820d94796b9508

Contract code function details

No	Category	Item	Result
		BRC20 Token standards	pass
		compile errors	pass
		Compiler version security	pass
		visibility specifiers	pass
		Gas consumption	pass
1	Coding conventions	SafeMath features	pass
		Fallback usage	pass
		tx.origin usage	pass
		deprecated items	pass
		Redundant code	pass
		Overriding variables	pass
		Authorization of function call	pass
2	Function call audit	Low level function (call/delegate call) security	pass
		Returned value security	pass
		Selfdestruct function security	pass
		Access control of owners	pass
3	Business security	Business logics	pass
		Business implementations	pass
4	Integer overflow/underflow		pass
5	Reentrancy		pass
6	Exceptional reachable state		pass
7	Transaction ordering dependence		pass
8	Block properties dependence		pass
9	Pseudo random number generator (PRNG)		pass
10	DoS (Denial of Service)		pass
11	Token vesting implementation		pass
12	Fake deposit		pass
13	Event security		pass

Contract description table

Below table represents the summary of the contracts and methods in the token contract. We scanned the whole contract and listed down all the Interfaces, functions and implementations with its visibility and mutability.

Contract	Туре	Bases		
L	Function Name	Visibility	Mutability	Modifiers
IERC20	Interface			
L	totalSupply	External		NO.
L	balanceOf	External		NO.
L	transfer	External		NO.
L	allowance	External		NO.
L	approve	External		NO.
L	transferFrom	External		NO.
	,	,		
IERC20Metadata	Interface	IERC20		
L	name	External		NO.
L	symbol	External		NO.
L	decimals	External		NO.
Context	Implementation			

L	_msgSender	Internal 🖺		
L	_msgData	Internal 🖺		
Ownable	Implementation	Context		
L		Public		NO.
L	owner	Public		NO.
L	renounceOwnershi p	Public		onlyOwner
IPancakeRouter01	Interface			
L	factory	External		NO.
L	WETH	External		NO.
L	addLiquidity	External		NO.
L	addLiquidityETH	External [ap	NO.
L	removeLiquidity	External		NO.
L	removeLiquidityET H	External [NO.
L	removeLiquidityWit hPermit	External [NO.
L	removeLiquidityET HWithPermit	External [NO.
L	swapExactTokensF orTokens	External [NO.
L	swapTokensForEx actTokens	External		NO.

L	swapExactETHFor Tokens	External	d D	NO.
L	swapTokensForEx actETH	External		NO.
L	swapExactTokensF orETH	External		NO.
L	swapETHForExact Tokens	External	g	NO.
L	quote	External		NO.
L	getAmountOut	External		NO.
L	getAmountIn	External		NO.
L	getAmountsOut	External		NO.
L	getAmountsIn	External		NO.
IPancakeRouter02	Interface	IPancakeRouter01		
L	removeLiquidityET HSupportingFeeOn TransferTokens	External		NO
L	removeLiquidityET HWithPermitSuppo rtingFeeOnTransfer Tokens	External		NO
L	swapExactTokensF orTokensSupportin gFeeOnTransferTo kens	External		NO.
L	swapExactETHFor TokensSupportingF eeOnTransferToke ns	External	gr.	NO
L	swapExactTokensF orETHSupportingF	External		NO.

	eeOnTransferToke ns		
IPancakeFactory	Interface		
L	feeTo	External	NO
L	feeToSetter	External	NO
L	getPair	External	NO
L	allPairs	External	NO
L	allPairsLength	External	NO
L	createPair	External	NO
L	setFeeTo	External	NO
L	setFeeToSetter	External [NO
ReentrancyGuard	Implementation		
L		Public	NO.
SunShieldBase	Implementation	Context, IERC20Metadata, Ownable, ReentrancyGuard	
L		Public	NO
L	activate	Public	onlyOwner

L	onActivated	Internal 🖺	
L	balanceOf	Public	NO.
L	transfer	Public	NO !
L	transferFrom	Public	NO.
L	approve	Public	NO.
L	doTransfer	Internal 🖺	
L	onBeforeTransfer	Internal 🖺	
L	onTransfer	Internal 🖺	
L	updateBalances	Private 🖺	
L	doApprove	Private 🖺	
L	calculateFeeRate	Private 🖺	
L	executeSwapIfNee ded	Private P	
L	executeSwap	Private P	
L	swapTokensForBN B	Internal <u></u>	
L	swapBNBForToken s	Internal 🦲	
L	isTransferLimited	Private 🖺	
L	isSwapTransfer	Private P	
L	isMarketTransfer	Internal 🖺	

L	amountUntilSwap	Public	NO.
L	increaseAllowance	Public	NO.
L	decreaseAllowance	Public	NO.
L	setPancakeSwapR outer	Public	onlyOwner
L	onPancakeSwapRo uterUpdated	Internal 🖺	
L	isPancakeSwapPai r	Internal 🖺	
L	setFees	Public	onlyOwner
L	setTransactionLimit	Public	onlyOwner
L	transactionLimit	Public	NO.
L	setTokenSwapThre shold	Public	onlyOwner
L	tokenSwapThresho Id	Public	NO.
L	name	Public	NO.
L	symbol	Public	NO.
L	totalSupply	Public	NO.
L	decimals	Public	NO.
L	allowance	Public	NO.
L	pancakeSwapRout erAddress	Public	NO.
L	pancakeSwapPairA ddress	Public	NO.

L	autoLiquidityWallet	Public		NO.
L	setAutoLiquidityWal let	Public		onlyOwner
L	devmarketingWallet	Public		NO.
L	setMarketingWallet	Public		onlyOwner
L	totalFeesPooled	Public		NO.
L	totalBNBLiquidityA ddedFromFees	Public		NO.
L	isSwapEnabled	Public		NO.
L	setSwapEnabled	Public		onlyOwner
L	isFeeEnabled	Public		NO.
L	setFeeEnabled	Public		onlyOwner
L	isExcludedFromFe es	Public		NO.
L	setExcludedFromF ees	Public		onlyOwner
L	activateBuying	Public		onlyOwner
L		External	<u>C</u>	NO.
SunShield	Implementation	SunShieldBase		
L		Public		SunShield Base
L	onActivated	Internal 🖺		

L	onBeforeTransfer	Internal 🦲	
L	onTransfer	Internal 🦲	
L	processGradualBur n	Private P	
L	updateAutoClaimQ ueue	Private P	
L	claimReward	External	isHuman nonReentr ant
L	claimReward	Public	NO !
L	doClaimReward	Private 🖺	
L	claimBNB	Private 🖺	
L	claimSSHLD	Private 🖺	
L	processRewardClai mQueue	Public	NO.
L	processRewardClai mQueueAndRefun dGas	External	NO.
L	isRewardReady	Public	NO.
L	isIncludedInReward s	Public	NO.
L	calculateRewardCy cleExtension	Public	NO.
L	calculateClaimRew ards	Public	NO.
L	calculateBNBRewa rd	Public	NO.
L	onPancakeSwapRo uterUpdated	Internal 🖺	

L	isMarketTransfer	Internal 🦲	
L	isBurnTransfer	Private P	
L	shouldBurn	Public	NO.
L	buyAndBurn	External	onlyOwner
L	doBuyAndBurn	Private 🖺	
L	isContract	Public	NO.
L	totalAmountOfToke nsHeld	Public	NO.
L	bnbRewardClaimed	Public [NO.
L	bnbRewardClaimed AsSSHLD	Public	NO.
L	totalBNBClaimed	Public	NO.
L	totalBNBClaimedAs SSHLD	Public	NO
L	rewardCyclePeriod	Public	NO
L	setRewardCyclePe riod	Public	onlyOwner
L	setRewardCycleExt ensionThreshold	Public	onlyOwner
L	nextAvailableClaim Date	Public	NO.
L	maxClaimAllowed	Public	NO.
L	setMaxClaimAllowe d	Public	onlyOwner
L	minRewardBalance	Public	NO.


L	setMinRewardBala nce	Public	onlyOwner
L	maxGasForAutoCla im	Public	NO.
L	setMaxGasForAuto Claim	Public	onlyOwner
L	isAutoClaimEnable d	Public	NO
L	setAutoClaimEnabl ed	Public	onlyOwner
L	isExcludedFromRe wards	Public	NO.
L	setExcludedFromR ewards	Public	onlyOwner
L	globalRewardDamp eningPercentage	Public	NO.
L	setGlobalRewardD ampeningPercenta ge	Public [onlyOwner
L	approveClaim	Public !	NO.
L	isClaimApproved	Public	NO.
L	isRewardAsTokens Enabled	Public	NO.
L	setRewardAsToken sEnabled	Public	onlyOwner
L	gradualBurnMagnit ude	Public	NO.
L	setGradualBurnMa gnitude	Public	onlyOwner
L	gradualBurnTimesp an	Public	NO
L	setGradualBurnTim espan	Public	onlyOwner
L	claimRewardAsTok ensPercentage	Public	NO !

L	setClaimRewardAs TokensPercentage	Public	NO
L	mainBnbPoolSize	Public	NO.
L	setMainBnbPoolSiz e	Public	onlyOwner
L	isInRewardClaimQ ueue	Public	NO
L	reimburseAfterSSH LDClaimFailure	Public .	NO.
L	setReimburseAfter SSHLDClaimFailur e	Public .	onlyOwner
L	lastBurnDate	Public	NO !
L	rewardClaimQueue Length	Public .	NO.
L	rewardClaimQueue Index	Public	NO.
L	isWhitelistedExtern alProcessor	Public	NO.
L	setWhitelistedExter nalProcessor	Public	onlyOwner
L	setSendWeiGasLi mit	Public	onlyOwner
L	setExcludeNonHu mansFromRewards	Public	onlyOwner

Legend

Symbol	Meaning
	Function can modify state
e p	Function is payable

Inheritance Hierarchy



Security issue checking status

- ❖ High severity issues
 - No high severity issues found.
- Medium severity issues
 - No medium severity issues found.
- **❖** Low severity issues
 - No low severity issues found

Owner privileges

❖ The owner can buy and burn tokens manually (max up to 1%).

The owner can change the reward cycle period.

```
ftrace|funcSig
function setRewardCyclePeriod(uint256 period 1) public onlyOwner {
    require(
        period 1 >= 3600 && period 1 <= 86400,
        "RewardCycle must be updated to between 1 and 24 hours"
    );
    _rewardCyclePeriod = period 1;
}</pre>
```

The owner can change max manual claim allowed limit.

```
ftrace|funcSig
function setMaxClaimAllowed(uint256 value1) public onlyOwner {
    require(value1 > 0, "Value must be greater than zero");
    _maxClaimAllowed = value1;
}
```

❖ The owner can change the minimum balance to get rewards.

```
ftrace|funcSig
function setMinRewardBalance(uint256 balance1) public onlyOwner {
    _minRewardBalance = balance1;
}
```

❖ The owner can change the max gas limit to auto claim.

❖ The owner can enable and disable auto claim.

```
ftrace|funcSig
function setAutoClaimEnabled(bool isEnabled 1) public onlyOwner {
    _autoClaimEnabled = isEnabled 1;
}
```

❖ The owner can change the main BNB pool size (max 10 BNB).

```
ftrace|funcSig
function setMainBnbPoolSize(uint256 size1) public onlyOwner {
    require(size1 >= 10 ether, "Size is too small");
    _mainBnbPoolSize = size1;
}
```

The owner can change wei gas limit.

Audit conclusion

While conducting the audit of the SunShield Token smart contract, it was observed that there is nothing alarming with the code..