Rules for integrands involving inverse hyperbolic sines and cosines

1.
$$\int u \left(a + b \operatorname{ArcSinh} \left[c + d x\right]\right)^n dx$$
1:
$$\int \left(a + b \operatorname{ArcSinh} \left[c + d x\right]\right)^n dx$$

Derivation: Integration by substitution

Rule:

$$\int \left(a+b\, ArcSinh\big[c+d\,x\big]\right)^n\, \mathrm{d}x \ \to \ \frac{1}{d}\, Subst\Big[\int \left(a+b\, ArcSinh\big[x\big]\right)^n\, \mathrm{d}x, \ x, \ c+d\,x\Big]$$

```
Int[(a_.+b_.*ArcSinh[c_+d_.*x_])^n_.,x_Symbol] :=
    1/d*Subst[Int[(a+b*ArcSinh[x])^n,x],x,c+d*x] /;
FreeQ[{a,b,c,d,n},x]

Int[(a_.+b_.*ArcCosh[c_+d_.*x_])^n_.,x_Symbol] :=
    1/d*Subst[Int[(a+b*ArcCosh[x])^n,x],x,c+d*x] /;
FreeQ[{a,b,c,d,n},x]
```

2:
$$\int (e + f x)^m (a + b \operatorname{ArcSinh}[c + d x])^n dx$$

Derivation: Integration by substitution

Rule:

$$\int \left(e+f\,x\right)^m\,\left(a+b\,\text{ArcSinh}\big[\,c+d\,x\big]\,\right)^n\,\text{d}x \ \to \ \frac{1}{d}\,\text{Subst}\Big[\int \left(\frac{d\,e-c\,f}{d}+\frac{f\,x}{d}\right)^m\,\left(a+b\,\text{ArcSinh}\big[\,x\big]\,\right)^n\,\text{d}x\,,\,\,x\,,\,\,c+d\,x\Big]$$

```
Int[(e_.+f_.*x__)^m_.*(a_.+b_.*ArcSinh[c_+d_.*x__])^n_.,x_Symbol] :=
    1/d*Subst[Int[((d*e-c*f)/d+f*x/d)^m*(a+b*ArcSinh[x])^n,x],x,c+d*x] /;
FreeQ[{a,b,c,d,e,f,m,n},x]

Int[(e_.+f_.*x__)^m_.*(a_.+b_.*ArcCosh[c_+d_.*x__])^n_.,x_Symbol] :=
    1/d*Subst[Int[((d*e-c*f)/d+f*x/d)^m*(a+b*ArcCosh[x])^n,x],x,c+d*x] /;
FreeQ[{a,b,c,d,e,f,m,n},x]
```

3:
$$\int (A + B x + C x^2)^p (a + b ArcSinh[c + d x])^n dx$$
 when $B (1 + c^2) - 2 A c d == 0 \land 2 c C - B d == 0$

Derivation: Integration by substitution

Program code:

4:
$$\int (e + f x)^m (A + B x + C x^2)^p (a + b ArcSinh[c + d x])^n dx$$
 when $B (1 + c^2) - 2 A c d == 0 \land 2 c C - B d == 0$

Derivation: Integration by substitution

Basis: If B
$$(1 + c^2) - 2$$
 A c d == 0 \wedge 2 c C - B d == 0, then A + B x + C $x^2 = \frac{c}{d^2} + \frac{c}{d^2}$ $(c + d x)^2$
Basis: If B $(1 - c^2) + 2$ A c d == 0 \wedge 2 c C - B d == 0, then A + B x + C $x^2 = -\frac{c}{d^2} + \frac{c}{d^2}$ $(c + d x)^2$
Rule: If B $(1 + c^2) - 2$ A c d == 0 \wedge 2 c C - B d == 0, then

$$\int \left(e+f\,x\right)^m\,\left(A+B\,x+C\,x^2\right)^p\,\left(a+b\,\text{ArcSinh}\big[c+d\,x\big]\right)^n\,\text{d}x \ \longrightarrow \ \frac{1}{d}\,\text{Subst}\Big[\int \left(\frac{d\,e-c\,f}{d}+\frac{f\,x}{d}\right)^m\,\left(\frac{C}{d^2}+\frac{C\,x^2}{d^2}\right)^p\,\left(a+b\,\text{ArcSinh}\big[x\big]\right)^n\,\text{d}x\,,\,\,x\,,\,\,c+d\,x\Big]$$

```
 Int [ (e_{-}+f_{-}*x_{-})^{m}_{-}*(A_{-}+B_{-}*x_{-}+C_{-}*x_{-}^{2})^{p}_{-}*(a_{-}+b_{-}*ArcSinh[c_{-}+d_{-}*x_{-}])^{n}_{-},x_{Symbol}] := 1/d*Subst[Int[((d*e-c*f)/d+f*x/d)^{m}*(C/d^{2}+C/d^{2}*x^{2})^{p}*(a+b*ArcSinh[x])^{n},x],x,c+d*x] /; FreeQ[\{a,b,c,d,e,f,A,B,C,m,n,p\},x] && EqQ[B*(1+c^{2})-2*A*c*d,0] && EqQ[2*c*C-B*d,0] \\ Int[(e_{-}+f_{-}*x_{-})^{m}_{-}*(A_{-}+B_{-}*x_{-}+C_{-}*x_{-}^{2})^{p}_{-}*(a_{-}+b_{-}*ArcCosh[c_{-}+d_{-}*x_{-}])^{n}_{-},x_{Symbol}] := 1/d*Subst[Int[((d*e-c*f)/d+f*x/d)^{m}*(-C/d^{2}+C/d^{2}*x^{2})^{p}*(a+b*ArcCosh[x])^{n},x],x,c+d*x] /; FreeQ[\{a,b,c,d,e,f,A,B,C,m,n,p\},x] && EqQ[B*(1-c^{2})+2*A*c*d,0] && EqQ[2*c*C-B*d,0] \\ \end{cases}
```

2s.
$$\int (a + b \operatorname{ArcSinh}[c + d x^2])^n dx$$
 when $c^2 == -1$
1. $\int (a + b \operatorname{ArcSinh}[c + d x^2])^n dx$ when $c^2 == -1 \land n > 0$
1: $\int \sqrt{a + b \operatorname{ArcSinh}[c + d x^2]} dx$ when $c^2 == -1$

Derivation: Integration by parts

Note: This antiderivative is probably better expressed in terms of error functions...

Rule: If
$$c^2 = -1$$
, then

$$\int\! \sqrt{a + b \, \text{ArcSinh} \big[c + d \, x^2 \big]} \, \, \text{d}x \, \, \rightarrow \, \, x \, \sqrt{a + b \, \text{ArcSinh} \big[c + d \, x^2 \big]} \, - b \, d \, \int \frac{x^2}{\sqrt{2 \, c \, d \, x^2 + d^2 \, x^4}} \, \sqrt{a + b \, \text{ArcSinh} \big[c + d \, x^2 \big]} \, \, \text{d}x$$

```
Int[Sqrt[a_.+b_.*ArcSinh[c_+d_.*x_^2]],x_Symbol] :=
    x*Sqrt[a+b*ArcSinh[c+d*x^2]] -
    Sqrt[Pi]*x*(Cosh[a/(2*b)]-c*Sinh[a/(2*b)])*FresnelC[Sqrt[-c/(Pi*b)]*Sqrt[a+b*ArcSinh[c+d*x^2]]]/
    (Sqrt[-(c/b)]*(Cosh[ArcSinh[c+d*x^2]/2]+c*Sinh[ArcSinh[c+d*x^2]/2])) +
    Sqrt[Pi]*x*(Cosh[a/(2*b)]+c*Sinh[a/(2*b)])*FresnelS[Sqrt[-c/(Pi*b)]*Sqrt[a+b*ArcSinh[c+d*x^2]]]/
    (Sqrt[-(c/b)]*(Cosh[ArcSinh[c+d*x^2]/2]+c*Sinh[ArcSinh[c+d*x^2]/2])) /;
FreeQ[{a,b,c,d},x] && EqQ[c^2,-1]
```

2:
$$\int (a + b \operatorname{ArcSinh}[c + d x^{2}])^{n} dx \text{ when } c^{2} = -1 \wedge n > 1$$

Derivation: Integration by parts twice

Basis: If
$$c^2 = -1$$
, then $\partial_x \left(a + b \operatorname{ArcSinh} \left[c + d x^2 \right] \right)^n = \frac{2 b d n x \left(a + b \operatorname{ArcSinh} \left[c + d x^2 \right] \right)^{n-1}}{\sqrt{2 c d x^2 + d^2 x^4}}$

Basis:
$$\frac{x^2}{\sqrt{2 c d x^2 + d^2 x^4}} = \partial_x \frac{\sqrt{2 c d x^2 + d^2 x^4}}{d^2 x}$$

Rule: If $c^2 = -1 \land n > 1$, then

$$\int \left(a + b \operatorname{ArcSinh}\left[c + d \ x^2\right]\right)^n \, dx \ \rightarrow \ x \ \left(a + b \operatorname{ArcSinh}\left[c + d \ x^2\right]\right)^n - 2 \, b \, d \, n \, \int \frac{x^2 \, \left(a + b \operatorname{ArcSinh}\left[c + d \ x^2\right]\right)^{n-1}}{\sqrt{2 \, c \, d \ x^2 + d^2 \, x^4}} \, dx$$

```
Int[(a_.+b_.*ArcSinh[c_+d_.*x_^2])^n_,x_Symbol] :=
    x*(a+b*ArcSinh[c+d*x^2])^n -
    2*b*n*Sqrt[2*c*d*x^2+d^2*x^4]*(a+b*ArcSinh[c+d*x^2])^(n-1)/(d*x) +
    4*b^2*n*(n-1)*Int[(a+b*ArcSinh[c+d*x^2])^(n-2),x] /;
FreeQ[{a,b,c,d},x] && EqQ[c^2,-1] && GtQ[n,1]
```

2. $\int \left(a + b \operatorname{ArcSinh}\left[c + d \, x^2\right]\right)^n \, dx \text{ when } c^2 == -1 \, \wedge \, n < 0$ 1: $\int \frac{1}{a + b \operatorname{ArcSinh}\left[c + d \, x^2\right]} \, dx \text{ when } c^2 == -1$

Rule: If $c^2 = -1$, then

Program code:

$$\begin{split} & \text{Int} \big[1 / \big(a_{.} + b_{.} * \text{ArcSinh} \big[c_{.} + d_{.} * x_{.}^{2} \big] \big), x_{.} \text{Symbol} \big] := \\ & \text{$x* \big(\text{c}* \text{Cosh} \big[a / \big(2*b \big) \big] - \text{Sinh} \big[a / \big(2*b \big) \big] \big) * \text{CoshIntegral} \big[\big(a_{.} + b_{.} \text{ArcSinh} \big[c_{.} + d_{.} * x_{.}^{2} \big] \big) / \big(2*b * \big(\text{Cosh} \big[\text{ArcSinh} \big[c_{.} + d_{.} * x_{.}^{2} \big] \big) \big) \\ & \text{$x* \big(\text{Cosh} \big[a / \big(2*b \big) \big] - \text{c}* \text{Sinh} \big[a / \big(2*b \big) \big] \big) * \text{SinhIntegral} \big[\big(a_{.} + b_{.} \text{ArcSinh} \big[c_{.} + d_{.} * x_{.}^{2} \big] \big) / \big(2*b * \big(\text{Cosh} \big[\text{ArcSinh} \big[c_{.} + d_{.} * x_{.}^{2} \big] \big) \big) \\ & \text{$(2*b* \big(\text{Cosh} \big[\text{ArcSinh} \big[c_{.} + d_{.} * x_{.}^{2} \big] / 2 \big] + \text{c}* \text{Sinh} \big[\big(1/2 \big) * \text{ArcSinh} \big[c_{.} + d_{.} * x_{.}^{2} \big] \big] \big)) } /; \\ & \text{FreeQ} \big[\big\{ a_{.} b_{.} c_{.} d_{.}^{3}, x \big\} & \text{\& EqQ} \big[c_{.}^{2}, -1 \big] \end{split}$$

2:
$$\int \frac{1}{\sqrt{a + b \operatorname{ArcSinh}[c + d x^2]}} dx \text{ when } c^2 = -1$$

Rule: If $c^2 = -1$, then

$$\int \frac{1}{\sqrt{a + b \operatorname{ArcSinh} \big[c + d \, x^2 \big]}} \, \mathrm{d}x \, \rightarrow \\ \left(\left((c + 1) \, \sqrt{\frac{\pi}{2}} \, x \, \left(\operatorname{Cosh} \big[\frac{a}{2 \, b} \big] - \operatorname{Sinh} \big[\frac{1}{2 \, b} \, \sqrt{a + b \operatorname{ArcSinh} \big[c + d \, x^2 \big]} \, \right] \right) \middle/ \left(2 \, \sqrt{b} \, \left(\operatorname{Cosh} \big[\frac{1}{2} \operatorname{ArcSinh} \big[c + d \, x^2 \big] \, \right) + c \, \operatorname{Sinh} \big[\frac{1}{2} \operatorname{ArcSinh} \big[c + d \, x^2 \big] \, \right] \right) \right) \right) + c \, \operatorname{Sinh} \left[\frac{1}{2} \operatorname{ArcSinh} \big[c + d \, x^2 \big] \, \right] \right) \right) \right) + c \, \operatorname{Sinh} \left[\frac{1}{2} \operatorname{ArcSinh} \big[c + d \, x^2 \big] \, \right] \right)$$

$$\left((c-1) \sqrt{\frac{\pi}{2}} \times \left(Cosh \left[\frac{a}{2 \ b} \right] + Sinh \left[\frac{a}{2 \ b} \right] \right) Erf \left[\frac{1}{\sqrt{2 \ b}} \sqrt{a + b \ ArcSinh \left[c + d \ x^2 \right]} \ \right] \right) / \left(2 \sqrt{b} \left(Cosh \left[\frac{1}{2} \ ArcSinh \left[c + d \ x^2 \right] \right] + c \ Sinh \left[\frac{1}{2} \ ArcSinh \left[c + d \ x^2 \right] \right] \right) \right)$$

```
Int[1/Sqrt[a_.+b_.*ArcSinh[c_+d_.*x_^2]],x_Symbol] :=
    (c+1)*Sqrt[Pi/2]*x*(Cosh[a/(2*b)]-Sinh[a/(2*b)])*Erfi[Sqrt[a+b*ArcSinh[c+d*x^2]]/Sqrt[2*b]]/
    (2*Sqrt[b]*(Cosh[ArcSinh[c+d*x^2]/2]+c*Sinh[ArcSinh[c+d*x^2]/2])) +
    (c-1)*Sqrt[Pi/2]*x*(Cosh[a/(2*b)]+Sinh[a/(2*b)])*Erf[Sqrt[a+b*ArcSinh[c+d*x^2]]/Sqrt[2*b]]/
    (2*Sqrt[b]*(Cosh[ArcSinh[c+d*x^2]/2]+c*Sinh[ArcSinh[c+d*x^2]/2])) /;
FreeQ[{a,b,c,d},x] && EqQ[c^2,-1]
```

3.
$$\int (a + b \operatorname{ArcSinh}[c + d x^2])^n dx$$
 when $c^2 = -1 \land n < -1$
1: $\int \frac{1}{(a + b \operatorname{ArcSinh}[c + d x^2])^{3/2}} dx$ when $c^2 = -1$

Derivation: Integration by parts

Basis: If
$$c^2 = -1$$
, then $-\frac{b \, d \, x}{\sqrt{2 \, c \, d \, x^2 + d^2 \, x^4} \, \left(a + b \, Arc Sinh \left[c + d \, x^2\right]\right)^{3/2}} = \partial_x \, \frac{1}{\sqrt{a + b \, Arc Sinh \left[c + d \, x^2\right]}}$

Rule: If
$$c^2 = -1$$
, then

$$\int \frac{1}{\left(a + b \, \text{ArcSinh} \big[c + d \, x^2 \big] \right)^{3/2}} \, \text{d}x \, \rightarrow \, - \frac{\sqrt{2 \, c \, d \, x^2 + d^2 \, x^4}}{b \, d \, x \, \sqrt{a + b \, \text{ArcSinh} \big[c + d \, x^2 \big]}} \, + \, \frac{d}{b} \int \frac{x^2}{\sqrt{2 \, c \, d \, x^2 + d^2 \, x^4}} \, \sqrt{a + b \, \text{ArcSinh} \big[c + d \, x^2 \big]} \, \, \text{d}x$$

$$\rightarrow -\frac{\sqrt{2\,c\,d\,x^2+d^2\,x^4}}{b\,d\,x\,\sqrt{a+b\,ArcSinh\big[c+d\,x^2\big]}} - \\ \left(\left(-\frac{c}{b}\right)^{3/2}\,\sqrt{\pi}\,x\,\left(\text{Cosh}\big[\frac{a}{2\,b}\big] - c\,\text{Sinh}\big[\frac{a}{2\,b}\big]\right)\,\text{FresnelC}\Big[\sqrt{-\frac{c}{\pi\,b}}\,\,\sqrt{a+b\,ArcSinh\big[c+d\,x^2\big]}\,\Big]\right) \bigg/\,\left(\text{Cosh}\big[\frac{1}{2}\,ArcSinh\big[c+d\,x^2\big]\big] + c\,\text{Sinh}\big[\frac{1}{2}\,ArcSinh\big[c+d\,x^2\big]\big]\right) + \\ \left(\left(-\frac{c}{b}\right)^{3/2}\,\sqrt{\pi}\,x\,\left(\text{Cosh}\big[\frac{a}{2\,b}\big] + c\,\text{Sinh}\big[\frac{a}{2\,b}\big]\right)\,\text{FresnelS}\Big[\sqrt{-\frac{c}{\pi\,b}}\,\,\sqrt{a+b\,ArcSinh\big[c+d\,x^2\big]}\,\Big]\right) \bigg/\,\left(\text{Cosh}\big[\frac{1}{2}\,ArcSinh\big[c+d\,x^2\big]\big] + c\,\text{Sinh}\big[\frac{1}{2}\,ArcSinh\big[c+d\,x^2\big]\big]\right)$$

```
Int[1/(a_.+b_.*ArcSinh[c_+d_.*x_^2])^(3/2),x_Symbol] :=
    -Sqrt[2*c*d*x^2+d^2*x^4]/(b*d*x*Sqrt[a+b*ArcSinh[c+d*x^2]]) -
    (-c/b)^(3/2)*Sqrt[Pi]*x*(Cosh[a/(2*b)]-c*Sinh[a/(2*b)])*FresnelC[Sqrt[-c/(Pi*b)]*Sqrt[a+b*ArcSinh[c+d*x^2]]]/
    (Cosh[ArcSinh[c+d*x^2]/2]+c*Sinh[ArcSinh[c+d*x^2]/2]) +
    (-c/b)^(3/2)*Sqrt[Pi]*x*(Cosh[a/(2*b)]+c*Sinh[a/(2*b)])*FresnelS[Sqrt[-c/(Pi*b)]*Sqrt[a+b*ArcSinh[c+d*x^2]]]/
    (Cosh[ArcSinh[c+d*x^2]/2]+c*Sinh[ArcSinh[c+d*x^2]/2]) /;
FreeQ[{a,b,c,d},x] && EqQ[c^2,-1]
```

2:
$$\int \frac{1}{\left(a + b \operatorname{ArcSinh}\left[c + d x^{2}\right]\right)^{2}} dx \text{ when } c^{2} = -1$$

Derivation: Integration by parts

Basis: If
$$c^2 = -1$$
, then $-\frac{2 \, b \, d \, x}{\sqrt{2 \, c \, d \, x^2 + d^2 \, x^4} \, \left(a + b \, Arc Sinh \left[c + d \, x^2\right]\right)^2} = \partial_x \, \frac{1}{a + b \, Arc Sinh \left[c + d \, x^2\right]}$

Rule: If $c^2 = -1$, then

$$\int \frac{1}{\left(a+b\operatorname{ArcSinh}\left[c+d\,x^2\right]\right)^2} \, dx \, \to \, -\frac{\sqrt{2\,c\,d\,x^2+d^2\,x^4}}{2\,b\,d\,x\,\left(a+b\operatorname{ArcSinh}\left[c+d\,x^2\right]\right)} + \frac{d}{2\,b} \int \frac{x^2}{\sqrt{2\,c\,d\,x^2+d^2\,x^4}\,\left(a+b\operatorname{ArcSinh}\left[c+d\,x^2\right]\right)} \, dx \\ \to \, -\frac{\sqrt{2\,c\,d\,x^2+d^2\,x^4}}{2\,b\,d\,x\,\left(a+b\operatorname{ArcSinh}\left[c+d\,x^2\right]\right)} + \frac{x\,\left(\operatorname{Cosh}\left[\frac{a}{2\,b}\right]-c\operatorname{Sinh}\left[\frac{a}{2\,b}\right]\right)\operatorname{CoshIntegral}\left[\frac{1}{2\,b}\left(a+b\operatorname{ArcSinh}\left[c+d\,x^2\right]\right)\right]}{4\,b^2\left(\operatorname{Cosh}\left[\frac{1}{2}\operatorname{ArcSinh}\left[c+d\,x^2\right]\right]+c\operatorname{Sinh}\left[\frac{1}{2}\operatorname{ArcSinh}\left[c+d\,x^2\right]\right)\right)} \\ \times \frac{x\,\left(c\operatorname{Cosh}\left[\frac{a}{2\,b}\right]-\operatorname{Sinh}\left[\frac{a}{2\,b}\right]\right)\operatorname{SinhIntegral}\left[\frac{1}{2\,b}\left(a+b\operatorname{ArcSinh}\left[c+d\,x^2\right]\right)\right]}{4\,b^2\left(\operatorname{Cosh}\left[\frac{1}{2}\operatorname{ArcSinh}\left[c+d\,x^2\right]\right]+c\operatorname{Sinh}\left[\frac{1}{2}\operatorname{ArcSinh}\left[c+d\,x^2\right]\right]\right)}$$

Program code:

```
Int[1/(a_.+b_.*ArcSinh[c_+d_.*x_^2])^2,x_Symbol] :=
    -Sqrt[2*c*d*x^2+d^2*x^4]/(2*b*d*x*(a+b*ArcSinh[c+d*x^2])) +
    x*(Cosh[a/(2*b)]-c*Sinh[a/(2*b)])*CoshIntegral[(a+b*ArcSinh[c+d*x^2])/(2*b)]/
    (4*b^2*(Cosh[ArcSinh[c+d*x^2]/2]+c*Sinh[ArcSinh[c+d*x^2]/2])) +
    x*(c*Cosh[a/(2*b)]-Sinh[a/(2*b)])*SinhIntegral[(a+b*ArcSinh[c+d*x^2])/(2*b)]/
    (4*b^2*(Cosh[ArcSinh[c+d*x^2]/2]+c*Sinh[ArcSinh[c+d*x^2]/2])) /;
FreeQ[{a,b,c,d},x] && EqQ[c^2,-1]
```

Derivation: Inverted integration by parts twice

Rule: If $c^2 = -1 \land n < -1 \land n \neq -2$, then

```
Int[(a_.+b_.*ArcSinh[c_+d_.*x_^2])^n_,x_Symbol] :=
    -x*(a+b*ArcSinh[c+d*x^2])^(n+2)/(4*b^2*(n+1)*(n+2)) +
    Sqrt[2*c*d*x^2+d^2*x^4]*(a+b*ArcSinh[c+d*x^2])^(n+1)/(2*b*d*(n+1)*x) +
    1/(4*b^2*(n+1)*(n+2))*Int[(a+b*ArcSinh[c+d*x^2])^(n+2),x] /;
FreeQ[{a,b,c,d},x] && EqQ[c^2,-1] && LtQ[n,-1] && NeQ[n,-2]
```

2c.
$$\int \left(a + b \operatorname{ArcCosh}\left[c + d \ x^2\right]\right)^n \, dx \text{ when } c^2 == 1$$
1.
$$\int \left(a + b \operatorname{ArcCosh}\left[c + d \ x^2\right]\right)^n \, dx \text{ when } c^2 == 1 \ \land \ n > 0$$
1.
$$\int \sqrt{a + b \operatorname{ArcCosh}\left[c + d \ x^2\right]} \, dx \text{ when } c^2 == 1$$
1:
$$\int \sqrt{a + b \operatorname{ArcCosh}\left[1 + d \ x^2\right]} \, dx$$

Rule:

```
Int[Sqrt[a_.+b_.*ArcCosh[1+d_.*x_^2]],x_Symbol] :=
    2*Sqrt[a+b*ArcCosh[1+d*x^2]]*Sinh[(1/2)*ArcCosh[1+d*x^2]]^2/(d*x) -
    Sqrt[b]*Sqrt[Pi/2]*(Cosh[a/(2*b)]-Sinh[a/(2*b)])*Sinh[(1/2)*ArcCosh[1+d*x^2]]*
    Erfi[(1/Sqrt[2*b])*Sqrt[a+b*ArcCosh[1+d*x^2]]]/(d*x) +
    Sqrt[b]*Sqrt[Pi/2]*(Cosh[a/(2*b)]+Sinh[a/(2*b)])*Sinh[(1/2)*ArcCosh[1+d*x^2]]*
    Erf[(1/Sqrt[2*b])*Sqrt[a+b*ArcCosh[1+d*x^2]]]/(d*x) /;
FreeQ[{a,b,d},x]
```

2:
$$\int \sqrt{a + b \operatorname{ArcCosh} \left[-1 + d x^2 \right]} dx$$

Rule:

Program code:

```
Int[Sqrt[a_.+b_.*ArcCosh[-1+d_.*x_^2]],x_Symbol] :=
    2*Sqrt[a+b*ArcCosh[-1+d*x^2]]*Cosh[(1/2)*ArcCosh[-1+d*x^2]]^2/(d*x) -
    Sqrt[b]*Sqrt[Pi/2]*(Cosh[a/(2*b)]-Sinh[a/(2*b)])*Cosh[(1/2)*ArcCosh[-1+d*x^2]]*
    Erfi[(1/Sqrt[2*b])*Sqrt[a+b*ArcCosh[-1+d*x^2]]]/(d*x) -
    Sqrt[b]*Sqrt[Pi/2]*(Cosh[a/(2*b)]+Sinh[a/(2*b)])*Cosh[(1/2)*ArcCosh[-1+d*x^2]]*
    Erf[(1/Sqrt[2*b])*Sqrt[a+b*ArcCosh[-1+d*x^2]]]/(d*x) /;
FreeQ[{a,b,d},x]
```

2:
$$\int (a + b \operatorname{ArcCosh}[c + d x^{2}])^{n} dx \text{ when } c^{2} = 1 \wedge n > 1$$

Derivation: Integration by parts and piecewise constant extraction both twice!

Basis:
$$\partial_x \left(a + b \operatorname{ArcCosh} \left[c + d x^2 \right] \right)^n = \frac{2 b d n x \left(a + b \operatorname{ArcCosh} \left[c + d x^2 \right] \right)^{n-1}}{\sqrt{-1 + c + d x^2}} \sqrt{1 + c + d x^2}$$

Basis: If
$$c^2 = 1$$
, then $\partial_x \frac{\sqrt{2 c d x^2 + d^2 x^4}}{\sqrt{-1 + c + d x^2}} = 0$

Basis:
$$\frac{x^2}{\sqrt{2 c d x^2 + d^2 x^4}} = \partial_x \frac{\sqrt{2 c d x^2 + d^2 x^4}}{d^2 x}$$

Rule: If $c^2 = 1 \land n > 1$, then

$$\int \left(a + b \operatorname{ArcCosh} \left[c + d \, x^2 \right] \right)^n \, dx \, \rightarrow \, x \, \left(a + b \operatorname{ArcCosh} \left[c + d \, x^2 \right] \right)^n - 2 \, b \, d \, n \, \int \frac{x^2 \, \left(a + b \operatorname{ArcCosh} \left[c + d \, x^2 \right] \right)^{n-1}}{\sqrt{-1 + c + d \, x^2}} \, dx$$

$$\rightarrow \, x \, \left(a + b \operatorname{ArcCosh} \left[c + d \, x^2 \right] \right)^n - \frac{2 \, b \, d \, n \, \sqrt{2 \, c \, d \, x^2 + d^2 \, x^4}}{\sqrt{-1 + c + d \, x^2}} \, \int \frac{x^2 \, \left(a + b \operatorname{ArcCosh} \left[c + d \, x^2 \right] \right)^{n-1}}{\sqrt{2 \, c \, d \, x^2 + d^2 \, x^4}} \, dx$$

$$\rightarrow \, x \, \left(a + b \operatorname{ArcCosh} \left[c + d \, x^2 \right] \right)^n - \frac{2 \, b \, n \, \left(2 \, c \, d \, x^2 + d^2 \, x^4 \right) \, \left(a + b \operatorname{ArcCosh} \left[c + d \, x^2 \right] \right)^{n-1}}{d \, x \, \sqrt{-1 + c + d \, x^2}} \, \sqrt{1 + c + d \, x^2}} + 4 \, b^2 \, n \, \left(n - 1 \right) \, \int \left(a + b \operatorname{ArcCosh} \left[c + d \, x^2 \right] \right)^{n-2} \, dx$$

Program code:

```
Int[(a_.+b_.*ArcCosh[c_+d_.*x_^2])^n_,x_Symbol] :=
    x*(a+b*ArcCosh[c+d*x^2])^n -
    2*b*n*(2*c*d*x^2+d^2*x^4)*(a+b*ArcCosh[c+d*x^2])^(n-1)/(d*x*Sqrt[-1+c+d*x^2]*Sqrt[1+c+d*x^2]) +
    4*b^2*n*(n-1)*Int[(a+b*ArcCosh[c+d*x^2])^(n-2),x] /;
FreeQ[{a,b,c,d},x] && EqQ[c^2,1] && GtQ[n,1]
```

2.
$$\int \left(a + b \operatorname{ArcCosh}\left[c + d \ x^2\right]\right)^n \, dx \text{ when } c^2 == 1 \ \land \ n < 0$$
1.
$$\int \frac{1}{a + b \operatorname{ArcCosh}\left[c + d \ x^2\right]} \, dx \text{ when } c^2 == 1$$
1:
$$\int \frac{1}{a + b \operatorname{ArcCosh}\left[1 + d \ x^2\right]} \, dx$$

Rule:

$$\frac{\int \frac{1}{a + b \operatorname{ArcCosh} \left[1 + d \, x^2 \right]} \, dx \, \rightarrow }{ \frac{x \operatorname{Cosh} \left[\frac{a}{2 \, b} \right] \operatorname{CoshIntegral} \left[\frac{1}{2 \, b} \left(a + b \operatorname{ArcCosh} \left[1 + d \, x^2 \right] \right) \right]}{\sqrt{2} \, b \, \sqrt{d \, x^2}} - \frac{x \operatorname{Sinh} \left[\frac{a}{2 \, b} \right] \operatorname{SinhIntegral} \left[\frac{1}{2 \, b} \left(a + b \operatorname{ArcCosh} \left[1 + d \, x^2 \right] \right) \right]}{\sqrt{2} \, b \, \sqrt{d \, x^2}}$$

Program code:

```
 \begin{split} & \operatorname{Int} \big[ 1 \big/ \big( a_{-} + b_{-} * \operatorname{ArcCosh} \big[ 1 + d_{-} * x_{-}^{2} \big] \big) \, , x_{-} \operatorname{Symbol} \big] := \\ & \times * \operatorname{Cosh} \big[ a \big/ \big( 2 * b \big) \big] * \operatorname{CoshIntegral} \big[ \big( a_{+} b_{+} \operatorname{ArcCosh} \big[ 1 + d_{+} x_{-}^{2} \big] \big) \big/ \big( 2 * b \big) \big] \big/ \big( \operatorname{Sqrt} [2] * b_{+} \operatorname{Sqrt} \big[ d_{+} x_{-}^{2} \big] \big) \  \, - \\ & \times * \operatorname{Sinh} \big[ a \big/ \big( 2 * b \big) \big] * \operatorname{SinhIntegral} \big[ \big( a_{+} b_{+} \operatorname{ArcCosh} \big[ 1 + d_{+} x_{-}^{2} \big] \big) \big/ \big( 2 * b \big) \big] \big/ \big( \operatorname{Sqrt} [2] * b_{+} \operatorname{Sqrt} \big[ d_{+} x_{-}^{2} \big] \big) \  \, / \, ; \\ & \operatorname{FreeQ} \big[ \big\{ a_{+} b_{+} d \big\} \, , x \big] \end{split}
```

2:
$$\int \frac{1}{a + b \operatorname{ArcCosh} \left[-1 + d x^2 \right]} dx$$

Rule:

$$\int \frac{1}{a + b \operatorname{ArcCosh} \left[-1 + d \, x^2 \right]} \, dx \rightarrow \\ - \frac{x \operatorname{Sinh} \left[\frac{a}{2 \, b} \right] \operatorname{CoshIntegral} \left[\frac{1}{2 \, b} \left(a + b \operatorname{ArcCosh} \left[-1 + d \, x^2 \right] \right) \right]}{\sqrt{2} \, b \, \sqrt{d \, x^2}} + \frac{x \operatorname{Cosh} \left[\frac{a}{2 \, b} \right] \operatorname{SinhIntegral} \left[\frac{1}{2 \, b} \left(a + b \operatorname{ArcCosh} \left[-1 + d \, x^2 \right] \right) \right]}{\sqrt{2} \, b \, \sqrt{d \, x^2}}$$

```
 \begin{split} & \operatorname{Int} \big[ 1 / \big( a_- \cdot + b_- \cdot * \operatorname{ArcCosh} \big[ -1 + d_- \cdot * x_-^2 \big] \big) \, , x_- \operatorname{Symbol} \big] := \\ & - x_+ \operatorname{Sinh} \big[ a / \big( 2 \cdot b \big) \big] \, * \operatorname{CoshIntegral} \big[ \big( a_+ b_+ \operatorname{ArcCosh} \big[ -1 + d_+ x_-^2 \big] \big) / \big( 2 \cdot b \big) \big] / \big( \operatorname{Sqrt} \big[ 2 \big] \, * b_+ \operatorname{Sqrt} \big[ d_+ x_-^2 \big] \big) \, \\ & \times \operatorname{Cosh} \big[ a / \big( 2 \cdot b \big) \big] \, * \operatorname{SinhIntegral} \big[ \big( a_+ b_+ \operatorname{ArcCosh} \big[ -1 + d_+ x_-^2 \big] \big) / \big( 2 \cdot b \big) \big] / \big( \operatorname{Sqrt} \big[ 2 \big] \, * b_+ \operatorname{Sqrt} \big[ d_+ x_-^2 \big] \big) \, / \, ; \\ & \operatorname{FreeQ} \big[ \big\{ a_+ b_+ d \big\} \, , x \big] \end{split}
```

2.
$$\int \frac{1}{\sqrt{a+b \operatorname{ArcCosh}[c+d x^2]}} dx \text{ when } c^2 = 1$$

1:
$$\int \frac{1}{\sqrt{a + b \operatorname{ArcCosh}[1 + d x^2]}} dx$$

Rule:

$$\int \frac{1}{\sqrt{a+b}\operatorname{ArcCosh}\big[1+d\,x^2\big]} \, dx \, \rightarrow \\ \frac{1}{\sqrt{b}\ d\,x} \sqrt{\frac{\pi}{2}} \, \left(\operatorname{Cosh}\big[\frac{a}{2\,b}\big] - \operatorname{Sinh}\Big[\frac{a}{2\,b}\Big] \right) \operatorname{Sinh}\Big[\frac{1}{2}\operatorname{ArcCosh}\big[1+d\,x^2\big] \Big] \, \operatorname{Erfi}\Big[\frac{1}{\sqrt{2\,b}} \, \sqrt{a+b\operatorname{ArcCosh}\big[1+d\,x^2\big]} \, \Big] + \\ \frac{1}{\sqrt{b}\ d\,x} \sqrt{\frac{\pi}{2}} \, \left(\operatorname{Cosh}\Big[\frac{a}{2\,b}\Big] + \operatorname{Sinh}\Big[\frac{a}{2\,b}\Big] \right) \operatorname{Sinh}\Big[\frac{1}{2}\operatorname{ArcCosh}\big[1+d\,x^2\big] \Big] \, \operatorname{Erf}\Big[\frac{1}{\sqrt{2\,b}} \, \sqrt{a+b\operatorname{ArcCosh}\big[1+d\,x^2\big]} \, \Big]$$

```
 \begin{split} & \operatorname{Int}[1/\operatorname{Sqrt}[a\_.+b\_.*\operatorname{ArcCosh}[1+d\_.*x\_^2]], x\_\operatorname{Symbol}] := \\ & \operatorname{Sqrt}[\operatorname{Pi/2}]*\left(\operatorname{Cosh}[a/(2*b)]-\operatorname{Sinh}[a/(2*b)]\right)*\operatorname{Sinh}[\operatorname{ArcCosh}[1+d*x^2]/2]*\operatorname{Erfi}[\operatorname{Sqrt}[a+b*\operatorname{ArcCosh}[1+d*x^2]]/\operatorname{Sqrt}[2*b]]/\left(\operatorname{Sqrt}[b]*d*x\right) + \\ & \operatorname{Sqrt}[\operatorname{Pi/2}]*\left(\operatorname{Cosh}[a/(2*b)]+\operatorname{Sinh}[a/(2*b)]\right)*\operatorname{Sinh}[\operatorname{ArcCosh}[1+d*x^2]/2]*\operatorname{Erf}[\operatorname{Sqrt}[a+b*\operatorname{ArcCosh}[1+d*x^2]]/\operatorname{Sqrt}[2*b]]/\left(\operatorname{Sqrt}[b]*d*x\right) /; \\ & \operatorname{FreeQ}[\{a,b,d\},x] \end{split}
```

2:
$$\int \frac{1}{\sqrt{a+b \operatorname{ArcCosh}[-1+d x^2]}} dx$$

Rule:

$$\int \frac{1}{\sqrt{a + b \operatorname{ArcCosh}\left[-1 + d \, x^2\right]}} \, dx \rightarrow \\ \frac{1}{\sqrt{b} \, d \, x} \sqrt{\frac{\pi}{2}} \, \left(\operatorname{Cosh}\left[\frac{a}{2 \, b}\right] - \operatorname{Sinh}\left[\frac{a}{2 \, b}\right] \right) \operatorname{Cosh}\left[\frac{1}{2} \operatorname{ArcCosh}\left[-1 + d \, x^2\right]\right] \operatorname{Erfi}\left[\frac{1}{\sqrt{2 \, b}} \, \sqrt{a + b \operatorname{ArcCosh}\left[-1 + d \, x^2\right]}\right] - \\ \frac{1}{\sqrt{b} \, d \, x} \sqrt{\frac{\pi}{2}} \, \left(\operatorname{Cosh}\left[\frac{a}{2 \, b}\right] + \operatorname{Sinh}\left[\frac{a}{2 \, b}\right] \right) \operatorname{Cosh}\left[\frac{1}{2} \operatorname{ArcCosh}\left[-1 + d \, x^2\right]\right] \operatorname{Erf}\left[\frac{1}{\sqrt{2 \, b}} \, \sqrt{a + b \operatorname{ArcCosh}\left[-1 + d \, x^2\right]}\right]$$

```
 \begin{split} & \operatorname{Int}\big[1/\operatorname{Sqrt}\big[a\_.+b\_.*\operatorname{ArcCosh}\big[-1+d\_.*x\_^2\big]\big], x\_\operatorname{Symbol}\big] := \\ & \operatorname{Sqrt}\big[\operatorname{Pi/2}\big] * \big(\operatorname{Cosh}\big[a/\big(2*b\big)\big] - \operatorname{Sinh}\big[a/\big(2*b\big)\big]\big) * \operatorname{Cosh}\big[\operatorname{ArcCosh}\big[-1+d*x^2\big]/2\big] * \operatorname{Erfi}\big[\operatorname{Sqrt}\big[a+b*\operatorname{ArcCosh}\big[-1+d*x^2\big]\big]/\operatorname{Sqrt}\big[2*b\big]\big]/\big(\operatorname{Sqrt}\big[b\big]*d*x\big) - \\ & \operatorname{Sqrt}\big[\operatorname{Pi/2}\big] * \big(\operatorname{Cosh}\big[a/\big(2*b\big)\big] + \operatorname{Sinh}\big[a/\big(2*b\big)\big]\big) * \operatorname{Cosh}\big[\operatorname{ArcCosh}\big[-1+d*x^2\big]/2\big] * \operatorname{Erf}\big[\operatorname{Sqrt}\big[a+b*\operatorname{ArcCosh}\big[-1+d*x^2\big]\big]/\operatorname{Sqrt}\big[2*b\big]\big]/\big(\operatorname{Sqrt}\big[b\big]*d*x\big) \ / ; \\ & \operatorname{FreeQ}\big[\big\{a,b,d\big\},x\big] \end{split}
```

Derivation: Integration by parts

Basis:
$$-\frac{b d x}{\sqrt{d x^2} \sqrt{2+d x^2} (a+b \operatorname{ArcCosh}[1+d x^2])^{3/2}} == \partial_x \frac{1}{\sqrt{a+b \operatorname{ArcCosh}[1+d x^2]}}$$

Rule:

$$\int \frac{1}{\left(a+b\operatorname{ArcCosh}\left[1+d\,x^2\right]\right)^{3/2}}\,dx \,\,\rightarrow\,\, -\frac{\sqrt{d\,x^2}\,\,\sqrt{2+d\,x^2}}{b\,d\,x\,\,\sqrt{a+b\operatorname{ArcCosh}\left[1+d\,x^2\right]}} + \frac{d}{b}\int \frac{x^2}{\sqrt{d\,x^2}\,\,\sqrt{2+d\,x^2}}\,\,\sqrt{a+b\operatorname{ArcCosh}\left[1+d\,x^2\right]}}\,dx \\ \,\,\rightarrow\,\, -\frac{\sqrt{d\,x^2}\,\,\sqrt{2+d\,x^2}}{b\,d\,x\,\,\sqrt{a+b\operatorname{ArcCosh}\left[1+d\,x^2\right]}} + \\ \,\,\frac{1}{b^{3/2}\,d\,x}\,\sqrt{\frac{\pi}{2}}\,\,\left(\operatorname{Cosh}\left[\frac{a}{2\,b}\right]-\operatorname{Sinh}\left[\frac{a}{2\,b}\right]\right)\operatorname{Sinh}\left[\frac{1}{2}\operatorname{ArcCosh}\left[1+d\,x^2\right]\right]\operatorname{Erfi}\left[\frac{1}{\sqrt{2\,b}}\,\,\sqrt{a+b\operatorname{ArcCosh}\left[1+d\,x^2\right]}\right] - \\ \,\,\frac{1}{b^{3/2}\,d\,x}\,\sqrt{\frac{\pi}{2}}\,\,\left(\operatorname{Cosh}\left[\frac{a}{2\,b}\right]+\operatorname{Sinh}\left[\frac{a}{2\,b}\right]\right)\operatorname{Sinh}\left[\frac{1}{2}\operatorname{ArcCosh}\left[1+d\,x^2\right]\right]\operatorname{Erfi}\left[\frac{1}{\sqrt{2\,b}}\,\,\sqrt{a+b\operatorname{ArcCosh}\left[1+d\,x^2\right]}\right]$$

2:
$$\int \frac{1}{(a + b \operatorname{ArcCosh}[-1 + d x^2])^{3/2}} dx$$

Derivation: Integration by parts

Basis:
$$-\frac{b d x}{\sqrt{d x^2} \sqrt{-2+d x^2} (a+b \operatorname{ArcCosh}[-1+d x^2])^{3/2}} = \partial_x \frac{1}{\sqrt{a+b \operatorname{ArcCosh}[-1+d x^2]}}$$

Rule:

$$\int \frac{1}{\left(a+b\operatorname{ArcCosh}\left[-1+d\,x^2\right]\right)^{3/2}}\,dx \,\,\rightarrow\,\, -\frac{\sqrt{d\,x^2}\,\,\sqrt{-2+d\,x^2}}{b\,d\,x\,\,\sqrt{a+b\operatorname{ArcCosh}\left[-1+d\,x^2\right]}}\,+\,\frac{d}{b}\,\int \frac{x^2}{\sqrt{d\,x^2}\,\,\sqrt{-2+d\,x^2}}\,\,\sqrt{a+b\operatorname{ArcCosh}\left[-1+d\,x^2\right]}\,dx \\ \,\,\rightarrow\,\, -\frac{\sqrt{d\,x^2}\,\,\sqrt{-2+d\,x^2}}{b\,d\,x\,\,\sqrt{a+b\operatorname{ArcCosh}\left[-1+d\,x^2\right]}}\,+\,\frac{d}{b}\,\int \frac{x^2}{\sqrt{d\,x^2}\,\,\sqrt{-2+d\,x^2}}\,\,\sqrt{a+b\operatorname{ArcCosh}\left[-1+d\,x^2\right]}\,dx \\ \,\,\,\frac{1}{b^{3/2}\,d\,x}\,\sqrt{\frac{\pi}{2}}\,\,\left(\operatorname{Cosh}\left[\frac{a}{2\,b}\right]-\operatorname{Sinh}\left[\frac{a}{2\,b}\right]\right)\operatorname{Cosh}\left[\frac{1}{2}\operatorname{ArcCosh}\left[-1+d\,x^2\right]\right]\operatorname{Erfi}\left[\frac{1}{\sqrt{2\,b}}\,\,\sqrt{a+b\operatorname{ArcCosh}\left[-1+d\,x^2\right]}\right]+\,\frac{1}{b^{3/2}\,d\,x}\,\sqrt{\frac{\pi}{2}}\,\,\left(\operatorname{Cosh}\left[\frac{a}{2\,b}\right]+\operatorname{Sinh}\left[\frac{a}{2\,b}\right]\right)\operatorname{Cosh}\left[\frac{1}{2}\operatorname{ArcCosh}\left[-1+d\,x^2\right]\right]\operatorname{Erf}\left[\frac{1}{\sqrt{2\,b}}\,\,\sqrt{a+b\operatorname{ArcCosh}\left[-1+d\,x^2\right]}\right]$$

$$\begin{split} & \text{Int} \big[1 \big/ \big(a_- \cdot b_- \cdot \text{ArcCosh} \big[-1 + d_- \cdot \times x_-^2 \big] \big) \wedge (3/2) \, , \times_- \text{Symbol} \big] := \\ & - \text{Sqrt} \big[d \cdot \times x_-^2 \big] / \big(b \cdot d \cdot \times \times \text{Sqrt} \big[a + b \cdot \text{ArcCosh} \big[-1 + d \cdot \times x_-^2 \big] \big) \, + \\ & \text{Sqrt} \big[\text{Pi} / 2 \big] \cdot \big(\text{Cosh} \big[a / \big(2 \cdot b \big) \big] - \text{Sinh} \big[a / \big(2 \cdot b \big) \big] \big) \cdot \text{Cosh} \big[\text{ArcCosh} \big[-1 + d \cdot \times x_-^2 \big] / 2 \big] \cdot \text{Erfi} \big[\text{Sqrt} \big[a + b \cdot \text{ArcCosh} \big[-1 + d \cdot \times x_-^2 \big] \big] / \text{Sqrt} \big[2 \cdot b \big] \big] / \big(b \wedge (3/2) \cdot d \cdot \times \big) \, + \\ & \text{Sqrt} \big[\text{Pi} / 2 \big] \cdot \big(\text{Cosh} \big[a / \big(2 \cdot b \big) \big] + \text{Sinh} \big[a / \big(2 \cdot b \big) \big] \big) \cdot \text{Cosh} \big[\text{ArcCosh} \big[-1 + d \cdot \times x_-^2 \big] / 2 \big] \cdot \text{Erf} \big[\text{Sqrt} \big[a + b \cdot \text{ArcCosh} \big[-1 + d \cdot \times x_-^2 \big] \big] / \text{Sqrt} \big[2 \cdot b \big] \big] / \big(b \wedge (3/2) \cdot d \cdot \times \big) \, / \, ; \\ & \text{FreeQ} \big[\big\{ a \cdot b \cdot d \big\} , x \big] \end{split}$$

2.
$$\int \frac{1}{(a + b \operatorname{ArcCosh}[c + d x^2])^2} dx \text{ when } c^2 = 1$$

1:
$$\int \frac{1}{(a + b \operatorname{ArcCosh}[1 + d x^2])^2} dx$$

Rule:

$$\int \frac{1}{\left(\mathsf{a} + \mathsf{b} \operatorname{ArcCosh} \left[1 + \mathsf{d} \ \mathsf{x}^2 \right] \right)^2} \, \mathrm{d} \mathsf{x} \, \rightarrow \\ - \frac{\sqrt{\mathsf{d} \ \mathsf{x}^2} \, \sqrt{2 + \mathsf{d} \ \mathsf{x}^2}}{2 \, \mathsf{b} \, \mathsf{d} \, \mathsf{x} \, \left(\mathsf{a} + \mathsf{b} \operatorname{ArcCosh} \left[1 + \mathsf{d} \ \mathsf{x}^2 \right] \right)} - \frac{\mathsf{x} \, \mathsf{Sinh} \left[\frac{\mathsf{a}}{2 \, \mathsf{b}} \right] \mathsf{CoshIntegral} \left[\frac{1}{2 \, \mathsf{b}} \, \left(\mathsf{a} + \mathsf{b} \operatorname{ArcCosh} \left[1 + \mathsf{d} \ \mathsf{x}^2 \right] \right) \right]}{2 \, \sqrt{\mathsf{d} \ \mathsf{x}^2}} + \frac{\mathsf{x} \, \mathsf{Cosh} \left[\frac{\mathsf{a}}{2 \, \mathsf{b}} \right] \, \mathsf{SinhIntegral} \left[\frac{1}{2 \, \mathsf{b}} \, \left(\mathsf{a} + \mathsf{b} \operatorname{ArcCosh} \left[1 + \mathsf{d} \ \mathsf{x}^2 \right] \right) \right]}{2 \, \sqrt{\mathsf{d} \ \mathsf{x}^2}}$$

```
 \begin{split} & \text{Int} \big[ 1 / \big( a_- \cdot + b_- \cdot * \text{ArcCosh} \big[ 1 + d_- \cdot * x_-^2 \big] \big) ^2 , x_- \text{Symbol} \big] := \\ & - \text{Sqrt} \big[ d \cdot * x_-^2 \big] / \big( 2 \cdot b \cdot d \cdot * x \cdot \big( a + b \cdot A \text{rcCosh} \big[ 1 + d \cdot x_-^2 \big] \big) \big) - \\ & \times \text{Sinh} \big[ a / \big( 2 \cdot b \big) \big] \times \text{CoshIntegral} \big[ \big( a + b \cdot A \text{rcCosh} \big[ 1 + d \cdot x_-^2 \big] \big) / \big( 2 \cdot b \big) \big] / \big( 2 \cdot \text{Sqrt} \big[ 2 \big] \cdot b^- 2 \cdot \text{Sqrt} \big[ d \cdot x_-^2 \big] \big) \ / \ \\ & \times \text{Cosh} \big[ a / \big( 2 \cdot b \big) \big] \times \text{SinhIntegral} \big[ \big( a + b \cdot A \text{rcCosh} \big[ 1 + d \cdot x_-^2 \big] \big) / \big( 2 \cdot b \big) \big] / \big( 2 \cdot \text{Sqrt} \big[ 2 \big] \cdot b^- 2 \cdot \text{Sqrt} \big[ d \cdot x_-^2 \big] \big) \ / \ \\ & \text{FreeQ} \big[ \big\{ a, b, d \big\}, x \big] \end{aligned}
```

2:
$$\int \frac{1}{(a + b \operatorname{ArcCosh}[-1 + d x^2])^2} dx$$

Rule:

$$\int \frac{1}{\left(a + b \operatorname{ArcCosh}\left[-1 + d \, x^2\right]\right)^2} \, dx \rightarrow \\ - \frac{\sqrt{d \, x^2} \, \sqrt{-2 + d \, x^2}}{2 \, b \, d \, x \, \left(a + b \operatorname{ArcCosh}\left[-1 + d \, x^2\right]\right)} + \frac{x \, \operatorname{Cosh}\left[\frac{a}{2 \, b}\right] \operatorname{CoshIntegral}\left[\frac{1}{2 \, b} \, \left(a + b \operatorname{ArcCosh}\left[-1 + d \, x^2\right]\right)\right]}{2 \, \sqrt{d \, x^2}} - \frac{x \, \operatorname{Sinh}\left[\frac{a}{2 \, b}\right] \operatorname{SinhIntegral}\left[\frac{1}{2 \, b} \, \left(a + b \operatorname{ArcCosh}\left[-1 + d \, x^2\right]\right)\right]}{2 \, \sqrt{2} \, b^2 \, \sqrt{d \, x^2}}$$

```
 \begin{split} & \operatorname{Int} \big[ 1 / \big( a_{-} \cdot + b_{-} \cdot * \operatorname{ArcCosh} \big[ -1 + d_{-} \cdot * x_{-}^{2} \big] \big) \wedge 2 \, , x_{-} \operatorname{Symbol} \big] := \\ & - \operatorname{Sqrt} \big[ d + x_{-}^{2} \big] + \operatorname{Sqrt} \big[ -2 + d + x_{-}^{2} \big] / \big( 2 + b + d + x_{-}^{2} \operatorname{Cosh} \big[ -1 + d + x_{-}^{2} \big] \big) \big) \\ & + \\ & \times \operatorname{Cosh} \big[ a / \big( 2 \cdot b \big) \big] \times \operatorname{CoshIntegral} \big[ \big( a + b + \operatorname{ArcCosh} \big[ -1 + d + x_{-}^{2} \big] \big) / \big( 2 \cdot b \big) \big] / \big( 2 \cdot \operatorname{Sqrt} \big[ 2 \big] \cdot b \wedge 2 \cdot \operatorname{Sqrt} \big[ d + x_{-}^{2} \big] \big) \\ & + \\ & \times \operatorname{Sinh} \big[ a / \big( 2 \cdot b \big) \big] \times \operatorname{SinhIntegral} \big[ \big( a + b + \operatorname{ArcCosh} \big[ -1 + d + x_{-}^{2} \big] \big) / \big( 2 \cdot b \big) \big] / \big( 2 \cdot \operatorname{Sqrt} \big[ 2 \big] \cdot b \wedge 2 \cdot \operatorname{Sqrt} \big[ d + x_{-}^{2} \big] \big) \\ & + \\ & + \operatorname{Sqrt} \big[ a + b + \operatorname{ArcCosh} \big[ -1 + d + x_{-}^{2} \big] \big) / \big( 2 \cdot b \big) \big] / \big( 2 \cdot \operatorname{Sqrt} \big[ 2 \big] \cdot b \wedge 2 \cdot \operatorname{Sqrt} \big[ d + x_{-}^{2} \big] \big) \\ & + \operatorname{Sqrt} \big[ a + b + \operatorname{ArcCosh} \big[ -1 + d + x_{-}^{2} \big] \big) / \big( 2 \cdot b \big) \big] / \big( 2 \cdot \operatorname{Sqrt} \big[ 2 \big] \cdot b \wedge 2 \cdot \operatorname{Sqrt} \big[ d + x_{-}^{2} \big] \big) \\ & + \operatorname{Sqrt} \big[ a + b + \operatorname{ArcCosh} \big[ -1 + d + x_{-}^{2} \big] \big) / \big( 2 \cdot b \big) \big] / \big( 2 \cdot \operatorname{Sqrt} \big[ 2 \big] \cdot b \wedge 2 \cdot \operatorname{Sqrt} \big[ d + x_{-}^{2} \big] \big) / \big( 2 \cdot \operatorname{Sqrt} \big[ d + x_{-}^{2} \big] \big) / \big( 2 \cdot \operatorname{Sqrt} \big[ d + x_{-}^{2} \big] \big) \\ & + \operatorname{ArcCosh} \big[ a + b + \operatorname{ArcCosh} \big[ -1 + d + x_{-}^{2} \big] \big) / \big( 2 \cdot \operatorname{Sqrt} \big[ 2 \big] \cdot b \wedge 2 \cdot \operatorname{Sqrt} \big[ d + x_{-}^{2} \big] \big) / \big( 2 \cdot \operatorname{Sqrt} \big[ d + x_{-}^{2} \big] \big) / \big( 2 \cdot \operatorname{Sqrt} \big[ d + x_{-}^{2} \big] \big) / \big( 2 \cdot \operatorname{Sqrt} \big[ d + x_{-}^{2} \big] \big) / \big( 2 \cdot \operatorname{Sqrt} \big[ d + x_{-}^{2} \big] \big) / \big( 2 \cdot \operatorname{Sqrt} \big[ d + x_{-}^{2} \big] \big) / \big( 2 \cdot \operatorname{Sqrt} \big[ d + x_{-}^{2} \big] \big) / \big( 2 \cdot \operatorname{Sqrt} \big[ d + x_{-}^{2} \big] \big) / \big( 2 \cdot \operatorname{Sqrt} \big[ d + x_{-}^{2} \big] \big) / \big( 2 \cdot \operatorname{Sqrt} \big[ d + x_{-}^{2} \big] \big) / \big( 2 \cdot \operatorname{Sqrt} \big[ d + x_{-}^{2} \big] \big) / \big( 2 \cdot \operatorname{Sqrt} \big[ d + x_{-}^{2} \big] \big) / \big( 2 \cdot \operatorname{Sqrt} \big[ d + x_{-}^{2} \big] \big) / \big( 2 \cdot \operatorname{Sqrt} \big[ d + x_{-}^{2} \big] \big) / \big( 2 \cdot \operatorname{Sqrt} \big[ d + x_{-}^{2} \big] \big) / \big( 2 \cdot \operatorname{Sqrt} \big[ d + x_{-}^{2} \big] \big) / \big( 2 \cdot \operatorname{Sqrt} \big[ d + x_{-}^{2} \big] \big) / \big( 2 \cdot \operatorname{Sqrt} \big[ d + x_{-}^{2} \big] \big) / \big( 2 \cdot \operatorname{Sqrt} \big[ d + x_{-}^{2} \big] \big) / \big( 2 \cdot \operatorname{Sqrt} \big[
```

Derivation: Inverted integration by parts and piecewise constant extraction both twice!

Rule: If
$$c^2 = 1 \land n < -1 \land n \neq -2$$
, then

```
Int[(a_.+b_.*ArcCosh[c_+d_.*x_^2])^n_,x_Symbol] :=
    -x*(a+b*ArcCosh[c+d*x^2])^(n+2)/(4*b^2*(n+1)*(n+2)) +
    (2*c*x^2 +d*x^4)*(a+b*ArcCosh[c+d*x^2])^(n+1)/(2*b*(n+1)*x*Sqrt[-1+c+d*x^2]*Sqrt[1+c+d*x^2]) +
    1/(4*b^2*(n+1)*(n+2))*Int[(a+b*ArcCosh[c+d*x^2])^(n+2),x] /;
FreeQ[{a,b,c,d},x] && EqQ[c^2,1] && LtQ[n,-1] && NeQ[n,-2]
```

3:
$$\int \frac{ArcSinh[a x^p]^n}{x} dx \text{ when } n \in \mathbb{Z}^+$$

Derivation: Integration by substitution

Basis:
$$\frac{ArcSinh[a \ x^p]^n}{x} = \frac{1}{p} ArcSinh[a \ x^p]^n Coth[ArcSinh[a \ x^p]] \partial_x ArcSinh[a \ x^p]$$

Rule: If $n \in \mathbb{Z}^+$, then

$$\int \frac{\operatorname{ArcSinh}\left[\operatorname{a} x^{\operatorname{p}}\right]^{\operatorname{n}}}{\operatorname{x}} \, dx \, \to \, \frac{1}{\operatorname{p}} \operatorname{Subst}\left[\int x^{\operatorname{n}} \operatorname{Coth}\left[x\right] \, dx, \, x, \, \operatorname{ArcSinh}\left[\operatorname{a} x^{\operatorname{p}}\right]\right]$$

```
Int[ArcSinh[a_.*x_^p_]^n_./x_,x_Symbol] :=
    1/p*Subst[Int[x^n*Coth[x],x],x,ArcSinh[a*x^p]] /;
FreeQ[{a,p},x] && IGtQ[n,0]

Int[ArcCosh[a_.*x_^p_]^n_./x_,x_Symbol] :=
    1/p*Subst[Int[x^n*Tanh[x],x],x,ArcCosh[a*x^p]] /;
FreeQ[{a,p},x] && IGtQ[n,0]
```

4:
$$\int u \operatorname{ArcSinh} \left[\frac{c}{a+b \ x^n} \right]^m dx$$

Basis: ArcSinh $[z] = ArcCsch\left[\frac{1}{z}\right]$

Rule:

$$\int u \operatorname{ArcSinh} \left[\frac{c}{a+b \ x^n} \right]^m dx \ \to \ \int u \operatorname{ArcCsch} \left[\frac{a}{c} + \frac{b \ x^n}{c} \right]^m dx$$

```
Int[u_.*ArcSinh[c_./(a_.+b_.*x_^n_.)]^m_.,x_Symbol] :=
    Int[u*ArcCsch[a/c+b*x^n/c]^m,x] /;
FreeQ[{a,b,c,n,m},x]

Int[u_.*ArcCosh[c_./(a_.+b_.*x_^n_.)]^m_.,x_Symbol] :=
    Int[u*ArcSech[a/c+b*x^n/c]^m,x] /;
FreeQ[{a,b,c,n,m},x]
```

5s:
$$\int \frac{\operatorname{ArcSinh}\left[\sqrt{-1+b} x^2\right]^n}{\sqrt{-1+b} x^2} \, dx$$

Derivation: Piecewise constant extraction and integration by substitution

Basis:
$$\partial_x \frac{\sqrt{b x^2}}{x} = 0$$

$$\text{Basis: } \frac{x \, \text{ArcSinh} \left[\sqrt{-1 + b \, x^2} \, \right]^n}{\sqrt{b \, x^2}} \, = \, \frac{1}{b} \, \, \text{Subst} \left[\, \frac{\text{ArcSinh} \left[x \, \right]^n}{\sqrt{1 + x^2}} \, , \, \, x \, , \, \, \sqrt{-1 + b \, x^2} \, \right] \, \partial_x \, \sqrt{-1 + b \, x^2}$$

Rule:

$$\int \frac{\operatorname{ArcSinh}\left[\sqrt{-1+b \ x^2}\right]^n}{\sqrt{-1+b \ x^2}} \, dx \to \frac{\sqrt{b \ x^2}}{x} \int \frac{x \operatorname{ArcSinh}\left[\sqrt{-1+b \ x^2}\right]^n}{\sqrt{b \ x^2}} \, dx$$

$$\to \frac{\sqrt{b \ x^2}}{b \ x} \operatorname{Subst}\left[\int \frac{\operatorname{ArcSinh}\left[x\right]^n}{\sqrt{1+x^2}} \, dx, \ x, \ \sqrt{-1+b \ x^2}\right]$$

Program code:

5c:
$$\int \frac{\operatorname{ArcCosh}\left[\sqrt{1+b \, x^2}\,\right]^n}{\sqrt{1+b \, x^2}} \, dx$$

Derivation: Piecewise constant extraction and integration by substitution

Basis:
$$\partial_{x} = \frac{\sqrt{-1 + \sqrt{1 + b x^{2}}} \sqrt{1 + \sqrt{1 + b x^{2}}}}{x} = 0$$

$$\text{Basis: } \frac{\text{x ArcCosh}\left[\sqrt{1+b \ x^2}\right]^n}{\sqrt{-1+\sqrt{1+b \ x^2}}} \sqrt{1+\sqrt{1+b \ x^2}} \sqrt{1+b \ x^2} = \frac{1}{b} \text{ Subst}\left[\frac{\text{ArcCosh}[x]^n}{\sqrt{-1+x} \sqrt{1+x}}, \ x, \ \sqrt{1+b \ x^2}\right] \partial_x \sqrt{1+b \ x^2}$$

Rule:

$$\int \frac{\operatorname{ArcCosh}\left[\sqrt{1+b\,x^2}\right]^n}{\sqrt{1+b\,x^2}} \, dx \to \frac{\sqrt{-1+\sqrt{1+b\,x^2}}}{x} \sqrt{\frac{1+\sqrt{1+b\,x^2}}{\sqrt{1+\sqrt{1+b\,x^2}}}} \int \frac{x\,\operatorname{ArcCosh}\left[\sqrt{1+b\,x^2}\right]^n}{\sqrt{-1+\sqrt{1+b\,x^2}}} \, dx \\ \to \frac{\sqrt{-1+\sqrt{1+b\,x^2}}}{b\,x} \sqrt{\frac{1+\sqrt{1+b\,x^2}}{\sqrt{1+x}}} \cdot \frac{\operatorname{ArcCosh}\left[x\right]^n}{\sqrt{-1+x}} \, dx, \, x, \, \sqrt{1+b\,x^2} \, dx$$

```
Int[ArcCosh[Sqrt[1+b_.*x_^2]]^n_./Sqrt[1+b_.*x_^2],x_Symbol] :=
    Sqrt[-1+Sqrt[1+b*x^2]]*Sqrt[1+Sqrt[1+b*x^2]]/(b*x)*Subst[Int[ArcCosh[x]^n/(Sqrt[-1+x]*Sqrt[1+x]),x],x,Sqrt[1+b*x^2]] /;
FreeQ[{b,n},x]
```

```
6.  \int u \ f^{c \operatorname{ArcSinh}[a+b \ x]^n} \ dx \ \text{ when } n \in \mathbb{Z}^+   1: \int f^{c \operatorname{ArcSinh}[a+b \ x]^n} \ dx \ \text{ when } n \in \mathbb{Z}^+
```

Derivation: Integration by substitution

$$\begin{aligned} \text{Basis: F[ArcSinh[a+b\,x]]} &= \frac{1}{b}\,\text{Subst[F[x]\,Cosh[x],\,x,\,ArcSinh[a+b\,x]]} \,\, \partial_x\,\text{ArcSinh[a+b\,x]} \\ &\text{Rule: If } \,\, n \in \mathbb{Z}^+, \text{then} \\ &\int f^{c\,\text{ArcSinh[a+b\,x]}^n}\, \mathrm{d}x \, \to \, \frac{1}{b}\,\text{Subst} \big[\int f^{c\,x^n}\,\text{Cosh[x]}\, \,\mathrm{d}x,\,x,\,\text{ArcSinh[a+b\,x]} \big] \end{aligned}$$

```
Int[f_^(c_.*ArcSinh[a_.+b_.*x_]^n_.),x_Symbol] :=
    1/b*Subst[Int[f^(c*x^n)*Cosh[x],x],x,ArcSinh[a+b*x]] /;
FreeQ[{a,b,c,f},x] && IGtQ[n,0]

Int[f_^(c_.*ArcCosh[a_.+b_.*x_]^n_.),x_Symbol] :=
    1/b*Subst[Int[f^(c*x^n)*Sinh[x],x],x,ArcCosh[a+b*x]] /;
FreeQ[{a,b,c,f},x] && IGtQ[n,0]
```

2: $\int x^m f^{c \operatorname{ArcSinh}[a+b \, x]^n} \, dx \text{ when } (m \mid n) \in \mathbb{Z}^+$

Derivation: Integration by substitution

Basis:
$$F[x, ArcSinh[a + b x]] = \frac{1}{b} Subst[F[-\frac{a}{b} + \frac{Sinh[x]}{b}, x] Cosh[x], x, ArcSinh[a + b x]] \partial_x ArcSinh[a + b x]$$

Rule: If $(m \mid n) \in \mathbb{Z}^+$, then

$$\int x^m f^{c \operatorname{ArcSinh}[a+b \times x]^n} \, dx \, \, \to \, \, \frac{1}{b} \operatorname{Subst} \Big[\int \left(-\frac{a}{b} + \frac{\operatorname{Sinh}[x]}{b} \right)^m f^{c \times n} \operatorname{Cosh}[x] \, dx, \, x, \, \operatorname{ArcSinh}[a+b \times x] \Big]$$

Program code:

```
Int[x_^m_.*f_^(c_.*ArcSinh[a_.+b_.*x_]^n_.),x_Symbol] :=
    1/b*Subst[Int[(-a/b+Sinh[x]/b)^m*f^(c*x^n)*Cosh[x],x],x,ArcSinh[a+b*x]] /;
FreeQ[{a,b,c,f},x] && IGtQ[m,0] && IGtQ[n,0]

Int[x_^m_.*f_^(c_.*ArcCosh[a_.+b_.*x_]^n_.),x_Symbol] :=
    1/b*Subst[Int[(-a/b+Cosh[x]/b)^m*f^(c*x^n)*Sinh[x],x],x,ArcCosh[a+b*x]] /;
FreeQ[{a,b,c,f},x] && IGtQ[m,0] && IGtQ[n,0]
```

- 7. v (a + b ArcSinh[u]) dx when u is free of inverse functions
 - 1. $\left[ArcSinh[u] dx \right]$ when u is free of inverse functions
 - 1: $\int ArcSinh[u] dx$ when u is free of inverse functions

Derivation: Integration by parts

Rule: If u is free of inverse functions, then

$$\int ArcSinh[u] dx \rightarrow x ArcSinh[u] - \int \frac{x \partial_x u}{\sqrt{1 + u^2}} dx$$

Program code:

```
Int[ArcSinh[u]],x_Symbol] :=
    x*ArcSinh[u] -
    Int[SimplifyIntegrand[x*D[u,x]/Sqrt[1+u^2],x],x] /;
InverseFunctionFreeQ[u,x] && Not[FunctionOfExponentialQ[u,x]]
```

2: $\int ArcCosh[u] dx$ when u is free of inverse functions

Derivation: Integration by parts

Basis:
$$\partial_x \operatorname{ArcCosh}[f[x]] = \frac{\partial_x f[x]}{\sqrt{-1+f[x]}} \sqrt{1+f[x]}$$

Rule: If u is free of inverse functions, then

$$\int ArcCosh[u] dx \rightarrow x ArcCosh[u] - \int \frac{x \partial_x u}{\sqrt{-1 + u} \sqrt{1 + u}} dx$$

```
Int[ArcCosh[u_],x_Symbol] :=
    x*ArcCosh[u] -
    Int[SimplifyIntegrand[x*D[u,x]/(Sqrt[-1+u]*Sqrt[1+u]),x],x] /;
InverseFunctionFreeQ[u,x] && Not[FunctionOfExponentialQ[u,x]]
```

2. $\int (c + dx)^m (a + b \operatorname{ArcSinh}[u]) dx$ when $m \neq -1 \wedge u$ is free of inverse functions

1: $\int (c + dx)^m (a + b \operatorname{ArcSinh}[u]) dx$ when $m \neq -1 \wedge u$ is free of inverse functions

Derivation: Integration by parts

Rule: If $m \neq -1 \land u$ is free of inverse functions, then

$$\int \left(c+d\,x\right)^{m}\,\left(a+b\,\text{ArcSinh}\,[u]\right)\,\text{d}x \ \longrightarrow \ \frac{\left(c+d\,x\right)^{m+1}\,\left(a+b\,\text{ArcSinh}\,[u]\right)}{d\,\left(m+1\right)} - \frac{b}{d\,\left(m+1\right)}\,\int \frac{\left(c+d\,x\right)^{m+1}\,\partial_{x}\,u}{\sqrt{1+u^{2}}}\,\text{d}x$$

```
 \begin{split} & \text{Int} \big[ \big( \text{c}_{-} \cdot + \text{d}_{-} \cdot \times \text{c}_{-} \cdot + \text{b}_{-} \cdot \times \text{ArcSinh}[\text{u}_{-}] \big), \text{x}_{-} \text{Symbol} \big] := \\ & \big( \text{c}_{+} \cdot d \cdot \times \text{c}_{-} \cdot (\text{d}_{+} \cdot d \cdot x) \wedge (\text{m}_{+} \cdot d \cdot x) \wedge
```

2: $\int (c + dx)^m (a + b \operatorname{ArcCosh}[u]) dx$ when $m \neq -1 \land u$ is free of inverse functions

Derivation: Integration by parts and piecewise constant extraction

Basis:
$$\partial_x \operatorname{ArcCosh}[f[x]] = \frac{\partial_x f[x]}{\sqrt{-1+f[x]}} \sqrt{1+f[x]}$$

Rule: If $m \neq -1 \land u$ is free of inverse functions, then

$$\int \left(c+d\,x\right)^{m}\,\left(a+b\,\text{ArcCosh}\left[u\right]\right)\,\mathrm{d}x \ \to \ \frac{\left(c+d\,x\right)^{m+1}\,\left(a+b\,\text{ArcCosh}\left[u\right]\right)}{d\,\left(m+1\right)} - \frac{b}{d\,\left(m+1\right)}\int \frac{\left(c+d\,x\right)^{m+1}\,\partial_{x}\,u}{\sqrt{-1+u}\,\sqrt{1+u}}\,\mathrm{d}x$$

```
 \begin{split} & \operatorname{Int} \left[ \left( \mathsf{c}_{-} \cdot + \mathsf{d}_{-} \cdot * \mathsf{x}_{-} \right) \wedge \mathsf{m}_{-} \cdot * \left( \mathsf{a}_{-} \cdot + \mathsf{b}_{-} \cdot * \mathsf{ArcCosh}[\mathsf{u}_{-}] \right) , \mathsf{x}_{-} \mathsf{Symbol} \right] := \\ & \left( \mathsf{c}_{-} \cdot + \mathsf{d}_{-} \cdot * \mathsf{x}_{-} \right) \wedge \mathsf{m}_{-} \cdot * \left( \mathsf{a}_{-} \cdot + \mathsf{b}_{-} \cdot * \mathsf{ArcCosh}[\mathsf{u}_{-}] \right) / \left( \mathsf{d}_{+} \left( \mathsf{m}_{+} \right) \right) - \\ & \left( \mathsf{c}_{-} \cdot + \mathsf{d}_{-} \cdot * \mathsf{x}_{-} \right) \wedge \mathsf{m}_{-} \cdot * \left( \mathsf{a}_{-} \cdot + \mathsf{b}_{-} \cdot * \mathsf{ArcCosh}[\mathsf{u}_{-}] \right) / \left( \mathsf{d}_{+} \left( \mathsf{m}_{+} \right) \right) - \\ & \left( \mathsf{c}_{-} \cdot + \mathsf{d}_{-} \cdot * \mathsf{x}_{-} \right) \wedge \mathsf{m}_{-} \cdot * \left( \mathsf{a}_{-} \cdot + \mathsf{b}_{-} \cdot * \mathsf{ArcCosh}[\mathsf{u}_{-}] \right) / \left( \mathsf{d}_{+} \left( \mathsf{m}_{+} \right) \right) - \\ & \left( \mathsf{c}_{-} \cdot + \mathsf{d}_{-} \cdot * \mathsf{x}_{-} \right) \wedge \mathsf{m}_{-} \cdot * \left( \mathsf{a}_{-} \cdot + \mathsf{b}_{-} \cdot * \mathsf{ArcCosh}[\mathsf{u}_{-}] \right) / \left( \mathsf{d}_{+} \left( \mathsf{m}_{+} \right) \right) - \\ & \left( \mathsf{c}_{-} \cdot + \mathsf{d}_{-} \cdot * \mathsf{d}_{+} \right) \wedge \mathsf{m}_{-} \cdot * \left( \mathsf{d}_{-} \cdot + \mathsf{d}_{-} \cdot * \right) / \left( \mathsf{d}_{+} \left( \mathsf{m}_{+} \right) \right) - \\ & \left( \mathsf{d}_{-} \cdot + \mathsf{d}_{-} \cdot * \mathsf{d}_{+} \right) \wedge \mathsf{m}_{-} \cdot * \left( \mathsf{d}_{-} \cdot + \mathsf{d}_{-} \cdot * \mathsf{d}_{+} \right) / \left( \mathsf{d}_{+} \cdot + \mathsf{d}_{-} \cdot * \mathsf{d}_{+} \right) / \left( \mathsf{d}_{+} \cdot + \mathsf{d}_{-} \cdot * \mathsf{d}_{+} \right) / \left( \mathsf{d}_{+} \cdot + \mathsf{d}_{-} \cdot * \mathsf{d}_{+} \right) / \left( \mathsf{d}_{+} \cdot + \mathsf{d}_{-} \cdot * \mathsf{d}_{+} \right) / \left( \mathsf{d}_{+} \cdot + \mathsf{d}_{-} \cdot * \mathsf{d}_{+} \right) / \left( \mathsf{d}_{+} \cdot + \mathsf{d}_{-} \cdot * \mathsf{d}_{+} \right) / \left( \mathsf{d}_{+} \cdot + \mathsf{d}_{-} \cdot * \mathsf{d}_{+} \right) / \left( \mathsf{d}_{+} \cdot + \mathsf{d}_{-} \cdot * \mathsf{d}_{+} \right) / \left( \mathsf{d}_{+} \cdot + \mathsf{d}_{-} \cdot * \mathsf{d}_{+} \right) / \left( \mathsf{d}_{+} \cdot + \mathsf{d}_{-} \cdot * \mathsf{d}_{+} \right) / \left( \mathsf{d}_{+} \cdot + \mathsf{d}_{-} \cdot * \mathsf{d}_{+} \right) / \left( \mathsf{d}_{+} \cdot + \mathsf{d}_{-} \cdot * \mathsf{d}_{+} \right) / \left( \mathsf{d}_{+} \cdot + \mathsf{d}_{-} \cdot * \mathsf{d}_{+} \right) / \left( \mathsf{d}_{+} \cdot + \mathsf{d}_{-} \cdot * \mathsf{d}_{+} \right) / \left( \mathsf{d}_{+} \cdot + \mathsf{d}_{-} \cdot * \mathsf{d}_{+} \right) / \left( \mathsf{d}_{+} \cdot + \mathsf{d}_{-} \cdot * \mathsf{d}_{+} \right) / \left( \mathsf{d}_{+} \cdot + \mathsf{d}_{-} \cdot * \mathsf{d}_{+} \right) / \left( \mathsf{d}_{+} \cdot + \mathsf{d}_{+} \cdot * \mathsf{d}_{+} \right) / \left( \mathsf{d}_{+} \cdot + \mathsf{d}_{+} \cdot * \mathsf{d}_{+} \right) / \left( \mathsf{d}_{+} \cdot + \mathsf{d}_{+} \cdot + \mathsf{d}_{+} \right) / \left( \mathsf{d}_{+} \cdot + \mathsf{d}_{+} \cdot * \mathsf{d}_{+} \right) / \left( \mathsf{d}_{+} \cdot + \mathsf{d}_{+} \cdot + \mathsf{d}_{+} \cdot + \mathsf{d}_{+} \right) / \left( \mathsf{d}_{+} \cdot + \mathsf{d}_{+} \cdot + \mathsf{d}_{+} \cdot + \mathsf{d}_{+} \right) / \left( \mathsf{d}_{+} \cdot + \mathsf{d}_{+} \cdot + \mathsf{d}_{+} \right) / \left( \mathsf{d}_{+} \cdot + \mathsf{
```

3. $\int v (a + b \operatorname{ArcSinh}[u]) dx$ when u and $\int v dx$ are free of inverse functions

1: $\int v (a + b \operatorname{ArcSinh}[u]) dx$ when u and $\int v dx$ are free of inverse functions

Derivation: Integration by parts

Rule: If u is free of inverse functions, let $w = \int v \, dx$, if w is free of inverse functions, then

$$\int v \, \left(a + b \, \text{ArcSinh}[u] \right) \, \text{d} \, x \, \, \rightarrow \, \, w \, \left(a + b \, \text{ArcSinh}[u] \right) \, - \, b \, \int \frac{w \, \partial_x \, u}{\sqrt{1 + u^2}} \, \text{d} \, x$$

```
Int[v_*(a_.+b_.*ArcSinh[u_]),x_Symbol] :=
    With[{w=IntHide[v,x]},
    Dist[(a+b*ArcSinh[u]),w,x] - b*Int[SimplifyIntegrand[w*D[u,x]/Sqrt[1+u^2],x],x] /;
    InverseFunctionFreeQ[w,x]] /;
FreeQ[{a,b},x] && InverseFunctionFreeQ[u,x] && Not[MatchQ[v, (c_.+d_.*x)^m_. /; FreeQ[{c,d,m},x]]]
```

2: $\int v (a + b \operatorname{ArcCosh}[u]) dx$ when u and $\int v dx$ are free of inverse functions

Derivation: Integration by parts and piecewise constant extraction

Basis:
$$\partial_x \operatorname{ArcCosh}[f[x]] = \frac{\partial_x f[x]}{\sqrt{-1+f[x]}} \sqrt{1+f[x]}$$

Rule: If u is free of inverse functions, let $w = \int v \, dx$, if w is free of inverse functions, then

$$\int v \, \left(a + b \, \text{ArcCosh}[u] \right) \, \text{d} \, x \, \, \rightarrow \, \, w \, \left(a + b \, \text{ArcCosh}[u] \right) \, - b \, \int \frac{w \, \partial_x \, u}{\sqrt{-1 + u}} \, \, \text{d} \, x$$

```
Int[v_*(a_.+b_.*ArcCosh[u_]),x_Symbol] :=
With[{w=IntHide[v,x]},
Dist[(a+b*ArcCosh[u]),w,x] - b*Int[SimplifyIntegrand[w*D[u,x]/(Sqrt[-1+u]*Sqrt[1+u]),x],x] /;
InverseFunctionFreeQ[w,x]] /;
FreeQ[{a,b},x] && InverseFunctionFreeQ[u,x] && Not[MatchQ[v, (c_.+d_.*x)^m_. /; FreeQ[{c,d,m},x]]]
```

8s.
$$\int u \ e^{n \, Arc Sinh \, [P_x]} \ dx$$
 1:
$$\int e^{n \, Arc Sinh \, [P_x]} \ dx \ \text{ when } n \in \mathbb{Z}$$

Basis:
$$e^{n \operatorname{ArcSinh}[z]} = \left(z + \sqrt{1 + z^2}\right)^n$$

Rule: If $n \in \mathbb{Z}$, then

$$\int \! e^{n \, Arc Sinh \, [P_x]} \, \, \text{d} \, x \, \, \longrightarrow \, \, \int \! \left(P_x + \sqrt{1 + {P_\chi}^2} \, \right)^n \, \, \text{d} \, x$$

```
Int[E^(n_.*ArcSinh[u_]), x_Symbol] :=
  Int[(u+Sqrt[1+u^2])^n,x] /;
IntegerQ[n] && PolynomialQ[u,x]
```

2:
$$\int x^m e^{n \operatorname{ArcSinh}[P_x]} dx \text{ when } n \in \mathbb{Z}$$

Basis:
$$e^{n \operatorname{ArcSinh}[z]} = \left(z + \sqrt{1 + z^2}\right)^n$$

Rule: If $n \in \mathbb{Z}$, then

$$\int \! x^m \; \text{e}^{n \, \text{ArcSinh} \left[P_X\right]} \; \text{d} \, x \; \to \; \int \! x^m \; \left(P_X + \sqrt{1 + {P_X}^2} \; \right)^n \; \text{d} \, x$$

```
Int[x_^m_.*E^(n_.*ArcSinh[u_]), x_Symbol] :=
  Int[x^m*(u+Sqrt[1+u^2])^n,x] /;
RationalQ[m] && IntegerQ[n] && PolynomialQ[u,x]
```

8c.
$$\int u \ e^{n \operatorname{ArcCosh}[P_x]} \ dx$$
 1:
$$\int e^{n \operatorname{ArcCosh}[P_x]} \ dx \ \text{ when } n \in \mathbb{Z}$$

Basis:
$$e^{n \operatorname{ArcCosh}[z]} = \left(z + \sqrt{-1 + z} \sqrt{1 + z}\right)^n$$

Basis: If
$$n \in \mathbb{Z}$$
, $e^{n \operatorname{ArcCosh}[z]} = \left(z + \sqrt{\frac{-1+z}{1+z}} + z \sqrt{\frac{-1+z}{1+z}}\right)^n$

Rule: If $n \in \mathbb{Z}$, then

$$\int \! e^{n \, ArcCosh[P_x]} \; \text{d}x \; \longrightarrow \; \int \! \left(P_x + \sqrt{-1 + P_x} \; \sqrt{1 + P_x} \; \right)^n \, \text{d}x$$

```
Int[E^(n_.*ArcCosh[u_]), x_Symbol] :=
  Int[(u+Sqrt[-1+u]*Sqrt[1+u])^n,x] /;
IntegerQ[n] && PolynomialQ[u,x]
```

2:
$$\int x^m e^{n \operatorname{ArcCosh}[P_x]} dx$$
 when $n \in \mathbb{Z}$

Basis:
$$e^{n \operatorname{ArcCosh}[z]} = \left(z + \sqrt{-1 + z} \sqrt{1 + z}\right)^n$$

Rule: If $n \in \mathbb{Z}$, then

$$\int \! x^m \, e^{n \, ArcCosh[P_x]} \, \, \text{d} \, x \ \rightarrow \ \int \! x^m \, \left(P_x + \sqrt{-1 + P_x} \, \sqrt{1 + P_x} \, \right)^n \, \text{d} \, x$$

```
Int[x_^m_.*E^(n_.*ArcCosh[u_]), x_Symbol] :=
    Int[x^m*(u+Sqrt[-1+u]*Sqrt[1+u])^n,x] /;
RationalQ[m] && IntegerQ[n] && PolynomialQ[u,x]
```