1:  $\int (a + b x^n)^p Sinh[c + d x] dx$  when  $p \in \mathbb{Z}^+$ 

Derivation: Algebraic expansion

Rule: If  $p \in \mathbb{Z}^+$ , then

$$\int \left(a+b\;x^n\right)^p \, Sinh\big[c+d\;x\big] \; \text{d}x \; \longrightarrow \; \int Sinh\big[c+d\;x\big] \; ExpandIntegrand\big[\left(a+b\;x^n\right)^p,\;x\big] \; \text{d}x$$

$$Int[(a_+b_.*x_^n_)^p_.*Sinh[c_.*d_.*x_],x_Symbol] := \\ Int[ExpandIntegrand[Sinh[c+d*x],(a+b*x^n)^p,x],x] /; \\ FreeQ[\{a,b,c,d,n\},x] && IGtQ[p,0] \\ \label{eq:continuous}$$

$$\begin{split} & \text{Int} \big[ \left( a_+ + b_- * x_-^n_- \right)^p_- * \text{Cosh} \big[ c_- + d_- * x_- \big], x_- \text{Symbol} \big] := \\ & \text{Int} \big[ \text{ExpandIntegrand} \big[ \text{Cosh} \big[ c_+ d_* x \big], \left( a_+ b_* x_-^n \right)^p_- x_-^n \right], x \big] \ /; \\ & \text{FreeQ} \big[ \big\{ a_, b_, c_, d_, n \big\}, x \big] \ \&\& \ \text{IGtQ} [p_, 0] \end{aligned}$$

2. 
$$\left[\left(a+b\,x^n\right)^p\,\text{Sinh}\left[c+d\,x\right]\,\text{d}x\,\text{ when }p\in\mathbb{Z}^-\wedge\,n\in\mathbb{Z}\right]$$

1. 
$$\left\lceil \left(a+b\;x^n\right)^p\; Sinh\left[\,c+d\;x\,
ight]\, \text{d}\,x \;\; \text{when}\; p\,\in\,\mathbb{Z}^-\;\wedge\;n\,\in\,\mathbb{Z}^+$$

$$\textbf{1:} \quad \left\lceil \left(a+b \; x^n\right)^p \; \text{Sinh} \left[c+d \; x\right] \; \text{d} x \; \; \text{when} \; p \, \in \, \mathbb{Z}^- \wedge \; n \, \in \, \mathbb{Z}^+ \wedge \; p \, < \, -1 \; \wedge \; n \, > \, 2 \right.$$

Derivation: Integration by parts

Basis: 
$$\partial_x \frac{(a+b x^n)^{p+1}}{b n (p+1)} = x^{n-1} (a+b x^n)^p$$

Basis: 
$$\partial_x (x^{-n+1} Sinh[c + dx]) = -(n-1) x^{-n} Sinh[c + dx] + dx^{-n+1} Cosh[c + dx]$$

Rule: If 
$$p \in \mathbb{Z}^- \land n \in \mathbb{Z}^+ \land p < -1 \land n > 2$$
, then

$$\left\lceil \left(a+b\;x^n\right)^p\;Sinh\left[c+d\;x\right]\;\mathrm{d}x\;\to\;$$

$$\frac{x^{-n+1} \, \left(a + b \, x^{n}\right)^{p+1} \, \text{Sinh} \left[c + d \, x\right]}{b \, n \, \left(p+1\right)} - \frac{-n+1}{b \, n \, \left(p+1\right)} \, \int x^{-n} \, \left(a + b \, x^{n}\right)^{p+1} \, \text{Sinh} \left[c + d \, x\right] \, \mathrm{d}x - \frac{d}{b \, n \, \left(p+1\right)} \, \int x^{-n+1} \, \left(a + b \, x^{n}\right)^{p+1} \, \text{Cosh} \left[c + d \, x\right] \, \mathrm{d}x$$

### Program code:

```
Int[(a_+b_.*x_^n_)^p_*Sinh[c_.+d_.*x_],x_Symbol] :=
    x^(-n+1)*(a+b*x^n)^(p+1)*Sinh[c+d*x]/(b*n*(p+1)) -
    (-n+1)/(b*n*(p+1))*Int[x^(-n)*(a+b*x^n)^(p+1)*Sinh[c+d*x],x] -
    d/(b*n*(p+1))*Int[x^(-n+1)*(a+b*x^n)^(p+1)*Cosh[c+d*x],x] /;
FreeQ[{a,b,c,d},x] && IntegerQ[p] && IGtQ[n,0] && LtQ[p,-1] && GtQ[n,2]
Int[(a_+b_.*x_^n_)^p_*Cosh[c_.+d_.*x_],x_Symbol] :=
    x^(-n+1)*(a+b*x^n)^(p+1)*Cosh[c+d*x]/(b*n*(p+1)) -
    (-n+1)/(b*n*(p+1))*Int[x^(-n)*(a+b*x^n)^(p+1)*Sinh[c+d*x],x] -
    d/(b*n*(p+1))*Int[x^(-n+1)*(a+b*x^n)^(p+1)*Sinh[c+d*x],x] /;
FreeQ[{a,b,c,d},x] && IntegerQ[p] && IGtQ[n,0] && LtQ[p,-1] && GtQ[n,2]
```

2: 
$$\int (a + b x^n)^p Sinh[c + d x] dx$$
 when  $p \in \mathbb{Z}^- \land n \in \mathbb{Z}^+$ 

## Derivation: Algebraic expansion

# Rule: If $p \in \mathbb{Z}^- \land n \in \mathbb{Z}^+$ , then

$$\int \left(a+b\;x^n\right)^p \, \text{Sinh}\big[c+d\;x\big] \; \text{d}x \; \longrightarrow \; \int \text{Sinh}\big[c+d\;x\big] \; \text{ExpandIntegrand}\big[\left(a+b\;x^n\right)^p,\;x\big] \; \text{d}x$$

```
Int[(a_+b_.*x_^n_)^p_*Sinh[c_.+d_.*x_],x_Symbol] :=
   Int[ExpandIntegrand[Sinh[c+d*x],(a+b*x^n)^p,x],x] /;
FreeQ[{a,b,c,d},x] && ILtQ[p,0] && IGtQ[n,0] && (EqQ[n,2] || EqQ[p,-1])
```

```
Int[(a_+b_.*x_^n_)^p_*Cosh[c_.+d_.*x_],x_Symbol] :=
   Int[ExpandIntegrand[Cosh[c+d*x],(a+b*x^n)^p,x],x] /;
FreeQ[{a,b,c,d},x] && ILtQ[p,0] && IGtQ[n,0] && (EqQ[n,2] || EqQ[p,-1])
```

2:  $\int (a + b x^n)^p Sinh[c + d x] dx$  when  $p \in \mathbb{Z}^- \land n \in \mathbb{Z}^-$ 

**Derivation: Algebraic simplification** 

Basis: If  $p \in \mathbb{Z}$ , then  $(a + b x^n)^p = x^{np} (b + a x^{-n})^p$ 

Rule: If  $p \in \mathbb{Z}^- \land n \in \mathbb{Z}^-$ , then

$$\int \left(a+b\;x^n\right)^p\,Sinh\!\left[c+d\;x\right]\,\mathrm{d}x\;\to\;\int\!x^{n\;p}\;\left(b+a\;x^{-n}\right)^p\,Sinh\!\left[c+d\;x\right]\,\mathrm{d}x$$

```
Int[(a_+b_.*x_^n_)^p_*Sinh[c_.+d_.*x_],x_Symbol] :=
   Int[x^(n*p)*(b+a*x^(-n))^p*Sinh[c+d*x],x] /;
FreeQ[{a,b,c,d},x] && ILtQ[p,0] && ILtQ[n,0]
```

X: 
$$\int (a + b x^n)^p Sinh[c + d x] dx$$

Rule:

$$\left\lceil \left(a+b\;x^n\right)^p\,\text{Sinh}\!\left[c+d\;x\right]\,\text{d}x\;\longrightarrow\; \left\lceil \left(a+b\;x^n\right)^p\,\text{Sinh}\!\left[c+d\;x\right]\,\text{d}x\right.\right.$$

## Program code:

```
Int[(a_+b_.*x_^n_)^p_*Sinh[c_.+d_.*x_],x_Symbol] :=
   Unintegrable[(a+b*x^n)^p*Sinh[c+d*x],x] /;
FreeQ[{a,b,c,d,n,p},x]
```

```
Int[(a_+b_.*x_^n_)^p_*Cosh[c_.+d_.*x_],x_Symbol] :=
   Unintegrable[(a+b*x^n)^p*Cosh[c+d*x],x] /;
FreeQ[{a,b,c,d,n,p},x]
```

Rules for integrands of the form  $(e x)^m (a + b x^n)^p Sinh[c + d x]$ 

1:  $\int (e x)^m (a + b x^n)^p Sinh[c + d x] dx \text{ when } p \in \mathbb{Z}^+$ 

**Derivation: Algebraic expansion** 

Rule: If  $p \in \mathbb{Z}^+$ , then

```
Int[(e_.*x_)^m_.*(a_+b_.*x_^n_)^p_.*Sinh[c_.+d_.*x_],x_Symbol] :=
   Int[ExpandIntegrand[Sinh[c+d*x],(e*x)^m*(a+b*x^n)^p,x],x] /;
FreeQ[{a,b,c,d,e,m,n},x] && IGtQ[p,0]
```

2: 
$$\left[\left(e\,x\right)^{\,m}\,\left(a+b\,x^{\,n}\right)^{\,p}\,\text{Sinh}\left[c+d\,x\right]\,\mathrm{d}x\,\,\,\text{when}\,\,p\in\mathbb{Z}^{\,-}\,\wedge\,\,m=:n-1\,\,\wedge\,\,p<-1\,\,\wedge\,\,\left(n\in\mathbb{Z}\,\,\vee\,\,e>0\right)\right]$$

Derivation: Integration by parts

Basis: If 
$$m = n - 1 \land (n \in \mathbb{Z} \lor e > 0)$$
, then  $\partial_x \frac{e^m (a + b \cdot x^n)^{p+1}}{b \cdot n \cdot (p+1)} = (e \cdot x)^m (a + b \cdot x^n)^p$ 

Rule: If  $p \in \mathbb{Z} \land m == n-1 \land p < -1 \land (n \in \mathbb{Z} \lor e > 0)$ , then

$$\int \left(e\;x\right)^{m}\,\left(a+b\;x^{n}\right)^{p}\,Sinh\!\left[c+d\;x\right]\,\mathrm{d}x\;\to\;\frac{e^{m}\,\left(a+b\;x^{n}\right)^{p+1}\,Sinh\!\left[c+d\;x\right]}{b\;n\;\left(p+1\right)}-\frac{d\;e^{m}}{b\;n\;\left(p+1\right)}\int\left(a+b\;x^{n}\right)^{p+1}\,Cosh\!\left[c+d\;x\right]\,\mathrm{d}x$$

```
Int[(e_.*x_)^m_.*(a_+b_.*x_^n_)^p_*Sinh[c_.+d_.*x_],x_Symbol] :=
  e^m*(a+b*x^n)^(p+1)*Sinh[c+d*x]/(b*n*(p+1)) -
  d*e^m/(b*n*(p+1))*Int[(a+b*x^n)^(p+1)*Cosh[c+d*x],x] /;
FreeQ[{a,b,c,d,e,m,n},x] && IntegerQ[p] && EqQ[m-n+1,0] && LtQ[p,-1] && (IntegerQ[n] || GtQ[e,0])
```

```
Int[(e_.*x_)^m_.*(a_+b_.*x_^n_)^p_*Cosh[c_.+d_.*x_],x_Symbol] :=
  e^m*(a+b*x^n)^(p+1)*Cosh[c+d*x]/(b*n*(p+1)) -
  d*e^m/(b*n*(p+1))*Int[(a+b*x^n)^(p+1)*Sinh[c+d*x],x] /;
FreeQ[{a,b,c,d,e,m,n},x] && IntegerQ[p] && EqQ[m-n+1,0] && LtQ[p,-1] && (IntegerQ[n] || GtQ[e,0])
```

- 3.  $\int x^m \left(a + b \ x^n\right)^p \ Sinh\left[c + d \ x\right] \ dx \ \text{ when } p \in \mathbb{Z}^- \land \ (m \mid n) \in \mathbb{Z}$ 
  - 1.  $\left[x^{m}\left(a+b\,x^{n}\right)^{p}\,\text{Sinh}\left[c+d\,x\right]\,\text{d}x\,\,\text{when}\,\,p\in\mathbb{Z}^{-}\,\wedge\,\,n\in\mathbb{Z}^{+}\right]$ 
    - 1:  $\int x^m \left(a+b \ x^n\right)^p \ Sinh\left[c+d \ x\right] \ dx \ \ \text{when} \ p+1 \in \mathbb{Z}^- \wedge \ n \in \mathbb{Z}^+ \wedge \ (m-n+1>0 \ \lor \ n>2)$

## Derivation: Integration by parts

Basis: 
$$\partial_{x} \frac{(a+b x^{n})^{p+1}}{b n (p+1)} = x^{n-1} (a+b x^{n})^{p}$$

$$Basis: \partial_x \left( x^{m-n+1} \, Sinh\left[\, c \, + \, d \, \, x \, \right] \, \right) \; = \; \left( m-n+1 \right) \, \, x^{m-n} \, Sinh\left[\, c \, + \, d \, \, x \, \right] \, + \, d \, \, x^{m-n+1} \, Cosh\left[\, c \, + \, d \, \, x \, \right]$$

Rule: If  $p + 1 \in \mathbb{Z}^- \land n \in \mathbb{Z}^+ \land (m - n + 1 > 0 \lor n > 2)$ , then

$$\int \! x^m \, \left(a+b \, x^n\right)^p \, Sinh \left[c+d \, x\right] \, \mathrm{d}x \, \longrightarrow \\ \frac{x^{m-n+1} \, \left(a+b \, x^n\right)^{p+1} \, Sinh \left[c+d \, x\right]}{b \, n \, \left(p+1\right)} \, - \, \frac{m-n+1}{b \, n \, \left(p+1\right)} \, \int \! x^{m-n} \, \left(a+b \, x^n\right)^{p+1} \, Sinh \left[c+d \, x\right] \, \mathrm{d}x \, - \, \frac{d}{b \, n \, \left(p+1\right)} \, \int \! x^{m-n+1} \, \left(a+b \, x^n\right)^{p+1} \, Cosh \left[c+d \, x\right] \, \mathrm{d}x \, - \, \frac{d}{b \, n \, \left(p+1\right)} \, \left(a+b \, x^n\right)^{p+1} \, Cosh \left[c+d \, x\right] \, \mathrm{d}x \, - \, \frac{d}{b \, n \, \left(p+1\right)} \, \left(a+b \, x^n\right)^{p+1} \, Cosh \left[c+d \, x\right] \, \mathrm{d}x \, - \, \frac{d}{b \, n \, \left(p+1\right)} \, \left(a+b \, x^n\right)^{p+1} \, Cosh \left[c+d \, x\right] \, \mathrm{d}x \, - \, \frac{d}{b \, n \, \left(p+1\right)} \, \left(a+b \, x^n\right)^{p+1} \, Cosh \left[c+d \, x\right] \, \mathrm{d}x \, - \, \frac{d}{b \, n \, \left(p+1\right)} \, \left(a+b \, x^n\right)^{p+1} \, Cosh \left[c+d \, x\right] \, \mathrm{d}x \, - \, \frac{d}{b \, n \, \left(p+1\right)} \, \left(a+b \, x^n\right)^{p+1} \, Cosh \left[c+d \, x\right] \, \mathrm{d}x \, - \, \frac{d}{b \, n \, \left(p+1\right)} \, \left(a+b \, x^n\right)^{p+1} \, Cosh \left[c+d \, x\right] \, \mathrm{d}x \, - \, \frac{d}{b \, n \, \left(p+1\right)} \, \left(a+b \, x^n\right)^{p+1} \, Cosh \left[c+d \, x\right] \, \mathrm{d}x \, - \, \frac{d}{b \, n \, \left(p+1\right)} \, \left(a+b \, x^n\right)^{p+1} \, Cosh \left[c+d \, x\right] \, \mathrm{d}x \, - \, \frac{d}{b \, n \, \left(p+1\right)} \, \left(a+b \, x^n\right)^{p+1} \, Cosh \left[c+d \, x\right] \, \mathrm{d}x \, - \, \frac{d}{b \, n \, \left(p+1\right)} \, \left(a+b \, x^n\right)^{p+1} \, Cosh \left[c+d \, x\right] \, \mathrm{d}x \, - \, \frac{d}{b \, n \, \left(p+1\right)} \, \left(a+b \, x^n\right)^{p+1} \, Cosh \left[c+d \, x\right] \, \mathrm{d}x \, - \, \frac{d}{b \, n \, \left(p+1\right)} \, \left(a+b \, x^n\right)^{p+1} \, Cosh \left[c+d \, x\right] \, \mathrm{d}x \, - \, \frac{d}{b \, n \, \left(p+1\right)} \, \left(a+b \, x^n\right)^{p+1} \, Cosh \left[c+d \, x\right] \, \mathrm{d}x \, - \, \frac{d}{b \, n \, \left(p+1\right)} \, \left(a+b \, x^n\right)^{p+1} \, Cosh \left[c+d \, x\right] \, \mathrm{d}x \, - \, \frac{d}{b \, n \, \left(p+1\right)} \, \left(a+b \, x^n\right)^{p+1} \, Cosh \left[c+d \, x\right] \, \mathrm{d}x \, - \, \frac{d}{b \, n \, \left(p+1\right)} \, \left(a+b \, x^n\right)^{p+1} \, Cosh \left[c+d \, x\right] \, \mathrm{d}x \, - \, \frac{d}{b \, n \, \left(p+1\right)} \, \left(a+b \, x^n\right)^{p+1} \, Cosh \left[c+d \, x\right] \, \mathrm{d}x \, - \, \frac{d}{b \, n \, \left(p+1\right)} \, \left(a+b \, x^n\right)^{p+1} \, Cosh \left[c+d \, x\right] \, \mathrm{d}x \, - \, \frac{d}{b \, n \, \left(p+1\right)} \, \left(a+b \, x^n\right)^{p+1} \, Cosh \left[c+d \, x\right] \, \mathrm{d}x \, - \, \frac{d}{b \, n \, \left(p+1\right)} \, \left(a+b \, x^n\right)^{p+1} \, Cosh \left[c+d \, x\right] \, + \, \frac{d}{b \, n \, \left(p+1\right)} \, \left(a+b \, x^n\right)^{p+1} \, Cosh \left[c+d \, x\right] \, + \, \frac{d}{b \, n \, \left(p+1\right)} \, \left(a+b \, x^n\right)^{p+1$$

## Program code:

```
Int[x_^m_.*(a_+b_.*x_^n_)^p_*Sinh[c_.+d_.*x_],x_Symbol] :=
    x^(m-n+1)*(a+b*x^n)^(p+1)*Sinh[c+d*x]/(b*n*(p+1)) -
    (m-n+1)/(b*n*(p+1))*Int[x^(m-n)*(a+b*x^n)^(p+1)*Sinh[c+d*x],x] -
    d/(b*n*(p+1))*Int[x^(m-n+1)*(a+b*x^n)^(p+1)*Cosh[c+d*x],x] /;
FreeQ[{a,b,c,d},x] && ILtQ[p,-1] && IGtQ[n,0] && RationalQ[m] && (GtQ[m-n+1,0] || GtQ[n,2])
```

```
Int[x_^m_.*(a_+b_.*x_^n_)^p_*Cosh[c_.*d_.*x_],x_Symbol] :=
    x^(m-n+1)*(a+b*x^n)^(p+1)*Cosh[c+d*x]/(b*n*(p+1)) -
    (m-n+1)/(b*n*(p+1))*Int[x^(m-n)*(a+b*x^n)^(p+1)*Cosh[c+d*x],x] -
    d/(b*n*(p+1))*Int[x^(m-n+1)*(a+b*x^n)^(p+1)*Sinh[c+d*x],x] /;
FreeQ[{a,b,c,d},x] && ILtQ[p,-1] && IGtQ[n,0] && RationalQ[m] && (GtQ[m-n+1,0] || GtQ[n,2])
```

2:  $\int x^m (a + b x^n)^p Sinh[c + d x] dx$  when  $p \in \mathbb{Z}^- \land n \in \mathbb{Z}^+$ 

### **Derivation: Algebraic expansion**

Rule: If  $p \in \mathbb{Z}^- \land n \in \mathbb{Z}^+$ , then

$$\int x^m \left(a+b \; x^n\right)^p \, \text{Sinh} \left[c+d \; x\right] \, \text{d} x \; \rightarrow \; \int \text{Sinh} \left[c+d \; x\right] \, \text{ExpandIntegrand} \left[x^m \left(a+b \; x^n\right)^p, \; x\right] \, \text{d} x$$

```
Int[x_^m_.*(a_+b_.*x_^n_)^p_*Sinh[c_.+d_.*x_],x_Symbol] :=
    Int[ExpandIntegrand[Sinh[c+d*x],x^m*(a+b*x^n)^p,x],x] /;
FreeQ[{a,b,c,d},x] && ILtQ[p,0] && IntegerQ[m] && IGtQ[n,0] && (EqQ[n,2] || EqQ[p,-1])

Int[x_^m_.*(a_+b_.*x_^n_)^p_*Cosh[c_.+d_.*x_],x_Symbol] :=
    Int[ExpandIntegrand[Cosh[c+d*x],x^m*(a+b*x^n)^p,x],x] /;
FreeQ[{a,b,c,d},x] && ILtQ[p,0] && IntegerQ[m] && IGtQ[n,0] && (EqQ[n,2] || EqQ[p,-1])
```

$$2 \colon \left[ x^m \, \left( a + b \, x^n \right)^p \, \text{Sinh} \big[ \, c + d \, x \, \big] \, \, \text{d} \, x \, \text{ when } p \, \in \, \mathbb{Z}^- \, \wedge \, \, n \, \in \, \mathbb{Z}^-$$

**Derivation: Algebraic simplification** 

Basis: If  $p \in \mathbb{Z}$ , then  $(a + b x^n)^p = x^{np} (b + a x^{-n})^p$ 

Rule: If  $p \in \mathbb{Z}^- \land n \in \mathbb{Z}^-$ , then

$$\int \! x^m \, \left(a + b \, x^n\right)^p \, \text{Sinh} \left[c + d \, x\right] \, \text{d} x \ \longrightarrow \ \int \! x^{m+n\,p} \, \left(b + a \, x^{-n}\right)^p \, \text{Sinh} \left[c + d \, x\right] \, \text{d} x$$

```
Int[x_^m_.*(a_+b_.*x_^n_)^p_*Sinh[c_.+d_.*x_],x_Symbol] :=
   Int[x^(m+n*p)*(b+a*x^(-n))^p*Sinh[c+d*x],x] /;
FreeQ[{a,b,c,d,m},x] && ILtQ[p,0] && ILtQ[n,0]
```

```
Int[x_^m_.*(a_+b_.*x_^n_)^p_*Cosh[c_.+d_.*x_],x_Symbol] :=
   Int[x^(m+n*p)*(b+a*x^(-n))^p*Cosh[c+d*x],x] /;
FreeQ[{a,b,c,d,m},x] && ILtQ[p,0] && ILtQ[n,0]
```

X: 
$$\int (e x)^m (a + b x^n)^p Sinh[c + d x] dx$$

Rule:

$$\int \left(e\,x\right)^{\,m}\,\left(a+b\,x^{n}\right)^{\,p}\,Sinh\!\left[\,c+d\,x\,\right]\,\mathrm{d}x\,\,\longrightarrow\,\,\int \left(e\,x\right)^{\,m}\,\left(a+b\,x^{n}\right)^{\,p}\,Sinh\!\left[\,c+d\,x\,\right]\,\mathrm{d}x$$

## Program code:

```
Int[(e_.*x_)^m_.*(a_+b_.*x_^n_)^p_.*Sinh[c_.+d_.*x_],x_Symbol] :=
    Unintegrable[(e*x)^m*(a+b*x^n)^p*Sinh[c+d*x],x] /;
FreeQ[{a,b,c,d,e,m,n,p},x]

Int[(e_.*x_)^m_.*(a_+b_.*x_^n_)^p_.*Cosh[c_.+d_.*x_],x_Symbol] :=
    Unintegrable[(e*x)^m*(a+b*x^n)^p*Cosh[c+d*x],x] /;
FreeQ[{a,b,c,d,e,m,n,p},x]
```