Rules for integrands of the form $(c + dx)^m (F^{g (e+fx)})^n (a + b (F^{g (e+fx)})^n)^p$

1.
$$\int (c+dx)^m \left(F^{g(e+fx)}\right)^n \left(a+b\left(F^{g(e+fx)}\right)^n\right)^p dx$$

1:
$$\int \frac{(c + dx)^m (F^{g(e+fx)})^n}{a + b (F^{g(e+fx)})^n} dx \text{ when } m \in \mathbb{Z}^+$$

Derivation: Integration by parts

Basis:
$$\frac{\left(F^{g(e+fx)}\right)^n}{a+b\left(F^{g(e+fx)}\right)^n} = \partial_x \frac{Log\left[1 + \frac{b\left(F^{g(e+fx)}\right)^n}{a}\right]}{b \cdot g \cdot n \cdot Log[F]}$$

Rule: If $m \in \mathbb{Z}^+$, then

$$\int \frac{\left(\texttt{C} + \texttt{d}\,\texttt{x}\right)^m \left(\texttt{F}^{g\,(\texttt{e} + \texttt{f}\,\texttt{x})}\right)^n}{\texttt{a} + \texttt{b} \left(\texttt{F}^{g\,(\texttt{e} + \texttt{f}\,\texttt{x})}\right)^n} \, d\texttt{x} \, \rightarrow \, \frac{\left(\texttt{c} + \texttt{d}\,\texttt{x}\right)^m}{\texttt{b}\,\texttt{f}\,\texttt{g}\,\texttt{n}\,\texttt{Log}[\texttt{F}]} \, \texttt{Log} \Big[1 + \frac{\texttt{b} \left(\texttt{F}^{g\,(\texttt{e} + \texttt{f}\,\texttt{x})}\right)^n}{\texttt{a}} \Big] - \frac{\texttt{d}\,\texttt{m}}{\texttt{b}\,\texttt{f}\,\texttt{g}\,\texttt{n}\,\texttt{Log}[\texttt{F}]} \, \int (\texttt{c} + \texttt{d}\,\texttt{x})^{m-1} \, \texttt{Log} \Big[1 + \frac{\texttt{b} \left(\texttt{F}^{g\,(\texttt{e} + \texttt{f}\,\texttt{x})}\right)^n}{\texttt{a}} \Big] \, d\texttt{x}$$

Program code:

```
 \begin{split} & \text{Int} \big[ \, (\text{c}_{-} + \text{d}_{-} * \text{x}_{-}) \, ^{\text{m}}_{-} * \, (\text{F}_{-} \, (\text{g}_{-} * \, (\text{e}_{-} + \text{f}_{-} * \text{x}_{-})) \, ^{\text{n}}_{-} / \, (\text{a}_{-} + \text{b}_{-} * \, (\text{F}_{-} \, (\text{g}_{-} * \, (\text{e}_{-} + \text{f}_{-} * \text{x}_{-}))) \, ^{\text{n}}_{-}) \, , \text{x\_Symbol} \big] := \\ & (\text{c+d} \times \text{x}) \, ^{\text{m}} / \, (\text{b*f*g*n*Log}[F]) \, \times \text{Log}[1 + \text{b*} \, (\text{F}^{\, (} \, (\text{e+f*x}))) \, ^{\text{n}}_{-}) \big] \\ & \text{d*m} / \, (\text{b*f*g*n*Log}[F]) \, \times \text{Int}[ \, (\text{c+d} \times \text{x}) \, ^{\text{m}}_{-}) \, \times \text{Log}[1 + \text{b*} \, (\text{F}^{\, (} \, (\text{e+f*x}))) \, ^{\text{n}}_{-}) \, , \text{x} \big] \, /; \\ & \text{FreeQ}[\{F, a, b, c, d, e, f, g, n\}, x] \, \& \, \text{IGtQ}[m, 0] \end{split}
```

2:
$$\int (c + dx)^{m} (F^{g(e+fx)})^{n} (a + b (F^{g(e+fx)})^{n})^{p} dx \text{ when } p \neq -1$$

- **Derivation: Integration by parts**
- Basis: $(\mathbf{F}^{g (e+f x)})^n (\mathbf{a} + \mathbf{b} (\mathbf{F}^{g (e+f x)})^n)^p = \partial_x \frac{(\mathbf{a} + \mathbf{b} (\mathbf{F}^{g (e+f x)})^n)^{p+1}}{\mathbf{b} f g n (p+1) \operatorname{Log}[F]}$
- Rule: If $p \neq -1$, then

$$\int (c + dx)^{m} \left(F^{g(e+fx)}\right)^{n} \left(a + b\left(F^{g(e+fx)}\right)^{n}\right)^{p} dx \rightarrow$$

$$\frac{(c + dx)^{m} \left(a + b\left(F^{g(e+fx)}\right)^{n}\right)^{p+1}}{b f g n (p+1) Log[F]} - \frac{dm}{b f g n (p+1) Log[F]} \int (c + dx)^{m-1} \left(a + b\left(F^{g(e+fx)}\right)^{n}\right)^{p+1} dx$$

Program code:

```
Int[(c_.+d_.*x_)^m_.*(F_^(g_.*(e_.+f_.*x_)))^n_.*(a_.+b_.*(F_^(g_.*(e_.+f_.*x_)))^n_.)^p_.,x_Symbol] :=
   (c+d*x)^m*(a+b*(F^(g*(e+f*x)))^n)^(p+1)/(b*f*g*n*(p+1)*Log[F]) -
   d*m/(b*f*g*n*(p+1)*Log[F])*Int[(c+d*x)^(m-1)*(a+b*(F^(g*(e+f*x)))^n)^(p+1),x] /;
FreeQ[{F,a,b,c,d,e,f,g,m,n,p},x] && NeQ[p,-1]
```

X:
$$\int (c + dx)^{m} (F^{g(e+fx)})^{n} (a + b (F^{g(e+fx)})^{n})^{p} dx$$

Rule:

$$\int \left(c+d\,x\right)^{\,m}\,\left(F^{g\,\left(e+f\,x\right)}\right)^{n}\,\left(a+b\,\left(F^{g\,\left(e+f\,x\right)}\right)^{n}\right)^{p}\,dx\;\to\;\int \left(c+d\,x\right)^{\,m}\,\left(F^{g\,\left(e+f\,x\right)}\right)^{n}\,\left(a+b\,\left(F^{g\,\left(e+f\,x\right)}\right)^{n}\right)^{p}\,dx$$

Program code:

```
Int[(c_.+d_.*x_)^m_.*(F_^(g_.*(e_.+f_.*x_)))^n_.*(a_.+b_.*(F_^(g_.*(e_.+f_.*x_)))^n_.)^p_.,x_Symbol] :=
   Unintegrable[(c+d*x)^m*(F^(g*(e+f*x)))^n*(a+b*(F^(g*(e+f*x)))^n)^p,x] /;
FreeQ[{F,a,b,c,d,e,f,g,m,n,p},x]
```

- 2: $\int (c + dx)^m \left(k G^{j(h+ix)}\right)^q \left(a + b \left(F^{g(e+fx)}\right)^n\right)^p dx \text{ when } fgn Log[F] ijq Log[G] == 0$
 - **Derivation: Piecewise constant extraction**
 - Basis: If fgn Log[F] ijq Log[G] == 0, then $\partial_x \frac{\left(k G^{j (h+ix)}\right)^q}{\left(F^{g (e+fx)}\right)^n} == 0$
 - Rule: If fgnLog[F] ijqLog[G] == 0, then

$$\int (c+dx)^m \left(k G^{j (h+ix)}\right)^q \left(a+b \left(F^{g (e+fx)}\right)^n\right)^p dx \ \rightarrow \ \frac{\left(k G^{j (h+ix)}\right)^q}{\left(F^{g (e+fx)}\right)^n} \int (c+dx)^m \left(F^{g (e+fx)}\right)^n \left(a+b \left(F^{g (e+fx)}\right)^n\right)^p dx$$

Program code:

```
Int[(c_.+d_.*x_)^m_.*(k_.*G_^(j_.*(h_.+i_.*x_)))^q_.*(a_.+b_.*(F_^(g_.*(e_.+f_.*x_)))^n_.)^p_.,x_Symbol] :=
   (k*G^(j*(h+i*x)))^q/(F^(g*(e+f*x)))^n*Int[(c+d*x)^m*(F^(g*(e+f*x)))^n*(a+b*(F^(g*(e+f*x)))^n)^p,x] /;
FreeQ[{F,a,b,c,d,e,f,g,h,i,j,k,m,n,p,q},x] && EqQ[f*g*n*Log[F]-i*j*q*Log[G],0] && NeQ[(k*G^(j*(h+i*x)))^q-(F^(g*(e+f*x)))^n,0]
```