## Rules for integrands involving hyperbolic integral functions

1. \int u SinhIntegral [a + b x] dx

- Derivation: Integration by parts
- Rule:

$$\int SinhIntegral[a+bx] dx \ \rightarrow \ \frac{(a+bx) \ SinhIntegral[a+bx]}{b} \ - \ \frac{Cosh[a+bx]}{b}$$

```
Int[SinhIntegral[a_.+b_.*x_],x_Symbol] :=
    (a+b*x)*SinhIntegral[a+b*x]/b - Cosh[a+b*x]/b/;
FreeQ[{a,b},x]

Int[CoshIntegral[a_.+b_.*x_],x_Symbol] :=
    (a+b*x)*CoshIntegral[a+b*x]/b - Sinh[a+b*x]/b /;
FreeQ[{a,b},x]
```

2.  $\int (c + dx)^m SinhIntegral[a + bx] dx$ 

1: 
$$\int \frac{\text{SinhIntegral}[bx]}{x} dx$$

Basis: SinhIntegral  $[z] = -\frac{1}{2}$  (ExpIntegralE[1, -z] - ExpIntegralE[1, z] + Log[-z] - Log[z])

Basis: CoshIntegral  $[z] = -\frac{1}{2}$  (ExpIntegralE[1, -z] + ExpIntegralE[1, z] + Log[-z] - Log[z])

- Rule:

$$\int \frac{\text{SinhIntegral}\left[b\,x\right]}{x}\,dx \rightarrow \\ \frac{1}{-}\,b\,x\,\text{HypergeometricPFQ}[\{1,\,1,\,1\},\,\{2,\,2,\,2\},\,-b\,x] + \frac{1}{-}\,b\,x\,\text{HypergeometricPFQ}[\{1,\,1,\,1\},\,\{2,\,2,\,2\},\,b\,x]}{2}$$

Program code:

FreeQ[b,x]

```
Int[SinhIntegral[b_.*x_]/x_,x_Symbol] :=
    1/2*b*x*HypergeometricPFQ[{1,1,1},{2,2,2},-b*x] +
    1/2*b*x*HypergeometricPFQ[{1,1,1},{2,2,2},b*x] /;
FreeQ[b,x]

Int[CoshIntegral[b_.*x_]/x_,x_Symbol] :=
    -1/2*b*x*HypergeometricPFQ[{1,1,1},{2,2,2},-b*x] +
    1/2*b*x*HypergeometricPFQ[{1,1,1},{2,2,2},b*x] +
    EulerGamma*Log[x] +
    1/2*Log[b*x]^2 /;
```

2:  $\int (c + dx)^m SinhIntegral[a + bx] dx$  when  $m \neq -1$ 

**Derivation: Integration by parts** 

Rule: If  $m \neq -1$ , then

$$\int (c+d\,x)^{\,m}\,SinhIntegral\,[a+b\,x]\,\,dx\,\,\rightarrow\,\,\frac{(c+d\,x)^{\,m+1}\,SinhIntegral\,[a+b\,x]}{d\,(m+1)}\,-\,\frac{b}{d\,(m+1)}\,\int\frac{(c+d\,x)^{\,m+1}\,Sinh\,[a+b\,x]}{a+b\,x}\,\,dx$$

Program code:

```
Int[(c_.+d_.*x_)^m_.*SinhIntegral[a_.+b_.*x_],x_Symbol] :=
    (c+d*x)^(m+1)*SinhIntegral[a+b*x]/(d*(m+1)) -
    b/(d*(m+1))*Int[(c+d*x)^(m+1)*Sinh[a+b*x]/(a+b*x),x] /;
FreeQ[{a,b,c,d,m},x] && NeQ[m,-1]

Int[(c_.+d_.*x_)^m_.*CoshIntegral[a_.+b_.*x_],x_Symbol] :=
    (c+d*x)^(m+1)*CoshIntegral[a+b*x]/(d*(m+1)) -
    b/(d*(m+1))*Int[(c+d*x)^(m+1)*Cosh[a+b*x]/(a+b*x),x] /;
FreeQ[{a,b,c,d,m},x] && NeQ[m,-1]
```

2.  $\int u \, SinhIntegral [a + b x]^2 \, dx$ 

1:  $\int SinhIntegral[a+bx]^2 dx$ 

**Derivation: Integration by parts** 

Rule:

$$\int SinhIntegral[a+bx]^2 dx \rightarrow \frac{(a+bx) SinhIntegral[a+bx]^2}{b} - 2 \int Sinh[a+bx] SinhIntegral[a+bx] dx$$

```
Int[SinhIntegral[a_.+b_.*x_]^2,x_Symbol] :=
   (a+b*x)*SinhIntegral[a+b*x]^2/b -
   2*Int[Sinh[a+b*x]*SinhIntegral[a+b*x],x] /;
FreeQ[{a,b},x]
```

```
Int[CoshIntegral[a_.+b_.*x_]^2,x_Symbol] :=
   (a+b*x)*CoshIntegral[a+b*x]^2/b -
   2*Int[Cosh[a+b*x]*CoshIntegral[a+b*x],x] /;
FreeQ[{a,b},x]
```

- 2.  $\int (c + dx)^m SinhIntegral[a + bx]^2 dx$ 
  - 1:  $\int \mathbf{x}^{m} \operatorname{SinhIntegral}[\mathbf{b} \, \mathbf{x}]^{2} \, d\mathbf{x}$  when  $m \in \mathbb{Z}^{+}$

Rule: If  $m \in \mathbb{Z}^+$ , then

$$\int x^{m} SinhIntegral[b x]^{2} dx \rightarrow \frac{x^{m+1} SinhIntegral[b x]^{2}}{m+1} - \frac{2}{m+1} \int x^{m} Sinh[b x] SinhIntegral[b x] dx$$

Program code:

```
Int[x_^m_.*SinhIntegral[b_.*x_]^2,x_Symbol] :=
    x^(m+1)*SinhIntegral[b*x]^2/(m+1) -
    2/(m+1)*Int[x^m*Sinh[b*x]*SinhIntegral[b*x],x] /;
FreeQ[b,x] && IGtQ[m,0]

Int[x_^m_.*CoshIntegral[b_.*x_]^2,x_Symbol] :=
    x^(m+1)*CoshIntegral[b*x]^2/(m+1) -
    2/(m+1)*Int[x^m*Cosh[b*x]*CoshIntegral[b*x],x] /;
FreeQ[b,x] && IGtQ[m,0]
```

2: 
$$\int (c + dx)^m SinhIntegral[a + bx]^2 dx$$
 when  $m \in \mathbb{Z}^+$ 

**Derivation: Iterated integration by parts** 

Rule: If  $m \in \mathbb{Z}^+$ , then

$$\int (c+dx)^{m} \sinh [ntegral[a+bx]^{2} dx \rightarrow \frac{(a+bx) (c+dx)^{m} \sinh [ntegral[a+bx]^{2}}{b (m+1)}$$

 $\frac{2}{m+1} \int (c+dx)^m \sinh[a+bx] \sinh[ntegral[a+bx] dx + \frac{(bc-ad)m}{b(m+1)} \int (c+dx)^{m-1} \sinh[ntegral[a+bx]^2 dx$ 

Program code:

```
Int[(c_.+d_.*x__)^m_.*SinhIntegral[a_+b_.*x__]^2,x_Symbol] :=
    (a+b*x)*(c+d*x)^m*SinhIntegral[a+b*x]^2/(b*(m+1)) -
    2/(m+1)*Int[(c+d*x)^m*Sinh[a+b*x]*SinhIntegral[a+b*x],x] +
    (b*c-a*d)*m/(b*(m+1))*Int[(c+d*x)^(m-1)*SinhIntegral[a+b*x]^2,x] /;
FreeQ[{a,b,c,d},x] && IGtQ[m,0]

Int[(c_.+d_.*x__)^m_.*CoshIntegral[a_+b_.*x__]^2,x_Symbol] :=
    (a+b*x)*(c+d*x)^m*CoshIntegral[a+b*x]^2/(b*(m+1)) -
    2/(m+1)*Int[(c+d*x)^m*Cosh[a+b*x]*CoshIntegral[a+b*x],x] +
```

**x**:  $\int \mathbf{x}^m \text{ SinhIntegral}[\mathbf{a} + \mathbf{b} \cdot \mathbf{x}]^2 d\mathbf{x}$  when  $m + 2 \in \mathbb{Z}^-$ 

 $(b*c-a*d)*m/(b*(m+1))*Int[(c+d*x)^(m-1)*CoshIntegral[a+b*x]^2,x]/;$ 

**Derivation: Inverted integration by parts** 

 $FreeQ[{a,b,c,d},x] \&\& IGtQ[m,0]$ 

Rule: If  $m + 2 \in \mathbb{Z}^-$ , then

$$\int x^m \, \text{SinhIntegral} \left[ a + b \, x \right]^2 \, dx \, \rightarrow \, \frac{b \, x^{m+2} \, \text{SinhIntegral} \left[ a + b \, x \right]^2}{a \, \left( m + 1 \right)} + \frac{x^{m+1} \, \text{SinhIntegral} \left[ a + b \, x \right]^2}{m+1} - \\ \frac{2 \, b}{a \, \left( m + 1 \right)} \, \int x^{m+1} \, \text{Sinh} \left[ a + b \, x \right] \, \text{SinhIntegral} \left[ a + b \, x \right] \, dx - \frac{b \, \left( m + 2 \right)}{a \, \left( m + 1 \right)} \, \int x^{m+1} \, \text{SinhIntegral} \left[ a + b \, x \right]^2 \, dx$$

```
(* Int[x_^m_.*SinhIntegral[a_+b_.*x_]^2,x_Symbol] :=
b*x^(m+2)*SinhIntegral[a+b*x]^2/(a*(m+1)) +
x^(m+1)*SinhIntegral[a+b*x]^2/(m+1) -
2*b/(a*(m+1))*Int[x^(m+1)*Sinh[a+b*x]*SinhIntegral[a+b*x],x] -
b*(m+2)/(a*(m+1))*Int[x^(m+1)*SinhIntegral[a+b*x]^2,x] /;
FreeQ[{a,b},x] && ILtQ[m,-2] *)
```

```
(* Int[x_^m_.*CoshIntegral[a_+b_.*x_]^2,x_Symbol] :=
b*x^(m+2)*CoshIntegral[a+b*x]^2/(a*(m+1)) +
    x^(m+1)*CoshIntegral[a+b*x]^2/(m+1) -
    2*b/(a*(m+1))*Int[x^(m+1)*Cosh[a+b*x]*CoshIntegral[a+b*x],x] -
    b*(m+2)/(a*(m+1))*Int[x^(m+1)*CoshIntegral[a+b*x]^2,x] /;
FreeQ[{a,b},x] && ILtQ[m,-2] *)
```

- 3. u Sinh[a + b x] SinhIntegral[c + d x] dx
  - 1: Sinh[a + b x] SinhIntegral[c + d x] dx

Rule:

$$\int Sinh[a+b\,x] \, SinhIntegral[c+d\,x] \, dx \, \rightarrow \, \frac{Cosh[a+b\,x] \, SinhIntegral[c+d\,x]}{b} - \frac{d}{b} \int \frac{Cosh[a+b\,x] \, Sinh[c+d\,x]}{c+d\,x} \, dx$$

**Program code:** 

```
Int[Sinh[a_.+b_.*x_]*SinhIntegral[c_.+d_.*x_],x_Symbol] :=
   Cosh[a+b*x]*SinhIntegral[c+d*x]/b -
   d/b*Int[Cosh[a+b*x]*Sinh[c+d*x]/(c+d*x),x] /;
FreeQ[{a,b,c,d},x]

Int[Cosh[a_.+b_.*x_]*CoshIntegral[c_.+d_.*x_],x_Symbol] :=
   Sinh[a+b*x]*CoshIntegral[c+d*x]/b -
   d/b*Int[Sinh[a+b*x]*Cosh[c+d*x]/(c+d*x),x] /;
FreeQ[{a,b,c,d},x]
```

- 2.  $\int (e + f x)^m \sinh[a + b x] \sinh[ntegral[c + d x] dx$ 
  - 1:  $\int (e + f x)^m \sinh[a + b x] \sinh[ntegral[c + d x] dx$  when  $m \in \mathbb{Z}^+$

**Derivation: Integration by parts** 

Rule: If  $m \in \mathbb{Z}^+$ , then

$$\int (e + f x)^{m} \sinh[a + b x] \sinh[ntegral[c + d x] dx \rightarrow$$

$$\frac{\left(\texttt{e}+\texttt{f}\,\texttt{x}\right)^\texttt{m}\,\texttt{Cosh}[\texttt{a}+\texttt{b}\,\texttt{x}]\,\,\texttt{SinhIntegral}\,[\texttt{c}+\texttt{d}\,\texttt{x}]}{\texttt{b}} - \\ \frac{\texttt{d}}{\texttt{b}}\int \frac{\left(\texttt{e}+\texttt{f}\,\texttt{x}\right)^\texttt{m}\,\texttt{Cosh}[\texttt{a}+\texttt{b}\,\texttt{x}]\,\,\texttt{Sinh}[\texttt{c}+\texttt{d}\,\texttt{x}]}{\texttt{c}+\texttt{d}\,\texttt{x}}\,\,\texttt{d}\texttt{x} - \frac{\texttt{f}\,\texttt{m}}{\texttt{b}}\int \left(\texttt{e}+\texttt{f}\,\texttt{x}\right)^\texttt{m-1}\,\,\texttt{Cosh}\,[\texttt{a}+\texttt{b}\,\texttt{x}]\,\,\texttt{SinhIntegral}\,[\texttt{c}+\texttt{d}\,\texttt{x}]\,\,\texttt{d}\texttt{x}}{\texttt{c}+\texttt{d}\,\texttt{x}}$$

Program code:

```
Int[(e_.+f_.*x_)^m_.*Sinh[a_.+b_.*x_]*SinhIntegral[c_.+d_.*x_],x_Symbol] :=
    (e+f*x)^m*Cosh[a+b*x]*SinhIntegral[c+d*x]/b -
    d/b*Int[(e+f*x)^m*Cosh[a+b*x]*Sinh[c+d*x]/(c+d*x),x] -
    f*m/b*Int[(e+f*x)^(m-1)*Cosh[a+b*x]*SinhIntegral[c+d*x],x] /;
FreeQ[{a,b,c,d,e,f},x] && IGtQ[m,0]

Int[(e_.+f_.*x_)^m_.*Cosh[a_.+b_.*x_]*CoshIntegral[c_.+d_.*x_],x_Symbol] :=
    (e+f*x)^m*Sinh[a+b*x]*CoshIntegral[c+d*x]/b -
    d/b*Int[(e+f*x)^m*Sinh[a+b*x]*Cosh[c+d*x]/(c+d*x),x] -
    f*m/b*Int[(e+f*x)^m*Sinh[a+b*x]*CoshIntegral[c+d*x],x] /;
FreeQ[{a,b,c,d,e,f},x] && IGtQ[m,0]
```

2:  $\int (e + f x)^m Sinh[a + b x] SinhIntegral[c + d x] dx when m + 1 \in \mathbb{Z}^-$ 

**Derivation: Inverted integration by parts** 

Rule: If  $m + 1 \in \mathbb{Z}^-$ , then

$$\int (e+f\,x)^m \, Sinh[a+b\,x] \, SinhIntegral[c+d\,x] \, dx \, \rightarrow \\ \frac{(e+f\,x)^{m+1} \, Sinh[a+b\,x] \, SinhIntegral[c+d\,x]}{f\,(m+1)} \, - \\ \frac{d}{f\,(m+1)} \int \frac{(e+f\,x)^{m+1} \, Sinh[a+b\,x] \, Sinh[c+d\,x]}{c+d\,x} \, dx \, - \frac{b}{f\,(m+1)} \int (e+f\,x)^{m+1} \, Cosh[a+b\,x] \, SinhIntegral[c+d\,x] \, dx }$$

```
Int[(e_.+f_.*x_)^m_*Sinh[a_.+b_.*x_]*SinhIntegral[c_.+d_.*x_],x_Symbol] :=
    (e+f*x)^(m+1)*Sinh[a+b*x]*SinhIntegral[c+d*x]/(f*(m+1)) -
    d/(f*(m+1))*Int[(e+f*x)^(m+1)*Sinh[a+b*x]*Sinh[c+d*x]/(c+d*x),x] -
    b/(f*(m+1))*Int[(e+f*x)^(m+1)*Cosh[a+b*x]*SinhIntegral[c+d*x],x] /;
FreeQ[{a,b,c,d,e,f},x] && ILtQ[m,-1]
```

```
Int[(e_.+f_.*x_)^m_.*Cosh[a_.+b_.*x_]*CoshIntegral[c_.+d_.*x_],x_Symbol] :=
    (e+f*x)^(m+1)*Cosh[a+b*x]*CoshIntegral[c+d*x]/(f*(m+1)) -
    d/(f*(m+1))*Int[(e+f*x)^(m+1)*Cosh[a+b*x]*Cosh[c+d*x]/(c+d*x),x] -
    b/(f*(m+1))*Int[(e+f*x)^(m+1)*Sinh[a+b*x]*CoshIntegral[c+d*x],x] /;
FreeQ[{a,b,c,d,e,f},x] && ILtQ[m,-1]
```

- 4. | u Cosh[a + b x] SinhIntegral[c + d x] dx
  - 1: Cosh[a + b x] SinhIntegral[c + d x] dx

Rule:

Program code:

```
Int[Cosh[a_.+b_.*x_]*SinhIntegral[c_.+d_.*x_],x_Symbol] :=
   Sinh[a+b*x]*SinhIntegral[c+d*x]/b -
   d/b*Int[Sinh[a+b*x]*Sinh[c+d*x]/(c+d*x),x] /;
FreeQ[{a,b,c,d},x]

Int[Sinh[a_.+b_.*x_]*CoshIntegral[c_.+d_.*x_],x_Symbol] :=
   Cosh[a+b*x]*CoshIntegral[c+d*x]/b -
   d/b*Int[Cosh[a+b*x]*Cosh[c+d*x]/(c+d*x),x] /;
FreeQ[{a,b,c,d},x]
```

- 2.  $\int (e + f x)^m Cosh[a + b x] SinhIntegral[c + d x] dx$ 
  - 1:  $\int (e + f x)^m Cosh[a + b x] SinhIntegral[c + d x] dx \text{ when } m \in \mathbb{Z}^+$

**Derivation: Integration by parts** 

Rule: If  $m \in \mathbb{Z}^+$ , then

$$\int (e + f x)^m Cosh[a + b x] SinhIntegral[c + d x] dx \rightarrow$$

$$\frac{\left(\texttt{e}+\texttt{f}\,\texttt{x}\right)^{\texttt{m}}\,\texttt{Sinh}[\texttt{a}+\texttt{b}\,\texttt{x}]\,\,\texttt{SinhIntegral}\,[\texttt{c}+\texttt{d}\,\texttt{x}]}{\texttt{b}} - \\ \frac{\texttt{d}}{\texttt{b}}\int \frac{\left(\texttt{e}+\texttt{f}\,\texttt{x}\right)^{\texttt{m}}\,\texttt{Sinh}[\texttt{a}+\texttt{b}\,\texttt{x}]\,\,\texttt{Sinh}[\texttt{c}+\texttt{d}\,\texttt{x}]}{\texttt{c}+\texttt{d}\,\texttt{x}}\,\,\texttt{d}\texttt{x} - \frac{\texttt{f}\,\texttt{m}}{\texttt{b}}\int \left(\texttt{e}+\texttt{f}\,\texttt{x}\right)^{\texttt{m}-1}\,\,\texttt{Sinh}[\texttt{a}+\texttt{b}\,\texttt{x}]\,\,\texttt{SinhIntegral}\,[\texttt{c}+\texttt{d}\,\texttt{x}]\,\,\texttt{d}\texttt{x}}{\texttt{c}+\texttt{d}\,\texttt{x}}$$

Program code:

```
Int[(e_.+f_.*x_)^m_.*Cosh[a_.+b_.*x_]*SinhIntegral[c_.+d_.*x_],x_Symbol] :=
    (e+f*x)^m*Sinh[a+b*x]*SinhIntegral[c+d*x]/b -
    d/b*Int[(e+f*x)^m*Sinh[a+b*x]*Sinh[c+d*x]/(c+d*x),x] -
    f*m/b*Int[(e+f*x)^(m-1)*Sinh[a+b*x]*SinhIntegral[c+d*x],x] /;
FreeQ[{a,b,c,d,e,f},x] && IGtQ[m,0]

Int[(e_.+f_.*x_)^m_.*Sinh[a_.+b_.*x_]*CoshIntegral[c_.+d_.*x_],x_Symbol] :=
    (e+f*x)^m*Cosh[a+b*x]*CoshIntegral[c+d*x]/b -
    d/b*Int[(e+f*x)^m*Cosh[a+b*x]*Cosh[c+d*x]/(c+d*x),x] -
    f*m/b*Int[(e+f*x)^m*Cosh[a+b*x]*CoshIntegral[c+d*x],x] /;
FreeQ[{a,b,c,d,e,f},x] && IGtQ[m,0]
```

2:  $\int (e + f x)^m Cosh[a + b x] SinhIntegral[c + d x] dx when m + 1 \in \mathbb{Z}^-$ 

**Derivation: Inverted integration by parts** 

Rule: If  $m + 1 \in \mathbb{Z}^-$ , then

$$\int (e+fx)^m Cosh[a+bx] SinhIntegral[c+dx] dx \rightarrow \\ \frac{(e+fx)^{m+1} Cosh[a+bx] SinhIntegral[c+dx]}{f(m+1)} - \\ \frac{d}{f(m+1)} \int \frac{(e+fx)^{m+1} Cosh[a+bx] Sinh[c+dx]}{c+dx} dx - \frac{b}{f(m+1)} \int (e+fx)^{m+1} Sinh[a+bx] SinhIntegral[c+dx] dx}$$

```
Int[(e_.+f_.*x_)^m_.*Cosh[a_.+b_.*x_]*SinhIntegral[c_.+d_.*x_],x_Symbol] :=
    (e+f*x)^(m+1)*Cosh[a+b*x]*SinhIntegral[c+d*x]/(f*(m+1)) =
    d/(f*(m+1))*Int[(e+f*x)^(m+1)*Cosh[a+b*x]*Sinh[c+d*x]/(c+d*x),x] =
    b/(f*(m+1))*Int[(e+f*x)^(m+1)*Sinh[a+b*x]*SinhIntegral[c+d*x],x] /;
FreeQ[{a,b,c,d,e,f},x] && ILtQ[m,-1]
```

```
Int[(e_.+f_.*x_)^m_*Sinh[a_.+b_.*x_]*CoshIntegral[c_.+d_.*x_],x_Symbol] :=
    (e+f*x)^(m+1)*Sinh[a+b*x]*CoshIntegral[c+d*x]/(f*(m+1)) -
    d/(f*(m+1))*Int[(e+f*x)^(m+1)*Sinh[a+b*x]*Cosh[c+d*x]/(c+d*x),x] -
    b/(f*(m+1))*Int[(e+f*x)^(m+1)*Cosh[a+b*x]*CoshIntegral[c+d*x],x] /;
FreeQ[{a,b,c,d,e,f},x] && ILtQ[m,-1]
```

- 5.  $\left[u \text{ SinhIntegral}[d (a + b \text{Log}[c x^n])] dx\right]$ 
  - 1:  $\int SinhIntegral[d(a+bLog[cx^n])] dx$

Basis:  $\partial_x$  SinhIntegral [d (a + b Log[c  $x^n$ ])] =  $\frac{b d n \sinh[d (a+b Log[c x^n])]}{x (d (a+b Log[c x^n]))}$ 

Rule: If  $m \neq -1$ , then

$$\int SinhIntegral[d (a+bLog[c x^n])] dx \rightarrow x SinhIntegral[d (a+bLog[c x^n])] - b dn \int \frac{Sinh[d (a+bLog[c x^n])]}{d (a+bLog[c x^n])} dx$$

```
Int[SinhIntegral[d_.*(a_.+b_.*Log[c_.*x_^n_.])],x_Symbol] :=
    x*SinhIntegral[d*(a+b*Log[c*x^n])] - b*d*n*Int[Sinh[d*(a+b*Log[c*x^n])]/(d*(a+b*Log[c*x^n])),x] /;
FreeQ[{a,b,c,d,n},x]

Int[CoshIntegral[d_.*(a_.+b_.*Log[c_.*x_^n_.])],x_Symbol] :=
    x*CoshIntegral[d*(a+b*Log[c*x^n])] - b*d*n*Int[Cosh[d*(a+b*Log[c*x^n])]/(d*(a+b*Log[c*x^n])),x] /;
FreeQ[{a,b,c,d,n},x]
```

```
2: \int \frac{\text{SinhIntegral}[d (a + b \text{Log}[c x^n])]}{x} dx
```

**Derivation: Integration by substitution** 

- Basis:  $\frac{F[\log[cx^n]]}{x} = \frac{1}{n} \text{ Subst}[F[x], x, Log[cx^n]] \partial_x Log[cx^n]$
- Rule:

$$\int \frac{\text{SinhIntegral}[d (a + b \text{Log}[c x^n])]}{x} dx \rightarrow \frac{1}{n} \text{Subst}[\text{SinhIntegral}[d (a + b x)], x, \text{Log}[c x^n]]}$$

Program code:

```
Int[F_[d_.*(a_.+b_.*Log[c_.*x_^n_.])]/x_,x_Symbol] :=
    1/n*Subst[F[d*(a+b*x)],x,Log[c*x^n]] /;
FreeQ[{a,b,c,d,n},x] && MemberQ[{SinhIntegral,CoshIntegral},x]
```

- 3:  $\int (e x)^m SinhIntegral[d (a + b Log[c x^n])] dx$  when  $m \neq -1$
- **Derivation: Integration by parts**
- Basis:  $\partial_{\mathbf{x}} \text{SinhIntegral} [d (a + b \text{Log} [c \mathbf{x}^n])] = \frac{b d n \text{Sinh} [d (a + b \text{Log} [c \mathbf{x}^n])]}{\mathbf{x} (d (a + b \text{Log} [c \mathbf{x}^n]))}$
- Rule: If  $m \neq -1$ , then

$$\int (e\,x)^{\,m}\, \text{SinhIntegral}\,[d\,\,(a+b\,\text{Log}\,[c\,x^n]\,)\,]\,\,dx\,\,\rightarrow\,\,\frac{(e\,x)^{\,m+1}\,\,\text{SinhIntegral}\,[d\,\,(a+b\,\text{Log}\,[c\,x^n]\,)\,]}{e\,\,(m+1)}\,-\,\frac{b\,d\,n}{m+1}\,\int \frac{(e\,x)^{\,m}\,\,\text{Sinh}\,[d\,\,(a+b\,\text{Log}\,[c\,x^n]\,)\,]}{d\,\,(a+b\,\text{Log}\,[c\,x^n]\,)}\,\,dx$$

```
Int[(e_.*x_)^m_.*SinhIntegral[d_.*(a_.+b_.*Log[c_.*x_^n_.])],x_Symbol] :=
    (e*x)^(m+1)*SinhIntegral[d*(a+b*Log[c*x^n])]/(e*(m+1)) -
    b*d*n/(m+1)*Int[(e*x)^m*Sinh[d*(a+b*Log[c*x^n])]/(d*(a+b*Log[c*x^n])),x] /;
FreeQ[{a,b,c,d,e,m,n},x] && NeQ[m,-1]
```

```
Int[(e_.*x_)^m_.*CoshIntegral[d_.*(a_.+b_.*Log[c_.*x_^n_.])],x_Symbol] :=
    (e*x)^(m+1)*CoshIntegral[d*(a+b*Log[c*x^n])]/(e*(m+1)) -
    b*d*n/(m+1)*Int[(e*x)^m*Cosh[d*(a+b*Log[c*x^n])]/(d*(a+b*Log[c*x^n])),x] /;
FreeQ[{a,b,c,d,e,m,n},x] && NeQ[m,-1]
```