```
Last login: Tue Mar 31 23:14:09 on ttys000
Run-Mac:~ mac$ cd ~/.ssh
Run-Mac:.ssh mac$ ssh -i "Runzhe.pem" ubuntu@ec2-3-228-10-241.compute-1.amazonaws.com
Welcome to Ubuntu 18.04.3 LTS (GNU/Linux 4.15.0-1060-aws x86_64)
 * Documentation: https://help.ubuntu.com
 * Management:
                   https://landscape.canonical.com
 * Support:
                   https://ubuntu.com/advantage
 System information disabled due to load higher than 16.0
 * Kubernetes 1.18 GA is now available! See https://microk8s.io for docs or
   install it with:
     sudo snap install microk8s --channel=1.18 --classic
 * Multipass 1.1 adds proxy support for developers behind enterprise
   firewalls. Rapid prototyping for cloud operations just got easier.
     https://multipass.run/
 * Canonical Livepatch is available for installation.
     Reduce system reboots and improve kernel security. Activate at:
     https://ubuntu.com/livepatch
53 packages can be updated.
0 updates are security updates.
*** System restart required ***
Last login: Wed Apr 1 03:14:14 2020 from 107.13.161.147
ubuntu@ip-172-31-14-85:~$ export openblas_num_threads=1; export OMP_NUM_THREADS=1; python EC2.py
00:22, 04/01; num of cores:16
Basic setting: [T, sd_0, sd_D, sd_R, sd_u_0, w_0, w_A, simple, M_in_R, u_0_u_D, mean_reversion, pois0] = [None, 5, 5, None, 0.2, 1, 1, False, True, 0, False, False]
[pattern\_seed, sd\_OD] = [0, 5]
max(u_0) = 156.6
0_threshold = 80
means of Order:
141.6 107.8 121.0 155.7 144.5
81.8 120.3 96.5 97.5 108.0
102.4 133.1 115.8 101.9 108.7
106.3 134.1 95.5 105.9 83.9
59.7 113.4 118.3 85.8 156.6
target policy:
1 1 1 1 1
1 1 1 1 1
1 1 1 1 1
1 1 1 1 1
0 1 1 1 1
number of reward locations: 24
0_{threshold} = 90
target policy:
1 1 1 1 1
0 1 1 1 1
1 1 1 1 1
1 1 1 1 0
```

```
0 1 1 0 1
number of reward locations: 21
0_threshold = 100
target policy:
1 1 1 1 1
0 1 0 0 1
1 1 1 1 1
1 1 0 1 0
0 1 1 0 1
number of reward locations: 18
0 \text{ threshold} = 110
target policy:
1 0 1 1 1
0 1 0 0 0
0 1 1 0 0
0 1 0 0 0
0 1 1 0 1
number of reward locations: 11
0_{threshold} = 120
target policy:
1 0 1 1 1
0 1 0 0 0
0 1 0 0 0
0 1 0 0 0
00001
number of reward locations: 8
1 -th target; 2 -th target; 3 -th target; 4 -th target; 5 -th target; one rep DONE
1 -th target; 2 -th target; 3 -th target; 4 -th target; 5 -th target; one rep DONE
Value of Behaviour policy:79.148
0_{threshold} = 80
MC for this TARGET: [88.794, 0.146]
   [DR/QV/IS]; [DR/QV/IS]_NO_MARL; [DR/QV/IS]_NO_MF; [V_behav]
bias:[[-1.98, -2.17, -0.38]][[0.22, 0.08, -0.28]][[-88.79, -88.79, -88.79]][-9.65]
std:[[0.23, 0.23, 0.44]][[0.31, 0.3, 0.23]][[0.0, 0.0, 0.0]][0.06]
MSE:[[1.99, 2.18, 0.58]][[0.38, 0.31, 0.36]][[88.79, 88.79, 88.79]][9.65]
\mathsf{MSE}(-\mathsf{DR}) : [[0.0,\ 0.19,\ -1.41]][[-1.61,\ -1.68,\ -1.63]][[86.8,\ 86.8,\ 86.8]][7.66]
=========
0 \text{ threshold} = 90
MC for this TARGET: [87.319, 0.145]
   [DR/QV/IS]; [DR/QV/IS]_NO_MARL; [DR/QV/IS]_NO_MF; [V_behav]
bias:[[-1.04, -1.25, -0.46]][[1.34, 1.14, 0.67]][[-87.32, -87.32, -87.32]][-8.17]
std:[[0.29, 0.29, 0.35]][[0.52, 0.5, 0.41]][[0.0, 0.0, 0.0]][0.06]
MSE:[[1.08, 1.28, 0.58]][[1.44, 1.24, 0.79]][[87.32, 87.32, 87.32]][8.17]
MSE(-DR):[[0.0, 0.2, -0.5]][[0.36, 0.16, -0.29]][[86.24, 86.24, 86.24]][7.09]
MC-based ATE = -1.47
   [DR/QV/IS]; [DR/QV/IS]_NO_MARL; [DR/QV/IS]_NO_MF; [V_behav]
bias:[[0.94, 0.92, -0.09]][[1.11, 1.06, 0.95]][[1.47, 1.47, 1.47]][1.47]
std:[[0.06, 0.06, 0.08]][[0.2, 0.2, 0.19]][[0.0, 0.0, 0.0]][0.0]
MSE:[[0.94, 0.92, 0.12]][[1.13, 1.08, 0.97]][[1.47, 1.47, 1.47]][1.47]
MSE(-DR):[[0.0, -0.02, -0.82]][[0.19, 0.14, 0.03]][[0.53, 0.53, 0.53]][0.53]
=========
```

```
MC for this TARGET: [91.564, 0.144]
   [DR/QV/IS]; [DR/QV/IS]_NO_MARL; [DR/QV/IS]_NO_MF; [V_behav]
\texttt{bias:}[[-2.98, -3.24, -4.38]][[-1.45, -1.72, -2.59]][[-91.56, -91.56, -91.56]][-12.42]
std:[[0.06, 0.09, 0.13]][[0.47, 0.47, 0.41]][[0.0, 0.0, 0.0]][0.06]
MSE:[[2.98, 3.24, 4.38]][[1.52, 1.78, 2.62]][[91.56, 91.56, 91.56]][12.42]
MSE(-DR):[[0.0, 0.26, 1.4]][[-1.46, -1.2, -0.36]][[88.58, 88.58, 88.58]][9.44]
MC-based ATE = 2.77
   [DR/QV/IS]; [DR/QV/IS]_NO_MARL; [DR/QV/IS]_NO_MF; [V_behav]
bias:[[-1.0, -1.07, -4.0]][[-1.68, -1.8, -2.31]][[-2.77, -2.77, -2.77]][-2.77]
std:[[0.17, 0.13, 0.31]][[0.15, 0.17, 0.18]][[0.0, 0.0, 0.0]][0.0]
MSE:[[1.01, 1.08, 4.01]][[1.69, 1.81, 2.32]][[2.77, 2.77, 2.77]][2.77]
MSE(-DR):[[0.0, 0.07, 3.0]][[0.68, 0.8, 1.31]][[1.76, 1.76, 1.76]][1.76]
0 \text{ threshold} = 110
MC for this TARGET: [88.696, 0.145]
   [DR/QV/IS]; [DR/QV/IS]_NO_MARL; [DR/QV/IS]_NO_MF; [V_behav]
\texttt{bias:}[[-3.27, -3.5, -3.57]][[-2.9, -3.1, -4.25]][[-88.7, -88.7, -88.7]][-9.55]
std:[[0.04, 0.07, 0.03]][[0.19, 0.17, 0.22]][[0.0, 0.0, 0.0]][0.06]
MSE:[[3.27, 3.5, 3.57]][[2.91, 3.1, 4.26]][[88.7, 88.7, 88.7]][9.55]
MSE(-DR):[[0.0, 0.23, 0.3]][[-0.36, -0.17, 0.99]][[85.43, 85.43, 85.43]][6.28]
MC-based ATE = -0.1
   [DR/QV/IS]; [DR/QV/IS]\_NO\_MARL; [DR/QV/IS]\_NO\_MF; [V\_behav]
bias:[[-1.3, -1.33, -3.19]][[-3.12, -3.18, -3.97]][[0.1, 0.1, 0.1]][0.1]
std:[[0.26, 0.29, 0.46]][[0.13, 0.12, 0.01]][[0.0, 0.0, 0.0]][0.0]
MSE:[[1.33, 1.36, 3.22]][[3.12, 3.18, 3.97]][[0.1, 0.1, 0.1]][0.1]
MSE(-DR): [[0.0, 0.03, 1.89]][[1.79, 1.85, 2.64]][[-1.23, -1.23, -1.23]][-1.23]
*
=========
0_{threshold} = 120
MC for this TARGET: [90.808, 0.145]
   [DR/QV/IS]; [DR/QV/IS]_NO_MARL; [DR/QV/IS]_NO_MF; [V_behav]
MSE:[[8.71, 8.89, 8.04]][[7.69, 7.88, 9.03]][[90.81, 90.81, 90.81]][11.66]
\mathsf{MSE}(-\mathsf{DR}) \colon [[0.0,\ 0.18,\ -0.67]] \, [[-1.02,\ -0.83,\ 0.32]] \, [[82.1,\ 82.1,\ 82.1]] \, [2.95]
MC-based ATE = 2.01
   [DR/QV/IS]; [DR/QV/IS]_NO_MARL; [DR/QV/IS]_NO_MF; [V_behav]
\texttt{bias:}[[-6.7, -6.69, -7.65]][[-7.9, -7.95, -8.74]][[-2.01, -2.01, -2.01]][-2.01]
std:[[0.97, 0.98, 0.89]][[0.0, 0.03, 0.14]][[0.0, 0.0, 0.0]][0.0]
MSE:[[6.77, 6.76, 7.7]][[7.9, 7.95, 8.74]][[2.01, 2.01, 2.01]][2.01]
\mathsf{MSE}(-\mathsf{DR}) \colon [[0.0, -0.01, 0.93]] \, [[1.13, 1.18, 1.97]] \, [[-4.76, -4.76, -4.76]] \, [-4.76]
==========
[[ 1.99  2.18  0.58  0.38  0.31  0.36  88.79  88.79  88.79  9.65]
 [ 1.08 1.28 0.58 1.44 1.24 0.79 87.32 87.32 87.32 8.17]
 [ 2.98 3.24 4.38 1.52 1.78 2.62 91.56 91.56 91.56 12.42]
                3.57
                       2.91 3.1
                                     4.26 88.7 88.7 88.7
 [ 3.27 3.5
 [8.71 8.89 8.04 7.69 7.88 9.03 90.81 90.81 90.81 11.66]]
time spent until now: 6.0 mins
[pattern_seed, sd_OD] = [0, 5]
max(u_0) = 156.6
0_{threshold} = 80
means of Order:
141.6 107.8 121.0 155.7 144.5
81.8 120.3 96.5 97.5 108.0
102.4 133.1 115.8 101.9 108.7
106.3 134.1 95.5 105.9 83.9
59.7 113.4 118.3 85.8 156.6
target policy:
```

 $0_{threshold} = 100$

```
1 1 1 1 1
1 1 1 1 1
1 1 1 1 1
1 1 1 1 1
0 1 1 1 1
number of reward locations: 24
0_{threshold} = 90
target policy:
1 1 1 1 1
0 1 1 1 1
1 1 1 1 1
1 1 1 1 0
0 1 1 0 1
number of reward locations: 21
0_threshold = 100
target policy:
1 1 1 1 1
0 1 0 0 1
1 1 1 1 1
1 1 0 1 0
0 1 1 0 1
number of reward locations: 18
0_threshold = 110
target policy:
1 0 1 1 1
0 1 0 0 0
0 1 1 0 0
0 1 0 0 0
0 1 1 0 1
number of reward locations: 11
0_{threshold} = 120
target policy:
1 0 1 1 1
0 1 0 0 0
0 1 0 0 0
0 1 0 0 0
0 0 0 0 1
number of reward locations: 8
1 -th target; 2 -th target; 3 -th target; 4 -th target; 5 -th target; one rep DONE 1 -th target; 2 -th target; 3 -th target; 4 -th target; 5 -th target; one rep DONE
Value of Behaviour policy:79.148
0_{threshold} = 80
MC for this TARGET: [88.794, 0.146]
   [DR/QV/IS]; [DR/QV/IS]_NO_MARL; [DR/QV/IS]_NO_MF; [V_behav]
bias:[[-1.96, -2.17, -0.36]][[0.25, 0.08, -0.24]][[-88.79, -88.79, -88.79]][-9.65]
std:[[0.22, 0.23, 0.4]][[0.31, 0.3, 0.22]][[0.0, 0.0, 0.0]][0.06]
```

```
MSE:[[1.97, 2.18, 0.54]][[0.4, 0.31, 0.33]][[88.79, 88.79, 88.79]][9.65]
\mathsf{MSE}(-\mathsf{DR}) \colon [[0.0,\ 0.21,\ -1.43]] \, [[-1.57,\ -1.66,\ -1.64]] \, [[86.82,\ 86.82,\ 86.82]] \, [7.68]
==========
0_{threshold} = 90
MC for this TARGET: [87.319, 0.145]
    [DR/QV/IS]; [DR/QV/IS]_NO_MARL; [DR/QV/IS]_NO_MF; [V_behav]
bias:[[-1.03, -1.25, -0.51]][[1.3, 1.14, 0.61]][[-87.32, -87.32, -87.32]][-8.17]
std:[[0.3, 0.29, 0.35]][[0.49, 0.5, 0.38]][[0.0, 0.0, 0.0]][0.06]
MSE:[[1.07, 1.28, 0.62]][[1.39, 1.24, 0.72]][[87.32, 87.32, 87.32]][8.17]
\underline{\mathsf{MSE}}(-\mathsf{DR}) \colon [[0.0,\ 0.21,\ -0.45]] \, [[0.32,\ 0.17,\ -0.35]] \, [[86.25,\ 86.25]] \, [7.1]
MC-based ATE = -1.47
    [DR/QV/IS]; [DR/QV/IS]_NO_MARL; [DR/QV/IS]_NO_MF; [V_behav]
bias:[[0.93, 0.92, -0.15]][[1.05, 1.06, 0.85]][[1.47, 1.47, 1.47]][1.47]
std:[[0.08, 0.06, 0.06]][[0.18, 0.2, 0.16]][[0.0, 0.0, 0.0]][0.0]
MSE:[[0.93, 0.92, 0.16]][[1.07, 1.08, 0.86]][[1.47, 1.47, 1.47]][1.47]
MSE(-DR):[[0.0, -0.01, -0.77]][[0.14, 0.15, -0.07]][[0.54, 0.54, 0.54]][0.54]
0 \text{ threshold} = 100
MC for this TARGET: [91.564, 0.144]
    [DR/QV/IS]; [DR/QV/IS]_NO_MARL; [DR/QV/IS]_NO_MF; [V_behav]
bias:[[-2.96, -3.24, -4.36]][[-1.45, -1.72, -2.58]][[-91.56, -91.56, -91.56]][-12.42]
std:[[0.07, 0.09, 0.16]][[0.43, 0.47, 0.35]][[0.0, 0.0, 0.0]][0.06]
MSE:[[2.96, 3.24, 4.36]][[1.51, 1.78, 2.6]][[91.56, 91.56, 91.56]][12.42]
MSE(-DR):[[0.0, 0.28, 1.4]][[-1.45, -1.18, -0.36]][[88.6, 88.6, 88.6]][9.46]
MC-based ATE = 2.77
    [DR/QV/IS]; \ [DR/QV/IS]\_NO\_MARL; \ [DR/QV/IS]\_NO\_MF; \ [V\_behav]
bias:[[-1.0, -1.07, -4.0]][[-1.7, -1.8, -2.33]][[-2.77, -2.77, -2.77]][-2.77]
std:[[0.15, 0.13, 0.24]][[0.12, 0.17, 0.13]][[0.0, 0.0, 0.0]][0.0]
MSE:[[1.01, 1.08, 4.01]][[1.7, 1.81, 2.33]][[2.77, 2.77, 2.77]][2.77]
MSE(-DR):[[0.0, 0.07, 3.0]][[0.69, 0.8, 1.32]][[1.76, 1.76, 1.76]][1.76]
=========
0 \text{ threshold} = 110
MC for this TARGET: [88,696, 0.145]
    [DR/QV/IS]; [DR/QV/IS]_NO_MARL; [DR/QV/IS]_NO_MF; [V_behav]
bias:[[-3.23, -3.5, -3.53]][[-2.9, -3.1, -4.26]][[-88.7, -88.7, -88.7]][-9.55]
std:[[0.06, 0.07, 0.04]][[0.18, 0.17, 0.23]][[0.0, 0.0, 0.0]][0.06]
MSE:[[3.23, 3.5, 3.53]][[2.91, 3.1, 4.27]][[88.7, 88.7, 88.7]][9.55]
MSE(-DR):[[0.0, 0.27, 0.3]][[-0.32, -0.13, 1.04]][[85.47, 85.47, 85.47]][6.32]
MC-based ATE = -0.1
   [DR/QV/IS]; [DR/QV/IS]_NO_MARL; [DR/QV/IS]_NO_MF; [V_behav]
bias:[[-1.27, -1.33, -3.17]][[-3.16, -3.18, -4.02]][[0.1, 0.1, 0.1]][0.1]
std:[[0.28, 0.29, 0.45]][[0.13, 0.12, 0.02]][[0.0, 0.0, 0.0]][0.0]
MSE:[[1.3, 1.36, 3.2]][[3.16, 3.18, 4.02]][[0.1, 0.1, 0.1]][0.1]
MSE(-DR):[[0.0, 0.06, 1.9]][[1.86, 1.88, 2.72]][[-1.2, -1.2, -1.2]][-1.2]
==========
0_{threshold} = 120
MC for this TARGET: [90.808, 0.145]
    [DR/QV/IS]; [DR/QV/IS]_NO_MARL; [DR/QV/IS]_NO_MF; [V_behav]
bias:[[-8.66, -8.86, -7.99]][[-7.71, -7.87, -9.1]][[-90.81, -90.81, -90.81]][-11.66]
std:[[0.73, 0.76, 0.48]][[0.37, 0.33, 0.44]][[0.0, 0.0, 0.0]][0.06]
MSE:[[8.69, 8.89, 8.0]][[7.72, 7.88, 9.11]][[90.81, 90.81, 90.81]][11.66]
\mathsf{MSE}(-\mathsf{DR})\colon [[0.0,\ 0.2,\ -0.69]]\,[[-0.97,\ -0.81,\ 0.42]]\,[[82.12,\ 82.12,\ 82.12]]\,[2.97]
MC-based ATE = 2.01
    [DR/QV/IS]; [DR/QV/IS]_NO_MARL; [DR/QV/IS]_NO_MF; [V_behav]
bias:[[-6.7, -6.69, -7.62]][[-7.96, -7.95, -8.86]][[-2.01, -2.01, -2.01]][-2.01]
std:[[0.95, 0.98, 0.89]][[0.06, 0.03, 0.22]][[0.0, 0.0, 0.0]][0.0]
MSE:[[6.77, 6.76, 7.67]][[7.96, 7.95, 8.86]][[2.01, 2.01, 2.01]][2.01]
\mathsf{MSE}(-\mathsf{DR}) \colon [[0.0, -0.01, 0.9]] \, [[1.19, 1.18, 2.09]] \, [[-4.76, -4.76, -4.76]] \, [-4.76]
==========
\hbox{\tt [[\ 1.99\ \ 2.18\ \ 0.58\ \ 0.38\ \ 0.31\ \ 0.36\ 88.79\ 88.79\ 88.79\ \ 9.65]}
 [ 1.08 1.28 0.58 1.44 1.24 0.79 87.32 87.32 87.32 8.17]
 [ 2.98 3.24 4.38 1.52 1.78 2.62 91.56 91.56 91.56 12.42]
 [ 3.27 3.5
                3.57 2.91 3.1
                                     4.26 88.7 88.7 88.7
```

```
[ 8.71 8.89 8.04 7.69 7.88 9.03 90.81 90.81 90.81 11.66]]
[[ 1.97 2.18 0.54 0.4 0.31 0.33 88.79 88.79 88.79 9.65]
[ 1.07 1.28 0.62 1.39 1.24 0.72 87.32 87.32 87.32 8.17]
[ 2.96 3.24 4.36 1.51 1.78 2.6 91.56 91.56 91.56 12.42]
 [ 3.23 3.5 3.53 2.91 3.1 4.27 88.7 88.7 88.7 9.55]
[ 8.69 8.89 8. 7.72 7.88 9.11 90.81 90.81 90.81 11.66]]
time spent until now: 12.0 mins
[pattern_seed, sd_OD] = [0, 5]
max(u_0) = 156.6
0_{\text{threshold}} = 80
means of Order:
141.6 107.8 121.0 155.7 144.5
81.8 120.3 96.5 97.5 108.0
102.4 133.1 115.8 101.9 108.7
106.3 134.1 95.5 105.9 83.9
59.7 113.4 118.3 85.8 156.6
target policy:
1 1 1 1 1
1 1 1 1 1
1 1 1 1 1
1 1 1 1 1
0 1 1 1 1
number of reward locations: 24
0_{threshold} = 90
target policy:
1 1 1 1 1
0 1 1 1 1
1 1 1 1 1
1 1 1 1 0
0 1 1 0 1
number of reward locations: 21
0_threshold = 100
target policy:
1 1 1 1 1
0 1 0 0 1
1 1 1 1 1
1 1 0 1 0
0 1 1 0 1
number of reward locations: 18
0_threshold = 110
target policy:
1 0 1 1 1
0 1 0 0 0
0 1 1 0 0
```

0 1 0 0 0

0 1 1 0 1