EINS

Data User Stories

May 20th 2020



Data User Stories	4
Registration Process	4
User Updates COVID-19 Status	9
User Tests Path for COVID-19 Contact	10
Geolocation and Statistics Server	11
Registration Process	11
User Updates COVID-19 Status	12
User Tests Path for COVID-19 Contact	12




Data User Stories

https://www.lucidchart.com/documents/edit/5cdb9be6-d5ed-4ebf-8673-7c6ebe55cbfe/0 0


Registration Process

- 1. A user downloads the app.
- 2. The user is required to confirm if they are older/younger than 16 years of age. If a user is younger than 16 years old then they are required to confirm that their legal guardian has provided consent to use the app.






3. The user completes the following onboarding screens.











4. The user locks the app with their biometrics or device password.

Biometric **Passcode**



To keep your data safe, **let's lock your App** with biometrics. Those will never leave your device.



- 5. The app connects to the VIA servers:
 - **a.** End-to-end asymmetric encryption is achieved.
 - **b.** The app stores hashed AppID on the server.
- 6. The user has the choice to enable Bluetooth Tracing



Bluetooth Tracing

By enabling Bluetooth tracing, your EINs App can save anonymised IDs from other EINs users you interact with, and their App can store your anonymised ID. These IDs are saved locally on the devices in use.

Once an EINS user tests positive, their past interactions can be anonymously notified about their exposure to COVID-19. Click here, for more info.

You can disable the bluetooth tracing at any point in time in your App settings.

By enabling Bluetooth Tracing, you agree to this.



Legal Notice | Privacy Policy



- 7. If the user agrees to enable Bluetooth they are prompted to turn on their Bluetooth
- 8. Users are asked to enable push notifications. If agreed:
 - a. The app requests push token from the apple or android servers.
 - **b.** The app receives the push token.
 - **c.** The app sends the push token, along with hashed AppID, to the server for storage.




- **9.** The user enters their COVID-19 status and subsequent questions.
 - a. The app stores the answers into an encrypted local device.



10. The user enters basic survey data based on the status answer.






- 11. Users are then asked if they are happy to donate and share the survey data anonymously. If agreed:
 - **a.** User age is masked by adding a random factor of +-2 years to the date. This anonymizes the data, without statistically damaging the set.
 - **b.** The data is uploaded along with the hashed AppID (ensures no double submissions).





User Updates COVID-19 Status

1. The user updates their COVID-19 status.



- 2. If the user tests positive, he/she is asked if he/she is consenting to EINS notifying his/her contacts about their exposure to COVID-19.
- **3.** If the user agrees, he/she is then asked for the date of symptom start, date of the positive test result and an authorization key in order to verify that the test status is valid
 - **a.** The app uploads the data to the server along with the hashed Appld.
 - **b.** The hashed AppID is stored in a submission table to prevent abuse and multi submission protection.
 - **c.** The submission for the dataset is stored separately and anonymously.





Registration Process

- 1. The server receives the AppID of a newly installed app on a new device.
- 2. If agreed to by the app user, the server stores the push token of each app install with the AppID.
- **3.** If the user agrees to submit their survey data, the server accepts the survey data along with the AppID.
 - **a.** The AppID is hashed and checked against a list of hashed IDs saved. If the hash is already present, then the submission is discarded as a duplicate or a malicious submission.
 - **b.** If the AppID was not found, the survey data is saved and the AppID is added to the list and then discarded. The AppID is not saved alongside the survey response.

User Updates COVID-19 Status

 Through Bluetooth, the app logs all person to person interactions that the user has had with other users. These interactions are stored on the user's device. If the user specifies their COVID-19 status as positive, all recorded 'high-risk' interactions will be uploaded to the EINS database. All devices regularly check this central list, should any of the contacts match the device identifier, then the user is notified.



User Tests Path for COVID-19 Contact

- 1. The server will receive a list of all the contacts (users) that the positive user came into contact with (only where high risk) within a given date and time period.
- 2. The mobile application then fetches (in the background) all contacts that involve a contagious user on the server. The application then searches (on the device) for any contacts that has a key that matches its own key value.

