





Scan QR code to check report authenticity

Passpo	rt No :	LABORA	١T	ORY TEST REF	PORT		
Patient Information		Sample Information				Client/Location Information	
Name	: Lyubochka Svetka	Lab Id	:	02232160XXXX	Client Name	: Sterling Accuris Buddy	
Sex/Age			ation on : 20-Feb-2023 09:10	Location	:		
	:	Collected at Collected on		non SAWPL 20-Feb-2023 08:53	Approved on		
Ref. By	:	Sample Type	:	Serum	Printed On : 28-Feb-2023 10:26 Process At : 1. NRL SAWPL Gujarat Ahmedabad Paldi		

## **Thyroid Function Test**

Test	Result	Unit	Biological Ref. Interval	
T3 - Trijodothyronine Chemiluminescence	1.01	ng/mL	0.58 - 1.59	
T4 - Thyroxine	7.84	mg/mL	4.87 - 11.72	
TSH - Thyroid Stimulating Hormone	0.8199	microIU/mL	0.35 - 4.94	

TSH	T3/FT3	T4/FT4	Suggested Interpretation for the Thyroid Function Tests Pattern		
Within Range	Decreased	Within Range	<ul> <li>Isolated Low T3-offen seen in elderly &amp; associated Non-Thyroidal illness. In elderly the drop in T3 level can be upto 25%</li> </ul>		
Raised	Within Range	Within Range	Isolated High TSH especially in the range of 4.7 to 15 mIU/mI is commonly associated with physiological & Biological TSH Variability.     Subclinical Autoimmune Hypothyroidism     Intermitted T4 therapy for hypothyroidism     Recovery phase after Non-Thyroidal illness		
Raised	Decreased	Decreased	- Chronic autoimmune Thyroiditis - Post thyroidectomy, Post radioiodine - Hypothyroid phase of transient thyroiditis		
Raised or Within Range	Raised	Raised or Within range	Interfering antibodies to thyroid hormones (anti-TPO antibodies)     intermittent T4 therapy or T4 overdose     Drug interference-Amiodarone, Heparin, Beta blockers, steroids, anti-epileptics		
Decreased	Raised or within Range	Raised or within Range	<ul> <li>Isolated Low TSH - especially in the range of 0.1 to 0.4 offen seen in elderly &amp; associated with Non-Thyroidal illness</li> <li>Subclinical Hyperthyroidism</li> <li>Thyroxine ingestion</li> </ul>		
Decreased Decreased		Decreased	Central Hypothyroidism     Non-Thyroidal illness     Recent treatment for Hyporthyroidism (TSH remains suppressed)		
Decreased Raised Raised		Raised	<ul> <li>Primary Hyperthyroidism (Graves disease), Multinodular goitre Toxic nodule</li> <li>Transient thyroiditis: Postpartum, Silent (lymphocytic), Postviral (granulomatous, subacute, DeQuenvain'a) Gestational thyrotoxicosis with hyperemesis gravidarum</li> </ul>		
Decreased or within range	Raised	Within Range	- T3 toxicosis - Non-Thyroidal illness		

P.O

Dr. Sanjeev Shah Dr. Yash Shah Dr. Purvish Darji MD(Path)

MD Path MD Path

Page 6 of 19 This is an Electronically Authenticated Report. # Referred Test