7/18/23, 2:30 PM about:blank

# Hands-on Lab: Static Code Analysis



Estimated time needed: 30 minutes


### **Objectives**

After completing this lab you will be able to:

- · Install pylint package
- Run Static Code Analysis on a python program
- Check the compliance score of a python program.
- Fix common mistakes and improve the compliance score.

# Install the pylint package

1. Open a new terminal.



- 2. At the terminal run the following command to install pylint.
- 1. 1
- 1. pip3 install pylint==2.11.1

Copied!

about:blank 1/3

7/18/23, 2:30 PM about:blank

```
3. This should install the pylint package
  theia@thei
                             :/home/project$ pip3 install pylint
  /usr/lib/python3/dist-packages/secretstorage/dhcrypto.py:15: CryptographyDeprecat
  m_bytes instead
    from cryptography.utils import int from bytes
  /usr/lib/python3/dist-packages/secretstorage/util.py:19: CryptographyDeprecationW
  tes instead
    from cryptography.utils import int_from_bytes
  Defaulting to user installation because normal site-packages is not writeable
  Collecting pylint
    Downloading pylint-2.9.3-py3-none-any.whl (372 kB)
                                         | 372 kB 17.4 MB/s
  Requirement already satisfied: mccabe<0.7,>=0.6 in /usr/local/lib/python3.6/dist-
  Collecting isort<6,>=4.2.5
    Downloading isort-5.9.2-py3-none-any.whl (105 kB)
                                         || 105 kB 43.2 MB/s
  Collecting astroid<2.7,>=2.6.2
    Downloading astroid-2.6.2-py3-none-any.whl (228 kB)
                                         || 228 kB 39.7 MB/s
  Requirement already satisfied: toml>=0.7.1 in /usr/local/lib/python3.6/dist-packa
  Collecting wrapt<1.13,>=1.11
    Downloading wrapt-1.12.1.tar.gz (27 kB)
  Requirement already satisfied: typing-extensions>=3.7.4 in /home/theia/.local/lib
  ylint) (3.7.4.3)
  Collecting typed-ast<1.5,>=1.4.0
    Downloading typed_ast-1.4.3-cp36-cp36m-manylinux1_x86_64.whl (743 kB)
                                          743 kB 36.6 MB/s
  Requirement already satisfied: lazy-object-proxy>=1.4.0 in /home/theia/.local/lib
  ylint) (1.4.3)
  Building wheels for collected packages: wrapt
    Building wheel for wrapt (setup.py) ... done
    Created wheel for wrapt: filename=wrapt-1.12.1-cp36-cp36m-linux_x86_64.whl size
  cd14154e5b6a0171266f60f85
    Stored in directory: /home/theia/.cache/pip/wheels/32/42/7f/23cae9ff6ef66798d00
  Successfully built wrapt
  Installing collected packages: wrapt, typed-ast, isort, astroid, pylint
  Successfully installed astroid-2.6.2 isort-5.9.2 pylint-2.9.3 typed-ast-1.4.3 wra
```

# Create a sample python file for static code analysis

```
Copy and paste the below code into sample1.py

1. 1
2. 2
3. 3
4. 4
5. 5
6. 6
7. 7

1. def add(number1, number2):
2.    return number1 + number2
3.
4. num1 = 4
5. num2 = 5
6. total = add(num1, num2)
7. print("The sum of {} and {} is {}".format(num1, num2, total))
Copied!
```

Save the file sample1.py

Create a new file named sample1.py

about:blank 2/3

7/18/23, 2:30 PM about:blank

## Run pylint

- · Open a terminal
- · run the below command
- · pylint sample1.py
- Pylint goes through every line of code and gives you a list all the non-compliant lines.
- Pylint gives you a compliance score (10 being maximum).

# Correct the mistakes identified by pylint.

- Based on the report given by pylint changes were made to this code to address the following issues.
  - Exactly one space required after comma
  - Exactly one space required around assignment
- Create a new file named sample2.py
- Copy and paste the below code into sample2.py

```
1. 1
2. 2
3. 3
4. 4
5. 5
6. 6
6. 7
7 7
8. 8

1.
2. def add(number1, number2):
3.     return number1 + number2
4.
5. NUM1 = 4
6. num2 = 5
7. total = add(NUM1, num2)
8. print("The sum of {} and {} is {}".format(NUM1, num2, total))
```

Copied!

Save the file sample2.py

# Run pylint

- Open a terminal
- run the below command
- pylint sample2.py
- This will give you the compliance score.
- This time you should see the score improve.

### Your task

Improve the score in sample2.py to a perfect 10 by correcting all the issues pointed out by pylint. If cant figure out how to solve some issues it is helpful to google the pylint message.

# Congratulations!

You now know how to perform static code analysis.

### Author(s)

Ramesh Sannareddy

### **Other Contributors**

Rav Ahuja

### **Change Log**

Date (YYYY-MM-DD)	Version	Changed By	Change Description
2020-01-29	1.1	Rav Ahuja	Formatting & license changes
2020-11-25	1.0	Ramesh Sannareddy	Created initial version of the lab
2022-10-21	2.0	Ratima	Updated Skill Network Logo screenshot

#### © IBM Corporation 2023. All rights reserved.

about:blank 3/3