SC5

SERVERLESS BLOG WORKSHOP

Mikael Puittinen, CTO mikael.puittinen@sc5.io @mpuittinen

SC5 BRIEFLY















CLOUD SOLUTIONS

BUSINESS APPLICATIONS **INTELLIGENT SOLUTIONS**

DIGITAL DESIGN







10 **YEARS**

100+ **CUSTOMERS**

400+ **PROJECTS**

85 **HACKERS DESIGNERS**

HEL **JKL**

~7 **MEUR** 2016









+ MUITA







VISIT OUR WEB SITE FOR MORE INFO: HTTPS://SC5.IO

INTRODUCTION

Introduction to AWS & Serverless Framework

THE SERVERLESS BLOG WORKSHOP

What we'll do

WORKSHOP THEME: BLOG BACKEND

Create a backend for the blog application running at http://hackathon-blog.serverless.fi/ (sources at https://github.com/SC5/aws-serverless-hackathon)

Backend must have a REST API with methods


- 1. POST /dev/posts
- 2. GET /dev/posts
- 3. PUT /dev/posts/{postId} OPTIONAL
- 4. DELETE /dev/posts/{postId} OPTIONAL

Use e.g. AWS DynamoDB as the database for blog posts.

Step-by-step walkthrough available at http://hackathon.serverless.fi/workshop.pdf



WORKSHOP ARCHITECTURE





RESOURCES

Blog client:

https://github.com/SC5/aws-serverless-hackathon

Reference implementation:

https://github.com/SC5/serverless-blog-workshop

This presentation:

http://serverless.fi/docs/blog-workshop.pdf

Code snippets:

http://serverless.fi/docs/blog-workshop



GETTING READY FOR THE WORKSHOP / HACKATHON

Instructions for getting set up:

http://serverless.fi/docs/workshop-preps

STEP-BY-STEP INSTRUCTIONS

1. CREATE SERVERLESS PROJECT

```
> sls install -u https://github.com/SC5/sc5-serverless-boilerplate -n
serverless-blog
> cd serverless-blog
> npm install
```

This creates a new project serverless-blog based on sc5-serverless-boilerplate and installs the node modules required by the project.



2. CREATE DYNAMODB TABLE FOR POSTS (USING SERVERLESS)

- ☐ Serverless uses AWS Cloudformation to deploy resources (defined in serverless.yml)
- ☐ Uncomment resources and Resources in serverless.yml and add snippet blogtable.yml (check indenting)

Permissions to the table are granted by default in the boilerplate template.

```
# DynamoDB Blog table for workshop
    BlogTable:
      Type: AWS::DynamoDB::Table
      DeletionPolicy: Retain
      Properties:
        AttributeDefinitions:
          - AttributeName: id
            AttributeType: S
        KeySchema:
          - AttributeName: id
            KeyType: HASH
        ProvisionedThroughput:
          ReadCapacityUnits: 1
          WriteCapacityUnits: 1
        TableName: ${self:provider.environment.TABLE NAME}
```

3. CREATE FUNCTION AND SET ENDPOINTS

- ☐ Create function posts for your service
- > sls create function -f posts -handler posts/index.handler
- Add HTTP endpoints by adding the snippet *http-events.yml* to the posts function in serverless.yml

```
events:
  - http:
      path: posts
      method: get
      cors: true
      integration: lambda
  - http:
      path: posts
      method: post
      cors: true
      integration: lambda
   - http:
      path: posts/{id}
      method: put
      cors: true
      integration: lambda
  - http:
      path: posts/{id}
      method: delete
      cors: true
      integration: lambda
```



4. IMPLEMENT THE LOGIC

- Implement the logic for the function into posts/. The entry point for the Lambda function is index.js in that folder.
- Copy the snippets index.js and BlogStorage.js from github (unless you want to code them yourself)
- If you opt to code yourself, we recommend to use. AWS.DynamoDB.DocumentClient to access the database table. The table name is \${self:provider.environment.TABLE_NAME}

5. TEST THE FUNCTION

- Copy the snippet posts.js to test/
- Deploy (requires the resources) and run tests using serverlessmocha-plugin
- > sls deploy
- > sls invoke test --region us-east-1 --stage dev



6. SET UP ENDPOINTS IN THE SAMPLE APP

☐ Launch the blog application at

http://hackathon-blog.serverless.fi

- Enter the endpoint URL (https://.../dev/posts) to the form and save (use sls info to get the endpoint)
- ☐ Try writing, editing, deleting posts

9. YOU DID IT! CONGRATS!

Next:

- 1. If you want to work more on serverless, check opportunities at https://sc5.io/careers
- 2. If you are interested in serverless, join the "Serverless Finland" meetup at http://www.meetup.com/Helsinki-Serverless/ and follow http://serverless.fi





THANK YOU!

mikael.puittinen@sc5.io @mpuittinen