MySQL

Question - 1 MySQL: Column Deletion



Easy

SCORE: 5 points

Choose the expression that deletes a column.

- DELETE status FROM queue
- ALTER TABLE queue DROP COLUMN status
- DELETE COLUMN status FROM queue
- ALTER TABLE queue DROP status COLUMN

Question - 2 MySQL: Self Join

MySQL Easy SCORE: 5 points

Select an expression that demonstrates a self join type.

- SELECT * FROM users users, users clients
- SELECT * FROM users SELF JOIN users AS clients
- SELECT * FROM users JOIN users AS clients
- None of the above, a self join type does not exist in MySQL

Question - 3 MySQL: Sorting Direction

Easy MySQL

SCORE: 5 points

Select the extraneous expression (not the same as the others). Select all that apply.

- SELECT * FROM categories ORDER BY id
- SELECT * FROM categories ORDER BY id ASC
- SELECT * FROM categories ORDER BY id DESC
- None of the above, all expressions are the same.

MySQL Easy

Select the expression with the correct syntax.

- SELECT * FROM logs WHERE priority IN ('high', 'medium')
- SELECT * FROM logs WHERE priority VALUES IN ('high', 'medium')
- SELECT * FROM logs WHERE priority IN VALUES ('high', 'medium')

SELECT * FROM logs WHERE priority IN SET ('high', 'medium')				
Question - 7 MySQL: Combining Tables				
MySQL Easy				
Select the expressions that cause a MySQL error.				
SELECT * FROM logs l1 JOIN logs l2 ON l1.id = l2.id				
SELECT * FROM logs l1 AND FROM logs l2 ON l1.id = l2.id				
SELECT * FROM logs l1 UNION logs l2 ON l1.id = l2.id				
SELECT * FROM logs l1 LEFT JOIN logs l2 ON l1.id = l2.id				
Question - 8 MySQL: Result Limit Offset	SCORE: 5 points			
MySQL Easy				
Select the expression with the correct syntax.				
SELECT * FROM logs LIMIT 3, 5				
SELECT * FROM logs LIMIT 3 - 5				
SELECT * FROM logs LIMIT 3 TO 5				
SELECT * FROM logs LIMIT 3 FOR 5				
Question - 9 MySQL: Rounding Numbers	SCORE: 5 points			
MySQL Easy				
Choose an expression that returns 0.				
SELECT CEIL(.4)				
SELECT ROUND(.5)				
SELECT FLOOR(.6)				
None of the above, all expressions return 1				
Question - 10 MySQL: Field Selection	SCORE: 5 points			
MySQL Easy				

3/13

Select the expression that causes a MySo	QL error.		
SELECT 1, 2, 3			
SELECT 1 2 3			
SELECT '1 2 3'			
None of the above, all expres	ssions are correct		
Question - 11 MySQL: Result Set Combine Operator Easy MySQL			SCORE: 5 points
This operator is used to combine the res	sult set of two or more SELECT statement	ts.	
FIND_IN_SET			
GROUP BY			
UNION			
COMBINE			
Question - 12 MySQL: Condition Operators Easy Database			SCORE: 5 points
Which expression causes a MySQL error:	?		
SELECT IF(1 < 2, 'yes', 'no')			
SELECT IFNULL(NULL, 10)			
SELECT CASE WHEN 1>0 THE	:N 'true' ELSE 'false' END		
SELECT IFNOT('true', FALSE)	ı		
SELECT NULLIF(1,1)			
Question - 13 MySQL: GROUP BY Statement MySQL Easy			SCORE: 5 points
Select the expression that is not correct			
The GROUP BY statement gro	oups rows with the same value into total	rows.	

	Aggregate functions (COUNT(), MAX(), MIN(), etc.) can be used only with an explicit GROUP BY statement.				
	You can apply an additional condition after the grouping using the HAVING clause.				
	None of the above, all expressions are correct.				
	Question - 14 MySQL: Joins				
MySQL	Easy				
Which ex	pression is not correct?				
	MySQL joins are used to join rows from two or more tables based on the associated column between them.				
	The INNER JOIN keyword selects records that have matching values in both tables.				
	A self-join is just a normal join, but the table joins itself.				
•	Using the RIGHT JOIN keyword returns only records that are joined in the right way.				
Questi MySQL:	on - 15 PRIMARY KEY Constraint	SCORE: 5 points			
Easy	MySQL				
Which ex	pression is not correct?				
	The primary key uniquely identifies each record in the table.				
	The primary key must contain unique values.				
•	The primary key can contain NULL values, but this is highly undesirable for performance reasons.				
	A table can have only one primary key.				
Question - 16 MySQL: NULL Constraint					
MySQL	Easy Constraints				
Which of	the following SQL CREATE TABLE statements differs from the others in terms of the NULL constraint?				
	CREATE TABLE users (id INT)				
	CREATE TABLE users (id INT NULL)				
•	CREATE TABLE users (id INT NOT NULL)				
	None of the above, all expressions are the same.				

Question - 17 MySQL: Deleting a Table	SCORE: 5 points
MySQL Easy	
Select the expression(s) with the correct syntax.	
DROP TABLE IF EXISTS users	
DELETE TABLE IF EXISTS users	
DROP TABLE users	
DESTROY TABLE users	
Question - 18 MySQL: Deleting a Database	SCORE: 5 points
Easy	
Which expression has the correct syntax?	
REMOVE DATABASE users	
DELETE DATABASE users	
DROP DATABASE users	
DESTROY DATABASE users	
Question - 19 MySQL: Creating a Database	SCORE: 5 points
Easy MySQL	
Select the expression with the correct syntax. CREATE DATABASE WITH NAME users	
CREATE DB WITH NAME users	
CREATE DB users	
CREATE DATABASE users	
Question - 20 MySQL: Comment Types	SCORE: 5 points
MySQL Easy	

Which of the following are MySQL comments?			
# this is the comment			
this is the comment			
/* this is the comment */			
this is the comment			
Question - 21 MySQL: Join Type That Left Then Right	SCORE: 5 points		
MySQL Easy			
Which of these MySQL join types return all records from the left table and the matched records from the right table? Select all that apply.			
LEFT JOIN			
LEFT INNER JOIN			
LEFT RIGHT JOIN			
LEFT OUTER JOIN			
Question - 22 MySQL: String Comparison	SCORE: 5 points		
MySQL Easy			
Select the expression that causes a MySQL error.			
SELECT * FROM transactions WHERE flag IN('A', 'B', 'C')			
SELECT * FROM transactions WHERE flag BETWEEN 'A' AND 'C'			
SELECT * FROM transactions WHERE flag >= 'A' AND flag <= 'C'			
none of the above, all expressions are correct			
Question - 23 MySQL: Like Expression Pattern	SCORE: 5 points		
MySQL Easy			
Select all ID values that will NOT be matched by the following query Select all that apply.			
SELECT id FROM customers WHERE id LIKE '_a%'			

_a%	
fa23345f-ad73-404d-8988-72f1385e3aeb	
_a466d3	
none of the above, all values will be matched	
Question - 24 MySQL: Join Type That Matching Values in Both Tables	SCORE: 5 points
MySQL Easy	
Which MySQL join type returns records that have matching values in both tables? Select all that apply.	
OUTER JOIN	
INNER JOIN	
CROSS JOIN	
FULL JOIN	
Question - 25 MySQL: Results Limit MySQL Easy	SCORE: 5 points
Select expressions with correct syntax.	
Select expressions with correct syntax. SELECT * FROM customers LIMIT 5 OFFSET 10	
SELECT * FROM customers LIMIT 5 OFFSET 10	
SELECT * FROM customers LIMIT 5 OFFSET 10 SELECT * FROM customers LIMIT 5 + 10	
SELECT * FROM customers LIMIT 5 OFFSET 10 SELECT * FROM customers LIMIT 5 + 10 SELECT * FROM customers LIMIT 5 TO 10	
SELECT * FROM customers LIMIT 5 OFFSET 10 SELECT * FROM customers LIMIT 5 + 10 SELECT * FROM customers LIMIT 5 TO 10	SCORE: 5 points
 SELECT * FROM customers LIMIT 5 OFFSET 10 SELECT * FROM customers LIMIT 5 + 10 SELECT * FROM customers LIMIT 5 TO 10 SELECT * FROM customers LIMIT 5, 10 Question - 26	SCORE: 5 points
 SELECT * FROM customers LIMIT 5 OFFSET 10 SELECT * FROM customers LIMIT 5 + 10 SELECT * FROM customers LIMIT 5 TO 10 SELECT * FROM customers LIMIT 5, 10 Question - 26 MySQL: Results Order	SCORE: 5 points
 SELECT * FROM customers LIMIT 5 OFFSET 10 SELECT * FROM customers LIMIT 5 TO 10 SELECT * FROM customers LIMIT 5, 10 Question - 26 MySQL: Results Order MySQL Easy Select the expression that causes a MySQL error. 	SCORE: 5 points
SELECT * FROM customers LIMIT 5 OFFSET 10 SELECT * FROM customers LIMIT 5 TO 10 SELECT * FROM customers LIMIT 5, 10 Question - 26 MySQL: Results Order MySQL Easy Select the expression that causes a MySQL error. Select all that apply.	SCORE: 5 points

none of the above, all expressions are correct					
Questi MysQL:	Question - 27 MySQL: White Space in Field Alias				
MySQL	Easy				
Select th	e expressions with co	rrect syntax.			
•	SELECT name AS "custor	ner name" FROM customers			
•	SELECT name AS 'custon	ner name' FROM customers			
•	SELECT name AS `custor	ner name` FROM customers			
	SELECT name AS custom	er\ name FROM customers			
	on - 28 Join Types		SCO	ORE: 5 points	
MySQL	Easy				
	the following are vali I that apply.	d MySQL join types?			
•	LEFT				
	CROSS				
	RIGHT				
	TOP				
Student	ion - 29 Result ^{Easy}		SC	ORE: 5 points	
Consider	the table below:				
	Table Student				
ID 1	SCORE				
1	2				
2	5				
3	5				
4	6				

9

How many tuples does the result of the following SQL query contain where result = 'Supplementary'?

```
SELECT id,

CASE

WHEN score<=2 THEN 'Fail'

WHEN score<6 THEN 'Supplementary'

ELSE 'Distinction'

END as result

FROM student
```

- 2
- \bigcirc 3
- 0
- \bigcirc .

Question - 30 Common Students

SQL Easy

SCORE: 5 points

Consider the following tables:

Table s1

column	description
id	unique identifier
name	student name

Table s2

column	description
id	unique identifier
name	student name

Which of the following SQL queries will result in students' names common to both tables having the same id, sorted alphabetically? Multiple students can have the same name but their ids will be unique.

- select s1.name from s1 INNER JOIN s2 ON s1.id=s2.id ORDER BY s1.name
- select name from s1 OUTER JOIN s2 ON s1.id=s2.id ORDER BY id
- select s1.name from s1 LEFT JOIN s2 ON s1.id=s2.id ORDER BY name
- select name from s1 LEFT JOIN s2 ON s1.id>s2.id

SQL Easy

Consider the following tables:

Table A

ID	Name	Salary
101	John	1500
102	Steve	1500
103	Remo	500
104	Alan	2000
105	Maverick	1000
106	Glen	2000
107	Jacob	2000

Table B

ID	Department
101	Sales
102	Finance
103	Finance
104	HR
105	HR
106	Sales
107	IT

How many tuples does the following SQL query return?

```
SELECT * FROM (SELECT b.department,

Avg(a.salary) AS avg_Salary

FROM a

LEFT JOIN b

ON a.id = b.id

GROUP BY b.department) AS C

WHERE C.avg_salary > 1500
```

- \bigcirc

<u> </u>					
Question - 32 SQL Order of Operations	SCORE: 5 points				
SQL Easy	SQL Easy				
Which is the correct order of execution of operations in SQL?					
SELECT, FROM, JOIN, WHERE, GROUP BY, HAVING, ORDER BY					
SELECT, FROM, GROUP BY, WHERE, HAVING, ORDER BY					
FROM, GROUP BY, WHERE, ORDER BY, HAVING, SELECT					
SELECT, FROM, GROUP BY, HAVING, WHERE, ORDER BY					
Question - 33 Select Statements	SCORE: 5 points				
SQL Easy Database					
 Which of the following SELECT statements prints the string 56? Choose all that apply SELECT SUBSTR ('123456',5) FROM DUAL; SELECT SUBSTR ('123456',-2) FROM DUAL; SELECT SUBSTR ('123456',5,2) FROM DUAL; SELECT SUBSTR ('123456',-2,2) FROM DUAL 					
Question - 34 Print the Domain Name	SCORE: 5 points				
SQL Easy Database					
The email has the value of an email ID. Fill in the blanks of the following SQL stateme nyname@abcd.com is abcd.com.	nts so that it prints the domain name. The domain name of				
SELECT SUBSTR (email,INSTR (email,)FROM DUAL ;					
<pre> '@',1)+1)</pre>					
(@',1))					
(@',1)-1)					

none of these

Question - 35 Which command?	SCORE: 5 points
SQL Easy Database	
There are multiple records in a table and some are duplicates. Which command will fetch only one copy of the duplicate records?	
SELECT DISTINCT	
SELECT UNIQUE	
SELECT DIFFERENT	
All of the above	
Question - 36 sql round	SCORE: 5 points
SQL Easy Database	
The SQL statement	
SELECT ROUND(45.926, -2) FROM DUAL;	
is illegal	
prints garbage	
prints 45.92	
prints 0	
Question - 37 Which command is behaving incorrectly?	SCORE: 5 points
SQL Database Easy	
What command should you try if DBMS_OUTPUT.PUT_LINE is not doing what it is supposed to do?	
SET ECHO ON	
SET DISPLAY ON	
SET TERMOUT ON	

SET SERVEROUTPUT ON