
ARM Cluster

Senior Design Final Documentation

Team Name

Andrew Hoover

Samantha Kranstz

Christine Sorensen

December 11, 2015

Contents

Title	i
Contents	v
List of Figures	vii
List of Tables	ix
List of Algorithms	xi
Overview Statements	xiii
0.1 Mission Statement	xiii
0.2 Elevator Pitch	xiii
Document Preparation and Updates	xv
1 Overview and concept of operations	1
1.1 Scope	1
1.2 Deliverables	1
1.3 Purpose	1
1.3.1 Major System Component #1	1
1.3.2 Major System Component #2	1
1.3.3 Major System Component #3	1
1.4 Systems Goals	1
1.5 System Overview and Diagram	2
1.6 Technologies Overview	2
2 Project Overview	3
2.1 Team Members and Roles	3
2.2 Project Management Approach	3
2.3 Phase Overview	3
2.4 Terminology and Acronyms	3
3 User Stories, Backlog and Requirements	5
3.1 Overview	5
3.1.1 Scope	5
3.1.2 Purpose of the System	5
3.2 Stakeholder Information	5
3.2.1 Customer or End User (Product Owner)	5
3.2.2 Management or Instructor (Scrum Master)	5
3.2.3 Investors	5
3.2.4 Developers –Testers	6
3.3 Business Need	6
3.3.1 System Requirements	6

3.3.2	Network Requirements	6
3.3.3	Development Environment Requirements	6
3.3.4	Project Management Methodology	6
3.4	User Stories	6
3.4.1	User Story #1	6
3.4.2	User Story #2	6
3.4.3	User Story #3	7
3.4.4	User Story #4	7
3.4.5	User Story #5	7
3.4.6	User Story #6	7
3.5	Research or Proof of Concept Results	7
4	Design and Implementation	9
4.1	Cluster Configure	9
4.1.1	Technologies Used	9
4.1.2	Component Overview	9
4.1.3	Phase Overview	10
4.1.4	Architecture Diagram	10
4.1.5	Design Details	10
5	System and Unit Testing	11
5.1	Overview	11
5.2	Dependencies	11
5.3	Test Setup and Execution	11
6	Development Environment	13
6.1	Development IDE and Tools	13
6.2	Source Control	13
6.3	Dependencies	13
6.4	Build Environment	13
6.5	Development Machine Setup	13
7	Release – Setup – Deployment	15
7.1	Deployment Information and Dependencies	15
7.2	Setup Information	15
7.3	System Versioning Information	15
8	User Documentation	17
8.1	User Guide	17
8.2	Installation Guide	17
8.3	Programmer Manual	17
9	Class Index	19
9.1	Class List	19
10	Class Documentation	21
10.1	Poly Class Reference	21
10.1.1	Constructor & Destructor Documentation	21
10.1.2	Member Function Documentation	21
11	Experimental Log	23
11.1	Benchmarking the Individual Computers	23
11.2	Ethernet Benchmark	24
11.3	Hardware Test	24
11.4	Switch Benchmark	24
11.5	USB to Ethernet Benchmark	24

12 Research Results	25
12.1 Result 1	25
12.2 Result 2	25
12.3 Conclusions	25
12.4 Further work	25
Software Agreement	SA-1
A Product Description	A-1
B Publications	B-1
C Sprint Reports	C-1
1 Sprint Report #1	C-1
2 Sprint Report #2	C-2
3 Sprint Report #3	C-4
3.1 Overview	C-4
4 Sprint Report #4	C-6
5 Sprint Report #5	C-6
6 Sprint Report #6	C-6
D Industrial Experience and Resumes	D-1
1 Resumes	D-1
E Acknowledgment	E-1
F Supporting Materials	F-1

List of Figures

1.1 A sample figure System Diagram 2

List of Tables

1.1	A sample Table ... some numbers.	2
-----	------------------------------------------	---

List of Algorithms

Overview Statements

0.1 Mission Statement

To create the fastest and most cost efficient cluster of single-board computers and investigate alternative communication modes.

0.2 Elevator Pitch

Our goal is to build a cluster of single-board computers that produces as many Floating Point Operations possible per Watt per dollar. We are testing three computers, ODROID, Raspberry Pi, and PcDuino, to determine the best for the cluster. Once we have the cluster, we will investigate alternative communication modes.

Document Preparation and Updates

Current Version [3.1.0]

Prepared By:
Andrew Hoover
Samantha Kranstz
Christine Sorensen

Revision History

<i>Date</i>	<i>Author</i>	<i>Version</i>	<i>Comments</i>
<i>09/14/15</i>	<i>Christine Sorensen</i>	<i>1.0.0</i>	<i>Initial version</i>
<i>10/02/15</i>	<i>Christine Sorensen</i>	<i>1.1.0</i>	<i>Completion of Sprint # 1</i>
<i>11/09/15</i>	<i>Christine Sorensen</i>	<i>2.0.0</i>	<i>Updated Project Overview</i>
<i>11/09/15</i>	<i>Christine Sorensen</i>	<i>2.1.0</i>	<i>Completion of Sprint # 2</i>
<i>12/09/15</i>	<i>Christine Sorensen</i>	<i>3.0.0</i>	<i>Completion of Sprint # 3</i>
<i>12/10/15</i>	<i>Andrew Hoover</i>	<i>3.1.0</i>	<i>Design and mplementation and Unit Testing documentation</i>

1

Overview and concept of operations

1.1 Scope

*What scope does this document cover?

1.2 Deliverables

- ARM Cluster
- Research Symposium
- Design Fair
- Documentation

1.3 Purpose

The purpose of this project is to build a cluster of 6-12 single-board computers. This cluster should perform floating-point operations. With research, the cluster will have a new mode of communication and be able.

1.3.1 Major System Component #1

*Describe briefly the role this major component plays in this system.

1.3.2 Major System Component #2

*Describe briefly the role this major component plays in this system.

1.3.3 Major System Component #3

*Describe briefly the role this major component plays in this system.

1.4 Systems Goals

*Briefly describe the overall goals this system plans to achieve. *These goals are typically provided by the stakeholders. This is not intended to be a detailed requirements listing. Keep in mind that this section is still part of the Overview.

1.5 System Overview and Diagram

*Provide a more detailed description of the major system components without getting too detailed. This section should contain a high-level block and/or flow diagram of the system highlighting the major components. See Figure 1.1. This is a floating figure environment. \LaTeX will try to put it close to where it was typeset but will not allow the figure to be split if moving it can not happen. Figures, tables, algorithms and many other floating environments are automatically numbered and placed in the appropriate type of table of contents. You can move these and the numbers will update correctly.




Figure 1.1: A sample figure System Diagram

1.6 Technologies Overview

*This section should contain a list of specific technologies used to develop the system. The list should contain the name of the technology, brief description, link to reference material for further understanding, and briefly how/where/why it was used in the system. See Table 1.1. This is a floating table environment. \LaTeX will try to put it close to where it was typeset but will not allow the table to be split.

Table 1.1: A sample Table ... some numbers.

7C0	hexadecimal
3700	octal
11111000000	binary
1984	decimal

2

Project Overview

2.1 Team Members and Roles

- Andrew Hoover - hardware/testing/software
- Samantha Kranstz - documentation/research
- Christine Sorensen - team lead/parallel programmer/software

2.2 Project Management Approach

Project will be split into six sprints, each lasting two weeks. Items from the backlog are organized and assigned into these sprints.

Product backlog is located on the Trello board. Documents and source code is located on Github.

Formal meetings take place twice a week on Tuesdays and Thursdays at 1:00pm in advisor's, Dr. C. Karlsson's, office. Casual meetings are planned as needed.

2.3 Phase Overview

2.4 Terminology and Acronyms

- Benchmarking - running tests in order to assess the performance of the computers
- iperf - tool in standard Debian repositories to test network speed

3

User Stories, Backlog and Requirements

3.1 Overview

The overview should take the form of an executive summary. Give the reader a feel for the purpose of the document, what is contained in the document, and an idea of the purpose for the system or product.

The userstories are provided by the stakeholders. You will create he backlogs and the requirements, and document here. This chapter should contain details about each of the requirements and how the requirements are or will be satisfied in the design and implementation of the system.

Below: list, describe, and define the requirements in this chapter. There could be any number of subsections to help provide the necessary level of detail.

3.1.1 Scope

What scope does this document cover? This document would contain stakeholder information, initial user stories, requirements, proof of concept results, and various research task results.

3.1.2 Purpose of the System

The system is used for research purposes and a proof of concept.

3.2 Stakeholder Information

One stakeholder is Dr. Christer Karlsson. If this project is successfully completed, Dr. Karlsson plans to use the research and project results as a proof of concept.

3.2.1 Customer or End User (Product Owner)

Dr. Christer Karlsson is the end user. The end user might include

Who? What role will they play in the project? Will this person or group manage and prioritize the product backlog? Who will they interact with on the team to drive product backlog priorities if not done directly?

3.2.2 Management or Instructor (Scrum Master)

Dr. Karlsson manages this project and drives the meetings.

3.2.3 Investors

Dr. Karlsson is the investor on the project. His role is also the client.

3.2.4 Developers –Testers

Andrew Hoover, Samantha Kranstz, and Christine Sorensen developed and tested the cluster.

3.3 Business Need

There is no buisness need. This project solely for research purposes.

3.3.1 System Requirements

The only system requirement would be the cluster must be made of single-board computers.

3.3.2 Network Requirements

Create a new network for the cluster.

3.3.3 Development Environment Requirements

None.

3.3.4 Project Management Methodology

Oral progress reports are due on Tuesdays and Thursdays at one o'clock in the afternoon. These reports are given to Dr. Karlsson.

- Trello is used to manage the backlog and status.
- All parties have access to the sprint and product backlogs.
- Six sprints will be completed this project
- The sprint cycles are a couple weeks long.
- No restrictions on source control.

3.4 User Stories

This section can really be seen as the guts of the document. This section should be the result of discussions with the stakeholders with regard to the actual functional requirements of the software. It is the user stories that will be used in the work breakdown structure to build tasks to fill the product backlog for implementation through the sprints.

This section should contain sub-sections to define and potentially provide a breakdown of larger user stories into smaller user stories.

3.4.1 User Story #1

As a user, I want a cluster of at least 6 and no more than 12 single-board computers.

3.4.1.a User Story #1 Breakdown

The cluster will be made of ODROIDS, PcDuinos, or Raspberry Pi's, depending on which performs best in the benchmark tests.

3.4.2 User Story #2

As a user, I want the fareset, most efficient in both cost and operation cluster.

3.4.2.a User Story #2 Breakdown

Testing will be done on the single-board computers compared with prices to determine which will be best for the ARM cluster.

3.4.3 User Story #3

I want the cluster to be at or below the maximum budget of \$1,200.00.

3.4.3.a User Story #3 Breakdown

The budget must include all components of the cluster: the computer boards, cost of power, switch, memory, cables, and power strips.

3.4.4 User Story #4

I want to know which of the single-board computers is the fastest in GFlops/\$/Watt.

3.4.4.a User Story #4 Breakdown

Testing will take place on the ODROID, PcDuino, and Raspberry Pi to determine which is the fastest in this metric.

3.4.5 User Story #5

I want a different communication mode beyond standard Ethernet.

3.4.5.a User Story #5 Breakdown

Utilize the other pins and ports to find an alternative form of communication.

3.4.6 User Story #6

Develop a message passing protocol for the communication.

3.4.6.a User Story #6 Breakdown

There is no message passing protocol for the other modes of communication. They must be developed and benchmarked.

3.5 Research or Proof of Concept Results

This project will be used as a proof of concept.

Design and Implementation

The design of the cluster is going change as we test different configurations to determine which is capable of producing the most gigaflops, and as we test different connection methods as we design our custom data transfer protocol. This section will outline the different designs we have created, how they were implemented, and our plans for implementing future designs going forward.

4.1 Cluster Configure

The first design we implemented was a star topology, with each device of the eight devices connected over Ethernet to a central switch. Each device was configured to be on the same network and capable of communicating over the switch via IP addresses. We configured the /home directory of our head node, Snow White, to be an NFS export that the seven other nodes would mount in their /home directory.

4.1.1 Technologies Used

We used several Linux system configuration tools to implement the cluster. We used the files

- etc/network/interfaces
- etc/exports
- etc/hostname
- etc/hosts
- etc/fstab

for several different configuration setting. We also used a few packages available from the default debian repositories.

- nfs-kernel-server
- nfs-common
- mpi-dev

Finally, we used SSH tools that are installed by default on Ubuntu 15.

4.1.2 Component Overview

The features implented by this configuration were:

- All devices recognizing the others over Ethernet.
- SSH without requiring a password.
- Mount home directory of Snow White on the dwarfs.
- Running MPI code on all devices.

4.1.3 Phase Overview

This is an extension of the Phase Overview above, but specific to this component. It is meant to be basically a brief list with space for marking the phase status.

4.1.4 Architecture Diagram

It is important to build and maintain an architecture diagram. However, it may be that a component is best described visually with a data flow diagram.

4.1.5 Design Details

First, we made the devices able to communicate on the same network. We assigned each device a static IP address by editing the `/etc/networking/interfaces` file to include the IP address chosen for the device. All addresses were on the 192.168.1.1 network, and the last number was 11 through 18 for the eight devices.

Next, we set each device to be able to use our naming convention in place of an IP address for any purpose, such as by using "ssh sleepy" instead of "ssh 192.168.1.13". To do this, we changed the `/etc/hostname` file to replace "odroid" with the name we wanted, and added entries to `/etc/hosts` to include the IP address of the other seven decives.

We then set the `/home` directory of Snow White to be an NFS share that could be mounted on the dwarfs. After `nfs-kernel-server` was installed on Snow White, we edited its `/etc/exports` file to include `/home` as an export. The dwarfs then installed `nfs-common` and used the command "mount SnowWhite:/home /home" to mount the home directory of Snow White over their own.

To make this mount process automatic on boot, we edited the `/etc/fstab` file on each dwarf to make them mount Snow White's home directory as part of the boot process. This proved unsuccessful, however, on all devices except for on. As a work around, we wrote a Python tool that can be run from Snow White to mount it's home directory on the dwarfs.

```
#!/bin/usr/python

import os

def Main():

    hosts = [ 'snow_white', 'dopey', 'sleepy', 'grumpy', 'doc', 'happy',
              'bashful', 'sneezy' ]

    for host in hosts:
        if host != 'snow_white':
            cmd = "ssh odroid@" + host + " 'sudo mount -t nfs snow_white:/
            home /home'"
            os.system( cmd )

if __name__ == '__main__':
    Main()
```

5

System and Unit Testing

Testing for our project included mainly testing aspects of our hardware. Future sprints will include testing for the software we design as our message passing protocol over USB or GPIO pins, but for the first three sprints our goal was to chose the most efficient hardware and benchmark the amount of gigaflops able to be produced by the cluster, and how much the Ethernet network slows down the system. To accomplish this, we tested the physical capabilities of the hardware.

5.1 Overview

We first tested the computational speed of the ODROID XU4 and Raspberry PI 2B. We then tested the amount of power used by each device with a voltmeter. From these tests, the ODROID produced more gigaflops per watt per dollar, influencing our choice to build our cluster out of ODROID XU4s.

We then needed to test several aspects of the ODROID. The Ethernet speed over a switch was tested, and the amount of gigaflops produced by an individual device as well as the entire cluser working in parallel was tested using an existing benchmarking method.

5.2 Dependencies

To test the gigaflops of the cluster, we build and used LINPACK. To test the Ethernet speed, the tool iperf was used.

5.3 Test Setup and Execution

The first tests were to compare the ODROID XU4 and Raspberry Pi 2B. The computational speed was testing by writing a program in C++ to read two large arrays of floating point values into memory and compute four different computations accross the arrays; addition, multiplication, divison, and sine. We recorded how long it took each device to complete the calcuations, and used the timing as a point of comparision between the two devices. The power consumption during runtime was also tested using a voltmeter while the C++ code was executed. The amount of gigflops per watt per dollar was computed to favor the ODROID, influencing our decision to build the cluster out of them.

The next series of tests were the hardware capabilities of the ODROID xU4. The Ethernet speed was tested by using iperf on two nodes, which is a tool available in the default debian repositories to test the connection speed over Ethernet. Also, a USB to Ethernet device was tested in the same way. Once we knew that information, we tested the amount of gigaflops as recorded by a reliable tool, LINPACK. To do this we had to download the source code, create a Makefile for the ARM architecture, and build the executable. Once done, we adjusted the settings to a square matrix of size 38,600, used 4 and 16 for the P and Q values that determine how many cores to run the code on, and ran the test.

6

Development Environment

The basic purpose for this section is to give a developer all of the necessary information to setup their development environment to run, test, and/or develop.

6.1 Development IDE and Tools

Describe which IDE and provide links to installs and/or reference material.

6.2 Source Control

Which source control system is/was used? How was it setup? How does a developer connect to it?

6.3 Dependencies

Describe all dependencies associated with developing the system.

6.4 Build Environment

How are the packages built? Are there build scripts?

6.5 Development Machine Setup

If warranted, provide a list of steps and details associated with setting up a machine for use by a developer.

Release – Setup – Deployment

This section should contain any specific subsection regarding specifics in releasing, setup, and/or deployment of the system.

7.1 Deployment Information and Dependencies

Are there dependencies that are not embedded into the system install?

7.2 Setup Information

How is a setup/install built?

7.3 System Versioning Information

How is the system versioned?

User Documentation

This section should contain the basis for any end user documentation for the system. End user documentation would cover the basic steps for setup and use of the system. It is likely that the majority of this section would be present in its own document to be delivered to the end user. However, it is recommended the original is contained and maintained in this document.

8.1 User Guide

The source for the user guide can go here. You have some options for how to handle the user docs. If you have some **newpage** commands around the guide then you can just print out those pages. If a different formatting is required, then have the source in a separate file **userguide.tex** and include that file here. That file can also be included into a driver (like the senior design template) which has the client specified formatting. Again, this is a single source approach.

8.2 Installation Guide

8.3 Programmer Manual

9

Class Index

9.1 Class List

Here are the classes, structs, unions and interfaces with brief descriptions:

Poly 21

10

Class Documentation

10.1 Poly Class Reference

Public Member Functions

- Poly ()
- ~Poly ()
- int myfunction (int)

10.1.1 Constructor & Destructor Documentation

10.1.1.a Poly::Poly ()

My constructor

10.1.1.b Poly::~~Poly ()

My destructor

10.1.2 Member Function Documentation

10.1.2.a int Poly::myfunction (int *a*)

my own example function fancy new function

new variable

The documentation for this class was generated from the following file:

- hello.cpp

Experimental Log

A log of all research activities.

11.1 Benchmarking the Individual Computers

9/17/15 PcDuino isn't working according to Dr. Karlsson. The PcDuinos are about \$160 each, so chances were that the PcDuino wasn't going to be selected for the cluster. We will not put the PcDuino in consideration with our benchmarking.

9/17/15 PcDuino isn't working according to Dr. Karlsson. The PcDuinos are about \$160 each, so chances were that the PcDuino wasn't going to be selected for the cluster. We will not put the PcDuino in consideration with our benchmarking.

9/22/15 We begin work on benchmarking the remaining candidates. The code we will be using to benchmark the two devices will test the addition, multiplication, division, trigonometric function in single and double point precision of two massively large arrays filled with random numbers.

9/29/15 OpenMP is added to the benchmark code so the program runs on all cores. Results are as follows:

Length of Time (seconds)				
Device	Addition	Multiplication	Division	Sine
ODroid 4xU	29.925	31.341	37.032	227.40
Raspberry Pi 2B	221.645	221.034	297.204	1468.63

9/30/15 The gigaflops are calculated.

Gigaflops				
Device	Addition	Multiplication	Division	Sine
ODroid 4xU	0.311	0.297	0.251	0.0410
Raspberry Pi 2B	0.0420	0.0421	0.0313	0.00634

10/1/15 The wattage is measured when the devices are running these operations. Using the wattage, the metric of GFlops/Dollar/Watt is calculated.

Gigaflops per Dollar per Watts				
Device	Addition	Multiplication	Division	Sine
ODroid 4xU	0.00028	0.000268	0.000226	0.0000369
Raspberry Pi 2B	0.0003	0.0003	0.000224	0.0000453

10/1/15 The results show that the Raspberry Pi and the ODroid perform nearly the same. The Raspberry Pi in our benchmarking proved the best. However, it is inconclusive as to which computer will be used.

10/24/15 Decided to go with the ODroid. Performance and the number of ports outweighed the cost of the Raspberry Pi.

11.2 Ethernet Benchmark

10/25/15 Created network between a machine with gigabit ethernet port and ODroid. Installed n both the server machine and ODroid.

Ethernet Speed	
Device	Speed (Mbps)
ODroid XU4	615 - 625

11.3 Hardware Test

11/03/15 All eight ODroids are functional. To test them, each device was connected to a router with internet access via ethernet. A monitor was connected through HDMI, and the mouse and keyboard were connected to both USB 3.0 ports to ensure they worked. The packages mpi-default-dev and openmpi-bin were installed. The test mpi code found this director and successfully compiled and executed. No issues found.

11.4 Switch Benchmark

11/03/15 With two ODroid devices attached to the switch via direct ethernet (no USB 3.0 to ethernet adapter), the connection speed was tested with iperf.

Switch Speed	
Device	Speed (Mbps)
ODroid XU4	775 - 800

This is notably faster than the previous benchmark between one ODroid and a non-ODroid machine not using a switch.

11.5 USB to Ethernet Benchmark

11/03/15 Tested speed of USB 3.0 to ethernet adapter using iperf. Found slower than direct ethernet connection. Test speeds varied greatly. The USB ethernet adapter was faster acting as a server than a client.

USB 3.0 to Ethernet Adapter Speed	
Device	Speed (Mbps)
ODroid XU4	300 - 700

In contrast, the ethernet connections were consistent regardless of which device was the client or server.

11/05/15 There isn't a found way to connect two devices over USB-ethernet to ethernet directly. When attached to the switch, the devices can communicate. IF using the USB to ethernet adapter, they would be directly connected without the switch. Therefore, it was unable to directly connect devices.

The drastically lower speed of the USB to ethernet adapters and the inability to directly connect the devices means that the devices are very unlikely to be useful for this project.

12

Research Results

This chapter describes the results and conclusions of your research. This would be the final report for a research project.

12.1 Result 1

12.2 Result 2

12.3 Conclusions

12.4 Further work

SDSMT SENIOR DESIGN SOFTWARE DEVELOPMENT AGREEMENT

This Software Development Agreement (the “Agreement”) is made between the SDSMT Computer Science Senior Design Team _____,
consisting of team members _____,
and Sponsor _____,
with address: _____.

1 RECITALS

1. Sponsor desires Senior Design Team to develop software for the research project of developing an ARM Cluster.
2. Senior Design Teams willing to develop such Software.

NOW, THEREFORE, in consideration of the mutual covenants and promises herein contained, the Team and Sponsor agree as follows:

2 EFFECTIVE DATE

This Agreement shall be effective as of _____

3 DEFINITIONS

1. “Software” shall mean the computer programs in machine readable object code form and any subsequent error corrections or updates supplied to Sponsor by Senior Design Team pursuant to this Agreement.
2. “Acceptance Criteria” means the written technical and operational performance and functional criteria and documentation standards set out in the design document.
3. “Acceptance Date” means 2015, April 18 (before the Design Fair) for each Milestone when all Deliverables included in that Milestone have been accepted by Dr. C. Karlsson in accordance with the Acceptance Criteria and this Agreement.
4. “Deliverable” means a deliverable specified in the design document deliverable section.
5. “Delivery Date” shall mean the date on which University has delivered to Dr. C. Karlsson all of the Deliverables in accordance with the design document and this Agreement.
6. “Documentation” means the documents, manuals and written materials (including end-user manuals) referenced, indicated or described in the design document or otherwise developed pursuant to this Agreement.
7. “Milestone” means the completion and delivery of all of the Deliverables or other events which are included or described in the design document scheduled for delivery and/or completion on a given target date; a Milestone will not be considered completed until the Acceptance Date has occurred with respect to all of the Deliverables for that Milestone.

4 DEVELOPMENT OF SOFTWARE

1. Senior Design Team will use its best efforts to develop the Software described in design document deliverable section. The Software development will be under the direction of or his/her successors as mutually agreed to by the parties "Team Lead" and will be conducted by the Team Lead. The Team will deliver the Software to the satisfaction of the course instructor that reasonable effort has been made to address the needs of the client. The Team understands that failure to deliver the Software is grounds for failing the course.
2. Sponsor understands that the Senior Design course's mission is education and advancement of knowledge, and, consequently, the development of Software must further that mission. The Senior Design Course does not guarantee specific results or any results, and the Software will be developed only on a best efforts basis. The Software is considered PROOF OF CONCEPT only and is NOT intended for commercial, medical, mission critical or industrial applications.
3. The Senior Design instructor will act as mediator between Sponsor and Team; and resolve any conflicts that may arise.

5 CONSULTATION AND REPORTS

1. Sponsor's designated representative for consultation and communications with the Team Lead shall be _____ or such other person as Sponsor may from time to time designate to the Team Lead (Christine Sorensen).
2. During the Term of the Agreement, Sponsor's representatives may consult informally with course instructor regarding the project, both personally and by telephone. Access to work carried on in University facilities, if any, in the course of this Agreement shall be entirely under the control of University personnel but shall be made available on a reasonable basis.
3. The Team Lead will submit written progress reports. At the conclusion of this Agreement, the Team Lead shall submit a comprehensive final report in the form of the formal course documentation at the conclusion of the Senior Design II course.

6 CONFIDENTIAL INFORMATION

1. The parties may wish, from time to time, in connection with work contemplated under this Agreement, to disclose confidential information to each other ("Confidential Information"). Each party will use reasonable efforts to prevent the disclosure of any of the other party's Confidential Information to third parties for a period of three (3) years after the termination of this Agreement, provided that the recipient party's obligation shall not apply to information that:
 - (a) is not disclosed in writing or reduced to writing and so marked with an appropriate confidentiality legend within thirty (30) days of disclosure;
 - (b) is already in the recipient party's possession at the time of disclosure thereof;
 - (c) is or later becomes part of the public domain through no fault of the recipient party;
 - (d) is received from a third party having no obligations of confidentiality to the disclosing party;
 - (e) is independently developed by the recipient party; or
 - (f) is required by law or regulation to be disclosed.
2. In the event that information is required to be disclosed pursuant to subsection (6), the party required to make disclosure shall notify the other to allow that party to assert whatever exclusions or exemptions may be available to it under such law or regulation.

7 INTELLECTUAL PROPERTY RIGHTS

All deliverable become property of Dr. C. Karlsson and South Dakota School of Mines and Tecnology.

8 WARRANTIES

The Senior Design Team represents and warrants to Sponsor that:

1. the Software is the original work of the Senior Design Team in each and all aspects;
2. the Software and its use do not infringe any copyright or trade secret rights of any third party.

No agreements will be made beyond items (1) and (2).

9 INDEMNITY

1. Sponsor is responsible for claims and damages, losses or expenses held against the Sponsor.
2. Sponsor shall indemnify and hold harmless the Senior Design Team, its affiliated companies and the officers, agents, directors and employees of the same from any and all claims and damages, losses or expenses, including attorney's fees, caused by any negligent act of Sponsor or any of Sponsor's agents, employees, subcontractors, or suppliers.
3. NEITHER PARTY TO THIS AGREEMENT NOR THEIR AFFILIATED COMPANIES, NOR THE OFFICERS, AGENTS, STUDENTS AND EMPLOYEES OF ANY OF THE FOREGOING, SHALL BE LIABLE TO ANY OTHER PARTY HERETO IN ANY ACTION OR CLAIM FOR CONSEQUENTIAL OR SPECIAL DAMAGES, LOSS OF PROFITS, LOSS OF OPPORTUNITY, LOSS OF PRODUCT OR LOSS OF USE, WHETHER THE ACTION IN WHICH RECOVERY OF DAMAGES IS SOUGHT IS BASED ON CONTRACT TORT (INCLUDING SOLE, CONCURRENT OR OTHER NEGLIGENCE AND STRICT LIABILITY), STATUTE OR OTHERWISE. TO THE EXTENT PERMITTED BY LAW, ANY STATUTORY REMEDIES WHICH ARE INCONSISTENT WITH THE PROVISIONS OF THESE TERMS ARE WAIVED.

10 INDEPENDENT CONTRACTOR

For the purposes of this Agreement and all services to be provided hereunder, the parties shall be, and shall be deemed to be, independent contractors and not agents or employees of the other party. Neither party shall have authority to make any statements, representations or commitments of any kind, or to take any action which shall be binding on the other party, except as may be expressly provided for herein or authorized in writing.

11 TERM AND TERMINATION

1. This Agreement shall commence on the Effective Date and extend until the end of classes of the second semester of Senior Design (CSC 467), unless sooner terminated in accordance with the provisions of this Section (Fall 2015-Spring 2016).
2. This Agreement may be terminated by the written agreement of both parties.

3. In the event that either party shall be in default of its materials obligations under this Agreement and shall fail to remedy such default within thirty (30) days after receipt of written notice thereof, this Agreement shall terminate upon expiration of the thirty (30) day period.
4. Any provisions of this Agreement which by their nature extend beyond termination shall survive such termination.

12 GENERAL

1. This Agreement constitutes the entire and only agreement between the parties relating to the Senior Design Course, and all prior negotiations, representations, agreements and understandings are superseded hereby. No agreements altering or supplementing the terms hereof may be made except by means of a written document signed by the duly authorized representatives of the parties.
2. This Agreement shall be governed by, construed, and enforced in accordance with the internal laws of the State of South Dakota.

13 SIGNATURES

Andrew Hoover

Samantha Kranst

Christine Sorensen

Dr. Christer Karlsson

A

Product Description

Write a description of the product to be developed. Use sectioning commands as necessary.

NOTE: *This is part of the contract.*

B

Publications

Research Track: This chapter will include any publications generated from the research. Most likely these will be preprints and one will just include the pdf.

C

Sprint Reports

1 Sprint Report #1

Overview

Deliverables

- Mission Statement
- User Stories
- Number Generating Code
- Benchmark Code
- Benchmark Log
- Signed Software Contract
- Updated Design Document

Work for this sprint included:

- Wrote Mission Statement and Elevator Speech
- Drew up Software Contract
- Wrote user stories
- Obtained ODroid 4xU, Raspberry Pi 2B, and PcDuino 8 single-board computers
- Wrote number generating code
- Wrote benchmark code that ran addition, multiplication, division, and sine floating point operations
- Added OpenMP to run the benchmark code on all cores
- Ran the code each of the single-board computers
- Logged times
- Calculated the GFlops
- Calculated the GFlops/Dollar/Watts
- Determined best computer

Work that is carried over into Sprint 2 is as follows:

- Using the benchmark results to determine which computer to use
- Order more of the computers that proved best from Sprint 1 and maintain the given budget of \$1,200
- Find a topology that best fits the cluster

Backlog

- Decide on a computer based on the results of the benchmarking
- Calculate prices on supplies and computers while maintaining below the budget
- Ordering said supplies and computers
- Build the cluster to perform floating-point operations
- Benchmark the cluster
- Experiment with different connections
- Create a new mode of communication

2 Sprint Report #2

Deliverables

- Budget
- Hardware Tests
- Switch Benchmark
- Ethernet Benchmark
- USB to Ethernet
- MPI Code
- Message-Passing Protocol Design
- Updated Design Document

Overview

During this sprint, our team first decided to use the ODROID devices instead of Raspberry PIs based on our findings from sprint one. We roughly planned out our budget for ethernet cables, the switch, various USB cables, power strips, and the devices themselves and extra memory for them. At this stage, we did not choose exactly what we would buy, but we narrowed our budget enough to know that the number of devices we could have without going over the limit set by our sponsor was eight. Dr. Karlsson then ordered seven more ODroids, an eight port switch, eight ethernet cables, and one USB to RJ45 device to benchmark USB to ethernet speeds. We encountered an issue where the order was backordered, and we did not receive the devices until over two weeks later. Once we did get them, we benchmarked the speed over ethernet between two devices through the switch, and the speed when one device was using a USB to RJ45 to connect to the switch. We also attempted to benchmark the direct connection between RJ45 on one device connected directly to the ethernet of another device, but found that we would need a crossover cable. We concluded our sprint by setting up all eight devices by installing MPI and giving them static IP addresses on the network over the switch.

Dr. Karlsson has been informed of a research symposium and has suggested our team take part of it. We are adding this to our goals for Senior Design to take part in that.

Work for this sprint included:

Andrew Hoover

- Benchmarked:
 - Switch
 - Ethernet
 - USB to Ethernet
- Tested hardware
- Tested MPI code on ODROIDS

Samantha Krantz

- Researched supplies
- Finalized budget
- Researched patents and other clusters

Christine Sorensen

- Designed message-passing protocol
- Sampled MPI code
- Updated Design Document
- Sprint report document

Work that is carried over into Sprint 3 is as follows:

- Design the cluster
- Build the cluster
- Benchmark cluster
- Test message-passing using the other pins and ports

Backlog

- Build the cluster to perform floating-point operations
- Benchmark the cluster
- Experiment with different connections
- Create a new mode of communication

Goals

- Design Fair
- Research Symposium

3 Sprint Report #3

Deliverables

- Built cluster
- MPI code
- Mounted home directory
- Shutdown script
- Mounting script
- LINPACK and ATLAS installed on ODROIDS
- MPI installed on ODROIDS
- Hostnames
- Fixed IP Addresses
- SSH configuration

3.1 Overview

- Built cluster
 - All parts for the cluster were ordered. Parts included:
 - * 8 ODROID XU4's
 - * Switch
 - * Power box
 - * Ethernet cables
 - * Acrylic board
 - * Accessories, such as handles and power switches
 - The ODROIDS, switch and power box were mounted onto the acrylic board. ODROIDS were connected to the switch and the power box.
- Set up cluster
 - Fixed IP addresses to each ODROID
 - Assigned a hostname to each ODROID
 - Configured cluster network
 - NFS share
 - Configured sudo
 - Set-up ssh between ODROIDS
- Benchmarked cluster
 - Installed LINPACK
 - Wrote MPI code to run on the cluster
 - Ran the MPI code with LINPACK on the cluster
 - Gathered data
- Setbacks
 - Backorder

- * The remaining ODROIDS were backordered, delaying to assembling of the cluster.
- Broken ODROIDS
 - * Two of the ODROIDS needed to be replaced. It was believed that the two ODROIDS were placed on the power supply without covering which exposed the soldering on the bottom to separate it from the metal which might have crossed circuits causing the ODROIDS to not power up. Ordering the new ODROIDS put us behind in our timeline.
- Installing LINPACK
 - * The installation of LINPACK was complicated and prompted issues. It took longer than expected to complete.

Work for this sprint included:

Andrew Hoover

- Installed LINPACK and ATLAS
- Assembled cluster
- Replaced broken ODROIDS
- Fixed IP address on the ODROIDS
- Connected all ODROIDS over network
- Accessed the internet through the ODROIDS
- Mounted home directory of Snow White on the other ODROIDS
- Wrote script to shut down all ODROIDS
- Wrote script to run LINPACK on ODROIDS for specified number of processes
- Removed the sudo password
- Wrote script to change network configuration to all access to the internet or local network
- Assembled cluster
- Debugged boot-up error
- Benchmarked cluster using LINPACK and MPI code

Samantha Kranstz

- Created client presentation
- Assembled cluster
- Debugged boot-up error
- Benchmarked cluster using LINPACK and MPI code
- Researched patents

Christine Sorensen

- Assigned hostnames to each of the ODROIDS
- Configured ssh on ODROIDS
- Replaced broken ODROIDS
- Wrote MPI code to run on all cores of the clusters
- Updated design documentation
- Wrote script to mount home directory of Snow White onto all ODROIDS at once
- Added ODROID's hostnames to the others' known hosts list
- Wrote sprint report
- Assembled cluster
- Debugged boot-up error
- Benchmarked cluster using LINPACK and MPI code

Work that is carried over into Sprint 4 is as follows:

- Research new methods of connection
- Take action on these new methods
- Benchmark
- Complete abstract for research symposium

Backlog

- Research new connection methods
- Benchmark the cluster
- Experiment with different topologies
- Create a new mode of communication
- Design documentation
- Research symposium
 - Complete abstract
- Design Fair

4 Sprint Report #4

5 Sprint Report #5

6 Sprint Report #6

D

Industrial Experience and Resumes

1 Resumes

Andrew Hoover
3616 Michigan Ave
Manitowoc, WI 54220
920-629-3227
Andrew.Hoover@mines.sdsmt.edu

Objective

Seeking position as a software engineer working with storage and kernel level technologies.

Work Experience

August 2015 – Present. Software Engineering Intern. Nexenta.

- Continuing to work for Nexenta remotely during the school year.
- Tasked with organizing, documenting and modifying system build procedures.
- Continued improving monitoring and notification tools for the Long Running Test System.

May 2015 – August 2015. Software Engineering Intern. Nexenta.

- Worked with sustainability and kernel engineering teams.
- Created and implemented monitoring and notification tools for the Long Running Test System.
- Created and implemented tools to drive the CIFS and NFS activity.
- Added new features and new compatibility to tools created by other team members.
- Communicated with team members in several countries to complete projects.

May 2014 - August 2014. Wal-Mart associate

- Worked during the summer part time as a Wal-Mart associate.

Education

- Currently attending South Dakota School of Mines and Technology, graduating May 2016. 112 credits complete, current GPA: 3.2
- Lincoln High School in Manitowoc, WI, 2012

Skills

- Familiarity with Ubuntu, Fedora, Illumos, NexentaStor
- Telecommuting
- Able to communicate effectively to complete tasks with teammates.
- Experience in completing code based projects with teams.

Technologies

- VMWare Workstation and VSphere
- Github
- Visual Studio
- Shell scripting
- Python scripting
- Languages:
 - C and C++
 - ARM assembly
 - Java and C#
 - Python, SQL, lisp

References available upon request.

Samantha Kranstz

22891 Aberdeen Ct.
Rapid City, SD 57703

(605) 593-2181
samantha.kranstz@mines.sdsmt.edu

Objective Seeking an employment opportunity and/or learning experience in a computer science related field

Education South Dakota School of Mines and Technology - Rapid City, SD

- Computer Science Major and Mathematics Minor
- Expected Graduation Date: December 2016
- 2011- present
- GPA 2.8

Related Courses

Projects

Software Engineering- Ping Our Waiter Business Project
Senior Design- Arm Cluster
Analysis of Algorithms- Generate the worst case scenarios for quick sort

Software Skills

Languages

- C ++
- C
- Python
- Lisp
- PHP

Debugging

- Microsoft Visual Studio

Editors

- vim
- gedit
- Visual Studios

Employment

American Eagle Outfitters – Rapid City, SD

- Set floor planograms
- March 2012 - present

Shopko - Rapid City, SD

- Electronics department and customer service
- October 2014 –October 2014

Other Skills

- Good team work attitude
- Patience with debugging
- Good communication skills
- Hardworking, loyal, and reliable
- Hobbies – swimming, discus, and cliff jumping

CHRISTINE SORENSEN

619.5 Main Street
Apt 15
Rapid City, SD 57701

(605) 670-9808
www.linkedin.com/in/sorensenc
christine.sorensen@mines.sdsmt.edu

Objective

Senior Computer Science Undergraduate seeking **full-time opportunities**. Passionate about back-end software development. Specialized in working in a Linux environment with programming languages C++, C, and Python.

EDUCATION

South Dakota School of Mines and Technology—Rapid City, SD (Graduation: **May 2016**)

Computer Science B.S. • Cumulative GPA: 3.1 • Major GPA: 3.5

RELEVANT COLLEGE COURSEWORK

Data Structures • Computer Organization & Architecture • Software Engineering • Parallel Computing • Computer Networks • Assembly Language • Digital Systems • Database and Management Systems • Analysis of Algorithms • Computer Graphics • Technical Communications

University of Regina
National Student Exchange

Regina, SK, Canada (January 2012 – May 2012)

University of South Dakota

Vermillion, SD (August 2010 – December 2012)

EXPERIENCE

Black Hills Information Security Rapid City, SD (October 2015 – Present)

Software Developer Intern

Sencore Inc.

Sioux Falls, SD (May 2015 – August 2015)

World class technology company focused on innovating products and services for professional content providers to enable efficient, high quality video delivery.

Software Engineer Intern

- Wrote a utility in Python that processed VOD streaming on Sencore's monitoring probes.
- Added an expiration license to software that monitors RF measurements using C#.
- Used JavaScript to add features on the web side of the development team's debug page.

Projects

- Playlist generator using C++
- Packet sending simulations using SIMSCRIPT
- Photo-manipulation program in ARM Assembly
- Entrepreneurial presentation competing for the Butterfield Cup
- Solar System simulator in OpenGL
- Microarchitecture emulator in C++

SKILLS

Programming Languages: C++ • C • Python • ARM Assembly • SIMSCRIPT • C# • Common Lisp

Database: MySQL

Web Application: PHP • JavaScript • HTML • CSS

Graphics: OpenGL

**In order of proficiency*

E

Acknowledgment

Thanks

F

Supporting Materials

This document will contain several appendices used as a way to separate out major component details, logic details, or tables of information. Use of this structure will help keep the document clean, readable, and organized.

